

Tobacco in Australia

Facts & Issues

Relevant news and research

1.10 Prevalence of smoking in other high-risk sub-groups of the population

Last updated October 2020

Research:

De Socio, GV, Pasqualini, M, Ricci, E, Maggi, P, Orofino, G, Squillace, N et al (2020). Smoking habits in HIV-infected people compared with the general population in Italy: a cross-sectional study. *BMC Public Health*, 20(1), 734. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32434482>

Mutemwa, M, Peer, N, de Villiers, A, Faber, M, & Kengne, AP. (2020). Tobacco smoking and associated factors in human immunodeficiency virus-infected adults attending human immunodeficiency virus clinics in the Western Cape province, South Africa. *South Afr J HIV Med*, 21(1), 1072. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32391178>

Grappasonni, I, Scuri, S, Petrelli, F, Nguyen, CTT, Sibilio, F, Di Canio, Mn et al. (2019). Survey on smoking habits among seafarers. *Acta Biomed*, 90(4), 489-497. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31910174>

Messiah, A, Dietz, NA, Byrne, MM, Hooper, MW, Fernandez, CA, Baker, EA, Stevens, M, Ocasio, M, Sherman, RL, Parker, DF, Lee, DJ. Combining Community-Based Participatory Research (CBPR) with a random-sample survey to assess smoking prevalence in an under-served community. *J Natl Med Assoc*. 2015 Jun;107(2):97-101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27269496>

Johnson, SE et al. Tobacco product use among sexual minority adults: findings from the 2012-2013 National Adult Tobacco Survey. *Am J Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26526162>

1.10.1 Smoking in pregnancy

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kim, S. (2020). Changes in Multiple and Different Tobacco Product Use Behaviors in Women Before and During Pregnancy: An Analysis of Longitudinal Population Assessment of Tobacco and Health Data. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32828586>

Alamneh, AA, Endris, BS, & Gebreyesus, SH. (2020). Caffeine, alcohol, khat, and tobacco use during pregnancy in Butajira, South Central Ethiopia. *PLoS One*, 15(5), e0232712. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32384102>

Haas, DM, Mahnke, B, Yang, Z, Guise, D, Daggy, J, Simhan, HN et al (2020). Profile of Reported Alcohol, Tobacco, and Recreational Drug Use in Nulliparous Women. *Obstet Gynecol*, 135(6), 1281-1288. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32459419>

Luck, J, Larson, AE, Tong, VT, Yoon, J, Oakley, LP, & Harvey, SM. (2020). Tobacco use by pregnant Medicaid beneficiaries: Validating a claims-based measure in Oregon. *Prev Med Rep*, 19, 101039. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32435578>

Liu, B, Xu, G, Rong, S, Santillan, DA, Santillan, MK, Snetselaar, LG, & Bao, W. (2019). National Estimates of e-Cigarette Use Among Pregnant and Nonpregnant Women of Reproductive Age in the United States, 2014-2017. *JAMA Pediatrics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31034001>

Silveira, MF et al. Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. *BMJ Open*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26832432>

Orhurhu, VJ et al. Prevalence of smoking in adults with chronic pain. *Tobacco Induced Diseases*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26185492>

Kmietowicz, Z. Smoking rates among pregnant women fall to all time low of 11. *BMJ*, 2015 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26092871>

Ortiz KS, Duncan DT, Blossnich JR, Salloum RG, and Battle J. Smoking among sexual minorities: are there racial differences? *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25589679>

Caleyachetty R, Tait CA, Kengne AP, Corvalan C, Uauy R, et al. Tobacco use in pregnant women: analysis of data from Demographic and Health Surveys from 54 low-income and middle-income

Tobacco in Australia

Facts & Issues

countries. *Lancet Glob Health*, 2014; 2(9):e513-20. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25304418>

Women smoking while pregnant 'lowest on record'. *Community Pract*, 2014; 87(8):7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25226694>

Dhalwani NN, Tata LJ, Coleman T, Fiaschi L, and Szatkowski L. A comparison of UK primary care data with other national data sources for monitoring the prevalence of smoking during pregnancy. *J Public Health (Oxf)*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25336275>

Borrelli B, Busch A, and Dunsiger S. Cigarette Smoking Among Adults With Mobility Impairments: A US Population-Based Survey. *Am J Public Health*, 2014; 104(10):1943-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25208005>

Fallin A, Goodin AJ, and King BA. Menthol Cigarette Smoking among Lesbian, Gay, Bisexual, and Transgender Adults. *Am J Prev Med*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25245795>

Fallin A, Goodin A, Lee YO, and Bennett K. Smoking characteristics among lesbian, gay, and bisexual adults. *Prev Med*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25485860>

Chen WJ, Ting TT, Chang CM, Liu YC, and Chen CY. Ketamine use among regular tobacco and alcohol users as revealed by respondent driven sampling in Taipei: prevalence, expectancy, and users' risky decision making. *J Food Drug Anal*, 2013; 21(4):S102-S105. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25264412>

Kish DH, Reitzel LR, Kendzor DE, Okamoto H, and Businelle MS. Characterizing Concurrent Tobacco Product Use Among Homeless Cigarette Smokers. *Nicotine Tob Res*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25358660>

Azagba S, Asbridge M, Langille D, and Baskerville B. Disparities in tobacco use by sexual orientation among high school students. *Prev Med*, 2014; 69C:307-311. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25450168>

Ilie G, Adlaf EM, Mann RE, Ialomiteanu A, Hamilton H, et al. Associations between a history of traumatic brain injuries and current cigarette smoking, cannabis use, nonmedical opioid use, and elevated psychological distress in a population sample of Canadian adults. *J Neurotrauma*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25496189>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

McClure EA, Campbell AN, Pavlicova M, Hu M, Winhusen T, et al. Cigarette Smoking During Substance Use Disorder Treatment: Secondary Outcomes from a National Drug Abuse Treatment Clinical Trials Network study. *J Subst Abuse Treat*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25595301>

1.10.2 Smoking and mental illness

Cruvinel, E, Liebman, E, Leite, I, Hu, J, & Richter, KP. (2020). Prevalence of smoking, quit attempts and access to cessation treatment among adults with mental illness in Brazil: a cross-sectional analysis of a National Health Survey. *BMJ Open*, 10(5), e033959. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32461292>

Kwan, Y, Kim, HS, Kang, DR, & Kim, ATH. (2020). Trend in the Prevalence of Non-Daily Smoking and Their Relationship with Mental Health Using the Korea Health and Nutrition Examination Survey. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414082>

1.10.5 The prison population

Kennedy, SM, Sharapova, SR, Beasley, DD, Hsia, J. Cigarette smoking among inmates by race/ethnicity: impact of excluding African American young adult men from national prevalence estimates. *Nicotine Tob Res*. 2016 Apr;18 Suppl 1:S73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26980867>

Ritter, C et al. Tobacco use among prison staff in Germany: a cross-sectional study. *Eur J Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26498955>

1.10.6 Other drug use

Gravelly, S, Driezen, Smith, DM, Borland, R, Lindblom, EN, Hammond, D et al (2020). International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC

Tobacco in Australia

Facts & Issues

Four Country Smoking and Vaping Survey. *Int J Drug Policy*, 79, 102754. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32305827>

Roche, DJO, Bujarski, S, Green, R, Hartwell, EE, Leventhal, AM, & Ray, LA. (2019). Alcohol, tobacco, and marijuana consumption is associated with increased odds of same-day substance co- and tri-use. *Drug Alcohol Depend*, 200, 40-49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31085377>

Weinberger, AH, Pacek, LR, Wall, MM, Gbedemah, M, Lee, J, & Goodwin, RD. (2019). Cigarette smoking quit ratios among adults in the USA with cannabis use and cannabis use disorders, 2002-2016. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30952691>

Pacek, LR, Copeland, J, Dierker, L, Cunningham, CO, Martins, SS, Goodwin, RD. Among whom is cigarette smoking declining in the United States? The impact of cannabis use status, 2002-2015. *Drug Alcohol Depend*. 2018 Oct 1;191:355-360. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30179761>

Moeller, SJ, Fink, DS, Gbedemah, M, Hasin, DS, Galea, S, Zvolensky, MJ, Goodwin, RD. Trends in Illicit Drug Use Among Smokers and Nonsmokers in the United States, 2002-2014. *J Clin Psychiatry*. 2018 Jun 12;79(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29894597>

Goodwin, RD, Pacek, LR, Copeland, J, Moeller, SJ, Dierker, L., Weinberger, A, Gbedemah, M, Zvolensky, MJ, Wall, MM and Hasin, DS. Trends in Daily Cannabis Use Among Cigarette Smokers: United States, 2002-2014. *Am J Public Health*. 2018 Jan;108(1):137-142. Available from: <http://ajph.aphapublications.org/doi/abs/10.2105/AJPH.2017.304050>

Subramaniam, P, McGlade, E, Yurgelun-Todd, D. Comorbid cannabis and tobacco use in adolescents and adults. *Curr Addict Rep*. 2016 Jun 1;3(2):182-188. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27175326>

Schauer, GL, Hall, CD, Berg, CJ, Donovan, DM, Windle, M, Kegler, MC. Differences in the relationship of marijuana and tobacco by frequency of use: a qualitative study with adults aged 18-34 years. *Psychol Addict Behav*, 2016 May;30(3):406-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27099958>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wang, JB, Cataldo, JK. Medical marijuana legalization and co-use in adult cigarette smokers. *Am J Health Behav.* 2016 Mar;40(2):205-14. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26931752>

Schauer, GL et al. Assessing the overlap between tobacco and marijuana: Trends in patterns of co-use of tobacco and marijuana in adults from 2003-2012. *Addictive Behaviors*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26036666>

Schauer, GL et al. Differences in tobacco product use among past month adult marijuana users and nonusers: Findings from the 2003-2012 National Survey on Drug Use and Health. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26009578>

News reports:

Messiah, A, Dietz, NA, Byrne, MM, Hooper, MW, Fernandez, CA, Baker, EA, Stevens, M, Ocasio, M, Sherman, RL, Parker, DF, Lee, DJ. Combining Community-Based Participatory Research (CBPR) with a random-sample survey to assess smoking prevalence in an under-served community. *J Natl Med Assoc.* 2015 Jun;107(2):97-101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27269496>

Johnson, SE et al. Tobacco product use among sexual minority adults: findings from the 2012-2013 National Adult Tobacco Survey. *Am J Prev Med*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26526162>

1.10.1 Smoking in pregnancy

Lifestyles Team. (2019). *Statistics on Women's Smoking Status at Time of Delivery: England - Quarter 4, 2018-19*. Available from England: <https://digital.nhs.uk/data-and-information/publications/statistical/statistics-on-women-s-smoking-status-at-time-of-delivery-england/statistics-on-womens-smoking-status-at-time-of-delivery-england-quarter-4-january-2019-to-march-2019>

Silveira, MF et al. Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. *BMJ Open*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26832432>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Orhurhu, VJ et al. Prevalence of smoking in adults with chronic pain. Tobacco Induced Diseases, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26185492>

Kmietowicz, Z. Smoking rates among pregnant women fall to all time low of 11. BMJ, 2015 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26092871>

Ortiz KS, Duncan DT, Blossnich JR, Salloum RG, and Battle J. Smoking among sexual minorities: are there racial differences? Nicotine Tob Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25589679>

Caleyachetty R, Tait CA, Kengne AP, Corvalan C, Uauy R, et al. Tobacco use in pregnant women: analysis of data from Demographic and Health Surveys from 54 low-income and middle-income countries. Lancet Glob Health, 2014; 2(9):e513-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25304418>

Women smoking while pregnant 'lowest on record'. Community Pract, 2014; 87(8):7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25226694>

Dhalwani NN, Tata LJ, Coleman T, Fiaschi L, and Szatkowski L. A comparison of UK primary care data with other national data sources for monitoring the prevalence of smoking during pregnancy. J Public Health (Oxf), 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25336275>

Borrelli B, Busch A, and Dunsiger S. Cigarette Smoking Among Adults With Mobility Impairments: A US Population-Based Survey. Am J Public Health, 2014; 104(10):1943-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25208005>

Fallin A, Goodin AJ, and King BA. Menthol Cigarette Smoking among Lesbian, Gay, Bisexual, and Transgender Adults. Am J Prev Med, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25245795>

Fallin A, Goodin A, Lee YO, and Bennett K. Smoking characteristics among lesbian, gay, and bisexual adults. Prev Med, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25485860>

Chen WJ, Ting TT, Chang CM, Liu YC, and Chen CY. Ketamine use among regular tobacco and alcohol users as revealed by respondent driven sampling in Taipei: prevalence, expectancy, and users' risky decision making. J Food Drug Anal, 2013; 21(4):S102-S105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25264412>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kish DH, Reitzel LR, Kendzor DE, Okamoto H, and Businelle MS. Characterizing Concurrent Tobacco Product Use Among Homeless Cigarette Smokers. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25358660>

Azagba S, Asbridge M, Langille D, and Baskerville B. Disparities in tobacco use by sexual orientation among high school students. *Prev Med*, 2014; 69C:307-311. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25450168>

Ilie G, Adlaf EM, Mann RE, Ialomiteanu A, Hamilton H, et al. Associations between a history of traumatic brain injuries and current cigarette smoking, cannabis use, nonmedical opioid use, and elevated psychological distress in a population sample of Canadian adults. *J Neurotrauma*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25496189>

McClure EA, Campbell AN, Pavlicova M, Hu M, Winhusen T, et al. Cigarette Smoking During Substance Use Disorder Treatment: Secondary Outcomes from a National Drug Abuse Treatment Clinical Trials Network study. *J Subst Abuse Treat*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25595301>

1.10.5 The prison population

Kennedy, SM, Sharapova, SR, Beasley, DD, Hsia, J. Cigarette smoking among inmates by race/ethnicity: impact of excluding African American young adult men from national prevalence estimates. *Nicotine Tob Res*. 2016 Apr;18 Suppl 1:S73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26980867>

Ritter, C et al. Tobacco use among prison staff in Germany: a cross-sectional study. *Eur J Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26498955>

1.10.6 Other drug use

Moeller, SJ, Fink, DS, Gbedemah, M, Hasin, DS, Galea, S, Zvolensky, MJ, Goodwin, RD. Trends in Illicit Drug Use Among Smokers and Nonsmokers in the United States, 2002-2014. *J Clin Psychiatry*. 2018 Jun 12;79(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29894597>

Goodwin, RD, Pacek, LR, Copeland, J, Moeller, SJ, Dierker, L., Weinberger, A, Gbedemah, M, Zvolensky, MJ, Wall, MM and Hasin, DS. Trends in Daily Cannabis Use Among Cigarette Smokers:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

United States, 2002-2014. Am J Public Health. 2018 Jan;108(1):137-142. Available from:
<http://ajph.aphapublications.org/doi/abs/10.2105/AJPH.2017.304050>

Subramaniam, P, McGlade, E, Yurgelun-Todd, D. Comorbid cannabis and tobacco use in adolescents and adults. Curr Addict Rep. 2016 Jun 1;3(2):182-188. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27175326>

Schauer, GL, Hall, CD, Berg, CJ, Donovan, DM, Windle, M, Kegler, MC. Differences in the relationship of marijuana and tobacco by frequency of use: a qualitative study with adults aged 18-34 years. Psychol Addict Behav, 2016 May;30(3):406-14. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27099958>

Wang, JB, Cataldo, JK. Medical marijuana legalization and co-use in adult cigarette smokers. Am J Health Behav. 2016 Mar;40(2):205-14. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26931752>

Schauer, GL et al. Assessing the overlap between tobacco and marijuana: Trends in patterns of co-use of tobacco and marijuana in adults from 2003-2012. Addictive Behaviors, 2015. Available from;
<http://www.ncbi.nlm.nih.gov/pubmed/26036666>

Schauer, GL et al. Differences in tobacco product use among past month adult marijuana users and nonusers: Findings from the 2003-2012 National Survey on Drug Use and Health. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26009578>

tobaccoinaustralia.org.au