

Tobacco in Australia

Facts & Issues

Relevant news and research

1.12 Prevalence of use of different types of tobacco products

Last updated October 2020

Research:

Pacek, LR, Wiley, JL, Joseph McClernon, F. A Conceptual Framework for Understanding Multiple Tobacco Product Use and the Impact of Regulatory Action. *Nicotine Tob Res*, 2018. Jun 20, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29931176>

Graber, JM, Wackowski, OA, Bover Manderski, MT, Rose, CS, Cohen, RA, Delnevo, CD. Assessing Tobacco Use Among Working Adults in the United States: the Need to Consider Poly-tobacco Use. *J Occup Environ Med*. 2017 May;59(5):e100. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486349>

Cohn, AM, Ehlke, SJ, Cobb, CO, Soule, EK. Hookah tobacco smoking in a large urban sample of adult cigarette smokers: Links with alcohol and poly-tobacco use. *Addict Behav*. 2017 May;68:1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28086138>

Majeed, BA, Sterling, KL, Weaver, SR, Pechacek, TF, Eriksen, MP. Prevalence and harm perceptions of hookah smoking among U.S. adults, 2014-2015. *Addict Behav*. 2017 Jun;69:78-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28161620>

Ramstrom, L. Insufficient knowledge about use of multiple tobacco/nicotine products. *Addict Behav*. 2017 Jan 25. pii: S0306-4603(17)30054-0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28161154>

Sureda, X, Fu, M, Martinez-Sanchez, JM, Martinez, C, Ballbe, M, Perez-Ortuno, R, Salto, E, Pascual, JA, Fernandez, E. Manufactured and roll-your-own cigarettes: A changing pattern of smoking in Barcelona, Spain. *Environ Res*. 2017 Feb 18;155:167-174. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28222364>

Dunbar, MS, Shadel, WG, Tucker, JS, Edelen, MO. Use of and reasons for using multiple other tobacco products in daily and nondaily smokers: Associations with cigarette consumption and

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

nicotine dependence. Drug Alcohol Depend. 2016 Sep 11;168:156-163. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/27664553>

Sterling, KL, Fryer, CS, Pagano, I, Fagan, P. Little cigars and cigarillos use among young adult cigarette smokers in the United States: understanding risk of concomitant use subtypes. Nicotine Tob Res, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27613889>

Jawad, M et al. Waterpipe tobacco use in the United Kingdom: a cross-sectional study among university students and stop smoking practitioners. PLoS One, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26745806>

Casseus, M et al. Cigarette smokers' classification of tobacco products. Tob Control, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26604260>

Mays, D et al. Openness to using non-cigarette tobacco products among U.S. young adults. Am J Prev Med, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26549502>

Nasim, A et al. Characteristics and patterns of Black & Mild use among African American smokers. Nicotine Tob Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26615202>

Doran, N, Trim, RS. Correlates of other tobacco use in a community sample of young adults. Addict Behav, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26255638>

Healey, B et al. Youth preferences for roll-your-own versus factory-made cigarettes: trends and associations in repeated national surveys (2006-2013) and implications for policy. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26108220>

Jawad, M, Millett, C. Epidemiological surveys might underestimate waterpipe smoking. BMJ, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26055421>

Loukas, A et al. Changes in use of cigarettes and non-cigarette alternative products among college students. Addictive behaviors, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26046401>

Ramachandra, SS, Yaldrum, A. Shisha smoking: An emerging trend in Southeast Asian nations. Journal of Public Health Policy, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25995064>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Akl E, Ward KD, Bteddini D, Khaliel R, Alexander AC, et al. The allure of the waterpipe: a narrative review of factors affecting the epidemic rise in waterpipe smoking among young persons globally. *Tob Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25618895>

Daniels, JP. Bogota tackles basuco addiction. *The Lancet*, 2015. Available from: <http://www.thelancet.com/journals/lancet/article/PIIS0140-6736%2815%2900189-0/fulltext>

Agaku IT, Awopegba AJ, and Filippidis FT. The impact of inter-survey differences in the definition of current smokeless tobacco use on comparability of US national and state-specific prevalence estimates, 2009-2011. *Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25625692>

Cinar N and Cakmak V. Is waterpipe smoking becoming increasingly widespread among the youth? *Asian Pac J Cancer Prev*, 2014; 15(18):8005-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25292104>

Maziak W, Taleb ZB, Bahelah R, Islam F, Jaber R, et al. The global epidemiology of waterpipe smoking. *Tob Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25298368>

Pepper JK and Eissenberg T. Waterpipes and electronic cigarettes: increasing prevalence and expanding science. *Chem Res Toxicol*, 2014; 27(8):1336-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25338174>

Cole AG, Leatherdale ST, and Rynard VL. Roll-your-own tobacco use among Canadian youth: current prevalence and changes in youth smoking "rollies" since 2008. *Chronic Dis Inj Can*, 2014; 34(4):263-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25408186>

Soneji S, Sargent J, and Tanski S. Multiple tobacco product use among US adolescents and young adults. *Tob Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25361744>

Salloum RG, Thrasher JF, Kates FR, and Maziak W. Water pipe tobacco smoking in the United States: Findings from the National Adult Tobacco Survey. *Prev Med*, 2014; 71C:88-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25535678>

Soule EK, Pomeranz JL, Moorhouse MD, and Barnett TE. Multiple tobacco use and increased nicotine dependence among people with disabilities. *Disabil Health J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25445017>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Sinha DN, Palipudi KM, Jones CK, Khadka BB, Silva PD, et al. Levels and trends of smokeless tobacco use among youth in countries of the World Health Organization South-East Asia Region. *Indian J Cancer*, 2014; 51 Suppl:S50-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25526249>

Spangler J, Song E, Pockey J, Sutfin EL, Reboussin BA, et al. Correlates of smokeless tobacco use among first year college students. *Health Educ J*, 2014; 73(6):693-701. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25484378>

van der Deen FS, Ikeda T, Cobiac L, Wilson N, and Blakely T. Projecting future smoking prevalence to 2025 and beyond in New Zealand using smoking prevalence data from the 2013 Census. *N Z Med J*, 2014; 127(1406):71-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25447251>

1.12.1 Manufactured cigarettes, roll-your-own cigarettes, pipes and cigars

Minardi, V, Ferrante, G, D'Argenio, P, Masocco, M, Spizzichino, L, Bietta, C et al. Roll-your-own cigarette use in Italy: sales and consumer profile-data from PASSI surveillance, 2015-2016. *Int J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30683951>

Lugo, A, Zuccaro, P, Pacifici, R, Gorini, G, Colombo, P, La Vecchia, C, Gallus, S. Smoking in Italy in 2015-2016: prevalence, trends, roll-your-own cigarettes, and attitudes towards incoming regulations. *Tumori*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28574129>

Montgomery, L, Mantey, DS. Correlates of Blunt Smoking Among African American, Hispanic/Latino, and White Adults: Results From the 2014 National Survey on Drug Use and Health. *Subst Use Misuse*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28467153>

Dickinson, DM et al. The language of cigar use: focus group findings on cigar product terminology. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26826209>

1.12.3 Smokeless tobacco products

Jain, V, Rifai, MA, Naderi, S, Barolia, R, Iqbal, S, Taj, M et al (2020). Association of Smokeless Tobacco use with the use of other Illicit Drugs in the United States. *Am J Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32621908>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lipari, RN, Van Horn, SL. Trends in Smokeless Tobacco Use and Initiation: 2002 to 2014. The CBHSQ Report, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28636307>

Nguyen, K et al. State-specific prevalence of current cigarette smoking and smokeless tobacco use among adults aged ≥ 18 years - United States, 2011-2013. MMWR. Morbidity and Mortality Weekly Report, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25996096>

1.12.4 Other products

Jain, V, Rifai, MA, Naderi, S, Barolia, R, Iqbal, S, Taj, M et al (2020). Association of Smokeless Tobacco use with the use of other Illicit Drugs in the United States. *Am J Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32621908>

Weinberger, AH, Delnevo, CD, Zhu, J, Gbedemah, M, Lee, J, Cruz, LN et al. (2019). Trends in Cigar Use in the United States, 2002 to 2016: Diverging Trends by Race/Ethnicity. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31013341>

Abdullah, P, Costanian, C, Khanlou, N, Tamim, H. Prevalence and characteristics of water-pipe smoking in Canada: results from the Canadian Tobacco Use Monitoring Survey. *Public Health*. 2017 Jul;148:102-108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28458121>

Jawad, M, McIver, C. Waterpipe tobacco smoking prevalence and illegal underage use in waterpipe-serving premises: a cross-sectional analysis among schoolchildren in Stoke-on-Trent. *Public Health*. 2017 May;146:32-38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404471>

Ortiz, K, Mamkherzi, J, Salloum, R, Matthews, AK, Maziak, W. Waterpipe tobacco smoking among sexual minorities in the United States: Evidence from the National Adult Tobacco Survey (2012-2014). *Addict Behav*. 2017 Jun 8;74:98-105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28601749>

Filippidis, FT, Mechili, EA, Girvalaki, C, & Vardavas, C. (2019). Cost, prevalence and correlates of cigarillo use in 28 European countries in 2017. *Cent Eur J Public Health*, 27(3), 182-187. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31580551>

Fishbein, H, Bauer, D, Yu, Q, Mermelstein, R, Jones, D, Miller, A et al. (2019). Harmonizing Cigar Survey Data across Tcors, Ctp, and Path Studies: The Cigar Collaborative Research (Ccr) Group. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31665435>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

News reports:

Whiteman, Honor. Almost 20% of high school seniors use hookahs. *Medical News Today*, 2015. Sept 16, 2015. Available from: <http://www.medicalnewstoday.com/articles/299528.php?tw>

Roberts, Georgett, Perez, Chris,. City kids swapping cigarettes for cigars. *New York Post*, 2015. June 13, 2015. Available from: <http://nypost.com/2015/06/13/city-kids-swapping-cigarettes-for-cigars/>

No authors listed. 25% of high school seniors now try smoking hookah. *University Herald*, 2015. Mar 26, 2015. Available from: <http://www.universityherald.com/articles/17283/20150326/25-of-high-school-seniors-now-try-smoking-hookah.htm>

Neergaard, Lauran. Smokers may tap into multiple sources for nicotine. *Medical Xpress*, 2015. Feb 27, 2015. Available from: <http://medicalxpress.com/news/2015-02-smokers-multiple-sources-nicotine.html>

Whitelocks, Sadie. Smokers use e-cigarettes to supplement their habit NOT to quit, study reveals. *Daily Mail*, 2015. Feb 28, 2015. Available from: <http://www.dailymail.co.uk/news/article-2972834/Smokers-use-e-cigarettes-supplement-habit-NOT-quit-study-reveals.html>

Norwegian Institute of Public Health,. Snus use in Norway has tripled in five years. *Science Daily*, 2014. Nov 20, 2014. Available from: <http://www.sciencedaily.com/releases/2014/11/141120081951.htm>

1.12.1 Manufactured cigarettes, roll-your-own cigarettes, pipes and cigars

No authors listed,. 'Dizziness', the super-tobacco hooking UAE teens. *Medical Xpress*, 2015. Mar 22, 2015. Available from: <http://medicalxpress.com/news/2015-03-dizziness-super-tobacco-uae-teens.html>

1.12.4 Other products

No authors listed. (2020). Shisha 'floodgates'. *Greater Dandenong Weekly*, p. 5. Retrieved from https://customreport.mediaportal.com/#/articlepresenter/23105699-bd14-4b6f-9847-2eb9f146d078/609062969/1474060088?_k=0033uy

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Roe, I. (2019). The shisha pipe has found its way around the world *Radio National* Canberra, 2019.

Oct 17, 2019. Available from:

<http://www.mediaportal.com/mp/playnow.aspx?u=142902&p=1257806796&key=2495717825524823024097150734221224517714277>

tobaccoinaustralia.org.au