Tobacco in Australia
Facts & Issues

Relevant news and research
1.6 Prevalence of smoking—teenagers

Last updated December 2024

Research:.....2
1.6 Prevalence of smoking—teenagers.....2
1.6.1 Latest estimates of prevalence of smoking among teenagers.....3
1.6.2 Trends over time in smoking prevalence among teenagers.....4
1.6.3 International comparisons of smoking prevalence among teenagers.....4
1.6.X Poly-tobacco use, teenagers.....16
News:.....19
1.6 Prevalence of smoking—teenagers.....19
1.6.1 Latest estimates of prevalence of smoking among teenagers.....19
1.6.2 Trends over time in smoking prevalence among teenagers.....19
1.6.3 International comparisons of smoking prevalence among teenagers.....19
1.6.X Poly-tobacco use, teenagers.....23

Research:

1.6 Prevalence of smoking—teenagers

Scully M, Bain E, Koh I, Wakefield M, and Durkin S. ASSAD 2022/2023: Australian secondary school students' use of tobacco and e-cigarettes. Centre of Behavioural Research in Cancer, Cancer Council Victoria. 2023. Available from: https://www.health.gov.au/sites/default/files/2023-11/secondary-school-students-use-of-tobacco-and-e-cigarettes-2022-2023.pdf.

Hanewinkel R and Hansen J. [Use of tobacco cigarettes, e-cigarettes, and shishas among children and adolescents: Results of the 'Praventionsradar' from 2016 to 2023]. Pneumologie, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37758039

Hair EC, Do EK, Liu SM, Tulsiani S, Vallone DM, et al. Patterns of Daily Cigarette and E-cigarette Use among United States Youth and Young Adults: Insights from the Truth Longitudinal Cohort between 2018 and 2019. Preventive Medicine Reports, 2023; 36:102416. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37753384

Centre for Behavioural Research in Cancer. Australian Secondary Students' Alcohol and Drug (ASSAD) survey: Past month, past week and daily smoking rates for Year 9 students, 1999-2022/23. Melbourne: Cancer Council Victoria. 2023.

Australian Institute of Health and Welfare. Alcohol, tobacco & other drugs in Australia. Canberra: AIHW. 2023. Available from: https://www.aihw.gov.au/reports/alcohol/alcohol-tobacco-other-drugs-australia.

Australian Bureau of Statistics. Smoking and vaping. 2023. Available from: https://www.abs.gov.au/statistics/health/health-conditions-and-risks/smoking-and-vaping/2022.

Park-Lee E, Gentzke AS, Ren C, Cooper M, Sawdey MD, et al. Impact of Survey Setting on Current Tobacco Product Use: National Youth Tobacco Survey, 2021. The Journal of Adolescent Health, 2022. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36470692

Gavin A, Költő A, Kelly C, Molcho M, and Nic Gabhainn S. Trends in Health Behaviours, Health Outcomes and Contextual Factors between 1998-2018: findings from the Irish Health Behaviour in School-aged Children Study. Dublin: Department of Health. 2021. Available from: http://www.nuigalway.ie/media/healthpromotionresearchcentre/hbscdocs/nationalreports/HBSC-Trends-Report-2021.pdf.

Australian Institute of Health and Welfare. Alcohol, tobacco & other drugs in Australia. Cat. no: PHE 221 Canberra: AIHW. 2021. Available from: https://www.aihw.gov.au/reports/alcohol/alcohol-tobacco-other-drugs-australia/contents/about.

Guerin N, White V, and Gascoyne C. ASSAD 2017 Victorian Statistics & Trends: Victorian Secondary Students' Use of Tobacco, Alcohol, Over-the-counter Drugs, and Other Substances, Second Edition. Cancer Council Victoria Prepared for the Victorian Department of Health & Human Services. 2020. Available from: https://www2.health.vic.gov.au/alcohol-and-drugs/aod-policy-research-legislation/aod-research-and-data.

Guerin N and White V. ASSAD 2017 Statistics & Trends: Australian Secondary Students' Use of Tobacco, Alcohol, Over-the-counter Drugs, and Illicit Substances in 2017. Second Edition. Cancer Council Victoria. 2020. Available from: https://www.health.gov.au/resources/publications/secondary-school-students-use-of-tobacco-alcohol-and-other-drugs-in-2017.

Guerin N and White V. Statistics & Trends: Australian Secondary Students' Use of Tobacco, Alcohol, Over-the-counter Drugs, and Illicit Substances, Second edition. Cancer Council Victoria. 2020. Available from: https://www.health.gov.au/resources/publications/trends-in-substance-use-among-australian-secondary-school-students-1996-2017.

Lim KH, Lim HL, Teh CH, Kee CC, Khoo YY, et al. Smoking among school-going adolescents in selected secondary schools in Peninsular Malaysia- findings from the Malaysian Adolescent Health Risk Behaviour (MyaHRB) study. Tobacco Induced Diseases, 2017; 15:9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28163668

White V and Williams T. Australian secondary school students' use of tobacco in 2014 Australia 2015. Available from: https://www.health.gov.au/resources/publications/secondary-school-students-use-of-tobacco-alcohol-and-other-drugs-in-2014.

Neff L, Arrazola R, Caraballo R, Corey C, Cox S, et al. Frequency of tobacco use among middle and high school students - United States, 2014. MMWR. Morbidity and Mortality Weekly Report, 2015; 64(38):1061–5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26422781

Fillon M. Fifty years later, many teens still smoke. Journal of the National Cancer Institute, 2014; 106(3):dju074. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24610914

White V and Bariola E. 3. Tobacco use among Australian secondary students in 2011, in Australian secondary school students' use of tobacco, alcohol, and over-the-counter and illicit substances in 2011. Canberra: Drug Strategy Branch Australian Government Department of Health and Ageing; 2012. Available from: http://darta.net.au/wordpress-content/uploads/2017/01/ASSAD-2011.pdf.

1.6.1 Latest estimates of prevalence of smoking among teenagers

Wakefield M, Haynes A, Tabbakh T, Scollo M, and Durkin S. Current vaping and current smoking in the Australian population aged 14+ years: February 2018 - March 2023. Cancer Council Victoria. 2023. Available from: https://www.health.gov.au/sites/default/files/2023-06/current-vaping-and-smoking-in-the-australian-population-aged-14-years-or-older-february-2018-to-march-2023.pdf.

Barrett EM, Maddox R, Thandrayen J, Banks E, Lovett R, et al. Clearing the air: underestimation of youth smoking prevalence associated with proxy-reporting compared to youth self-report. BMC Med Res Methodol, 2022; 22(1):108. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35410164

1.6.2 Trends over time in smoking prevalence among teenagers

Nguyen, D, Donnelly, M, & O'Neill, C. (2024). Divergence in smoking and drinking trends: Results from age-period-cohort analytical approach. *Soc Sci Med, 362*, 117474. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39509782

James, AL, Caliskan, G, Pesce, G, Accordini, S, Abramson, M J, Bui, D et al. (2024). Trends in smoking initiation and cessation over a century in two Australian cohorts. *PLoS One, 19*(9), e0307386. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39298431

Brime B and Villalbi JR. Is adolescent use of tobacco, alcohol and cannabis decreasing? Adicciones, 2023; 35(4):383-6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38224185

1.6.3 International comparisons of smoking prevalence among teenagers

Hoteit, M, Hallit, S, Al Rawas, H, Amasha, J, Kobeissi, F, Fayyad, R et al . (2024). Adolescent Health in Lebanon: Exploring Alcohol Use, Dietary Patterns, Mental Health, Physical Activity, and Smoking Using the Global School-Based Student Health Survey Approach. *Nutrients, 16*(21). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39519423

Jose, J, Chaudhary, A, Ghosh, A, & Goel, S. (2024). Youthful Choices: A Secondary Analysis of the NFHS-5 Data to Examine Tobacco Use in Indian Adolescent Girls and Young Women. *Indian J Psychol Med*, 02537176241233186 Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39564285

.Jamal, A, Park-Lee, E, Birdsey, J, West, A, Cornelius, M, Cooper, MR et al. (2024). Tobacco Product Use Among Middle and High School Students - National Youth Tobacco Survey, United States, 2024. *MMWR Morb Mortal Wkly Rep, 73*(41), 917-924. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39418216

Mishu, MP, Jackson, C, McNeill, A, Garg, S, Borle, A, Deshmukh, C et al. (2024). Conducting tobacco control surveys among schoolchildren in Bangladesh, India and Pakistan: A feasibility study. *PLOS Glob Public Health, 4*(10), e0003784. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39361632

Tanne, JH. (2024). Many fewer US teens are smoking or vaping, CDC reports. *BMJ, 387*, q2312. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39433330

Al-Maweri, SA, Alhajj, MN, Al-Soneidar, WA, Shamala, A, Alkadasi, BA, Amran, AG et al . (2024). Tobacco use and khat chewing among adolescents in Yemen: a large-scale school-based cross-sectional study. *BMC Public Health, 24*(1), 2406. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39232711

Cumashi, R, Mone, I, Burazeri, G, Cela, L, Mechili, EA, & Qirjako, G. (2024). Prevalence and Sociodemographic Correlates of Smoking among Schoolchildren in Albania. *Int J Environ Res Public Health, 21*(9). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39338029

Ebrahimi Kalan, M, Li, W, Osibogun, O, Jebai, R, Gautam, P, Erinoso, O et al. (2024). Trends and Disparities in Waterpipe Tobacco Smoking Among US Adolescents and Adults: PATH Study 2013-

2021. *Tob Use Insights, 17*, 1179173X241275352. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39220627

Zubair, OA, Jr. (2024). Prevalence of Smoking Among School Students in Iraq. *Cureus, 16*(8), e67048. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39286692

Zeng X, Liu S, and Xiao L. Cigarette Use and Secondhand Smoke Exposure Among Secondary School Students - China, 2023. China CDC Wkly, 2024; 6(22):509-15. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38855568

Vu LTH, Bui QTT, Shelley D, Niaura R, Tran BQ, et al. Temporal Trends in Tobacco Smoking Prevalence During the Period 2010-2020 in Vietnam: A Repeated Cross-Sectional Study. International Journal of Public Health, 2024; 69:1607104. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38993179

Moutawakkil SG, El-Ammari A, El Malki H, Ragala MEA, El Rhazi K, et al. Prevalence of Tobacco Products' Use and Associated Factors Among Adolescents in Morocco: A Systematic Review. Subst Use, 2024; 18:29768357241272370. Available from: https://www.ncbi.nlm.nih.gov/pubmed/39175911

Malta DC, Morais EAH, Silva AGD, Souza JB, Gomes CS, et al. Changes in tobacco use and associated factors among Brazilian adolescents: National Student Health Survey. Cien Saude Colet, 2024; 29(9):e08252023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/39194109

Lund L, Andersen S, Ritz C, and Bast LS. Predicting longitudinal changes in patterns of tobacco and nicotine product use among adolescents: A Latent Transition Analysis based on the X:IT study. Social Science & Medicine, 2024; 352:117029. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38843676

Khawaja MH and Khawaja OD. Comment: Trends in Cigarette Smoking Among United States Adolescents. Ochsner J, 2024; 24(1):5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38510215

Gyeltshen T and Rahman M. Trends in prevalence and correlates of tobacco use among school-going adolescents in Bhutan: A secondary data analysis of the 2004-2019 Global Youth Tobacco Survey. PLOS Glob Public Health, 2024; 4(7):e0003544. Available from: https://www.ncbi.nlm.nih.gov/pubmed/39058697

Fanninger S, Mayer A, Goreis A, Kothgassner OD, Matjazic J, et al. On the rise or a return to pre-pandemic levels? A cross-sectional online survey on nicotine, alcohol, and illicit drug use among youth. Neuropsychiatr, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/39143265

Charrier L, van Dorsselaer S, Canale N, Baska T, Kilibarda B, et al. A focus on adolescent substance use in Europe, central Asia and Canada. Health Behaviour in School-aged Children international report from the 2021/2022 survey. Volume 3. Copenhagen: WHO Regional Office for Europe. 2024. Available from: https://www.who.int/europe/publications/i/item/9789289060936.

Agaku IT, Sulentic R, Dragicevic A, Njie G, Jones CK, et al. Gender differences in use of cigarette and non-cigarette tobacco products among adolescents aged 13-15 years in 20 African countries.

Tobacco Induced Diseases, 2024; 22. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38259662

Adebisi YA, Phungdee T, Saokaew S, and Lucero-Prisno DE. Prevalence and Determinants of Current Cigarette Smoking Among Adolescents in Thailand: Evidence From 2021 Global School-Based Health Survey. J Res Health Sci, 2024; 24(2):e00610. Available from: https://www.ncbi.nlm.nih.gov/pubmed/39072546

Adebisi YA, Bafail DA, and Oni OE. Prevalence, demographic, socio-economic, and lifestyle factors associated with cigarette, e-cigarette, and dual use: evidence from the 2017-2021 Scottish Health Survey. Intern Emerg Med, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/39026065

Wang Q and Wang H. Cannabis and tobacco use among adolescents aged 12-17 years from 16 low- and middle-income countries. J Glob Health, 2023; 13:04066. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37499128

Sreeramareddy CT, Acharya K, Manoharan A, and Synn Oo P. Changes in e-cigarette use, cigarette smoking, and dual use among the youth (13-15 years) in 10 countries (2013-2019) - analyses of Global Youth Tobacco Surveys (GYTS). Nicotine & Tobacco Research, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37466212

Singh L, Jain P, Kumar C, Singh A, Lal P, et al. Trends in age of tobacco use initiation over time in Bangladesh, India and Pakistan: analysis of cross-sectional nationally representative surveys. BMJ Open, 2023; 13(12):e067875. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38070918

Shin H, Park S, Yon H, Ban CY, Turner S, et al. Estimated prevalence and trends in smoking among adolescents in South Korea, 2005-2021: a nationwide serial study. World J Pediatr, 2023:1-12. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36645642

Office for National Statistics. Adult smoking habits in the UK: 2022. 2023. Available from: https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectancies/bulletins/adultsmokinghabitsingreatbritain/2022.

Njie GJ, Kirksey Jones C, Jacques N, Adetokun A, Ross J, et al. Changes in Tobacco Product Use Among Students Aged 13 to 15 Years in 34 Countries, Global Youth Tobacco Survey, 2012-2020. Preventing Chronic Disease, 2023; 20:E68. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37535901

Mejia MC, Adele A, Levine RS, Hennekens CH, and Kitsantas P. Trends in Cigarette Smoking Among United States Adolescents. Ochsner J, 2023; 23(4):289-95. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38143546

Lin B, Liu X, Lu W, Wu X, Li Y, et al. Correction to: Prevalence and associated factors of smoking among chinese adolescents: a school-based cross-sectional study. BMC Public Health, 2023; 23(1):1216. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37370066

James PB, Kabba JA, Bah AJ, Idriss A, Kitchen C, et al. Current tobacco use and susceptibility to using tobacco among non-users of tobacco: A cross-sectional study among school-going adolescents in

Sierra Leone. Tobacco Induced Diseases, 2023; 21:16. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36762263

Health Canada. Detailed tables for the Canadian Student Tobacco, Alcohol and Drugs Survey 2021-2022. Government of Canada. 2023. Available from: https://www.canada.ca/en/health-canada/services/canadian-student-tobacco-alcohol-drugs-survey/2021-2022-detailed-tables.html.

Health Canada. Summary of results for the Canadian Student Tobacco, Alcohol and Drugs Survey 2021-22. Government of Canada. 2023. Available from: https://www.canada.ca/en/health-canada/services/canadian-student-tobacco-alcohol-drugs-survey/2021-2022-summary.html.

Hair EC, Do EK, Liu SM, Tulsiani S, Vallone DM, et al. Patterns of Daily Cigarette and E-cigarette Use among United States Youth and Young Adults: Insights from the Truth Longitudinal Cohort between 2018 and 2019. Preventive Medicine Reports, 2023; 36:102416. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37753384

Erhabor J, Boakye E, Osuji N, Obisesan O, Osei AD, et al. Patterns of tobacco product use and substance misuse among adolescents in the United States. Preventive Medicine Reports, 2023; 33:102207. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37223579

Birdsey J, Cornelius M, Jamal A, Park-Lee E, Cooper MR, et al. Tobacco Product Use Among U.S. Middle and High School Students - National Youth Tobacco Survey, 2023. Morbidity and Mortality Weekly Report, 2023; 72(44):1173-82. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37917558

Action for Smokefree 2025 (ASH). ASH Year 10 Snapshot Survey 2023: Topline – Youth Smoking and Vaping. 2023. Available from: http://ash.org.nz/.

Zhao Y, Di X, Li S, Zeng X, Wang X, et al. Prevalence, frequency, intensity, and location of cigarette use among adolescents in China from 2013-14 to 2019: Findings from two repeated cross-sectional studies. Lancet Reg Health West Pac, 2022; 27:100549. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35923777

Zeng X, Di X, Liu S, Xie H, Meng Z, et al. Smoking Behavior Among Secondary School Students - China, 2021. China CDC Wkly, 2022; 4(21):441-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35686047

Vital Strategies and Tobacconomics. The Tobacco Atlas: 7th edition. 2022. Available from: https://tobaccoatlas.org/.

Park-Lee E, Ren C, Cooper M, Cornelius M, Jamal A, et al. Tobacco Product Use Among Middle and High School Students - United States, 2022. Morbidity and Mortality Weekly Report, 2022; 71(45):1429-35. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36355596

NHS Digital. Smoking, Drinking and Drug Use Among Young People in England. England 2022. Available from: https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2021#data-sets.

NHS. Smoking, Drinking and Drug Use among Young People in England, 2021. NHS Digital 2022. Available from: https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2021.

Kuehn BM. Tobacco Use Remains High in Middle and High Schools. Journal of the American Medical Association, 2022; 328(24):2389-90. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36573966

Kc BB, Khanal P, Oli LK, Dhital SR, Pradhan B, et al. Prevalence and Factors Associated with Tobacco Use among High School Students. J Nepal Health Res Counc, 2022; 20(2):310-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36550705

Jebai R, Osibogun O, Li W, Gautam P, Bursac Z, et al. Temporal Trends in Tobacco Product Use Among US Middle and High School Students: National Youth Tobacco Survey, 2011-2020. Public Health Rep, 2022:333549221103812. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35684996

James PB, Kassim SA, Kabba JA, and Kitchen C. Tobacco Use among School-Going Adolescents in Comoros: A Secondary Analysis of the 2015 Comoros Global Youth Tobacco Survey. Biomed Res Int, 2022; 2022:7134340. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35299893

James PB, Bah AJ, Kabba JA, Kassim SA, and Dalinjong PA. Prevalence and correlates of current tobacco use and non-user susceptibility to using tobacco products among school-going adolescents in 22 African countries: a secondary analysis of the 2013-2018 global youth tobacco surveys. Arch Public Health, 2022; 80(1):121. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35422011

Gutor TG, Kozii-Bredelieva SP, Kovalska OR, Mysak ZS, Sichkoriz OY, et al. Comparison of Prevalence of Tobacco Use among Young People in Different Countries. Wiad Lek, 2022; 75(5 pt 1):1180-4. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35758499

Gentzke AS, Wang TW, Cornelius M, Park-Lee E, Ren C, et al. Tobacco Product Use and Associated Factors Among Middle and High School Students - National Youth Tobacco Survey, United States, 2021. MMWR Surveill Summ, 2022; 71(5):1-29. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35271557

Gentzke A, Wang T, and Cornelius M. Tobacco Product Use and Associated Factors Among Middle and High School Students — National Youth Tobacco Survey, United States, 2021. 71(No. SS-5) United States: MMWR Surveill Summ 2022. 2022. Available from: https://www.cdc.gov/mmwr/volumes/71/ss/pdfs/ss7105a1-H.pdf.

Bernabe-Ortiz A and Carrillo-Larco RM. Prevalence and trends of active and passive smoking among Peruvian adolescents. Rev Peru Med Exp Salud Publica, 2022; 39(2):193-200. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36477320

Baskova M, Sovinova H, Csemy L, Baska T, and Ochaba R. Does tobacco use among adolescents come out of style in Czechia and Slovakia? Findings from the Global Youth Tobacco Survey between 2002 and 2016. Cent Eur J Public Health, 2022; 30(2):79-85. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35876595

Ayedi Y, Harizi C, Skhiri A, and Fakhfakh R. Linking Global Youth Tobacco Survey (GYTS) data to the WHO Framework Convention on Tobacco Control (FCTC): The case for Tunisia. Tobacco Induced Diseases, 2022; 20:07. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35125990

Atem FD, Bluestein MA, Harrell MB, Chen B, Messiah SE, et al. Precise Estimation for the Age of Initiation of Tobacco Use Among U.S. Youth: Finding from the Population Assessment of Tobacco and Health (PATH) Study, 2013-2017. Biostat Biom Open Access J, 2022; 11(1). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36777448

Action for Smokefree 2025 (ASH). ASH Year 10 Snapshot Survey 2021: Youth vaping in Aotearoa New Zealand. 2022. Available from: https://assets.nationbuilder.com/ashnz/pages/309/attachments/original/1645674087/2021_ASH_Y10_Snapshot_Vaping.pdf?1645674087.

Action for Smokefree 2025 (ASH). ASH Year 10 Snapshot Survey 2021: Information and methods. 2022. Available from: https://assets.nationbuilder.com/ashnz/pages/310/attachments/original/1645676283/2021_ASH_Y10_Snapshot_Methods.pdf?1645676283.

Action for Smokefree 2025 (ASH). ASH Year 10 Snapshot Survey 2021: Topline – Youth smoking and vaping. 2022. Available from: https://assets.nationbuilder.com/ashnz/pages/211/attachments/original/1645983761/2021_ASH_Y10_Snapshot_Topline_smoking_and_vaping.pdf?1645983761.

World Health Organization. WHO report on the global tobacco epidemic 2021: addressing new and emerging products, Web Annex VI: Global Tobacco Control Policy Data, 11.3 Youth surveys-tobacco use and smoking. Geneva: WHO. 2021. Available from: https://www.who.int/publications/i/item/WHO-HEP-HPR-TFI-2021.11.3.

World Health Organization. WHO report on the global tobacco epidemic 2021: addressing new and emerging products. Geneva: WHO. 2021. Available from: https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2021.

World Health Organization. WHO global report on trends in prevalence of tobacco use 2000-2025, fourth edition. Geneva: WHO. 2021. Available from: https://www.who.int/publications/i/item/9789240039322.

Statistics Canada. Canadian Tobacco and Nicotine Survey, 2020. 2021. Available from: https://www150.statcan.gc.ca/n1/daily-quotidien/210317/dq210317b-eng.htm#:~:text=Data%20in%20this%20release%20are%20from%20the%202020,2021%2C%20and%20information%20was%20collected%20from%208%2C112%20respondents.

Shyhalla K, Smith DM, Diaz A, Nucci-Sack A, Guillot M, et al. Changes in cannabis, tobacco, and alcohol use among sexually active female adolescents and young adults over a twelve-year period ending in 2019. Addictive Behaviors, 2021; 121:106994. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34087767

Parms TA, Head SK, Sawdey MD, Rostron BL, and Cullen KA. Characteristics of Past 30-Day Cigar Smoking, U.S. Adolescents, 2020. American Journal of Preventive Medicine, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34497029

Ma C, Xi B, Li Z, Wu H, Zhao M, et al. Prevalence and trends in tobacco use among adolescents aged 13-15 years in 143 countries, 1999-2018: findings from the Global Youth Tobacco Surveys. Lancet Child Adolesc Health, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33545071

Chido-Amajuoyi OG, Fueta P, and Mantey D. Age at Smoking Initiation and Prevalence of Cigarette Use Among Youths in Sub-Saharan Africa, 2014-2017. JAMA Netw Open, 2021; 4(5):e218060. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33961039

Brito ES, Bessel M, Dornelles T, Moreno F, Pereira G, et al. A Cross-Sectional Evaluation of Cigarette Smoking in the Brazilian Youth Population. Front Public Health, 2021; 9:614592. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34805056

Ahammed T, Ahmed NU, and Uddin MJ. Changes in prevalence, and factors associated with tobacco use among Bangladeshi school students: evidence from two nationally representative surveys. BMC Public Health, 2021; 21(1):579. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33757487

Tesler R, Kolobov T, Korn L, Shuval K, Levin-Zamir D, et al. Trends in Tobacco Use among Children and Adolescents in Israel, 1998-2015. International Journal of Environmental Research and Public Health, 2020; 17(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/32093167

Sheng Xiong P, Juan Xiong M, Xi Liu Z, and Liu Y. Prevalence of smoking among adolescents in China: an updated systematic review and meta-analysis. Public Health, 2020; 182:26-31. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32145409

Sawdey MD, Chang JT, Cullen KA, Rass O, Jackson KJ, et al. Trends and Associations of Menthol Cigarette Smoking Among US Middle and High School Students-National Youth Tobacco Survey, 2011-2018. Nicotine & Tobacco Research, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32347935

Meza R, Jimenez-Mendoza E, and Levy DT. Trends in Tobacco Use Among Adolescents by Grade, Sex, and Race, 1991-2019. JAMA Netw Open, 2020; 3(12):e2027465. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33263760

Gentzke AS, Wang TW, Jamal A, Park-Lee E, Ren C, et al. Tobacco Product Use Among Middle and High School Students - United States, 2020. Morbidity and Mortality Weekly Report, 2020; 69(50):1881-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33332300

Ehsani-Chimeh E, Sajadi HS, Behzadifar M, Aghaei M, Badrizadeh A, et al. Current and former smokers among adolescents aged 12-17 years in Iran: a systematic review and meta-analysis. BMC Public Health, 2020; 20(1):155. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32005217

Deressa Guracho Y, Addis GS, Tafere SM, Hurisa K, Bifftu BB, et al. Prevalence and Factors Associated with Current Cigarette Smoking among Ethiopian University Students: A Systematic Review and Meta-Analysis. J Addict, 2020; 2020:9483164. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32373383

Creamer MR, Everett Jones S, Gentzke AS, Jamal A, and King BA. Tobacco Product Use Among High School Students - Youth Risk Behavior Survey, United States, 2019. MMWR Suppl, 2020; 69(1):56-63. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32817607

Azagba S, Manzione L, Shan L, and King J. Trends in Smoking Behaviors Among US Adolescent Cigarette Smokers. Pediatrics, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32015140

Xiao D and Wang C. Rising smoking epidemic among adolescents in China. The Lancet Respiratory Medicine, 2019; 7(1):3-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30580804

World Health Organization. WHO global report on trends in prevalence of tobacco use 2000–2025. 2019. Available from: https://www.who.int/publications-detail/who-global-report-on-trends-in-prevalence-of-tobacco-use-2000-2025-third-edition.

Verma A, Goswami M, and Dhillon JK. Tobacco use among school going children. Indian J Dent Res, 2019; 30(6):839-43. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31939357

Tezera N and Endalamaw A. Current Cigarette Smoking and Its Predictors among School-Going Adolescents in East Africa: A Systematic Review and Meta-Analysis. Int J Pediatr, 2019; 2019:4769820. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31205474

Solecki S, Adegite E, and Turchi R. Clearing the air: adolescent smoking trends. Curr Opin Pediatr, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31389807

Pokhrel P, Dalisay F, Pagano I, Buente W, Guerrero E, et al. Adolescent Tobacco and Betel Nut Use in the US-Affiliated Pacific Islands: Evidence From Guam. American Journal of Health Promotion, 2019:890117119847868. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31117807

NHS Digital. Health Survey for England 2018 Quick Guide. NHS Digital 2019. Available from: https://files.digital.nhs.uk/25/F4EFC8/HSE18-Quick%20Guide-rep.pdf.

Mutumba M and Schulenberg JE. Tobacco and Alcohol Use Among Youth in Low and Middle Income Countries: A Multi-Country Analysis on the Influence of Structural and Micro-Level Factors. Substance Use and Misuse, 2019:1-16. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30654696

Mounach S, Zahrou FE, Mahdaoui E, Belakhel L, Khazraji YC, et al. Evolution of attitudes, trends and perceptions of smoking among middle and secondary school students in the Gharb Region, Morocco, 2010-2015. Afr J Prim Health Care Fam Med, 2019; 11(1):e1-e6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31296013

Ling MYJ, Rodzlan Hasani WS, Mohd Yusoff MF, Abd Hamid HA, Lim KH, et al. Cigarette Smoking Among Secondary School-Going Male Adolescents in Malaysia: Findings From the National Health and Morbidity Survey: Adolescent Health Survey 2017. Asia Pac J Public Health, 2019:1010539519874948. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31537102

Intarut N, Sangthong R, and Chongsuvivatwong V. Smoking Trends among Thailand's Youths from 1996-2015: An Age-Period-Cohort Analysis of National Health Surveys. Iran J Public Health, 2019; 48(3):429-34. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31223569

Hwang JH and Park SW. Gender differential secular trend in lifetime smoking prevalence among adolescents: an age-period-cohort analysis. BMC Public Health, 2019; 19(1):1374. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31653248

Ho SY, Chen J, Leung LT, Mok HY, Wang L, et al. Adolescent Smoking in Hong Kong: Prevalence, Psychosocial Correlates, and Prevention. The Journal of Adolescent Health, 2019; 64(6S):S19-S27. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31122545

Hanewinkel R, Isensee B, Goecke M, and Morgenstern M. [Smoking in Adolescence in England and Germany, 2001 - 2016]. Pneumologie, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31499561

Gentzke AS, Creamer M, Cullen KA, Ambrose BK, Willis G, et al. Vital Signs: Tobacco Product Use Among Middle and High School Students — United States, 2011–2018. MMWR Morb Mortal Wkly Rep 2019; 68:157–64. Available from: http://dx.doi.org/10.15585/mmwr.mm6806e1

Antognoli E, Ishler KJ, Trapl E, and Flocke SA. A comparison of methods to measure daily cigarillo consumption among adolescents and young adults. Tobacco Control, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30696781

World Health Organization. WHO global report on trends in prevalence of tobacco smoking 2000–2025, second edition. Geneva: World Health Organization 2018. Available from: http://apps.who.int/iris/bitstream/handle/10665/272694/9789241514170-eng.pdf?ua=1.

Wojtyla-Buciora P, Stawinska-Witoszynska B, Zukiewicz-Sobczak W, Wojtyla C, Bilinski P, et al. Authors' response (December 7, 2017) to the letter to the Editor concerning the paper "Trends in smoking among secondary school and high school students in Poland, 2009 and 2011". Int J Occup Med Environ Health, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29410553

Warner KE. A new measure of youth cigarette smoking. Preventive Medicine Reports, 2018; 12:75-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30191096

Wang TW, Gentzke A, Sharapova S, Cullen KA, Ambrose BK, et al. Tobacco Product Use Among Middle and High School Students - United States, 2011-2017. Morbidity and Mortality Weekly Report, 2018; 67(22):629-33. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29879097

Wang M, Luo X, Xu S, Liu W, Ding F, et al. Trends in smoking prevalence and implication for chronic diseases in China: serial national cross-sectional surveys from 2003 to 2013. The Lancet Respiratory Medicine, 2018. Available from: https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(18)30432-6/fulltext

United States Department of Health and Human Services National Institutes of Health National Institute on Drug Abuse and United States Department of Health and Human Service Food and Drug Administration Center for Tobacco Products. Population Assessment of Tobacco and Health (PATH) Study [United States] Restricted-Use Files, 2018: Ann Arbor, MI: Inter-university Consortium for

Political and Social Research. Available from: https://www.icpsr.umich.edu/icpsrweb/NAHDAP/studies/36231/summary.

TW W, A G, S S, KA C, BK A, et al. Tobacco Product Use Among Middle and High School Students — United States, 2011–2017. MMWR Morbidity and Mortality Weekly Report 67:629–633 2018. Available from: https://www.cdc.gov/mmwr/volumes/67/wr/mm6722a3.htm?s_cid=mm6722a3_w.

Petrou S and Kupek E. Epidemiological trends and risk factors for tobacco, alcohol and drug use among adolescents in Scotland, 2002-13. J Public Health (Oxf), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29409021

Nowak M, Papiernik M, Mikulska A, and Czarkowska-Paczek B. Smoking, alcohol consumption, and illicit substances use among adolescents in Poland. Substance Abuse Treatment, Prevention, and Policy, 2018; 13(1):42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30497492

Ministry of Health. New Zealand Health Survey 2017/18--Tier 1 Data Explorer. 2018. Available from: https://minhealthnz.shinyapps.io/nz-health-survey-2017-18-annual-data-explorer/_w_f3e1cc63/#!/home

Li S, Keogan S, Taylor K, and Clancy L. Decline of adolescent smoking in Ireland 1995-2015: trend analysis and associated factors. BMJ Open, 2018; 8(4):e020708. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29703856

Johnson RM, Fleming CB, Cambron C, Dean LT, Brighthaupt SC, et al. Race/Ethnicity Differences in Trends of Marijuana, Cigarette, and Alcohol Use Among 8th, 10th, and 12th Graders in Washington State, 2004-2016. Prev Sci, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29633175

Hwang JH, Kim JY, Lee DH, Jung HG, and Park SW. Underestimation of Self-Reported Smoking Prevalence in Korean Adolescents: Evidence from Gold Standard by Combined Method. International Journal of Environmental Research and Public Health, 2018; 15(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/29621167

Hong SA and Peltzer K. Early Adolescent Patterns of Alcohol and Tobacco Use in Eight Association of South-East Asian Nations (ASEAN) Member States. Substance Use and Misuse, 2018:1-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30463459

Government of Canada. Summary of results for the Canadian Student Tobacco, Alcohol and Drugs Survey 2016-17. 2018. Available from: https://www.canada.ca/en/health-canada/services/canadian-student-tobacco-alcohol-drugs-survey/2016-2017-summary.html.

Gorini G, Gallus S, Carreras G, Cortini B, Vannacci V, et al. A long way to go: 20-year trends from multiple surveillance systems show a still huge use of tobacco in minors in Italy. European Journal of Public Health, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30010742

Chen L, Liu R, Pozhidaeva M, Xie J, Cao W, et al. Changes in the Sociodemographic Factors of Tobacco and Alcohol Consumption in Chinese Adolescents from 2004 to 2011. International Journal of Environmental Research and Public Health, 2018; 15(6). Available from: https://www.ncbi.nlm.nih.gov/pubmed/29890697

Allen SI, Foulds J, Wasserman E, Veldheer S, Hrabovsky S, et al. Tobacco Use Among Middle and High School Students in Pennsylvania. Preventing Chronic Disease, 2018; 15:E19. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29389310

Yu M, Sacco P, Choi HJ, and Wintemberg J. Identifying patterns of tobacco use among US middle and high school students: A latent class analysis. Addictive Behaviors, 2017; 79:1-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29227789

Wojtyla-Buciora P, Stawinska-Witoszynska B, Zukiewicz-Sobczak W, Wojtyla C, Bilinski P, et al. Trends in smoking among secondary school and high school students in Poland, 2009 and 2011. Int J Occup Med Environ Health, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28584313

Wang L, Mamudu HM, Collins C, and Wang Y. High prevalence of tobacco use and exposure to secondhand tobacco smoke among adolescents in low- and middle-income countries. Ann Transl Med, 2017; 5(Suppl 1):S4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28567386

Tun NA, Chittin T, Agarwal N, New ML, Thaung Y, et al. Tobacco use among young adolescents in Myanmar: Findings from global youth tobacco survey. Indian J Public Health, 2017; 61(Supplement):S54-S9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28928320

Salonna F, Kazmer L, Csemy L, Vasickova J, Hublet A, et al. Trends in Tobacco Smoking among Czech School-aged Children from 1994 to 2014. Cent Eur J Public Health, 2017; 25 Suppl 1:S42-S6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28752747

Rani M, Thamarangsi T, and Agarwal N. Youth tobacco use in South-East Asia: Implications for tobacco epidemic and options for its control in the region. Indian J Public Health, 2017; 61(Supplement):S12-S7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28928313

Jamal A, Gentzke A, Hu SS, Cullen KA, Apelberg BJ, et al. Tobacco Use Among Middle and High School Students - United States, 2011-2016. Morbidity and Mortality Weekly Report, 2017; 66(23):597-603. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28617771

Hallal A, Figueiredo VC, Moura L, Prado RRD, and Malta DC. The use of other tobacco products among Brazilian school children (PeNSE 2012). Cad Saude Publica, 2017; 33Suppl 3(Suppl 3):e00137215. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28954057

Grucza R, Krueger R, Agrawal A, Plunk A, Krauss M, et al. Declines in prevalence of adolescent substance use disorders and delinquent behaviors in the USA: a unitary trend? Psychological Medicine, 2017:1-12. Available from: https://www.researchgate.net/search?q=Declines%20in%20prevalence%20of%20adolescent%20substance%20use%20disorders%20and%20delinquent%20behaviors%20in%20the%20United%20States%3A%20a%20unitary%20trend%3F

Chotbenjamaporn P, Haruhansapong V, Jumriangrit P, Pitayarangsarit S, Agarwal N, et al. Tobacco use among thai students: Results from the 2015 global youth tobacco survey. Indian J Public Health, 2017; 61(Supplement):S40-S6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28928318

Arrazola RA, Ahluwalia IB, Pun E, Garcia de Quevedo I, Babb S, et al. Current Tobacco Smoking and Desire to Quit Smoking Among Students Aged 13-15 Years - Global Youth Tobacco Survey, 61

Countries, 2012-2015. Morbidity and Mortality Weekly Report, 2017; 66(20):533-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28542119

Yu M, Chavez PE, Olate R, and Peters C. Cigarette Smoking Status Among Latino/Hispanic Middle and High School Students in the United States. Substance Use and Misuse, 2016:1-10. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27767368

Singh T, Arrazola RA, Corey CG, Husten CG, Neff LJ, et al. Tobacco Use Among Middle and High School Students - United States, 2011-2015. Morbidity and Mortality Weekly Report, 2016; 65(14):361-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27077789

Singh T, Arrazola R, Corey C, Husten C, Neff L, et al. Tobacco use among Middle and High School students - United States, 2011-2015. Morbidity and Mortality Weekly Report (MMWR), 2016; 65(14):361–7 Available from: http://www.cdc.gov/mmwr/volumes/65/wr/mm6514a1.htm?s_cid=mm6514a1_w

No authors listed. More women take to smoking under the garb of being modern and independent. First Post 2016. Available from: http://www.firstpost.com/living/cigarette-smoking-world-no-tobacco-day-women-smokers-2806300.html

Mazur J, Dzielska A, Kowalewska A, and Fijalkowska A. Current trends in tobacco smoking among 15-year-old adolescents in Poland in the background of 30 countries. Przegl Lek, 2016; 73(10):685-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29688683

Kann L, McManus T, Harris W, Shanklin S, Flint K, et al. Youth Risk Behavior Surveillance - United States, 2015. MMWR Surveill Summ, 2016; 65(6):1-174. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27280474

Huong le T, Vu NT, Dung NN, Xuan le TT, Giang KB, et al. Cigarette Smoking among Adolescents aged 13-15 in Viet Nam and Correlates of Current Cigarette Smoking: Results from GYTS 2014 Data. Asian Pac J Cancer Prev, 2016; 17 Suppl:17-23. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27087178

Giang KB, Minh HV, Hai PT, Huyen DT, Khue LN, et al. Methodology for the Global Youth Tobacco Use Survey (GYST), Vietnam, 2014. Asian Pac J Cancer Prev, 2016; 17 Suppl:11-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27087177

Warner KE. The remarkable decrease in cigarette smoking by American youth: Further evidence. Preventive Medicine Reports, 2015; 2:259-61. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26844080

Sanchez ZM, Prado MC, Sanudo A, Carlini EA, Nappo SA, et al. Trends in alcohol and tobacco use among Brazilian students: 1989 to 2010. Rev Saude Publica, 2015; 49:70. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26465662

Rolle IV, Kennedy SM, Agaku I, Jones SE, Bunnell R, et al. Cigarette, Cigar, and Marijuana Use Among High School Students - United States, 1997-2013. Morbidity and Mortality Weekly Report, 2015; 64(40):1136-41. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26468662

Neff LJ, Arrazola RA, Caraballo RS, Corey CG, Cox S, et al. Frequency of Tobacco Use Among Middle and High School Students - United States, 2014. Morbidity and Mortality Weekly Report, 2015; 64(38):1061-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26422781

Kristjansson AL, Sigfusdottir ID, Thorlindsson T, Mann MJ, Sigfusson J, et al. Population trends in smoking, alcohol use, and primary prevention variables among adolescents in Iceland, 1997-2014. Addiction, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26614684

Han J and Chen X. A Meta-Analysis of Cigarette Smoking Prevalence among Adolescents in China: 1981-2010. International Journal of Environmental Research and Public Health, 2015; 12(5):4617-30. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25922989

Arrazola RA, Singh T, Corey CG, Husten CG, Neff LJ, et al. Tobacco use among middle and high school students - United States, 2011-2014. Morbidity and Mortality Weekly Report, 2015; 64(14):381-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25879896

McCarthy M. A fifth of US high school students use tobacco, finds survey. British Medical Journal, 2014; 349:g6885. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25404401

Konfino J, Ferrante D, Goldberg L, Caixeta R, Palipudi KM, et al. Tobacco use among youths--Argentina, 2007 and 2012. Morbidity and Mortality Weekly Report, 2014; 63(27):588-90. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25006825

Arrazola RA, Neff LJ, Kennedy SM, Holder-Hayes E, and Jones CD. Tobacco use among middle and high school students - United States, 2013. Morbidity and Mortality Weekly Report, 2014; 63(45):1021-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25393220

Arrazola R, Neff L, Kennedy S, Holder-Hayes E, and Jones C. Tobacco use among middle and high school students - United States, 2013. MMWR. Morbidity and Mortality Weekly Report, 2014; 63(45):1021–6. Available from: http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6345a2.htm

Only three per cent of children now smoke. J Fam Health Care, 2014; 24(5):7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25226627

1.6.X Poly-tobacco use, teenagers

Kwon M, Nam E, and Lee J. Poly-tobacco use and mental health in South Korean adolescents. Tobacco Induced Diseases, 2024; 22. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38779296

Czoli C, Luongo G, and Mischki T. Characterizing polysubstance use: What do we know about use of cigarettes, vaping products, cannabis, and alcohol among Canadians? Health Reports, 2023; 34(4):16-22. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37079396

Kwon M, Chung SJ, and Lee J. Use of Single, Dual, and Poly Tobacco Products in Korean Adolescents. Asia Pac J Public Health, 2021:10105395211022950. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34137306

Taylor KA, Sharma E, Edwards KC, Halenar MJ, Kissin W, et al. Longitudinal pathways of exclusive and polytobacco cigarette use among youth, young adults and adults in the USA: findings from the PATH Study Waves 1-3 (2013-2016). Tobacco Control, 2020; 29(Suppl 3):s139-s46. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32321847

Sullman MJM, Gras ME, Kagialis A, Papageorgi I, and Font-Mayolas S. Cigarette, E-Cigarette and Waterpipe Use among Young Adults: Differential Cognitions about These Three Forms of Smoking. International Journal of Environmental Research and Public Health, 2020; 17(11). Available from: https://www.ncbi.nlm.nih.gov/pubmed/32471046

Sharma E, Edwards KC, Halenar MJ, Taylor KA, Kasza KA, et al. Longitudinal pathways of exclusive and polytobacco smokeless use among youth, young adults and adults in the USA: findings from the PATH Study Waves 1-3 (2013-2016). Tobacco Control, 2020; 29(Suppl 3):s170-s7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32321851

Sharma E, Bansal-Travers M, Edwards KC, Halenar MJ, Taylor KA, et al. Longitudinal pathways of exclusive and polytobacco hookah use among youth, young adults and adults in the USA: findings from the PATH Study Waves 1-3 (2013-2016). Tobacco Control, 2020; 29(Suppl 3):s155-s62. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32321849

McQuoid J, Keamy-Minor E, and Ling P. A Practice Theory Approach to Understanding Poly-Tobacco Use in the United States. Crit Public Health, 2020; 30(2):204-19. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32982073

Gueorguieva R, Buta E, Simon P, Krishnan-Sarin S, and O'Malley SS. Data visualization tools of tobacco product use patterns, transitions and sex differences in the PATH youth data. Nicotine & Tobacco Research, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32219313

Edwards KC, Sharma E, Halenar MJ, Taylor KA, Kasza KA, et al. Longitudinal pathways of exclusive and polytobacco cigar use among youth, young adults and adults in the USA: findings from the PATH Study Waves 1-3 (2013-2016). Tobacco Control, 2020; 29(Suppl 3):s163-s9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32321850

Dugas EN, Sylvestre MP, Wellman RJ, and O'Loughlin J. Does use of other tobacco products change when cigarette smoking status changes: A descriptive study of young adults. Addictive Behaviors, 2020; 107:106404. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32222562

Azagba S, Manzione LC, and Shan L. Response to "Adolescent Tobacco Use in the Current Era of Multiple Products for Smoking". The Journal of Adolescent Health, 2020; 66(2):259. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31952568

Pacek LR, Villanti AC, and McClernon FJ. Not quite the rule, but no longer the exception: multiple tobacco product use and implications for treatment, research, and regulation. Nicotine & Tobacco Research, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31789377

Kong G, Mayer ME, Barrington-Trimis JL, McConnell R, Leventhal AM, et al. Longitudinal associations between use and co-use of cigars and cigarettes: A pooled analysis of three adolescent cohorts. Drug

and Alcohol Dependence, 2019; 201:45-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31181436

Janeswar A, Kumar G, Kanungo S, Singh A, Subramanya GB, et al. Prevalence patterns and profile of adolescent tobacco users findings from a youth survey: A cross-sectional study. J Family Med Prim Care, 2019; 8(6):2017-22. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31334173

Clendennen SL, Loukas A, Creamer MR, Pasch KE, and Perry CL. Longitudinal Patterns of Multiple Tobacco and Nicotine Product Use Among Texas College Students: a Latent Transition Analysis. Prev Sci, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31302841

News:

1.6 Prevalence of smoking—teenagers

Zhou N. Sharp drop in Australian teenagers' use of drugs, alcohol and tobacco The Guardian (Australia), 2018. Available from: https://www.theguardian.com/australia-news/2018/jan/12/sharp-drop-in-australian-teenagers-use-of-drugs-alcohol-and-tobacco

No authors listed. Aust youth smoking rates at 'record low' AAP. 2016. Available from: https://au.news.yahoo.com/a/30672347/aust-youth-smoking-rates-at-record-low/.

Haggan M. Smokers start young: research. AJP Online. 2016. Available from: https://ajp.com.au/news/smokers-start-young-research/.

Wadley J and Bronson A. Daily marijuana use among U.S. college students highest since 1980. 2015. Last update: Aug 31 Viewed Available from: http://www.monitoringthefuture.org/pressreleases/15collegepr.pdf.

Nordal E. Denmark: Almost 1 in 2 upper-secondary students smoke. Icenews (is). 2015. Available from: http://www.icenews.is/2015/09/23/denmark-almost-1-in-2-upper-secondary-students-smoke/.

Brown R. The full story: Cigarettes losing lustre as new teen smoker levels lowest in 30 years. The World Today 2015. Available from: http://www.abc.net.au/worldtoday/content/2015/s4358307.htm.

1.6.1 Latest estimates of prevalence of smoking among teenagers

Kelly C. Australia's teenage smoking rates rise for first time in 25 years, research reveals. The Guardian. 2023. Available from: https://www.theguardian.com/australia-news/2023/jun/02/australia-teenage-smoking-rates-rise-for-first-time-in-25-years-research-reveals.

1.6.2 Trends over time in smoking prevalence among teenagers

1.6.3 International comparisons of smoking prevalence among teenagers

CDC Newsroom. (2024). Youth Tobacco Product Use at a 25-Year Low, Yet Disparities Persist [Press release]. Retrieved from https://www.cdc.gov/media/releases/2024/p1017-youth-tobacco-use.html

National Health Service England. (2024). *Smoking, Drinking and Drug Use among Young People in England, 2023*. Retrieved from https://digital.nhs.uk/data-and-information/publications/statistical/smoking-drinking-and-drug-use-among-young-people-in-england/2023

Vielkind J. Smoking Is a Dying Habit. Not in Germany. The Wall Street Journal. 2023. Available from: https://www.wsj.com/world/europe/germany-smoking-cigarettes-rise-tobacco-e835f408.

Eun-ji B. Underage smoking, drinking rates lower amid pandemic Korea Times. 2021. Available from: https://www.koreatimes.co.kr/www/nation/2021/04/119_307532.html.

World Health Organization. Smoking still a core challenge for child and adolescent health reveals WHO report. WHO. 2020. Available from: https://www.euro.who.int/en/health-topics/disease-prevention/pages/news/news/2020/6/smoking-still-a-core-challenge-for-child-and-adolescent-health-reveals-who-report.

Strong M. Number of young Taiwanese smoking rises for first time in 10 years. Taiwan News. 2020. Available from: https://www.taiwannews.com.tw/en/news/3941073.

Ryan O. 'The tobacco industry targeting e-cigarettes at young people is cynical, sickening and dangerous'. The Journal (Republic of Ireland). 2020. Available from: https://www.thejournal.ie/survey-on-irish-children-alcohol-smoking-food-4958875-Jan2020/.

Morton J. Smoking among young teens nearly stubbed out - survey NZ Herald. 2019. Available from: https://www.nzherald.co.nz/nz/news/article.cfm?c_id=1&objectid=12219231.

Evens S. Number of children smoking continues to decline. Dentistry. 2019. Available from: https://www.dentistry.co.uk/2019/12/03/number-children-smoking-downward-trend/.

Winkelmann S. Minnesota Youth Tobacco Rising For First Time In 17 Years. Lakeland PBS. 2018. Available from: https://lptv.org/minnesota-youth-tobacco-rising-for-first-time-in-17-years/.

No authors listed. 2016-17 Canadian Student Tobacco, Alcohol and Drugs Survey released today. Newswire Canada. 2018. Available from: https://www.newswire.ca/news-releases/2016-17-canadian-student-tobacco-alcohol-and-drugs-survey-released-today-685239131.html.

No authors listed. NZ student smoking rate at record low. Newstalk ZB. 2018. Available from: http://www.newstalkzb.co.nz/news/national/nz-student-smoking-rate-at-record-low/.

No authors listed. Start young, in Training Matters Magazine2018. Available from: http://www.tmmagazine.co.uk/start-young

Mozes A. More U.S. teens shunning drugs, alcohol. Medical Xpress. 2018. Available from: https://medicalxpress.com/news/2018-07-teens-shunning-drugs-alcohol.html.

Koval R. Tobacco Use Rates Among Middle and High School Students Flatten in 2017. Truth Initiative. 2018. Available from: https://truthinitiative.org/news/tobacco-use-rates-among-middle-and-high-school-students-flatten-2017.

Doyle P. Dramatic drop in smoking among Irish adolescents. Irish Medical News. 2018. Available from: https://www.imt.ie/news/dramatic-drop-smoking-among-irish-adolescents-03-05-2018/.

Sullum J. Adolescent Smoking Rates Reach Historic Lows, Despite Vaping's Popularity. Reason.com. 2017. Available from: http://reason.com/blog/2017/12/14/adolescent-smoking-rates-reach-historic.

Smyth C. More teenagers have tried drugs than cigarettes. The Times, 2017. Available from: https://www.thetimes.co.uk/edition/news/more-teenagers-have-tried-drugs-than-cigarettes-x28m7n3b9

Senthilingam M. Chain-smoking children: Indonesia's ongoing tobacco epidemic. CNN. 2017. Available from: http://edition.cnn.com/2017/08/30/health/chain-smoking-children-tobacco-indonesia/index.html.

No authors listed. Health at a Glance 2017: Smoking and alcohol consumption among children. Organisation for Economic Co-operation and Development 2017. Available from: http://www.oecd-ilibrary.org/sites/health_glance-2017-en/04/03/index.html.

Gallagher P. Smoking among teenagers falls to record low – but drug intake rises sharply. iNews. 2017. Available from: https://inews.co.uk/essentials/news/health/teenage-smokers-decline-numbers-nhs-digital/.

Dryden J. Large declines seen in teen substance abuse, delinquency. Medical Xpress. 2017. Available from: https://medicalxpress.com/news/2017-10-large-declines-teen-substance-abuse.html.

Cohn A. Tobacco and other substance co-use among young adults Truth Initiative (American Legacy Foundation). 2017. Available from: https://truthinitiative.org/sites/default/files/Amy%20Cohn%20Webinar%2006.15.17-Slides.pdf.

The Scotsman, 2016. Available from: http://www.scotsman.com/news/number-of-15-year-old-scottish-smokers-falls-by-two-thirds-1-4018704

U.S. National Cancer Institute and World Health Organization. Chapter 2: Patterns of Tobacco Use, Exposure, and Health Consequences, in National Cancer Institute Tobacco Control Monograph 21. The Economics of Tobacco and Tobacco Control. Section 2—Situation Analysis/Mapping. NIH Publication, Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute; and Geneva, CH: World Health Organization: 2016. Available from: https://cancercontrol.cancer.gov/brp/tcrb/monographs/21/docs/m21_2.pdf.

Spencer B. Smoking rates among teenage girls drops 20% in ten years after UK ban 'de-normalised' the habit Daily Mail, 2016. Available from: http://www.dailymail.co.uk/health/article-3463011/Smoking-rates-teenage-girls-drops-20-ten-years-UK-ban-normalised-habit.html

No authors listed. Two in five Pakistanis start smoking before 10 years age: experts. Daily Times, 2016. Available from: http://dailytimes.com.pk/islamabad/16-Jun-16/two-in-five-pakistanis-start-smoking-before-10-years-age-experts

No authors listed. Girls! In case you had no clue, every cigarette is rotting your insides Hindustan Times, 2016. Available from: http://www.hindustantimes.com/health-and-fitness/girls-incase-you-had-no-clue-every-cigarette-is-rotting-your-insides/story-yLMHDikfObEovafl3sAXZK.html

No authors listed. Seven-year-olds now hooked to smoking - Health ministry says Harare 24 2016. Available from: http://www.harare24.com/index-id-news-zk-40366.html.

McIntosh J. Cigarette smoking in high school at 'all-time low,' CDC report. Medical News Today. 2016. Available from: http://www.medicalnewstoday.com/articles/310859.php.

Arora R. 'Number of female smokers are on the rise'. Manorama. 2016. Available from: http://english.manoramaonline.com/wellness/health/cigarette-women-smoking-world-no-tobacco-day.html.

Wadley J and Lee J. Cigarette use increases estimates of teen smoking by half. Monitoring the Future. 2015. Available from: http://www.monitoringthefuture.org/pressreleases/15cigarillopr_complete.pdf.

No authors listed. Tobacco smoking and E-cigarettes – 2015. Australian Medical Association (AMA). 2015. Available from: https://ama.com.au/position-statement/tobacco-smoking-and-e-cigarettes-2015.

No authors listed. Fewer Welsh teenagers are smoking and drinking. ITV News. 2015. Available from: http://www.itv.com/news/wales/2015-10-14/welsh-health-the-kids-are-alright/.

No authors listed. Wales - a 2015 picture of health. BBC News. 2015. Available from: http://www.bbc.com/news/uk-wales-34521291.

No authors listed. Underaged cigarette smoking rate drops sharply over decade. AHA News Now 2015. Available from: http://www.noodls.com/viewNoodl/28316015/aha---american-hospital-association/underaged-cigarette-smoking-rate-drops-sharply-over-decade.

Myers M, L. National survey shows youth cigarette smoking again falls to record low, but E-cigarettes and cigars threaten progress. Campaign for Tobacco-Free Kids. 2015. Available from: http://www.tobaccofreekids.org/press_releases/post/2015_12_16_survey.

Morse F. Smoking and drinking amongst pupils in England 'lowest since records began' BBC 2015. Available from: http://www.bbc.co.uk/newsbeat/article/33637191/smoking-and-drinking-amongst-pupils-in-england-lowest-since-records-began.

Green C. Teenagers shunning cigarettes and alcohol for fruit and veg, survey says. The Independent, 2015. Available from: http://www.independent.co.uk/life-style/health-and-families/health-news/teenagers-shunning-cigarettes-and-alcohol-for-fruit-and-veg-survey-says-a6787041.html

Feek B. NZ teenage smoking rate drops below 3 per cent for the first time. The New Zealand Herald, 2015. Available from: http://www.nzherald.co.nz/health/news/article.cfm?c_id=204&objectid=11424354

Doyle K. Hookah and e-cigarettes popular with high schoolers. Reuters. 2015. Available from: http://www.reuters.com/article/us-health-teens-hookah-idUSKBN0TG2CH20151127.

Watson J. Teenagers less likely to take up smoking. The Times, 2014. Available from: http://www.thetimes.co.uk/tto/health/news/article4264011.ece

No authors listed. Number of young people smoking in Scotland drops from 26.5% to 22% since 1999. Daily Record. 2014. Available from: http://www.dailyrecord.co.uk/news/scottish-news/number-young-people-smoking-scotland-3124579.

No authors listed. Young teenage smoking 'at record low level', Ash Scotland report suggests. BBC News. 2014. Available from: http://www.bbc.co.uk/news/uk-scotland-26087153.

Hurst G. Family time and Facebook friends beat drink and drugs for today's teenagers. The Times, 2014. Available from: http://www.thetimes.co.uk/tto/news/uk/article4271433.ece

Allardyce J. Young smokers at record low. The Sunday Times, 2014. Available from: http://www.thesundaytimes.co.uk/sto/news/uk_news/scotland/article1373715.ece

1.6.X Poly-tobacco use, teenagers