

Tobacco in Australia

Facts & Issues

Relevant news and research

12.6 Additives and flavourings in tobacco products

Last updated December 2024

Research:.....	4
12.6 Additives and flavourings in tobacco products.....	4
12.6.1 Why are chemicals added to tobacco products?.....	4
12.6.2 Additives that increase the addictiveness of tobacco products	6
12.6.2.1 Additives that increase the bioavailability of nicotine.....	7
12.6.2.2 Additives that increase the addictiveness of nicotine	8
12.6.2.3 Additives that facilitate the inhalation of tobacco smoke.....	9
12.6.3 Additives that increase the attractiveness of tobacco products	9
12.6.3.1 Flavouring additives	10
12.6.3.2 Reducing harshness and increasing smoothness.....	17
12.6.3.3 Improving the look and aroma of smoke.....	18
12.6.3.4 Improving the look of tobacco products.....	18
12.6.3.5 Creating the impression of health benefits	18
12.6.4 Additives that modify the processing, shelf-life and burn rates of tobacco products	19
12.6.5 Toxicity of tobacco product additives.....	20
12.6.6 Priority additives for reporting in Europe	21
12.6.7 Additives in Australian cigarettes	22
12.6.8 Perceptions of additives among the community.....	22
12.6.9 Consumer perceptions of flavoured tobacco products	25
12.6.10 Flavoured tobacco products used by specific groups of people.....	26

tobaccoinaustralia.org.au

12.6.11 Effects of flavoured tobacco products on smoking initiation and cessation	27
12.6.12 Regulation of flavourings and flavoured tobacco products.....	27
12.6.12.1 Aims and approaches to regulating flavourings	33
12.6.12.2 International progress in regulation of flavourings	34
12.6.12.3 Evidence for the effects of flavour regulation	35
12.6.12.4 Tobacco industry responses to and unintended consequences of flavour regulation.....	37
12.6.13 Regulation of other additives	38
12.6.13.1 Aims and approaches to regulation of other additives	38
12.6.13.2 International regulation of other additives	38
News:	39
12.6 Additives and flavourings in tobacco products.....	39
12.6.1 Why are chemicals added to tobacco products?.....	39
12.6.2 Additives that increase the addictiveness of tobacco products	39
12.6.2.1 Additives that increase the bioavailability of nicotine.....	39
12.6.2.2 Additives that increase the addictiveness of nicotine	40
12.6.2.3 Additives that facilitate the inhalation of tobacco smoke.....	40
12.6.3 Additives that increase the attractiveness of tobacco products	40
12.6.3.1 Flavouring additives	40
12.6.3.2 Reducing harshness and increasing smoothness.....	41
12.6.3.3 Improving the look and aroma of smoke.....	41
12.6.3.4 Improving the look of tobacco products.....	41
12.6.3.5 Creating the impression of health benefits	41
12.6.4 Additives that modify the processing, shelf-life and burn rates of tobacco products	41
12.6.5 Toxicity of tobacco product additives	42
12.6.6 Priority additives for reporting in Europe	42
12.6.7 Additives in Australian cigarettes	42
12.6.8 Perceptions of additives among the community.....	42
12.6.9 Consumer perceptions of flavoured tobacco products	42
12.6.10 Flavoured tobacco products used by specific groups of people.....	42
12.6.11 Effects of flavoured tobacco products on smoking initiation and cessation.....	42
12.6.12 Regulation of flavourings and flavoured tobacco products.....	43
12.6.12.1 Aims and approaches to regulating flavourings	49
12.6.12.2 International progress in regulation of flavourings	49
12.6.12.3 Evidence for the effects of flavour regulation	52

12.6.12.4 Tobacco industry responses to and unintended consequences of flavour regulation.....	52
12.6.13 Regulation of other additives	52
12.6.13.1 Aims and approaches to regulation of other additives	52
12.6.13.2 International regulation of other additives	52

Research:

12.6 Additives and flavourings in tobacco products

Truth Initiative. Flavoured tobacco policy restrictions. Washington, DC: Truth Initiative, 2024.

Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/local-restrictions-flavored-tobacco-and-e-cigarette>.

Pennings JLA, Pauwels C, Schenk E, and Talhout R. Circumventing cigarette regulation: Product characteristics of cigarette-like cigarillos on the Dutch market. *Tobacco induced diseases Tob Induc Dis*, 2023; 21:91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37456608>

Kyriakos CN, Driezen P, Fong GT, Chung-Hall J, Hyland A, et al. Illicit purchasing and use of flavour accessories after the European Union menthol cigarette ban: findings from the 2020-21 ITC Netherlands Surveys. *European Journal of Public Health*, 2023; 33(4):619-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37527828>

Bakker-'t Hart IME, Bakker F, Pennings JLA, Weibolt N, Eising S, et al. Flavours and flavourings in waterpipe products: a comparison between tobacco, herbal molasses and steam stones. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35241500>

Gupta AK and Mehrotra R. Presence of High Level of Sugars, Humectants and their Toxic By-Products in Diverse Tobacco Products. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33438748>

Gammon DG, Rogers T, Gaber J, Nonnemaker JM, Feld AL, et al. Implementation of a comprehensive flavoured tobacco product sales restriction and retail tobacco sales. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34088881>

Seidenberg AB, Jo CL, and Ribisl KM. Knowledge and Awareness of Added Sugar in Cigarettes. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30329106>

Edwards R. Roll your own cigarettes are less natural and at least as harmful as factory rolled tobacco. *BMJ*, 2014; 348:f7616. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24519762>

Quier C, Mantz M, and Wertz P. Effect of menthol on the penetration of tobacco carcinogens and nicotine across porcine oral mucosa ex vivo. *Nicotine & Tobacco Research*, 2010; 12(7):763-7. Available from: <https://pubmed.ncbi.nlm.nih.gov/20511349/>

Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 1: cigarette design, testing approach, and review of results. *Food and Chemical Toxicology*, 2002; 40(1):77–91. Available from: <http://www.ingentaconnect.com/els/02786915/2002/00000040/00000001/art00084>

12.6.1 Why are chemicals added to tobacco products?

Akhtar, Z, Canfyn, M, Vanhee, C, Delporte, C, Adams, E, & Deconinck, E. (2024). Evaluating MIR and NIR Spectroscopy Coupled with Multivariate Analysis for Detection and Quantification of Additives

in Tobacco Products. *Sensors (Basel)*, 24(21). Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39517913>

Holt JCM, Mayer-Helm B, Gafner J, Zierlinger M, Hirn C, et al. Investigating the transfer rate of waterpipe additives to smoke as an integral part of toxicological risk assessments. *Toxicology Reports*, 2022; 9:945-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35875255>

Smiley SL, Kim S, Mourali A, Allem JP, Unger JB, et al. Characterizing #Backwoods on Instagram: "The Number One Selling All Natural Cigar". *International Journal of Environmental Research and Public Health*, 2020; 17(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32630567>

Kurti MK, Schroth KRJ, and Delnevo C. A discarded cigar package survey in New York City: indicators of non-compliance with local flavoured tobacco restrictions. *Tobacco Control*, 2020; 29(5):585-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31462577>

Jain V, Alcheva A, Huang D, Caruso R, Jain A, et al. Comprehensive Chemical Characterization of Natural American Spirit Cigarettes. *Tob Regul Sci*, 2019; 5(4):381-99. Available from: <https://pubmed.ncbi.nlm.nih.gov/33907702/>

New Zealand Ministry of Health. British American Tobacco New Zealand 2017 Annual Return. Wellington 2018. Available from: <https://www.health.govt.nz/system/files/documents/pages/batnz-cover-letter-return-2017.pdf>.

Erythropel HC, Kong G, deWinter TM, O'Malley SS, Jordt SE, et al. Presence of high-intensity sweeteners in popular cigarillos of varying flavor profiles. *JAMA*, 2018; 320(13):1380-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30285168>

Velicer C, Lempert LK, and Glantz S. Cigarette company trade secrets are not secret: an analysis of reverse engineering reports in internal tobacco industry documents released as a result of litigation. *Tobacco Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24920577>

Roemer E, Dempsey R, and Schorp MK. Toxicological assessment of kretek cigarettes: Part 1: background, assessment approach, and summary of findings. *Regulatory Toxicology and Pharmacology*, 2014; 70 Suppl 1:S2-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25498000>

Edwards R. Roll your own cigarettes are less natural and at least as harmful as factory rolled tobacco. *BMJ*, 2014; 348:f7616. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24519762>

Brown JE, Luo W, Isabelle LM, and Pankow JF. Candy flavorings in tobacco. *The New England Journal of Medicine*, 2014; 370(23):2250-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24805984>

New Zealand Ministry of Health. British American Tobacco New Zealand 2012 Annual Return. Wellington 2013. Available from: <https://www.health.govt.nz/system/files/documents/pages/tobacco-returns-2012-british-american-tobacco-nz.pdf>.

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Addictiveness and attractiveness of tobacco additives. Brussels, Belgium 2010. Available from: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_031.pdf.

Rabinoff M, Caskey N, Rissling A, and Park C. Pharmacological and chemical effects of cigarette additives. American Journal of Public Health, 2007; 97(11):1981–91. Available from: <http://www.ajph.org/cgi/reprint/97/11/1981>

Polzin GM, Stanfill SB, Brown CR, Ashley DL, and Watson CH. Determination of eugenol, anethole, and coumarin in the mainstream cigarette smoke of Indonesian clove cigarettes. Food and Chemical Toxicology, 2007; 45(10):1948-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17583404>

Talhout R, Opperhuizen A, and van Amsterdam JG. Sugars as tobacco ingredient: Effects on mainstream smoke composition. Food and Chemical Toxicology, 2006; 44(11):1789-98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16904804>

Rustemeier K, Stabbert R, Haussmann HJ, Roemer E, and Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 2: chemical composition of mainstream smoke. Food and Chemical Toxicology, 2002; 40(1):93–104. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T6P-44HXCP1-C&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_version=1&_urlVersion=0&_userid=10&md5=a8a7407b68660885e5018924c1cd1cb5

Malson JL, Sims K, Murty R, and Pickworth WB. Comparison of the nicotine content of tobacco used in bidis and conventional cigarettes. Tobacco Control, 2001; 10(2):181-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11387541>

12.6.2 Additives that increase the addictiveness of tobacco products

Wickham RJ, Henderson BJ, Jackson AB, and Kabbani N. Editorial: Pharmacological and behavioral effects of added flavorants on tobacco addiction. Frontiers in Neuroscience, 2022; 16:1100476. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36545537>

Bagdas D, Kebede N, Zepei AM, Harris L, Minanov K, et al. Animal models to investigate the impact of flavors on nicotine addiction and dependence. Current Neuropharmacology, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35611777>

Bagdas D, Rupprecht LE, Nunes EJ, Schillinger E, Immanuel JJ, et al. Evaluation of Flavor Effects on Oral Nicotine Liking and/or Disliking Using the Taste Reactivity Test in Rats. Nicotine & Tobacco Research, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34918123>

B LR, C GC, Holder-Hayes E, and B KA. Estimating the Potential Public Health Impact of Prohibiting Characterizing Flavors in Cigars throughout the US. International Journal of Environmental Research and Public Health, 2019; 16(18). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31487796>

van de Nobelen S, Kienhuis AS, and Talhout R. An Inventory of Methods for the Assessment of Additive Increased Addictiveness of Tobacco Products. Nicotine & Tobacco Research, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26817491>

Munafo M. Understanding the role of additives in tobacco products. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27235702>

Alpert HR, Agaku IT, and Connolly GN. A study of pyrazines in cigarettes and how additives might be used to enhance tobacco addiction. *Tobacco Control*, 2016; 25(4):444-50. Available from: <http://tobaccocontrol.bmj.com/content/25/4/444.abstract>

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Addictiveness and attractiveness of tobacco additives. Brussels, Belgium 2010. Available from: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_031.pdf.

Samaha AN and Robinson TE. Why does the rapid delivery of drugs to the brain promote addiction? *Trends in Pharmacological Sciences*, 2005; 26(2):82-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15681025>

12.6.2.1 Additives that increase the bioavailability of nicotine

Inaba Y, Uchiyama S, and Kunugita N. Spectrophotometric determination of ammonia levels in tobacco fillers of and sidestream smoke from different cigarette brands in Japan. *Environmental Health and Preventive Medicine*, 2018; 23(1):15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29703135>

WHO study group on tobacco product regulation. Report on the scientific basis of tobacco product regulation: fifth report of a WHO study group. WHO Technical Report Series Geneva: WHO, 2015. Available from: <https://www.who.int/publications/i/item/who-study-group-on-tobacco-product-regulation-report-on-the-scientific-basis-of-tobacco-product-regulation-fifth-report-of-a-who-study-group>.

McKinney DL, Gogova M, Davies BD, Ramakrishnan V, Fisher K, et al. Evaluation of the effect of ammonia on nicotine pharmacokinetics using rapid arterial sampling. *Nicotine & Tobacco Research*, 2012; 14(5):586-95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22140146>

van Amsterdam J, Sleijffers A, van Spiegel P, Blom R, Witte M, et al. Effect of ammonia in cigarette tobacco on nicotine absorption in human smokers. *Food and Chemical Toxicology*, 2011; 49(12):3025-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22001171>

Stevenson T and Proctor RN. The secret and soul of Marlboro: Phillip Morris and the origins, spread, and denial of nicotine freebasing. *American Journal of Public Health*, 2008; 98(7):1184-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18511721>

Willems EW, Rambali B, Vleeming W, Opperhuizen A, and van Amsterdam JGC. Significance of ammonium compounds on nicotine exposure to cigarette smokers. *Food and Chemical Toxicology*, 2006; 44(5):678-88. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16288944>

Callicutt CH, Cox RH, Hsu F, Kinser RD, Laffoon SW, et al. The role of ammonia in the transfer of nicotine from tobacco to mainstream smoke. *Regulatory Toxicology and Pharmacology*, 2006; 46(1):1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16875767>

Samaha AN and Robinson TE. Why does the rapid delivery of drugs to the brain promote addiction? Trends in Pharmacological Sciences, 2005; 26(2):82-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15681025>

Keithly L, Ferris Wayne G, Cullen DM, and Connolly GN. Industry research on the use and effects of levulinic acid: a case study in cigarette additives. Nicotine & Tobacco Research, 2005; 7(5):761-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16191747>

Hukkanen J, Jacob P, and Benowitz NL. Metabolism and disposition kinetics of nicotine. Pharmacological Reviews, 2005; 57(1):79-115. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15734728>

Pankow JF, Mader BT, Isabelle LM, Luo W, Pavlick A, et al. Conversion of nicotine in tobacco smoke to its volatile and available free-base form through the action of gaseous ammonia. Environmental Science & Technology, 1997; 31:2428–33. Available from: <https://pubs.acs.org/doi/full/10.1021/es970402f>

12.6.2.2 Additives that increase the addictiveness of nicotine

Syrjanen K, Eronen K, Hendolin P, Paloheimo L, Eklund C, et al. Slow-release L-cysteine (Acetium(R)) lozenge is an effective new method in smoking cessation. A randomized, double-blind, placebo-controlled intervention. Anticancer Research, 2017; 37(7):3639-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28668855>

Syrjanen K, Salminen J, Aresvuo U, Hendolin P, Paloheimo L, et al. Elimination of cigarette smoke-derived acetaldehyde in saliva by slow-release L-cysteine lozenge is a potential new method to assist smoking cessation. A randomised, double-blind, placebo-controlled intervention. Anticancer Research, 2016; 36(5):2297-306. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27127136>

McKinney DL, Gogova M, Davies BD, Ramakrishnan V, Fisher K, et al. Evaluation of the effect of ammonia on nicotine pharmacokinetics using rapid arterial sampling. Nicotine & Tobacco Research, 2012; 14(5):586-95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22140146>

Talhout R, Opperhuizen A, and van Amsterdam JG. Role of acetaldehyde in tobacco smoke addiction. European Neuropsychopharmacology, 2007; 17(10):627-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17382522>

Cao J, Belluzzi JD, Loughlin SE, Keyler DE, Pentel PR, et al. Acetaldehyde, a major constituent of tobacco smoke, enhances behavioral, endocrine, and neuronal responses to nicotine in adolescent and adult rats. Neuropsychopharmacology, 2007; 32(9):2025-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17287824>

Talhout R, Opperhuizen A, and van Amsterdam JG. Sugars as tobacco ingredient: Effects on mainstream smoke composition. Food and Chemical Toxicology, 2006; 44(11):1789-98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16904804>

Belluzzi JD, Wang R, and Leslie FM. Acetaldehyde enhances acquisition of nicotine self-administration in adolescent rats. Neuropsychopharmacology, 2005; 30(4):705-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15496937>

12.6.2.3 Additives that facilitate the inhalation of tobacco smoke

Sokol NA, Kennedy RD, and Connolly GN. The role of cocoa as a cigarette additive: opportunities for product regulation. *Nicotine & Tobacco Research*, 2014; 16(7):984-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24610479>

12.6.3 Additives that increase the attractiveness of tobacco products

Kassem, NOF, Strongin, RM, Stroup, AM, Brinkman, MC, El-Hellani, A, Erythropel, HC et al. (2024). Toxicity of Waterpipe Tobacco Smoking: The Role of Flavors, Sweeteners, Humectants, and Charcoal. *Toxicol Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39037923>

Song, X, Qian, S, Li, H, Shen, Y, Bian, D, Shan, K, & Shi, J. (2024). Study on the evaluation method of cigarette astringency in the simulated oral environment. *J Texture Stud*, 55(3), e12837. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38702991>

Chen, X, Long, T, Huang, S, Chen, Y, Lu, H, Jiang, Z et al. (2024). Metabolomics-based study of chemical compositions in cellulase additives derived from a tobacco-origin *Bacillus subtilis* and their impact on tobacco sensory attributes. *Arch Microbiol*, 206(4), 163. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38483624>

Wang H, Lai M, Li H, Jiang L, Wei Y, et al. Moisturizing and aroma-enhancing effects of low molecular weight fenugreek polysaccharides in cigarettes. *International Journal of Biological Macromolecules*, 2024; 259(Pt 2):129320. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38218276>

Maldonado GT, Bono RS, Wall CS, Lester RC, Hoetger C, et al. Acute effects of flavored Black and mild cigars among young adult cigarette smokers. *Exp Clin Psychopharmacol*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36656717>

Keller-Hamilton B, Mehta T, Hale JJ, Leavens ELS, Shihadeh A, et al. Effects of flavourants and humectants on waterpipe tobacco puffing behaviour, biomarkers of exposure and subjective effects among adults with high versus low nicotine dependence. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33408120>

Roemer E, Schorp MK, Piadé JJ, Seeman JJ, Leyden DE, et al. Scientific assessment of the use of sugars as cigarette tobacco ingredients: a review of published and other publicly available studies. *Crit Rev Toxicol*, 2012; 42(3):244-78. Available from: <https://pubmed.ncbi.nlm.nih.gov/22263649/>

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Addictiveness and attractiveness of tobacco additives. Brussels, Belgium 2010. Available from: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_031.pdf.

Talhout R, Opperhuizen A, and van Amsterdam JG. Sugars as tobacco ingredient: Effects on mainstream smoke composition. *Food and Chemical Toxicology*, 2006; 44(11):1789-98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16904804>

Wayne G and Connolly G. How cigarette design can affect youth initiation into smoking: Camel cigarettes 1983-93. *Tobacco Control*, 2002; 11(suppl.1):I32-I9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11893812>

Martins SIFS, Jongen WMF, and van Boekel MAJS. A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science & Technology* 2001; 11:364-73. Available from: <https://ucanr.edu/datastoreFiles/608-648.pdf>

British American Tobacco. Paper 13: Casings and Flavours. Bates number 102243456-102243462. Available from: <https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/#id=fthp0207>.

12.6.3.1 Flavouring additives

Talhout, R, & Leventhal, AM. (2024). Coolants, organic acids, flavourings and other additives that facilitate inhalation of tobacco and nicotine products: implications for regulation. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39256038>

Ackary, SJ, Cabrera, PJD, Santiago, AJA, & Amul, GGH. (2024). An analysis of flavor descriptors on tobacco products in the Philippines: Regulatory implications and lessons for low- and middle-income countries. *Global Health*, 20(1), 67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39252089>

Zhang, CX, Zhang, GH, Wei, F, Kong, GH, He, Y, Li, YK, & Cai, XH. (2024). Ionones from cigar tobacco leaves. *J Asian Nat Prod Res*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38835269>

Peng, J, Fan, Y, He, Y, Wang, Y, Zhu, Y, Fu, Y et al. (2024). Quality evaluation of natural monomer flavors for Chinese tobacco industry based on dual mode combined Fourier transform ion cyclotron resonance mass spectrometry and isotopic fine structures. *Rapid Commun Mass Spectrom*, 38(13), e9748. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38644558>

Yang, L, Liu, L, Ji, L, Jiang, C, Jiang, Z, Li, D et al (2024). Analysis of differences in aroma and sensory characteristics of the mainstream smoke of six cigars. *Heliyon*, 10(4), e26630. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38434019>

Wang H, Lai M, Li H, Jiang L, Wei Y, et al. Moisturizing and aroma-enhancing effects of low molecular weight fenuGreek polysaccharides in cigarettes. *International Journal of Biological Macromolecules*, 2024; 259(Pt 2):129320. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38218276>

Thompson CM, Brorby G, Keig-Shevelin Z, Smith R, Franzen A, et al. Assessment of the in vivo genotoxic potential of three smoke flavoring primary product mixtures. *Environmental and Molecular Mutagenesis*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37916278>

Mus S, Barrientos I, Vidana-Perez D, Monzon J, Barnoya J, et al. Chemicals in cigarette flavor capsules from Guatemala and Mexico. *Nicotine & Tobacco Research*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37930843>

Li C, Tian S, You J, Liu J, Li E, et al. Qualitative determination of volatile substances in different flavored cigarette paper by using headspace-gas chromatography-ion mobility spectrometry (HS-GC-IMS) combined with chemometrics. *Heliyon*, 2023; 9(1):e12146. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36685456>

Geng Z, He P, Gao H, Liu J, Qiu J, et al. Aroma precursors of cigars from different tobacco parts and origins, and their correlations with sensory characteristics. *Front Plant Sci*, 2023; 14:1264739. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38192690>

Ashley DL, Zhu W, Watson CH, Bravo R, Ngac PK, et al. Mouth Level Intake of Nicotine from Three Brands of Little Filtered Cigars with Widely Differing Product Characteristics Among Adult Consumers. *Chemical Research in Toxicology*, 2023; 36(1):43-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36598842>

Picanco JMA, Limberger RP, and Apel MA. Uncovering cloves: characterization of volatile compounds present in clove cigarettes. *Toxicol Res (Camb)*, 2022; 11(6):987-1002. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36569486>

Osborn CC, Suratkal JP, Pike Moore SN, Koopman Gonzalez S, Sterling KL, et al. Dissonance in Young Adult Cigarillo Users' Categorization of Concept Flavored and Unflavored Products. *International Journal of Environmental Research and Public Health*, 2022; 19(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35742467>

Lim HH, Choi KY, and Shin HS. Flavor components in tobacco capsules identified through non-targeted quantitative analysis. *Journal of Mass Spectrometry*, 2022; 57(2):e4811. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35088484>

Lim DH, Son YS, Kim YH, Kukkar D, and Kim KH. Volatile organic compounds released in the mainstream smoke of flavor capsule cigarettes. *Environmental research*, 2022:112866. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35134376>

Hu W, Cai W, Zheng Z, Liu Y, Luo C, et al. Study on the chemical compositions and microbial communities of cigar tobacco leaves fermented with exogenous additive. *Sci Rep*, 2022; 12(1):19182. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36357535>

Goel R, Reilly SM, and Valerio LG, Jr. A Computational Approach for Respiratory Hazard Identification of Flavor Chemicals in Tobacco Products. *Chemical Research in Toxicology*, 2022; 35(3):450-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35239324>

Ganz O, Cohn AM, Goodwin RD, Giovenco DP, Wackowski OA, et al. Internalizing problems are associated with initiation and past 30-Day use of flavored tobacco products. *Addictive Behaviors*, 2022; 125:107162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34763300>

Bansal-Travers M, Price SM, Bold KW, Villanti AC, Barnes A, et al. Common Measures to Evaluate Flavored Tobacco Products: Recommendations from the Tobacco Centers for Regulatory Science (TCORS) Flavored Tobacco Products Measurement Subcommittee. *Nicotine & Tobacco Research*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35896127>

van der Eijk Y, Ng XY, and Lee JK. Cross-sectional survey of flavored cigarette use among adult smokers in Singapore. *Tobacco induced diseases Tob Induc Dis*, 2021; 19:42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34131420>

Lim HH, Choi KY, and Shin HS. Qualitative and quantitative comparison of flavor chemicals in tobacco heating products, traditional tobacco products and flavoring capsules. *J Pharm Biomed Anal*, 2021; 207:114397. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34626940>

Kyriakos CN, Zatonski MZ, and Filippidis FT. Flavour capsule cigarette use and perceptions: a systematic review. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34607888>

Gupta AK and Mehrotra R. Increasing use of flavoured tobacco products amongst youth. *Indian Journal of Tuberculosis*, 2021; 68S:S105-S7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34538383>

Ebrahimi Kalan M, Abazari M, Ben Taleb Z, Adham D, Abbasi A, et al. Characteristics of flavored and non-flavored waterpipe tobacco users: a real-world setting study. *Environmental Science and Pollution Research International*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34089452>

Cohen JE, Welding K, Erinoso O, Saraf S, Iacobelli M, et al. The Flavor Train: The Nature and Extent of Flavored Cigarettes in Low- and Middle-Income Countries. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33983445>

Bernat JK, Jackson KJ, Krusemann EJZ, Boesveldt S, Rudy SF, et al. Sensory methods to evaluate perception of flavours in tobacco and other nicotine-containing products: a review. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34615737>

Bagdas D, Rupprecht LE, Nunes EJ, Schillinger E, Immanuel JJ, et al. Evaluation of Flavor Effects on Oral Nicotine Liking and/or Disliking Using the Taste Reactivity Test in Rats. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34918123>

Schneller LM, Li D, Tavarez ZQ, Goniewicz ML, Quisenberry AJ, et al. Flavor Inconsistencies between Flavored Tobacco Products among US Adults. *Am J Health Behav*, 2020; 44(5):617-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33121580>

Nettore IC, Maione L, Desiderio S, De Nisco E, Franchini F, et al. Influences of Age, Sex and Smoking Habit on Flavor Recognition in Healthy Population. *International Journal of Environmental Research and Public Health*, 2020; 17(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32033174>

Maziak W, Ben Taleb Z, Ebrahimi Kalan M, Ward-Peterson M, Bursac Z, et al. Effect of flavour manipulation on low and high-frequency waterpipe users' puff topography, toxicant exposures and subjective experiences. *Tobacco Control*, 2020; 29(Suppl 2):s95-s101. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31326956>

Kurti MK, Schroth KRJ, and Delnevo C. A discarded cigar package survey in New York City: indicators of non-compliance with local flavoured tobacco restrictions. *Tobacco Control*, 2020; 29(5):585-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31462577>

Du F, Pan T, Ji X, Hu J, and Ren T. Study on the preparation of geranyl acetone and beta-cyclodextrin inclusion complex and its application in cigarette flavoring. *Sci Rep*, 2020; 10(1):12375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32704066>

Bono RS, Cobb CO, Wall CS, Lester RC, Hoetger C, et al. Behavioral economic assessment of abuse liability for Black & Mild cigar flavors among young adults. *Exp Clin Psychopharmacol*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33001692>

Ben Taleb Z, Vargas M, Ebrahimi Kalan M, Breland A, Eissenberg T, et al. The effect of flavoured and non-flavoured tobacco on subjective experience, topography and toxicant exposure among waterpipe smokers. *Tobacco Control*, 2020; 29(Suppl 2):s72-s9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31767788>

Paraje G, Araya D, and Drope J. The association between flavor capsule cigarette use and sociodemographic variables: Evidence from Chile. *PloS One*, 2019; 14(10):e0224217. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31644598>

Nguyen N, McKelvey K, and Halpern-Felsher B. Popular Flavors Used in Alternative Tobacco Products Among Young Adults. *Journal of Adolescent Health*, 2019; 65(2):306-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31331543>

Lawyer GR, Jackson M, Prinz M, Lamb T, Wang Q, et al. Classification of flavors in cigarillos and little cigars and their variable cellular and acellular oxidative and cytotoxic responses. *PloS One*, 2019; 14(12):e0226066. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31825984>

Chen-Sankey JC, Choi K, Kirchner TR, Feldman RH, Butler J, 3rd, et al. Flavored cigar smoking among African American young adult dual users: An ecological momentary assessment. *Drug Alcohol Depend*, 2019; 196:79-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30754022>

Chaiton MO, Schwartz R, Tremblay G, and Nugent R. Association of flavoured cigar regulations with wholesale tobacco volumes in Canada: an interrupted time series analysis. *Tobacco Control*, 2019; 28(4):457-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30135113>

Wall CS, Bono RS, Lester RC, Hoetger C, Lipato T, et al. Triangulating abuse liability assessment for flavoured cigar products using physiological, behavioural economic and subjective assessments: a within-subjects clinical laboratory protocol. *BMJ Open*, 2018; 8(10):e023850. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30309993>

Leavens EL, Driskill LM, Molina N, Eissenberg T, Shihadeh A, et al. Comparison of a preferred versus non-preferred waterpipe tobacco flavour: subjective experience, smoking behaviour and toxicant exposure. *Tobacco Control*, 2018; 27(3):319-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28381414>

Krüsemann EJZ, Lasschuijt MP, de Graaf C, de Wijk RA, Punter PH, et al. Sensory analysis of characterising flavours: evaluating tobacco product odours using an expert panel. *Tobacco Control*, 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/05/19/tobaccocontrol-2017-054152.full.pdf>

Jackler RK, VanWinkle CK, Bumanlag IM, and Ramamurthi D. Alcohol-flavoured tobacco products. *Tobacco Control*, 2018; 27(3):294-300. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/3/294.full.pdf>

Hoek J, Gendall P, Eckert C, Louviere J, Blank M-L, et al. Young adult susceptible non-smokers' and smokers' responses to capsule cigarettes. *Tobacco Control*, 2018. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/10/03/tobaccocontrol-2018-054470.full.pdf>

Erythropel HC, Kong G, deWinter TM, O'Malley SS, Jordt SE, et al. Presence of high-intensity sweeteners in popular cigarillos of varying flavor profiles. *JAMA*, 2018; 320(13):1380-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30285168>

Emond JA, Soneji S, Brunette MF, and Sargent JD. Flavour capsule cigarette use among US adult cigarette smokers. *Tobacco Control*, 2018.

Dai H and Hao J. Flavored Tobacco Use Among U.S. Adults by Age Group: 2013-2014. *Substance Use & Misuse*, 2018;1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30380969>

Villanti AC, Johnson AL, Ambrose BK, Cummings KM, Stanton CA, et al. Flavored tobacco product use in youth and adults: Findings from the first wave of the PATH Study (2013-2014). *American Journal of Preventive Medicine*, 2017; 53(2):139-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28318902>

Thrasher JF, Islam F, Barnoya J, Mejia R, Valenzuela MT, et al. Market share for flavour capsule cigarettes is quickly growing, especially in Latin America. *Tobacco Control*, 2017; 26(4):468-70. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/4/468.full.pdf>

Rizzato G, Scalabrin E, Radaelli M, Capodaglio G, and Piccolo O. A new exploration of licorice metabolome. *Food Chem*, 2017; 221:959-68. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27979300>

Krusemann E, Visser W, Cremers J, Pennings J, and Talhout R. Identification of flavour additives in tobacco products to develop a flavour library. *Tobacco Control*, 2017. Available from: <http://tobaccocontrol.bmj.com/content/early/2017/02/11/tobaccocontrol-2016-052961>

Kowitt SD, Meernik C, Baker HM, Osman A, Huang LL, et al. Perceptions and experiences with flavored non-menthol tobacco products: A systematic review of qualitative studies. *International Journal of Environmental Research and Public Health*, 2017; 14(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28333107>

Kostygina G, Huang J, and Emery S. TrendBlendz: how Splitarillos use marijuana flavours to promote cigarillo use. *Tobacco Control*, 2017; 26(2):235-6. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/2/235.full.pdf>

Koprivnikar H and Zupanec T. The use of different tobacco and related products, with and without flavours, among 15-year-olds in Slovenia. *Zdr Varst*, 2017; 56(2):74-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28289466>

Huang LL, Baker HM, Meernik C, Ranney LM, Richardson A, et al. Impact of non-menthol flavours in tobacco products on perceptions and use among youth, young adults and adults: a systematic review. *Tobacco Control*, 2017; 26(6):709-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27872344>

Hinds JT, Li X, Loukas A, Pasch KE, and Perry CL. Flavored Cigars Appeal to Younger, Female, and Racial/Ethnic Minority College Students. *Nicotine & Tobacco Research*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199700>

Farley SM, Schroth KR, Grimshaw V, Luo W, DeGagne JL, et al. Flavour chemicals in a sample of non-cigarette tobacco products without explicit flavour names sold in New York City in 2015. *Tobacco Control*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28400490>

Bird Y, May J, Nwankwo C, Mahmood R, and Moraros J. Prevalence and characteristics of flavoured tobacco use among students in grades 10 through 12: a national cross-sectional study in Canada, 2012-2013. *Tobacco Induced Diseases*, 2017; 15:20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28352213>

van Nierop LE and Talhout R. Sugar as tobacco additive tastes 'bitter.'. *Journal of Addiction Research & Therapy*, 2016; 7(4).

Stanton CA, Villanti AC, Watson C, and Delnevo CD. Flavoured tobacco products in the USA: synthesis of recent multidiscipline studies with implications for advancing tobacco regulatory science. *Tobacco Control*, 2016; 25(Suppl 2):ii1-ii3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27856996>

Smith DM, Bansal-Travers M, Huang J, Barker D, Hyland AJ, et al. Association between use of flavoured tobacco products and quit behaviours: findings from a cross-sectional survey of US adult tobacco users. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27708123>

Samet J, Pentz M, and Unger J. Flavoured tobacco products and the public's health: lessons from the TPSAC menthol report. *Tobacco Control*, 2016; 25(Suppl 2):ii103-ii5. Available from: http://tobaccocontrol.bmj.com/content/25/Suppl_2/ii103.abstract

Kostygina G and Ling PM. Tobacco industry use of flavourings to promote smokeless tobacco products. *Tobacco Control*, 2016; 25(Suppl 2):ii40-ii9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27856998>

Kostygina G, Glantz SA, and Ling PM. Tobacco industry use of flavours to recruit new users of little cigars and cigarillos. *Tobacco Control*, 2016; 25(1):66-74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25354674>

Hoffman AC, Salgado RV, Dresler C, Faller RW, and Bartlett C. Flavour preferences in youth versus adults: a review. *Tobacco Control*, 2016; 25(Suppl 2):ii32-ii9. Available from: http://tobaccocontrol.bmj.com/content/25/Suppl_2/ii32.abstract

Firmenich. Firmenich Inspiring! Flavor Ingredients Catalogue 2016. 2016. Available from: https://www.firmenich.com/en_INT/ingredients/catalog-flavor.html.

Fairman S, Lock D, Cohen J, Holtgrave D, and Li T. Flavored tobacco products in the United States: a systematic review assessing use and attitudes. *Nicotine & Tobacco Research*, 2016; 18(5):739-49. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26315475>

Bonhomme MG, Holder-Hayes E, Ambrose BK, Tworek C, Feirman SP, et al. Flavoured non-cigarette tobacco product use among US adults: 2013-2014. *Tobacco Control*, 2016; 25(Suppl 2):ii4-ii13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27794065>

Behar RZ, Luo W, Lin SC, Wang Y, Valle J, et al. Distribution, quantification and toxicity of cinnamaldehyde in electronic cigarette refill fluids and aerosols. *Tobacco Control*, 2016; 25(Suppl 2):ii94-ii102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27633763>

Allen J, Flanigan S, LeBlanc M, Vallarino J, MacNaughton P, et al. Flavoring chemicals in e-cigarettes: diacetyl, 2,3-pentanedione, and acetoin in a sample of 51 products. *Environmental Health Perspectives*, 2016; 124(6):733-9. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4892929/>

Paschke M, Hutzler C, Henkler F, and Luch A. Toward the stereochemical identification of prohibited characterizing flavors in tobacco products: the case of strawberry flavor. *Archives of Toxicology*, 2015; 89(8):1241-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26138682>

Mitsui K, David F, Tienpont B, Sandra K, Ochiai N, et al. Analysis of the reaction products from micro-vial pyrolysis of the mixture glucose/proline and of a tobacco leaf extract: Search for Amadori intermediates. *Journal of Chromatography A*, 2015; 1422:27-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26602543>

Government of Nova Scotia. Flavoured Products Consultation report. Nova Scotia 2015. Available from: <http://novascotia.ca/dhw/healthy-communities/documents/Flavoured-Products-Consultation-Report.pdf>.

Delnevo CD and Hrywna M. Clove cigar sales following the US flavoured cigarette ban. *Tobacco Control*, 2015; 24(e4):e246-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24652459>

Roemer E, Dempsey R, and Schorp MK. Toxicological assessment of kretek cigarettes: Part 1: background, assessment approach, and summary of findings. *Regulatory Toxicology and Pharmacology*, 2014; 70 Suppl 1:S2-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25498000>

Lisko JG, Stanfill SB, and Watson CH. Quantitation of ten flavor compounds in iunburned tobacco products. *Analytic Methods*, 2014; 6(13):4698-704.

Schubert J, Luch A, and Schulz TG. Waterpipe smoking: analysis of the aroma profile of flavored waterpipe tobaccos. *Talanta*, 2013; 115:665-74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24054646>

McLachlan G. Taking the spice out of legal smoking mixtures. *The Lancet*, 2009; 374(9690):600. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19699999

Lee EJ, Kim JR, Choi DR, and Ahn YJ. Toxicity of cassia and cinnamon oil compounds and cinnamaldehyde-related compounds to *Sitophilus oryzae* (Coleoptera: Curculionidae). *Journal of*

Economic Entomology, 2008; 101(6):1960-6. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/19133480>

Klein SM, Giovino GA, Barker DC, Tworek C, Cummings KM, et al. Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005. Nicotine & Tobacco Research, 2008; 10(7):1209–14. Available from: <https://pubmed.ncbi.nlm.nih.gov/18629731/>

Williams J, Gandhi, KK, Steinberg, ML, Foulds, J, Ziedonis, DM and Benowitz, NL. Higher nicotine and carbon monoxide levels in menthol cigarette smokers with and without schizophrenia. Nicotine and Tobacco Research, 2007; 9(8):873-81. Available from: <https://pubmed.ncbi.nlm.nih.gov/17654300/>

Carpenter CM, Wayne GF, and Connolly GN. The role of sensory perception in the development and targeting of tobacco products. Addiction, 2007; 102(1):136-47. Available from:
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1360-0443.2006.01649.x>

van Boekel MAJS. Formation of flavour compounds in the Maillard reaction. Biotechnology Advances, 2006; 24:230-3.

Fernandez E. Spain: sweet smoking initiation? Tobacco Control, 2005; 14(2):77-. Available from:
<http://tc.bmjournals.com>

Connolly GN. Sweet and spicy flavours: new brands for minorities and youth. Tobacco Control, 2004; 13(3):211-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15333865>

Malson JL, Sims K, Murty R, and Pickworth WB. Comparison of the nicotine content of tobacco used in bidis and conventional cigarettes. Tobacco Control, 2001; 10(2):181-3. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/11387541>

Burling C. Summary of data on licorice. Bates Number 87618425/8455. .Truth Tobacco Industry documents 1987. Available from:
<https://www.industrydocumentslibrary.ucsf.edu/tobacco/docs/#id=gpm0113>.

Jaffe A, J and Glaros AG. Taste dimensions in cigarette discrimination: a multidimensional scaling approach. Addict Behav, 1986; 11(4):407–13. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/3812050>

12.6.3.2 Reducing harshness and increasing smoothness

Page MK, Paul EE, Leigh NJ, Meza LR, Galimov A, et al. Still 'Cool': tobacco industry responds to state-wide menthol ban with synthetic coolants. Tobacco Control, 2023. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/37500508>

Jabba SV, Erythropel HC, Woodrow JG, Anastas PT, O'Malley S, et al. Synthetic cooling agent in oral nicotine pouch products marketed as 'Flavour-Ban Approved'. Tobacco Control, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37380351>

Jabba SV, Erythropel HC, Anastas PT, Zimmerman JB, and Jordt SE. Synthetic cooling agent and other flavor additives in "non-menthol" cigarettes marketed in California and Massachusetts after menthol cigarette bans. JAMA, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37812408>

Haynes A, Winnall WR, Brennan E, Dunstone K, Benowitz NL, et al. Tobacco constituents, flavorants, and paper permeability of factory-made and roll-your-own cigarettes on the Australian market. *Nicotine & Tobacco Research*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37462724>

Purcell K. The effects of cigarette additives on the palatability of cigarettes: a report to the Australian Department of Health. Australia: Purcell Consulting 2013.

Keithly L, Ferris Wayne G, Cullen DM, and Connolly GN. Industry research on the use and effects of levulinic acid: a case study in cigarette additives. *Nicotine & Tobacco Research*, 2005; 7(5):761-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16191747>

Wayne G and Connolly G. How cigarette design can affect youth initiation into smoking: Camel cigarettes 1983-93. *Tobacco Control*, 2002; 11(suppl.1):I32-I9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11893812>

12.6.3.3 Improving the look and aroma of smoke

Wang H, Lai M, Li H, Jiang L, Wei Y, et al. Moisturizing and aroma-enhancing effects of low molecular weight fenugreek polysaccharides in cigarettes. *International Journal of Biological Macromolecules*, 2024; 259(Pt 2):129320. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38218276>

Connolly GN, Wayne GD, Lymperis D, and Doherty MC. How cigarette additives are used to mask environmental tobacco smoke. *Tobacco Control*, 2000; 9(3):283-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10982572>

12.6.3.4 Improving the look of tobacco products

Moodie C, Ford A, Mackintosh A, and Purves R. Are all cigarettes just the same? Female's perceptions of slim, coloured, aromatized and capsule cigarettes. *Health Education Research*, 2015; 30(1):1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25341674>

Smith DC, Wicinski PN, Coggins CR, Banty TH, and Oldham MJ. A comprehensive evaluation of the toxicology of monogram inks added to experimental cigarettes. *Inhalation Toxicology*, 2013; 25 Suppl 2:34-45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24341845>

Purcell K. The effects of cigarette additives on the palatability of cigarettes: a report to the Australian Department of Health. Australia: Purcell Consulting 2013.

Priority Additives Tobacco Consortium. Titanium dioxide: EU Tobacco Directive 2014/40/EU, Article 6, Priority Additive. KT&G Corporation, 2012. Available from: <http://www.ingredientiprodottideltabacco.it/home/wp-content/uploads/ReportPriorityAdditives/4D6774FA-29BE-46FB-B618-B4FD5695332D.pdf>.

12.6.3.5 Creating the impression of health benefits

Pearson J, Giovenco DP, Lewis MJ, Moran M, and Ganz O. Natural American Spirit launches 'Sky', the brand's first commercial organic cigarette with a charcoal filter. *Tobacco Control*, 2023; 32(3):397-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34593613>

Byron MJ, Lazard AJ, and Brewer NT. Is a cigarette brand with fewer chemicals safer? Public perceptions in two national US experiments. J Behav Med, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35688959>

Smiley SL, Kim S, Mourali A, Allem JP, Unger JB, et al. Characterizing #Backwoods on Instagram: "The Number One Selling All Natural Cigar". International Journal of Environmental Research and Public Health, 2020; 17(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32630567>

Baig SA, Byron MJ, Pepper JK, and Brewer NT. Interest in "organic," "natural," and "additive-free" cigarettes after hearing about toxic chemicals in cigarette smoke. PloS One, 2019; 14(3):e0212480. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30840639>

O'Connor RJ, Lewis MJ, Adkison SE, Bansal-Travers M, and Cummings KM. Perceptions of "Natural" and "Additive-Free" Cigarettes and Intentions to Purchase. Health Education and Behavior, 2017; 44(2):222-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27281493>

Byron MJ, Baig SA, Morocco KE, and Brewer NT. Adolescents' and adults' perceptions of 'natural', 'organic' and 'additive-free' cigarettes, and the required disclaimers. Tobacco Control, 2016; 25(5):517-20. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/25/5/517.full.pdf>

World Health Organization. Conference of the Parties to the WHO Framework Convention on Tobacco Control Fourth session Uruguay, Decisions and ancillary documents. Geneva: WHO, 2011. Available from: https://apps.who.int/gb/fctc/PDF/cop4/FCTC_COP4_REC1.pdf.

Malson JL, Lee EM, Moolchan ET, and Pickworth WB. Nicotine delivery from smoking bidis and an additive-free cigarette. Nicotine & Tobacco Research, 2002; 4(4):485-90. Available from: <http://dx.doi.org/10.1080/1462220021000018498>

Connolly GN, Wayne GD, Lymperis D, and Doherty MC. How cigarette additives are used to mask environmental tobacco smoke. Tobacco Control, 2000; 9(3):283-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10982572>

12.6.4 Additives that modify the processing, shelf-life and burn rates of tobacco products

Talhout, R, & Leventhal, AM. (2024). Coolants, organic acids, flavourings and other additives that facilitate inhalation of tobacco and nicotine products: implications for regulation. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39256038>

Chattopadhyay S, Malayil L, Mongodin EF, and Sapkota AR. A roadmap from unknowns to knowns: Advancing our understanding of the microbiomes of commercially available tobacco products. Applied Microbiology and Biotechnology, 2021; 105(7):2633-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33704513>

Kopa PN and Pawliczak R. Menthol additives to tobacco products. Reasons for withdrawing mentholated cigarettes in European Union on 20th may 2020 according to tobacco products directive (2014/40/EU). Toxicology Mechanisms and Methods, 2020; 30(8):555-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32746758>

Stabbert R, Ghosh D, Clarke A, Miller J, Collard J, et al. Assessment of priority tobacco additives per the requirements in the EU Tobacco Products Directive (2014/40/EU): Part 2: Smoke chemistry and in vitro toxicology. *Regulatory Toxicology and Pharmacology*, 2019; 104:163-99. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30858113>

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Final opinion on additives used in tobacco products. European Commission, Health & Food Safety, Directorate C: Public Health 2016. Available from: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_051.pdf.

Purcell K. The effects of cigarette additives on the palatability of cigarettes: a report to the Australian Department of Health. Australia: Purcell Consulting 2013.

Connolly GN, Wayne GD, Lympers D, and Doherty MC. How cigarette additives are used to mask environmental tobacco smoke. *Tobacco Control*, 2000; 9(3):283-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10982572>

Bates C, McNeill A, Jarvis M, and Gray N. The future of tobacco product regulation and labelling in Europe: implications for the forthcoming European Union directive. *Tobacco Control*, 1999; 8(2):225-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10478414>

Cherrington CA, Hinton M, Mead GC, and Chopra I. Organic acids: chemistry, antibacterial activity and practical applications. *Adv Microb Physiol*, 1991; 32:87-108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/1882730>

12.6.5 Toxicity of tobacco product additives

Mocniak, L., Bitzer, Z., Goel, R, Muscat, JE, Foulds, J, Elias, RJ, & Richie, JP. (2024). Free Radicals in Little Cigar Mainstream Smoke and the Potential Influence of Flavoring Chemicals on Free Radical Production. *Chem Res Toxicol*, 37(7), 1121-1128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38953874>

Kassem, NOF, Strongin, RM, Stroup, AM, Brinkman, MC, El-Hellani, A, Erythropel, HC et al. (2024). Toxicity of Waterpipe Tobacco Smoking: The Role of Flavors, Sweeteners, Humectants, and Charcoal. *Toxicol Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39037923>

Byron MJ, Lazard AJ, and Brewer NT. Is a cigarette brand with fewer chemicals safer? Public perceptions in two national US experiments. *J Behav Med*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35688959>

Fetterman JL, Weisbrod RM, Feng B, Bastin R, Tuttle ST, et al. Flavorings in Tobacco Products Induce Endothelial Cell Dysfunction. *Arterioscler Thromb Vasc Biol*, 2018; 38(7):1607-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29903732>

Paumgartten FJR, Gomes-Carneiro MR, and Oliveira A. The impact of tobacco additives on cigarette smoke toxicity: a critical appraisal of tobacco industry studies. *Cadernos de Saúde Publica*, 2017; 33(Suppl 3(Suppl 3):e00132415. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954055>

Scientific Committee on Health Environmental and Emerging Risks. Opinion on Additives used in tobacco products (Opinion 2) Tobacco Additives II. European Commission, 2016. Available from:

https://ec.europa.eu/health/sites/default/files/scientific_committees/scheer/docs/scheer_o_001.pdf.

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Final opinion on additives used in tobacco products. European Commission, Health & Food Safety, Directorate C: Public Health 2016. Available from:

http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_051.pdf.

Wertz MS, Kyriss T, Paranjape S, and Glantz SA. The toxic effects of cigarette additives. Philp Morris' Project Mix reconsidered: an analysis of documents released through litigation. PLoS Medicine, 2011; 8(12).

Vanscheeuwijck PM, Teredesai A, Terpstra PM, Verbeeck J, Kuhl P, et al. Evaluation of the potential effects of ingredients added to cigarettes. Part 4: subchronic inhalation toxicity. Food and Chemical Toxicology, 2002; 40(1):113–31. Available from:

<http://www.ingentaconnect.com/content/els/02786915/2002/00000040/00000001/art00089>

Roemer E, Tewes FJ, Meisgen TJ, Veltel DJ, and Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 3: in vitro genotoxicity and cytotoxicity. Food and Chemical Toxicology, 2002; 40(1):105–11. Available from:

<http://www.ingentaconnect.com/content/els/02786915/2002/00000040/00000001/art00086>

12.6.6 Priority additives for reporting in Europe

National Institute for Public Health and the Environment (RIVM). Advisory list of prohibited additives in tobacco products and e-cigarettes. Ministry of Health, Welfare and Sport, The Netherlands, 2023. Available from: <https://www.rivm.nl/bibliotheek/rapporten/2022-0224.pdf>.

Havermans A, Mallock N, Zervas E, Caille-Garnier S, Mansuy T, et al. Review of industry reports on EU priority tobacco additives part A: Main outcomes and conclusions. Tob Prev Cessat, 2022; 8:27.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35860504>

Bolling AK, Mallock N, Zervas E, Caille-Garnier S, Mansuy T, et al. Review of industry reports on EU priority tobacco additives part B: Methodological limitations. Tob Prev Cessat, 2022; 8:28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35860505>

McEwan M, Coburn S, Ghosh D, Simms L, Giles L, et al. Assessment of priority tobacco additives per the requirements of the EU Tobacco Products Directive (2014/40/EU): Part 3, Smoking behavior and plasma nicotine pharmacokinetics. Regulatory Toxicology and Pharmacology, 2019; 104:29-38.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30822442>

Hoet P, Rydzynski K, Vermeire T, Nair U, Talhout R, et al. Recommendations to the European Commission implementing a priority list of additives that should have more stringent reporting requirements: the opinion of the Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Tobacco Control, 2018; 27(2):225-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28341766>

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Final opinion on additives used in tobacco products. European Commission, Health & Food Safety, Directorate C:

Public Health 2016. Available from:

http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_051.pdf.

Andriukaitis V. Commission implementing decision (EU) 2016/787 of 18 May 2016 laying down a priority list of additives contained in cigarettes and roll-your-own tobacco subject to enhanced reporting obligations. Official Journal of the European Union 2016. Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32016D0787&from=EN>.

Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR). Addictiveness and attractiveness of tobacco additives. Brussels, Belgium 2010. Available from:

http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_031.pdf.

12.6.7 Additives in Australian cigarettes

Haynes A, Winnall WR, Brennan E, Dunstone K, Benowitz NL, et al. Tobacco constituents, flavorants, and paper permeability of factory-made and roll-your-own cigarettes on the Australian market. Nicotine & Tobacco Research, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37462724>

Philip Morris Ltd. Australia ingredients report composite list of tobacco ingredients for reporting period March 1 2019 to March 1 2020. Canberra, Australia 2020. Available from:

<https://www.health.gov.au/resources/publications/philip-morris-ltd-cigarette-ingredients>.

Philip Morris Ltd. Australia ingredients report composite list of non-tobacco ingredients for reporting period March 1 2019 to March 1 2020. Canberra, Australia 2020. Available from:

<https://www.health.gov.au/resources/publications/philip-morris-ltd-cigarette-ingredients>.

Imperial Tobacco Australia Limited. Australia ingredients report for reporting period 2nd March 2019 to 1st March 2020. Canberra, Australia 2020. Available from:

<https://www.health.gov.au/resources/publications/imperial-tobacco-australia-ltd-cigarette-ingredients>.

British American Tobacco Australia. Australia Ingredients Report 1 March 2019 - 1 March 2020.

2020. Available from: <https://www.health.gov.au/resources/publications/british-american-tobacco-australia-cigarette-ingredients>.

Philip Morris Ltd. Australia ingredients report composite list of tobacco ingredients for reporting period March 1, 2018 to March 1, 2019. Canberra, Australia 2019. Available from:

<https://www.health.gov.au/resources/publications/philip-morris-ltd-cigarette-ingredients>.

British Columbia Ministry of Health. 1998 Reports on cigarette additives and ingredients and smoke constituents. Vancouver: British Columbia Ministry of Health, 1998.

Doull J, Frawley J, and Glorge W. Ingredients added to tobacco in the manufacture of cigarettes by the six major American cigarette companies. Tobacco Reporter, 1994; July 1994.

12.6.8 Perceptions of additives among the community

Weiger C, Gratale SK, Ganz O, and Wackowski OA. From "Additive-Free" to "Tobacco & Water": Assessing the Impact of Marketing Claim Changes on Natural American Spirit and L&M Cigarettes.

Nicotine & Tobacco Research, 2024. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/38417417>

Pike Moore S, Osborn C, Suratkal J, Vasu P, Koopman Gonzalez S, et al. What is (Un)Flavored? A Scoping Review of the Conceptualization of Flavored Cigarillos. Nicotine & Tobacco Research, 2024.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38401171>

Timberlake DS, Aviles J, and Payan DD. Variation in adults' use of flavored tobacco products by sales restrictions in California jurisdictions. Int J Drug Policy, 2023; 116:104041. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37119644>

Pearson J, Gratale SK, Ganz O, Erinoso OA, Ohman-Strickland P, et al. Longitudinal relationship between relative harm perceptions, beliefs about organic and additive-free tobacco, and cigarette brand switching among Natural American Spirit, Camel and Marlboro cigarette smokers. Tobacco Control, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37562949>

Pearson J, Giovenco DP, Lewis MJ, Moran M, and Ganz O. Natural American Spirit launches 'Sky', the brand's first commercial organic cigarette with a charcoal filter. Tobacco Control, 2023; 32(3):397-9.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34593613>

Grilo G, Brown JL, Cohen JE, and Smith KC. Shared perceptions of flavored cigarette pack design among young adults who smoke in Mexico and the Philippines. Tobacco induced diseases Tob Induc Dis, 2023; 21:98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37502348>

Epperson AE and Prochaska JJ. Native owned and grown or demeaning and offensive? American Indian adults' perspectives on Natural American Spirit branded cigarettes. Tobacco Control, 2023; 32(3):393-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34599085>

Donovan EM, Azadi M, Akbar M, and Schillo BA. Examining the Comprehensiveness of Amended Flavored Tobacco Product Sales Restrictions. J Public Health Manag Pract, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37071073>

Qin Y, Wang B, Liu S, Pan L, Chen M, et al. Robust, comprehensive, sensitive analysis of flavour additives with carboxyl and hydroxyl groups in cigarette smoke combining silylation and gas chromatography-tandem mass spectrometry with an improved backflushing system. Journal of Chromatography A, 2022; 1675:463171. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35623195>

Osborn CC, Suratkal JP, Pike Moore SN, Koopman Gonzalez S, Sterling KL, et al. Dissonance in Young Adult Cigarillo Users' Categorization of Concept Flavored and Unflavored Products. International Journal of Environmental Research and Public Health, 2022; 19(12). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35742467>

Ganz O, Cohn AM, Goodwin RD, Giovenco DP, Wackowski OA, et al. Internalizing problems are associated with initiation and past 30-Day use of flavored tobacco products. Addictive Behaviors, 2022; 125:107162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34763300>

Chen-Sankey J, Elhabashy M, Ajith A, Jewett B, Hacker K, et al. Correlates of behavior change intents in response to a hypothetical flavored cigar sales restriction among U.S. adult flavored cigar smokers.

Preventive Medicine, 2022;107:128. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35780974>

King B, Borland R, Morphet K, Gartner C, Fielding K, et al. 'It's all the other stuff!' How smokers understand (and misunderstand) chemicals in cigarettes and cigarette smoke. Public Understanding of Science, 2021; 30(6):777-96. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33627027>

Filippidis FT, Driezen P, Kyriakos CN, Katsaounou P, Petroulia I, et al. Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020; 30(Suppl_3):iii18-iii25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32267933>

King B, Borland R, Yong HH, Gartner C, Hammond D, et al. Understandings of the component causes of harm from cigarette smoking in Australia. Drug and Alcohol Review, 2019; 38(7):807-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31691407>

Schmidt AM, Kowitz SD, Myers AE, and Goldstein AO. Attitudes towards Potential New Tobacco Control Regulations among U.S. Adults. International Journal of Environmental Research and Public Health, 2018; 15(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29303963>

Reinwand DA, Crutzen R, Kienhuis AS, Talhout R, and de Vries H. Website Use and Effects of Online Information About Tobacco Additives Among the Dutch General Population: A Randomized Controlled Trial. J Med Internet Res, 2017; 19(3):e60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28292739>

Pearson JL, Johnson A, Villanti A, Glasser AM, Collins L, et al. Misperceptions of harm among Natural American Spirit smokers: results from wave 1 of the Population Assessment of Tobacco and Health (PATH) study (2013-2014). Tobacco Control, 2017; 26(e1):e61-e7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27924008>

O'Connor RJ, Lewis MJ, Adkison SE, Bansal-Travers M, and Cummings KM. Perceptions of "Natural" and "Additive-Free" Cigarettes and Intentions to Purchase. Health Education and Behavior, 2017; 44(2):222-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27281493>

Huang LL, Baker HM, Meernik C, Ranney LM, Richardson A, et al. Impact of non-menthol flavours in tobacco products on perceptions and use among youth, young adults and adults: a systematic review. Tobacco Control, 2017; 26(6):709-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27872344>

Epperson AE, Henriksen L, and Prochaska JJ. Natural American Spirit brand marketing casts health halo around smoking. American Journal of Public Health, 2017; 107(5):668-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28398789>

Thrasher J, Abad-Vivero E, Moodie C, O'Connor R, Hammond D, et al. Cigarette brands with flavour capsules in the filter: trends in use and brand perceptions among smokers in the USA, Mexico and Australia, 2012-2014. Tobacco Control, 2016; 25(3):275-83. Available from: <http://tobaccocontrol.bmj.com/content/25/3/275.full>

Heydon NJ, Kennington KS, Jalleh G, and Lin C. Western Australian smokers strongly support regulations on the use of chemicals and additives in cigarettes. *Tobacco Control*, 2012; 21(3):381-2. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/21/3/381.2.full.pdf>

Shahab L, West R, and McNeill A. A comparison of exposure to carcinogens among roll-your-own and factory-made cigarette smokers. *Addiction Biology*, 2009; 14(3):315-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19523045>

Laugesen M, Epton M, Frampton CM, Glover M, and Lea RA. Hand-rolled cigarette smoking patterns compared with factory-made cigarette smoking in New Zealand men. *BMC Public Health*, 2009; 9(1):194. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19538719>

McDaniel PA and Malone RE. "I always thought they were all pure tobacco": American smokers' perceptions of "natural" cigarettes and tobacco industry advertising strategies. *Tobacco Control*, 2007; 16(6):e7. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/16/6/e7>

Young D, Borland R, Hammond D, Cummings KM, Devlin E, et al. Prevalence and attributes of roll-your-own smokers in the International Tobacco Control (ITC) Four Country Survey. *Tobacco Control*, 2006; 15 Suppl 3(Suppl 3):iii76-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16754951>

Carter SM and Chapman S. Smokers and non-smokers talk about regulatory options in tobacco control. *Tobacco Control*, 2006; 15(5):398-404. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16998175>

12.6.9 Consumer perceptions of flavoured tobacco products

Kienhuis AS and Talhout R. Options for waterpipe product regulation: A systematic review on product characteristics that affect attractiveness, addictiveness and toxicity of waterpipe use. *Tobacco Induced Diseases*, 2020; 18:69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32934615>

Dhillon AZ, Doran T, and Aggarwal VR. Perceptions of waterpipe smoking among young adults: A phenomenological study. *Dentistry journal*, 2020; 8(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33321834>

Ben Taleb Z, Vargas M, Ebrahimi Kalan M, Breland A, Eissenberg T, et al. The effect of flavoured and non-flavoured tobacco on subjective experience, topography and toxicant exposure among waterpipe smokers. *Tobacco Control*, 2020; 29(Suppl 2):s72-s9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31767788>

Cullen KA, Liu ST, Bernat JK, Slavutich WI, Tynan MA, et al. Flavored tobacco product use among middle and high school students - United States, 2014-2018. *The Morbidity and Mortality Weekly Report*, 2019; 68(39):839-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31581163>

Campbell BK, Le T, Gubner NR, and Guydish J. Health risk perceptions and reasons for use of tobacco products among clients in addictions treatment. *Addictive Behaviors*, 2019; 91:149-55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30206006>

Scott-Sheldon LAJ and Stroud LR. Preferences and perceptions of flavored hookah tobacco among US women. *American Journal of Health Behavior*, 2018; 42(3):37-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29663979>

Nyman AL, Sterling KL, Majeed BA, Jones DM, and Eriksen MP. Flavors and risk: Perceptions of flavors in little cigars and cigarillos among U.S. adults, 2015. *Nicotine & Tobacco Research*, 2018; 20(9):1055-61. Available from: <https://pubmed.ncbi.nlm.nih.gov/28666353/>

Camenga DR, Fiellin LE, Pendergrass T, Miller E, Pentz MA, et al. Adolescents' perceptions of flavored tobacco products, including E-cigarettes: A qualitative study to inform FDA tobacco education efforts through videogames. *Addictive Behaviors*, 2018; 82:189-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29573891>

Villanti AC, Johnson AL, Ambrose BK, Cummings KM, Stanton CA, et al. Flavored tobacco product use in youth and adults: Findings from the first wave of the PATH Study (2013-2014). *American Journal of Preventive Medicine*, 2017; 53(2):139-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28318902>

Kowitt SD, Meernik C, Baker HM, Osman A, Huang LL, et al. Perceptions and experiences with flavored non-menthol tobacco products: A systematic review of qualitative studies. *International Journal of Environmental Research and Public Health*, 2017; 14(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28333107>

Stanton CA, Villanti AC, Watson C, and Delnevo CD. Flavoured tobacco products in the USA: synthesis of recent multidiscipline studies with implications for advancing tobacco regulatory science. *Tobacco Control*, 2016; 25(Suppl 2):ii1-ii3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27856996>

Nyman AL, Sterling KL, Weaver SR, Majeed BA, and Eriksen MP. Little cigars and cigarillos: Users, perceptions, and reasons for use. *Tobacco Regulatory Science*, 2016; 2(3):239-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27413772>

12.6.10 Flavoured tobacco products used by specific groups of people

Park, H, & Seo, DC. (2024). Flavored Tobacco User Characteristics in U.S. young Adults: Wave 5 of the Population Assessment of Tobacco and Health Study. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39344153>

Kong, AY, Westneat, SC, Anesetti-Rothermel, A, van de Venne, JG, Debnam, C, Ribisl, KM et al. (2024). Neighborhood Inequities in Tobacco Product Descriptors, Washington, DC, 2018-2019. *Nicotine Tob Res*, 26(Supplement_2), S73-S81. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817025>

Villanti AC, Johnson AL, Ambrose BK, Cummings KM, Stanton CA, et al. Flavored tobacco product use in youth and adults: Findings from the first wave of the PATH Study (2013-2014). *American Journal of Preventive Medicine*, 2017; 53(2):139-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28318902>

Huang LL, Baker HM, Meernik C, Ranney LM, Richardson A, et al. Impact of non-menthol flavours in tobacco products on perceptions and use among youth, young adults and adults: a systematic review. *Tobacco Control*, 2017; 26(6):709-19. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27872344>

Bird Y, May J, Nwankwo C, Mahmood R, and Moraros J. Prevalence and characteristics of flavoured tobacco use among students in grades 10 through 12: a national cross-sectional study in Canada, 2012-2013. *Tobacco Induced Diseases*, 2017; 15:20. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28352213>

Kostygina G and Ling PM. Tobacco industry use of flavourings to promote smokeless tobacco products. *Tobacco Control*, 2016; 25(Suppl 2):ii40-ii9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27856998>

Kostygina G, Glantz SA, and Ling PM. Tobacco industry use of flavours to recruit new users of little cigars and cigarillos. *Tobacco Control*, 2016; 25(1):66-74. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25354674>

Bonhomme MG, Holder-Hayes E, Ambrose BK, Tworek C, Feirman SP, et al. Flavoured non-cigarette tobacco product use among US adults: 2013-2014. *Tobacco Control*, 2016; 25(Suppl 2):ii4-ii13.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27794065>

12.6.11 Effects of flavoured tobacco products on smoking initiation and cessation

Bagdas, D, Zepei, AM, Harris, L, Minanov, K, Jimenez, JL, & Addy, NA. (2024). Impact of vanilla flavor on nicotine taste, choice, intake, and seeking behaviors. *Psychopharmacology (Berl)*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38839631>

Pike Moore S, Osborn C, Koopman Gonzalez S, Quisenberry A, Klein EG, et al. Flavour loyalty may predict cessation or substitution following a cigarillo flavour ban among young adults in the USA. *Tobacco Control*, 2022; 31(Suppl 3):s206-s13. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36328462>

Zatonski M, Herbec A, Zatonski W, Janik-Konieczny K, Driezen P, et al. Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. *European Journal of Public Health*, 2020; 30(Suppl_3):iii34-iii7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32918816>

Villanti AC, Johnson AL, Glasser AM, Rose SW, Ambrose BK, et al. Association of flavored tobacco use with tobacco initiation and subsequent use among US youth and adults, 2013-2015. *JAMA Network Open*, 2019; 2(10):e1913804. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31642927>

12.6.12 Regulation of flavourings and flavoured tobacco products

Oliveira da Silva, AL, & Bialous, S. (2024). Global landscape of nicotine and tobacco products

additives policies. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39401890>

Kreslake, JM, Cordova, J, Seidenberg, AB, Ali, FRM, Schillo, B, & Marynak, K. (2024). Youth and young adult flavour expectancies for new 'non-menthol' cigarettes introduced following California's ban on

flavoured tobacco products. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39256037>

Freitas-Lemos, R, Tegge, AN, Tomlinson, DC, Athamneh, LN, Stein, JS, Stepanov, I et al. (2024). Restrictions of cigarette and e-cigarette flavor and filter ventilation on demand and substitution in the Experimental Tobacco Marketplace. *Drug Alcohol Depend*, 263, 112422. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39226822>

Liu, J, Roberts, J, Winickoff, JP, Hanby, EP, Reynolds, MJ, Gundersen, DA et al. (2024). Education, organizational changes, and enforcement challenges of the 2019 flavored tobacco sales restriction in Massachusetts. *Drug Alcohol Depend*, 262, 111394. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39024798>

Levy, DT, Cadham, C, Mok, Y, Travis, N, Buszkiewicz, JH, Jeon, J et al (2024). The Public Health Impact of a Ban on Flavored Cigars: A Decision-Theoretic Policy Framework. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39001665>

van der Eijk, Y, Tan, GPP, & Makhbal, B. (2024). Is It Time to Ban Flavored Cigarettes in Asia-Pacific Countries? A Scoping Review. *Asia Pac J Public Health*, 10105395241266042. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39054851>

Yang, Y, Lindblom, EN, Ward, KD, & Salloum, RG. (2024). Would banning menthol cigarettes, flavored cigars, and flavored e-cigarettes prompt users to seek illicit channels for obtaining them in the United States? *Prev Med*, 183, 107954. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38621422>

Mead-Morse EL, Cassidy RN, Kpormegbey DE, Moore T, Oncken C, et al. Examining Demand and Substitutability of Usual Brand Little Cigars/Cigarillos and Cigarettes in Young Adults Who Dual Use. *Nicotine & Tobacco Research*, 2024. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38365185>

Bold KW, Kong G, and O'Malley SS. The Scientific Basis for the Regulation of Flavors in Tobacco Products. *Annual Review of Clinical Psychology*, 2024. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38346292>

O'Connor R. Flavours, ingredients and flavour bans. *Tobacco Control*, 2023; 32(e1):e1-e2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36931647>

Gendall P and Hoek J. Regulating flavours and flavour delivery technologies: an analysis of menthol cigarettes and RYO tobacco in Aotearoa New Zealand. *Tobacco Control*, 2023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36882318>

Watkins SL, Pieper F, Chaffee BW, Yerger VB, Ling PM, et al. Flavored Tobacco Product Use Among Young Adults by Race and Ethnicity: Evidence From the Population Assessment of Tobacco and Health Study. *Journal of Adolescent Health*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35550331>

Villanti AC, Sterling K, and Rose SW. US Food and Drug Administration Action on Menthol Cigarettes and Flavored Cigars-A Pivotal Moment for Health Equity. *JAMA Netw Open*, 2022; 5(6):e2217150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35666505>

van der Eijk Y. Standardised cigarettes: the next step for tobacco policy? *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35768214>

Tang Ker J, Delgadillo N, Amiri D, and Timberlake DS. Reframing the banning of flavored tobacco in unprecedented times- an example from California's Senate bill 793. *Prev Med Rep*, 2022; 27:101783. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35656209>

Rezk-Hanna M, Talhout R, and Jordt SE. Sugars and Sweeteners in Tobacco and Nicotine Products: FDA Regulatory Implications. *Nicotine & Tobacco Research*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36148496>

Payan DD, Burke NJ, Persinger J, Martinez J, Jones Barker L, et al. Public support for policies to regulate flavoured tobacco and e-cigarette products in rural California. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35064014>

Pakdaman S, Broun A, Duarte DA, Ajith A, Jewett B, et al. Exploring the hypothetical impact of flavored cigar sales restrictions among black young adult cigar smokers: a semi-structured in-depth interview investigation. *Journal of Ethnicity in Substance Abuse*, 2022:1-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35943488>

Jenson D. Success from failure: US federal commercial tobacco regulation. *Tobacco Control*, 2022; 31(2):212-5. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/31/2/212.full.pdf>

Holmes LM, Lempert LK, and Ling PM. Flavored Tobacco Sales Restrictions Reduce Tobacco Product Availability and Retailer Advertising. *International Journal of Environmental Research and Public Health*, 2022; 19(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35329145>

Dove MS, Zheng S, Pakdaman S, and Chen-Sankey J. Demographics, Tobacco Use, and Tobacco Control Measures of California Cities With Flavored Tobacco Sales Restrictions. *Health Promot Pract*, 2022:15248399221136861. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36416061>

Do EK, O'Connor K, Diaz MC, Schillo BA, Kreslake JM, et al. Relative increases in direct-to-consumer menthol ads following 2020 FDA guidance on flavoured e-cigarettes. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35184047>

Denlinger-Apte RL, Lockhart DE, Strahley AE, Cassidy RN, Donny EC, et al. "I think it's a good idea for the people that's young, the kids, but for someone like me it's a bad idea." - Interviews about a U.S. menthol cigarette ban with people who smoke menthol cigarettes. *Drug Alcohol Depend*, 2022; 232:109293. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35051697>

Voelker R. Progress in FDA's Review of Millions of Tobacco Products. *JAMA*, 2021; 326(15):1472. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34665214>

Schroth KRJ, Kurti M, and Delnevo CD. Flavored cigar availability in Oakland after a partial ban. *Addictive Behaviors*, 2021; 125:107150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34673362>

Rogers T, Gammon DG, Coats EM, Nonnemaker JM, and Xu X. Changes in cigarillo availability following implementation of a local flavoured tobacco sales restriction. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33542067>

Mantey DS and Kelder SH. Further Considerations on the Association Between Flavored Tobacco Legislation and High School Student Smoking Rates. *JAMA Pediatr*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34515765>

Leas EC. Further Considerations on the Association Between Flavored Tobacco Legislation and High School Student Smoking Rates. *JAMA Pediatr*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34515745>

Kingsley M, Setodji CM, Pane JD, Shadel WG, Song G, et al. Longer-term impact of the flavored tobacco restriction in two Massachusetts communities: a mixed-methods study. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34228120>

Gilbert E and Ewald A. Fresher with flavour: young women smokers' constructions and experiences of menthol capsule cigarettes and regular cigarettes. *BMC Womens Health*, 2021; 21(1):155. Available from: <https://pubmed.ncbi.nlm.nih.gov/33863322/>

Donovan E, Folger S, Akbar M, and Schillo B. Classifying the comprehensiveness of flavoured tobacco sales restrictions: development and application of a tool to examine US state and local tobacco policies. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34921126>

Schillo BA, Benson AF, Czaplicki L, Anesetti-Rothermel A, Kierstead EC, et al. Modelling retailer-based exemptions in flavoured tobacco sales restrictions: national estimates on the impact of product availability. *BMJ Open*, 2020; 10(11):e040490. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33243803>

Rossheim ME, Livingston MD, Krall JR, Barnett TE, Thombs DL, et al. Cigarette use before and after the 2009 flavored cigarette ban. *Journal of Adolescent Health*, 2020; 67(3):432-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32674967>

Rose SW, Amato MS, Anesetti-Rothermel A, Carnegie B, Safi Z, et al. Characteristics and Reach Equity of Policies Restricting Flavored Tobacco Product Sales in the United States. *Health Promot Pract*, 2020; 21(1_suppl):44S-53S. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31908207>

Public Health Law Centre. US sales restrictions on flavoured tobacco products. Mitchell Hamline School of Law, 2020. Available from: <https://www.publichealthlawcenter.org/sites/default/files/resources/US-sales-restrictions-flavored-tobacco-products-2020.pdf>.

Kyriakos CN. Regulating flavours in cigarettes: A call to action. *Tob Prev Cessat*, 2020; 6:33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32760867>

Farley SM, Sisti J, Jasek J, and Schroth KRJ. Flavored Tobacco Sales Prohibition (2009) and Noncigarette Tobacco Products in Retail Stores (2017), New York City. American Journal of Public Health, 2020:e1-e6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32191512>

European Network for Smoking Tobacco Prevention. Ban on menthol cigarettes: European Union member states shall prohibit the placing on the market of tobacco products with a characterising flavour. Tob Prev Cessat, 2020; 6:40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33083673>

Yang YT and Glantz S. San Francisco Voters End the Sale of Flavored Tobacco Products. Ann Intern Med, 2019; 170(12):907-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31207627>

Kingsley M, Setodji CM, Pane JD, Shadel WG, Song G, et al. Short-Term Impact of a Flavored Tobacco Restriction: Changes in Youth Tobacco Use in a Massachusetts Community. American Journal of Preventive Medicine, 2019. Available from: <https://doi.org/10.1016/j.amepre.2019.07.024>

Jacob M. Looking Back and Ahead: The Food and Drug Administration's Regulation of the Tobacco Industry and Next-Generation Products. Advances in Dental Research, 2019; 30(1):22-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31538803>

Farsalinos K and Lagoumintzis G. Toxicity classification of e-cigarette flavouring compounds based on European Union regulation: analysis of findings from a recent study. Harm Reduct J, 2019; 16(1):48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31345235>

Brown EM, Rogers T, Eggers ME, Cavazos ML, O'Brien MS, et al. Implementation of the New York City Policy Restricting Sales of Flavored Non-Cigarette Tobacco Products. Health Education and Behavior, 2019;1090198119853608. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31170825>

Braillon A. San Francisco Voters End the Sale of Flavored Tobacco Products. Ann Intern Med, 2019; 170(12):907. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31207626>

Yang YT and Glantz S. San Francisco Voters End the Sale of Flavored Tobacco Products Despite Strong Industry Opposition. Ann Intern Med, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30304334>

Haggart K, Hoek J, and Blank ML. Flavour Capsule Variants' Performance in a "Dark Market": Implications for Standardised Packaging. Nicotine & Tobacco Research, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30060215s>

Brock B, Carlson SC, Leizinger A, D'Silva J, Matter CM, et al. A tale of two cities: exploring the retail impact of flavoured tobacco restrictions in the twin cities of Minneapolis and Saint Paul, Minnesota. Tobacco Control, 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/06/06/tobaccocontrol-2017-054154.full.pdf>

Amul GGH and Pang T. Progress in Tobacco Control in Singapore: Lessons and Challenges in the Implementation of the Framework Convention on Tobacco Control. Asia & the Pacific Policy Studies, 2018; 5(1):102-21. Available from: <https://onlinelibrary.wiley.com/doi/full/10.1002/app5.222>

Thrasher JF, Islam F, Barnoya J, Mejia R, Valenzuela MT, et al. Market share for flavour capsule cigarettes is quickly growing, especially in Latin America. *Tobacco Control*, 2017; 26(4):468-70. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/4/468.full.pdf>

Li W, Gouveia T, Sbarra C, Harding N, Kane K, et al. Has Boston's 2011 cigar packaging and pricing regulation reduced availability of single-flavoured cigars popular with youth? *Tobacco Control*, 2017; 26(2):135-40. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/2/135.full.pdf>

Kostygina G, Glantz SA, and Ling PM. Tobacco industry use of flavours to recruit new users of little cigars and cigarillos. *Tobacco Control*, 2016; 25(1):66-74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25354674>

World Health Organization. Best practices in the implementation of WHO FCTC Article 10 (Regulation of tobacco product disclosures). 2015. Available from: <https://www.who.int/fctc/implementation/publication/Best-practices-in-implementation-article-10.pdf>.

Morley CP. The politics of tobacco regulation. *European Journal of Public Health*, 2015; 25(2):186. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25818490>

Moracco KE, Morgan JC, Mendel J, Teal R, Noar SM, et al. "My first thought was croutons:" Perceptions of cigarettes and cigarette smoke constituents among adult smokers and nonsmokers. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26681775>

King B. We need to regulate the contents and construction of cigarettes to discourage initiation and facilitate cessation. *Tobacco Control*, 2015; 24(e4):e232. Available from: <http://tobaccocontrol.bmj.com/content/24/e4/e232.short>

Henkler F and Luch A. European Tobacco Product Directive: How to address characterizing flavors as a matter of attractiveness? *Archives of Toxicology*, 2015; 89(8):1395-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26138684>

Savell E, Gilmore AB, and Fooks G. How does the tobacco industry attempt to influence marketing regulations? A systematic review. *PloS One*, 2014; 9(2):e87389. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0087389>

Kaleta D, Usidame B, Szosland-Faltyn A, and Makowiec-Dabrowska T. Use of flavoured cigarettes in Poland: data from the global adult tobacco survey (2009-2010). *BMC Public Health*, 2014; 14:127. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24502292>

Jo CL, Williams RS, and Ribisl KM. Tobacco Products Sold by Internet Vendors Following Restrictions on Flavors and "Light" Descriptors. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25173777>

Jawad M, El Kadi L, Mugharbil S, and Nakkash R. Waterpipe tobacco smoking legislation and policy enactment: a global analysis. *Tobacco Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25550418>

Freiberg M, Boyle RG, Moilanen M, St Claire AW, and Weisman SR. The land of 10,000 tobacco products: how Minnesota led the way in regulating tobacco products. *American Journal of Public Health*, 2014; 104(2):e10–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24328644>

Morris D and Fiala S. Flavoured, non-cigarette tobacco for sale in the USA: an inventory analysis of Internet retailers. *Tobacco Control*, 2013; [Epub ahead of print]. Available from: <http://tobaccocontrol.bmj.com/content/early/2013/08/08/tobaccocontrol-2013-051059.full>

World Health Organization. Guidelines for implementation Article 5.3 | Article 8 | Articles 9 and 10 | Article 11 | Article 12 | Article 13 | Article 14. 2011. Available from: https://apps.who.int/iris/bitstream/handle/10665/75218/9789241501316_eng.pdf?sequence=1&isAllowed=y.

World Health Organization. Conference of the Parties to the WHO Framework Convention on Tobacco Control Fourth session Uruguay, Decisions and ancillary documents. Geneva: WHO, 2011. Available from: https://apps.who.int/gb/fctc/PDF/cop4/FCTC_COP4_REC1.pdf.

12.6.12.1 Aims and approaches to regulating flavourings

Kierstead, EC, Smiley, SL, Kucherlapaty, P, Kingsley, M, Rogers, T, Schillo, B, & Rose, SW. (2024). Recommendations for Centering Equity to Advance Federal and Local US Policies Regulating the Availability and Sale of Flavored Tobacco Products. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38652492>

Kienhuis AS and Talhout R. Options for waterpipe product regulation: A systematic review on product characteristics that affect attractiveness, addictiveness and toxicity of waterpipe use. *Tobacco Induced Diseases*, 2020; 18:69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32934615>

World Health Organization. Report on the scientific basis of tobacco product regulation: Seventh report of a WHO study group. Geneva: WHO, 2019. Available from: <https://www.who.int/publications/i/item/who-study-group-on-tobacco-product-regulation-report-on-the-scientific-basis-of-tobacco-product-regulation-seventh-report-of-a-who-study-group>.

World Health Organization. Partial guidelines for implementation of articles 9 and 10 of the WHO Framework Convention on Tobacco Control. 2017. Available from: <https://fctc.who.int/publications/m/item/regulation-of-the-contents-of-tobacco-products-and-regulation-of-tobacco-product-disclosures>.

Minaker LM, Shuh A, Burkhalter RJ, and Manske SR. Hookah use prevalence, predictors, and perceptions among Canadian youth: findings from the 2012/2013 Youth Smoking Survey. *Cancer Causes Control*, 2015; 26(6):831-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25783457>

World Health Organization. The scientific basis for product regulation. Technical Report Series 945. Geneva: World Health Organisation, 2007. Available from: <https://www.who.int/publications/i/item/the-scientific-basis-of-tobacco-product-regulation-report-of-a-who-study-group>.

World Health Organization. WHO Framework Convention on Tobacco Control. Geneva: WHO, 2003. Available from: <https://fctc.who.int/who-fctc/overview>.

12.6.12.2 International progress in regulation of flavourings

Liu, J, Roberts, J, Hanby, E, Louaddi, O, Winickoff, JP, Reynolds, MJ et al. (2024). Impacts of the Massachusetts 2019 An Act Modernizing Tobacco Control on tobacco retailer settings: A multi-methods study. *Addict Behav*, 157, 108089. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38908050>

Guglielmo, D, Dang, A, Fischbach, L, Toruno, R, Chavez-Sosa, G, Messex, M et al. (2024). Community Engagement, Jurisdictional Experience, and Previous Tobacco-Related Ordinances in Neighboring Communities as Drivers of Flavored Tobacco Bans in Los Angeles County. *Prev Chronic Dis*, 21, E29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38696254>

Hellesen, S, Haun, S, & Dove, MS. (2024). Facilitators and Barriers to Passing Local Policies That Prohibit the Sale of Flavored Tobacco Products: Qualitative Analysis of Strategies Implemented by 36 Communities in California, 2017-2021. *Prev Chronic Dis*, 21, E36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38815050>

European Commission. Commission delegated directive (EU) 2022/2100 of 29 June 2022 amending Directive 2014/40/EU of the European Parliament and of the Council as regards the withdrawal of certain exemptions in respect of heated tobacco products. Brussels, Belgium 2022. Available from: <https://perma.cc/BSD7-JDZS>.

European Commission. Report from the commission on the establishment of a substantial change of circumstances for heated tobacco products in line with Directive 2014/40/EU. Brussels, Belgium 2022. Available from: <https://perma.cc/PCG7-QYQB>.

Asare S, Majmundar A, Westmaas JL, Bandi P, Xue Z, et al. Association of cigarette sales with comprehensive menthol flavor ban in Massachusetts. *JAMA Internal Medicine*, 2022; 182(2):231-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34982100>

Andersen-Rodgers E, Zhang X, Vuong TD, Hendrix L, Edora C, et al. Are California's Local Flavored Tobacco Sales Restrictions Effective in Reducing the Retail Availability of Flavored Tobacco Products? A Multicomponent Evaluation. *Evaluation_Review*, 2021:193841X211051873. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34693773>

LAW OF UKRAINE. On amendments to certain laws of Ukraine on public health protection from harmful effects of tobacco. 2021. Available from: <https://www.tobaccocontrollaws.org/legislation/ukraine/cigarette-contents>

European Network for Smoking and Tobacco Prevention. Ban on menthol cigarettes: European Union member states shall prohibit the placing on the market of tobacco products with a characterising flavour. *Tobacco Prevention & Cessation*, 2020; 6:40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33083673>

Erinoso O, Clegg Smith K, Iacobelli M, Saraf S, Welding K, et al. Global review of tobacco product flavour policies. *Tobacco Control*, 2020; 30(4):373-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414867>

Flavour bans on tobacco products in Canada and selected other jurisdictions. Regulatory update: Physicians for a Smoke-Free Canada, 2020. Available from: <https://www.smoke-free.ca/SUAP/2020/Menthol%20bans.pdf>.

World Health Organization. Report on the scientific basis of tobacco product regulation: Seventh report of a WHO study group. Geneva: WHO, 2019. Available from: <https://www.who.int/publications/i/item/who-study-group-on-tobacco-product-regulation-report-on-the-scientific-basis-of-tobacco-product-regulation-seventh-report-of-a-who-study-group>.

Tobacco Control Legal Consortium. How other countries regulate flavored tobacco products. 2015. Available from: <https://www.publichealthlawcenter.org/sites/default/files/resources/tclc-fs-global-flavored-regs-2015.pdf>.

European Commission. Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC. Document 32014L0040.Brussels, Belgium: European Commission, 2014. Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/>

Republic of Moldova. Law No. 278 dated 12/14/2007 concerning tobacco control* AMENDED LP97 dated 7/26/19, OG 256-259/ 8/16/19 art. 350; effective date: 1/1/20. Available from: <https://assets.tobaccocontrollaws.org/uploads/legislation/Moldova/Moldova-TC-Law-as-amended.pdf>

12.6.12.3 Evidence for the effects of flavour regulation

Chaffee, BW, Donaldson, CDCouch, ET, Guerra Castillo, C, Farooq, O, Cheng, NF et al . (2024). Flavored Tobacco Product Use Among California Adolescents Before and Immediately After a Statewide Flavor Ban. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39529400>

Moodie, C, Best, C, & Jones, D. (2024). Support for a ban on characterizing flavours in cigarettes in the UK: a longitudinal online survey. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39560624>

Levy, DT, Cadham, C, Mok, Y, Travis, N, Buszkiewicz, JH, Jeon, J et al (2024). The Public Health Impact of a Ban on Flavored Cigars: A Decision-Theoretic Policy Framework. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39001665>

Liu, J, Roberts, J, Hanby, E, Louaddi, O, Winickoff, JP, Reynolds, MJ et al. (2024). Impacts of the Massachusetts 2019 An Act Modernizing Tobacco Control on tobacco retailer settings: A multi-methods study. *Addict Behav*, 157, 108089. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38908050>

McGinnes, H, Kingsley, M, Song, G, Doane, J, & Henley, P. (2024). Tobacco Retail Sales in Massachusetts and New Hampshire Before and After Massachusetts' Flavored Tobacco Restriction. *J Public Health Manag Pract*, 30(4), 512-516. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38870369>

White, AM, Patev, AJ, Imran, R, Goden, A, Rudy, AK, Bajwa, H et al. (2024). Impact of Smoking Cessation Motivations and Barriers on Quit Intentions Following a Hypothetical Flavor Ban Among African American/Black Individuals Who Use Menthol Cigarettes: A Mixed-Methods Study. *Nicotine Tob Res*, 26(Supplement_2), S121-S132. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817032>

Patel, M, Kierstead, EC, Liu, MS, Schillo, B, & Rose, SW. (2024). Examining the relationship of flavored tobacco product policy restrictions and flavored tobacco product use, among adolescents and young adults in the U.S. *Prev Med*, 182, 107947. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38574971>

Schillo B, Seaman EL, Cuccia A, Ali FRM, Cordova J, et al. Early evidence of flavored tobacco product restrictions in Massachusetts and New York State. *Tobacco induced diseases Tob Induc Dis*, 2023; 21:140. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37881173>

Nali MC, Purushothaman V, Li Z, Cuomo R, and Mackey TK. Assessing the Impact of the Massachusetts Temporary Flavor Ban on Licensed Tobacco Retailers. *Tob Use Insights*, 2023; 16:1179173X231192821. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37533795>

McGinnes H, Kingsley M, Song G, Rosewarne J, Gonthier S, et al. Evaluation of a Statewide Flavored Tobacco Restriction on Use, Access, and Cessation Among Black and White Tobacco Users in Massachusetts. *American Journal of Health Promotion*, 2023:8901171231183308. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37295390>

Kyriakos CN, Driezen P, Fong GT, Chung-Hall J, Hyland A, et al. Illicit purchasing and use of flavour accessories after the European Union menthol cigarette ban: findings from the 2020-21 ITC Netherlands Surveys. *European Journal of Public Health*, 2023; 33(4):619-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37527828>

Zeng Z, Cook AR, Chen JI, and van der Eijk Y. Evaluating the public health impact of partial and full tobacco flavour bans: A simulation study. *The Lancet Regional Health – Western Pacific*, 2022; 21:100414. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35252911>

Hawkins SS, Kruzik C, O'Brien M, and Levine Coley R. Flavoured tobacco product restrictions in Massachusetts associated with reductions in adolescent cigarette and e-cigarette use. *Tobacco Control*, 2022; 31(4):576-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33504582>

Zatonski M, Herbec A, Zatonski W, Janik-Konieczny K, Driezen P, et al. Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. *European Journal of Public Health*, 2020; 30(Suppl_3):iii34-iii7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32918816>

Rossheim ME, Livingston MD, Krall JR, Barnett TE, Thombs DL, et al. Cigarette use before and after the 2009 flavored cigarette ban. *Journal of Adolescent Health*, 2020; 67(3):432-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32674967>

Erinoso O, Clegg Smith K, Iacobelli M, Saraf S, Welding K, et al. Global review of tobacco product flavour policies. *Tobacco Control*, 2020; 30(4):373-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414867>

van der Eijk Y, Lee JK, and P ML. How menthol is key to the tobacco industry's strategy of recruiting and retaining young smokers in Singapore. *Journal of Adolescent Health*, 2019; 64(3):347-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30392860>

Stoklosa M. No surge in illicit cigarettes after implementation of menthol ban in Nova Scotia. *Tobacco Control*, 2019; 28(6):702-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30309981>

Chaiton MO, Schwartz R, Tremblay G, and Nugent R. Association of flavoured cigar regulations with wholesale tobacco volumes in Canada: an interrupted time series analysis. *Tobacco Control*, 2019; 28(4):457-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30135113>

Farley SM and Johns M. New York City flavoured tobacco product sales ban evaluation. *Tobacco Control*, 2017; 26(1):78-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26872486>

Courtemanche CJ, Palmer MK, and Pesko MF. Influence of the flavored cigarette ban on adolescent tobacco use. *American Journal of Preventive Medicine*, 2017; 52(5):e139-e46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28081999>

Nguyen HV and Grootendorst P. Intended and unintended effects of restrictions on the sale of cigarillos to youth: evidence from Canada. *Tobacco Control*, 2015; 24(4):382-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24610053>

12.6.12.4 Tobacco industry responses to and unintended consequences of flavour regulation

Dobbs, PD, Soule, E, Mahoney, M, Tabassum, M, Burgess, N, & Henriksen, L. (2024). Do-it-yourself flavored capsule cigarettes: Exploiting potential regulatory loopholes? *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39475067>

Havermans, A, Pauwels, C, Bakker-'t Hart, IME, Fayokun, R, van Nierop, LE, Hellmich, IM, & Talhout, R. (2024). Across the world availability of flavour accessories for tobacco products. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38580443>

Chaiton MO, Cunningham R, Hagen L, Dubray J, and Borland T. Taking global leadership in banning menthol and other flavours in tobacco: Canada's experience. *Tobacco Control*, 2022; 31(2):202-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35241589>

Oliveira da Silva AL, Bialous SA, Albertassi PGD, Arquete D, Fernandes A, et al. The taste of smoke: tobacco industry strategies to prevent the prohibition of additives in tobacco products in Brazil. *Tobacco Control*, 2019; 28(e2):e92-e101. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/3115211>

Lencucha R, Ruckert A, Labonte R, and Drope J. Opening windows and closing gaps: a case analysis of Canada's 2009 tobacco additives ban and its policy lessons. *BMC Public Health*, 2018; 18(1):1321. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30486817>

Delnevo CD and Hrywna M. Clove cigar sales following the US flavoured cigarette ban. *Tobacco Control*, 2015; 24(e4):e246-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24652459>

Corey CG, Ambrose BK, Apelberg BJ, and King BA. Flavored tobacco product use among middle and high school students--United States, 2014. *The Morbidity and Mortality Weekly Report*, 2015; 64(38):1066-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26421418>

12.6.13 Regulation of other additives

Oliveira da Silva, AL, & Bialous, S. (2024). Global landscape of nicotine and tobacco products additives policies. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39401890>

12.6.13.1 Aims and approaches to regulation of other additives

World Health Organization. Partial guidelines for implementation of articles 9 and 10 of the WHO Framework Convention on Tobacco Control. 2017. Available from: <https://fctc.who.int/publications/m/item/regulation-of-the-contents-of-tobacco-products-and-regulation-of-tobacco-product-disclosures>.

12.6.13.2 International regulation of other additives

European Commission. Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC. Document 32014L0040. Brussels, Belgium: European Commission, 2014. Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex:32014L0040>.

News:

12.6 Additives and flavourings in tobacco products

No authors listed. Why Ban Flavored Tobacco? STOP A Global Tobacco Industry Watchdog. 2023. Available from: <https://exposetobacco.org/news/why-ban-flavored-tobacco/>.

No authors listed. Flavoured and Menthol Tobacco. Tobacco Tactics. 2022. Available from: <https://tobaccotactics.org/wiki/flavoured-and-menthol-tobacco/>.

Crist C. Few smokers know about added sugar in cigarettes. Reuters. 2018. Available from: <https://www.reuters.com/article/us-health-cigarettes-sugar/few-smokers-know-about-added-sugar-in-cigarettes-idUSKCN1N02UC>.

Craver R. The Briefcase: American Spirit marketing lawsuit hearing set Winston-Salem (NC) Journal. 2017. Available from: http://www.journalnow.com/business/business_news/local/the-briefcase-american-spirit-marketing-lawsuit-hearing-set/article_3bd26a2e-af3b-56dc-8f45-6e3ab0c85459.html.

No authors listed. Additives in low tar ('light') and e-cigarettes may reinforce nicotine dependence. Rochdale Online. 2015. Available from: <http://www.rochdaleonline.co.uk/news-features/2/news-headlines/96247/additives-in-low-tar-light-and-ecigarettes-may-reinforce-nicotine-dependence>.

SCENHIR. Tobacco additives. 2010. Last update: Viewed 13/03/2018. Available from: https://ec.europa.eu/health/scientific_committees/opinions_layman/tobacco/en/about.htm#7.

Haustein K-O and Groneberg D. Tobacco constituents and additives, in *Tobacco or Health?* 2010. p. 35–60. Available from: <https://springerlink3.metapress.com/content/gg75785403570519/resource-secured/?target=fulltext.html&sid=p5vwkv45auw2nlzc4dirmfbz&sh=www.springerlink.com>.

"The dose makes the poison". Chemicalsafetyfacts.org, Last update: Viewed Available from: <https://www.chemicalsafetyfacts.org/dose-makes-poison-gallery/>.

12.6.1 Why are chemicals added to tobacco products?

Truth Initiative. Are organic or natural cigarettes safer to smoke? Washington, DC, US 2017. Last update: Viewed Available from: <https://truthinitiative.org/research-resources/traditional-tobacco-products/are-organic-or-natural-cigarettes-safer-smoke>.

12.6.2 Additives that increase the addictiveness of tobacco products

No authors listed. How Big Tobacco made cigarettes more addictive. Truth Initiative. 2018. Available from: <https://truthinitiative.org/news/how-big-tobacco-made-cigarettes-more-addictive>

Argos G. Flavored cigars replacing cigarettes in popularity among teens. KLTV. 2013. Available from: <http://www.kltv.com/story/23499540/flavored-cigars-replacing-cigarettes-in-popularity-among-teens>.

12.6.2.1 Additives that increase the bioavailability of nicotine

12.6.2.2 Additives that increase the addictiveness of nicotine

12.6.2.3 Additives that facilitate the inhalation of tobacco smoke

12.6.3 Additives that increase the attractiveness of tobacco products

Cancer Council Australia. Cancer Council Australia Position Statement. Reducing the palatability of tobacco products: banning the use of filter design features and flavourings. 2018. Last update: 6 March 2018; Viewed 5 October. Available from:

https://wiki.cancer.org.au/policy/Position_statement_-_Reducing_palatability.

12.6.3.1 Flavouring additives

No authors listed. Local restrictions on flavored tobacco and e-cigarette products. Truth Initiative. 2022. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/local-restrictions-flavored-tobacco-and-e-cigarette>.

Boyles S. Survey: Flavored Tobacco Product Use Rises in Teens. Med Page Today. 2019. Available from: https://www.medpagetoday.com/pulmonology/smoking/77297?xid=nl_mpt_DHE_2019-01-08&eun=g220600d0r&pos=1&utm_source=Sailthru&utm_medium=email&utm_campaign=Daily%20Headlines%202019-01-08&utm_term=NL_Daily_DHE_Active.

European Network for Smoking and Tobacco Prevention. Fact sheet on characterising flavours in tobacco products. ENSP Fact Sheet Series #1/2018. 2018. Available from: https://drive.google.com/file/d/1Wz_146XRwG_3QY0fOjQoWRsGz8VGQoij/view.

Del Conte E. Blueberry-Coconut Cigarillos. Convenience Store Decisions. 2018. Available from: <https://cstoredecisions.com/2018/10/08/blueberry-coconut-cigarillos/>.

No authors listed. Advanced Notices of Proposed Rulemaking (ANPRM): Premium Cigars. U.S. Food and Drug Administration, 2017. Last update: Viewed Available from: <https://www.reginfo.gov/public/do/eAgendaViewRule?pubId=201710&RIN=0910-AH88>.

Crist C. Dozens of alcohol-flavored tobacco products may lure teens. Reuters. 2017. Available from: <http://uk.reuters.com/article/us-health-flavors-tobacco-teens/dozens-of-alcohol-flavored-tobacco-products-may-lure-teens-idUKKCN1BW2XH>.

Abcede A. 6 Insights Into Flavored Tobacco Products. Convenience Store/Petroleum (CSPNet). 2017. Available from: <http://www.cspdailynews.com/category-news/tobacco/articles/6-insights-flavored-tobacco-products#page=0>.

Bolkenius M. Harper government moves forward in restricting flavoured cigars that appeal to youth. Canada NewsWire. 2015 Available from: <http://www.newswire.ca/en/story/1498183/harper-government-moves-forward-in-restricting-flavoured-cigars-that-appeal-to-youth>.

No authors listed. 'Troubling' number of high school students use flavoured tobacco: Canadian Cancer Society. Sun News, 2014. Available from: <http://www.sunnewsnetwork.ca/sunnews/lifestyle/archives/2014/09/20140910-093952.html>

Pengelley J. Fruit-flavoured tobacco 'sheesha' water pipes attract young non-smokers and just as bad for you. The Australian, 2013. Available from:

<http://www.theaustralian.com.au/news/fruitflavoured-tobacco-sheesha-water-pipes-attract-young-nonsmokers-and-just-as-bad-for-you/story-e6frg6n6-1226762066383>

Mukhopadhyay S. Ontario to ban chewing tobacco, flavoured cigarillos. International Business Times 2013. Available from: <http://au.ibtimes.com/articles/522007/20131114/ontario-ban-chewing-tobacco-flavoured-cancer-youth.htm>

Gallagher K. Tobacco reform continues. Canberra: Office of the Chief Minister, Australian Capital Territory, 2007. Last update: Viewed Available from: <http://www.chiefminister.act.gov.au/media.php?v=5659>.

Hanusz M. Kretek. The culture and heritage of Indonesia's clove cigarettes. 2000. Last update: Viewed Available from: <https://journals.openedition.org/moussons/4194>.

Gudang Garam Tbk. Types of kretek. Indonesia Last update: Viewed Available from: <https://www.gudanggaramtbk.com/en/kretek/>.

12.6.3.2 Reducing harshness and increasing smoothness

Truth Initiative. Reduction of tobacco smoke irritation by use of potential ameliorants. Bates Number: 570270092-570270113. 1994. Last update: Viewed Available from: <https://www.industrydocuments.ucsf.edu/tobacco/docs/#id=sfhc0135>.

Covington and Burling. Summary of data on sugars. Bates Number: 503237417-503237442. Truth Tobacco Industry Documents, 1987. Last update: Viewed Available from: <https://www.industrydocuments.ucsf.edu/tobacco/docs/#id=jswv0139>.

Vora PS and MacAndrews & Forbes. Characteristics and applications of licorice products in tobacco industry. RJ Reynolds Records. Bates number: 512601223-512601254. 1983. Last update: Viewed Available from: <https://www.industrydocuments.ucsf.edu/tobacco/docs/#id=ffvb0087>.

12.6.3.3 Improving the look and aroma of smoke

12.6.3.4 Improving the look of tobacco products

12.6.3.5 Creating the impression of health benefits

Truth Initiative. Are organic or natural cigarettes safer to smoke? Washington, DC, US 2017. Last update: Viewed Available from: <https://truthinitiative.org/research-resources/traditional-tobacco-products/are-organic-or-natural-cigarettes-safer-smoke>.

12.6.4 Additives that modify the processing, shelf-life and burn rates of tobacco products

12.6.5 Toxicity of tobacco product additives

Food & Drug Administration. Generally Recognized as Safe (GRAS). FDA, 2019. Last update: Viewed Available from: <https://www.fda.gov/food/food-ingredients-packaging/generally-recognized-safe-gras>.

Food & Drug Administration. Part 184 - Direct foods substance affirmed as generally recognized as safe. FDA, Last update: Viewed Available from: <https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-184>.

12.6.6 Priority additives for reporting in Europe

12.6.7 Additives in Australian cigarettes

Philip Morris Ltd. Australia ingredients report composite list of tobacco ingredients for reporting period March 1, 2017 to March 1, 2018. Canberra: Australian Government Department of Health, 2018. Last update: 27 November 2018; Viewed 27 September 2019. Available from: <https://www.health.gov.au/resources/publications/philip-morris-ltd-cigarette-ingredients>.

Centers for Disease Control and Prevention. Proposed Data Collection Submitted for Public Comment and Recommendations. 2018. Last update: 21 August 2018; Viewed 21 August 2018. Available from: <https://www.federalregister.gov/documents/2018/08/21/2018-17978/proposed-data-collection-submitted-for-public-comment-and-recommendations>.

Tobacco BA. The facts about tobacco ingredients. 2017. Last update: Viewed 14 February 2017. Available from: <http://www.bat-ingredients.com/>.

Commission E. MEMO: Questions & Answers: New rules for tobacco products, 2014, European Union: Brussels. Available from: http://europa.eu/rapid/press-release_MEMO-14-134_en.htm.

Commonwealth Department of Health and Ageing. Voluntary agreement for the disclosure of the ingredients of cigarettes. December 2000 Canberra: Australian Government, 2000. Available from: <https://www.health.gov.au/resources/collections/australian-cigarette-ingredient-information>.

Imperial brands PLC. Our views. Last update: Viewed Available from: <https://www.imperialbrandsplc.com/media/our-views.html>.

12.6.8 Perceptions of additives among the community

Truth Initiative. Are organic or natural cigarettes safer to smoke? Washington, DC, US 2017. Available from: <https://truthinitiative.org/research-resources/traditional-tobacco-products/are-organic-or-natural-cigarettes-safer-smoke>.

12.6.9 Consumer perceptions of flavoured tobacco products

12.6.10 Flavoured tobacco products used by specific groups of people

12.6.11 Effects of flavoured tobacco products on smoking initiation and cessation

12.6.12 Regulation of flavourings and flavoured tobacco products

No authors listed. Local restrictions on flavored tobacco and e-cigarette products. Truth Initiative. 2022. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/local-restrictions-flavored-tobacco-and-e-cigarette>.

No authors listed. Tobacco industry uses flawed study to oppose flavored tobacco restrictions. Truth Initiative. 2022. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/tobacco-industry-uses-flawed-study-oppose-flavored>.

Food & Drug Administration. FDA on Track to Take Actions to Address Tobacco-Related Health Disparities. 2022. Last update: Viewed Available from: <https://www.fda.gov/news-events/fda-voices/fda-track-take-actions-address-tobacco-related-health-disparities>.

Congress.gov. H.R.2339 - Protecting American lungs and reversing the youth tobacco epidemic act of 2020. 2022. Last update: Viewed Available from: <https://www.congress.gov/bill/116th-congress/house-bill/2339>.

Zauzmer J. D.C. Council votes to ban sale of flavored tobacco, including menthol cigarettes. The Washington Post. 2021. Available from: https://www.washingtonpost.com/local/dc-politics/dc-menthol-cigarettes-tobacco-ban/2021/06/29/63b4da66-d854-11eb-bb9e-70fda8c37057_story.html.

Mullin S. Flavored Tobacco Products Should be Banned Everywhere. Stopping Tobacco Organizations and Products (STOP). 2021. Available from: <https://exposetobacco.org/news/ban-flavored-tobacco/>.

Lopez M. Denver City Council votes to ban sale of flavored tobacco products. The Denver Channel. 2021: Denver. Available from: <https://www.thedenverchannel.com/news/local-news/denver-city-council-votes-to-ban-sale-of-flavored-tobacco-products>.

Erickson B. Biden administration announces it intends to ban menthol cigarettes and flavored cigars. CBS News. 2021. Available from: <https://www.cbsnews.com/news/menthol-cigarettes-biden-fda-ban/>.

Barash M. Reynolds Loses Bid to Scrap San Diego Ban on Tobacco Flavors. Bloomberg Law. 2021. Available from: <https://news.bloomberglaw.com/product-liability-and-toxics-law/reynolds-loses-bid-to-scrap-san-diego-ban-on-tobacco-flavors>

Local flavor policies succeed in reducing availability of flavored tobacco products, new research shows. Truth Initiative. 2021. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/local-flavor-policies-succeed-reducing-availability>.

Local restrictions on flavored tobacco and e-cigarette products. Truth Initiative 2021. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/local-restrictions-flavored-tobacco-and-e-cigarette>.

World Health Organization. Implementation of Articles 9 and 10 of the WHO Framework Convention on Tobacco Control. Positive experiences, best practices and factors that impede implementation. WHO, 2020. Last update: Viewed Available from: <https://untobaccocontrol.org/impldb/wp-content/uploads/Positive-experiences-and-best-practices-and-factors-that-impede-implementation-of-Articles-9-and-10.pdf>.

No authors listed. Weak restrictions on flavored e-cigarettes lead to explosive menthol sales. Truth Initiative. 2020. Available from: <https://truthinitiative.org/research-resources/emerging-tobacco-products/weak-restrictions-flavored-e-cigarettes-lead-explosive>.

Myers M. Today Massachusetts Makes History as the First State to End the Sale of All Flavored Tobacco Products, Including Menthol Cigarettes. Cision PR Newswire. 2020. Available from: <https://www.prnewswire.com/news-releases/today-massachusetts-makes-history-as-the-first-state-to-end-the-sale-of-all-flavored-tobacco-products-including-menthol-cigarettes-301068584.html>.

Tobin O. Menthol ban will include click dual flavoured cigarettes as 2020 new law looms. Echo. 2019. Available from: <https://www.liverpoolecho.co.uk/news/liverpool-news/menthol-ban-include-click-dual-17049933>.

Sotnik K and Saperstone J. Mass. Senate Votes to Ban Flavored Tobacco, Plastic Bags. NBC Boston. 2019. Available from: <https://www.nbcboston.com/news/local/Massachusetts-Senate-to-Consider-Banning-Flavored-Tobacco-Sales-Plastic-Bag-Ban-565205332.html>.

ALM Media. FDA Issues Draft Guidance on Tobacco Products. Yahoo Finance. 2019. Available from: <https://finance.yahoo.com/news/fda-issues-draft-guidance-tobacco-053917453.html>.

Standards Organisation of Nigeria. Standards for tobacco and tobacco products - Specifications for cigarette. 2018. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/files/live/Nigeria/Nigeria%20-%20NIS%204632018%20-%20national.pdf>.

Passi P. Duluth ordinance restricting sale of flavored tobacco products to kick in June 12. Duluth News Tribune. 2018. Available from: <http://www.duluthnewstribune.com/business/retail/4452315-duluth-ordinance-restricting-sale-flavored-tobacco-products-kick-june-12>.

No authors listed. San Francisco to decide whether to ban flavored tobacco. This is Money. 2018. Available from: <http://www.thisismoney.co.uk/wires/ap/article-5780253/San-Francisco-decide-ban-flavored-tobacco.html>.

No authors listed. South Korean Government to Regulate Flavored Cigarettes. The Korea Bizwire. 2018. Available from: <http://koreabizwire.com/south-korean-government-to-regulate-flavored-cigarettes/118130>.

No authors listed. FDA seeks data on role of flavors in tobacco addiction. Reuters. 2018. Available from: <https://www.reuters.com/article/us-fda-tobacco-regulation/fda-seeks-data-on-role-of-flavors-in-tobacco-addiction-idUSKBN1GW1WN>.

Myers ML. Tobacco-Free Kids: San Francisco Voters Uphold Ban on Flavored Tobacco Products In Big Win for Kids over Tobacco Industry. PR Newswire. 2018. Available from: <https://www.prnewswire.com/news-releases/tobacco-free-kids-san-francisco-voters-uphold-ban-on-flavored-tobacco-products-in-big-win-for-kids-over-tobacco-industry-300660952.html>.

Myers ML. Putting Profits Before Kids, R.J. Reynolds Spends Over \$11.6 Million in Effort to Overturn San Francisco Ban on Flavored Tobacco Products Campaign for Tobacco-Free Kids. 2018. Available from: https://www.tobaccofreekids.org/press-releases/2018_05_30_sanfrancisco.

Myers ML. Brazil's Highest Court Upholds Ban on Flavored Tobacco Products. Campaign for Tobacco-Free Kids. 2018. Available from: https://www.tobaccofreekids.org/press-releases/2018_02_01_brazil-court-upholds-flavor-ban.

HealthDay. Increase in other flavored tobacco use after menthol ban. Medical Xpress. 2018. Available from: <https://medicalxpress.com/news/2018-03-flavored-tobacco-menthol.html>.

Glantz S. FDA should set a nicotine product standard level to be achieved in a single step for all combusted tobacco products. 2018. Last update: Viewed Available from: <https://tobacco.ucsf.edu/fda-should-set-nicotine-product-standard-level-be-achieved-single-step-all-combusted-tobacco-products>.

Food & Drug Administration. Regulation of Flavors in Tobacco Products. Proposed rule, US Federal Register. 2018. Available from: <https://www.federalregister.gov/documents/2018/03/21/2018-05655/regulation-of-flavors-in-tobacco-products>.

FDA. Statement from FDA Commissioner Scott Gottlieb, M.D., on proposed new steps to protect youth by preventing access to flavored tobacco products and banning menthol in cigarettes. U.S. Food & Drug Administration. 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm625884.htm>.

Davey M. Tobacco industry accused of flavour capsule 'tricks' to lure young smokers.: The Guardian, 2018. Last update: Viewed Available from: <https://www.theguardian.com/business/2018/oct/29/tobacco-industry-accused-of-flavour-capsule-tricks-to-lure-young-smokers>.

Campaign for Tobacco-Free Kids. FDA Should Ban All Flavored Tobacco Products, Including Menthol Cigarettes - Evidence Is Clear that Flavored Products Lure Kids. PR Newswire. 2018. Available from: <https://www.prnewswire.com/news-releases/tobacco-free-kids-fda-should-ban-all-flavored-tobacco-products-including-menthol-cigarettes-evidence-is-clear-that-flavored-products-lure-kids-300616886.html>.

Boyles S. FDA Move on Tobacco Flavorings 'Long Overdue'. Medpage Today. 2018. Available from: <https://www.medpagetoday.com/pulmonology/smoking/71888>.

Aldax M. Richmond council votes to ban sales of menthol, flavored tobacco. Richmond Standard. 2018. Available from: <https://richmondstandard.com/richmond/2018/07/11/richmond-council-votes-to-ban-sales-of-menthol-flavored-tobacco>.

Scandinavian Tobacco Group. The Ban on the Café Crème Brand Name in France Has Been Lifted. Hugin. 2017. Available from: <http://hugin.info/171738/R/2120837/808026.pdf>.

No authors listed. FDA's move to lower nicotine and examine flavoring a promising step, but Deeming Rule delay disappointing, says American Heart Association American Heart Association (AHA). 2017. Available from: <http://newsroom.heart.org/news/fdas-move-to-lower-nicotine-and-examine-flavoring-a-promising-step-but-deeming-rule-delay-disappointing-says-american-heart-association>.

No authors listed. Advanced Notices of Proposed Rulemaking (ANPRM): Premium Cigars. U.S. Food and Drug Administration, 2017. Last update: Viewed Available from: <https://www.reginfo.gov/public/do/eAgendaViewRule?pubId=201710&RIN=0910-AH88>.

No authors listed. Advanced Notices of Proposed Rulemaking (ANPRM): Kid-Appealing Flavors in Tobacco Products. U.S. Food and Drug Administration, 2017. Available from: <https://www.reginfo.gov/public/do/eAgendaViewRule?pubId=201710&RIN=0910-AH60>

No authors listed. Flavoured tobacco ban now in effect on P.E.I. . CBC News. 2017. Available from: <http://www.cbc.ca/news/canada/prince-edward-island/flavoured-tobacco-ban-1.4094514>.

No authors listed. Punjab prohibits sale of processed, flavoured tobacco and nicotine products for 1 year. Chandigarh Tribune 2017. Available from: <http://www.tribuneindia.com/news/punjab/punjab-prohibits-sale-of-processed-flavoured-tobacco-and-nicotine-products-for-1-year/367917.html>

Kress M. Tackling Tobacco: June 2017 Legislative & Regulatory Roundup. Convenience Store News 2017. Available from: <http://www.csnews.com/product-categories/tobacco/tackling-tobacco-june-2017-legislative-regulatory-roundup>.

Glantz S. Big tobacco is terrified of SF law ending sale of flavored and menthol tobacco products; the Empire Strikes Back. Center for Tobacco Control Research and Education (UCSF). 2017. Available from: <https://tobacco.ucsf.edu/big-tobacco-terrified-sf-law-ending-sale-flavored-and-menthol-tobacco-products-empire-strikes-back>.

Gaiser S. Flavored tobacco ban heads to voters. SF Bay. 2017. Available from: <https://sfbay.ca/2017/09/05/flavored-tobacco-ban-heads-to-voters/>.

National Authority on tobacco and alcohol. Regarding the Regulation No 01 of 2016 on Prohibited Tobacco Products. 2016. Last update: Viewed Available from: http://www.health.gov.lk/moh_final/english/public/elfinder/files/feturesArtical/2017/TobocoRegulationEnglish.pdf.

Minato C. OMB changes removed flavored tobacco restrictions from FDA rule. Half Wheel. 2016. Available from: <http://halfwheel.com/omb-changes-removed-flavored-tobacco-restrictions-from-fda-rule/116809>.

Food & Drug Administration. Code of federal regulations, title 21. Part 1140 Cigarettes, smokeless tobacco, and covered tobacco products. 2016. Last update: Viewed Available from: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=1140&showFR=1>.

European Commission. 10 key changes for tobacco products sold in the EU. Brussels 2016. Last update: Viewed Available from: https://ec.europa.eu/commission/presscorner/detail/en/IP_16_1762.

Devaney T. FDA unveils tobacco ingredients guidelines. The Hill 2016. Available from: <http://thehill.com/regulation/healthcare/303089-fda-unveils-tobacco-ingredient-guidelines>.

Conference of the Parties to the WHO Framework Convention on Tobacco Control. FCTC/COP7(14) Further development of the partial guidelines for implementation of Articles 9 and 10 of the WHO FCTC. 2016. Last update: Viewed Available from: [https://www.who.int/fctc/cop/cop7/FCTC_COP7\(14\)_EN.pdf](https://www.who.int/fctc/cop/cop7/FCTC_COP7(14)_EN.pdf).

Bolkenius M. Harper Government implements further restrictions on flavoured cigars that appeal to youth. Canada 2015 Available from: <http://news.gc.ca/web/article-en.do?nid=988679&tp=1>.

Bolkenius M. Harper government moves forward in restricting flavoured cigars that appeal to youth. Canada NewsWire. 2015 Available from: <http://www.newswire.ca/en/story/1498183/harper-government-moves-forward-in-restricting-flavoured-cigars-that-appeal-to-youth>.

World Health Organization. Advisory note: Global nicotine reduction strategy: WHO study group on tobacco product regulation. WHO, 2015. Last update: Viewed Available from: <https://www.who.int/publications/i/item/advisory-note-global-nicotine-reduction-strategy-who-study-group-on-tobacco-product-regulation>.

Thompson D. Kids drawn to 'Gateway' flavored tobacco: FDA. WebMD. 2015. Available from: <http://www.webmd.com/smoking-cessation/news/20151026/kids-drawn-to-gateway-flavored-tobacco-products-fda-finds>.

Public Opinion Strategies and the Mellman Group. FDA regulation of tobacco products. Campaign for Tobacco-Free Kids, . 2015. Available from: http://www.tobaccofreekids.org/content/press_office/2015/2015_04_14_poll_memo.pdf.

No authors listed. Flavored cigarettes still popular online despite US ban. Medical XPress. 2015. Available from: <http://medicalxpress.com/news/2015-06-flavored-cigarettes-popular-online.html>.

No authors listed. Flavoured tobacco ban in Nova Scotia comes into effect today. CBC News. 2015. Available from: <http://www.cbc.ca/news/canada/nova-scotia/flavoured-tobacco-ban-in-nova-scotia-comes-into-effect-today-1.3094532>.

More children, teens enticed to smoke with flavored tobacco: CDC. Health Day. 2015. Available from: <http://consumer.healthday.com/cancer-information-5/smoking-cessation-news-628/teens-flavored-tobacco-703733.html>.

Kulick JD, Prieger JE, and Kleiman MAR. Unintended consequences of cigarette prohibition, regulation, and taxation. School of Public Policy Working Papers, 2015. Last update: Viewed Available from: <https://digitalcommons.pepperdine.edu/cgi/viewcontent.cgi?article=1057&context=sppworkingpapers>.

King B. Next step for tobacco control? Make cigarettes less palatable.: The Conversation, 2015. Last update: Viewed Available from: <https://theconversation.com/next-step-for-tobacco-control-make-cigarettes-less-palatable-42549>.

Hauser A. 7-Eleven says city's ban on flavored cigs near schools bad for business. DNA Info. 2015. Available from: <http://www.dnainfo.com/chicago/20151030/wicker-park/7-eleven-challenges-citys-ban-on-selling-flavored-tobacco-near-schools>.

Gorman M. Nova Scotia to ban flavoured tobacco products. The Chronicle Herald, 2015. Available from: <http://thechronicleherald.ca/novascotia/1281105-nova-scotia-to-ban-flavoured-tobacco-products>

Foster J. N.S. set to become first in the world to ban flavoured tobacco. CTV Atlantic 2015. Available from: <http://atlantic.ctvnews.ca/n-s-set-to-become-first-in-the-world-to-ban-flavoured-tobacco-1.2398321>.

Craver R. Federal study cites tobacco flavorings' appeal to minors Winston-Salem Journal, 2015. Available from: http://www.journalnow.com/business/business_news/local/federal-study-cites-tobacco-flavorings-appeal-to-minors/article_c3a4eeb7-6ad1-5221-bb9c-d5b9a889bd23.html

Canadian Cancer Society. Canadian Cancer Society commends decision to include menthol in flavoured tobacco ban placing Nova Scotia as a national leader in tobacco control. 2015. Canadian Cancer Society,; Halifax. Available from: <https://www.cancer.ca/en/about-us/for-media/media-releases/nova-scotia/2015/canadian-cancer-society-commends-decision-to-include-menthol-in-flavoured-tobacco-ban/?region=ns>.

No authors listed. /R E P E A T -- New Federal regulations on flavoured tobacco fail to give kids the protection they deserve, says Canadian Cancer Society/. NewsWire. 2014. Available from: <http://www.newswire.ca/en/story/1419670/-r-e-p-e-a-t-new-federal-regulations-on-flavoured-tobacco-fail-to-give-kids-the-protection-they-deserve-says-canadian-cancer-society>.

No authors listed. Health Canada cracking down on flavoured smokes aimed at young smokers. Times Colonist, 2014. Available from: <http://www.timescolonist.com/health-canada-cracking-down-on-flavoured-smokes-aimed-at-young-smokers-1.1398308>

No authors listed. Alberta exempting menthol cigarettes under flavoured tobacco ban. CBC News. 2014. Available from: <http://www.cbc.ca/news/canada/edmonton/alberta-exempting-menthol-cigarettes-under-flavoured-tobacco-ban-1.2834374>.

Csanady A. Is it time to ban menthol cigarettes and all flavoured tobacco in Canada? Canada.com. 2014. Available from: <http://o.canada.com/news/is-it-time-to-ban-menthol-cigarettes-and-all-flavoured-tobacco-in-canada>.

World Health Organization. Advisory note: Waterpipe tobacco smoking, health effects, research needs and recommended actions by regulators. WHO, 2005. Last update: Viewed Available from: <https://www.who.int/publications/i/item/advisory-note-global-nicotine-reduction-strategy-who-study-group-on-tobacco-product-regulation>.

European Commission. Directive 2001/37/EC of the European Parliament and of the Council of 5 June 2001 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco products - Commission statement. 2001. Last update: Viewed Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/HTML/?uri=LEGISSUM:c11567>.

Government of Hong Kong. Smokeless Tobacco Products (Prohibition) Regulations. 1987. Last update: Viewed Available from: https://www.elegislation.gov.hk/hk/cap132BW/en?INDEX_CS=N.

Tobacco Control Laws. Legislation by country; Saudi Arabia. Last update: Viewed Available from: <https://www.tobaccocontrolaws.org/legislation/country/saudi-arabia/summary>

Quit. What's in cigarettes & roll-your-own tobacco. Last update: Viewed Available from: https://www.quit.org.au/documents/33/201704_FS_Whats_in_cigarettes.pdf.

National Institute for Public Health and the Environment. WHO Collaborating Centre for Tobacco Product Regulation and Control. Last update: Viewed Available from: <https://www.rivm.nl/en/who-collaborating-centre-for-tobacco-product-regulation-and-control>.

12.6.12.1 Aims and approaches to regulating flavourings

European Commission. Independent Advisory Panel on characterising flavours in tobacco products. Last update: Viewed Available from: https://health.ec.europa.eu/tobacco/product-regulation/determination-characterising-flavours-tobacco-products/independent-advisory-panel-characterising-flavours-tobacco-products_en.

12.6.12.2 International progress in regulation of flavourings

Christensen J. FDA takes 'momentous' step toward banning menthol cigarettes and flavored cigars. CNN. 2023. Available from: <https://edition.cnn.com/2023/10/16/health/fda-menthol-cigarettes-rules/index.html>.

Campaign for tobacco Free Kids. Impact of restricting the sale of flavored tobacco products: the Massachusetts experience. 2023. Last update: Viewed Available from: <https://assets.tobaccofreekids.org/factsheets/0421.pdf>.

Tobacco and Nicotine Control Act, 2022, 2023. Available from: <https://www.tobaccocontrolaws.org/legislation/sierra-leone/cigarette-contents?row=1331056>.

World Health Organization. 2021 global progress report on implementation of the WHO Framework Convention on Tobacco Control. Geneva: WHO, 2022. Last update: Viewed Available from: <https://fctc.who.int/publications/i/item/9789240041769>.

Republic of the Congo. Order No. 2853 of May 31, 2022 Banning the manufacture, import, distribution, possession, sale or giveaway of flavor capsule cigarettes, cigarettes with characterizing flavors, and shisha, 2022, Official Gazette of the Republic of the Congo. Available from: <https://www.tobaccocontrolaws.org/legislation/congo/cigarette-contents?row=1224817>.

Campaign for Tobacco Free Kids. States and localities that have restricted the sale of flavored tobacco products. 2022. Last update: Viewed Available from: <https://assets.tobaccofreekids.org/factsheets/0398.pdf>.

Ballotpedia. California proposition 31, flavored tobacco products ban referendum (2022). 2022. Last update: Viewed Available from: [https://ballotpedia.org/California_Proposition_31,_Flavored_Tobacco_Products_Ban_Referendum_\(2022\)](https://ballotpedia.org/California_Proposition_31,_Flavored_Tobacco_Products_Ban_Referendum_(2022)).

Bach L. States & localities that have restricted the sale of flavored tobacco products. . Campaign for Tobacco-Free Kids, 2022. Last update: Viewed Available from: <https://www.tobaccofreekids.org/assets/factsheets/0398.pdf>.

Australian Government Department of Health and Aged Care. Ten years of world-leading reforms and reigniting the fight against tobacco addiction. Canberra, Australia: Australian Government, 2022. Last update: Viewed Available from: <https://www.health.gov.au/ministers/the-hon-mark-butler-mp/media/ten-years-of-world-leading-reforms-and-reigniting-the-fight-against-tobacco-addiction>.

FDA proposes rules prohibiting menthol cigarettes and flavored cigars to prevent youth initiation, significantly reduce tobacco-related disease and death. 2022, Food and Drug Administration. Available from: <https://www.fda.gov/news-events/press-announcements/fda-proposes-rules-prohibiting-menthol-cigarettes-and-flavored-cigars-prevent-youth-initiation>.

Ciurcanu A and Cerantola A. Japan Tobacco International making a mint by circumventing menthol cigarette ban. Organised Crime and Corruption Reporting Project (OCCRP). 2021. Available from: <https://www.occrp.org/en/investigations/japan-tobacco-international-making-a-mint-by-circumventing-menthol-cigarette-ban>.

BfR. No more menthol in cigarettes and smoking tobacco. 2020. Available from: https://www.bfr.bund.de/en/press_information/2020/19/no_more_menthol_in_cigarettes_and_smoking_tobacco-246948.html.

Tobacco Control Regulations (S.I. 2019 No.66), 2019: The Uganda Gazette Available from: <https://www.tobaccocontrollaws.org/legislation/uganda/cigarette-contents>.

U.S. FDA. Section 907 of the Federal Food, Drug, and Cosmetic Act - Tobacco Product Standards. 2018. Available from: <https://www.fda.gov/TobaccoProducts/Labeling/RulesRegulationsGuidance/ucm263053.htm>.

Islamic Republic of Mauritania. Law No. 2018-020 concerning the production, importation, distribution, sale, advertising, promotion and tobacco consumption and its products, 2018. Available from: <https://www.tobaccocontrollaws.org/legislation/mauritania/laws>.

Nigerian Industrial Standard (NIS) 463:2018, Standard for tobacco and tobacco products - Specifications for cigarettes, 2018. Available from: <https://www.tobaccocontrollaws.org/legislation/nigeria/cigarette-contents?row=1226402>.

Antigua and Barbuda Tobacco Control Act 2018, 2018, The Official Gazette Vol. XXXVIII No. 69. Available from: <https://www.tobaccocontrollaws.org/legislation/antigua-and-barbuda/cigarette-contents?row=1240029>.

The Gazette of the Democratic Socialist Republic of Sri Lanka. Prohibited tobacco products regulations, No. 1 of 2016, 2016. Available from: <https://www.tobaccocontrollaws.org/legislation/sri-lanka/cigarette-contents?row=1227153>.

Verordnung über Tabakerzeugnisse und verwandte Erzeugnisse (Tabakerzeugnisverordnung - TabakerzV), 2016. Available from: <https://assets.tobaccocontrollaws.org/uploads/legislation/Germany/Germany-Tobacco-Products-Ordinance-2016-national.pdf>.

Tobacco Control Directive. No 28/2015. Ethiopian food, medicine and healthcare administration and control authority. 2015. Available from:

<https://www.tobaccocontrollaws.org/legislation/ethiopia/laws>.

Singapore Statutes Online. Tobacco (Control of advertisements and sale) act (Prohibited tobacco products) regulations 2014. Singapore Government, 2014. Last update: Viewed Available from:

<https://sso.agc.gov.sg/SL/TCASA1993-S769-2014?DocDate=20180131>.

European Union Law. Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the member states concerning the manufacture, presentation, and sale of tobacco and related products and

Repealing Directive 2001/37/EC, 2014. Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/>

Jordan Standards and Metrology Organization. Technical Regulation JS 446:2012 (5th ed.), Tobacco and Tobacco Products - Cigarettes, 2012. Available from:

<https://www.tobaccocontrollaws.org/legislation/jordan/cigarette-contents?row=1225843>.

Parliament of Canada. Bill C-32 an act to amend the Tobacco Act, chapter 27 of the statutes of Canada, 2009. Available from: <http://www.parl.ca/DocumentViewer/en/40-2/bill/C-32/royal-assent>.

Ministry of Public Health. Decree No. 284/008 on Regulations under Law No. 18.256, 2008. Available from: <https://www.tobaccocontrollaws.org/legislation/uruguay/cigarette-contents?row=1227661>.

Tobacco control laws. Legislation. Find Legislation from 212 Countries and FCTC Analysis of 136 Countries. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation>.

Republic of Senegal Decree. No. 2016- 1008 concerning the implementation of law No. 2014-14 manufacture, packaging, labeling, sale and use of tobacco. Available from:

<https://www.tobaccocontrollaws.org/legislation/senegal/cigarette-contents>.

Republic of Niger. Ministry of trade and private sector promotion order No. 082 of October 9, 2017. Prohibiting the import, distribution and sale of tobacco products containing flavors. Available from:

<https://www.tobaccocontrollaws.org/legislation/niger/cigarette-contents>.

Ministry of Social Affairs and Health. Tobacco Act (No. 549/2016; amendments up to 1374/2016 included). Available from: <https://www.tobaccocontrollaws.org/legislation/finland/cigarette-contents?row=1225255>.

European Commission. Independent Advisory Panel on characterising flavours in tobacco products. Last update: Viewed Available from: https://health.ec.europa.eu/tobacco/product-regulation/determination-characterising-flavours-tobacco-products/independent-advisory-panel-characterising-flavours-tobacco-products_en.

Bundesverband der Tabakwirtschaft und neuartiger Erzeugnisse. Ingredients. Available from:

<https://www.bvte.de/en/themes/ingredients.html>.

Agência Nacional De Vigilância Sanitária (ANVISA – National Health Surveillance Agency). Collegiate Directorate Resolution- RDC N° 14. Diário Oficial da União – Section 1 - N° 53 (Translated). Available

from:

https://docs.bvsalud.org/leisref/2018/08/1497/bra_2012_w_anvisa_resolution_rdc_14_en.pdf.

Public Health (Restrictions on Tobacco Products) Regulations 2022. Available from:

<https://www.tobaccocontrolaws.org/legislation/mauritius/cigarette-contents?row=1226187>.

Regulation on the procedures and principles related to the production methods, labeling and surveillance of tobacco products. Available from:

<https://www.tobaccocontrolaws.org/legislation/turkey/cigarette-contents>.

Tobacco and Related Products Regulations 2016 (S.I. 2016 No. 507). Available from:

<https://www.tobaccocontrolaws.org/legislation/england/cigarette-contents>.

12.6.12.3 Evidence for the effects of flavour regulation

Campaign for tobacco Free Kids. Impact of restricting the sale of flavored tobacco products: the Massachusetts experience. 2023. Last update: Viewed Available from:

<https://assets.tobaccofreekids.org/factsheets/0421.pdf>.

Soeparna (The Jakarta Post) I. An unseen threat to 'kretek', symbol of culture and history. The Jakarta Post, 2016. Last update: Viewed Available from:

<https://www.thejakartapost.com/academia/2016/08/01/an-unseen-threat-to-kretek-symbol-of-culture-and-history.html>.

12.6.12.4 Tobacco industry responses to and unintended consequences of flavour regulation

Tobacco Tactics. Flavoured and menthol tobacco. 2022. Last update: Viewed Available from:

<https://tobaccotactics.org/wiki/flavoured-and-menthol-tobacco/>

Food & Drug Administration. FDA commits to evidence-based actions aimed at saving lives and preventing future generations of smokers. 2021. Last update: Viewed Available from:

<https://www.fda.gov/news-events/press-announcements/fda-commits-evidence-based-actions-aimed-saving-lives-and-preventing-future-generations-smokers>.

12.6.13 Regulation of other additives

12.6.13.1 Aims and approaches to regulation of other additives

World Health Organization. Partial guidelines for implementation of articles 9 and 10 of the WHO Framework Convention on Tobacco Control. 2013. Last update: Viewed Available from:

https://www.afro.who.int/sites/default/files/2017-06/9789241505185_eng.pdf.

12.6.13.2 International regulation of other additives

Pradeep Samarawickrama C. Sale of three flavoured cigarette products stopped with immediate effect. The Daily Mirror, 2023. Available from: <https://www.dailymirror.lk/breaking-news/Sale-of-three-flavored-cigarette-products-stopped-with-immediate-effect/108-271748>

Tobacco Control Laws. Legislation by country: Ethiopia. Regulated Contents in Cigarettes. 2022. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation/country/ethiopia/cd-regulated>.

Tobacco Control Laws. Legislation by country: Canada. Regulated Contents in Cigarettes. 2021. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation/country/canada/cd-regulated>.

World Health Organization. C235 - Progress made in implementing Article 9. 2020. Last update: Viewed Available from: <https://untobaccocontrol.org/impldb/indicator-report/?wpdtvar=3.2.3.5>.

Republique Francaise. Tobacco and vaping products: ANSES is publishing an unprecedented overview of products sold in France. 2020. Last update: Viewed Available from: <https://www.anses.fr/en/content/tobacco-and-vaping-products-anses-publishing-unprecedented-overview-products-sold-france>.

Tobacco Control Laws. Legislation by country: Brazil. Regulated contents in cigarettes. 2019. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation/country/brazil/cd-regulated>.

Tobacco Control Laws. Legislation by country: Australia. Regulated Contents in Cigarettes. Tobacco Control Laws, 2019. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation/country/australia/cd-regulated>.

Ministry of Public Health. Decree No. 284/008 on Regulations under Law No. 18.256, 2008. Available from: <https://www.tobaccocontrollaws.org/legislation/uruguay/cigarette-contents?row=1227661>.

Tobacco control laws. Legislation. Find Legislation from 212 Countries and FCTC Analysis of 136 Countries. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation>.