

Tobacco in Australia

Facts & Issues

Relevant news and research

12.7 Menthol

Last updated December 2024

Research:	2
12.7 Menthol	2
12.7.1 Use of menthol in tobacco products	3
12.7.2 The effects of added menthol in tobacco products	5
12.7.2.1 Increasing the addictiveness of tobacco products	6
12.7.2.2 Increasing the attractiveness of tobacco products	8
12.7.2.3 Health effects of menthol tobacco products	9
12.7.3 Consumer perceptions of menthol tobacco products	12
12.7.4 Menthol cigarettes used by specific groups of people	16
12.7.5 Effects of menthol on smoking initiation and cessation	22
12.7.6 Use and perceptions of menthol cigarettes in Australia	26
12.7.7 Regulation of menthol in tobacco products	26
12.7.7.1 Aims and approaches to regulating menthol in tobacco products	27
12.7.7.2 International progress in banning menthol in tobacco products	28
12.7.7.3 Evidence for the effects of international menthol bans	28
12.7.7.4 Tobacco industry responses to international menthol bans	32
News:	33
12.7 Menthol	33
12.7.1 Use of menthol in tobacco products	34
12.7.2 The effects of added menthol in tobacco products	34
12.7.2.1 Increasing the addictiveness of tobacco products	34
12.7.2.2 Increasing the attractiveness of tobacco products	35
12.7.2.3 Health effects of menthol tobacco products	35
12.7.3 Consumer perceptions of menthol tobacco products	35

12.7.4 Menthol cigarettes used by specific groups of people	35
12.7.5 Effects of menthol on smoking initiation and cessation.....	36
12.7.6 Use and perceptions of menthol cigarettes in Australia	36
12.7.7 Regulation of menthol in tobacco products	36
12.7.7.1 Aims and approaches to regulating menthol in tobacco products	36
12.7.7.2 International progress in banning menthol in tobacco products	36
12.7.7.3 Evidence for the effects of international menthol bans.....	38
12.7.7.4 Tobacco industry responses to international menthol bans	38

Research:

12.7 Menthol

Brown, JL, Galiatsatos, P, & Neptune, E. (2023). Banning Menthol Cigarette Manufacture and Sale in the United States: Countering Tobacco Industry-driven Misperceptions. *Ann Am Thorac Soc.*

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36638773>

Allem, JP, Donaldson, SI, Vogel, EA, Pang, RD, & Unger, JB. (2022). An analysis of Twitter posts about the U.S. FDA's menthol ban. *Nicotine Tob Res.* Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36534973>

Zatonski M, Silver K, Plummer S, and Hiscock R. Menthol and flavored tobacco products in Imics: A growing menace. *Tobacco induced diseases Tob Induc Dis*, 2022; 20:39. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/35498956>

Lin W, Zhu J, Hayes JE, Richie JP, and Muscat JE. Comparison of carcinogen biomarkers in smokers of menthol and nonmenthol cigarettes: The 2015-2016 national health and nutrition examination survey special sample. *Cancer Epidemiology, Biomarkers & Prevention*, 2022. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/35654409>

Yerger V. What more evidence is needed? Remove menthol cigarettes from the marketplace-now. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34535506>

Levy DT, Meza R, Yuan Z, Li Y, Cadham C, et al. Public health impact of a US ban on menthol in cigarettes and cigars: A simulation study. *Tobacco Control*, 2021. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/34475258>

Leas EC, Benmarhnia T, Strong DR, and Pierce JP. Effects of menthol use and transitions in use on short-term and long-term cessation from cigarettes among US smokers. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34230056>

Kock L, Shahab L, Bogdanovica I, and Brown J. Profile of menthol cigarette smokers in the months following the removal of these products from the market: A cross-sectional population survey in england. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34789541>

Jao NC, Sokol NA, Vergara-Lopez C, Borba K, Scott-Sheldon LAJ, et al. Use and perceptions of menthol versus non-menthol cigarettes among pregnant women. *Journal of Addictive Diseases*, 2021;1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34751106>

Feld AL, Rogers T, Gaber J, Pikowski J, Farrelly MC, et al. Impact of local flavored Tobacco sales restrictions on policy-related attitudes and Tobacco product access. *Health Education and Behavior*, 2021;10901981211027520. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34399591>

Brown EM, Gammon DG, Rogers T, Coats EM, Olson LT, et al. Changes in retail sales of tobacco products in ontario after a menthol sales restriction. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34257151>

Brouwer AF, Jeon J, Cook SF, Usidame B, Hirschtick JL, et al. The impact of menthol cigarette flavor in the U.S.: Cigarette and ends transitions by sociodemographic group. *American Journal of Preventive Medicine*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34740512>

Summary of scientific evidence: Flavored Tobacco products, including menthol. Centers for Disease Control and Prevention, Office on Smoking and Health, 2021. Available from:
https://www.cdc.gov/tobacco/data_statistics/evidence/pdfs/Scientific-Evidence-Brief-Flavored-Tobacco-Products-Including-Menthol-508.pdf.

Besaratinia A and Tommasi S. The lingering question of menthol in cigarettes. *Cancer Causes Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25416451>

Winhusen TM, Adinoff B, Lewis DF, Brigham GS, Gardin JG, 2nd, et al. A tale of two stimulants: Mentholated cigarettes may play a role in cocaine, but not methamphetamine, dependence. *Drug Alcohol Depend*, 2013; 133(3):845-51. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24075226>

Healton CG, Thornton Bullock A, Robinson WS, Beck SE, Cartwright J, et al. Why we should make menthol cigarettes history *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S94–S7. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S94.full.pdf+html

12.7.1 Use of menthol in tobacco products

Oliveira da Silva, AL, Lempert, LK, & Glantz, SA. (2024). More than a "characterizing flavor": Menthol at subliminal levels in tobacco products. *Drug Alcohol Depend*, 261, 111346. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38870568>

Mus, S, Barrientos, I, Vidana-Perez, D, Monzon, J, Barnoya, J, Page, MK et al. (2023). Chemicals in cigarette flavor capsules from Guatemala and Mexico. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37930843>

Cohen, JE, Czaplicki, L, Crespi, E, Brown, JL, Luo, W, McWhirter, KJ et al. (2023). Menthol and Other Flavor Chemicals in Cigarettes from Vietnam and the Philippines. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37578845>

Cohen, JE, Amalia, B, Luo, W, McWhirter, KJ, Masanga, BC, & Pankow, JF. (2023). Eugenol, menthol and other flavour chemicals in kreteks and 'white' cigarettes purchased in Indonesia. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37094935>

van der Eijk Y, Ng XY, and Lee JK. Cross-sectional survey of flavored cigarette use among adult smokers in Singapore. *Tobacco induced diseases* *Tob Induc Dis*, 2021; 19:42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34131420>

Miech RA, Leventhal AM, and Johnson LD. Recent, national trends in US adolescent use of menthol and non-menthol cigarettes. *Tobacco Control*, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34853161>

Schneller LM, Bansal-Travers M, Mahoney MC, McCann SE, and O'Connor RJ. Menthol, nicotine, and flavoring content of capsule cigarettes in the US. *Tob Regul Sci*, 2020; 6(3):196-204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33987452>

Philip Morris Ltd. Australia ingredients report composite list of tobacco ingredients for reporting period March 1 2019 to March 1 2020. Canberra, Australia 2020. Available from:

<https://www.health.gov.au/resources/publications/philip-morris-ltd-cigarette-ingredients>.

Correction: Menthol levels in cigarettes from eight manufacturers. *Tobacco Control*, 2020;tobaccocontrol-2016-053543corr1. Available from:

<https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2020/08/29/tobaccocontrol-2016-053543corr1.full.pdf>

Picanco JM, Limberger RP, and Apel MA. The risk associated to the lack of information about clove cigarettes. *Biomedical Journal of Scientific and Technical Research*, 2019; 18(5):13863-5. Available from: <https://biomedres.us/pdfs/BJSTR.MS.ID.003205.pdf>

Truth Initiative. Menthol fact sheet. Washington, DC: Truth Initiative, 2018.

Kuiper NM, Gammon D, Loomis B, Falvey K, Wang TW, et al. Trends in sales of flavored and menthol tobacco products in the United States during 2011-2015. *Nicotine & Tobacco Research*, 2018; 20(6):698-706. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28575408>

Jaccard G, Belushkin M, Jeannet C, Aldilla EN, and Ongko Wijoyo A. Investigation of menthol content and transfer rates in cigarettes and Tobacco heating system 2.2. *Regulatory Toxicology and Pharmacology*, 2018; 101:48-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30445138>

Ai J, Taylor KM, Lisko JG, Tran H, Watson CH, et al. Menthol levels in cigarettes from eight manufacturers. *Tobacco Control*, 2018; 27(3):335-6. Available from:

<http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/3/335.full.pdf>

Schauer GL, Peters EN, Rosenberry Z, and Kim H. Trends in and characteristics of marijuana and menthol cigarette use among current cigarette smokers, 2005-2014. *Nicotine & Tobacco Research*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28064202>

Ai J, Taylor K, Lisko J, Tran H, Watson C, et al. Menthol levels in cigarettes from eight manufacturers. *Tobacco Control*, 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2016-053543?papetoc=>

<http://www.ncbi.nlm.nih.gov/pubmed/28667094>

Ai J, Taylor KM, Lisko JG, Tran H, Watson CH, et al. Menthol content in US marketed cigarettes. *Nicotine & Tobacco Research*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26259988>

US Department of Health and Human Services, The health consequences of smoking - 50 years of progress: A report of the Surgeon General. Atlanta GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health 2014. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/24455788>.

Delnevo CD, Villanti AC, and Giovino GA. Trends in menthol and non-menthol cigarette consumption in the USA: 2000-2011. *Tobacco Control*, 2014; 23(e2):e154-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24335479>

Okuyemi KS, Lawrence D, Hammons G, and Alexander LA. Use of mentholated cigarettes: What can we learn from national data sets? *Addiction*, 2010; 105(S1):1–4. Available from:
<http://onlinelibrary.wiley.com/doi/10.1111/j.1360-0443.2010.03239.x/full>

Sutton CD and Robinson RG. The marketing of menthol cigarettes in the United States: Populations, messages, and channels. *Nicotine & Tobacco Research*, 2004; 6 Suppl 1(suppl. 1):S83-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/14982711>

Gardiner PS. The African americanization of menthol cigarette use in the United States. *Nicotine & Tobacco Research*, 2004; 6 Suppl 1(suppl. 1):S55-65. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/14982709>

12.7.2 The effects of added menthol in tobacco products

Dimova, H, Schroeder, MJ, Pickworth, WB, Wang, J, Oniyide, O, Viray, LC et al. (2024). The Effects of Changes in Cigarette Menthol Content on Acute Nicotine Pharmacology and Smoking Topography. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38728416>

Wickham RJ. The biological impact of menthol on tobacco dependence. *Nicotine & Tobacco Research*, 2020; 22(10):1676-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867627>

Smith PH, Assefa B, Kainth S, Salas-Ramirez KY, McKee SA, et al. Use of mentholated cigarettes and likelihood of smoking cessation in the United States: A meta-analysis. *Nicotine & Tobacco Research*, 2020; 22(3):307-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31204787>

Rangel-Gomez M, Cruz-Cano R, Van Wagoner C, Kidanu A, McDonald CG, et al. Dissociating the effect of flavor and nicotine in smokeless tobacco products using electroencephalography: The case of wintergreen flavors. *Addictive Behaviors*, 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30553545>

Villanti AC, Collins LK, Niaura RS, Gagopian SY, and Abrams DB. Menthol cigarettes and the public health standard: A systematic review. *BMC Public Health*, 2017; 17(1):983. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29284458>

Chopyk J, Chattopadhyay S, Kulkarni P, Claye E, Babik KR, et al. Mentholation affects the cigarette microbiota by selecting for bacteria resistant to harsh environmental conditions and selecting against potential bacterial pathogens. *Microbiome*, 2017; 5(1):22. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28202080>

Hsu PC, Lan RS, Brasky TM, Marian C, Cheema AK, et al. Menthol smokers: Metabolomic profiling and smoking behavior. *Cancer Epidemiology, Biomarkers & Prevention*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27628308>

U.S. Food and Drug Administration. Preliminary scientific evaluation of the possible public health effects of menthol versus nonmenthol cigarettes. Silver Spring, MD: Center for Tobacco Products, Food and Drug Administration, 2013. Available from: <https://www.fda.gov/media/86497/download>.

Flaherty BP. Latent class and mixture models' potential contributions to understanding connections between menthol and other cigarette smoking characteristics. *Addiction*, 2010; 105:11-2. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03207.x>

12.7.2.1 Increasing the addictiveness of tobacco products

Wagener, TL, Mehta, T, Hinton, A, Schulz, JA, Erath, TG, Tidey, J et al. (2022). Addiction potential of combustible menthol cigarette alternatives: a randomised cross-over trial. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36424139>

Gueorguieva R, Schwartz EKC, MacLean RR, DeVito EE, Eid T, et al. Plasma menthol glucuronide as a biomarker for the behavioral effects of menthol and nicotine in humans. *Front Pharmacol*, 2022; 13:844824. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35431934>

Akinola LS, Rahman Y, Ondo O, Gonzales J, Bagdas D, et al. Genotypic differences in the effects of menthol on nicotine intake and preference in mice. *Frontiers in Neuroscience*, 2022; 16:905330. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35769694>

Jones DM, Kulik MC, Baezconde-Garbanati L, Bullock S, Guy MC, et al. Menthol smoking and nicotine dependence among black/African American women smokers living in low-resource, rural communities. *Int J Environ Res Public Health*, 2021; 18(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34682623>

Jao NC, Gueorguieva R, Hitsman B, and Sofuoglu M. Acute effects of inhaled menthol on cognitive effects of intravenous nicotine among young adult cigarette smokers. *Addictive Behaviors*, 2021; 122:107022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34174551>

He T, Ma KY, Lu XL, Du XD, Hu AR, et al. [animal experimental study of the role of menthol and cineole, two Tobacco additives, on nicotine dependence]. *Sichuan Da Xue Xue Bao. Yi Xue Ban. Journal of Sichuan University. Medical Science Edition*, 2021; 52(4):649-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34323045>

Cohn AM, Alexander AC, and Ehlke SJ. Affirming the abuse liability and addiction potential of menthol: Differences in subjective appeal to smoking menthol versus non-menthol cigarettes across African American and white young adult smokers. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34405884>

Wickham RJ. The biological impact of menthol on tobacco dependence. *Nicotine & Tobacco Research*, 2020; 22(10):1676-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867627>

Frost-Pineda K, Heck JD, and Curtin GM. Measures of dependence in menthol and nonmenthol smokers - a comprehensive narrative review. *Journal of Addictive Diseases*, 2020;1-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32286199>

Cwalina SN, Majmundar A, Unger JB, Barrington-Trimis JL, and Pentz MA. Adolescent menthol cigarette use and risk of nicotine dependence: Findings from the national population assessment on

Tobacco and health (path) study. Drug and Alcohol Dependence, 2020; 206:107715. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31760252>

Palmatier MI, Smith AL, Odineal EM, Williams EA, Sheppard AB, et al. Nicotine self-administration with tobacco flavor additives in male rats. Nicotine & Tobacco Research, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30980717>

Cohn AM, Ganz O, Dennhardt AA, Murphy JG, Ehlke S, et al. Menthol cigarette smoking is associated with greater subjective reward, satisfaction, and “throat hit”, but not greater behavioral economic demand. Addictive Behaviors, 2019; 101:106108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31648140>

Valentine GW, DeVito EE, Jatlow PI, Gueorguieva R, and Sofuooglu M. Acute effects of inhaled menthol on the rewarding effects of intravenous nicotine in smokers. J Psychopharmacol, 2018;269881118773972. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/2978802>

Jao NC, Veluz-Wilkins AK, Smith MJ, Carroll AJ, Blazekovic S, et al. Does menthol cigarette use moderate the effect of nicotine metabolism on short-term smoking cessation? Exp Clin Psychopharmacol, 2017; 25(3):216-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28493744>

Henderson BJ, Wall TR, Henley BM, Kim CH, McKinney S, et al. Menthol enhances nicotine reward-related behavior by potentiating nicotine-induced changes in nAChR function, nAChR upregulation, and da neuron excitability. Neuropsychopharmacology, 2017; 42(12):2285-91. Available from: <https://pubmed.ncbi.nlm.nih.gov/28401925/>

D'Silva J, Cohn AM, Johnson AL, and Villanti AC. Differences in subjective experiences to first use of menthol and non-menthol cigarettes in a national sample of young adult cigarette smokers. Nicotine & Tobacco Research, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059351>

Henderson BJ, Wall TR, Henley BM, Kim CH, Nichols WA, et al. Menthol alone upregulates midbrain nAChRs, alters nAChR subtype stoichiometry, alters dopamine neuron firing frequency, and prevents nicotine reward. Journal of Neuroscience, 2016; 36(10):2957-74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26961950>

Fan L, Balakrishna S, Jabba SV, Bonner PE, Taylor SR, et al. Menthol decreases oral nicotine aversion in c57bl/6 mice through a trpm8-dependent mechanism. Tobacco Control, 2016; 25(Suppl 2):ii50-ii4. Available from: http://tobaccocontrol.bmjjournals.org/content/25/Suppl_2/ii50.abstract

Fagan P, Pokhrel P, Herzog TA, Pagano IS, Franke AA, et al. Nicotine metabolism in young adult daily menthol and nonmenthol smokers. Nicotine & Tobacco Research, 2016; 18(4):437-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25995160>

Wickham RJ. How menthol alters tobacco-smoking behavior: A biological perspective. Yale Journal of Biology and Medicine, 2015; 88(3):279-87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26339211>

Zuo Y, Mukhin AG, Garg S, Nazih R, Behm FM, et al. Sex-specific effects of cigarette mentholation on brain nicotine accumulation and smoking behavior. Neuropsychopharmacology, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25267342>

Curtin GM, Sulsky SI, Van Landingham C, Marano KM, Graves MJ, et al. Primary measures of dependence among menthol compared to non-menthol cigarette smokers in the United States. Regulatory Toxicology and Pharmacology, 2014; 69(3):451-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24852490>

Brody AL, Mukhin AG, La Charite J, Ta K, Farahi J, et al. Up-regulation of nicotinic acetylcholine receptors in menthol cigarette smokers. International Journal of Neuropsychopharmacology, 2013; 16(5):957-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23171716>

Yerger VB. Menthol's potential effects on nicotine dependence: A tobacco industry perspective. Tobacco Control, 2011; 20(suppl. 2):ii29-ii36. Available from: http://tobaccocontrol.bmjjournals.org/content/20/Suppl_2/ii29.abstract

Ahijevych K and Garrett BE. The role of menthol in cigarettes as a reinforcer of smoking behavior Nicotine & Tobacco Research, 2010; 12(suppl. 2):S110-S6. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S110.full

Ruskin D, Anand R, and LaHoste G. Chronic menthol attenuates the effect of nicotine on body temperature in adolescent rats Nicotine & Tobacco Research, 2008; 10(12):1753-9. Available from: <http://www.informaworld.com/smpp/content~content=a905797850~db=all~order=page>

Lerman C, Tyndale R, Patterson F, Wileyto EP, Shields PG, et al. Nicotine metabolite ratio predicts efficacy of transdermal nicotine for smoking cessation. Clinical Pharmacology and Therapeutics, 2006; 79(6):600-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16765148>

Johnstone E, Benowitz N, Cargill A, Jacob R, Hinks L, et al. Determinants of the rate of nicotine metabolism and effects on smoking behavior. Clinical Pharmacology and Therapeutics, 2006; 80(4):319-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17015050>

Garten S and Falkner RV. Role of mentholated cigarettes in increased nicotine dependence and greater risk of tobacco-attributable disease. Preventive Medicine, 2004; 38(6):793-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15193900>

12.7.2.2 Increasing the attractiveness of tobacco products

Cohn, AM, Elmasry, H, Ashare, R, Pickworth, W, Murphy, JG, Villanti, AC et al. (2024). The Relative Reinforcing Value of Menthol Among Young Adult Cigarette Smokers: Results From a Behavioral Choice Task. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39290086>

Schneller L, Mahoney M, Bansal-Travers M, McCann S, and O'Connor R. Impact of menthol delivery methods on smoker sensory perceptions. *Tob Prev Cessat*, 2020; 6:26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548363>

Cohn AM, Ganz O, Dennhardt AA, Murphy JG, Ehlke S, et al. Menthol cigarette smoking is associated with greater subjective reward, satisfaction, and “throat hit”, but not greater behavioral economic demand. *Addictive Behaviors*, 2019; 101:106108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31648140>

Duffy VB, Glennon SG, Larsen BA, Rawal S, Oncken C, et al. Heightened olfactory dysfunction and oral irritation among chronic smokers and heightened propylthiouracil (prop) bitterness among menthol smokers. *Physiol Behav*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30557565>

Cancer Council Australia. Position statement - reducing the palatability of tobacco products: Banning the use of filter design features and flavourings. National Cancer Control Policy, 2018. Available from: https://wiki.cancer.org.au/policy/Position_statement_-_Reducing_palatability.

aschke M, Tkachenko A, Ackermann K, Hutzler C, Henkler F, et al. Activation of the cold-receptor trpm8 by low levels of menthol in tobacco products. Toxicology letters, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28238800>

European Union. Directive 2014/40/EU of the European parliament and of the council, in (April):1-382014, Official Journal of the European Union. Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex%3A32014L0040>.

Yerger VB and McCandless PM. Menthol sensory qualities and smoking topography: A review of tobacco industry documents. Tobacco Control, 2011; 20(suppl. 2):ii37-ii43. Available from: http://tobaccocontrol.bmjjournals.org/content/20/Suppl_2/ii37.abstract

Kreslake JM and Yerger VB. Tobacco industry knowledge of the role of menthol in chemosensory perception of tobacco smoke Nicotine & Tobacco Research, 2010; 12(suppl. 2):S98–S101. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S98.full

Heck JD. A review and assessment of menthol employed as a cigarette flavoring ingredient Food and Chemical Toxicology, 2010; 48(2): S1–38. Available from: <http://cebp.aacrjournals.org/content/18/2/622.full>

Tobacco Control Legal Consortium. Tobacco product standards, federal regulation of tobacco: A summary. 2009. Available from: <https://www.publichealthlawcenter.org/sites/default/files/fda-2007-2.pdf>.

Kreslake JM, Wayne GF, and Connolly GN. The menthol smoker: Tobacco industry research on consumer sensory perception of menthol cigarettes and its role in smoking behavior. Nicotine & Tobacco Research, 2008; 10(4):705-15. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/18418792>

Garten S and Falkner RV. Role of mentholated cigarettes in increased nicotine dependence and greater risk of tobacco-attributable disease. Preventive Medicine, 2004; 38(6):793-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15193900>

Ahijevich K and Garrett B. Menthol pharmacology and its potential impact on cigarette smoking behaviour. Nicotine & Tobacco Research, 2004; 6(suppl.1):s17-s28. Available from: <https://pubmed.ncbi.nlm.nih.gov/14982706/>

12.7.2.3 Health effects of menthol tobacco products

Lin, W. (2023). Comparison of urine heavy metals in exclusive menthol and non-menthol cigarette users by race/ethnicity: The 2015-2016 National Health and Nutrition Examination Survey Special Sample. *Tob Prev Cessat*, 9, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37389307>

Wang Y, Watkins SL, Sung HY, Yao T, Lightwood J, et al. Health care utilization of menthol and non-menthol cigarette smokers. Nicotine & Tobacco Research, 2021; 23(1):195-202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32623471>

Le TT and Mendez D. An estimation of the harm of menthol cigarettes in the United States from 1980 to 2018. *Tobacco Control*, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33632809>

Jao NC, Levin ED, Simon MA, and Hitsman B. Differences in cognitive task performance, reinforcement enhancement, and nicotine dependence between menthol and non-menthol cigarette smokers. *Nicotine & Tobacco Research*, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34086950>

Jao NC, Gueorguieva R, Hitsman B, and Sofuoglu M. Acute effects of inhaled menthol on cognitive effects of intravenous nicotine among young adult cigarette smokers. *Addictive Behaviors*, 2021; 122:107022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34174551>

Chattopadhyay S, Malayil L, Mongodin EF, and Sapkota AR. Nicotine concentration and mentholation affect bacterial community diversity in spectrum research cigarettes. *Applied Microbiology and Biotechnology*, 2021; 105(10):4241-53. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33977338>

Guydish JR, Straus ER, Le T, Gubner N, and Delucchi KL. Menthol cigarette use in substance use disorder treatment before and after implementation of a county-wide flavoured tobacco ban. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33177211>

Sandage MJ and Patel R. Passive upper airway thermoregulation and high-speed assessment for conventional versus menthol cigarette: Implications for laryngeal physiology. *Journal of Voice*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30195409>

Ahijevych K, Szalacha L, and Tan A. Effects of menthol flavor cigarettes or total urinary menthol on biomarkers of nicotine and carcinogenic exposure and behavioral measures. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137555>

Watson CV, Richter P, de Castro BR, Sosnoff C, Potts J, et al. Smoking behavior and exposure: Results of a menthol cigarette cross-over study. *Am J Health Behav*, 2017; 41(3):309-19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28376975>

Van Landingham C, Fuller W, Mariano G, Marano K, Curtin G, et al. Stroke risk among menthol versus non-menthol cigarette smokers in the United States: Analysis of the national health and nutrition examination survey (nhanes). *Regulatory Toxicology and Pharmacology*, 2017; 85:64-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28163170>

Van Landingham C, Fuller W, Mariano G, Marano K, Curtin G, et al. Data on cardiovascular and pulmonary diseases among smokers of menthol and non-menthol cigarettes compiled from the national health and nutrition examination survey (nhanes), 1999-2012. *Data Brief*, 2017; 12:386-99. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28491944>

Ogura N, Kono Y, To M, Mikami S, Soeda S, et al. Menthol-flavored cigarettes: Potentially a strong trigger of acute eosinophilic pneumonia. *Am J Med*, 2017; 130(2):e63-e4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28117040>

Lin AH, Liu MH, Ko HB, Perng DW, Lee TS, et al. Inflammatory effects of menthol vs. Non-menthol cigarette smoke extract on human lung epithelial cells: A double-hit on trpm8 by reactive oxygen species and menthol. *Front Physiol*, 2017; 8:263. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28496415>

Chopyk J, Chattopadhyay S, Kulkarni P, Claye E, Babik KR, et al. Mentholation affects the cigarette microbiota by selecting for bacteria resistant to harsh environmental conditions and selecting against potential bacterial pathogens. *Microbiome*, 2017; 5(1):22. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28202080>

Wang HW, Liu SC, Chao PZ, and Lee FP. Menthol inhibiting parasympathetic function of tracheal smooth muscle. *Int J Med Sci*, 2016; 13(12):923-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27994497>

Munro HM, Tarone RE, Wang TJ, and Blot WJ. Menthol and nonmenthol cigarette smoking: All-cause deaths, cardiovascular disease deaths, and other causes of death among blacks and whites.

Circulation, 2016; 133(19):1861-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27022064>

Lempert LK, Yerger V, and Glantz SA. Letter by lempert et al regarding Article, “menthol and nonmenthol cigarette smoking: All-cause deaths, cardiovascular disease deaths, and other causes of death among blacks and whites”. *Circulation*, 2016; 134(9):e119-20. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27572884>

Fagan P, Pokhrel P, Herzog TA, Pagano IS, Franke AA, et al. Nicotine metabolism in young adult daily menthol and nonmenthol smokers. *Nicotine & Tobacco Research*, 2016; 18(4):437-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25995160>

Cohn AM, Johnson AL, Hair E, Rath JM, and Villanti AC. Menthol tobacco use is correlated with mental health symptoms in a national sample of young adults: Implications for future health risks and policy recommendations. *Tobacco induced diseases Tob Induc Dis*, 2016; 14:1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26752983>

Young-Wolff KC, Hickman NJ, 3rd, Kim R, Gali K, and Prochaska JJ. Correlates and prevalence of menthol cigarette use among adults with serious mental illness. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25190706>

Rojewski AM, Toll BA, and O’Malley SS. Menthol cigarette use predicts treatment outcomes of weight-concerned smokers. *Nicotine & Tobacco Research*, 2014; 16(1):115-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24113927>

Food & Drug Administration. Preliminary scientific evaluation of the possible public health effects of menthol versus nonmenthol cigarettes. Silver Spring, MD, USA: Center for Tobacco Products, Food and Drug Administration, 2013. Available from: <https://www.fda.gov/media/86497/download>.

Salgado MV and Glantz SA. Direct disease-inducing effects of menthol through the eyes of tobacco companies. *Tobacco Control*, 2011; 20(suppl. 2):ii44-ii8. Available from: http://tobaccocontrol.bmjjournals.org/content/20/Suppl_2/ii44.abstract

Squier C, Mantz M, and Wertz P. Effect of menthol on the penetration of tobacco carcinogens and nicotine across porcine oral mucosa ex vivo. *Nicotine & Tobacco Research*, 2010; 12(7):763-7. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/ntq084v1>

Mendiondo MS, Alexander LA, and Crawford T. Health profile differences for menthol and non-menthol smokers: Findings from the National Health Interview Survey. *Addiction*, 2010; 105 Suppl 1:124-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21059143>

Hammons G. What is the biological fate of mentholated cigarette smoking? *Addiction*, 2010; 105:8-10. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03204.x>

Wang J, Roethig H, Appleton S, Werley M, Muhammad-Kah R, et al. The effect of menthol containing cigarettes on adult smokers' exposure to nicotine and carbon monoxide. *Regulatory Toxicology and Pharmacology*, 2009; 57(1):24–30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20025920>

Heck J. Smokers of menthol and nonmenthol cigarettes exhibit similar levels of biomarkers of smoke exposure. *Cancer Epidemiology Biomarkers & Prevention*, 2009; 18(2):622–9. Available from: <http://cebp.aacrjournals.org/cgi/content/full/18/2/622>

Ciftci O, Topcu S, Caliskan M, Gullu H, Erdogan D, et al. Smoking mentholated cigarettes impairs coronary microvascular function as severely as does smoking regular cigarettes. *Acta cardiologica*, 2008; 63(2):135 – 40. Available from: http://poj.peeters-leuven.be/content.php?url=article&id=2029518&journal_code=AC

Williams J, Gandhi, KK, Steinberg, ML, Foulds, J, Ziedonis, DM and Benowitz, NL. Higher nicotine and carbon monoxide levels in menthol cigarette smokers with and without schizophrenia. *Nicotine and Tobacco Research*, 2007; 9(8):873-81. Available from: <https://pubmed.ncbi.nlm.nih.gov/17654300/>

Garten S and Falkner RV. Role of mentholated cigarettes in increased nicotine dependence and greater risk of tobacco-attributable disease. *Preventive Medicine*, 2004; 38(6):793-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15193900>

Garten S and Falkner RV. Continual smoking of mentholated cigarettes may mask the early warning symptoms of respiratory disease. *Prev Med*, 2003; 37(4):291-6. Available from: <http://www.sciencedirect.com/science/article/pii/S0091743503001166>

12.7.3 Consumer perceptions of menthol tobacco products

Mazhar, L, Foulds, J, Allen, SI, Veldheer, S, Hrabovsky, S, & Yingst, JM. (2024). Likely Response to a Hypothetical Menthol Cigarette Ban Among Adults with Mood Disorders Who Smoke Menthol Cigarettes and Have No Current Plans to Quit Smoking. *Int J Environ Res Public Health*, 21(11).
Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595743>

Smiley, SL, & Felner, JK. (2024). Community Voices: A Qualitative Study Exploring Perceptions of Menthol Cigarette Sales Restrictions in Los Angeles County Among Black Adults Who Smoke Menthol Cigarettes. *Nicotine Tob Res*, 26(Supplement_2), S82-S88. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817024>

Carroll, DM, Bittencourt, L, Tessier, KM, Usman, A, Stepanov, I, & Hatsukami, DK. (2024). Menthol and filter ventilation in cigarettes: prevalence estimates and relationships with harm perception and smoking exposure. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38658056>

Feng, M, Birns, S, & Emery, S. (2024). Exploring #MentholBan on TikTok: a Thematic and Semantic Network Analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38381598>

Villanti, AC, Hinton, A, Schulz, JA, Erath, TG, Mehta, T, Reed, D et al. (2023). Substitutability of menthol cigarette alternatives: a clinical trial. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37963771>

White, AM, Goden, AB, Rudy, AK, Bajwa, HK, Guy, MC, Hood, KB et al. (2023). Responses of African American Individuals Who Use Menthol Cigarettes to Potential Flavored Tobacco Bans. *Am J Prev Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36624010>

Allem, JP, Donaldson, SI, Vogel, EA, Pang, RD, & Unger, JB. (2022). An analysis of Twitter posts about the U.S. FDA's menthol ban. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36534973>

Kaai SC, Fong GT, Ong'ang'o JR, Goma F, Meng G, et al. Prevalence, perceptions and factors associated with menthol cigarette smoking: Findings from the itc kenya and zambia surveys. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35459749>

van der Eijk Y, Lin L, Gan L, Teo O, Subramaniam M, et al. "The menthol one is more friendly": Young singaporeans' perspectives on flavored cigarettes. *Asia-Pacific Journal of Public Health*, 2021;10105395211065307. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34911349>

https://journals.sagepub.com/doi/10.1177/10105395211065307?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed

Raskind IG, Prochaska JJ, Epperson AE, and Henriksen L. Plant-based menthol cigarettes? Food industry trends and farm-to-pack cigarette advertising. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34400569>

Mancuso S, Brennan E, Dunstone K, Vittiglia A, Durkin S, et al. Australian smokers' sensory experiences and beliefs associated with menthol and non-menthol cigarettes. *Int J Environ Res Public Health*, 2021; 18(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34063735>

Keller PA, D'Silva J, Lien RK, Boyle RG, Kingsbury J, et al. Perceived harm of menthol cigarettes and quitting behaviors among menthol smokers in minnesota. *Prev Med Rep*, 2020; 20:101269. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33318890>

Denlinger-Apte RL, Cassidy RN, Carey KB, Kahler CW, Bickel WK, et al. The impact of menthol flavoring in combusted tobacco on alternative product purchasing: A pilot study using the experimental Tobacco marketplace. *Drug Alcohol Depend*, 2020;108390. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33213974>

Brown J, Zhu M, Moran M, Hoe C, Frejas F, et al. 'It has candy. You need to press on it': Young adults' perceptions of flavoured cigarettes in the philippines. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32447317>

Cohn AM, Rose SW, D'Silva J, and Villanti AC. Menthol smoking patterns and smoking perceptions among youth: Findings from the population assessment of Tobacco and health study. *American Journal of Preventive Medicine*, 2019; 56(4):e107-e16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30898227>

Agaku IT, Odani S, Armour BS, and King BA. Adults' favorability toward prohibiting flavors in all tobacco products in the United States. *Preventive Medicine*, 2019; 129:105862. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31655175>

Zatonski M, Herbec A, Zatonski W, Przewozniak K, Janik-Koncewicz K, et al. Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco products directive on their smoking and quitting behaviours: The EUREST-

PLUS ITC Europe Surveys. Tobacco induced diseases Tob Induc Dis, 2018; 16:A4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516460>

Rath JM, Greenberg M, Pitzer L, Emelle B, Green M, et al. The association between menthol perceptions and support for a policy ban among US smokers. Ethn Dis, 2018; 28(3):177-86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30038479>

Perkins KA, Karelitz JL, and Kunkle N. Evaluation of menthol per se on acute perceptions and behavioral choice of cigarettes differing in nicotine content. J Psychopharmacol, 2018;269881117742660. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29468937>

Kuiper NM, Gammon D, Loomis B, Falvey K, Wang TW, et al. Trends in sales of flavored and menthol tobacco products in the United States during 2011-2015. Nicotine & Tobacco Research, 2018; 20(6):698-706. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28575408>

Borland T, D'Souza SA, O'Connor S, Chaiton MO, and Schwartz R. Is blue the new green? Repackaging menthol cigarettes in response to a flavour ban in ontario, Canada. Tobacco Control, 2018. Available from: <https://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/early/2018/10/30/tobaccocontrol-2018-054454.full.pdf>

Wackowski OA, Evans KR, Harrell MB, Loukas A, Lewis MJ, et al. In their own words: Young adults' menthol cigarette initiation, perceptions, experiences and regulation perspectives Nicotine & Tobacco Research 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx048/3002783/In-Their-Own-Words-Young-Adults-Menthol-Cigarette?redirectedFrom=fulltext>

Rose SW, Jo CL, Binns S, Buenger M, Emery S, et al. Perceptions of menthol cigarettes among Twitter users: Content and sentiment analysis. J Med Internet Res, 2017; 19(2):e56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242592>

Perkins KA, Kunkle N, and Karelitz JL. Threshold dose for behavioral discrimination of cigarette nicotine content in menthol vs. Non-menthol smokers. Psychopharmacology (Berl), 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28210778>

Stier J. Even anti-tobacco studies must be held to basic scientific standards. A response to: Smoking intensity and intent to continue smoking among menthol and non-menthol adolescent smokers in Canada. Cancer Causes Control, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25924584>

Moodie C, Ford A, Mackintosh A, and Purves R. Are all cigarettes just the same? Female's perceptions of slim, coloured, aromatized and capsule cigarettes. Health Education Research, 2015; 30(1):1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25341674>

Richardson A, Ganz O, Pearson J, Celcis N, Vallone D, et al. How the industry is marketing menthol cigarettes: The audience, the message and the medium. Tobacco Control, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25178275>

Wilson N, Weerasekera D, Peace J, and Edwards R. Smokers have varying misperceptions about the harmfulness of menthol cigarettes: National survey data. Australian and New Zealand Journal of Public Health, 2011; 35(4):364-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21806732>

Rising J and Alexander L. Marketing of menthol cigarettes and consumer perceptions. *Tobacco Induced Diseases*, 2011; 9 Suppl 1(Suppl 1):S2. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/21624148>

Anderson SJ. Marketing of menthol cigarettes and consumer perceptions: A review of tobacco industry documents. *Tobacco Control*, 2011; 20 Suppl 2(suppl. 2):ii20-8. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/21504928>

Anderson SJ. Menthol cigarettes and smoking cessation behaviour: A review of tobacco industry documents. *Tobacco Control*, 2011; 20 Suppl 2(suppl. 2):ii49-56. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/21504932>

Wackowski O, Delnevo C, and Lewis M. Risk perceptions of menthol cigarettes compared with nonmenthol cigarettes among new jersey adults. *Nicotine & Tobacco Research*, 2010; 12(7):786-90. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/ntq085v1>

Tauras JA, Levy D, Chaloupka FJ, Villanti A, Niaura RS, et al. Menthol and non-menthol smoking: The impact of prices and smoke-free air laws. *Addiction*, 2010; 105:115-23. Available from:
<http://dx.doi.org/10.1111/j.1360-0443.2010.03206.x>

King B, Yong HH, Borland R, Omar M, Ahmad AA, et al. Malaysian and thai smokers' beliefs about the harmfulness of 'light' and menthol cigarettes. *Tobacco Control*, 2010; 19(6):444-50. Available from:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4617534/>

Davis SP, McClave-Regan AK, Rock VJ, Kruger J, and Garrett BE. Perceptions of menthol cigarette use among U.S. Adults and adult smokers: Findings from the 2009 healthstyles survey *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S125-S35. Available from:
http://ntr.oxfordjournals.org/content/12/suppl_2/S125.full

Ahijevych K and Garrett BE. The role of menthol in cigarettes as a reinforcer of smoking behavior *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S110-S6. Available from:
http://ntr.oxfordjournals.org/content/12/suppl_2/S110.full

Ahijevych K and Ford J. The relationships between menthol cigarette preference and state tobacco control policies on smoking behaviors of young adult smokers in the 2006–07 Tobacco use supplements to the current population surveys (tus cps). *Addiction*, 2010; 105:46-54. Available from:
<http://dx.doi.org/10.1111/j.1360-0443.2010.03201.x>

Richter P, Beistle D, Pederson L, and O'Hegarty M. Small-group discussions on menthol cigarettes: Listening to adult African American smokers in Atlanta, Georgia. *Ethnicity & Health*, 2008; 13(2):171-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18425713>

Kreslake JM, Wayne GF, and Connolly GN. The menthol smoker: Tobacco industry research on consumer sensory perception of menthol cigarettes and its role in smoking behavior. *Nicotine & Tobacco Research*, 2008; 10(4):705-15. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/18418792>

Sutton CD and Robinson RG. The marketing of menthol cigarettes in the United States: Populations, messages, and channels. *Nicotine & Tobacco Research*, 2004; 6 Suppl 1(suppl. 1):S83-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/14982711>

12.7.4 Menthol cigarettes used by specific groups of people

Kathuria, H, Ewart, G, Neptune, ER, & Upson, D. (2024). Unveiling the Tobacco Industry's Exploitative Legacy: A Call for Racial Equity through a Menthol Ban. *Ann Am Thorac Soc*, 21(9), 1245-1246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39212422>

Cornelius, ME, Gentzke, AS, Loretan, CG, Hawkins, NA, & Jamal, A. (2024). Use of Menthol-Flavored Tobacco Products Among US Middle and High School Students: National Youth Tobacco Survey, 2022. *Prev Chronic Dis*, 21, E37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38815049>

Sterling, KL, Ganz, O, Wackowski, OA, Glasser, AM, & Villanti, AC. (2024). Widespread Misperceptions Among U.S. Adults About Tobacco Company Engagement in Black and African American Communities. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38692654>

Eggers, ME, Nonnemaker, JM, Kelly, LK, Ortega-Peluso, C, Anker, E, Lee, J et al. (2024). It's Not Just: Evaluation of a Media Campaign to Motivate Action Around Targeting of Menthol Tobacco in Black Communities. *Prev Chronic Dis*, 21, E24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38603518>

Cheng, YJ, Tsai, J, Cornelius, ME, Mahoney, M, & Neff, LJ. (2024). Sociodemographic and Temporal Differences in Menthol Cigarette Use Among US Adults Who Smoke, 1999-2018. *Prev Chronic Dis*, 21, E20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38547020>

Kim, H, & Lee, D. (2023). Tax incidence for menthol cigarettes by race: Evidence from Nielsen Homescan data. *J Health Econ*, 92, 102829. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37865028>

Burki, TK. (2023). Congressional Black Caucus calls for US-wide menthol cigarette sales ban. *Lancet Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37778367>

Talluri, R, & Shete, S. (2023). Sociodemographic Differences in Menthol Cigarette Use in the United States. *Subst Abus*, 44(1), 91-95. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37226902>

Frost-Pineda, K, & Polster, M. (2023). Commentary: Cigarette dependence in menthol and non-menthol young adult cigarette smokers. *J Addict Dis*, 1-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36607174>

Byron, MJ, Enyioha, C, & Goldstein, AO. (2022). The role of communication research to support policy change: The US menthol ban. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36321785>

Goodwin, RD, Ganz, O, Weinberger, AH, Smith, PH, Wyka, K, & Delnevo, CD. (2022). Menthol cigarette use among adults who smoke cigarettes, 2008 to 2020: Rapid growth and widening inequities in the United States. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36223889>

Kim, MM, & Curtin, GM. (2022). Assessing the Evidence on the Differential Impact of Menthol versus Non-menthol Cigarette Use on Smoking Dependence in the US Population: A Systematic Review and

Meta-analysis. *Am J Health Behav*, 46(4), 376-422. . Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36109861>

Oncken, C, Litt, MD, Thurlow, S, Mead-Morse, EL, Wang, L, & Hatsukami, DK. (2022). Manipulation of Menthol and Nicotine Content in Cigarettes: Effects on Smoking Behavior and Toxicant Exposure in Women Menthol Smokers. *Nicotine Tob Res*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36156108>

Powers, JM, Zale, EL, Deyo, AG, Rubenstein, D, Terry, EL, Heckman, BW, & Ditre, JW. (2022). Pain and Menthol Use Are Related to Greater Nicotine Dependence Among Black Adults Who Smoke Cigarettes at Wave 5 (2018-2019) of the Population Assessment of Tobacco and Health (PATH) Study. *J Racial Ethn Health Disparities*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36171497>

Seaman EL, Corcy N, Chang JT, Chomenko D, Hartman AM, et al. Menthol cigarette smoking trends among United States adults, 2003-2019. *Cancer Epidemiology, Biomarkers & Prevention*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35861654>

Miller Lo EJ, Young WJ, Ganz O, Talbot EM, O'Connor RJ, et al. Trends in overall and menthol market shares of leading cigarette brands in the USA: 2014-2019. *Int J Environ Res Public Health*, 2022; 19(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35206458>

Leas EC, Benmarhnia T, Strong DR, and Pierce JP. Use of menthol cigarettes, smoking frequency, and nicotine dependence among US youth. *JAMA Netw Open*, 2022; 5(6):e2217144. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/35666498>

Ehlike SJ, Ganz O, Kendzor DE, and Cohn AM. Differences between adult sexual minority females and heterosexual females on menthol smoking and other smoking behaviors: Findings from wave 4 (2016-2018) of the population assessment of tobacco and health study. *Addictive Behaviors*, 2022; 129:107265. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35139462>

Mills SD, McGruder CO, and Yerger VB. The African American Tobacco control leadership council: Advocating for a menthol cigarette ban in san francisco, california. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33483378>

Mendez D and Le TTT. Consequences of a match made in hell: The harm caused by menthol smoking to the African American population over 1980-2018. *Tobacco Control*, 2021. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/34535507>

Mantey DS, Chido-Amajuoysi OG, Omega-Njemnobi O, and Montgomery L. Cigarette smoking frequency, quantity, dependence, and quit intentions during adolescence: Comparison of menthol and non-menthol smokers (national youth Tobacco survey 2017-2020). *Addictive Behaviors*, 2021; 121:106986. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34087763>

Jones DM, Kulik MC, Baezconde-Garbanati L, Bullock S, Guy MC, et al. Menthol smoking and nicotine dependence among black/African American women smokers living in low-resource, rural communities. *Int J Environ Res Public Health*, 2021; 18(20). Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/34682623>

Henriksen L, Schleicher NC, and Fortmann SP. Menthol cigarettes in black neighbourhoods: Still cheaper after all these years. *Tobacco Control*, 2021. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/34385403>

Ganz O and Delnevo CD. Cigarette smoking and the role of menthol in Tobacco use inequalities for sexual minorities. Nicotine & Tobacco Research, 2021. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/34255831>

Davis DR, Parker MA, Delnevo CD, and Villanti AC. Examining menthol preference as a correlate of change in cigarette smoking behavior over a one-year period. Int J Environ Res Public Health, 2021; 18(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34682624>

Villanti AC, Johnson AL, Halenar M, Sharma E, Cummings KM, et al. Menthol and mint cigarettes and cigars: Initiation and progression in youth, young adults and adults in waves 1 - 4 of the path study, 2013 - 2017. Nicotine & Tobacco Research, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33159209>

Montgomery L and Webb Hooper M. Gender differences in the association between marijuana and menthol cigarette use among African American adult cigarette smokers. Substance Use & Misuse, 2020; 55(8):1335-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32253967>

Mattingly DT, Hirschtick JL, Meza R, and Fleischer NL. Trends in prevalence and sociodemographic and geographic patterns of current menthol cigarette use among U.S. Adults, 2005-2015. Prev Med Rep, 2020; 20:101227. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33304770>

Mantey DS, Harrell MB, Chen B, Kelder SH, Perry CL, et al. A longitudinal examination of behavioral transitions among young adult menthol and non-menthol cigarette smokers using a three-state markov model. Nicotine & Tobacco Research, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33245357>

Gunawan T and Juliano LM. Differences in smoking topography and subjective responses to smoking among African American and white menthol and non-menthol smokers. Nicotine & Tobacco Research, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32391555>

D'Silva J, O'Gara E, Fryer CS, and Boyle RG. "Because there's just something about that menthol": Exploring African American smokers' perspectives on menthol smoking and local menthol sales restrictions. Nicotine & Tobacco Research, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32827045>

Cwalina SN, Majmundar A, Unger JB, Barrington-Trimis JL, and Pentz MA. Adolescent menthol cigarette use and risk of nicotine dependence: Findings from the national population assessment on Tobacco and health (path) study. Drug and Alcohol Dependence, 2020; 206:107715. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31760252>

Azagba S, King J, Shan L, and Manzione L. Cigarette smoking behavior among menthol and nonmenthol adolescent smokers. Journal of Adolescent Health, 2020; 66(5):545-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31964612>

Kozlitina J, Risso D, Lansu K, Olsen RHJ, Sainz E, et al. An African-specific haplotype in MRGPRX4 is associated with menthol cigarette smoking. PLoS Genetics, 2019; 15(2):e1007916. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30768591>

Cohn AM, Rose SW, D'Silva J, and Villanti AC. Menthol smoking patterns and smoking perceptions among youth: Findings from the population assessment of Tobacco and health study. American Journal of Preventive Medicine, 2019; 56(4):e107-e16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30898227>

Abbasi J. Gene variant associated with menthol cigarette smoking in some African americans. *JAMA*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31166577>

Villanti AC, Gaalema DE, Tidey JW, Kurti AN, Sigmon SC, et al. Co-occurring vulnerabilities and menthol use in U.S. Young adult cigarette smokers: Findings from wave 1 of the path study, 2013-2014. *Preventive Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29890187>

Cuevas AG, Ortiz K, Lopez N, and Williams DR. Assessing racial differences in lifetime and current smoking status & menthol consumption among latinos in a nationally representative sample. *Ethn Health*, 2018:1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29540075>

Cohn AM, Rose SW, Ilakkuvan V, Gray T, Curry L, et al. Harm perceptions of menthol and nonmenthol cigarettes differ by brand, race/ethnicity, and gender in US adult smokers: Results from path wave 1. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29385527>

Brunette MF, Ferron JC, Geiger P, and Villanti AC. Menthol cigarette use in young adult smokers with severe mental illnesses. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29660059>

Smith PH, Akpara E, Haq R, El-Miniawi M, and Thompson AB. Gender and menthol cigarette use in the United States: A systematic review of the recent literature (2011 - May 2017). *Current Addiction Reports*, 2017; 4(4):431-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29497593>

Risso D, Sainz E, Gutierrez J, Kirchner T, Niaura R, et al. Association of tas2r38 haplotypes and menthol cigarette preference in an African American cohort. *Nicotine & Tobacco Research*, 2017; 19(4):493-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27733510>

Bain E. Current use of menthol cigarettes among smokers of factory made cigarettes and roll your own tobacco: Findings from the victorian smoking and health survey 2016. Top Line Report, Melbourne: Centre for Behavioural Research in Cancer, 2017.

Villanti AC, Mowery PD, Delnevo CD, Niaura RS, Abrams DB, et al. Changes in the prevalence and correlates of menthol cigarette use in the USA, 2004–2014. *Tobacco Control*, 2016; 25(Suppl 2):ii14-ii20. Available from: http://tobaccocontrol.bmjjournals.org/content/25/Suppl_2/ii14.abstract

Sterling K, Fryer C, Pagano I, Jones D, and Fagan P. Association between menthol-flavoured cigarette smoking and flavoured little cigar and cigarillo use among African-American, hispanic, and white young and middle-aged adult smokers. *Tobacco Control*, 2016; 25(Suppl 2):ii21-ii31. Available from: http://tobaccocontrol.bmjjournals.org/content/25/Suppl_2/ii21.abstract

Rath JM, Villanti AC, Williams VF, Richardson A, Pearson JL, et al. Correlates of current menthol cigarette and flavored other tobacco product use among U.S. Young adults. *Addictive Behaviors*, 2016; 62:35-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27310032>

Alexander LA, Trinidad DR, Sakuma KL, Pokhrel P, Herzog TA, et al. Why we must continue to investigate menthol's role in the African American smoking paradox. *Nicotine & Tobacco Research*, 2016; 18 Suppl 1:S91-S101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26980870>

Oncken C, Feinn R, Covault J, Duffy V, Dornelas E, et al. Genetic vulnerability to menthol cigarette preference in women. *Nicotine & Tobacco Research*, 2015; 17(12):1416-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25832883>

Giovino GA, Villanti AC, Mowery PD, Seviliemedu V, Niaura RS, et al. Differential trends in cigarette smoking in the USA: Is menthol slowing progress? *Tobacco Control*, 2015; 24(1):28-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23997070>

Fallin A, Goodin AJ, and King BA. Menthol cigarette smoking among lesbian, gay, bisexual, and transgender adults. *American Journal of Preventive Medicine*, 2015; 48(1):93-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25245795>

Delnevo CD, Villanti AC, Wackowski OA, Gundersen DA, and Giovenco DP. The influence of menthol, e-cigarettes and other tobacco products on young adults' self-reported changes in past year smoking. *Tobacco Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26243809>

Rath JM, Villanti AC, Williams VF, Richardson A, Pearson JL, et al. Patterns of longitudinal transitions in menthol use among U.S. Young adult smokers. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25480932>

Delnevo CD, Villanti AC, and Giovino GA. Trends in menthol and non-menthol cigarette consumption in the USA: 2000-2011. *Tobacco Control*, 2014; 23(e2):e154-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24335479>

Curtin GM, Sulsky SI, Van Landingham C, Marano KM, Graves MJ, et al. Patterns of menthol cigarette use among current smokers, overall and within demographic strata, based on data from four U.S. Government surveys. *Regulatory Toxicology and Pharmacology*, 2014; 70(1):189-96. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24997230>

Azagba S and Sharaf MF. Binge drinking and marijuana use among menthol and non-menthol adolescent smokers: Findings from the youth smoking survey. *Addictive Behaviors*, 2014; 39(3):740-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24369112>

Azagba S, Minaker LM, Sharaf MF, Hammond D, and Manske S. Smoking intensity and intent to continue smoking among menthol and non-menthol adolescent smokers in Canada. *Cancer Causes Control*, 2014; 25(9):1093-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24913782>

Reitzel LR, Li Y, Stewart DW, Cao Y, Wetter DW, et al. Race moderates the effect of menthol cigarette use on short-term smoking abstinence. *Nicotine & Tobacco Research*, 2013; 15(5):883-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23288873>

Food & Drug Administration. Preliminary scientific evaluation of the possible public health effects of menthol versus nonmenthol cigarettes. Silver Spring, MD, USA: Center for Tobacco Products, Food and Drug Administration, 2013. Available from: <https://www.fda.gov/media/86497/download>.

Reitzel LR, Nguyen N, Cao Y, Vidrine JI, Daza P, et al. Race/ethnicity moderates the effect of prepartum menthol cigarette use on postpartum smoking abstinence. *Nicotine & Tobacco Research*, 2011; 13(12):1305-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21622498>

Lee YO and Glantz SA. Menthol: Putting the pieces together. *Tobacco Control*, 2011; 20 Suppl 2(suppl. 2):ii1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21504926>

Unger JB, Allen JB, Leonard E, Wenten M, and Cruz TB. Menthol and non-menthol cigarette use among black smokers in southern California. *Nicotine & Tobacco Research*, 2010; 12(4):398-407. Available from: <http://dx.doi.org/10.1093/ntr/ntq016>

Trinidad DR, Pérez-Stable EJ, Messer K, White MM, and Pierce JP. Menthol cigarettes and smoking cessation among racial/ethnic groups in the United States. *Addiction*, 2010; 105:84-94. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03187.x>

Stahre M, Okuyemi KS, Joseph AM, and Fu SS. Racial/ethnic differences in menthol cigarette smoking, population quit ratios and utilization of evidence-based tobacco cessation treatments. *Addiction*, 2010; 105:75-83. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03200.x>

Rock VJ, Davis SP, Thorne SL, Asman KJ, and Caraballo RS. Menthol cigarette use among racial and ethnic groups in the United States, 2004–2008 *Nicotine & Tobacco Research*, 2010; 12(suppl 2):S117–S24. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S117.full

Lawrence D, Rose A, Fagan P, Moolchan ET, Gibson JT, et al. National patterns and correlates of mentholated cigarette use in the United States. *Addiction*, 2010; 105:13-31. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03203.x>

Hersey JC, Nonnemaker JM, and Homsi G. Menthol cigarettes contribute to the appeal and addiction potential of smoking for youth *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S136–S46. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S136.full

Fernander A, Rayens MK, Zhang M, and Adkins S. Are age of smoking initiation and purchasing patterns associated with menthol smoking? *Addiction*, 2010; 105:39-45. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03188.x>

Cubbin C, Soobader M-J, and LeClere FB. The intersection of gender and race/ethnicity in smoking behaviors among menthol and non-menthol smokers in the United States. *Addiction*, 2010; 105:32-8. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03191.x>

Boley Cruz T, Wright LT, and Crawford G. The menthol marketing mix: Targeted promotions for focus communities in the United States *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S147–S53. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S147.full

Stern MK and Wiens BA. Ethnic differences in adolescent perceptions of and attitudes toward substance use. *Journal of Ethnicity in Substance Abuse*, 2009; 8(1):54-69. Available from: <https://doi.org/10.1080/15332640802683417>

Gandhi KK, Foulds J, Steinberg MB, Lu SE, and Williams JM. Lower quit rates among African American and Latino menthol cigarette smokers at a tobacco treatment clinic. *International Journal of Clinical Practice*, 2009; 63(3):360-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19222622>

Kreslake J, Ferris W, Alpert H, Koh H, and Connolly G. Tobacco industry control of menthol in cigarettes and targeting of adolescents and young adults. *American Journal of Public Health* 2008; 98(9):1685–92. Available from:

<http://ajph.aphapublications.org/cgi/content/full/98/9/1685?view=long&pmid=18633084>

Hersey JC, Ng SW, Nonnemaker JM, Mowery P, Thomas KY, et al. Are menthol cigarettes a starter product for youth? *Nicotine & Tobacco Research*, 2006; 8(3):403-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16801298>

Giovino GA, Sidney S, Gfroerer JC, O’Malley PM, Allen JA, et al. Epidemiology of menthol cigarette use. *Nicotine & Tobacco Research*, 2004; 6(Suppl_1):S67-S81. Available from: <http://dx.doi.org/10.1080/14622203710001649696>

Gardiner PS. The African americanization of menthol cigarette use in the United States. Nicotine & Tobacco Research, 2004; 6 Suppl 1(suppl. 1):S55-65. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/14982709>

Chassin L, Corty E, Presson CC, Olshavsky RW, Bensenberg M, et al. Predicting adolescents' intentions to smoke cigarettes. Journal of Health and Social Behavior, 1981; 22(4):445-55. Available from: <http://psycnet.apa.org/record/1982-20896-001>

12.7.5 Effects of menthol on smoking initiation and cessation

Buszkiewicz, JH, Cook, S, Oh, H, Mukerjee, R, Hirschtick, JL, & Fleischer, NL. (2023). A longitudinal analysis of flavored cigar use and cigar smoking cessation among US adults. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38141259>

Munro HM, Shrubsole MJ, Zheng W, Wen W, and Blot WJ. Smoking quit rates among menthol vs non-menthol smokers: Implications regarding a US ban on the sale of menthol cigarettes. Journal of the National Cancer Institute, 2022. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/35445262>

Leas EC, Benmarhnia T, Strong DR, and Pierce JP. Use of menthol cigarettes, smoking frequency, and nicotine dependence among US youth. JAMA Netw Open, 2022; 5(6):e2217144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35666498>

antey DS, Chido-Amajuoyi OG, Omega-Njemnobi O, and Montgomery L. Cigarette smoking frequency, quantity, dependence, and quit intentions during adolescence: Comparison of menthol and non-menthol smokers (national youth Tobacco survey 2017-2020). Addictive Behaviors, 2021; 121:106986. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34087763>

Kotlyar M, Shanley R, Dufresne SR, Corcoran GA, Okuyemi KS, et al. Effects on smoking behavior of switching menthol smokers to non-menthol cigarettes. Nicotine & Tobacco Research, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33983396>

Kim MM and Curtin GM. Assessing the evidence on the differential impact of menthol versus non-menthol cigarette use on smoking cessation in the U.S. Population: A systematic review and meta-analysis. Substance Abuse Treatment, Prevention, and Policy, 2021; 16(1):61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34380503>

Cook S, Hirschtick JL, Patel A, Brouwer A, Jeon J, et al. A longitudinal study of menthol cigarette use and smoking cessation among adult smokers in the US: Assessing the roles of racial disparities and e-cigarette use. Preventive Medicine, 2021; 154:106882. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34793851>

atonski M, Herbec A, Zatonski W, Janik-Koncewicz K, Driezen P, et al. Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco products directive: Findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020; 30(Supplement_3):iii34-iii7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32918816>

Villanti AC, Johnson AL, Halenar M, Sharma E, Cummings KM, et al. Menthol and mint cigarettes and cigars: Initiation and progression in youth, young adults and adults in waves 1 - 4 of the path study,

2013 - 2017. Nicotine & Tobacco Research, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33159209>

Smith PH, Assefa B, Kainth S, Salas-Ramirez KY, McKee SA, et al. Use of mentholated cigarettes and likelihood of smoking cessation in the United States: A meta-analysis. Nicotine & Tobacco Research, 2020; 22(3):307-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31204787>

Schneller LM, Bansal-Travers M, Mahoney MC, McCann SE, and O'Connor RJ. Menthol cigarettes and smoking cessation among adult smokers in the US. Am J Health Behav, 2020; 44(2):252-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32019657>

Mills SD, Hao Y, Ribisl KM, Wiesen CA, and Hassmiller Lich K. The relationship between menthol cigarette use, smoking cessation and relapse: Findings from waves 1 to 4 of the population assessment of Tobacco and health study. Nicotine & Tobacco Research, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33063826>

Mantey DS, Harrell MB, Chen B, Kelder SH, Perry CL, et al. A longitudinal examination of behavioral transitions among young adult menthol and non-menthol cigarette smokers using a three-state markov model. Nicotine & Tobacco Research, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33245357>

Kotlyar M, Shanley R, Dufresne SR, Corcoran GA, Okuyemi KS, et al. Effects on time to lapse of switching menthol smokers to non-menthol cigarettes prior to a cessation attempt: A pilot study. Tobacco Control, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32719011>

Keller PA, D'Silva J, Lien RK, Boyle RG, Kingsbury J, et al. Perceived harm of menthol cigarettes and quitting behaviors among menthol smokers in minnesota. Prev Med Rep, 2020; 20:101269. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33318890>

Cwalina SN, Majmundar A, Unger JB, Barrington-Trimis JL, and Pentz MA. Adolescent menthol cigarette use and risk of nicotine dependence: Findings from the national population assessment on Tobacco and health (path) study. Drug and Alcohol Dependence, 2020; 206:107715. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31760252>

old KW, Jatlow P, Fucito LM, Eid T, Krishnan-Sarin S, et al. Evaluating the effect of switching to non-menthol cigarettes among current menthol smokers: An empirical study of a potential ban of characterising menthol flavour in cigarettes. Tobacco Control, 2020; 29(6):624-30. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/29/6/624.full.pdf>

Azagba S, King J, Shan L, and Manzione L. Cigarette smoking behavior among menthol and nonmenthol adolescent smokers. Journal of Adolescent Health, 2020; 66(5):545-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31964612>

Nonnemaker J, Feirman SP, MacMonegle A, Ambrose BK, Jackson KJ, et al. Examining the role of menthol cigarettes in progression to established smoking among youth. Addictive Behaviors, 2019; 98:106045. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31302310>

Kosiba JD, Hughes MT, LaRowe LR, Zvolensky MJ, Norton PJ, et al. Menthol cigarette use and pain reporting among African American adults seeking treatment for smoking cessation. Exp Clin Psychopharmacol, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30688504>

old KW, Jatlow P, Fucito LM, Eid T, Krishnan-Sarin S, et al. Evaluating the effect of switching to non-menthol cigarettes among current menthol smokers: An empirical study of a potential ban of characterising menthol flavour in cigarettes. *Tobacco Control*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31685586>

Jao NC, Tan MM, Matthews PA, Simon MA, Schnoll R, et al. Menthol cigarettes, tobacco dependence, and smoking persistence: The need to examine enhanced cognitive functioning as a neuropsychological mechanism. *Nicotine & Tobacco Research*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30551213>

Buckell J, Marti J, and Sindelar JL. Should flavours be banned in cigarettes and e-cigarettes? Evidence on adult smokers and recent quitters from a discrete choice experiment. *Tobacco Control*, 2018.

Available from:

<http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/early/2018/05/28/tobaccocontrol-2017-054165.full.pdf>

Villanti AC, Collins LK, Niaura RS, Gagopian SY, and Abrams DB. Menthol cigarettes and the public health standard: A systematic review. *BMC Public Health*, 2017; 17(1):983. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29284458>

D'Silva J, Cohn AM, Johnson AL, and Villanti AC. Differences in subjective experiences to first use of menthol and non-menthol cigarettes in a national sample of young adult cigarette smokers. *Nicotine & Tobacco Research*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059351>

Giovino GA, Villanti AC, Mowery PD, Seviliemedu V, Niaura RS, et al. Differential trends in cigarette smoking in the USA: Is menthol slowing progress? *Tobacco Control*, 2015; 24(1):28-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23997070>

Thihalolipavan S, Jung M, Jasek J, and Chamany S. Menthol smokers in large-scale nicotine replacement therapy program. *American Journal of Public Health*, 2014; 104(11):e3-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25211736>

Sulsky SI, Fuller WG, Van Landingham C, Ogden MW, Swauger JE, et al. Evaluating the association between menthol cigarette use and the likelihood of being a former versus current smoker. *Regulatory Toxicology and Pharmacology*, 2014; 70(1):231-41. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25017361>

Rath JM, Villanti AC, Williams VF, Richardson A, Pearson JL, et al. Patterns of longitudinal transitions in menthol use among U.S. Young adult smokers. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25480932>

Lewis M, Wang Y, and Berg CJ. Tobacco control environment in the United States and individual consumer characteristics in relation to continued smoking: Differential responses among menthol smokers? *Preventive Medicine*, 2014; 65:47-51. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/24780527>

Kasza KA, Hyland AJ, Bansal-Travers M, Vogl LM, Chen J, et al. Switching between menthol and nonmenthol cigarettes: Findings from the u.S. Cohort of the international tobacco control four country survey. *Nicotine & Tobacco Research*, 2014; 16(9):1255-65. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24984878>

- Curtin GM, Sulsky SI, Van Landingham C, Marano KM, Graves MJ, et al. Measures of initiation and progression to increased smoking among current menthol compared to non-menthol cigarette smokers based on data from four U.S. Government surveys. *Regulatory Toxicology and Pharmacology*, 2014; 70(2):446-56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25111576>
- Nonnemaker J, Hersey J, Homsi G, Busey A, Allen J, et al. Initiation with menthol cigarettes and youth smoking uptake. *Addiction*, 2013; 108(1):171-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22862154>
- Reitzel LR, Nguyen N, Cao Y, Vidrine JI, Daza P, et al. Race/ethnicity moderates the effect of prepartum menthol cigarette use on postpartum smoking abstinence. *Nicotine & Tobacco Research*, 2011; 13(12):1305-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21622498>
- Trinidad DR, Pérez-Stable EJ, Messer K, White MM, and Pierce JP. Menthol cigarettes and smoking cessation among racial/ethnic groups in the United States. *Addiction*, 2010; 105:84-94. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03187.x>
- Hooper M, Zhao W, Byrne M, Davila E, Caban-Martinez A, et al. Menthol cigarette smoking and health, florida 2007 brfss. *American Journal of Health Behavior*, 2010; 35(1):3–14. Available from: <http://www.atypon-link.com/PNG/doi/pdf/10.5555/ajhb.2011.35.1.3>
- Hersey JC, Nonnemaker JM, and Homsi G. Menthol cigarettes contribute to the appeal and addiction potential of smoking for youth *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S136–S46. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S136.full
- Gardiner P and Clark PI. Menthol cigarettes: Moving toward a broader definition of harm *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S85–S93. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S85.full
- Foulds J, Webb Hooper M, Pletcher MJ, and Okuyemi KS. Do smokers of menthol cigarettes find it harder to quit smoking? *Nicotine & Tobacco Research*, 2010; 12(suppl. 2):S102–S9. Available from: http://ntr.oxfordjournals.org/content/12/suppl_2/S102.full
- Fernander A, Rayens MK, Hahn E, Zhang M, and Adkins SM. Menthol smoking, smoke-free policies and cessation services. *Addiction*, 2010; 105:105-14. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03189.x>
- Fagan P, Moolchan ET, Hart JA, Rose A, Lawrence D, et al. Nicotine dependence and quitting behaviors among menthol and non-menthol smokers with similar consumptive patterns. *Addiction*, 2010; 105:55-74. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03190.x>
- Alexander LA, Crawford T, and Mendiondo MS. Occupational status, work-site cessation programs and policies and menthol smoking on quitting behaviors of US smokers. *Addiction*, 2010; 105:95-104. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2010.03227.x>
- [No authors listed]. Special issue: The role of mentholated cigarettes in smoking behaviors in United States populations. *Addiction*, 2010; 105(S1):1–140. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/add.2010.105.issue-s1/issuetoc>
- Gandhi KK, Foulds J, Steinberg MB, Lu SE, and Williams JM. Lower quit rates among African American and Latino menthol cigarette smokers at a tobacco treatment clinic. *International Journal of Clinical Practice*, 2009; 63(3):360-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19222622>

Hersey JC, Ng SW, Nonnemaker JM, Mowery P, Thomas KY, et al. Are menthol cigarettes a starter product for youth? *Nicotine & Tobacco Research*, 2006; 8(3):403-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16801298>

12.7.6 Use and perceptions of menthol cigarettes in Australia

Scully M, Wakefield M, Scollo M, Durkin S, and White V. Prevalence and correlates of flavour capsule cigarette use among Australian adolescents. *Health Promotion Journal of Australia*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34957625>

Mancuso S, Brennan E, Dunstone K, Vittiglia A, Durkin S, et al. Australian smokers' sensory experiences and beliefs associated with menthol and non-menthol cigarettes. *Int J Environ Res Public Health*, 2021; 18(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34063735>

White V WT. Tobacco use among Australian secondary school students 2014 Victoria: Centre for Behavioural Research in Cancer, Cancer Council Victoria 2015.

King B, White V, Balmford J, Cooper J, and Borland R. The decline of menthol cigarette smoking in Australia, 1980-2008. *Nicotine & Tobacco Research*, 2012; 14(10):1213-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22416116>

King W, Carter SM, Borland R, Chapman S, and Gray N. The Australian tar derby: The origins and fate of a low tar harm reduction programme. *Tobacco Control*, 2003; 12 Suppl 3(suppl. 3):iii61-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/14645950>

Carter SM. Going below the line: Creating transportable brands for Australia's dark market. *Tobacco Control*, 2003; 12 Suppl 3(suppl. 3):iii87-94. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/14645953>

Harper T. Marketing life after advertising bans. *Tobacco Control*, 2001; 10(2):196-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11387544>

Carter S. Ad watch: Worshipping at the alpine altar: Promoting tobacco in a world without advertising. *Tobacco Control*, 2001; 10(4):391-3. Available from: <http://tobaccocontrol.bmj.com/cgi/content/extract/10/4/391>

Ruff R. Philip Morris limited (Australia) C.I. Report no. 84. Philip Morris 1994. Available from: <https://www.industrydocuments.ucsf.edu/tobacco/docs/#id=lycn0130>

12.7.7 Regulation of menthol in tobacco products

Kreslake, JM, Cordova, J, Seidenberg, AB, Ali, FRM, Schillo, B, & Marynak, K. (2024). Youth and young adult flavour expectancies for new 'non-menthol' cigarettes introduced following California's ban on flavoured tobacco products. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39256037>

Freitas-Lemos, R, Tegge, AN, Tomlinson, DC, Athamneh, LN, Stein, JS, Stepanov, I et al. (2024). Restrictions of cigarette and e-cigarette flavor and filter ventilation on demand and substitution in the Experimental Tobacco Marketplace. *Drug Alcohol Depend*, 263, 112422. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39226822>

Marshall, LL, Norman, L, Rose, SW, & Tseng, TS. (2024). Preventing Chronic Disease Collection: From Data to Action: National, State, and Local Efforts to End Menthol and Other Flavored Commercial Tobacco Product Use. *Prev Chronic Dis*, 21, E39. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38815047>

Mei, KA, Shin, H, & Smiley, SL. (2024). Commercial Tobacco Retailers Need to Be Included in Research on Policies Restricting the Sale of Menthol Cigarettes. *Nicotine Tob Res*, 26(Supplement_2), S143-S146. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817023>

Yang, Y, Lindblom, EN, Ward, KD, & Salloum, RG. (2024). Would banning menthol cigarettes, flavored cigars, and flavored e-cigarettes prompt users to seek illicit channels for obtaining them in the United States? *Prev Med*, 183, 107954. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38621422>

Kim, H, & Lee, D. (2023). Tax incidence for menthol cigarettes by race: Evidence from Nielsen Homescan data. *J Health Econ*, 92, 102829. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37865028>

Meza, LR, Galimov, A, Sussman, S, Goniewicz, ML, Page, MK., & Leventhal, A. (2023). Proliferation of 'non-menthol' cigarettes amid a state-wide flavour ban. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37474314>

Xue, Z, Okitondo, CAsare, S, Bandi, P, Patel, M, & Nargis, N. (2023). Association between cigarette sales in the USA and FDA's announcement of its intention to prohibit menthol as a characterising flavour in cigarettes. *Tob Control* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37487706>

12.7.7.1 Aims and approaches to regulating menthol in tobacco products

Mazhar, L, Foulds, J, Allen, SI, Veldheer, S, Hrabovsky, S, & Yingst, JM. (2024). Likely Response to a Hypothetical Menthol Cigarette Ban Among Adults with Mood Disorders Who Smoke Menthol Cigarettes and Have No Current Plans to Quit Smoking. *Int J Environ Res Public Health*, 21(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595743>

Kathuria, H, Ewart, G, Neptune, ER, & Upson, D. (2024). Unveiling the Tobacco Industry's Exploitative Legacy: A Call for Racial Equity through a Menthol Ban. *Ann Am Thorac Soc*, 21(9), 1245-1246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39212422>

Smiley, SL, & Rose, SW. (2024). What Will It Take to Achieve Equity in Policies Restricting Menthol and Other Flavored Nicotine and Commercial Tobacco Products? *Nicotine Tob Res*, 26(Supplement_2), S61-S64. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817029>

Kyriakos, CN, Chung-Hall, J, Craig, LV, & Fong, GT. (2023). Optimising a product standard for banning menthol and other flavours in tobacco products. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37945342>

Erinoso O, Clegg Smith K, Iacobelli M, Saraf S, Welding K, et al. Global review of tobacco product flavour policies. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414867>

World Health Organization. Advisory note: Banning menthol in tobacco products. Geneva, Switzerland: World Health Organization, 2016 Available from:
http://apps.who.int/iris/bitstream/10665/205928/1/9789241510332_eng.pdf.

12.7.7.2 International progress in banning menthol in tobacco products

Furlow, B. (2024). Biden administration delays long-awaited ban on menthol cigarettes. *Lancet Oncol*, 25(6), 698-699. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38705165>

Furlow, B. (2023). US Government finally moves to ban menthol cigarettes. *Lancet Respir Med*, 11(12), 1048-1049. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37924829>

Burki, TK. (2023). Congressional Black Caucus calls for US-wide menthol cigarette sales ban. *Lancet Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37778367>

Pasha A and Silbert R. Fresh take: Pitfalls of the fda's proposed menthol ban. *The Journal of Law, Medicine & Ethics*, 2022; 50(1):60-6. Available from: <https://pubmed.ncbi.nlm.nih.gov/35244006/>

Kyriakos CN, Fong GT, de Abreu Perez C, Szklo AS, Driezen P, et al. Brazilian smokers are ready for the ban on flavour additives in tobacco to be implemented. *Preventive Medicine*, 2022; 160:107074. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35550839>

Chaiton MO, Cunningham R, Hagen L, Dubray J, and Borland T. Taking global leadership in banning menthol and other flavours in tobacco: Canada's experience. *Tobacco Control*, 2022; 31(2):202-11. Available from: <https://pubmed.ncbi.nlm.nih.gov/35241589/>

Butler M. Speech by health and aged care minister mark butler 10th anniversary of tobacco plain packaging.: Australian Government, 2022. Available from: <https://www.croakey.org/wp-content/uploads/2022/12/ButlerSpeechTobacco.pdf>.

Gee RE. Shortcomings of the food and drug administration guidance addressed by congress 2020 hr 2339. *American Journal of Public Health*, 2020; 110(6):776-7. Available from:
<https://pubmed.ncbi.nlm.nih.gov/32374703/>

Oliveira da Silva AL, Bialous SA, Albertassi PGD, Arquete D, Fernandes A, et al. The taste of smoke: Tobacco industry strategies to prevent the prohibition of additives in tobacco products in Brazil. *Tobacco Control*, 2019; 28(e2):e92-e101. Available from:
<https://pubmed.ncbi.nlm.nih.gov/31152115/>

Erku DA and Tesfaye ET. Tobacco control and prevention efforts in ethiopia pre- and post-ratification of WHO FCTC: Current challenges and future directions. *Tobacco Induced Diseases*, 2019; 17:13. Available from: <https://pubmed.ncbi.nlm.nih.gov/31582924/>

World Health Organization (WHO). Case studies for regulatory approaches to tobacco products: Menthol in tobacco products. WHO/NMH/PND, 18.1 Licence: CC BY-NC-SA 3.0 IGO. 2018. Available from: <https://apps.who.int/iris/handle/10665/260417>.

12.7.7.3 Evidence for the effects of international menthol bans

N. Kyriakos, C. Filippidis, FT, East, KA, Reid, JL, Driezen, P, & Hammond, D. (2024). Use of Menthol Cigarettes and Accessories Among Youth Who Smoked After the Menthol Cigarette Ban in England and Canada, 2021: Implications for Health Equity. *Nicotine Tob Res*, 26(Supplement_2), S133-S142. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817031>

Yang, Y. (2024). An Estimation of the Prevalence of Smoking and e-Cigarette Use among U.S. Adults If Menthol Cigarettes and Flavored Cigars Are Banned. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38725334>

Driezen, P, Gravely, S, Kasza, KA, Thompson, ME, Cummings, KM, Hyland, A, & Fong, GT. (2024). Prevalence of menthol cigarette use among adults who smoke from the United States by census division and demographic subgroup, 2002-2020: findings from the International Tobacco Control (ITC) project. *Popul Health Metr*, 22(1), 6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38594706>

Erath, TG, Schulz, JA, Hinton, A, Mehta, T, Reed, DD, Tidey, JW et al. (2024). Examining the predictive utility of behavioral economic demand indices and subjective effects on the actualized reinforcing value of menthol cigarettes and potential alternatives. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38616654>

Erinosa, O, Brown, JL, Glasser, AM, Gravely, S, Fong, GT, Chung-Hall, J et al (2024). Evidence-based post-ban research to inform effective menthol cigarette bans in the United States and other jurisdictions. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38613422>

Bold, KW, Sharma, A, Haeny, A, Gueorguieva, R, Buta, E, Baldassarri, S et al. (2024). A randomized controlled trial of potential tobacco policies prohibiting menthol flavor in cigarettes and e-cigarettes: a study protocol. *BMC Psychiatry*, 24(1), 201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38475757>

Buss, VH, Tattan-Birch, H, Cox, S, Bauld, L, Shahab, L, & Brown, J. (2024). Smoking prevalence and purchasing of menthol cigarettes since the menthol flavour ban in Great Britain: a population-based survey between 2020 and 2023. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38471775>

Mills, SD, Peddireddy, S, Kurtzman, R, Hill, F, Catalan, V, Bissram, JS, & Ribisl, KM. (2024). The Impact of Menthol Cigarette Bans: A Systematic Review and Meta-Analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38379278>

Smiley, SL, & Shin, H. (2024). Motivation to Quit Smoking Among Black Adults Residing in Los Angeles County Communities With Menthol Cigarette Sales Restrictions. *Subst Use Misuse*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38226661>

Tam, J, Jimenez Mendoza, E, Buckell, J, Sindelar, J, & Meza, R. (2023). Responses to real-world and hypothetical menthol flavor bans among US young adults who smoke menthol cigarettes. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38147008>

Freitas-Lemos, R, Tegge, AN, Tomlinson, DC, Yeh, YH, Stein, JS, Michael Cummings, K et al. (2023). Illegal product purchasing in the experimental tobacco marketplace: Effects of menthol cigarette and cigarette ventilation ban. *Drug Alcohol Depend*, 253, 111015. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37951005>

Shadel, WG, Setodji, CM, Martino, SC, Dunbar, M, Jenson, D, Bialas, A, & Li, R. (2023). Does removing menthol cigarettes in convenience stores reduce susceptibility to cigarette smoking? An experimental investigation in young people. *Drug Alcohol Depend*, 251, 110938. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37651811>

Asare, S, Xue, Z, Bandi, P, Westmaas, JL, Jemal, A, & Nargis, N. (2023). Association of nicotine replacement therapy product sales with menthol cigarette sales restriction in Massachusetts. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37160349>

Booras, A, Wiener, RS, Maccarone, J, Stokes, AC, Fetterman, JL, Hamburg, NM et al. (2023). A Longitudinal Study of Perceptions of the Massachusetts Menthol Ban and Its Impact on Smoking Behaviors among Marginalized Individuals. *Int J Environ Res Public Health*, 20(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37239518>

Slater, S, Pugach, O, Rogers, T, Barker, DC, Ross, A, Tworek, C et al. (2023). Changes in Retail Tobacco Product Availability Following a Chicago City Ordinance Restricting Sales of Menthol and Other Flavored Tobacco Products Near Schools. *Health Educ Behav*, 10901981231168872. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37165868>

Kyriakos CN, Driezen P, Fong G, Chung-Hall J, Hyland A, et al. Impact of the European union's menthol cigarette ban on smoking cessation outcomes: Longitudinal findings from the 2020-2021 itc Netherlands surveys. *Tobacco Control*, 2022. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/36163172>

Kingsley M, McGinnes H, Song G, Doane J, and Henley P. Impact of Massachusetts' statewide sales restriction on flavored and menthol tobacco products on tobacco sales in Massachusetts and surrounding states, June 2020. *American Journal of Public Health*, 2022; 112(8):1147-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35830660>

Fong GT, Chung-Hall J, Meng G, Craig LV, Thompson ME, et al. Impact of Canada's menthol cigarette ban on quitting among menthol smokers: Pooled analysis of pre-post evaluation from the itc project and the Ontario menthol ban study and projections of impact in the USA. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35483720>

East KA, Reid JL, Burkhalter R, Kock L, Hyland A, et al. Evaluating the outcomes of the menthol cigarette ban in England by comparing menthol cigarette smoking among youth in England, Canada, and the US, 2018-2020. *JAMA Network Open*, 2022; 5(5):e2210029. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35503218>

Chaiton MO, Cunningham R, Hagen L, Dubray J, and Borland T. Taking global leadership in banning menthol and other flavours in tobacco: Canada's experience. *Tobacco Control*, 2022; 31(2):202-11. Available from: <https://pubmed.ncbi.nlm.nih.gov/35241589/>

Asare S, Majmundar A, Westmaas JL, Bandi P, Xue Z, et al. Association of cigarette sales with comprehensive menthol flavor ban in Massachusetts. *JAMA Internal Medicine*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34982100>

Ali FRM, King BA, Seaman EL, Vallone D, and Schillo B. Impact of Massachusetts law prohibiting flavored tobacco products sales on cross-border cigarette sales. PloS One, 2022; 17(9):e0274022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36099316>

Li Y, Sisti J, Florez KR, Albrecht SS, Viswanath A, et al. Assessing the health and economic impact of a potential menthol cigarette ban in New York city: A modeling study. Journal of Urban Health, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34751902>

Levy DT, Meza R, Yuan Z, Li Y, Cadham C, et al. Public health impact of a US ban on menthol in cigarettes and cigars: A simulation study. Tobacco Control, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34475258>

Gammon DG, Rogers T, Gaber J, Nonnemacher JM, Feld AL, et al. Implementation of a comprehensive flavoured tobacco product sales restriction and retail tobacco sales. Tobacco Control, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34088881>

Chung-Hall J, Fong GT, Meng G, Cummings KM, Hyland A, et al. Evaluating the impact of menthol cigarette bans on cessation and smoking behaviours in Canada: Longitudinal findings from the canadian arm of the 2016-2018 itc four country smoking and vaping surveys. Tobacco Control, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33820856>

Chaiton M, Schwartz R, Cohen JE, Soule E, Zhang B, et al. Prior daily menthol smokers more likely to quit 2 years after a menthol ban than non-menthol smokers: A population cohort study. Nicotine & Tobacco Research, 2021; 23(9):1584-9. Available from: <https://pubmed.ncbi.nlm.nih.gov/33693745/>

Yang Y, Lindblom EN, Salloum RG, and Ward KD. The impact of a comprehensive tobacco product flavor ban in san francisco among young adults. Addictive behaviors reports, 2020; 11:100273. Available from: <https://pubmed.ncbi.nlm.nih.gov/32368612/>

Guillory J, Kim AE, Nonnemacher JM, Bradfield B, Taylor NH, et al. Effect of menthol cigarette and other menthol tobacco product bans on tobacco purchases in the rti ishoppe virtual convenience store. Tobacco Control, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167902>

Chaiton MO, Nicolau I, Schwartz R, Cohen JE, Soule E, et al. Ban on menthol-flavoured tobacco products predicts cigarette cessation at 1 year: A population cohort study. Tobacco Control, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31147474>

Stoklosa M. No surge in illicit cigarettes after implementation of menthol ban in nova scotia. Tobacco Control, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30309981>

Czaplicki L, Cohen JE, Jones MR, Clegg Smith K, Rutkow L, et al. Compliance with the city of chicago's partial ban on menthol cigarette sales. Tobacco Control, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29853559>

Levy DT, Pearson JL, Villanti AC, Blackman K, Vallone DM, et al. Modeling the future effects of a menthol ban on smoking prevalence and smoking-attributable deaths in the United States. American Journal of Public Health, 2011; 101(7):1236-40. Available from:

<https://pubmed.ncbi.nlm.nih.gov/21566034/>

12.7.7.4 Tobacco industry responses to international menthol bans

Silver, NA, Kierstead, EC, Emery, SL, Binns, S, Guy, MC, & Schillo, B. (2024). Reframing social media discourse following the FDA's menthol ban announcement as industry agenda setting rather than public sentiment. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39059817>

Jabba, SV, Erythropel, HC, Anastas, PT, Zimmerman, JB, & Jordt, SE. (2023). Synthetic Cooling Agent and Other Flavor Additives in "Non-Menthol" Cigarettes Marketed in California and Massachusetts After Menthol Cigarette Bans. *JAMA*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37812408>

Giovenco, DP, Ganz, O, Chen-Sankey, J, & Delnevo, CD. (2023). Camel Crush pack inserts cross-promote Vuse menthol e-cigarettes ahead of impending menthol cigarette ban. *Tob Control*.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37702704>

Page, MK, Paul, EE, Leigh, NJ, Meza, LR Galimov, A, Sussman, S et al. (2023). Still 'Cool': tobacco industry responds to state-wide menthol ban with synthetic coolants. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37500508>

Jabba, SV, Erythropel, H C, Anastas, PT, Zimmerman, JB, & Jordt, SE. (2023). Synthetic Cooling Agent and Candy Flavors in California-marketed "non-Menthol" Cigarettes. *bioRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37292602>

Denlinger-Apte, RL, Strahley, AE, Lockhart, DE, Wiseman, KD, Cassidy, RN, Davis, DR et al. (2023). Reactions to using other nicotine and tobacco products instead of menthol cigarettes: A qualitative study of people who smoke menthol cigarettes in the United States. *Prev Med Rep*, 34, 102228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37228835>

Sóñora G, Reynales-Shigematsu LM, Barnoya J, Llorente B, Szklo AS, et al. Achievements, challenges, priorities and needs to address the current tobacco epidemic in latin America. *Tobacco Control*, 2022; 31(2):138-41. Available from: <https://pubmed.ncbi.nlm.nih.gov/35241577/>

Pasha A and Silbert R. Fresh take: Pitfalls of the fda's proposed menthol ban. *The Journal of Law, Medicine & Ethics*, 2022; 50(1):60-6. Available from: <https://pubmed.ncbi.nlm.nih.gov/35244006/>

Glantz S. Escape from menthol regulation., 2022. Available from:

[https://profglantz.files.wordpress.com/2022/11/escape-from-menthol-regulation.pdf.](https://profglantz.files.wordpress.com/2022/11/escape-from-menthol-regulation.pdf)

Chaiton MO, Cunningham R, Hagen L, Dubray J, and Borland T. Taking global leadership in banning menthol and other flavours in tobacco: Canada's experience. *Tobacco Control*, 2022; 31(2):202-11. Available from: <https://pubmed.ncbi.nlm.nih.gov/35241589/>

Branston JR, Hiscock R, Silver K, Arnott D, and Gilmore AB. Cigarette-like cigarillo introduced to bypass taxation, standardised packaging, minimum pack sizes, and menthol ban in the UK. *Tobacco Control*, 2021; 30(6):708-11. Available from: <https://pubmed.ncbi.nlm.nih.gov/32848080/>

Hiscock R, Silver K, Zatonski M, and Gilmore AB. Tobacco industry tactics to circumvent and undermine the menthol cigarette ban in the UK. *Tobacco Control*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32418921>

Chaiton MO, Schwartz R, Cohen JE, Soule E, Zhang B, et al. The use of flavour cards and other additives after a menthol ban in Canada. *Tobacco Control*, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32709606>

Oliveira da Silva AL, Bialous SA, Albertassi PGD, Arquete D, Fernandes A, et al. The taste of smoke: Tobacco industry strategies to prevent the prohibition of additives in tobacco products in Brazil. *Tobacco Control*, 2019; 28(e2):e92-e101. Available from: <https://pubmed.ncbi.nlm.nih.gov/31152115/>

Guillory J, Kim AE, Nonnemaker JM, Bradfield B, Taylor NH, et al. Effect of menthol cigarette and other menthol tobacco product bans on tobacco purchases in the rti ishoppe virtual convenience store. *Tobacco Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167902>

Borland T, D'Souza SA, O'Connor S, Chaiton MO, and Schwartz R. Is blue the new green? Repackaging menthol cigarettes in response to a flavour ban in Ontario, Canada. *Tobacco Control*, 2018. Available from: <https://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/early/2018/10/30/tobaccocontrol-2018-054454.full.pdf>

News:

12.7 Menthol

No authors listed. (2024). *Menthol: Facts, stats, and regulations*. Retrieved from Washington, DC: <https://truthinitiative.org/research-resources/traditional-tobacco-products/menthol-facts-stats-and-regulations>

No authors listed. Why ending menthol cigarette sales would benefit disproportionately affected groups. *Truth Initiative*, 2023. Sept 23, 2022. Retrieved from <https://truthinitiative.org/research-resources/traditional-tobacco-products/why-ending-menthol-cigarette-sales-would-benefit>

No authors listed. R.J. Reynolds Pivots to New Cigarette Pitches as Flavor Ban Takes Effect. *DNYUZ*, 2023. Jan 11, 2023. Retrieved from <https://dnyuz.com/2023/01/11/r-j-reynolds-pivots-to-new-cigarette-pitches-as-flavor-ban-takes-effect/#:~:text=R.J.%20Reynolds%20Pivots%20to%20New%20Cigarette%20Pitches%20as,on%20a%20Offer%20mailed%20to%20its%20cigarette%20customers.>

No authors listed. The use of flavours in tobacco products - brief and research summary. University of Bath, 2022. Available from: <https://www.bath.ac.uk/announcements/the-use-of-flavours-in-tobacco-products-brief-and-research-summary/>

No authors listed. Flavoured and menthol Tobacco. Tobacco Tactics, 2022. Available from: <https://tobaccotactics.org/wiki/flavoured-and-menthol-tobacco/>

Stein F. Jti unveils menthol cigarillo. Scottish Local Retailer, 2020. Available from: <https://www.slrmag.co.uk/sterling-dual-capsule-leaf-wrapped/>

Paul M. Philip Morris says Irish ad for ‘menthol blend’ cigarettes a ‘mistake’. The Irish Times, 2020. Available from: <https://www.irishtimes.com/business/retail-and-services/philip-morris-says-irish-ad-for-menthol-blend-cigarettes-a-mistake-1.4282786>

12.7.1 Use of menthol in tobacco products

Martin T. Bidi cigarette risks. Verywellmind, 2021. Last update: Viewed Available from: <https://www.verywellmind.com/are-bidi-cigarettes-safe-to-smoke-2825285>

Wagener TL. Addiction and behavior related to menthol cigarette substitutes. 2018. Last update: Viewed Available from: <https://reporter.nih.gov/search/GTOSOJZaMUaff3XjEeXCUg/project-details/9991276>.

Migala J. Menthol cigarettes could be even worse than regular cigarettes. Vice.com, 2018. Available from: https://www.vice.com/en_au/article/4374y3/menthol-cigarettes-could-be-even-worse-than-regular-cigarettes

European Network for Smoking and Tobacco Prevention. Fact sheet on characterising flavours in tobacco products. ENSP Fact Sheet Series #1/2018, 2018. Available from:

https://drive.google.com/file/d/1Wz_146XRwG_3QY0fOjQoWRsGz8VGQojj/view

California Department of Public Health. Menthol and cigarettes. What is menthol and how is it used?, CDPH, Editor 2017.

Tobacco Products Scientific Advisory Committee. Menthol cigarettes and public health: Review of the scientific evidence and recommendations. FDA, 2011. Last update: Viewed Available from: <https://wayback.archive-it.org/7993/20170405201731/https://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/TobaccoProductsScientificAdvisoryCommittee/UCM269697.pdf>.

SCENHIR. Tobacco additives. 2010. Last update: Viewed 13/03/2018. Available from: https://ec.europa.eu/health/scientific_committees/opinions_layman/tobacco/en/about.htm#7.

Market Science Associates Inc. The growth of menthols 330000-770000. Brown & Williamson Records 1996. Last update: Viewed Available from: <https://www.industrydocuments.ucsf.edu/docs/pzkj0136>

Ruff R. Report no. 84. Philip Morris. Bates No: 2057967669/7753 1994. Last update: Viewed Available from: <https://www.industrydocuments.ucsf.edu/tobacco/docs/#id=lycn0130>.

12.7.2 The effects of added menthol in tobacco products

Food & Drug Administration. Menthol and other flavors in tobacco products. 2021. Last update: Viewed Available from: <https://www.fda.gov/tobacco-products/products-ingredients-components/menthol-and-other-flavors-tobacco-products>.

Food and Drug Administration. Flavors in Tobacco products: What are the potential risks and benefits to public health? FDA 2018. Last update: 18 July 2018; Viewed 3 August 2018. Available from:

<https://www.fda.gov/TobaccoProducts/Labeling/ProductsIngredientsComponents/ucm611737.htm>.

12.7.2.1 Increasing the addictiveness of tobacco products

U.S. National Library of Medicine. Nicotine delivery rate and its abuse potential: Impact of menthol. Clinical Trials 2018. Last update: Viewed 9 July 2018. Available from:
https://clinicaltrials.gov/ct2/show/NCT03580525?sfpd_s=05%2F23%2F2018&sfpd_d=60.

Gray S. Investigators compare effects of nicotine with and without menthol on brain and behavior. Medical Xpress, 2017. Available from: <https://medicalxpress.com/news/2017-11-effects-nicotine-menthol-brain-behavior.html>

12.7.2.2 Increasing the attractiveness of tobacco products

Angst, M, Platcha, A, & Miller, M. ‘Heavy hit’ or ‘major milestone’? California’s flavored tobacco ban begins with mixed reviews. *The Sacramento Bee*, 2022. Dec 23, 2023. Retrieved from <https://www.sacbee.com/news/politics-government/capitol-alert/article270285072.html>

Sykes, S. Supreme Court upholds California ban on flavored tobacco. CNBC, 2022. December 12 2022. Retrieved from <https://www.cnbc.com/2022/12/12/supreme-court-upholds-california-ban-on-flavored-tobacco.html>

Watson, J. Big tobacco tries to stop California flavored tobacco ban. ABC News., 2022. November 30, 2022. Retrieved from <https://abcnews.go.com/Health/wireStory/big-tobacco-stop-california-flavored-tobacco-ban-94176487>

Tiedemann M and Wall T. 40th parliament, 2nd session. Legislative summary of bill c-32: An act to amend the Tobacco Act. 2009. Last update: Viewed Available from:
https://lop.parl.ca/sites/PublicWebsite/default/en_CA/ResearchPublications/LegislativeSummaries/402LS648E#flavoured.

12.7.2.3 Health effects of menthol tobacco products

No authors listed. ‘Not just a flavoring:’ Menthol and nicotine, combined, desensitize airway receptors BrightSurf, 2015. Available from:
http://www.brightsurf.com/news/headlines/110308/Not_just_a_flavoring_Menthol_and_nicotine_combined_desensitize_airway_receptors_.html

Neumann J. Menthol cigarettes no safer than regular tobacco – and maybe riskier. Reuters, 2014. Available from: <http://www.reuters.com/article/2014/11/04/us-menthol-tobacco-copd-idUSKBN0IO21A20141104>

12.7.3 Consumer perceptions of menthol tobacco products

Rose S. How Twitter can help de-normalize menthol cigarettes. Truth Initiative (American Legacy Foundation), 2017. Available from: <https://truthinitiative.org/research/how-twitter-can-help-de-normalize-menthol-cigarettes>

12.7.4 Menthol cigarettes used by specific groups of people

Boyles S. Survey: Flavored Tobacco product use rises in teens. Med Page Today, 2019. Available from: https://www.medpagetoday.com/pulmonology/smoking/77297?xid=nl_mpt_DHE_2019-01-08&eun=g220600d0r&pos=1&utm_source=Sailthru&utm_medium=email&utm_campaign=Daily%20Headlines%202019-01-08&utm_term=NL_Daily_DHE_Active

No authors listed. ‘Black lives / black lungs’ documentary shows how menthol tobacco ended up in black communities. Truth Initiative (American Legacy Foundation), 2017. Available from: <https://truthinitiative.org/news/black-lives-black-lungs-documentary-shows-menthol-in-black-communities>

listed Na. #nomentholmondays: The targeted marketing of menthols and African-American history. Truth Initiative (American Legacy Foundation), 2016. Available from: <http://truthinitiative.org/news/nomentholmondays-targeted-marketing-menthols-and-african-american-history>

Doyle K. Most tobacco-using teens start with flavored products. Reuters, 2015. Available from: <http://www.reuters.com/article/2015/10/27/us-health-teens-smoking-idUSKCN0SL2B220151027>

RJ Reynolds. Project scum. Master settlement agreement. . 1995. Last update: Viewed Available from: <https://www.industrydocuments.ucsf.edu/docs/sfck0098>.

12.7.5 Effects of menthol on smoking initiation and cessation

Wagener TL. Addiction and behavior related to menthol cigarette substitutes. 2018. Last update: Viewed Available from: <https://reporter.nih.gov/search/GTOSOJZaMUaff3XjEeXCUg/project-details/9991276>.

Graham A. What a ban on flavored Tobacco means for your quit-smoking program. Ex Program, 2018. Available from: <https://www.theexprogram.com/resources/blog/what-a-ban-on-flavored-tobacco-means-for-your-quit-smoking-program>

Doyle K. Most tobacco-using teens start with flavored products. Reuters, 2015. Available from: <http://www.reuters.com/article/2015/10/27/us-health-teens-smoking-idUSKCN0SL2B220151027>

12.7.6 Use and perceptions of menthol cigarettes in Australia

12.7.7 Regulation of menthol in tobacco products

12.7.7.1 Aims and approaches to regulating menthol in tobacco products

Tobacco Products Scientific Advisory Committee. Menthol cigarettes and public health: Review of the scientific evidence and recommendations. FDA, 2011. Last update: Viewed Available from: <https://wayback.archive-it.org/7993/20170405201731/https://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/TobaccoProductsScientificAdvisoryCommittee/UCM269697.pdf>.

12.7.7.2 International progress in banning menthol in tobacco products

Crosby, K. (2024). White House Delay in Issuing Final Menthol and Flavored Cigar Rules Represents Huge Loss for Public Health, Social Justice [Press release]. Retrieved from

<https://truthinitiative.org/press/press-release/white-house-delay-issuing-final-menthol-and-flavored-cigar-rules-represents>

Truth Initiative. (2024). *Flavoured tobacco policy restrictions*. Retrieved from Washington, DC: <https://truthinitiative.org/research-resources/emerging-tobacco-products/local-restrictions-flavored-tobacco-and-e-cigarette>

Flaherty, A. Biden administration pulls back from banning menthol cigarettes. *ABC News*, 2023. Dec 7, 2023. Retrieved from <https://abcnews.go.com/Health/biden-administration-pulls-back-banning-menthol-cigarettes-now/story?id=105422059>

Christensen, J. FDA takes ‘momentous’ step toward banning menthol cigarettes and flavored cigars. *CNN*, 2023. Oct 24, 2023. Retrieved from <https://edition.cnn.com/2023/10/16/health/fda-menthol-cigarettes-rules/index.html>

Tobacco Tactics. Flavoured and menthol tobacco. 2022. Last update: Viewed Available from: <https://tobaccotactics.org/wiki/flavoured-and-menthol-tobacco/#:~:text=The%20Ministry%20of%20Health%20in,an%20existing%20law%20in%202013>.

Food & Drug Administration. Tobacco product standard for menthol in cigarettes. 2022. Last update: Viewed Available from: <https://public-inspection.federalregister.gov/2022-08994.pdf>.

CNBC news. Supreme court upholds California ban on flavored tobacco. 2022. Last update: Viewed Available from: <https://www.cnbc.com/2022/12/12/supreme-court-upholds-california-ban-on-flavored-tobacco.html>.

Bach L. States & localities that have restricted the sale of flavored tobacco products. . Campaign for Tobacco-Free Kids, 2022. Last update: Viewed Available from: <https://www.tobaccofreekids.org/assets/factsheets/0398.pdf>.

Tobacco Tactics. Menthol cigarettes: Industry interference in the EU and UK. 2021. Last update: Viewed Available from: <https://tobaccotactics.org/wiki/menthol-interference-eu-uk/>.

Food & Drug Administration. FDA commits to evidence-based actions aimed at saving lives and preventing future generations of smokers. 2021. Last update: Viewed Available from: <https://www.fda.gov/news-events/press-announcements/fda-commits-evidence-based-actions-aimed-saving-lives-and-preventing-future-generations-smokers>.

YLE News. Finland stubs out menthol cigarettes. 2020. Last update: Viewed Available from: <https://yle.fi/a/3-11361532>.

Myers ML. Big win for kids: U.S. House approves bill to reverse youth e-cigarette epidemic, prohibit flavored tobacco products. Campaign for Tobacco-Free Kids, 2020. Last update: Viewed Available from: https://www.tobaccofreekids.org/press-releases/2020_02_28_pallone.

Monckton Chambers. Court of justice confirms validity of the new Tobacco products directive and rejects challenges to e-cigarette provisions and menthol cigarettes ban. 2020. Last update: Viewed Available from: <https://web.archive.org/web/20200309160444/https://www.monckton.com/court-justice-confirms-validity-new-tobacco-products-directive-rejects-challenges-e-cigarette-provisions-menthol-cigarettes-ban/>.

German Federal Institute for Risk Assessment. No more menthol in cigarettes and smoking tobacco. 2020. Last update: Viewed Available from: https://www.bfr.bund.de/en/press_information/2020/19/no_more_menthol_in_cigarettes_and_smoking_tobacco-246948.html.

Tobacco Control Laws. Legislation by country: Brazil. Regulated contents in cigarettes. 2019. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation/country/brazil/cd-regulated>.

Government of Canada. Order amending the schedule to the Tobacco Act (menthol). Canada Gazette, 2017. Last update: Viewed Available from: <https://canadagazette.gc.ca/rp-pr/p2/2017/2017-04-05/html/sor-dors45-eng.html>.

Ethiopian Food Medicine and Healthcare Administration and Control Authority. Tobacco control directive. 2015. Last update: Viewed Available from:

https://www.tobaccocontrollaws.org/files/live/Ethiopia/Ethiopia%20-%20Tobacco%20Ctrl.%20Dir.%20No.%2028_2015%20-%20national.pdf.

Chile: BAT to cease operations. Gama, 2015. Last update: Viewed Available from: <http://www.gamaconsumer.com/chile-bat-to-cease-operations/>.

Triad Business Journal. Lorillard suit accuses FDA panel of bias. 2011. Last update: Viewed Available from: <https://www.bizjournals.com/triad/news/2011/02/25/lorillard-suit-accuses-fda-panel-of-bias.html>.

12.7.7.3 Evidence for the effects of international menthol bans

Food & Drug Administration. FDA commits to evidence-based actions aimed at saving lives and preventing future generations of smokers. 2021. Last update: Viewed Available from: <https://www.fda.gov/news-events/press-announcements/fda-commits-evidence-based-actions-aimed-saving-lives-and-preventing-future-generations-smokers>.

12.7.7.4 Tobacco industry responses to international menthol bans

Jewett C and Baumgaertner E. R.J. Reynolds pivots to new cigarette pitches as flavor ban takes effect. New York: New York Times, 2023. Last update: Viewed Available from: <https://www.nytimes.com/2023/01/11/health/cigarettes-flavor-ban-california.html?searchResultPosition=1>.

Glantz S. Rjr promotes “ice” cigarettes to get around calif flavored tobacco sales ban. Stanton Glantz Blog, 2022. Available from: <https://profglantz.com/2022/11/14/rjr-promotes-ice-cigarettes-to-get-around-calif-flavored-tobacco-sales-ban/>

Tobacco Tactics. Menthol cigarettes: Industry interference in the EU and UK. 2021. Last update: Viewed Available from: <https://tobaccotactics.org/wiki/menthol-interference-eu-uk/>.

Dance S and Evans-Reeves K. Menthol: Tobacco companies are exploiting loopholes in the uk’s characterising flavours ban. Tobacco Control Blog, 2021. Available from:

<https://blogs.bmjjournals.com/tobaccocontrol/2021/05/05/menthol-tobacco-companies-are-exploiting-loopholes-in-the-uks-characterising-flavours-ban/>

Tobacco Control Laws. Legislation by country: Brazil. Regulated contents in cigarettes. 2019. Last update: Viewed Available from: <https://www.tobaccocontrollaws.org/legislation/country/brazil/cd-regulated>.