

Tobacco in Australia

Facts & Issues

Relevant news and research

12A.4 What makes an effective health warning?

Last updated September 2024

Research:	1
12A.4.1 What content should warnings cover?	5
12A.4.2 What form should warnings take?	6
News reports:	7
12A.4.1 What should warnings cover?	8
12A.4.2 What form should warnings take?	8

Research:

Alonso, F., & Cohen, J. E. (2024). Rotation of tobacco health warnings and messages: challenges and recommendations for implementation. *Tob Control*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38950911>

Shi, Z, Wang, AL, Audrain-McGovern, J, Lynch, KG, Loughead, J, & Langleben, DD. (2024). Delayed effects of cigarette graphic warning labels on smoking behavior. *medRxiv*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38260670>

Pang, Q, Wang, L, Yao, J, Yuen, KF, Su, M, & Fang, M. (2023). Smoking cessation policy and treatments derived from the protective motivation of smokers: a study on graphic health warning labels. *Front Psychol*, 14, 1205321. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38022915>

Stone, MD, Mercincavage, M, Wileyto, EP, Tan, ASL, Audrain-McGovern, J, Villanti, AC, & Strasser, A A. (2023). Effects of cigarette package colors and warning labels on marlboro smokers' risk beliefs, product appraisals, and smoking behavior: a randomized trial. *BMC Public Health*, 23(1), 2111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37891513>

Mercincavage, M, Sidhu, AK, Waugh, L, Kreider, C, Souprountchouk, V, Delnevo, CD et al. (2023). Effects of pictorial warning labels depicting lesser-known and well-known risks of smoking on viewing patterns, recall, and knowledge of smoking harms. *Drug Alcohol Depend*, 251, 110939. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37660524>

Magnan, RE, Song, AV, & Cameron, LD. (2022). Worry as a mechanism of the relationship between perceived new knowledge and discouragement to smoke elicited from graphic cigarette warnings. *J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35842853>

Yau, MTK, Yau, KW, Hussaini, T, & Yoshida, EM. (2022). A Narrative Review of the Efficacy and Design of Safety Labels on Tobacco Products to Promote the Use of Safety Labels on Alcohol Products in Canada. *Cureus*, 14(5), e25306. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35755528>

Czaplicki, L, Hardesty, J, Crespi, E, Yang, T, & Kennedy, RD. (2022). Identifying credible attribution sources for cigarette health warning labels in China: results from a cross-sectional survey of Chinese adults. *BMJ Open*, 12(5), e058946. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35568497>

Thrasher, JF, Islam, F, Arillo-Santillan, E, Rodriguez-Bolanos, R, Saenz de Miera Juarez, B, Hardin, JW, & Barrientos-Gutierrez, I. (2021). Strategies to enhance the effects of pictorial warnings for cigarettes: Results from a discrete choice experiment. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34697845>

Tripp, HL, Strickland, JC, Mercincavage, M, Audrain-McGovern, J, Donny, EC, & Strasser, AA. (2021). Tailored Cigarette Warning Messages: How Individualized Loss Aversion and Delay Discounting Rates Can Influence Perceived Message Effectiveness. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639792>

Ben Lakhdar, C, Deplancke, A, Le Lec, F, Massin, S, Piermatteo, A, & Vaillant, N. (2020). Protocol for creating new warnings on cigarette packs and evaluating their efficacy in a randomised experimental setting. *BMJ Open*, 10(6), e036166. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32595160>

Chido-Amajuoyi, OG, Agaku, I, Mantey, DS, Yu, RK, & Shete, S. (2020). Association of Exposure to Court-Ordered Tobacco Industry Antismoking Advertisements With Intentions and Attempts to Quit Smoking Among US Adults. *JAMA Netw Open*, 3(7), e209504. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32633765>

Baig, SA, Noar, SM, Gottfredson, NC, Lazard, AJ, Ribisl, KM, & Brewer, NT. (2020). Incremental criterion validity of message perceptions and effects perceptions in the context of anti-smoking messages. *J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32519300>

Jesch, E, Niederdeppe, J, King, AJ, Safi, AG, & Byrne, S. (2020). "I Quit": Testing the Added Value and Sequencing Effects of an Efficacy-focused Message among Cigarette Warning Labels. *J Health Commun*, 1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32476624>

Lee, SJ. (2020). The Effect of Temporal Frames in Anti-Smoking Messages on the Extension of Anti-Smoking Arguments to Smokers. *J Health Commun*, 1-9.

<https://www.ncbi.nlm.nih.gov/pubmed/32584651>

Noar, SM, Rohde, JA, Prentice-Dunn, H, Kresovich, A, Hall, MG, & Brewer, NT. (2020). Evaluating the actual and perceived effectiveness of E-cigarette prevention advertisements among adolescents. *Addict Behav*, 109, 106473. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32565612>

Pirrone, C, Platania, SM, Castellano, S, Hrabovsky, S, Caponnetto, P, & Commodari, E. (2020). The role played by health resistance, coping response, and smoke damage perceptions in smoking threat appeal campaigns. *Health Psychol Res*, 8(1), 8652. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32529090>

Shoots-Reinhard, B, Erford, B, Romer, D, Evans, AT, Shoben, A, Klein, EG, & Peters, E. (2020). Numeracy and memory for risk probabilities and risk outcomes depicted on cigarette warning labels. *Health Psychol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32496078>

Sillero-Rejon, C, Leonards, U, Munafo, MR, Hedge, C, Hoek, J, Toll, B et al (2020). Avoidance of tobacco health warnings? An eye-tracking approach. *Addiction*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32506597>

Hall, MG, Grummon, AH, Lazard, AJ, Maynard, OM, & Taillie, LS. (2020). Reactions to graphic and text health warnings for cigarettes, sugar-sweetened beverages, and alcohol: An online randomized experiment of US adults. *Prev Med*, 137, 106120. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32437703>

De Jaeghere, EA, Bouche, G, Hoebeke, P, Holbrouck, PM, & Denys, HG. (2020). The nocebo effect and tobacco control-First, do no harm? *Med Hypotheses*, 139, 109615. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32078961>

Anshari, D, Yong, HH, Borland, R, Hammond, D, Swayampakala, K, Thrasher, J. Which type of tobacco product warning imagery is more effective and sustainable over time? A longitudinal assessment of smokers in Canada, Australia and Mexico. *BMJ Open*. 2018 Jul 13;8(7):e021983. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30007932>

Brennan, E, Maloney, E, Ophir, Y, Cappella, JN. Designing Effective Testimonial Pictorial Warning Labels for Tobacco Products. *Health Commun*, Jul 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29985636>

Evans, AT, Peters, E, Keller-Hamilton, B, Loewski, C, Slater, MD, Lu, B, Roberts, ME, Ferketich, AK. Warning Size Affects What Adolescents Recall From Tobacco Advertisements. *Tob Regul Sci*. 2018 May;4(3):79-87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30009217>

O. Doherty, D, Houghton, F, Mc Inerney, D. 'Asleep at the helm? Language and Malta's new combined tobacco control warnings'. *Public Health*. 2018 Jun 19. pii: S0033-3506(18)30168-9.
Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29934028>

Hayashi, H, Tan, A, Kawachi, I, Minsky, S, Viswanath, K. Does Segmentation Really Work?
Effectiveness of Matched Graphic Health Warnings on Cigarette Packaging by Race, Gender and

Chronic Disease Conditions on Cognitive Outcomes among Vulnerable Populations. *J Health Commun*, 2018. Jun 18, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29912655>

Hoover, DS, Wetter, DW, Vidrine, DJ, Nguyen, N, Frank, SG, Li, Y, Waters, AJ, Meade, CD, Vidrine, JI. Enhancing Smoking Risk Communications: The Influence of Health Literacy and Message Content. *Ann Behav Med*. 2018 Feb 17;52(3):204-215. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29538662>

Byrne, S, Greiner Safi, A, Kemp, D, Skurka, C, Davydova, J, Scolere, L, Mathios, AD, Avery, RJ, Dorf, MC, Steinhardt, J, Niederdeppe, J. Effects of Varying Color, Imagery, and Text of Cigarette Package Warning Labels among Socioeconomically Disadvantaged Middle School Youth and Adult Smokers. *Health Commun*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29236526>

Cochran, JR, Kydd, RR, Lee, JMJ, Walker, N, Consedine, NS. Disgust but not Health Anxiety Graphic Warning Labels Reduce Motivated Attention in Smokers: A Study of P300 and Late Positive Potential Responses. *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29065198>

Owens, MM, MacKillop, J, Gray, JC, Hawkshead, BE, Murphy, CM, Sweet, LH. Neural correlates of graphic cigarette warning labels predict smoking cessation relapse. *Psychiatry Res*. 2017 Feb 17;262:63-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28236714>

Kennedy, RD, Hammond, D, Spafford, MM, Douglas, O, Brule, J, Fong, GT, Schultz, AS. Educating smokers about the risk of blindness - insights to improve tobacco product health warning labels. *Tob Induc Dis*. 2016 Aug 19;14:30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27547176>

Leas, EC, Pierce, JP, Dimofte, CV, Villasenor, A, Strong, DR. US adult smokers' perceptions' of Australia's cigarette warning labels: variance by warning content and consistency across sociodemographic subsegments. *Tob Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27343227>

Lempert, LK, Glantz, SA. Implications of tobacco industry research on packaging colors for designing health warning labels. *Nicotine Tob Res*. 2016 May 4. pii: ntw127. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27146637>

Szklo, AS, Volchan, E, Thrasher, JF, Perez, C, Szklo, M, de Almeida, LM. Do more graphic and aversive cigarette health warning labels affect Brazilian smokers' likelihood of quitting? *Addict Behav*. 2016 Sep;60:209-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27161535>

Giang, KB, Chung le, H, Minh, HV, Kien, VD, Giap, VV, Hinh, ND, Cuong, NM, Manh, PD, Duc, HA, Yang, JC. *Asian Pac J Cancer Prev*. 2016;17 Suppl:79-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27087187>

Kaufman, AR et al. Communicating tobacco product harm: Compared to what? *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26162963>

Evans, AT, Peters, E, Shoben, AB, Meilleur, LR, Klein, EG, Tompkins, MK, Tusler, M. Cigarette graphic warning labels increase both risk perceptions and smoking myth endorsement. *Psychol Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28385093>

Magnan, RE, Cameron, LD. A cross-sectional investigation of positive and negative smoker stereotypes and evaluations of cigarette warnings. *Health Psychol*. 2017 May;36(5):486-492. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28318275>

McCloud, RF, Okechukwu, C, Sorensen, G, Viswanath, K. Cigarette graphic health warning labels and information avoidance among individuals from low socioeconomic position in the U.S. *Cancer Causes Control*. 2017 Apr;28(4):351-360. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28255678>

Majumdar, A, Kumar, SG, Selvaraj, R. Awareness of health warnings and factors predicting awareness and perceived effectiveness of pictorial health warnings on tobacco products among adults in rural Puducherry, India. *J Educ Health Promot*. 2017 May 5;6:23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28584823>

Mansour, AY, Bakhsh, Z. Factors Affecting the Perceived Effectiveness of Pictorial Health Warnings on Cigarette Packages in Gulf Countries: A Cross-sectional Study. *Tob Use Insights*. 2017 Mar 20;10:1179173X17698462. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28579845>

Popova, L, Owusu, D, Jenson, D, Neilands, TB. Factual text and emotional pictures: overcoming a false dichotomy of cigarette warning labels. *Tob Control*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28428337>

Moodie, C. Adult smokers' perceptions of cigarette pack inserts promoting cessation: a focus group study. *Tob Control*. 2017 Feb 2. pii: tobaccocontrol-2016-053372. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28153959>

Lazard, AJ, Schmidt, A, Vu, H, Byron, MJ, Peters, E, Boynton, MH, Brewer, NT. Icons for health effects of cigarette smoke: a test of semiotic type. *J Behav Med*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28220342>

Haines-Saah, RJ, Bell, K. Challenging key assumptions embedded in Health Canada's cigarette packaging legislation: Findings from in situ interviews with smokers in Vancouver. *Can J Public Health*. 2017 Mar 1;107(6):e562-e567. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28252376>

12A.4.1 What content should warnings cover?

Karim, AA, Inam, S, Rizwan Khan, MT, & Shafique, K. (2022). Exploring context specific anti-smoking warning labels on cigarette packs: A quasi-experiment. *J Pak Med Assoc*, 72(1), 71-78.
Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35099442>

Brown, CRH, & Faulkner, P. (2021). Smokers' Affective Responses to COVID-19-Related Health Warnings on Cigarette Packets: The Influence of Delay Discounting. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34468005>

Johnson, AC, Luta, G, Tercyak, KP, Niaura, RS, & Mays, D. (2021). Effects of pictorial warning label message framing and standardized packaging on cigarette packaging appeal among young adult smokers. *Addictive Behaviors*, 120, 106951. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33895661>

Mahood, G. (2021). Principles for effective tobacco warning systems: the USA gets a failing grade. *Tob Control*, 30(1), 1-3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33273054>

Cornacchione Ross, J, King, JL, Lazard, AJ, Noar, SM, Reboussin, BA, Jenson, D, & Sutfin, EL. (2020). Developing Pictorial Cigarillo Warnings: Insights From Focus Groups. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32766683>

12A.4.2 What form should warnings take?

Jebai, R, Asfar, T, Nakkash, R, Chehab, S, Schmidt, M, Wu, W et al. (2023). Comparisons between young adult waterpipe smokers and nonsmokers' reactions to pictorial health warning labels in Lebanon: a randomized crossover experimental study. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37436823>

Cornacchione Ross, J, Lazard, AJ, King, JL, Noar, SM, Reboussin, BA, Jenson, D, & Sutfin, EL. (2021). Responses to pictorial versus text-only cigarillo warnings among a nationally representative sample of US young adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34400570>

Nian, Q, Hardesty, JJ, Cohen, JE, Xie, X, & Kennedy, RD. (2021). Perceived effectiveness of four different cigarette health warning label themes among a sample of urban smokers and non-smokers in China. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34400570>

Yuliati, R, Sarwono, BK, Ahsan, A, Wibhisono, I, & Kusuma, D. (2021). Effect of Message Approach and Image Size on Pictorial Health Warning Effectiveness on Cigarette Pack in Indonesia: A Mixed Factorial Experiment. *Int J Environ Res Public Health*, 18(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34202414>

Kaai, SC, Sansone, G, Meng, G, Ong'ang'o, JR, Goma, F, Ikamari, L et al. (2021). Quasi-experimental evaluation of Kenya's pictorial health warnings versus Zambia's single text-only warning: findings from the International Tobacco Control (ITC) Project. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34117097>

Kaynak Malatyali, M, Van Koningsbruggen, GM, & Buyuksahin Sunal, A. (2021). Self-affirmation and responses to cigarette warning labels: The moderating role of message strength. *J Health Psychol*, 13591053211012758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33940971>

Moodie, C, Best, C, Critchlow, N, Stead, M, McNeill, A, & Hitchman, S. (2021). Corrigendum to: The Impact of Including Cessation Resource Information on Health Warnings on Standardized Tobacco Packaging on Awareness and Use: A Longitudinal Online Survey in the United Kingdom. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33939810>

Moodie, C, Best, C, Lund, I, Scheffels, J, Critchlow, N, Stead, M et al (2021). Corrigendum to: The Response of Smokers to Health Warnings on Packs in the United Kingdom and Norway Following the

Introduction of Standardized Packaging. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33939803>

Pang, B, Saleme, P, Seydel, T, Kim, J, Knox, K, & Rundle-Thiele, S. (2021). The effectiveness of graphic health warnings on tobacco products: a systematic review on perceived harm and quit intentions. *BMC Public Health*, 21(1), 884. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34011338>

Van Dessel, P, & Tibboel, H. (2021). Assessing the influence of warnings with testimonies from former smokers on smoking and quitting behaviour. *Br J Health Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33554386>

Kahnert, S, Driezen, P, Balmford, J, Kyriakos, CN, Aleyan, S, Hitchman, SC et al. (2020). Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive-findings from the longitudinal EUREST-PLUS ITC Europe surveys. *Eur J Public Health*, 30(Supplement_3), iii84-iii90. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32918822>

Jovanova, M, Skurka, C, Byrne, S, Kalaji, M, Greiner Safi, A, Porticella, N et al. (2020). Should Graphic Warning Labels Proposed For Cigarette Packages Sold in the United States Mention the Food and Drug Administration? *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32770222>

Skurka, C, Kalaji, M, Dorf, MC, Kemp, D, Greiner Safi, A, Byrne, S et al. (2019). Independent or synergistic? Effects of varying size and using pictorial images in tobacco health warning labels. *Drug Alcohol Depend*, 198, 87-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30925015>

Margalhos, P, Esteves, F, Vila, J, & Arriaga, P. (2019). Emotional Impact and Perceived Effectiveness of Text-Only versus Graphic Health Warning Tobacco Labels on Adolescents. *Span J Psychol*, 22, E17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30994083>

Yaddanapalli, SC, Ravoori, S, Bommireddy, VS, & Pachava, S. Awareness and attitude toward pictographs on tobacco products: A population-based study in field practice area. *Indian J Psychiatry*, 2019. 61(1), 65-69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745656>

News reports:

Brewer, Noel T, Jeong, Michelle, Mendel, Jennifer R, Hall, Marissa G, Zhang, Dongyu, Parada Jr, Humberto, Boynton, Marcella H, Noar, Seth M, Baig, Sabeeh A, Morgan, Jennifer C, Ribisl, Kurt M. Cigarette pack messages about toxic chemicals: a randomised clinical trial. *Tobacco Control*, Apr 2018. Available from:

<http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/early/2018/04/12/tobaccocontrol-2017-054112.full.pdf>

Hall, Marissa G, Sheeran, Paschal, Noar, Seth M, Boynton, Marcella H, Ribisl, Kurt M, Parada, Humberto, Johnson, Trent O and Brewer, Noel T. Negative affect, message reactance and perceived risk: how do pictorial cigarette pack warnings change quit intentions? *Tobacco Control*, 2018. Jan 28, 2018. Available from:

<http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/early/2018/01/28/tobaccocontrol-2017-053972.full.pdf>

Glantz, S. Tobacco documents show health warning labels printed on a yellow background with black lettering and borders best. Center for Tobacco Control Research and Education (UCSF), 2016. May 5, 2016. Available from: <https://tobacco.ucsf.edu/tobacco-documents-show-health-warning-labels-printed-yellow-background-black-lettering-and-borders-best>

Lochbuehler, K, Tang, KZ, Souproutchouk, V, Campetti, D, Cappella, JN, Kozlowski, LT, Strasser, AA. Using eye-tracking to examine how embedding risk corrective statements improves cigarette risk beliefs: Implications for tobacco regulatory policy. Drug and Alcohol Dependence, 2016. Jul 1, 2016. Available from: [http://www.drugandalcoholdependence.com/article/S0376-8716\(16\)30070-9/fulltext](http://www.drugandalcoholdependence.com/article/S0376-8716(16)30070-9/fulltext)

Sifferlin, Alexandra. Here's the best way to get someone to quit smoking. Time, 2014. Sep 15, 2014. Available from: <http://time.com/3374941/quitting-smoking/>

van den Berg, Lucie. Warnings changing smoker behaviour. Herald Sun, 2014. Oct 3, 2014. Available from: <http://readnow.isentia.com/articlepresenter.aspx?guid=8bab2655-84f3-424b-8e42-4b668bdc6de&serid=60550&ArticleID=321124399&output=txt>

12A.4.1 What should warnings cover?

Glantz, S. FDA's Proposed Collection of Information on the Experimental Study on Warning Statements for Cigarette Graphic Health Warnings. Center for Tobacco Control Research and Education (UCSF), 2017. Jun 5, 2017. Available from: <https://tobacco.ucsf.edu/fda%E2%80%99s-proposed-collection-information-experimental-study-warning-statements-cigarette-graphic-health-warnings>

12A.4.2 What form should warnings take?

Osman, Amira, Thrasher, James F., Yong, Hua-Hie, Arillo-Santill n, Edna and Hammond, David. Disparagement of health warning labels on cigarette packages and cessation attempts: results from four countries. Health Education Research, Mar 2018. Available from: <http://dx.doi.org/10.1093/her/cyx065>

Mollen, S, Engelen, S, Kessels, LT, van den Putte, B. Short and Sweet: The persuasive effects of message framing and temporal context in antismoking warning labels. J Health Commun. 2017 Jan;22(1):20-28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27997285>

Shi, Z, Wang, AL, Emery, LF, Sheerin, KM, Romer, D. The importance of relevant emotional arousal in the efficacy of pictorial health warnings for cigarettes. Nicotine Tobacco Research, 2016. Dec 21, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28003509>

No authors listed. WSU study finds cigarette warning labels may be more effective with imagery. Medical News Today, 2015. Apr 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/292086.php?tw>

