

Tobacco in Australia

Facts & Issues

Relevant news and research

14.5 Targeting of public education campaigns and different types of media channels

Last updated December 2024

Research:.....	2
14.5.1 Targeting and demographic sub-groups.....	3
14.5.2 Reaching Australians from culturally and linguistically diverse backgrounds	10
14.5.3 Reaching Indigenous smokers.....	11
14.5.4 Media channels (including new media).....	11
14.5.4.1 Television	12
14.5.4.2 Radio and cinema.....	13
14.5.4.3 Social media	13
14.5.5 Pharmaceutical advertising.....	15
News reports:.....	15
14.5.1 Targeting and demographic sub-groups.....	15
14.5.4 Media channels (including new media).....	16
14.5.4.3 Social media	16
14.5.2 Reaching Australians from culturally and linguistically diverse backgrounds	17
14.5.3 Reaching Indigenous smokers.....	18
14.5.4 Media channels (including new media).....	18
14.5.4.1 Television	18
14.5.4.2 Radio and cinema.....	18

14.5.4.3 Social media	18
14.5.5 Pharmaceutical advertising.....	18

Research:

Stevens, EM, Lee, DN, Stevens, H, & Sadasivam, RS. (2024). The role of mood in shaping reactions to smoking cessation messages among adults who smoke: a multimodal investigation. *BMC Public Health*, 24(1), 2872. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39425111>

Kowitt, SD, Cox, MJ, Jarman, KL, Kong, AY, Sivashanmugam, A, Cornacchione Ross, J et al. (2022). Communicating the risks of tobacco and alcohol co-use. *Addict Behav*, 134, 107383. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35700653>

Durkin, SJ, Brennan, E, & Wakefield, MA. (2022). Optimising tobacco control campaigns within a changing media landscape and among priority populations. *Tobacco Control*, 31(2), 284-290. Retrieved from <https://tobaccocontrol.bmj.com/content/tobaccocontrol/31/2/284.full.pdf>

Onen, M, & Watson, F. (2021). The picture of smoking in my mind: a need for effective anti-smoking public service announcements based on the self-construals of smokers. *Glob Health Promot*, 17579759211015178. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34120518>

Skurka, C, Wheldon, CW, & Eng, N. (2021). Targeted truth: An experiment testing the efficacy of counterindustry tobacco advertisements targeted to Black individuals and sexual and gender minority individuals. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33621337>

Capelletto, E, Passiglia, F, Ferraresi, F, Vallone, S, & Novello, S. (2020). Improving lung cancer outcomes through smoking cessation: the Women Against Lung Cancer in Europe (WALCE) experience. *J Thorac Dis*, 12(7), 3877-3882. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32802469>

Durkin S and Wakefield M. Media use trends and implications for potential reach of public education and motivation campaigns: Application to tobacco control. CBRC Research Paper Series, Melbourne, Australia: Centre for Behavioural Research in Cancer, Cancer Council Victoria, 2018.

Deloitte. Media consumer survey 2018. Australian media and digital preferences.: Deloitte, 2018. Available from: <https://www2.deloitte.com/tl/en/pages/technology-media-and-telecommunications/articles/media-consumer-survey.html>.

Wakefield MA, Coomber K, Durkin SJ, Scollon M, Bayly M, et al. Time series analysis of the impact of tobacco control policies on smoking prevalence among Australian adults, 2001–2011. *Bulletin of the World Health Organization*, 2014; 92:413-22.

Gould GS, McEwen A, Watters T, Clough AR, and van der Zwan R. Should anti-tobacco media messages be culturally targeted for Indigenous populations? A systematic review and narrative synthesis. *Tob Control*, 2013; 22(e7). Available from: <http://tobaccocontrol.bmj.com/content/early/2012/08/21/tobaccocontrol-2012-050436.abstract>

Guillaumier A, Bonevski B, and Paul C. Anti-tobacco mass media and socially disadvantaged groups: A systematic and methodological review. 2012; 31(5):698-708. Available from:
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1465-3362.2012.00466.x>

van den Putte B, Yzer M, Southwell B, de Bruijn G, and Willemsen M. Interpersonal communication as an indirect pathway for the effect of antismoking media content on smoking cessation. *J Health Commun*, 2011; [Epub ahead of print]:1–16. Available from:
<http://www.informaworld.com/smpp/ftinterface~content=a933671920~fulltext=713240928~frm=content>

Niederdeppe J, Farrelly MC, Nonnemaker J, Davis KC, and Wagner L. Socioeconomic variation in recall and perceived effectiveness of campaign advertisements to promote smoking cessation. *Social Science & Medicine*, 2011; 72(5):773-80.

Perusco A, Poder N, Mohsin M, Rikard-Bell G, Rissel C, et al. Evaluation of a comprehensive tobacco control project targeting Arabic-speakers residing in south west Sydney, Australia. *Health Promotion International*, 2010; 25(2):153-65. Available from:
<http://heapro.oxfordjournals.org/content/25/2/153.long>

Grigg M, Waa A, and Kawenata Bradbrook S. Response to an indigenous smoking cessation media campaign - it's about whānau. *Aust N Z J Public Health*, 2008; 32(6):559–64. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/19076749>

Saffer H, Wakefield M, and Terry-McElrath YM. The effect of nicotine replacement therapy advertising on youth smoking. NBER Working Paper No. 12964 Cambridge, Massachusetts: National Bureau of Economic Research, 2007. Available from: <https://www.nber.org/papers/w12964>.

14.5.1 Targeting and demographic sub-groups

Ennis, AC, Meadows, A, Jankowski, E, Miller, C, Curran, H, Elson, E et al . (2024). 'Authentic' or 'corny': LGBTQ+ young adults respond to visual, thematic and semantic elements of culturally targeted tobacco public education advertisements. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39613329>

Reba, YA, Prasetya, YY, Muttaqin, MZ, & Partino, HR. (2024). The role of children in anti-smoking campaigns: addressing socio-economic barriers and reverse influence. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39152045>

Ranney, LM, Kowitt, SD, Jarman, KL, Lane, RM, Goldstein, AO, Cornacchione, RJ et al. (2024). Messages About Tobacco and Alcohol Co-users. *J Stud Alcohol Drugs* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39022982>

Ledford, VA, Cosavalente, HPG, Jackson, DN, Carter, C, Saperstein, SL, Baur, C et al. (2024). An Almost Empty Scoping Review: State of the Research on Tobacco Prevention and Cessation Messaging Strategies for Black and/or Latine LGBTQ+ Youth and Young Adults. *Health Commun*, 1-15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38916097>

Eggers, ME, Nonnemaker, JM, Kelly, LK, Ortega-Peluso, C, Anker, E, Lee, J et al. (2024). It's Not Just: Evaluation of a Media Campaign to Motivate Action Around Targeting of Menthol Tobacco in Black

Communities. *Prev Chronic Dis*, 21, E24. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38603518>

Humphrey, R, Truong, A, Fraser, R, Gallow, TG, Fischbach, L, & Kuo, T. (2024). Creating and Implementing a Community-Focused, Culturally Tailored Health Marketing Campaign to Address Menthol Cigarette Use in Los Angeles County. *Prev Chronic Dis*, 21, E25. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38635496>

Aienobe-Asekharan, C, Norris, E, & Martin, W. (2024). A Scoping Review of Tobacco Control Health Communication in Africa: Moving towards Involving Young People. *Int J Environ Res Public Health*, 21(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38541261>

Ramanadhan, S, Salvia, M, Hanby, E, Revette, AC, Rivard, MK, Scout, NFN et al (2023). "We're always an afterthought"- Designing tobacco control campaigns for dissemination with and to LGBTQ + serving community organizations: a thematic analysis. *Cancer Causes Control*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37160611>

Liu, J, Hao, YY, Mao, HJ, Sun, XJ, Huang, XL, Quan, CX et al (2022). Evidence-based core information for health communication of tobacco control: The effect of smoking on risks of female disease. *Front Public Health*, 10, 986430. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36330111>

Beckerley, S, Fernandez, P, Matter, C, Wagner, D, Tate, B, & Jordan, J. (2022). This Free Life Campaign: Increasing Intention to Quit Among LGBTQ+ Young Adult Nondaily Smokers in Minneapolis. *Tob Use Insights*, 15, 1179173X221133978. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36267538>

Titus, AR, Thrasher, JF, Gamarel, KE, Emery, SL, Elliott, MR, & Fleischer, NL. (2022). Televised Anti-Tobacco Media and Smoking Outcomes Among Heterosexual and Sexual Minority Adults in the United States. *Health Educ Behav*, 10901981221116783. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35972191>

Wang, Y, Duan, Z, Emery, SL, Weaver, SR, Self-Brown, SR, Ashley, DL, & Huang, J. (2022). Intentions and Attempts to Quit Smoking Among Sexual Minoritized Adult Smokers After Exposure to the Tips From Former Smokers Campaign. *JAMA Netw Open*, 5(5), e2211060. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35532934>

Perman-Howe, PR, McNeill, A, Brose, LS, Tildy, BE, Langley, TE, & Robson, D. (2022). The effect of tobacco control mass media campaigns on smoking-related behaviour among people with mental illness: a systematic literature review. *Nicotine Tob Res*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35358321>

Farrelly, MC, Taylor, NH, Nonnemacher, JM, Smith, AA, Delahanty, JC, & Zhao, X. (2021). "The Real Cost" Smokeless campaign: changes in beliefs about smokeless tobacco among rural boys, a longitudinal randomized controlled field trial. *BMC Public Health*, 21(1), 2282. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/34906127>

Leshner, G, Phan, L, Stevens, EM, Johnson, AC, Villanti, AC, Kim, N et al. (2021). Psychophysiological responses to hookah tobacco public education messages among young adults. *Health Psychol*, 40(9), 569-577. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34843319>

Lipkus, I, & Sanders, C. (2021). A Pilot Study Assessing Reactions to Educational Videos on Harm of Waterpipe among Young Adults Susceptible to Waterpipe Tobacco Smoking. *J Health Commun*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34758698>

Stevens, EM, Villanti, AC, Leshner, G, Wagener, TL, Keller-Hamilton, B, & Mays, D. (2021). Integrating Self-Report and Psychophysiological Measures in Waterpipe Tobacco Message Testing: A Novel Application of Multi-Attribute Decision Modeling. *Int J Environ Res Public Health*, 18(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34831571>

Sutfin, EL, Lazard, AJ, Wagoner, KG, King, JL, Cornacchione Ross, J, Wiseman, KD et al. (2021). Point-of-Sale Health Communication Campaigns for Cigarillos and Waterpipe Tobacco: Effects and Lessons Learned from Two Cluster Randomized Trials. *Health Commun*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34781799>

Crankshaw, E, Gaber, J, Guillory, J, Curry, L, Farrelly, M, Saunders, M et al. (2021). Final Evaluation Findings for This Free Life, a 3-Year, Multi-Market Tobacco Public Education Campaign for Gender and Sexual Minority Young Adults in the United States. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34270739>

Vallone, DM, Perks, SN, Pitzer, L, Liu, M, Kreslake, JM, Rath, JM, & Hair, EC. (2021). Evidence of the impact of a national anti-tobacco prevention campaign across demographic subgroups. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34219169>

Prochaska JJ, Gates EF, Davis KC, Gutierrez K, Prutzman Y, et al. The 2016 Tips From Former Smokers(R) Campaign: Associations with quit intentions and quit attempts among smokers with and without mental health conditions. *Nicotine & Tobacco Research*, 2019; 21(5):576-83. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30496491>

Springvloet L, Willemse MC, Mons U, van den Putte B, Kunst AE, et al. Educational differences in associations of noticing anti-tobacco information with smoking-related attitudes and quit intentions: Findings from the International Tobacco Control Europe surveys. *Health Educ Res*, 2015; 30(5):719-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26324396>

Hamill S, Turk T, Murukutla N, Ghamrawy M, and Mullin S. I 'like' MPOWER: Using Facebook, online ads and new media to mobilise tobacco control communities in low-income and middle-income countries. *Tob Control*, 2015; 24(3):306-12. Available from: <http://tobaccocontrol.bmjjournals.org/content/24/3/306.abstract>

Fallin A, Neilands TB, Jordan JW, and Ling PM. Social branding to decrease lesbian, gay, bisexual, and transgender young adult smoking. *Nicotine Tob Res*, 2015; 17(8):983-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26180223>

Fallin A, Neilands TB, Jordan JW, Hong JS, and Ling PM. Wreaking "havoc" on smoking: Social branding to reach young adult "partiers" in Oklahoma. *Am J Prev Med*, 2015; 48(1 Suppl 1):S78-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528713>

Richardson CG, Struik LL, Johnson KC, Ratner PA, Gotay C, et al. Initial impact of tailored web-based messages about cigarette smoke and breast cancer risk on boys' and girls' risk perceptions and information seeking: Randomized controlled trial. *JMIR Res Protoc*, 2013; 2(2):e53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24326101>

Zaman G. Optimal campaign in the smoking dynamics. Computational and Mathematical Methods in Medicine, 2011; 2011:163834. Available from:

<http://downloads.hindawi.com/journals/cmmm/2011/163834.pdf>

Thrasher J, Huang L, Perez-Hernandez R, Niederdeppe J, Arillo-Santillan E, et al. Evaluation of a social marketing campaign to support Mexico city's comprehensive smoke-free law. Am J Public Health, 2011; 101(2):328–35. Available from:

<http://ajph.aphapublications.org/cgi/content/full/101/2/328?view=long&pmid=21164097>

Thomson G, Wilson N, Weerasekera D, and Edwards R. Strong smoker interest in 'setting an example to children' by quitting: National survey data. Aust N Z J Public Health, 2011; 35(1):81–4. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1753-6405.2010.00638.x/pdf>

Durkin S, Wakefield M, and Spittal M. Which types of televised anti-tobacco campaigns prompt more quitline calls from disadvantaged groups? Health Education Research, 2011; 26(6):998–1009. Available from: <http://her.oxfordjournals.org/content/26/6/998.abstract>

Davis KC, Nonnemaker JM, Farrelly MC, and Niederdeppe J. Exploring differences in smokers' perceptions of the effectiveness of cessation media messages. Tob Control, 2011; 20(1):26–33. Available from: <http://tobaccocontrol.bmjjournals.org/content/20/1/26.abstract>

Chang F, Chung C, Chuang Y, Hu T, Yu P, et al. Effect of media campaigns and smoke-free ordinance on public awareness and secondhand smoke exposure in taiwan. J Health Commun, 2011; [Epub ahead of print]:1–16. Available from:

<http://www.informaworld.com/smpp/ftinterface~content=a932373353~fulltext=713240930~frm=content>

Aveyard P, Begh R, Sheikh A, and Amos A. Promoting smoking cessation through smoking reduction during ramadan. Addiction, 2011; [Epub ahead of print]. Available from:

<http://onlinelibrary.wiley.com/doi/10.1111/j.1360-0443.2011.03432.x/pdf>

McDonald D, O'Brien J, Farr E, and Haaga D. Pilot study of inducing smoking cessation attempts by activating a sense of looming vulnerability. Addictive Behaviors, 2010; 35(6):599–606. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20176444

Haines R, Bottorff J, McKeown S, Ptolemy E, Carey J, et al. Breast cancer messaging for younger women: Gender, femininity, and risk. Qualitative Health Research, 2010; 20(6):731–42. Available from: <http://qhr.sagepub.com/content/20/6/731.full.pdf+html>

Grogan S, Flett K, Clark-Carter D, Gough B, Davey R, et al. Women smokers' experiences of an age-appearance anti-smoking intervention: A qualitative study. British Journal of Health Psychology, 2010; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1348/2044-8287.002006/pdf>

Durkin S, Biener L, and Wakefield M. A prospective study of degree and type of mass media campaign exposure on smoking cessation among socioeconomic subgroups. Am J Public Health, 2010.

Bottorff J, McKeown S, Carey J, Haines R, Okoli C, et al. Young women's responses to smoking and breast cancer risk information. *Health Education Research*, 2010; 25(4):668–77. Available from: <http://her.oxfordjournals.org/content/25/4/668.full>

Yeretzian J and Afifi R. 'It won't happen to me': The knowledge-attitude nexus in adolescent smoking. *Journal of Public Health* 2009; 31(3):354–9. Available from: <http://jpubhealth.oxfordjournals.org/content/31/3/354.long>

Wong N and Cappella J. Antismoking threat and efficacy appeals: Effects on smoking cessation intentions for smokers with low and high readiness to quit. *Journal of Applied Communication Research*, 2009; 37(1):1–20. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2680609/?tool=pubmed>

Vallone D, Allen J, and Xiao H. Is socioeconomic status associated with awareness of and receptivity to the truth((r)) campaign? *Drug Alcohol Depend*, 2009; 104 (suppl 1.):S115–S20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19795200>

Shiloh S, Drori E, Orr-Utreger A, and Friedman E. Being 'at-risk' for developing cancer: Cognitive representations and psychological outcomes. *Journal of Behavioral Medicine*, 2009; 32(2):197–208. Available from: <https://springerlink3.metapress.com/content/l50n12714ww53035/resource-secured/?target=fulltext.pdf&sid=lzn1y0zum425u055h4bx4o45&sh=www.springerlink.com>

O'Brien R, Hunt K, and Hart G. 'The average Scottish man has a cigarette hanging out of his mouth, lying there with a portion of chips': Prospects for change in Scottish men's constructions of masculinity and their health-related beliefs and behaviours. *Critical Public Health*, 2009; 19(3–4):363–81. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2845931/?tool=pubmed>

Niemiec C, Ryan R, Deci E, and Williams G. Aspiring to physical health: The role of aspirations for physical health in facilitating long-term tobacco abstinence. *Patient Education and Counseling*, 2009; 74(2):250–7. Available from: www.ncbi.nlm.nih.gov/pubmed/18838243

Magnan R, Koblitz A, Zielke D, and McCaul K. The effects of warning smokers on perceived risk, worry, and motivation to quit. *Annals of Behavioral Medicine*, 2009; 37(1):46–57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19255818>

Li W, Land T, Zhang Z, Keithly L, and Kelsey J. Small-area estimation and prioritizing communities for tobacco control efforts in Massachusetts *Am J Public Health*, 2009; 99:470–9. Available from: http://www.ajph.aphapublications.org/cgi/content/full/99/3/470?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=_1&author1=Li%2C+W&title=Small-area+estimation+&andorexacttitle=and&andorexacttitleabs=and&andorexactfulltext=and&searchid=1&FIRSTINDEX=0&sortspec=relevance&resourcetype=HW CIT

Flynn B, Worden J, and Bunn J. Comparison of research designs for two controlled trials of mass media interventions. *Communication Methods and Measures*, 2009; 3(1):12–28. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2716042/?tool=pubmed>

Durkin S, Biener L, and Wakefield M. Effects of different types of antismoking ads on reducing disparities in smoking cessation among socioeconomic subgroups. *Am J Public Health*, 2009; 99(12):2217–23. Available from: <http://ajph.aphapublications.org/cgi/content/full/99/12/2217?view=long&pmid=19833980>

Dijkstra A. Disengagement beliefs in smokers: Do they influence the effects of a tailored persuasive message advocating smoking cessation? *Psychol Health*, 2009; 24(7):791–804. Available from: <http://www.informaworld.com/smpp/ftinterface~content=a905043466~fulltext=713240928>

Chang C. Psychological motives versus health concerns: Predicting smoking attitudes and promoting antismoking attitudes. *Health Communication*, 2009; 24(1):1–11. Available from: http://www.informaworld.com/smpp/content~db=all~content=a908586410?words=psychological*|motives*|versus*|health*|concerns*|predicting*|smoking*|attitudes*|promoting*|antismoking*

Apollonio D and Malone R. Turning negative into positive: Public health mass media campaigns and negative advertising. *Health Education Research*, 2009; 24(3):483–95. Available from: <http://her.oxfordjournals.org/content/24/3/483.full>

Toll B, Salovey P, O'Malley S, Mazure C, Latimer A, et al. Message framing for smoking cessation: The interaction of risk perceptions and gender. *Nicotine & Tobacco Research*, 2008; 10(1):195–200. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200701767803>

Nordgren L, van der Pligt J, and van Harreveld F. The instability of health cognitions: Visceral states influence self-efficacy and related health beliefs. *Health Psychology*, 2008; 27(6):722–7. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2008-16224-007>

Niederdeppe J, Kuang X, Crock B, and Skelton A. Media campaigns to promote smoking cessation among socioeconomically disadvantaged populations: What do we know, what do we need to learn, and what should we do now? *Social Science & Medicine*, 2008; 67(9):1343–55. Available from: http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6VBF-4T5D9NP-1-1&_cdi=5925&_user=10&_orig=search&_coverDate=08%2F07%2F2008&_sk=9999999999&view=c&wchp=dGLbVlb-zSkzV&md5=8cdeb71572e67421c4f6bde6f18f9e99&ie=/sdarticle.pdf

Niederdeppe J, Kuang X, Crock B, and Skelton A. Critical steps in building the evidence base regarding media campaign effects on disadvantaged populations: A response to fagan. *Social Science & Medicine*, 2008; 67(9):1359–60. Available from: www.elsevier.com/locate/socscimed

Niederdeppe J, Fiore MC, Baker TB, and Smith SS. Smoking-cessation media campaigns and their effectiveness among socioeconomically advantaged and disadvantaged populations. *Am J Public Health*, 2008; 98(5):xxx–xx. Available from: <http://www.ajph.org/cgi/doi/10.2105/AJPH.2007.117499>

Nelson D, Gallogly M, Pederson L, Barry M, McGoldrick D, et al. Use of consumer survey data to target cessation messages to smokers through mass media. *Am J Public Health*, 2008; 98(3):536–42. Available from: <http://www.ajph.org/cgi/reprint/98/3/536>

Murphy M. Quit campaign 2008 advertising development research report, Quit Victoria. Melbourne: Market Access Consulting & Research Pty Ltd, 2008.

Moorman M and van den Putte B. The influence of message framing, intention to quit smoking, and nicotine dependence on the persuasiveness of smoking cessation messages. *Addictive Behaviors*, 2008; 33(10):1267–75. Available from: www.ncbi.nlm.nih.gov/pubmed/18584971

Fagan P. Examining the evidence base of mass media campaigns for socially disadvantaged populations: What do we know, what do we need to learn, and what should we do now? A

commentary on niederdeppe's article. Social Science & Medicine, 2008; 67(1356-8). Available from: www.elsevier.com/locate/socscimed

Dunlop S, Wakefield M, and Kashima Y. The contribution of antismoking advertising to quitting: Intra- and interpersonal processes. J Health Commun, 2008; 13(3):250-66. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/10810730801985301>

Cervone D, Caldwell T, Fiori M, Orom H, Shadel W, et al. What underlies appraisals? Experimentally testing a knowledge-and-appraisal model of personality architecture among smokers contemplating high-risk situations. Journal of Personality, 2008; 76(4):929-68. Available from: www.ncbi.nlm.nih.gov/pubmed/18507707

Armitage CJ, Harris PR, Hepton G, and Napper L. Self-affirmation increases acceptance of health-risk information among UK adult smokers with low socioeconomic status. Psychology of Addictive Behaviors, 2008; 22(1):88-95. Available from: <http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2008-01797-009>

Siahpush M, Wakefield M, Spittal M, and Durkin S. Anti-smoking television advertising and socio-economic variations in calls to Quitline. J Epidemiol Community Health, 2007; 61(4):298-301. Available from: <http://jech.bmjjournals.org/cgi/content/full/61/4/298>

Hinyard LJ and Kreuter MW. Using narrative communication as a tool for health behavior change: A conceptual, theoretical, and empirical overview. Health Education & Behavior, 2007; 34(5):777-92. Available from: <http://heb.sagepub.com/cgi/content/abstract/34/5/777>

Viswanath K and Emmons KM. Message effects and social determinants of health: Its application to cancer disparities. The Journal of Communication, 2006; 56(suppl. 1):S238-64. Available from: <http://www.ingentaconnect.com/content/bpl/jcom/2006/00000056/A00101s1/art00013;jsessionid=78wsratg917t.alexandra?format=print>

Green M. Narratives and cancer communication. Journal of Communication, 2006; 56(s1):S163-83. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-2466.2006.00288.x>

Durkin S and Wakefield M. Maximizing the impact of emotive antitobacco advertising: Effects of interpersonal discussion and program placement. Social Marketing Quarterly, 2006; 12(3):3-14. Available from: <http://www.informaworld.com/smpp/content~content=a756639862~db=all~order=page>

Yiow L. Australia: Campaign gets smoking parents to cut down. Tob Control, 2005; 14(6):363. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/full/14/6/363>

Dal Cin S, Zanna M, and Fong G. Narrative persuasion and overcoming resistance, in Resistance to persuasion. Knowles E and Linn J, Editors. Mahwah, NJ: Erlbaum; 2004.

Siahpush M and Borland R. Trends in sociodemographic variations in smoking prevalence, 1997-2000, in Australia's national Tobacco campaign: Evaluation report vol. 3. Canberra: Commonwealth Department of Health and Aged Care; 2002. Available from: [http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/88ED1349FD03EB05CA257331000C3A17/\\$File/tobccamp3.pdf](http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/88ED1349FD03EB05CA257331000C3A17/$File/tobccamp3.pdf).

Biener L and Taylor TM. The continuing importance of emotion in tobacco control media campaigns: A response to hastings and macfadyen. *Tob Control*, 2002; 11(1):75–7. Available from: <http://tobaccocontrol.bmj.com/cgi/content/extract/11/1/75>

Kain K and Nelson LJ. Cigarette smoking and fear of death: Explaining conflicting results in death anxiety research. *Omega: The Journal of Death and Dying*, 2001; 43(1):43–61. Available from: <http://baywood.metapress.com/app/home/contribution.asp?referrer=parent&backto=issue,4,5;journal,58,226;linkingpublicationresults,1:300329,1>

Heath C, Bell C, and Sternberg E. Emotional selection in memes: The case of urban legends. *Journal of Personality and Social Psychology*, 2001; 81(6):1028–41. Available from: <http://content.apa.org/journals/psp/81/6/1028>

Freeman MA, Hennessy EV, and Marzullo DM. Defensive evaluation of antismoking messages among college-age smokers: The role of possible selves. *Health Psychology*, 2001; 20(6):424–33. Available from: <http://content.apa.org/journals/hea/20/6/424>

Witte K and Allen M. A meta-analysis of fear appeals: Implications for effective public health campaigns. *Health Education & Behavior*, 2000; 27(5):591–615. Available from: <http://heb.sagepub.com/cgi/reprint/27/5/591>

Green M and Brock T. The role of transportation in the persuasiveness of public narratives. *Journal of Personality and Social Psychology*, 2000; 79(5):701–21. Available from: <http://content.apa.org/journals/psp/79/5/701>

Arnett J. Optimistic bias in adolescent and adult smokers and nonsmokers. *Addictive Behaviors*, 2000; 25(4):625–32. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VC9-40D0M1D-J&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=7fb1d50b3adf4038e2c0bf90012b02b1

Hill D, Chapman S, and Donovan R. The return of scare tactics. *Tob Control*, 1998; 7(1):5–8. Available from: <http://tobaccocontrol.bmj.com/cgi/content/full/7/1/5>

Stapel D and Velthuijsen A. 'Just as if it happened to me': The impact of vivid and self-relevant information on risk judgments. *Journal of Social and Clinical Psychology*, 1996; 15(1):102–19. Available from: <http://cat.inist.fr/?aModele=afficheN&cpsidt=3041043>

Mullins R, Scollo M, and Borland R. Evaluation of a campaign on the effects of passive smoking on children, in Quit evaluation studies no. 7. Mullins R, Editor Melbourne: Victorian Smoking and Health Program; 1994. Available from: <http://www.quit.org.au/downloads/QE/QE7/QE7Home.html>.

14.5.2 Reaching Australians from culturally and linguistically diverse backgrounds

Humphrey, R, Truong, A, Fraser, R, Gallow, TG, Fischbach, L, & Kuo, T. (2024). Creating and Implementing a Community-Focused, Culturally Tailored Health Marketing Campaign to Address Menthol Cigarette Use in Los Angeles County. *Prev Chronic Dis*, 21, E25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38635496>

Lipkus, IM, & Cobb, CO. (2022). Effects of Educational Materials About Harms of Waterpipe Tobacco Charcoal use on Adult Smokers' Risk Perceptions. [MS Top Pick]. *J Drug Educ*, 472379221138052. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36514271>

Mantey, DS, Clendennen, SL, Ruiz, FA, & Perry, CL. (2021). Language Gap in Reach of 'The Real Cost': Examination of a Federal Mass Media Campaign from 2017 to 2019. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33782698>

Qin Y, Su J, Xiang Q, Hu Y, Xu G, et al. Effectiveness of a television advertisement campaign on giving cigarettes in a Chinese population. *J Epidemiol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25196169>

Carroll T, Katz C, and K. C. The national Tobacco campaign: Targeting people from non-English speaking backgrounds, in Australia's national Tobacco campaign evaluation report volume one. Hassard K, Editor Canberra: Commonwealth Department of Health and Aged Care; 1999. p 191-236.

Australian Bureau of Statistics 1996. Census of population housing. Basic community profile. Catalogue no 2020.0., Canberra: Commonwealth of Australia, 1997.

Vurel M. Challenging tobacco smoking amongst turkish speakers using a mass media approach, an evaluation report and prevalence study. DAMEC, NSW, 1994.

14.5.3 Reaching Indigenous smokers

Australian Bureau of Statistics. 2075.0 - census of population and housing - counts of Aboriginal and Torres Strait Islander Australians, 2016 2075.0.Canberra: ABS, 2018. Available from: <http://www.abs.gov.au/AUSSTATS/abs@.nsf/Lookup/2075.0Main+Features202016?OpenDocument>

Boyle T, Shepherd CCJ, Pearson G, Monteiro H, McAullay D, et al. Awareness and impact of the 'bubblewrap' advertising campaign among Aboriginal smokers in Western Australia. *Tob Control*, 2010; 19(1):83-6. Available from: <http://tobaccocontrol.bmjjournals.com/content/19/1/83.long>

Wilson N, Grigg M, Graham L, and Cameron G. The effectiveness of television advertising campaigns on generating calls to a national Quitline by maori. *Tob Control*, 2005; 14(4):284-6. Available from: <http://tc.bmjjournals.com/cgi/content/abstract/14/4/284>

Briggs VL, Lindorff KJ, and Ivers RG. Aboriginal and Torres Strait Islander Australians and tobacco. *Tob Control*, 2003; 12 Suppl 2:ii5-8. Available from: [http://www.ncbi.nlm.nih.gov/pubmed/12878767](https://www.ncbi.nlm.nih.gov/pubmed/12878767)

Murphy M and Mee V. The impact of the national Tobacco campaign in Indigenous communities: A study in Victoria, in Australia's national Tobacco campaign evaluation report volume one. Hassard K, Editor Canberra: Commonwealth Department of Health and Aged Care; 1999. p 237-53.

14.5.4 Media channels (including new media)

Sharma, K, Gawde, N, & Pednekar, MS. (2024). Are Anti-Tobacco Messages Delivered through Different Mass-Media Channels Effective in India? Results from GATS-II Survey. *Asian Pac J Cancer Prev*, 25(8), 2751-2760. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39205573>

Bonneterre, S, Zerhouni, O, & Boffo, M. (2024). The Influence of Billboard-Based Tobacco Prevention Posters on Memorization, Attitudes, and Craving: Immersive Virtual Reality Study. *J Med Internet Res*, 26, e49344. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38980707>

Kite, J, Grunseit, A, Mitchell, G, Cooper, P, Chan, L, Huang, BH et al. (2024). Impact of Traditional and New Media on Smoking Intentions and Behaviors: Secondary Analysis of Tasmania's Tobacco Control Mass Media Campaign Program, 2019-2021. *J Med Internet Res*, 26, e47128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38441941>

Kim, DB, Park, YS, Yun, I, Park, EC, & Jang, SI. (2023). Association between anti-smoking campaign types and smoking cessation attempts. *SSM Popul Health*, 24, 101505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37692833>

Gupta, B, Kumar, N, & Mahajan, A. (2023). Awareness about Tobacco Causing Head and Neck Cancers via Mass Media: A Case-Control Study from India. *Asian Pac J Cancer Prev*, 24(8), 2593-2600. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37642044>

Myers AE, Southwell BG, Ribisl KM, Moreland-Russell S, Bowling JM, et al. State-level point-of-sale Tobacco news coverage and policy progression over a 2-year period. *Health Promot Pract*, 2018:1524839917752108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29338430>

Rait MA, Prochaska JJ, and Rubinstein ML. Recruitment of adolescents for a smoking study: Use of traditional strategies and social media. *Transl Behav Med*, 2015; 5(3):254-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26327930>

Emery S, Aly EH, Vera L, and Alexander RL, Jr. Tobacco control in a changing media landscape: How tobacco control programs use the internet. *Am J Prev Med*, 2014; 46(3):293-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24512869>

Graham A, Milner P, Saul J, and Pfaff L. Correction: Online advertising as a public health and recruitment tool: Comparison of different media campaigns to increase demand for smoking cessation interventions. *J Med Internet Res*, 2009; 11(1):e2. Available from: <http://www.jmir.org/2009/1/e2/>

14.5.4.1 Television

Allom V, Jongenelis M, Slevin T, Keightley S, Phillips F, et al. Comparing the cost-effectiveness of campaigns delivered via various combinations of television and online media. *Frontiers in Public Health*, 2018; 6:83.

Perl R, Murukutla N, Occleston J, Bayly M, Lien M, et al. Responses to antismoking radio and television advertisements among adult smokers and non-smokers across Africa: Message-testing results from senegal, Nigeria and kenya. *Tob Control*, 2015; 24(6):601-8. Available from: <http://tobaccocontrol.bmjjournals.org/content/early/2014/09/02/tobaccocontrol-2014-051682.abstract>

Wakefield M, Bayly M, Durkin S, Cotter T, Mullin S, et al. Smokers' responses to television advertisements about the serious harms of tobacco use: Pre-testing results from 10 low- to middle-income countries. *Tob Control*, 2013; 22(1):24-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21994276>

Slater M and Hayes A. The influence of youth music television viewership on changes in cigarette use and association with smoking peers: A social identity, reinforcing spirals perspective. *Communication Research*, 2010; 37(6):751–73. Available from:
<http://crx.sagepub.com/content/37/6/751.full.pdf+html>

Ng D, Lee M, Chong N, and Eong K. Stop-smoking television advertisements: A necessary evil? *Annals of the Academy of Medicine, Singapore*, 2007; 36(12):1036–7. Available from:
<http://www.annals.edu.sg/pdf/36VolNo12Dec2007/V36N12p1036.pdf>

14.5.4.2 Radio and cinema

Hanewinkel R, Isensee B, Sargent JD, and Morgenstern M. Effect of an antismoking advertisement on cinema patrons' perception of smoking and intention to smoke: A quasi-experimental study. *Addiction*, 2010; 105(7):1269–77. Available from:
<http://www3.interscience.wiley.com/user/accessdenied?ID=123502377&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123502377/HTMLSTART>

Glantz SA. Commentary on hanewinkel et al. (2010): Anti-smoking advertisements vaccinate movie viewers against effects of on-screen smoking. *Addiction*, 2010; 105(7):1278–9. Available from:
<http://www3.interscience.wiley.com/cgi-bin/fulltext/123502378/HTMLSTART>

Edwards CA, Harris WC, Cook DR, Bedford KF, and Zuo Y. Out of the smokescreen: Does an anti-smoking advertisement affect young women's perception of smoking in movies and their intention to smoke? *Tob Control*, 2004; 13(3):277–82. Available from:
<http://tc.bmjjournals.com/cgi/content/abstract/13/3/277>

Donovan R, Weller N, and Clarkson J. Incidental smoking in the media study. Western Australia: Centre for Behavioural Research in Cancer Control - Curtin University, 2003.

14.5.4.3 Social media

Castillo-Toledo, C, Fernandez-Lazaro, CI, Lara-Abelenda, FJ, Molina-Ruiz, RM, Ortega, M A, Mora, F et al. (2024). Regional insights on tobacco-related tweets: unveiling user opinions and usage patterns. *Front Public Health*, 12, 1342460. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38947344>

, T, & Durkin, SJ. (2024). The Effect of Anti-Tobacco Ad Length and Skippability on Perceived Message Effectiveness and Emotional Responsiveness. *Health Commun*, 1-9. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39053898>

Nguyen Zarndt, A, Guo, M, & Benoza, G. (2023). The role of social media influencers as trusted messengers in tobacco control mass media campaigns. *J Commun Healthc*, 1-3. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37639540>

Silver, NA, Pearson, G, Kucherlapaty, P, Kalla, S, & Schillo, B. (2023). To tweet or not to tweet: Tweets about tobacco regulation can help disseminate anti-regulatory messages. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37209413>

Prokhorov, AV, Calabro, KS, Arya, A, Russell, S, Czerniak, KW, Botello, GC et al. (2021). Mobile Text Messaging for Tobacco Risk Communication Among Young Adult Community College Students: Randomized Trial of Project Debunk. *JMIR Mhealth Uhealth*, 9(11), e25618. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34822339>

Oh, J, Khoo, GS, Lee, JA, & Sudarshan, S. (2021). Source Interactivity Enhances Sense of Community and Reduces Psychological Reactance: Effects of the Like Button on Smoking Message Evaluations and Attitudes. *J Health Commun*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34428126>

Karletsos, D, Hutchinson, P, Leyton, A, & Meekers, D. (2020). The effect of interpersonal communication in tobacco control campaigns: A longitudinal mediation analysis of a Ghanaian adolescent population. *Prev Med*, 142, 106373. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33340636>

Majmundar, A, Le, N, Moran, MB, Unger, JB, & Reuter, K. (2020). Public Response to a Social Media Tobacco Prevention Campaign: Content Analysis. *JMIR Public Health Surveill*, 6(4), e20649. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33284120>

LA Torre, G, D'Egidio, V, Guastamacchia, S, Barbagallo, A, & Mannocci, A. (2020). Diffusion of the Italian social media campaign against smoking on a social network and YouTube. *J Prev Med Hyg*, 61(2), E200-E204. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32803006>

Zhan Q, Zhang J, Yu P, Emery S, and Xie J. Inferring social influence of anti-Tobacco mass media campaign. *IEEE Trans Nanobioscience*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28541219>

Sridharan V, Cohen T, Cobb N, and Myneni S. Temporal trends of psychosociobehavioral factors underlying Tobacco use: A semi-automated exploratory analysis of peer-to-peer communication in a health-related online community. *Stud Health Technol Inform*, 2017; 237:123-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28479554>

Seidenberg AB, Jo CL, Ribisl KM, Lee JGL, Buchting FO, et al. A national study of social media, television, radio, and internet usage of adults by sexual orientation and smoking status: Implications for campaign design. *Int J Environ Res Public Health*, 2017; 14(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28430161>

Lien M, Carroll T, Hamill S, and Thi Hai P. Use of new media to support passage of vietnam's national tobacco control legislation. *Tob Control*, 2017; 26(6):720-4. Available from: <http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/26/6/720.full.pdf>

Wang F, Zheng P, Freeman B, and Chapman S. Chinese tobacco companies' social media marketing strategies. *Tob Control*, 2015; 24(4):408-9. Available from: <http://tobaccocontrol.bmjjournals.org/content/24/4/408.short>

Liang Y, Zheng X, Zeng DD, Zhou X, Leischow SJ, et al. Characterizing social interaction in Tobacco-oriented social networks: An empirical analysis. *Sci Rep*, 2015; 5:10060. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26091553>

Carter O, Donovan R, and Jalleh G. Using viral e-mails to distribute tobacco control advertisements: An experimental investigation. *J Health Commun*, 2011;1–10. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21432712

Paek H, Kim K, and Hove T. Content analysis of antismoking videos on youtube: Message sensation value, message appeals, and their relationships with viewer responses. *Health Education Research*, 2010; 25(6):1085–99. Available from: <http://her.oxfordjournals.org/content/25/6/1085.long>

Freeman B and Chapman S. Gone viral? Heard the buzz? A guide for public health practitioners and researchers on how web 2.0 can subvert advertising restrictions and spread health information. *J Epidemiol Community Health*, 2008; 62(9): 778–82. Available from: <http://jech.bmjjournals.org/cgi/content/full/62/9/778>

Lloyd R and Bill A. Australia online: How Australians are using computers and the internet. Canberra: ABS, 2004. Available from: [http://www.ausstats.abs.gov.au/ausstats/free.nsf/Lookup/95D6233EB68F104ECA256E190079C0BE/\\$File/20560_2001.pdf](http://www.ausstats.abs.gov.au/ausstats/free.nsf/Lookup/95D6233EB68F104ECA256E190079C0BE/$File/20560_2001.pdf).

Pealer L and Dorman S. Evaluating health-related web sites. *Journal of School Health*, 1997; 67(6):232–5. Available from: <http://www.highbeam.com/doc/1G1-19781773.html>

14.5.5 Pharmaceutical advertising

Fucito L, Latimer A, Carlin-Menter S, Salovey P, Cummings K, et al. Nicotine dependence as a moderator of a quitline-based message framing intervention. *Drug Alcohol Depend*, 2011; 114((2–3)):229–32. Available from: www.ncbi.nlm.nih.gov/pubmed/21036492

Evans W and McCormack L. Applying social marketing in health care: Communicating evidence to change consumer behavior. *Medical Decision Making*, 2008; 28(5):781–92. Available from: <http://mdm.sagepub.com/content/28/5/781.long>

News reports:

14.5.1 Targeting and demographic sub-groups

Guillory, J, Henes, A, Farrelly, MC, Fiacco, L, Alam, I, Curry, L et al. (2019). Awareness of and Receptivity to the Fresh Empire Tobacco Public Education Campaign Among Hip Hop Youth. *J Adolesc Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31704108>

Prochaska, JJ, Gates, EF, Davis, KC, Gutierrez, K, Prutzman, Y, & Rodes, R. The 2016 Tips From Former Smokers(R) Campaign: Associations With Quit Intentions and Quit Attempts Among Smokers With and Without Mental Health Conditions. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30496491>

Springvloet, L et al. Educational differences in associations of noticing anti-tobacco information with smoking-related attitudes and quit intentions: findings from the International Tobacco Control

Europe Surveys. Health Educ Res, Oct 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26324396>

Fallin, A et al. Social branding to decrease lesbian, gay, bisexual, and transgender young adult smoking. Nicotine & Tobacco Research, Aug 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26180223>

14.5.4 Media channels (including new media)

Myers, AE, Southwell, BG, Ribisl, KM, Moreland-Russell, S, Bowling, JM, Lytle, LA. State-Level Point-of-Sale Tobacco News Coverage and Policy Progression Over a 2-Year Period. Health Promot Pract. 2018 Jan 1:1524839917752108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29338430>

Rait, MA et al. Recruitment of adolescents for a smoking study: use of traditional strategies and social media. Transl Behav Med, Sep 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26327930>

14.5.4.3 Social media

Seidenberg, AB, Jo, CL, Ribisl, KM, Lee, JGL, Buchting, FO, Kim, Y, Emery, SL. A National Study of Social Media, Television, Radio, and Internet Usage of Adults by Sexual Orientation and Smoking Status: Implications for Campaign Design. Int J Environ Res Public Health. 2017 Apr 21;14(4).

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28430161>

Sridharan, V, Cohen, T, Cobb, N, Myneni, S. Temporal Trends of Psychosociobehavioral Factors Underlying Tobacco Use: A Semi-Automated Exploratory Analysis of Peer-to-Peer Communication in a Health-Related Online Community. Stud Health Technol Inform. 2017;237:123-129. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28479554>

Zhan, Q, Zhang, J, Yu, P, Emery, S, Xie, J. Inferring Social Influence of Anti-Tobacco Mass Media Campaign. IEEE Trans Nanobioscience, May 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28541219>

Liang, Y et al. Characterizing social interaction in tobacco-oriented social networks: an empirical analysis. Scientific reports, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26091553>

Ghosh, Shona. Cancer Research gives two fingers to Big Tobacco with #SmokeThis selfie campaign. MarketingMagazine.co.uk, 2014. Nov 12, 2014. Available from:

<http://www.marketingmagazine.co.uk/article/1321574/cancer-research-gives-two-fingers-big-tobacco-smokethis-selfie-campaign>

Queensland Government,. See the ugly side of smoking. 2014. Available from:

<http://ifyousmoke.initiatives.qld.gov.au/>

Simon, Marielle. The ugly face of smoking: New campaign lets you upload a picture of yourself to see what you would look like after 20 years of smoking. Daily Mail, 2014. Oct 24, 2014. Available from:

<http://www.dailymail.co.uk/news/article-2806357/The-ugly-face-smoking-New-campaign-lets-upload-picture-look-like-20-years-smoking.html>

Hicks, Josh. NIH spending \$5 million to discourage hipsters from smoking. The Washington Post, 2015. Apr 6, 2015. Available from: <http://www.washingtonpost.com/blogs/federal-eye/wp/2015/04/06/the-nih-is-spending-5-million-to-discourage-hipsters-from-smoking/>

No authors listed. CDC targets LGBTs with tips from former smokers campaign. Windy City Media Group, 2015. Apr 7, 2015. Available from: <http://www.windycitymediagroup.com/lgbt/CDC-targets-LGBTs-with-Tips-From-Former-Smokers-Campaign-/51076.html>

Shank, Sarah, Chagnon, Mickey. truth® “Left Swipes” smoking pics with Becky G, Fifth Harmony and other internet icons. Legacy, 2015. Feb 6, 2015. Available from: <http://legacyforhealth.org/newsroom/press-releases/truth-r-left-swipes-smoking-pics-with-becky-g-fifth-harmony-and-other-internet-icons>

Shank S and Chagnon M. Truth® “left swipes” smoking pics with becky g, fifth harmony and other internet icons Legacy, 2015. Available from: <http://legacyforhealth.org/newsroom/press-releases/truth-r-left-swipes-smoking-pics-with-becky-g-fifth-harmony-and-other-internet-icons>

listed Na. CDC targets lgbts with tips from former smokers campaign. Windy City Media Group, 2015. Available from: <http://www.windycitymediagroup.com/lgbt/CDC-targets-LGBTs-with-Tips-From-Former-Smokers-Campaign-/51076.html>

Hicks J. Nih spending \$5 million to discourage hipsters from smoking. The Washington Post, 2015. Available from: <http://www.washingtonpost.com/blogs/federal-eye/wp/2015/04/06/the-nih-is-spending-5-million-to-discourage-hipsters-from-smoking/>

Simon M. The ugly face of smoking: New campaign lets you upload a picture of yourself to see what you would look like after 20 years of smoking Daily Mail, 2014. Available from: <http://www.dailymail.co.uk/news/article-2806357/The-ugly-face-smoking-New-campaign-lets-upload-picture-look-like-20-years-smoking.html>

Queensland Government. See the ugly side of smoking 2014. Available from: <http://ifyousmoke.initiatives.qld.gov.au/>.

Ghosh S. Cancer research gives two fingers to big Tobacco with #smokethis selfie campaign. MarketingMagazine.co.uk, 2014. Available from: <http://www.marketingmagazine.co.uk/article/1321574/cancer-research-gives-two-fingers-big-tobacco-smokethis-selfie-campaign>

Durkin S and Wakefield M. Which types of televised anti-tobacco campaigns prompt more Quitline calls from priority population subgroups? Abstract submitted to. in xxth World Conference on Smoking and Health. Mumbai. 2008.

Durkin S. Graphic emotive advertising about the health effects of smoking is equally effective across different socio-economic groups. in xxth Conference on Smoking or Health. Mumbai. 2008.

14.5.2 Reaching Australians from culturally and linguistically diverse backgrounds

No authors listed. No more butts! *Fairfield City Champion*, 2020. March 11, 2020. Retrieved from
<https://customreport.mediaportal.com/#/articlepresenter/03f90d11-d9c6-49bb-b5e9-51889a478db8/576765458/1378007400? k=xqtq8m>

14.5.3 Reaching Indigenous smokers

Centre for Excellence in Indigenous Tobacco Control. [cited 2007 august 16] Available from www.onemda.unimelb.edu.au/research/projects/ceitc.html Available from:
www.onemda.unimelb.edu.au/research/projects/ceitc.html

14.5.4 Media channels (including new media)

14.5.4.1 Television

14.5.4.2 Radio and cinema

14.5.4.3 Social media

14.5.5 Pharmaceutical advertising