

Tobacco in Australia

Facts & Issues

Relevant news and research

15.9 Effectiveness of smokefree legislation in reducing exposure to tobacco toxins, improving health, and changing smoking behaviours

Last updated July 2020

Research:

15.9.1 Effects of smokefree environments on exposure to secondhand smoke

Krakowiak, E, Sygit, K, Sygit, M, Cipora, E, & Krakowiak, J. (2020). Exposure to Environmental Tobacco Smoke (ETS) among Employees of Hospitality Venues in the Light of Changes in Anti-Tobacco Legislation in Poland. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32456242>

Chaudhary, A, Thakur, A, Chauhan, T, Mahajan, A, Barwal, VK, Chamotra, S, & Singh, B. (2019). Creation of a Smoke Free Environment for Children: An Assessment of Compliance to COTPA 2003 Legislation in an Urban Area. *Indian Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31441433>

El-Awa, F, Tageldin, MA, Prasad, V, Al-Mulla, A, Heydari, G, & Alebshehy, R. (2019). Lung health in the Eastern Mediterranean Region: the need to end designated smoking areas in public places (Editorial). *East Mediterr Health J*, 25(5), 297-298. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31364753>

Olivieri, M, Murgia, N, Carsin, AE, Heinrich, J, Benke, G, Bono, R et al (2019). Effects of smoking bans on passive smoking exposure at work and at home. The European Community respiratory health survey. *Indoor Air*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30963644>

Schechter JC, Fuemmeler BF, Hoyo C, Murphy SK, Zhang JJ, et al. Impact of smoking ban on passive smoke exposure in pregnant non-smokers in the Southeastern United States. *International Journal of Environmental Research and Public Health*, 2018; 15(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29316617>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wang Y-T, Tsai Y-W, Tsai T-I, and Chang P-Y. Children's exposure to secondhand smoke at home before and after smoke-free legislation in Taiwan. *Tobacco Control*, 2017; 26(6):690–6. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/6/690.full.pdf>

Yang J, Modi BV, Tamplin SA, Aghi MB, Dave PV, et al. Air nicotine levels in public places in Ahmedabad, India: Before and after implementation of the smoking ban. *Indian J Community Med*, 2015; 40(1):27–32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25657509>

Jarvis MJ and Feyerabend C. Recent trends in children's exposure to second-hand smoke in England: Cotinine evidence from the health survey for England. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26061741>

Fernandez MF, Artacho-Cordon F, Freire C, Perez-Lobato R, Calvente I, et al. Trends in children's exposure to second-hand smoke in the INMA-Granada cohort: An evaluation of the spanish anti-smoking law. *Environ Res*, 2015; 138:461-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25794848>

Elton-Marshall T, Leatherdale ST, Driezen P, Azagba S, and Burkhalter R. Do provincial policies banning smoking in cars when children are present impact youth exposure to secondhand smoke in cars? *Preventive Medicine*, 2015; 78:59-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26190367>

Zablocki RW, Edland SD, Myers MG, Strong DR, Hofstetter CR, et al. Smoking ban policies and their influence on smoking behaviors among current California smokers: A population-based study. *Preventive Medicine*, 2014; 59:73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24291748>

Ye X, Yao Z, Gao Y, Xu Y, Zhu Z, et al. Second-hand smoke exposure in different types of venues: Before and after the implementation of smoke-free legislation in Guangzhou, china. *BMJ Open*, 2014; 4(2):e004273. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24534259>

Martinez C, Guydish J, Robinson G, Martinez-Sanchez JM, and Fernandez E. Assessment of the smoke-free outdoor regulation in the who European region. *Preventive Medicine*, 2014; 64:37-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24704133>

Millett C, Lee JT, Lavery AA, Glantz SA, and Majeed A. Hospital admissions for childhood asthma after smoke-free legislation in England. *Pediatrics*, 2013; 131(2):e495–501. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23339216>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Gaudreau K, Sanford CJ, Cheverie C, and McClure C. The effect of a smoking ban on hospitalization rates for cardiovascular and respiratory conditions in Prince Edward Island, Canada. *PLoS ONE*, 2013; 8(3):e56102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23520450>

Nagelhout GE, Willemsen MC, and De Vries H. The population impact of smoke-free workplace and hospitality industry legislation on smoking behaviour. Findings from a national population survey. *Addiction*, 2011; 106(4):816–23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21182553>

Herman PM and Walsh ME. Hospital admissions for acute myocardial infarction, angina, stroke, and asthma after implementation of Arizona's comprehensive statewide smoking ban. *American Journal of Public Health*, 2011; 101(3):491–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20466955>

Wilson H and Thomson G. 'Balancing acts': The politics and processes of smokefree area policymaking in a small state. *Health Policy*, 2010; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20855126

Regidor E, de Mateo S, Ronda E, Sanchez-Paya J, Gutierrez-Fisac J, et al. Heterogeneous trend in smoking prevalence by sex and age group following the implementation of a national smoke-free law. *Journal of Epidemiology and Community Health*, 2010; [Epub ahead of print]. Available from: <http://jech.bmj.com/content/early/2010/08/06/jech.2009.091181.long>

Nieminen P, Toljamo T, Hamari A, and Kinnula V. Attitudes to new smoking restrictions and second-hand smoke among young Finnish males. *Scandinavian Journal of Public Health*, 2010; 38(8):817-25. Available from: <http://sjp.sagepub.com/content/early/2010/08/04/1403494810379892.long>

Martinez-Sanchez J, Fernandez E, Fu M, Gallus S, Martinez C, et al. Smoking behaviour, involuntary smoking, attitudes towards smoke-free legislations, and tobacco control activities in the European Union. *PLoS ONE*, 2010; 5(11):e13881. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2975630/?tool=pubmed>

Eisenberg M, McCotter O, and Sciacca J. But will i be re-elected? What happens to local level policy makers who support clean indoor air laws? *Health Promotion Practice*, 2010; 11(6):845–51. Available from: <http://hpp.sagepub.com/content/11/6/845.long>

Charrier L, Serafini P, Giordano L, and Zotti C. Smoking habits in Italian pregnant women: Any changes after the ban? *Journal of Public Health Policy*, 2010; 31(1):51–8. Available from: <http://www.palgrave-journals.com/jphp/journal/v31/n1/full/jphp200943a.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bernat D, Erickson D, Shi Q, Fabian L, and Forster J. Short-term effects of a comprehensive, statewide smokefree law on perceived opportunities to smoke. *American Journal of Preventive Medicine*, 2010; 39(6S1):S23-S9. Available from: <http://www.ajpm-online.net/article/S0749-3797%2810%2900482-4/fulltext>

Asbridge M and Cartwright J. The relationship of home smoking bans to the physical and mental health of smokers. *Nicotine & Tobacco Research*, 2010; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/content/early/2010/12/01/ntr.ntq211.full>

Rodell JB and Colquitt JA. Looking ahead in times of uncertainty: The role of anticipatory justice in an organizational change context. *Journal of Applied Psychology*, 2009; 94(4):989–1002. Available from: <http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2009-10167-021>

Ritchie D, Amos A, and Martin C. Public places after smoke-free - a qualitative exploration of the changes in smoking behaviour. *Health & Place*, 2009; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20044297

Proescholdbell S, Steiner J, Goldstein A, and Malek S. Using indoor air quality monitoring in 6 counties to change policy in north Carolina. *Preventing Chronic Disease*, 2009; 6(3):A87. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19527589

Prochaska J, Burdine J, Bigsby K, Ory M, Sharkey J, et al. The impact of a communitywide smoke-free ordinance on smoking among older adults. *Preventing Chronic Disease*, 2009; 6(1):A17. Available from: http://www.cdc.gov/pcd/issues/2009/Jan/07_0264.htm

Orbell S, Lidieth P, Henderson C, Geeraert N, Uller C, et al. Social-cognitive beliefs, alcohol, and tobacco use: A prospective community study of change following a ban on smoking in public places. *Health Psychology*, 2009; 28(6):753–61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19916644>

Kabat P. "Till naught but ash is left to see": Statewide smoking bans, ballot initiatives, and the public sphere. *Yale Journal of Health Policy, Law, and Ethics*, 2009; 9(1):128–200. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19388487

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hahn E, Rayens M, Langley R, Darville A, and Dignan M. Time since smoke-free law and smoking cessation behaviors. *Nicotine & Tobacco Research*, 2009; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/ntp086v1>

Glantz S. Limited linkages between secondhand smoke discovery and delivery: More a speed bump than a gap. *American Journal of Preventive Medicine*, 2009; 36(6):555–6. Available from: <http://www.ajpm-online.net/article/PIIS0749379709001676/fulltext>

Edwards R, Gifford H, Waa A, Glover M, Thomson G, et al. Beneficial impacts of a national smokefree environments law on an indigenous population: A multifaceted evaluation *Int J Equity Health*, 2009; 8(1):12. Available from: <http://www.equityhealthj.com/content/pdf/1475-9276-8-12.pdf>

Chan S, Wong D, Fong D, Leung A, Mak Y, et al. Short-term impact of new smoke-free legislation on the utilization of a quitline in Hong Kong. *Nicotine & Tobacco Research*, 2009; 11(4):356–61. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/4/356>

Brown A, Moodie C, and Hastings G. A longitudinal study of policy effect (smoke-free legislation) on smoking norms: ITC Scotland/United Kingdom. *Nicotine & Tobacco Research*, 2009; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19541947

Apollonio D and Bero L. Evidence and argument in policymaking: Development of workplace smoking legislation. *BMC Public Health*, 2009; 9(1):189. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19534777

Hahn EJ, Rayens MK, Butler KM, Zhang M, Durbin E, et al. Smoke-free laws and adult smoking prevalence. *Preventive Medicine*, 2008; 47(2):206-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18519154>

Elton P and Campbell P. Smoking prevalence in a north-west town following the introduction of smoke-free England. *Journal of Public Health*, 2008; 30(4):415-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18812435>

Galán I, Mata N, Estrada C, Díez-Gañán L, Velázquez L, et al. Impact of the "tobacco control law" on exposure to environmental tobacco smoke in Spain. *BMC Public Health*, 2007; 7(1):224. Available from: <https://doi.org/10.1186/1471-2458-7-224>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Biener L, Garrett CA, Skeer M, Siegel M, and Connolly G. The effects on smokers of Boston's smoke-free bar ordinance: A longitudinal analysis of changes in compliance, patronage, policy support, and smoking at home. *Journal of Public Health Management Practice*, 2007; 13(6):630-6.

Fong GT, Hyland A, Borland R, Hammond D, Hastings G, et al. Reductions in tobacco smoke pollution and increases in support for smoke-free public places following the implementation of comprehensive smoke-free workplace legislation in the Republic of Ireland: Findings from the ITC Ireland/UK survey. *Tobacco Control*, 2006; 15(suppl. 3):iii51-8. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii51

Gilpin EA, Farkas AJ, Emery SL, Ake CF, and Pierce JP. Clean indoor air: Advances in California, 1990-1999. *American Journal of Public Health*, 2002; 92(5):785-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11988448>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

15.9.2 Effects of smokefree environments on health outcomes

Carrion-Valero, F, Quiles-Izquierdo, J, Gonzalez-Monte, C, Taberner-Alberola, F, Lluch-Rodrigo, JA, Chorro, FJ, & Martin-Moreno, JM. (2020). Association between a comprehensive smoking ban and hospitalization for acute myocardial infarction: An observational study in the Autonomous Community of Valencia, Spain. *Rev Port Cardiol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32291119>

Xiao, H, Qi, F, Jia, X, Wang, Y, Zhang, H, Li, S et al. (2020). Impact of Qingdao's smoke-free legislation on hospitalizations and mortality from acute myocardial infarction and stroke: An interrupted time series analysis. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31961014>

Carrion-Valero, F, Quiles-Izquierdo, J, Gonzalez-Monte, C, Taberner-Alberola, F, Lluch-Rodrigo, JA, Chorro, FJ, & Martin-Moreno, JM. (2019). Impact of the 2005 and 2010 Spanish smoking laws on hospital admissions for tobacco-related diseases in Valencia, Spain. *Public Health*, 180, 29-37.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31838343>

Liang, HJ, Wu, MJ, Jerng, JS, & Yang, CH. (2019). Reinforcement of Tobacco Control and Reduction in Medical Utilization for Asthma in Taiwan: A Population-Based Study. *Int J Environ Res Public Health*, 16(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31627282>

Stallings-Smith, S, Hamadi, HY, Peterson, BN, Apatu, EJI, & Spaulding, AC. (2019). Smoke-Free Policies and 30-Day Readmission Rates for Chronic Obstructive Pulmonary Disease. *Am J Prev Med*, 57(5), 621-628. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564604>

ao, M, Li, Y, Wang, F, Zhang, S, Qu, Z, Wan, X et al (2019). The effect of smoke-free legislation on the mortality rate of acute myocardial infarction: a meta-analysis. *BMC Public Health*, 19(1), 1269.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31533693>

Barrio, G, Belza, MJ, Carmona, R, Hoyos, J, Ronda, E, & Regidor, E. (2019). The limits of single-group interrupted time series analysis in assessing the impact of smoke-free laws on short-term mortality. *Int J Drug Policy*, 73, 112-120. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31470256>

Pryce, R. (2019). The effect of the United Kingdom smoking ban on alcohol spending: Evidence from the Living Costs and Food Survey. *Health Policy*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31421909>

Mackay, DF, & Pell, JP. (2019). Ten-Year Follow-Up of the Impact of Scottish Smoke-Free Legislation on Acute Myocardial Infarction. *Circ Cardiovasc Qual Outcomes*, 12(7), e005392. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31284741>

Tobacco in Australia

Facts & Issues

Saijo, Y, Ido, A, Sato, Y, Yoshioka, E, & Yoshida, T. (2019). Acute myocardial infarction and stroke after the enactment of smoke-free legislation in public places in Bibai city: data analysis of hospital admissions and ambulance transports. *Hypertens Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31289375>

Hone, T, Szklo, AS, Filippidis, FT, Laverly, AA, Sattamini, I, Been, JV et al. (2019). Smoke-free legislation and neonatal and infant mortality in Brazil: longitudinal quasi-experimental study. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31152114>

Ozieranski, K, Witkowska, A, Wojtyniak, B, Gierlotka, M, Zdrojewski, T, Stokwiszewski, J et al. (2019). Smoking ban in public places and myocardial infarction hospitalizations in a European country with high cardiovascular risk: insights from the Polish nationwide AMI-PL database. *Pol Arch Intern Med*, 129(6), 386-391. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31169258>

Xiao, H, Zhang, H, Wang, D, Shen, C, Xu, Z, Zhang, Y et al. Impact of smoke-free legislation on acute myocardial infarction and stroke mortality: Tianjin, China, 2007-2015. *Tob Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30692165>

Parks MJ, Kingsbury JH, Boyle RG, and Evered S. Household implementation of smoke-free rules in homes and cars: A focus on adolescent smoking behavior and secondhand smoke exposure. *American Journal of Health Promotion*, 2018:890117118776901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29768925>

Mayor S. Smoke-free zones and higher taxes reduce smoking in young people, us study finds. *British Medical Journal*, 2015; 351:h4814. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26353757>

Vuolo M, Kelly BC, and Kadowaki J. Independent and interactive effects of smoking bans and tobacco taxes on a cohort of us young adults. *American Journal of Public Health*, 2015:e1-e7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26691133>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

15.9.3 Effects of smokefree environments on smoking behaviours

Septiono, W, Kuipers, MAG, Ng, N, & Kunst, AE. (2020). The impact of local smoke-free policies on smoking behaviour among adults in Indonesia: a quasi-experimental national study. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32386096>

Mojtabai, R, Riehm, KE, Cohen, JE, Alexander, GC, Vernick, JS, & Thrul, J. (2020). Cigarette excise taxes, clean indoor air laws, and use of smoking cessation treatments: A mediation analysis. *Prev Med*, 106098. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32333928>

Cho, BY, Lin, HC, & Seo, DC. (2020). Effectiveness of Indiana's Statewide Smoke-Free Indoor Air Law in Reducing Prevalence of Adult Cigarette Smoking. *Journal of Primary Prevention*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31953593>

Bird, Y, Kashaniamin, L, Nwankwo, C, & Moraros, J. (2020). Impact and Effectiveness of Legislative Smoking Bans and Anti-Tobacco Media Campaigns in Reducing Smoking among Women in the US: A Systematic Review and Meta-Analysis. *Healthcare (Basel)*, 8(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31963154>

Ko, H. (2019). The effect of outdoor smoking ban: Evidence from Korea. *Health Econ*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31860782>

Kulhanek, A., Lukavska, K., Svancarova, I., Fidesova, H., & Gabrhelik, R. (2019). Changes in tobacco use patterns and motivation to quit related to the new smoke-free legislation in the Czech Republic. *J Public Health (Oxf)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31832643>

zagba, S, Shan, L, & Latham, K. (2019). County Smoke-Free Laws and Cigarette Smoking Among U.S. Adults, 1995-2015. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31732322>

Titus, AR, Kalousova, L Meza, R., Levy, DT, Thrasher, JF, Elliott, MR et al (2019). Smoke-Free Policies and Smoking Cessation in the United States, 2003-2015. *Int J Environ Res Public Health*, 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31480698>

Christian, WJ, Walker, CJ, Huang, B, & Hahn, EJ. (2019). Effect of Local Smoke-Free Ordinances on Smoking Prevalence in Kentucky, 2002-2009. *South Med J*, 112(7), 369-375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31282965>

Tobacco in Australia

Facts & Issues

Mojtabai, R, Riehm, KE, Cohen, JE, Alexander, GC, & Rutkow, L. (2019). Clean indoor air laws, cigarette excise taxes, and smoking: Results from the current population survey-tobacco use supplement, 2003-2011. *Prev Med*, 126, 105744. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31173803>

Patel M, Thai CL, Meng YY, Kuo T, Zheng H, et al. Smoke-free car legislation and student exposure to smoking. *Pediatrics*, 2018; 141(Suppl 1):S40-S50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292305>

Murad M, Marsh L, and McGee R. The contribution of smokefree outdoor areas in achieving New Zealand's smokefree 2025 goal. *Health Promotion Journal of Australia*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29582509>

Matt GE, Quintana PJE, Hoh E, Zakarian JM, Chowdhury Z, et al. A casino goes smoke free: A longitudinal study of secondhand and thirdhand smoke pollution and exposure. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29439207>

Lim KH, Teh CH, Nik Mohamed MH, Pan S, Ling MY, et al. Exposure to tobacco secondhand smoke and its associated factors among non-smoking adults in smoking-restricted and non-restricted areas: Findings from a nationwide study in Malaysia. *BMJ Open*, 2018; 8(1):e017203. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29317411>

Haardorfer R, Kreuter M, Berg CJ, Escoffery C, Bundy LT, et al. Cessation and reduction in smoking behavior: Impact of creating a smoke-free home on smokers. *Health Education Research*, 2018; 33(3):256-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29788227>

Gorzowski JA and Klein JD. The role of secondhand smoke research in protecting nonsmokers. *Pediatrics*, 2018; 141(Suppl 1):S6-S9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292301>

Dunbar MS, Shiffman S, and Chandra S. Exposure to workplace smoking bans and continuity of daily smoking patterns on workdays and weekends. *Addictive Behaviors*, 2018; 80:53-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29348060>

Staff PO. Correction: Health assessment of future pm2.5 exposures from indoor, outdoor, and secondhand tobacco smoke concentrations under alternative policy pathways in Ulaanbaatar, Mongolia. *PLoS ONE*, 2017; 12(12):e0190432. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29272299>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Seidel SE, Metzger K, Guerra A, Patton-Levine J, Singh S, et al. Effects of a tobacco-free work site policy on employee tobacco attitudes and behaviors, Travis County, Texas, 2010-2012. *Preventing Chronic Disease*, 2017; 14:E133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29240554>

Lidon-Moyano C, Fu M, Ballbe M, Martin-Sanchez JC, Matilla-Santander N, et al. Impact of the Spanish smoking laws on tobacco consumption and secondhand smoke exposure: A longitudinal population study. *Addictive Behaviors*, 2017; 75:30-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28683343>

Lidon-Moyano C, Fu M, Ballbe M, Martin-Sanchez JC, Matilla-Santander N, et al. Impact of the Spanish smoking laws on tobacco consumption and secondhand smoke exposure: A longitudinal population study. *Addictive Behaviors*, 2017; 75:30-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28683343>

Leon-Gomez BB, Colell E, Villalbi JR, Barrio G, and Domingo-Salvany A. Impact of smoke-free regulations on smoking prevalence trends in Spain. *European Journal of Public Health*, 2017; 27(1):123-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28177493>

Kwak J, Jeong H, Chun S, Bahk JH, Park M, et al. Effectiveness of government anti-smoking policy on non-smoking youth in Korea: A 4-year trend analysis of national survey data. *BMJ Open*, 2017; 7(7):e013984. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28706085>

Kwak J, Jeong H, Chun S, Bahk JH, Park M, et al. Effectiveness of government anti-smoking policy on non-smoking youth in Korea: A 4-year trend analysis of national survey data. *BMJ Open*, 2017; 7(7):e013984. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28706085>

Hill LD, Edwards R, Turner JR, Argo YD, Olkhanud PB, et al. Health assessment of future pm2.5 exposures from indoor, outdoor, and secondhand tobacco smoke concentrations under alternative policy pathways in Ulaanbaatar, Mongolia. *PLoS ONE*, 2017; 12(10):e0186834. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29088256>

Chiu YL, Lo HC, Lai CH, Hwang SL, Lin FG, et al. Effectiveness of a smoking restriction policy on smoking behaviour in the military. *Addictive Behaviors*, 2017; 67:53-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28012966>

Bennett BL, Deiner M, and Pokhrel P. College anti-smoking policies and student smoking behavior: A review of the literature. *Tobacco Induced Diseases*, 2017; 15:11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28163669>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Becker CM, Lee JG, Hudson S, Hoover J, and Civils D. A 14-year longitudinal study of the impact of clean indoor air legislation on state smoking prevalence, USA, 1997-2010. *Preventive Medicine*, 2017; 99:63-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28188797>

Xiao L, Jiang Y, Liu X, Li Y, Gan Q, et al. Smoking reduced in urban restaurants: The effect of beijing smoking control regulation. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27413062>

Troelstra SA, Bosdriesz JR, de Boer MR, and Kunst AE. Effect of tobacco control policies on information seeking for smoking cessation in the Netherlands: A google trends study. *PLoS ONE*, 2016; 11(2):e0148489. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26849567>

Shmulewitz D, Stohl M, Keyes KM, Brown Q, Saha TD, et al. Effects of state-level tobacco environment on cigarette smoking are stronger among those with individual-level risk factors. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27130948>

Rana P, Perez-Rios M, Santiago-Perez MI, and Crujeiras RM. Impact of a comprehensive law on the prevalence of tobacco consumption in Spain: Evaluation of different scenarios. *Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27076441>

Perlman SE, Chernov C, Farley SM, Greene CM, Aldous KM, et al. Exposure to secondhand smoke among nonsmokers in New York city in the context of recent tobacco control policies: Current status, changes over the past decade and national comparisons. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27190401>

Liang LA, Weber A, Herr C, Hendrowarsito L, Meyer N, et al. Children's exposure to second-hand smoke before and after the smoking ban in Bavaria-a multiple cross-sectional study. *European Journal of Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27418584>

Leon-Gomez BB, Colell E, Villalbi JR, Barrio G, and Domingo-Salvany A. Impact of smoke-free regulations on smoking prevalence trends in Spain. *European Journal of Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27681802>

Kim J, Ban H, Hwang Y, Ha K, and Lee K. Impact of partial and comprehensive smoke-free regulations on indoor air quality in bars. *International Journal of Environmental Research and Public Health*, 2016; 13(8). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27472349>

Katikireddi SV, Der G, Roberts C, and Haw S. Has childhood smoking reduced following smoke-free public places legislation? A segmented regression analysis of cross-sectional uk school-based

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

surveys. Nicotine & Tobacco Research, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26911840>

Heloma A and Puska P. Tobacco control: From north Karelia to the national level. Glob Heart, 2016; 11(2):185-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27242085>

Hale N, Murphy AM, Adams JR, and Williams CM. Effect of a smoke-free policy on staff attitudes and behaviours within an Australian metropolitan health service: A 3 year cross-sectional study. Aust Health Rev, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27049930>

Frazer K, McHugh J, Callinan JE, and Kelleher C. Impact of institutional smoking bans on reducing harms and secondhand smoke exposure. Cochrane Database of Systematic Reviews, 2016; 5:CD011856. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27230795>

Frazer K, Callinan JE, McHugh J, van Baarsel S, Clarke A, et al. Legislative smoking bans for reducing harms from secondhand smoke exposure, smoking prevalence and tobacco consumption. Cochrane Database of Systematic Reviews, 2016; 2:CD005992. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26842828>

Claire AW, Amato MS, Boyle RG, Rode P, and Kinney AM. Secondhand smoke exposure 7 years after an indoor smoke-free law. American Journal of Health Promotion, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27703069>

Burns S, Hart E, Jancey J, Hallett J, Crawford G, et al. A cross sectional evaluation of a total smoking ban at a large Australian university. BMC Res Notes, 2016; 9(1):288. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27230617>

Buettner-Schmidt K, Boursaw B, Lobo ML, and Travers MJ. Tobacco smoke pollution in hospitality venues before and after passage of statewide smoke-free legislation. Public Health Nurs, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27723116>

Yu S, Yang W, Lee K, Kim S, Ha K, et al. Short-term impact of a comprehensive smoke-free law following a partial smoke-free law on pm2.5 concentration levels at hospitality venues on the peripheries of college campuses. International Journal of Environmental Research and Public Health, 2015; 12(11):14034-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26540063>

Ye X, Chen S, Yao Z, Gao Y, Xu Y, et al. Smoking behaviors before and after implementation of a smoke-free legislation in Guangzhou, china. BMC Public Health, 2015; 15(1):982. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26420222>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Vijayaraghavan M and Pierce JP. Interest in smoking cessation related to a smoke-free policy among homeless adults. *Journal of Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25559109>

Tsai YW, Chang HC, and Chiou ST. The impact of multipolicy tobacco control legislation on smoking behavior. *Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26116932>

Song AV, Dutra LM, Neilands TB, and Glantz SA. Association of smoke-free laws with lower percentages of new and current smokers among adolescents and young adults: An 11-year longitudinal study. *JAMA Pediatr*, 2015; 169(9):e152285. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26348866>

Shamo F, Wilson T, Kiley J, and Repace J. Assessing the effect of Michigan's smoke-free law on air quality inside restaurants and casinos: A before-and-after observational study. *BMJ Open*, 2015; 5(7):e007530. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26185176>

Regidor E, Pascual C, Giraldez-Garcia C, Galindo S, Martinez D, et al. Impact of tobacco prices and smoke-free policy on smoking cessation, by gender and educational group: Spain, 1993-2012. *Int J Drug Policy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26118795>

Pieroni L, Muzi G, Quercia A, Lanari D, Rundo C, et al. Estimating the smoking ban effects on smoking prevalence, quitting and cigarette consumption in a population study of apprentices in Italy. *International Journal of Environmental Research and Public Health*, 2015; 12(8):9523-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26287220>

Persoskie A, Ferrer RA, Taber JM, Klein WM, Parascandola M, et al. Smoke-free air laws and quit attempts: Evidence for a moderating role of spontaneous self-affirmation. *Social Science & Medicine*, 2015; 141:46-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26246033>

Perez-Rios M, Fernandez E, Schiaffino A, Nebot M, and Lopez MJ. Changes in the prevalence of tobacco consumption and the profile of Spanish smokers after a comprehensive smoke-free policy. *PLoS ONE*, 2015; 10(6):e0128305. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26066497>

Odermatt R and Stutzer A. Smoking bans, cigarette prices and life satisfaction. *J Health Econ*, 2015; 44:176-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26513435>

Moreland-Russell S and Carothers BJ. An examination of two policy networks involved in advancing smokefree policy initiatives. *International Journal of Environmental Research and Public Health*, 2015; 12(9):11117-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26371022>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Mayor S. Smoking bans are more effective than taxes at limiting social smoking in young adults, us study shows. *British Medical Journal*, 2015; 351:h6923. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26696406>

Mader EM, Lapin B, Cameron BJ, Carr TA, and Morley CP. Update on performance in tobacco control: A longitudinal analysis of the impact of tobacco control policy and the us adult smoking rate, 2011-2013. *J Public Health Manag Pract*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26618847>

Luo B, Wan L, Liang L, and Li T. The effects of educational campaigns and smoking bans in public places on smokers' intention to quit smoking: Findings from 17 cities in china. *Biomed Res Int*, 2015; 2015:853418. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26064959>

Levy DT, Meza R, Zhang Y, and Holford TR. Gauging the effect of U.S. Tobacco control policies from 1965 through 2014 using simsmoke. *American Journal of Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26673484>

Levy DE, Adamkiewicz G, Rigotti NA, Fang SC, and Winickoff JP. Changes in tobacco smoke exposure following the institution of a smoke-free policy in the Boston housing authority. *PLoS ONE*, 2015; 10(9):e0137740. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26360258>

Kruger J, Jama A, Homa DM, Babb SD, and King BA. Smoke-free home and vehicle rules by tobacco use status among us adults. *Preventive Medicine*, 2015; 78:9-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26092055>

Kates FR, Salloum RG, Thrasher JF, Islam F, Fleischer NL, et al. Geographic proximity of waterpipe smoking establishments to colleges in the U.S. *American Journal of Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26346294>

Kaleta D, Polanska K, and Usidame B. Smoke-free workplaces are associated with protection from second-hand smoke at homes in Nigeria: Evidence for population-level decisions. *Biomed Res Int*, 2015; 2015:618640. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26504817>

Johns M, Farley SM, Rajulu DT, Kansagra SM, and Juster HR. Smoke-free parks and beaches: An interrupted time-series study of behavioural impact in new york city. *Tobacco Control*, 2015; 24(5):497-500. Available from: <http://tobaccocontrol.bmj.com/content/24/5/497.abstract>

Johns M, Farley S, Rajulu D, Kansagra S, and Juster H. Smoke-free parks and beaches: An interrupted time-series study of behavioural impact in new york city. *Tobacco Control*, 2015; 24(5):497-500. Available from: <http://tobaccocontrol.bmj.com/content/24/5/497.full>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

<http://www.ncbi.nlm.nih.gov/pubmed/24789607>

Jiang N, Gonzalez M, Ling PM, and Glantz SA. Relationship of smokefree laws and alcohol use with light and intermittent smoking and quit attempts among us adults and alcohol users. PLoS ONE, 2015; 10(10):e0137023. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26445314>

Hernandez-Martin M, Meneses-Monroy A, Arranz Alonso S, and Martin-Casas P. Smoking among Spanish workers after smoking regulation. Workplace Health Saf, 2015; 63(3):116–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25994976>

Gorini G, Carreras G, Cortini B, Verdi S, Petronio MG, et al. Impact of national smoke-free legislation on educational disparities in smoke-free homes: Findings from the SIDRIAT longitudinal study. International Journal of Environmental Research and Public Health, 2015; 12(8):8705–16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26213956>

Cance JD, Talley AE, and Fromme K. The impact of a city-wide indoor smoking ban on smoking and drinking behaviors across emerging adulthood. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25744964>

Anna P, Joseph G, Thao L, Barbara T, Emma P, et al. Smoking behaviors and attitudes among clients and staff at New York addiction treatment programs following a smoking ban: Findings after 5 years. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26014456>

Zablocki RW, Edland SD, Myers MG, Strong DR, Hofstetter CR, et al. Smoking ban policies and their influence on smoking behaviors among current California smokers: A population-based study. Preventive Medicine, 2014; 59:73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24291748>

Nazar GP, Lee JT, Glantz SA, Arora M, Pearce N, et al. Association between being employed in a smoke-free workplace and living in a smoke-free home: Evidence from 15 low and middle income countries. Preventive Medicine, 2014; 59:47–53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24287123>

Murphy-Hoefer R, Madden P, Maines D, and Coles C. Prevalence of smoke-free car and home rules in Maine before and after passage of a smoke-free vehicle law, 2007-2010. Preventing Chronic Disease, 2014; 11:130132. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24433624>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lipperman-Kreda S, Friend KB, and Grube JW. Rating the effectiveness of local tobacco policies for reducing youth smoking. *J Prim Prev*, 2014; 35(2):85-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24327233>

Kairouz S, Lasnier B, Mihaylova T, Montreuil A, and Cohen JE. Smoking restrictions in homes after implementation of a smoking ban in public places. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25140045>

Johns M, Farley SM, Rajulu DT, Kansagra SM, and Juster HR. Smoke-free parks and beaches: An interrupted time-series study of behavioural impact in New York City. *Tobacco Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24789607>

Hahn EJ, Rayens MK, Adkins S, Begley K, and York N. A controlled community-based trial to promote smoke-free policy in rural communities. *J Rural Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25182714>

Gonzalez M, Sanders-Jackson A, and Glantz SA. Association of strong smoke-free laws with dentists' advice to quit smoking, 2006-2007. *American Journal of Public Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24524506>

Chan SS, Cheung YT, Leung DY, Mak YW, Leung GM, et al. Secondhand smoke exposure and maternal action to protect children from secondhand smoke: Pre- and post-smokefree legislation in Hong Kong. *PLoS ONE*, 2014; 9(8):e105781. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25166507>

Chaiton M, Diemert L, Zhang B, Kennedy RD, Cohen JE, et al. Exposure to smoking on patios and quitting: A population representative longitudinal cohort study. *Tobacco Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25352563>

Huang J, Zheng R, and Emery S. Assessing the impact of the national smoking ban in indoor public places in china: Evidence from quit smoking related online searches. *PLoS ONE*, 2013; 8(6):e65577. Available from: <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0065577>

<http://www.ncbi.nlm.nih.gov/pubmed/23776504>

Cheng KW, Okechukwu CA, McMillen R, and Glantz SA. Association between clean indoor air laws and voluntary smokefree rules in homes and cars. *Tobacco Control*, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24114562>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Szatkowski L, Coleman T, McNeill A, and Lewis S. The impact of the introduction of smokefree legislation on prescribing of stop-smoking medications in England. *Addiction*, 2011;no-no. Available from: <http://dx.doi.org/10.1111/j.1360-0443.2011.03494.x>

Cheng K-W, Glantz SA, and Lightwood JM. Association between smokefree laws and voluntary smokefree-home rules. *American Journal of Preventive Medicine*, 2011; 41(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22099232>

Villalbía JR, Castillob A, Cleriesc M, Saltó E, Sánchezd E, et al. Acute myocardial infarction hospitalization statistics: Apparent decline accompanying an increase in smoke-free areas *Revista Española de Cardiología*, 2009; 62(07):812–5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19709517>

Tonkin A, Beauchamp A, and Stevenson C. The importance of extinguishing secondhand smoke. *Circulation*, 2009; 120(14):1339–41. Available from: <http://circ.ahajournals.org/cgi/reprint/120/14/1339>

Pell J and Haw S. The triumph of national smoke-free legislation. *Heart*, 2009; 95(17):1377–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19505877>

McKee S, Higbee C, O'Malley S, Hassan L, Borland R, et al. Longitudinal evaluation of smoke-free Scotland on pub and home drinking behavior: Findings from the international tobacco control policy evaluation project *Nicotine & Tobacco Research*, 2009; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/cgi/search?fulltext=Longitudinal+evaluation+of+smoke-free+Scotland+on+pub+and+home+drinking+behavior%3A+Findings+from+the+International+Tobacco+Control+Policy+Evaluation+Project+&x=11&y=3>

Klein EG, Forster JL, Erickson DJ, Lytle LA, and Schillo B. The relationship between local clean indoor air policies and smoking behaviours in Minnesota youth. *Tobacco Control*, 2009; 18(2):132-7. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/18/2/132>

Goodman P, Haw S, Kabir Z, and Clancy L. Are there health benefits associated with comprehensive smoke-free laws. *International Journal of Public Health*, 2009; [Epub ahead of print]. Available from: <https://commerce.metapress.com/content/k61984x412t4872x/resource-secured/?target=fulltext.html&sid=arcdxjmn5jyi1l55c3gydif5&sh=www.springerlink.com>

Bondy S, Zhang B, Kreiger N, Selby P, Benowitz N, et al. Impact of an indoor smoking ban on bar workers' exposure to secondhand smoke. *Journal of Occupational and Environmental Medicine*, 2009; 51(5):612–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19369895>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bitler MP, Carpenter C, and Zavodny M. Effects of venue-specific state clean indoor air laws on smoking-related outcomes. Working Paper Series (National Bureau of Economic Research), 2009; 15229. Available from: <http://papers.nber.org/papers/w15229>

15.9.3.1 Effects on smoking behaviour among workers and residents

Hahn, EJ, Ickes, MJ, Wiggins, A, Kay Rayens, M, Polivka, BJ, & Whelan Parento, E. (2019). Short- and Long-Term Effects of a Tobacco-Free Executive Order on Employee Tobacco Use. *Policy Polit Nurs Pract*, 1527154419833174. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30922206>

Goel S, Sharma D, Gupta R, and Mahajan V. Compliance with smoke-free legislation and smoking behaviour: Observational field study from Punjab, India. *Tobacco Control*, 2018; 27(4):407-13. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/4/407.full.pdf>

Kahraman H, Sucakli MH, Atilla N, Arpag H, Bozkus F, et al. The effect of working in a smoke-free workplace on use of smoking and smokeless tobacco. *Turk Thorac J*, 2017; 18(1):14-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29404152>

Wei B, Bernert JT, Blount BC, Sosnoff CS, Wang L, et al. Temporal trends of secondhand smoke exposure: Nonsmoking workers in the United States (NHANES 2001-2010). *Environ Health Perspect*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27164619>

Tabuchi T and Colwell B. Disparity and trends in secondhand smoke exposure among Japanese employees, particularly smokers vs. Non-smokers. *PLoS ONE*, 2016; 11(4):e0152096. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27050819>

Stillman FA, Soong A, Zheng LY, and Navas-Acien A. Clear skies and grey areas: Flight attendants' secondhand smoke exposure and attitudes toward smoke-free policy 25 years since smoking was banned on airplanes. *International Journal of Environmental Research and Public Health*, 2015; 12(6):6378-87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26053296>

Park JH, Lee CK, Kim SY, Suh C, Kim KH, et al. Decline in non-smoking workers' urine cotinine levels after increased smoking regulation in Korea. *Ann Occup Environ Med*, 2015; 27:17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26120472>

Kennedy RD, Ellens-Clark S, Nagge L, Douglas O, Madill C, et al. A smoke-free community housing policy: Changes in reported smoking behaviour-findings from waterloo region, Canada. *Journal of Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26070870>

Tobacco in Australia

Facts & Issues

Cheng KW, Liu F, Gonzalez M, and Glantz S. The effects of workplace clean indoor air law coverage on workers' smoking-related outcomes. *Health Econ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26639369>

Zablocki RW, Edland SD, Myers MG, Strong DR, Hofstetter CR, et al. Smoking ban policies and their influence on smoking behaviors among current California smokers: A population-based study. *Preventive Medicine*, 2014; 59:73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24291748>

Stockings EA, Bowman JA, Prochaska JJ, Baker AL, Clancy R, et al. The impact of a smoke-free psychiatric hospitalization on patient smoking outcomes: A systematic review. *Australian and New Zealand Journal of Psychiatry*, 2014; 48(7):617-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24819934>

Smith PH, Young-Wolff KC, Hyland A, and McKee SA. Are statewide restaurant and bar smoking bans associated with reduced cigarette smoking among those with mental illness? *Nicotine & Tobacco Research*, 2014; 16(6):846-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24566280>

Nagelhout GE, Zhuang YL, Gamst A, and Zhu SH. Do smokers support smoke-free laws to help themselves quit smoking? Findings from a longitudinal study. *Tobacco Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24415730>

Madureira J, Mendes A, and Teixeira JP. Evaluation of a smoke-free law on indoor air quality and on workers' health in Portuguese restaurants. *J Occup Environ Hyg*, 2014; 11(4):201-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24579749>

Kilgore EA, Mandel-Ricci J, Johns M, Coady MH, Perl SB, et al. Making it harder to smoke and easier to quit: The effect of 10 years of tobacco control in new york city. *American Journal of Public Health*, 2014; 104(6):e5-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24825232>

Huang HW, Lu CC, Yang YH, and Huang CL. Smoking behaviours of adolescents, influenced by smoking of teachers, family and friends. *Int Nurs Rev*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24571366>

Fernander AF, Rayens MK, Adkins S, and Hahn EJ. Local smoke-free public policies, quitline call rate, and smoking status in Kentucky. *American Journal of Health Promotion*, 2014; 29(2):123-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24432824>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Fernander AF, Rayens MK, Adkins S, and Hahn EJ. Local smoke-free public policies, quitline call rate, and smoking status in Kentucky. *American Journal of Health Promotion*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24432824>

Jones AM, Laporte A, Rice N, and Zucchelli E. Do public smoking bans have an impact on active smoking? Evidence from the UK. *Health Econ*, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24677756>

Farrelly MC, Loomis BR, Kuiper N, Han B, Gfroerer J, et al. Are tobacco control policies effective in reducing young adult smoking? *The Journal of Adolescent Health*, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24268360>

Dorota K, Korytkowski P, and Makowiec-Dabrowska T. [cigarette smoking among economically active population]. *Med Pr*, 2013; 64(3):359-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24261249>

Reijula J and Reijula K. The impact of Finnish tobacco legislation on restaurant workers' exposure to tobacco smoke at work. *Scandinavian Journal of Public Health*, 2010; 38(7):724-30. Available from: <http://sjp.sagepub.com/content/early/2010/08/04/1403494810379168.long>

Mackay D, Irfan M, Haw S, and Pell J. Meta-analysis of the effect of comprehensive smoke-free legislation on acute coronary events. *Heart*, 2010; 96(19):1525-30. Available from: <http://heart.bmj.com/content/96/19/1525.long>

Ho SY, Wang MP, Lo WS, Mak KK, Lai HK, et al. Comprehensive smoke-free legislation and displacement of smoking into the homes of young children in Hong Kong. *Tobacco Control*, 2010; 19(2):129-33. Available from: <http://tobaccocontrol.bmj.com/content/19/2/129.abstract>

Erazo M, Iglesias V, Droppelmann A, AcuÃ±a M, Peruga A, et al. Secondhand tobacco smoke in bars and restaurants in Santiago, Chile: Evaluation of partial smoking ban legislation in public places. *Tobacco Control*, 2010; 19(6):469-74. Available from: <http://tobaccocontrol.bmj.com/content/19/6/469.abstract>

Dove M, Dockery D, and Connolly G. Smoke-free air laws and secondhand smoke exposure among nonsmoking youth. *Pediatrics*, 2010; 126(1):80-7. Available from: <http://pediatrics.aappublications.org/cgi/reprint/peds.2009-3462v1>

Bohac D, Hewett M, Kapphahn K, Grimsrud D, Apte M, et al. Change in indoor particle levels after a smoking ban in Minnesota bars and restaurants. *American Journal of Preventive Medicine*, 2010;

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

39(6S1):S3–S9. Available from: <http://www.ajpm-online.net/article/S0749-3797%2810%2900527-1/fulltext>

Blanco-Marquizo A, Goja B, Peruga A, Jones MR, Yuan J, et al. Reduction of secondhand tobacco smoke in public places following national smoke-free legislation in Uruguay. *Tobacco Control*, 2010; 19(3):231-4. Available from: <http://tobaccocontrol.bmj.com/content/19/3/231.abstract>

Kabir Z, Manning P, Holohan J, Goodman P, and Clancy L. Active smoking and second-hand smoke exposure at home among irish children, 1995-2007. *Archives of Disease in Childhood*, 2009; 95(1):42–5. Available from: <http://adc.bmj.com/content/95/1/42.long>

Holliday J, Moore G, and Moore L. Changes in child exposure to secondhand smoke after implementation of smoke-free legislation in wales: A repeated cross-sectional study. *BMC Public Health*, 2009; 9(1):430. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-9-430.pdf>

Ellis J, Gwynn C, Garg R, Philburn R, Aldous K, et al. Secondhand smoke exposure among nonsmokers nationally and in New York city. *Nicotine & Tobacco Research*, 2009; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/cgi/reprint/ntp021v1>

Carpenter CS. The effects of local workplace smoking laws on smoking restrictions and exposure to smoke at work. *The Journal of Human Resources*, 2009; 44(4):1023–46. Available from: <http://jhr.uwpress.org/cgi/reprint/44/4/1023>

Akhtar PC, Haw SJ, Currie DB, Zachary R, and Currie CE. Smoking restrictions in the home and secondhand smoke exposure among primary schoolchildren before and after introduction of the scottish smoke-free legislation. *Tobacco Control*, 2009; 18(5):409–15. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/18/5/409>

Jiménez-Ruiz C, Miranda J, Hurt R, Pinedo A, Reina S, et al. Study of impact of laws regulating tobacco consumption on the prevalence of passive smoking in Spain. *European Journal of Public Health*, 2008; 18(6):622–5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18676987>

Fowkes FJ, Stewart MC, Gerald F, Fowkes R, Amos A, et al. Scottish smoke-free legislation and trends in smoking cessation. *Addiction*, 2008; 103(11):1888–95. Available from: <http://www3.interscience.wiley.com/journal/121458999/abstract>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

15.9.3.2 Effects on youth smoking

Septiono, W, Kuipers, MA G, Ng, N, & Kunst, AE. (2020). Changes in adolescent smoking with implementation of local smoke-free policies in Indonesia: Quasi-experimental repeat cross-sectional analysis of national surveys of 2007 and 2013. *Drug Alcohol Depend*, 209, 107954. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32171158>

Parks MJ, Kingsbury JH, Boyle RG, and Evered S. Household implementation of smoke-free rules in homes and cars: A focus on adolescent smoking behavior and secondhand smoke exposure. *American Journal of Health Promotion*, 2018:890117118776901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29768925>

Vuolo M, Kelly BC, and Kadowaki J. Independent and interactive effects of smoking bans and tobacco taxes on a cohort of us young adults. *American Journal of Public Health*, 2015:e1-e7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26691133>

Mayor S. Smoke-free zones and higher taxes reduce smoking in young people, US study finds. *British Medical Journal*, 2015; 351:h4814. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26353757>

15.9.3.3 Effects on reducing socioeconomic disparities in smoking

Prochaska, JJ, Watts, MH, Zellers, L, Huang, D, Daza, EJ, Rigdon, J et al (2020). Inequity in California's Smokefree Workplace Laws: A Legal Epidemiologic Analysis of Loophole Closures. *American Journal of Preventive Medicine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31952942>

Hafez, AY, Gonzalez, M, Kulik, MC, Vijayaraghavan, M, & Glantz, SA. (2019). Uneven Access to Smoke-Free Laws and Policies and Its Effect on Health Equity in the United States: 2000-2019. *American Journal of Public Health*, 109(11), 1568-1575. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31536405>

Hernandez, EM, Vuolo, M, Frizzell, LC, & Kelly, BC. (2019). Moving Upstream: The Effect of Tobacco Clean Air Restrictions on Educational Inequalities in Smoking Among Young Adults. *Demography*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31388944>

Sandoval JL, Leao T, Cullati S, Theler JM, Joost S, et al. Public smoking ban and socioeconomic inequalities in smoking prevalence and cessation: A cross-sectional population-based study in Geneva, Switzerland (1995-2014). *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29374093>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Anyanwu PE, Craig P, Katikireddi SV, and Green MJ. Impacts of smoke-free public places legislation on inequalities in youth smoking uptake: Study protocol for a secondary analysis of uk survey data. *BMJ Open*, 2018; 8(3):e022490. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29593026>

Wintemberg J, McElroy J, Ge B, and Everett K. Can smokefree policies reduce tobacco use disparities of sexual and gender minorities in Missouri? *Nicotine & Tobacco Research*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28379467>

Jahnel T, Ferguson SG, Shiffman S, Thrul J, and Schuz B. Momentary smoking context as a mediator of the relationship between SES and smoking. *Addictive Behaviors*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29273313>

Vijayaraghavan M, Messer K, White MM, and Pierce JP. The effectiveness of cigarette price and smoke-free homes on low-income smokers in the united states. *American Journal of Public Health*, 2013; 103(12):2276-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24134354>

Robertson J, Pointing BS, Stevenson L, and Clough AR. "We made the rule, we have to stick to it": Towards effective management of environmental tobacco smoke in remote Australian aboriginal communities. *International Journal of Environmental Research and Public Health*, 2013; 10(10):4944-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24157514>

Hahn E. Smokefree legislation: A review of health and economic outcomes research. *American Journal of Preventive Medicine*, 2010; 39(6S1):S66–76. Available from: <http://www.ajpm-online.net/article/S0749-3797%2810%2900479-4/fulltext>

Tobacco in Australia

Facts & Issues

15.9.4 Adoption of smokefree homes and increasing the chances of a successful quit attempt.

Owusu, D, Quinn, M, Wang, K, Williams, F, & Mamudu, HM. (2020). Smokefree home rules and cigarette smoking intensity among smokers in different stages of smoking cessation from 20 low-and-middle income countries. *Preventive Medicine*, 106000. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31981644>

Lim, KH, Lim, HL, Teh, CH, Ghazali, SM, Kee, CC, Heng, PP et al (2019). Is the implementation of smoke-free policies at workplaces associated with living in a smoke-free home?: Findings from a national population-based study in Malaysia. *Tob Induc Dis*, 17, 51. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31516494>

Yuan, NP, Nair, US, Crane, TE, Krupski, L, Collins, BN, & Bell, ML. (2019). Impact of changes in home smoking bans on tobacco cessation among quitline callers. *Health Educ Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30932151>

15.9.5 Effects on overall smoking prevalence

News reports:

15.9.1 Effects of smokefree environments on exposure to secondhand smoke

Waa A and McGough S. Reducing exposure to second hand smoke: Changes associated with the implementation of the amended New Zealand smoke-free environments act 1990: 2003-2006.

Wellington: HSC Research and Evaluation Unit, 2006. Available from:

https://www.hpa.org.nz/sites/default/files/SFEWorkplace_Final.pdf

15.9.2 Effects of smokefree environments on health outcomes

Lay, K. Britain cuts heart deaths by almost two thirds after public smoking ban. *The Times*, 2019. Apr 3, 2019. Available from: <https://www.thetimes.co.uk/article/britain-cuts-heart-deaths-by-almost-two-thirds-after-public-smoking-ban-rm03jnw2g>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

American Heart Association. Smoke-free policies associated with lower blood pressure, in *Medical Xpress*2018. Available from: <https://medicalxpress.com/news/2018-11-smoke-free-policies-blood-pressure.html>

Smoking bans have helped cut childhood smoking uptake by a fifth, in *Medical News Today*2016. Available from: <http://www.medicalnewstoday.com/releases/307062.php?tw>.

Smoke-free zones, higher taxes deter youth smoking, study shows, in *Medical News Today*2015. Available from: <http://www.medicalnewstoday.com/releases/299288.php?tw>.

15.9.3 Effects of smokefree environments on smoking behaviours

No authors listed. Czechs smoking less since ban in restaurants took effect, in *Prague Daily Monitor*2018. Available from: <http://www.praguemonitor.com/2018/05/14/czechs-smoking-less-ban-restaurants-took-effect>.

No authors listed. Pregnant women in nc exposed to less secondhand nicotine after 'smoking ban', in *Medical Xpress*2018. Available from: <https://medicalxpress.com/news/2018-01-pregnant-women-nc-exposed-secondhand.html>.

Triggle N. Pub smoking ban: 10 charts that show the impact, in *BBC News*2017. Available from: <http://www.bbc.com/news/health-40444460>.

No authors listed. Smoking bans shrink tobacco market worldwide, in *News-Medical*2016. Available from: <http://www.news-medical.net/news/20160609/Smoking-bans-shrink-tobacco-market-worldwide.aspx>.

Smoke-free pubs save scots from half a tonne of toxins. *The Scotsman* 2016. Available from: <http://www.scotsman.com/news/smoke-free-pubs-save-scots-from-half-a-tonne-of-toxins-1-4084221>

No authors listed. Bans don't help smokers quit in *Medical News Today*2015 Available from: <http://www.medicalnewstoday.com/releases/290342.php?tw>.

Xiaodong W. Indoor smoking down sharply. *China Daily*, 2015. Available from: http://europe.chinadaily.com.cn/china/2015-11/26/content_22519665.htm

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Smoking bans cut the number of social or new smokers by a fifth, it has been discovered. Western Daily Press, 2015. Available from: <http://www.westerndailynews.co.uk/Smoking-bans-cut-number-social-new-smokers-fifth/story-28386126-detail/story.html>

Why smoking bans may have advantage over higher tobacco taxes, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/304271.php?tw>.

Larger and private colleges and universities more likely to attract hookah establishments, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/299497.php?tw>.

Smout A. Tobacco stocks and Sainsbury weigh on Britain's FTSE, in *London South East* 2014. Available from: <http://www.lse.co.uk/FinanceNews.asp?code=9ytyitwc>.

Foster G. Market report: Chinese burn for tobacco shares after news of potential ban on smoking in public places, in *Mail Online* 2014. Available from: <http://www.dailymail.co.uk/money/markets/article-2536139/MARKET-REPORT-Chinese-burn-tobacco-shares.html>.

15.9.3.1 Effects on smoking behaviour among workers and residents

Preidt R. Restaurant bans have big impact on smoking rates, in *Health Day* 2018. Available from: <https://consumer.healthday.com/cancer-information-5/smoking-cessation-news-628/restaurant-bans-have-big-impact-on-smoking-rates-730157.html>.

Forster K. Smoking ban: Number of uk smokers falls by nearly two million in 10 years. The Independent, 2017. Available from: <http://www.independent.co.uk/news/health/smoking-ban-uk-smokers-numbers-fall-two-million-19-cigarettes-tobacco-drop-10-years-a7817236.html>

Clark L. Lung cancer decline: Smoking ban has helped almost two million give up in a decade. The Express, 2017. Available from: <http://www.express.co.uk/life-style/health/822883/lung-cancer-symptoms-smoking-ban-stop>

15.9.3.2 Effects on youth smoking

Smoking bans have helped cut childhood smoking uptake by a fifth, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/307062.php?tw> .

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Smoke-free zones, higher taxes deter youth smoking, study shows, in *Medical New Today*2015. Available from: <http://www.medicalnewstoday.com/releases/299288.php?tw>.

15.9.3.3 Effects on reducing socioeconomic disparities in smoking

Rahhal N. Smoking bans do help Americans quit cigarettes - if they are rich and well-educated, new research reveals, in *Daily Mail Australia*2018. Available from: <http://www.mailonsunday.co.uk/health/article-5256901/Smoking-bans-help-Americans-quit-rich-educated.html>.

15.9.4 Adoption of smokefree homes and increasing the chances of a successful quit attempt.

15.9.5 Effects on overall smoking prevalence