Tobacco in Australia Facts & Issues

Relevant news and research

17.2 The costs and benefits of smoking to the Australian economy

Last updated December 2024

Research:	2
17.2.1 Smokers' excess health service utilisation and costs	7
17.2.2 Lifetime health and welfare costs for smokers and non-smokers	9
17.2.3 Burden of death and disease attributable to tobacco	15
17.2.3.1 The Australian Institute of Health and Welfare burden of disease study	16
17.2.3.2 Global Burden of Disease Study	16
17.2.3.3 International estimates of costs of health care attributable to smoking	16
17.2.4 Productivity costs attributable to smoking	17
17.2.5 Estimates of total social costs of smoking	20
17.2.5.1 Collins and Lapsley's studies of social costs	21
17.2.5.2 Social costs of tobacco use to Australia 2015-16	21
17.2.6 The economic benefits of the tobacco industry	21
17.2.7 Economic costs studies internationally	22
News reports	22
17.2.1 Smokers' excess health service utilisation and costs	22
17.2.2 Lifetime health and welfare costs for smokers and non-smokers	22
17.2.3.1 The Australian Institute of Health and Welfare burden of disease study	22

tobaccoinaustralia.org.au

17.2.3.3 International estimates of costs of health care attributable to smoking	22
17.2.5 Estimates of total social costs of smoking	23
17.2.6 The economic benefits of the tobacco industry	23
7.2.7 Economic costs studies internationally	23

Research:

Chen, N, Fong, DYT, & Wong, JYH. (2023). Health and economic burden of low back pain and rheumatoid arthritis attributable to smoking in 192 countries and territories in 2019. *Addiction*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38105035

Boachie, MK, Rossouw, L, & Ross, H. (2020). The Economic Cost of Smoking in South Africa, 2016. *Nicotine Tob Res.* Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/32832993

Owen AJ, Maulida SB, Zomer E, and Liew D. Productivity burden of smoking in australia: A life table modelling study. Tobacco Control, 2019; 28(3):297-304. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30012640

No authors listed. In landmark case, brazil sues top tobacco firms to recover public health costs, in *Reuters*2019. Available from: https://uk.reuters.com/article/us-brazil-tobacco-lawsuit/brazil-sues-top-tobacco-firms-to-recover-public-health-costs-idUKKCN1SS2DN.

Makate M, Whetton S, Tait RJ, Dey T, Scollo M, et al. Tobacco cost of illness studies: A systematic review. Nicotine and Tobacco Research, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30874290

Crosland P, Ananthapavan J, Davison J, Lambert M, and Carter R. The health burden of preventable disease in australia: A systematic review. Australian and New Zealand Journal of Public Health, 2019; 43(2):163-70. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30830711

Continente X, Arechavala T, Fernandez E, Perez-Rios M, Schiaffino A, et al. Response regarding the methodological approach used to calculate the burden of respiratory disease attributable to secondhand smoke exposure in children in spain for the year 2015. Preventive Medicine, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31132369

Australian Institute of Health and Welfare. Health expenditure australia 2017–18. Health and welfare expenditure series, Canberra: AIHW, 2019. Available from:

https://www.aihw.gov.au/reports/health-welfare-expenditure/health-expenditure-australia-2017-18/contents/table-of-contents.

\$136 billion 'up in smoke' every year: The true cost of smoking keeps rising, in *Scimex*2019. Available from: https://www.scimex.org/newsfeed/\$136-billion-up-in-smoke-every-year-the-true-cost-of-smoking-keeps-rising.

The U. S. Burden of Disease Collaborators. The state of us health, 1990-2016: Burden of diseases, injuries, and risk factors among us states. JAMA, 2018; 319(14):1444-72. Available from: http://dx.doi.org/10.1001/jama.2018.0158

Sonntag D, Gilbody S, Winkler V, and Ali S. German estsmoke: Estimating adult smoking-related costs and consequences of smoking cessation for germany. Addiction, 2018; 113(1):125-36. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28734126

No authors listed. Number of over-65s needing 24-hour care 'to rise by third over next 20 years' in *Telegraph (UK)*2018. Available from: https://www.telegraph.co.uk/news/2018/08/31/number-over-65s-needing-24-hour-care-rise-third-next-20-years/.

No authors listed. Smoking costs vic economy \$3.7bn: Report, in *SBS News*2018. Available from: https://www.sbs.com.au/news/smoking-costs-vic-economy-3-7bn-report.

Global Health Data Exchange. Global burden of disease results. University of Washington: Institute for Health Metrics and Evaluation, 2018. Last update: Viewed Available from: http://ghdx.healthdata.org/gbd-results-tool.

Creating Preferred Futures. An analysis of the social costs of smoking in victoria 2015–16. Hobart, Tasmania 2018.

Academy of Medical Sciences. Multimorbidity: A priority for global health research. Academy of Medical Sciences, London, UK 2018. Available from: https://acmedsci.ac.uk/file-download/82222577.

Correction: global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(4):478-. Available from:

http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/4/478.full.pdf

Correction: global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(4):478-. Available from:

http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/4/478.full.pdf

Dobrescu A, Bhandari A, Sutherland G, and Dinh T. The costs of tobacco use in canada, 2012, in *The Conference Board of Canada* 2017 Available from:

http://www.conferenceboard.ca/(X(1)S(rh51cjvho2tzblldmeqwenry))/e-library/abstract.aspx?did=9185&AspxAutoDetectCookieSupport=1.

Varela A. Regulators should not consider 'lost pleasure' of quitting smoking, study says, in *Medical XPress*2017. Available from: https://medicalxpress.com/news/2017-11-lost-pleasure.html.

Sharma K, Junaid M, and Diwakar MKP. Economic implications of tobacco industry in india: An overview. Indian Journal of Public Health, 2017; 61(2):131-3. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28721964

Sharma K, Junaid M, and Diwakar MKP. Economic implications of tobacco industry in india: An overview. Indian Journal of Public Health, 2017; 61(2):131-3. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28721964

Sephton C. Smoking to kill 8m people a year by 2030, new study warns in *Sky News* 2017. Available from: http://news.sky.com/story/smoking-to-kill-8m-people-a-year-by-2030-new-study-warns-10723722.

Pechacek T, Nayak P, Slovic P, Weaver S, Huang J, et al. Reassessing the importance of 'lost pleasure' associated with smoking cessation: Implications for social welfare and policy. Tobacco Control, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/29183920

No authors listed. Global study quantifies massive cost of smoking, in *In Daily* 2017. Available from: http://indaily.com.au/news/world/2017/01/10/global-study-quantifies-massive-cost-of-smoking/.

No authors listed. Who/nci study: Smoking costs \$1 trillion, soon to kill 8 million a year in *VOA News* 2017. Available from: http://www.voanews.com/a/reu-who-nci-stduy-smoking-costs-1-trillion/3669996.html.

Husaini B, Levine R, Lammers P, Hull P, Novotny M, et al. Smoking, depression, and hospital costs of respiratory cancers: Examining race and sex variation. Fam Med Community Health, 2017; 5(1):29-42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29057243

Barrio P, Reynolds J, Garcia-Altes A, Gual A, and Anderson P. Social costs of illegal drugs, alcohol and tobacco in the european union: A systematic review. Drug and Alcohol Review, 2017; 36(5):578-88. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28334460

Amarasinghe H, Ranaweera S, Ranasinghe T, Chandraratne N, Kumara DR, et al. Economic cost of tobacco-related cancers in sri lanka. Tobacco Control, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29079585

Yokota RT, Nusselder WJ, Robine JM, Tafforeau J, Deboosere P, et al. Contribution of chronic conditions to the disability burden across smoking categories in middle-aged adults, belgium. PLoS ONE, 2016; 11(4):e0153726. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27105185

Yokota RT, Nusselder WJ, Robine JM, Tafforeau J, Deboosere P, et al. Contribution of chronic conditions to the disability burden across smoking categories in middle-aged adults, belgium. PLoS ONE, 2016; 11(4):e0153726. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27105185

Yokota RT, Nusselder WJ, Robine JM, Tafforeau J, Deboosere P, et al. Contribution of chronic conditions to the disability burden across smoking categories in middle-aged adults, belgium. PLoS ONE, 2016; 11(4):e0153726. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27105185

US National Cancer Institute and World Health Organization, The economics of tobacco and tobacco control. National cancer institute tobacco control monograph 21 Vol. NIH Publication No. 16-CA-8029A. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute; and Geneva, CH: World Health Organization; 2016. Available from: https://cancercontrol.cancer.gov/brp/tcrb/monographs/21/index.html.

Stenholm S, Head J, Kivimaki M, Kawachi I, Aalto V, et al. Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: A multicohort study. International Journal of Epidemiology, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27488415

Thompson C. Cutting smoking in north east could save regional economy £100m in *Chronicle Live*2015. Available from: http://www.chroniclelive.co.uk/news/north-east-news/cutting-smoking-north-east-could-8758773.

Ross H. Consumer surplus and cost-benefit analysis of tobacco use in countries in the earlier stages of the tobacco epidemic. Tobacco Control, 2015. Available from:

http://www.ncbi.nlm.nih.gov/pubmed/25564286

Prasad S and Cucullo L. Impact of tobacco smoking and type-2 diabetes mellitus on public health: A cerebrovascular perspective. J Pharmacovigil, 2015; Suppl 2. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26770995

Kelland K. Industry makes \$7,000 for each tobacco death: Health campaigners, in *Reuters*2015. Available from: http://www.reuters.com/article/2015/03/19/us-health-tobacco-idUSKBNOMF1SF20150319.

Gee O. Should french smokers really pay €13 a packet?, in *The Local* 2015. Available from: http://www.thelocal.fr/20150323/french-smokers-should-pay-13-per-packet.

Action on Smoking and Health, Smoking still kills: Protecting children, reducing inequalities. Cancer Research UK and the British Heart Foundation; 2015. Available from: http://www.ncsct.co.uk/usr/pub/Smoking%20Still%20Kills.pdf.

Schroeder SA. Even more illness caused by smoking than previously estimated. JAMA Intern Med, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25317605

Rostron BL, Chang CM, and Pechacek TF. Estimation of cigarette smoking-attributable morbidity in the united states. JAMA Intern Med, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25317719

Kostova D, Chaloupka FJ, Yurekli A, Bettcher D, Prasad N, et al. Nicotine and tobacco research special supplement: Economic aspects of tobacco use in low- and middle-income countries. Nicotine and Tobacco Research, 2014; 16 Suppl 1:S1-2. Available from:

http://www.ncbi.nlm.nih.gov/pubmed/24343954

Ginsberg GM and Geva H. The burden of smoking in israel-attributable mortality and costs (2014). Isr J Health Policy Res, 2014; 3:28. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25258677

Craven SA. The effects of obesity, smoking, and excessive alcohol intake on healthcare expenditure in a comprehensive medical scheme. South African Medical Journal, 2014; 104(2):95. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24893528

Chaloupka FJ, Gruber J, and Warner KE. Accounting for "lost pleasure" in a cost-benefit analysis of government regulation: The case of the fda's proposed cigarette labeling regulation. Annals of Internal Medicine, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25322210

Arrieta O, Quintana-Carrillo RH, Ahumada-Curiel G, Corona-Cruz JF, Correa-Acevedo E, et al. Medical care costs incurred by patients with smoking-related non-small cell lung cancer treated at the

national cancer institute of mexico. Tob Induc Dis, 2014; 12(1):25. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25653577

Arrieta O, Quintana-Carrillo RH, Ahumada-Curiel G, Corona-Cruz JF, Correa-Acevedo E, et al. Medical care costs incurred by patients with smoking-related non-small cell lung cancer treated at the national cancer institute of mexico. Tob Induc Dis, 2014; 12(1):25. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25653577

Arrieta O, Quintana-Carrillo RH, Ahumada-Curiel G, Corona-Cruz JF, Correa-Acevedo E, et al. Medical care costs incurred by patients with smoking-related non-small cell lung cancer treated at the national cancer institute of mexico. Tob Induc Dis, 2014; 12(1):25. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25653577

An R. Health care expenses in relation to obesity and smoking among u.S. Adults by gender, race/ethnicity, and age group: 1998-2011. Public Health, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25542741

Max W, Sung H, Tucker L, and Stark B. The disproportionate cost of smoking for african americans in california. American Journal of Public Health, 2010; 100(1):152–8. Available from: http://ajph.aphapublications.org/cgi/content/full/100/1/152?view=long&pmid=19965569

Kabir Z, Connolly G, Koh H, and Clancy L. Chronic obstructive pulmonary disease hospitalization rates in massachusetts: A trend analysis. QJM: Monthly Journal of the Association of Physicians, 2010; 103(3):163–8. Available from: http://qjmed.oxfordjournals.org/cgi/content/full/103/3/163 http://qjmed.oxfordjournals.org/cgi/content/full/103/3/163 http://qjmed.oxfordjournals.org/cgi/content/full/103/3/163?view=long&pmid=20123682

Wilkins K, Shields M, and Rotermann M. Smokers' use of acute care hospitals--a prospective study. Health Reports, 2009; 20(4):75–83. Available from: http://www.statcan.gc.ca/pub/82-003-x/2009004/article/11033-eng.pdf

Ginsberg G, Rosenberg E, and Rosen L. Issues in estimating smoking attributable mortality in israel. European Journal of Public Health, 2009; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19692551

Cadilhac D, Cumming T, Sheppard L, Pearce D, and Carter R. The health and economic benefits of reducing disease risk factors. Melbourne 2009. Available from:

 $\underline{https://www.vichealth.vic.gov.au/media-and-resources/publications/health-and-economic-benefits-\underline{of-reducing-disease-risk-factors}.$

Lundborg P. Does smoking increase sick leave? Evidence using register data on swedish workers. Tobacco Control, 2007; 16(2):114–8. Available from:

http://tobaccocontrol.bmj.com/cgi/content/abstract/16/2/114

Hurley SF, Scollo MM, Younie SJ, English DR, and Swanson MG. The potential for tobacco control to reduce pbs costs for smoking-related cardiovascular disease. Medical Journal of Australia, 2004; 181(5):252-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/15347272

17.2.1 Smokers' excess health service utilisation and costs

Kwon, KN, Lee, K, & Chung, W. (2024). The economic cost of direct smoking in South Korea. *Prev Med Rep, 46*, 102865. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39282533

Grasbeck, HL, Reito, ARP, Ekroos, HJ, Aakko, JA, Holsa, O, & Vasankari, TM. (2024). Attribution of smoking to healthcare costs in the postoperative interval. *BJS Open, 8*(4). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39150021

Fuemmeler, BF, Dahman, B, Glasgow, TE, Barsell, DJ, Oliver, JA, Zhang, J et al. (2024). Tobacco exposures are associated with health care utilization (HCU) and health care costs in pregnant persons and their newborn babies. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38818778

Gu, D, Sung, HY, Calfee, CS, Wang, Y, Yao, T, & Max, W. (2024). Smoking-Attributable Health Care Expenditures for US Adults With Chronic Lower Respiratory Disease. *JAMA Netw Open, 7*(5), e2413869. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38814643

Arena, G, Cumming, C, Lizama, N, Mace, H, & Preen, DB. (2024). Hospital length of stay and readmission after elective surgery: a comparison of current and former smokers with non-smokers. BMC Health Serv Res, 24(1), 85. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38233897

Kypriotakis, G, Kim, S, Karam-Hage, M, Robinson, JD, Minnix, JA, Blalock, JA et al. (2023). Examining the Association between Abstinence from Smoking and Healthcare Costs Among Patients with Cancer. *Cancer Prev Res (Phila)*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/37940143

Esteban, EMA, Ares, AC, & Rodriguez, MJD. (2023). Increased healthcare costs in COVID-19 patients with unhealthy habits: The case of smoking. *Tob Induc Dis, 21*, 82. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/37342864

Baliunas, D, Voci, S, de Oliveira, C, Selby, P, Kurdyak, P, Rosella, L et al. (2022). Association between smoking cessation treatment and healthcare costs in a single-payer public healthcare system. *Nicotine Tob Res.* Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35792868

Olumide, AO, Shmueli, A, Adebayo, ES, & Omotade, OO. (2022). Economic costs of cigarette smoking among adolescents in Nigeria. *Z Gesundh Wiss, 30*(7), 1701-1712. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35789784

Li, C, Mao, Z, & Yu, C. (2021). The effects of smoking, regular drinking, and unhealthy weight on health care utilization in China. *BMC Public Health, 21*(1), 2268. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/34895186

Max, W, Stark, B, Sung, HY, & Offen, N. (2021). Smoking-Attributable Doctor Visits and Emergency Room Utilization and Costs by California's Lesbian, Gay, and Bisexual Community. *J Homosex*, 1-17. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/34185623

Huang, S, Wei, H, Yao, T, Mao, Z, Sun, Q, & Yang, L. (2021). The impact of smoking on annual healthcare cost: an econometric model analysis in China, 2015. *BMC Health Serv Res, 21*(1), 187. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33639939

Xu, X, Shrestha, SS, Trivers, KF, Neff, L, Armour, BS, & King, BA. (2021). TEMPORARY REMOVAL: U.S. healthcare spending attributable to cigarette smoking in 2014. *Prev Med*, 106529. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33771566

Sheridan, A, Quintyne, KI, & Kavanagh, P. (2020). Counting the Toll of Smoking-Attributable Hospitalisations. *Ir Med J, 113*(1), 8. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/32298566

Lightwood, J, Anderson, S, & Glantz, SA. (2020). Predictive validation and forecasts of short-term changes in healthcare expenditure associated with changes in smoking behavior in the United States. *PLoS ONE, 15*(1), e0227493. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31945079

Warren GW, Cartmell KB, Garrett-Mayer E, Salloum RG, and Cummings KM. Attributable failure of first-line cancer treatment and incremental costs associated with smoking by patients with cancer. JAMA Netw Open, 2019; 2(4):e191703. Available from:

https://www.ncbi.nlm.nih.gov/pubmed/30951159

Petrucci CM and Hyland A. Understanding the financial consequences of smoking during cancer treatment in the era of value-based medicine. JAMA Netw Open, 2019; 2(4):e191713. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30951153

Nguyen TXT, Han M, and Oh JK. The economic burden of cancers attributable to smoking in korea, 2014. Tob Induc Dis, 2019; 17:15. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31582926

Isaranuwatchai W, de Oliveira C, Mittmann N, Evans WKB, Peter A, et al. Impact of smoking on health system costs among cancer patients in a retrospective cohort study in ontario, canada. BMJ Open, 2019; 9(6):e026022. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31230002

Glantz SA. Estimation of 1-year changes in medicaid expenditures associated with reducing cigarette smoking prevalence by 1. JAMA Netw Open, 2019; 2(4):e192307. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30977860

Chen S, Kuhn M, Prettner K, and Bloom DE. Noncommunicable diseases attributable to tobacco use in china: Macroeconomic burden and tobacco control policies. Health Affairs, 2019; 38(11):1832-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31682483

Bonaldi C, Pasquereau A, Hill C, Thomas D, Moutengou E, et al. Hospitalizations for cardiovascular diseases attributable to tobacco smoking in france in 2015. Eur J Prev Cardiol, 2019:2047487319885462. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31739682

Alefan Q, Al-Issa ET, Alzoubi KH, and Hammouri HM. Association of smoking with direct medical expenditures of chronic diseases in north of jordan: A retrospective cohort study. BMJ Open, 2019; 9(10):e031143. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31601593

Action on Smoking and Health. The costs of smoking to social care. ASH, 2019. Available from: https://ash.org.uk/local-resources/cost-of-social-care/.

Patanavanich R, Aekplakorn W, and Suriyawongpaisal P. Trend analysis of smoking-attributable hospitalizations in thailand, 2007-2014. Tob Induc Dis, 2018; 16:52. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31516449

Nargis N, Nyamurungi K, Baine SO, and Kadobera D. The health cost of tobacco use in uganda. Health Policy and Planning, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28531247

17.2.2 Lifetime health and welfare costs for smokers and non-smokers

Dixon, P, Sallis, H, Munafo, M, Davey Smith, G, & Howe, L. (2024). Mendelian Randomization analysis of the causal effect of cigarette smoking on hospital costs. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38628153

Rasmussen, SR, Sogaard, J, & Kjellberg, J. (2021). Lifetime costs and lifetime net public expenditures of smoking. *Eur J Public Health*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33495785

Dieteren, CM, Faber, T, van Exel, J, Brouwer, WBF, Mackenbach, JP, & Nusselder, WJ. (2020). Mixed evidence for the compression of morbidity hypothesis for smoking elimination-a systematic literature review. *Eur J Public Health*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33338205

Amiri, S, & Behnezhad, S. (2020). Smoking and disability pension: a systematic review and metaanalysis. *Public Health, 186*, 297-303. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/32882482

Venkataraman S, Anbazhagan S, and Anbazhagan S. Expenditure on health care, tobacco, and alcohol: Evidence from household surveys in rural puducherry. J Family Med Prim Care, 2019; 8(3):909-13. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31041223

Swedler DI, Miller TR, Ali B, Waeher G, and Bernstein SL. National medical expenditures by smoking status in american adults: An application of manning's two-stage model to nationally representative data. BMJ Open, 2019; 9(7):e026592. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31315859

Shi JF, Liu CC, Ren JS, Parascandola M, Zheng R, et al. Economic burden of lung cancer attributable to smoking in china in 2015. Tobacco Control, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31073096

Pizacani B, Rohde K, Fenaughty A, and Tutiakoff T. The real cost: Alaska's innovative media campaign to raise awareness about the direct and indirect costs of smoking to society. Health Education Research, 2019; 34(4):460-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31329859

Oliva-Moreno J, Trapero-Bertran M, and Pena-Longobardo LM. Gender differences in labour losses associated with smoking-related mortality. International Journal of Environmental Research and Public Health, 2019; 16(19). Available from: https://www.ncbi.nlm.nih.gov/pubmed/31569364

Nolan MB, Borah BJ, Moriarty JP, and Warner DO. Association between smoking cessation and post-hospitalization healthcare costs: A matched cohort analysis. BMC Health Services Research, 2019; 19(1):924. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31791307

McCann A. The real cost of smoking by state, in *Wallethub*2019. Available from: https://wallethub.com/edu/the-financial-cost-of-smoking-by-state/9520/.

Lindenbraten AL, Golubev NA, and Afonina MA. [the evaluation of direct economic loss related to tobacco smoking in 2009 and 2016]. Probl Sotsialnoi Gig Zdravookhranenniiai Istor Med, 2019; 27(4):363-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31465647

Hunt G. Government accepts stillbirth report recommendations, in *Ministers Department of Health*2019. Available from: https://beta.health.gov.au/ministers/the-hon-greg-hunt-mp/media/government-accepts-stillbirth-report-recommendations.

Blacher J, Cinaud A, Blachier V, Vallee A, and Sorbets E. Quantifying the evil for a more effective fight against tobacco. Eur J Prev Cardiol, 2019:2047487319892400. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31795765

Wang Y, Sung HY, Yao T, Lightwood J, and Max W. Health care utilization and expenditures attributable to cigar smoking among us adults, 2000-2015. Public Health Reports, 2018:33354918769873. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29688130

Vaz LR, Jones MJ, Szatkowski L, Tata LJ, Petrou S, et al. Estimating the health-care costs of children born to pregnant smokers in england: Cohort study using primary and secondary health-care data. Addiction, 2018; 113(7):1305-16. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29397000

Tai EW, Guy GP, Jr., Steele CB, Henley SJ, Gallaway MS, et al. Cost of tobacco-related cancer hospitalizations in the u.S., 2014. American Journal of Preventive Medicine, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29397279

Nolan MB, Borah BJ, Moriarty JP, and Warner DO. Economic analysis of a geographically defined cohort of hospitalized patients who smoke. Mayo Clinic Proceedings, 2018; 93(8):1034-42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30078410

No authors listed. \$46 billion in productivity lost to cancer in major emerging economies, in *eCancer News*2018. Available from: http://ecancer.org/news/13268-46-billion-in-productivity-lost-to-cancer-in-major-emerging-economies.php.

Miquel L, Rehm J, Shield KD, Vela E, Bustins M, et al. Alcohol, tobacco and health care costs: A population-wide cohort study (n = 606 947 patients) of current drinkers based on medical and administrative health records from catalonia. European Journal of Public Health, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29325000

Merianos AL, Odar Stough C, Nabors LA, and Mahabee-Gittens EM. Tobacco smoke exposure and health-care utilization among children in the united states. American Journal of Health Promotion, 2018; 32(1):123-30. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29214835

Liutkute V, Stelemekas M, and Veryga A. Smoking-attributable direct healthcare expenditure in lithuania: A prevalence-based annual cost approach. Medicina (Kaunas), 2018; 54(2). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30344246 https://res.mdpi.com/medicina-64-00015-v2.pdf?filename=&attachment=1

Goodchild M, Nargis N, and Tursan d'Espaignet E. Global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(1):58-64. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28138063

Fu JY, Zhang CP, Gao J, Luo JF, Li J, et al. Estimate of health burden on smoking-associated oral cancer in shanghai and its surrounding areas. Chinese Journal of Dental Research, 2018; 21(2):127-34. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29808176

Fardal O, Grytten J, Martin J, Ellingsen S, Fardal P, et al. Adding smoking to the fardal model of cost-effectiveness for the life-time treatment of periodontal diseases. Journal of Periodontology, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29768669

David P. Basic economic gap related to smoking: Reconciling tobacco tax receipts and economic costs of smoking-attributable diseases. Tobacco Control, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30282775

Arredondo A, Recaman AL, Pinzon C, and Azar A. Financial consequences from smoking-related diseases in middle-income countries: Evidence and lessons from mexico. International Journal of Health Planning and Management, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29363795

Action on Smoking and Health. The local costs of tobacco. 2018. Last update: Viewed 6 June 2018. Available from: http://ash.lelan.co.uk/.

Correction: Global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(4):478. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31329655

Uwimana D. No tobacco day: "Two patients out of five are hospitalized due to smoking", in *IWACU English News* (bi)2017. Available from: http://www.iwacu-burundi.org/englishnews/no-tobacco-day-two-patients-out-of-five-are-hospitalized-due-to-smoking/.

Rezaei S, Karami Matin B, Hajizadeh M, Bazyar M, and Akbari Sari A. Economic burden of smoking in iran: A prevalence-based annual cost approach. Asian Pacific Journal of Cancer Prevention, 2017; 18(10):2867-73. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29072438

Kristina SA, Endarti D, Wiedyaningsih C, Fahamsya A, and Faizah N. Health care cost of noncommunicable diseases related to smoking in indonesia, 2015. Asia-Pacific Journal of Public Health, 2017:1010539517751311. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29292653

Keto J, Ventola H, Jokelainen J, Timonen M, Linden K, et al. Primary health care utilisation and its costs among middle-aged smokers. European Journal of Health Economics, 2017; 18(3):351-60. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27008029

Chen J, McGhee S, and Lam TH. Economic costs attributable to smoking in hong kong in 2011: A possible increase from 1998. Nicotine and Tobacco Research, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29149286

Akbari Sari A, Rezaei S, Arab M, Karami Matin B, and Majdzadeh R. Does smoking status affect cost of hospitalization? Evidence from three main diseases associated with smoking in iran. Med J Islam Repub Iran, 2017; 31:63. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29445692

Staff PM. Correction: Smoking behavior and healthcare expenditure in the united states, 1992-2009: Panel data estimates. PLoS Medicine, 2016; 13(6):e1002070. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27305149

San S and Chaloupka FJ. The impact of tobacco expenditures on spending within turkish households. Tobacco Control, 2016; 25(5):558-63. Available from: http://tobaccocontrol.bmj.com/content/25/5/558.abstract

Robins S. Poll: Smoking comes at a million-pound price. Ely Standard, 2016. Available from: http://www.elystandard.co.uk/news/poll smoking comes at a million pound price 1 4502430

Rezaei S, Akbari Sari A, Arab M, Majdzadeh R, and Mohammad Poorasl A. Economic burden of smoking: A systematic review of direct and indirect costs. Med J Islam Repub Iran, 2016; 30:397. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27579287

Pickles K. Smoking causes nearly 5,000 hospital admissions a day - and the number is still rising. Daily Mail 2016. Available from: http://www.dailymail.co.uk/health/article-3612400/Smoking-causes-nearly-5-000-hospital-admissions-day-number-rising.html

Manuel DG, Perez R, Sanmartin C, Taljaard M, Hennessy D, et al. Measuring burden of unhealthy behaviours using a multivariable predictive approach: Life expectancy lost in canada attributable to smoking, alcohol, physical inactivity, and diet. PLoS Medicine, 2016; 13(8):e1002082. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27529741

listed Na. Smoking costs dutch society up to €43bn a year: Report, in *Dutch News*2016. Available from: http://www.dutchnews.nl/news/archives/2016/02/smoking-costs-dutch-society-up-to-e43bn-a-year-report/.

Lightwood J and Glantz SA. Smoking behavior and healthcare expenditure in the united states, 1992-2009: Panel data estimates. PLoS Medicine, 2016; 13(5):e1002020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27163933

Lhachimi SK, Nusselder WJ, Smit HA, Baili P, Bennett K, et al. Potential health gains and health losses in eleven eu countries attainable through feasible prevalences of the life-style related risk factors alcohol, bmi, and smoking: A quantitative health impact assessment. BMC Public Health, 2016; 16:734. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27495151

Krueger H, Koot JM, Rasali DP, Gustin SE, and Pennock M. Regional variations in the economic burden attributable to excess weight, physical inactivity and tobacco smoking across british columbia. Health Promot Chronic Dis Prev Can, 2016; 36(4):76-86. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27077793

Krueger H, Andres EN, Koot JM, and Reilly BD. The economic burden of cancers attributable to tobacco smoking, excess weight, alcohol use, and physical inactivity in canada. Curr Oncol, 2016; 23(4):241-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27536174

Kristina SA, Endarti D, Sendjaya N, and Pramestuty O. Estimating the burden of cancers attributable to smoking using disability adjusted life years in indonesia. Asian Pacific Journal of Cancer Prevention, 2016; 17(3):1577-81. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27039808

Hoang Anh PT, Thu LT, Ross H, Quynh Anh N, Linh BN, et al. Direct and indirect costs of smoking in vietnam. Tobacco Control, 2016; 25(1):96-100. Available from: http://tobaccocontrol.bmj.com/content/25/1/96.abstract

Feirman SP, Glasser AM, Teplitskaya L, Holtgrave DR, Abrams DB, et al. Medical costs and quality-adjusted life years associated with smoking: A systematic review. BMC Public Health, 2016; 16:646. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27460828

Crispino A and Courtney J. New report shows states are making progress implementing policies to reduce toll of cancer. American Cancer Society Cancer Action Network, US 2016. Available from: http://www.acscan.org/content/media-center/new-report-shows-states-are-making-progress-implementing-policies-to-reduce-toll-of-cancer/.

Cao B. Future healthy life expectancy among older adults in the us: A forecast based on cohort smoking and obesity history. Popul Health Metr, 2016; 14:23. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27408607

Bundhamcharoen K, Aungkulanon S, Makka N, and Shibuya K. Economic burden from smoking-related diseases in thailand. Tobacco Control, 2016; 25(5):532-7. Available from: http://tobaccocontrol.bmj.com/content/25/5/532.abstract

Bernardo R. The true cost of smoking by state, in *WalletHub*2016. Available from: https://wallethub.com/edu/the-financial-cost-of-smoking-by-state/9520/.

Xu X, Bishop EE, Kennedy SM, Simpson SA, and Pechacek TF. Annual healthcare spending attributable to cigarette smoking: An update. American Journal of Preventive Medicine, 2015; 48(3):326-33. Available from: https://www.ncbi.nlm.nih.gov/pubmed/25498551

Wu Q, Szatkowski L, Britton J, and Parrott S. Economic cost of smoking in people with mental disorders in the uk. Tobacco Control, 2015; 24(5):462-8. Available from: http://tobaccocontrol.bmj.com/content/24/5/462.abstract

Suwa K, Nakamura Y, Yoshikawa R, Gunji T, Iwasaki K, et al. The association between smoking cessation outpatient visits and total medical costs: An analysis of japanese employee based public health insurance data. Value in Health, 2015; 18(7):A498. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26532797

Suarez-Bonel MP, Villaverde-Royo MV, Nerin I, Sanz-Andres C, Mezquida-Arno J, et al. Health care costs and work absenteeism in smokers: Study in an urban community. Archivos de Bronconeumologia, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26198012

Rezaei S, Akbari Sari A, Arab M, Majdzadeh R, and Mohammadpoorasl A. Estimating economic burden of cancer deaths attributable to smoking in iran. J Res Health Sci, 2015; 15(4):228-33. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26728908

No authors listed. Smoking and drug abuse could more than triple annual er visits in *Medical News Today*2015. Available from: http://www.medicalnewstoday.com/releases/294351.php?tw.

Max W, Sung HY, Shi Y, and Stark B. The cost of smoking in california. Nicotine and Tobacco Research, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26156629

Maciosek MV, Xu X, Butani AL, and Pechacek TF. Smoking-attributable medical expenditures by age, sex, and smoking status estimated using a relative risk approach. Preventive Medicine, 2015; 77:162-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/26051203

listed Na. Unhealthy choices cost company health care plans billions of dollars, in *Medical News Today*2015. Available from: http://www.medicalnewstoday.com/releases/303990.php?tw.

listed Na. Smoking increases hospitalizations, costs of peripheral artery disease, in *Medical News Today* 2015. Available from: http://www.medicalnewstoday.com/releases/300148.php?tw.

Lallukka T, Rahkonen O, Lahelma E, and Lahti J. Joint associations of smoking and physical activity with disability retirement: A register-linked cohort study. BMJ Open, 2015; 5(7):e006988. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26224014

Krueger H, Krueger J, and Koot J. Variation across canada in the economic burden attributable to excess weight, tobacco smoking and physical inactivity. Canadian Journal of Public Health, 2015; 106(4):e171-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26285186

Kotsopoulos N, Mergos G, Postma M, and Connolly M. Assesing the net fiscal consequences of tobacco use in a high consumption and high tobacco tax country: The case of greece. Value in Health, 2015; 18(7):A506. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26532837

Korhonen T, Smeds E, Silventoinen K, Heikkila K, and Kaprio J. Cigarette smoking and alcohol use as predictors of disability retirement: A population-based cohort study. Drug and Alcohol Dependence, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26305074

Duval S, Long KH, Roy SS, Oldenburg NC, Harr K, et al. The contribution of tobacco use to high health care utilization and medical costs in peripheral artery disease: A state-based cohort analysis. Journal of the American College of Cardiology, 2015; 66(14):1566-74. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26429081

Buchanan P. Smoking costs germany 79 billion per year, in *Germerica*2015. Available from: http://www.germerica.com/2015/04/19/smoking-costs-germany-79-billion-per-year/.

Braillon A. Smoking-attributable medical expenditures: Time biases and smokers' social role. Preventive Medicine, 2015; 81:294. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26436685

Böckerman P, Hyytinen A, and Kaprio J. Smoking and long-term labour market outcomes. Tobacco Control, 2015; 24(4):348-53. Available from:

http://tobaccocontrol.bmj.com/content/24/4/348.abstract

Smokers take more time off work than non-smokers, spanish survey reveals. Nursing Standard, 2015; 30(15):15. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26647677

Warner DO, Borah BJ, Moriarty J, Schroeder DR, Shi Y, et al. Smoking status and health care costs in the perioperative period: A population-based study. JAMA Surg, 2014; 149(3):259-66. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24382595

Cooper C. Smoking costs england £1bn per year in care alone The Independent, 2014. Available from: http://www.independent.co.uk/life-style/health-and-families/health-news/smoking-costs-england-1bn-per-year-in-care-alone-9706845.html

Sturm R, An R, Maroba J, and Patel D. The effects of obesity, smoking, and excessive alcohol intake on healthcare expenditure in a comprehensive medical scheme. South African Medical Journal, 2013; 103(11):840-4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24148168

Tiihonen J, Ronkainen K, Kangasharju A, and Kauhanen J. The net effect of smoking on healthcare and welfare costs. A cohort study. BMJ Open, 2012; 2(6):e001678. Available from: https://www.ncbi.nlm.nih.gov/pubmed/23233699

17.2.3 Burden of death and disease attributable to tobacco

Haldorsen T, Martinsen JI, Kjaerheim K, and Grimsrud TK. Adjustment for tobacco smoking and alcohol consumption by simultaneous analysis of several types of cancer. Cancer Causes and Control, 2017; 28(2):155-65. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28155007

Wang H and Preston S. Forecasting united states mortality using cohort smoking histories.

Proceedings of the National Academy of Sciences of the United States of America, 2009; 106(2):393–8. Available from: http://www.pnas.org/content/early/2009/01/05/0811809106.abstract
http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2613940/pdf/zpq393.pdf

Smith B, Smith G, Hurria A, Hortobagyi G, and Buchholz T. Future of cancer incidence in the united states: Burdens upon an aging, changing nation. Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology, 2009; 27(17):2758–65. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19403886

Reuser M, Bonneux L, and Willekens F. Smoking kills, obesity disables: A multistate approach of the us health and retirement survey. Obesity, 2009; [Epub ahead of print]. Available from: http://www.nature.com/oby/journal/vaop/ncurrent/full/oby2008640a.html

Ide R, Hoshuyama T, Wilson D, Takahashi K, and Higashi T. The effects of smoking on dental care utilization and its costs in japan. Journal of Dental Research, 2009; 88(1):66–70. Available from: http://jdr.sagepub.com/cgi/content/full/88/1/66 http://jdr.sagepub.com/cgi/reprint/88/1/66.pdf

Senes S and Woodall J. Health care expenditure on cardiovascular diseases 2004-05. Cardiovascular disease series no. 30, Canberra: Australian Institute of Health and Welfare, 2008. Available from: http://www.aihw.gov.au/publications/index.cfm/title/10641.

Access Economics. Economic impact of copd and cost effective solutions. Teh (stet) Australian Lung Foundation, 2008. Available from:

http://www.accesseconomics.com.au/publicationsreports/showreport.php?id=178&searchfor=2008 &searchby=year.

Health expenditure australia 2006–07. Health and Welfare Expenditure Series Number 35, Cat. no. HWE 42.Canberra 2008. Available from: http://www.aihw.gov.au/publications/hwe/hea06-07/hea06-07.pdf.

17.2.3.1 The Australian Institute of Health and Welfare burden of disease study

Ma J, Siegel RL, Jacobs EJ, and Jemal A. Smoking-attributable mortality by state in 2014, u.S. American Journal of Preventive Medicine, 2018. Available from: http://www.sciencedirect.com/science/article/pii/S0749379718300709

Mons U and Kahnert S. [recalculation of tobacco-attributable mortality: National and regional data for germany]. Gesundheitswesen, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28505702

Martin-Sanchez JC, Bilal U, Cleries R, Lidon-Moyano C, Fu M, et al. Modelling lung cancer mortality rates from smoking prevalence: Fill in the gap. Cancer Epidemiology, 2017; 49:19-23. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28528290

Liutkute V, Veryga A, Stelemekas M, and Gostautaite Midttun N. Burden of smoking in lithuania: Attributable mortality and years of potential life lost. European Journal of Public Health, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28379485

Australian Government. Australian burden of disease study: Impact and causes of illness and death in australia 2011. Canberra 2016. Available from: http://www.aihw.gov.au/publication-detail/?id=60129555173.

17.2.3.2 Global Burden of Disease Study

17.2.3.3 International estimates of costs of health care attributable to smoking

Possenti, I, Scala, M, Rognoni, M, Lugo, A, Cattaruzza, MS, Molinaro, S et al. (2024). Analysis of the direct economic impact of smoking-related hospitalizations in Italy. *Tob Induc Dis, 22*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38832050

Ye, BZ, Wang, XY, Wang, YF, Liu, NN, Xie, M, Gao, X, & Liang, Y. (2022). Impact of Tobacco Smoking on Health Care Utilization and Medical Costs in Chronic Obstructive Pulmonary Disease, Coronary

Heart Disease and Diabetes. *Curr Med Sci, 42*(2), 304-316. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35391619

Varmaghani, M, Ghobadi, M, Sharifi, F, Roshanfekr, P, Sheidaei, A, Mansouri, M et al (2021). The Economic Burden of Smoking-Attribution and Years of Life Lost due to Chronic Diseases in Mashhad, 2015-2016. *Int J Prev Med*, *12*, 23. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/34084320

Merianos, AL, Jandarov, RA, Gordon, JS, Lyons, MS, & Mahabee-Gittens, EM. (2021). Healthcare resources attributable to child tobacco smoke exposure. *PloS One*, *16*(2), e0247179. Retrieved from https://doi.org/10.1371/journal.pone.0247179

Higgins, ST, Slade, EP, & Shepard, DS. (2020). Decreasing Smoking During Pregnancy: Potential Economic Benefit of Reducing Sudden Unexpected Infant Death. *Prev Med*, 106238. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/32818512

Merianos, AL, Jandarov, RA, Gordon, JS, Lyons, MS, & Mahabee-Gittens, EM. (2020). Child tobacco smoke exposure and healthcare resource utilization patterns. *Pediatr Res*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32505125

Shi, L, Zhong, L, & Cai, Y. (2020). Economic burden of smoking-attributable diseases in China: A systematic review. *Tob Induc Dis, 18,* 42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32494236

Koronaiou, K, & Delipalla, S. (2019). The economic cost of tobacco smoking and secondhand smoke in Greece: Musculoskeletal disorders the leading contributor to smoking-related morbidity. *Tob Prev Cessat, 5*, 39. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32411901

Zhong, Z, Wei, H, Yang, L, Yao, T, Mao, Z, & Sun, Q. (2020). Catastrophic health expenditure: A comparative analysis of smoking and non-smoking households in China. *PLoS One, 15*(5), e0233749. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32469973

17.2.4 Productivity costs attributable to smoking

Oliva-Moreno, J, Trapero-Bertran, M, & Pena-Longobardo, LM. (2024). Labour productivity losses from premature death due to alcohol in Spain (2002-2018): Estimation and comparative analysis with tobacco-related estimates. *Drug Alcohol Depend, 264*, 112462. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39437493

Rissanen, I, Nerg, I, Oura, P, Huikari, S, & Korhonen, M. (2024). Productivity costs of lifelong smoking-the Northern Finland Birth Cohort 1966 study. *Eur J Public Health*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38552215

Islami, F, Marlow, EC, Zhao, J, Wiese, D, Asare, S, Bandi, P et al (2022). Person-years of life lost and lost earnings from cigarette smoking-attributable cancer deaths, United States, 2019. *Int J Cancer*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35946832

Shrestha, SS, Ghimire, R, Wang, X, Trivers, KF, Homa, D M, & Armour, BS. (2022). Cost of Cigarette SmokingAttributable Productivity Losses, U.S., 2018. *Am J Prev Med*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35909028

Kragelund, K, Tolstrup, JS, Lau, CJ, Christensen, AI, & Jorgensen, MB. (2022). Smoking and labour market participation: a 5-year prospective cohort study of transitions between work, unemployment and sickness absence. *Scand J Public Health*, 14034948221081289. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35484856

Lee, SY, Lee, J, & Kwon, M. (2021). Impacts of heavy smoking and alcohol consumption on workplace presenteeism: A cross-sectional study. *Medicine (Baltimore), 100*(47), e27751. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/34964731

Satyana, RPU, Uli, RE, Magliano, D, Zomer, E, Liew, D, & Ademi, Z. (2020). Assessing the impact of smoking on the health and productivity of the working-age Indonesian population using modelling. *BMJ Open, 10*(11), e041832. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33444213

Sanchez-Romero, LM, Yuan, Z, Li, Y & Levy, DT. (2020). The Kentucky SimSmoke Tobacco Control Policy Model of Smokeless Tobacco and Cigarette Use. *Int J Health Policy Manag*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33170345

Troelstra, SA, Boot, CRL, Harting, J, Geuskens, GA, Kunst, AE, & van der Beek, AJ. (2020). Associations of sustained smoking and smoking cessation with work-related outcomes: a longitudinal analysis. *Int Arch Occup Environ Health*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33170345

No authors listed. Spanish court rules workers can have pay deducted for smoking breaks. *BBC News, 2020. Feb 11, 2020.* Retrieved from https://www.bbc.com/news/world-europe-51467528

Troelstra SA, Coenen P, Boot CR, Harting J, Kunst AE, et al. Smoking and sickness absence: A systematic review and meta-analysis. Scandinavian Journal of Work, Environment and Health, 2020; 46(1):5-18. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31478055

Tan QY, Zomer E, Owen AJ, Chin KL, and Liew D. Impact of tobacco use on health and work productivity in malaysia. Tobacco Control, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30610080

Lund I, Moan IS, and Edvardsen HME. The relative impact of smoking, alcohol use and drug use on general sickness absence among norwegian employees. BMC Public Health, 2019; 19(1):500. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31053139

Hori A, Inoue Y, Kuwahara K, Kunugita N, Akter S, et al. Smoking and long-term sick leave in a japanese working population: Findings of the japan epidemiology collaboration on occupational health study. Nicotine and Tobacco Research, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31679035

Harrison P. Cancer deaths cost u.S. Billions in lost earnings each year, in Medpage Today2019. Available from:

https://www.medpagetoday.com/hematologyoncology/othercancers/80852?xid=nl mpt DHE 2019 -07-

<u>04&eun=g220600d0r&utm_source=Sailthru&utm_medium=email&utm_campaign=Daily%20Headlines%202019-07-04&utm_term=NL_Daily_DHE_Active.</u>

Poulsen J. Cancer council calls for workplaces to ban smoking as economic cost revealed, in The Courier Mail2018. Available from: https://www.couriermail.com.au/news/queensland/cancer-council-calls-for-workplaces-to-ban-smoking/news-story/3b3e76a8dcb37ceff1c7355d47793902.

Pearce A, Sharp L, Hanly P, Barchuk A, Bray F, et al. Productivity losses due to premature mortality from cancer in brazil, russia, india, china, and south africa (brics): A population-based comparison. Cancer Epidemiology, 2018; 53:27-34. Available from:

https://www.sciencedirect.com/science/article/pii/S1877782117302126

Kanerva N, Lallukka T, Rahkonen O, Pietilainen O, and Lahti J. The joint contribution of physical activity, insomnia symptoms and smoking to the cost of short-term sickness absence. Scandinavian Journal of Medicine and Science in Sports, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30480836

Foster A. Smoking could soon be banned in the workplace after cost revelation, in News.com.au2018. Available from: https://www.news.com.au/finance/work/at-work/smoking-could-soon-be-banned-in-the-workplace-after-cost-revelation/news-story/1963fd0c84af4ec231b5cae55bf25058.

Bengtsson T and Nilsson A. Smoking and early retirement due to chronic disability. Economics and Human Biology, 2018; 29:31-41. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29413586

Baker CL, Bruno M, Emir B, Li VW, and Goren A. Smoking cessation is associated with lower indirect costs. Journal of Occupational and Environmental Medicine, 2018; 60(6):490-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29465514

Suwa K, Flores NM, Yoshikawa R, Goto R, Vietri J, et al. Examining the association of smoking with work productivity and associated costs in japan. J Med Econ, 2017; 20(9):938-44. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28685629

Campbell AP, Hoehle LP, Phillips KM, Caradonna DS, Gray ST, et al. Smoking: An independent risk factor for lost productivity in chronic rhinosinusitis. Laryngoscope, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28295361

No authors listed. Smokers work four hours a week less than non-smokers. The Gympie Times, 2015. Available from: http://www.gympietimes.com.au/news/smokers-work-four-hours-a-week-less-than-non-smoke/2630736/

Sherman BW and Lynch WD. The association of smoking with medical treatment adherence in the workforce of a large employer. Patient Prefer Adherence, 2014; 8:477-86. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24790415

Bockerman P, Hyytinen A, and Kaprio J. Smoking and long-term labour market outcomes. Tobacco Control, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24570102

Bhojani FA, Tsai SP, Wendt JK, and Koller KL. Simulating the impact of changing trends in smoking and obesity on productivity of an industrial population: An observational study. BMJ Open, 2014; 4(4):e004788. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24747795

Berman M, Crane R, Seiber E, and Munur M. Estimating the cost of a smoking employee. Tobacco Control, 2014; 23(5):428-33. Available from: https://www.ncbi.nlm.nih.gov/pubmed/23733918

17.2.5 Estimates of total social costs of smoking

Ng, CS, Yu, CW S, Leung, L, Wong, EK, Ho, SY, Ip, DKM et al. (2024). Economic costs of tobaccorelated diseases in Hong Kong in 2021. *Tob Control*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39613330

Mwai, D, Gathecha, G, Njuguna, D, Ongango, J, Mwenda, V, Kiptui, D et al. (2024). The Economic Costs of Tobacco Related Illnesses in Kenya. *Tob Use Insights, 17*, 1179173X241272385. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39139515

Alkhatib, NS, Massad, E, Rashdan, O, Max, W, Halloush, S, Abumansour, H et al. (2024). The economic impact of tobacco smoking and secondhand smoke exposure in Jordan: estimating the direct and indirect costs. *J Med Econ, 27*(1), 880-886. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38923934

Lam, J, Schneider, J, Shadbegian, R, Pega, F, St Claire, S, & Novotny, TE. (2022). Modelling the global economic costs of tobacco product waste. *Bull World Health Organ, 100*(10), 620-627. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/36188014

John, RM, & Dauchy, EP. (2022). Healthcare costs attributable to secondhand smoke exposure among Indian adults. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35176165

Lee, VWY, Li, A, & Li, JTS. (2021). Burden of smoking in Asia-Pacific countries. *Tobacco Induced Diseases*, 19, 28. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33867905

Nargis, N, Faruque, GM, Ahmed, M, Huq, I, Parven, R, Wadood, SN et al(2021). A comprehensive economic assessment of the health effects of tobacco use and implications for tobacco control in Bangladesh. *Tob Control*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33653817

Saar, I, & Koitla, H. (2020). Quantifying the social costs and benefits of tobacco in Estonia. *Tob Control*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32381681

Preferred Futures. An analysis of the social costs of smoking in victoria 2015-16. Melbourne: Quit Victoria, Cancer Council Victoria, 2018.

Cher BP, Chen C, and Yoong J. Prevalence-based, disease-specific estimate of the social cost of smoking in singapore. BMJ Open, 2017; 7(4):e014377. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28389491

John RM, Sung HY, and Max W. Economic cost of tobacco use in india, 2004. Tobacco Control, 2009; 18(2):138-43. Available from: http://tobaccocontrol.bmj.com/cgi/content/abstract/18/2/138

17.2.5.1 Collins and Lapsley's studies of social costs

Hall MG, Sheeran P, Noar SM, Boynton MH, Ribisl KM, et al. Negative affect, message reactance and perceived risk: How do pictorial cigarette pack warnings change quit intentions? Tobacco Control, 2018. Available from:

http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/02/01/tobaccocontrol-2017-053972.full.pdf

Mons U and Brenner H. Demographic ageing and the evolution of smoking-attributable mortality: The example of germany. Tobacco Control, 2017; 26(4):455-7. Available from: http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/4/455.full.pdf

17.2.5.2 Social costs of tobacco use to Australia 2015-16

Morris, D, Gillespie, D, Dockrell, MJ, Cook, M, Horton, M, Brown, J, & Langley, TE. (2024). Potential smoke-free dividend across local areas in England: a cross-sectional analysis. *Tob Control*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38508755

Komonpaisarn, T. (2021). Economic cost of tobacco smoking and secondhand smoke exposure at home in Thailand. *Tob Control*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/33632807

Schneider, JE, Scheibling, CM, Peterson, NA, Granados, PS, Fulton, L, & Novotny, TE. (2020). Online Simulation Model to Estimate the Total Costs of Tobacco Product Waste in Large U.S. Cities. *Int J Environ Res Public Health*, 17(13). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/32629929

17.2.6 The economic benefits of the tobacco industry

Bakhtiari Aliabad, M, Masoudi-Asl, I, Abolhallaje, M, & Jafari, M. (2023). Building a House on Sand: How Tobacco Use Is Devouring Resources. *Addict Health*, *15*(2), 128-135. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/37560397

Ahsan, A, Handika, R, Qureshi, F, Martokoesoemo, DRS, Hindriyani, M, Amalia, N, & Mariz, K. (2022). Does Tobacco Affect Economy? *Asian Pac J Cancer Prev, 23*(6), 1873-1878. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/35763626

World Health Organization. Health taxes: A primer, in WHO2019. Available from: https://www.who.int/publications-detail/health-taxes-a-primer#.XdoCN3fdVpE.twitter.

Jha V, Narayanan BG, Wadhwa D, and Tesche J. Economic and environmental effects of reduction in smoking prevalence in tanzania. Tobacco Control, 2018. Available from:

 $\underline{https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/11/02/tobaccocontrol-2018-054635.full.pdf}$

Polder JJ, van Gils PF, Kok L, Talhout R, and Feenstra TL. [costs and benefits of smoking]. Nederlands Tijdschrift voor Geneeskunde, 2017; 160(0):D833. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28181894

Nandi A, Ashok A, Guindon GE, Chaloupka FJ, and Jha P. Estimates of the economic contributions of the bidi manufacturing industry in india. Tobacco Control, 2015; 24(4):369-75. Available from: http://tobaccocontrol.bmj.com/content/24/4/369.abstract

17.2.7 Economic costs studies internationally

John, RM, Sinha, P, Munish, VG, & Tullu, FT. (2020). Economic Costs of Diseases and Deaths Attributable to Tobacco use in India, 2017-18. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/32805055

News reports

Reed, H. Guide to the ASH Cost Benefit and Public Finance Model of Smoking, Version 2. *ASH UK*, February 2023. Retrieved from https://ash.org.uk/uploads/CBPF-model-2023.pdf

Beachum, L. U-Haul will stop hiring smokers, to foster 'a culture of wellness' — and cut health-care costs. *The Washington Post*, 2020. Jan 3, 2020. Retrieved from https://www.washingtonpost.com/business/2020/01/03/u-haul-will-stop-hiring-smokers-foster-culture-wellness-cut-health-care-costs/

17.2.1 Smokers' excess health service utilisation and costs

Coles, E, & Sun, W. (2021). *Methodology for developing tobacco smoking aetiological fractions for Western Australia*. Retrieved from Perth:

https://ww2.health.wa.gov.au/~/media/Corp/Documents/Reports-and-publications/Developing-tobacco-smoking-aetiological-fractions/Methodology-for-developing-tobacco-smoking-aetiological-fractions.pdf

17.2.2 Lifetime health and welfare costs for smokers and non-smokers

Reed, H. (2021). The costs of smoking to the social care system and related costs for older people in England: 2021 revision. Retrieved from https://ash.org.uk/wp-content/uploads/2021/03/Landman-Economics-CostsOfSmokingToSocialCaresystem-March2021.pdf

17.2.3.1 The Australian Institute of Health and Welfare burden of disease study

Australian Institute of Health Welfare. (2022). Health system spending per case of disease and for certain risk factors. Retrieved from Canberra: https://www.aihw.gov.au/reports/health-welfare-expenditure/health-system-spending-per-case-of-disease-and-oth/contents/about

17.2.3.3 International estimates of costs of health care attributable to smoking

No authors listed. Substance Use in Canada Costs Almost \$46 Billion a Year According to Latest Data. *Canadian Centre on Substance Use and Addiction*, 2020. July 7, 2020. Retrieved from https://www.ccsa.ca/substance-use-canada-costs-almost-46-billion-year-according-latest-data

17.2.5 Estimates of total social costs of smoking

All Party Parliamentary Group on Smoking and Health. (2023). APPG on Smoking and Health Manifesto for a Smokefree Future. Make Smoking History: A cross Government strategy to improve the nation's health, wealth and productivity. Retrieved from https://ash.org.uk/resources/view/appg-on-smoking-and-health-manifesto-for-a-smokefree-future

Rethink Addiction, & KPMG. (2022). *Understanding the cost of addiction in Australia*. Retrieved from Richmond, Victoria: https://indd.adobe.com/view/publication/c8bdf583-cb36-4c16-bf79-e8730aa04a1c/qkli/publication-web-resources/pdf/Cost of addiction design.pdf

17.2.6 The economic benefits of the tobacco industry

STOP. Do Economic "Benefits" Outweigh the Cost of Smoking? *A Global Tobacco Industry Watchdog*, 2022. December 6, 2022. Retrieved from https://exposetobacco.org/news/true-cost-of-smoking/

Manan, N. Who benefits from Indonesia's tobacco deadlock? Not the farmers. *The Jakarta Post*, 2021. Dec 20, 2021. Retrieved from https://www.thejakartapost.com/culture/2021/12/20/whobenefits-from-indonesias-tobacco-deadlock-not-the-farmers.html

17.2.7 Economic costs studies internationally

Action on Smoking and Health. (2023). New figures show smoking costs billions more than tobacco taxes as consultation on creating a smokefree generation closes [Press release]. Retrieved from https://ash.org.uk/media-centre/news/press-releases/new-figures-show-smoking-costs-billions-more-than-tobacco-taxes-as-consultation-on-creating-a-smokefree-generation-closes

No authors listed. £14bn A Year Up In Smoke – Economic Toll Of Smoking In England Revealed. *Yorkshire Times*, 2023. May 16, 2023. Retrieved from https://www.yorkshiretimes.co.uk/article/14bn-A-Year-Up-In-Smoke--Economic-Toll-Of-Smoking-In-England-Revealed

Mayhew, L, & Dimitraiadis, S. (2021). *Up in smoke: The impact of smoking on health and economic activity*. Retrieved from https://ilcuk.org.uk/wp-content/uploads/2021/07/Up-in-smoke-The-impact-of-smoking-on-health-and-economic-activity.pdf

Corbould, E, Coker, T, Bullock, S, Vohra, J, Hu, M, Retat, L et al (2020). *Making Conversations Count: The health and economic benefits of improving smoking cessation support in UK general practice*. Retrieved from UK: <a href="https://www.cancerresearchuk.org/sites/default/files/cancer-stats/making conversations count - full report - october 2020/making conversations count - full report - october 2020.pdf