

Tobacco in Australia

Facts & Issues

Relevant news and research

17.2 The costs and benefits of smoking to the Australian economy

Last updated October 2020

Research:

Boachie, MK, Rossouw, L, & Ross, H. (2020). The Economic Cost of Smoking in South Africa, 2016. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32832993>

Owen AJ, Maulida SB, Zomer E, and Liew D. Productivity burden of smoking in australia: A life table modelling study. *Tobacco Control*, 2019; 28(3):297-304. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30012640>

No authors listed. In landmark case, brazil sues top tobacco firms to recover public health costs, in *Reuters* 2019. Available from: <https://uk.reuters.com/article/us-brazil-tobacco-lawsuit/brazil-sues-top-tobacco-firms-to-recover-public-health-costs-idUKKCN1SS2DN>.

Makate M, Whetton S, Tait RJ, Dey T, Scollo M, et al. Tobacco cost of illness studies: A systematic review. *Nicotine and Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30874290>

Crosland P, Ananthapavan J, Davison J, Lambert M, and Carter R. The health burden of preventable disease in australia: A systematic review. *Australian and New Zealand Journal of Public Health*, 2019; 43(2):163-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30830711>

Continente X, Arechavala T, Fernandez E, Perez-Rios M, Schiaffino A, et al. Response regarding the methodological approach used to calculate the burden of respiratory disease attributable to secondhand smoke exposure in children in spain for the year 2015. *Preventive Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31132369>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Australian Institute of Health and Welfare. Health expenditure australia 2017–18. Health and welfare expenditure series, Canberra: AIHW, 2019. Available from:

<https://www.aihw.gov.au/reports/health-welfare-expenditure/health-expenditure-australia-2017-18/contents/table-of-contents>.

\$136 billion 'up in smoke' every year: The true cost of smoking keeps rising, in *Scimex*2019. Available from: [https://www.scimex.org/newsfeed/\\$136-billion-up-in-smoke-every-year-the-true-cost-of-smoking-keeps-rising](https://www.scimex.org/newsfeed/$136-billion-up-in-smoke-every-year-the-true-cost-of-smoking-keeps-rising).

The U. S. Burden of Disease Collaborators. The state of us health, 1990-2016: Burden of diseases, injuries, and risk factors among us states. *JAMA*, 2018; 319(14):1444-72. Available from:

<http://dx.doi.org/10.1001/jama.2018.0158>

Sonntag D, Gilbody S, Winkler V, and Ali S. German estsmoke: Estimating adult smoking-related costs and consequences of smoking cessation for germany. *Addiction*, 2018; 113(1):125-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734126>

No authors listed. Number of over-65s needing 24-hour care 'to rise by third over next 20 years' in *Telegraph (UK)*2018. Available from: <https://www.telegraph.co.uk/news/2018/08/31/number-over-65s-needing-24-hour-care-rise-third-next-20-years/>.

No authors listed. Smoking costs vic economy \$3.7bn: Report, in *SBS News*2018. Available from: <https://www.sbs.com.au/news/smoking-costs-vic-economy-3-7bn-report>.

Global Health Data Exchange. Global burden of disease results. University of Washington: Institute for Health Metrics and Evaluation, 2018. Last update: Viewed Available from:

<http://ghdx.healthdata.org/gbd-results-tool>.

Creating Preferred Futures. An analysis of the social costs of smoking in victoria 2015–16. Hobart, Tasmania 2018.

Academy of Medical Sciences. Multimorbidity: A priority for global health research. Academy of Medical Sciences, London, UK 2018. Available from: <https://acmedsci.ac.uk/file-download/82222577>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Correction: global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(4):478-. Available from:

<http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/4/478.full.pdf>

Correction: global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(4):478-. Available from:

<http://tobaccocontrol.bmj.com/content/tobaccocontrol/27/4/478.full.pdf>

Dobrescu A, Bhandari A, Sutherland G, and Dinh T. The costs of tobacco use in canada, 2012, in *The Conference Board of Canada 2017* Available from:

[http://www.conferenceboard.ca/\(X\(1\)S\(rh51cjvho2tzblldmeqwenry\)\)/e-library/abstract.aspx?did=9185&AspxAutoDetectCookieSupport=1](http://www.conferenceboard.ca/(X(1)S(rh51cjvho2tzblldmeqwenry))/e-library/abstract.aspx?did=9185&AspxAutoDetectCookieSupport=1).

Varela A. Regulators should not consider 'lost pleasure' of quitting smoking, study says, in *Medical XPress* 2017. Available from: <https://medicalxpress.com/news/2017-11-lost-pleasure.html>.

Sharma K, Junaid M, and Diwakar MKP. Economic implications of tobacco industry in india: An overview. *Indian Journal of Public Health*, 2017; 61(2):131-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28721964>

Sharma K, Junaid M, and Diwakar MKP. Economic implications of tobacco industry in india: An overview. *Indian Journal of Public Health*, 2017; 61(2):131-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28721964>

Sephton C. Smoking to kill 8m people a year by 2030, new study warns in *Sky News* 2017. Available from: <http://news.sky.com/story/smoking-to-kill-8m-people-a-year-by-2030-new-study-warns-10723722>.

Pechacek T, Nayak P, Slovic P, Weaver S, Huang J, et al. Reassessing the importance of 'lost pleasure' associated with smoking cessation: Implications for social welfare and policy. *Tobacco Control*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/29183920>

No authors listed. Global study quantifies massive cost of smoking, in *In Daily* 2017. Available from: <http://indaily.com.au/news/world/2017/01/10/global-study-quantifies-massive-cost-of-smoking/>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Who/nci study: Smoking costs \$1 trillion, soon to kill 8 million a year in *VOA News* 2017. Available from: <http://www.voanews.com/a/reu-who-nci-study-smoking-costs-1-trillion/3669996.html>.

Husaini B, Levine R, Lammers P, Hull P, Novotny M, et al. Smoking, depression, and hospital costs of respiratory cancers: Examining race and sex variation. *Fam Med Community Health*, 2017; 5(1):29-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29057243>

Barrio P, Reynolds J, Garcia-Altes A, Gual A, and Anderson P. Social costs of illegal drugs, alcohol and tobacco in the european union: A systematic review. *Drug and Alcohol Review*, 2017; 36(5):578-88. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28334460>

Amarasinghe H, Ranaweera S, Ranasinghe T, Chandraratne N, Kumara DR, et al. Economic cost of tobacco-related cancers in sri lanka. *Tobacco Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29079585>

Yokota RT, Nusselder WJ, Robine JM, Tafforeau J, Deboosere P, et al. Contribution of chronic conditions to the disability burden across smoking categories in middle-aged adults, belgium. *PLoS ONE*, 2016; 11(4):e0153726. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27105185>

Yokota RT, Nusselder WJ, Robine JM, Tafforeau J, Deboosere P, et al. Contribution of chronic conditions to the disability burden across smoking categories in middle-aged adults, belgium. *PLoS ONE*, 2016; 11(4):e0153726. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27105185>

Yokota RT, Nusselder WJ, Robine JM, Tafforeau J, Deboosere P, et al. Contribution of chronic conditions to the disability burden across smoking categories in middle-aged adults, belgium. *PLoS ONE*, 2016; 11(4):e0153726. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27105185>

US National Cancer Institute and World Health Organization, The economics of tobacco and tobacco control. National cancer institute tobacco control monograph 21 Vol. NIH Publication No. 16-CA-8029A. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute; and Geneva, CH: World Health Organization; 2016. Available from: <https://cancercontrol.cancer.gov/brp/tcrb/monographs/21/index.html>.

Stenholm S, Head J, Kivimaki M, Kawachi I, Aalto V, et al. Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: A multicohort study.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

International Journal of Epidemiology, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27488415>

Thompson C. Cutting smoking in north east could save regional economy £100m in *Chronicle Live* 2015. Available from: <http://www.chroniclelive.co.uk/news/north-east-news/cutting-smoking-north-east-could-8758773>.

Ross H. Consumer surplus and cost-benefit analysis of tobacco use in countries in the earlier stages of the tobacco epidemic. *Tobacco Control*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25564286>

Prasad S and Cucullo L. Impact of tobacco smoking and type-2 diabetes mellitus on public health: A cerebrovascular perspective. *J Pharmacovigil*, 2015; Suppl 2. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26770995>

Kelland K. Industry makes \$7,000 for each tobacco death: Health campaigners, in *Reuters* 2015.

Available from: <http://www.reuters.com/article/2015/03/19/us-health-tobacco-idUSKBNOMF1SF20150319>.

Geer O. Should french smokers really pay €13 a packet?, in *The Local* 2015. Available from:

<http://www.thelocal.fr/20150323/french-smokers-should-pay-13-per-packet>.

Action on Smoking and Health, Smoking still kills: Protecting children, reducing inequalities. Cancer Research UK and the British Heart Foundation; 2015. Available from:

<http://www.ncsct.co.uk/usr/pub/Smoking%20Still%20Kills.pdf>.

Schroeder SA. Even more illness caused by smoking than previously estimated. *JAMA Intern Med*,

2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25317605>

Rostron BL, Chang CM, and Pechacek TF. Estimation of cigarette smoking-attributable morbidity in the united states. *JAMA Intern Med*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25317719>

Kostova D, Chaloupka FJ, Yurekli A, Bettcher D, Prasad N, et al. Nicotine and tobacco research special supplement: Economic aspects of tobacco use in low- and middle-income countries. *Nicotine and Tobacco Research*, 2014; 16 Suppl 1:S1-2. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24343954>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ginsberg GM and Geva H. The burden of smoking in israel-attributable mortality and costs (2014). *Isr J Health Policy Res*, 2014; 3:28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25258677>

Craven SA. The effects of obesity, smoking, and excessive alcohol intake on healthcare expenditure in a comprehensive medical scheme. *South African Medical Journal*, 2014; 104(2):95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24893528>

Chaloupka FJ, Gruber J, and Warner KE. Accounting for "lost pleasure" in a cost-benefit analysis of government regulation: The case of the fda's proposed cigarette labeling regulation. *Annals of Internal Medicine*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25322210>

Arrieta O, Quintana-Carrillo RH, Ahumada-Curiel G, Corona-Cruz JF, Correa-Acevedo E, et al. Medical care costs incurred by patients with smoking-related non-small cell lung cancer treated at the national cancer institute of mexico. *Tob Induc Dis*, 2014; 12(1):25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25653577>

Arrieta O, Quintana-Carrillo RH, Ahumada-Curiel G, Corona-Cruz JF, Correa-Acevedo E, et al. Medical care costs incurred by patients with smoking-related non-small cell lung cancer treated at the national cancer institute of mexico. *Tob Induc Dis*, 2014; 12(1):25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25653577>

Arrieta O, Quintana-Carrillo RH, Ahumada-Curiel G, Corona-Cruz JF, Correa-Acevedo E, et al. Medical care costs incurred by patients with smoking-related non-small cell lung cancer treated at the national cancer institute of mexico. *Tob Induc Dis*, 2014; 12(1):25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25653577>

An R. Health care expenses in relation to obesity and smoking among u.S. Adults by gender, race/ethnicity, and age group: 1998-2011. *Public Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25542741>

Max W, Sung H, Tucker L, and Stark B. The disproportionate cost of smoking for african americans in california. *American Journal of Public Health*, 2010; 100(1):152–8. Available from: <http://ajph.aphapublications.org/cgi/content/full/100/1/152?view=long&pmid=19965569>

Kabir Z, Connolly G, Koh H, and Clancy L. Chronic obstructive pulmonary disease hospitalization rates in massachusetts: A trend analysis. *QJM : Monthly Journal of the Association of Physicians*, 2010;

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

103(3):163–8. Available from: <http://qjmed.oxfordjournals.org/cgi/content/full/103/3/163>
<http://qjmed.oxfordjournals.org/cgi/content/full/103/3/163?view=long&pmid=20123682>

Wilkins K, Shields M, and Rotermann M. Smokers' use of acute care hospitals--a prospective study. *Health Reports*, 2009; 20(4):75–83. Available from: <http://www.statcan.gc.ca/pub/82-003-x/2009004/article/11033-eng.pdf>

Ginsberg G, Rosenberg E, and Rosen L. Issues in estimating smoking attributable mortality in israel. *European Journal of Public Health*, 2009; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19692551

Cadilhac D, Cumming T, Sheppard L, Pearce D, and Carter R. The health and economic benefits of reducing disease risk factors. Melbourne 2009. Available from: <https://www.vichealth.vic.gov.au/media-and-resources/publications/health-and-economic-benefits-of-reducing-disease-risk-factors>.

Lundborg P. Does smoking increase sick leave? Evidence using register data on swedish workers. *Tobacco Control*, 2007; 16(2):114–8. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/16/2/114>

Hurley SF, Scollo MM, Younie SJ, English DR, and Swanson MG. The potential for tobacco control to reduce pbs costs for smoking-related cardiovascular disease. *Medical Journal of Australia*, 2004; 181(5):252-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15347272>

17.2.1 Smokers' excess health service utilisation and costs

Sheridan, A, Quinyne, KI, & Kavanagh, P. (2020). Counting the Toll of Smoking-Attributable Hospitalisations. *Ir Med J*, 113(1), 8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32298566>

Lightwood, J, Anderson, S, & Glantz, SA. (2020). Predictive validation and forecasts of short-term changes in healthcare expenditure associated with changes in smoking behavior in the United States. *PLoS ONE*, 15(1), e0227493. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31945079>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Warren GW, Cartmell KB, Garrett-Mayer E, Salloum RG, and Cummings KM. Attributable failure of first-line cancer treatment and incremental costs associated with smoking by patients with cancer. JAMA Netw Open, 2019; 2(4):e191703. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30951159>

Petrucci CM and Hyland A. Understanding the financial consequences of smoking during cancer treatment in the era of value-based medicine. JAMA Netw Open, 2019; 2(4):e191713. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30951153>

Nguyen TXT, Han M, and Oh JK. The economic burden of cancers attributable to smoking in Korea, 2014. Tob Induc Dis, 2019; 17:15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582926>

Isaranuwatthai W, de Oliveira C, Mittmann N, Evans WKB, Peter A, et al. Impact of smoking on health system costs among cancer patients in a retrospective cohort study in Ontario, Canada. BMJ Open, 2019; 9(6):e026022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31230002>

Glantz SA. Estimation of 1-year changes in Medicaid expenditures associated with reducing cigarette smoking prevalence by 1. JAMA Netw Open, 2019; 2(4):e192307. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30977860>

Chen S, Kuhn M, Prettner K, and Bloom DE. Noncommunicable diseases attributable to tobacco use in China: Macroeconomic burden and tobacco control policies. Health Affairs, 2019; 38(11):1832-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31682483>

Bonaldi C, Pasquereau A, Hill C, Thomas D, Moutengou E, et al. Hospitalizations for cardiovascular diseases attributable to tobacco smoking in France in 2015. Eur J Prev Cardiol, 2019; 2047487319885462. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31739682>

Alefan Q, Al-Issa ET, Alzoubi KH, and Hammouri HM. Association of smoking with direct medical expenditures of chronic diseases in North of Jordan: A retrospective cohort study. BMJ Open, 2019; 9(10):e031143. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31601593>

Action on Smoking and Health. The costs of smoking to social care. ASH, 2019. Available from: <https://ash.org.uk/local-resources/cost-of-social-care/>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Patanavanich R, Aekplakorn W, and Suriyawongpaisal P. Trend analysis of smoking-attributable hospitalizations in thailand, 2007-2014. *Tob Induc Dis*, 2018; 16:52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516449>

Nargis N, Nyamurungi K, Baine SO, and Kadobera D. The health cost of tobacco use in uganda. *Health Policy and Planning*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28531247>

17.2.2 Lifetime health and welfare costs for smokers and non-smokers

Venkataraman S, Anbazhagan S, and Anbazhagan S. Expenditure on health care, tobacco, and alcohol: Evidence from household surveys in rural puducherry. *J Family Med Prim Care*, 2019; 8(3):909-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31041223>

Swedler DI, Miller TR, Ali B, Waeher G, and Bernstein SL. National medical expenditures by smoking status in american adults: An application of manning's two-stage model to nationally representative data. *BMJ Open*, 2019; 9(7):e026592. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31315859>

Shi JF, Liu CC, Ren JS, Parascandola M, Zheng R, et al. Economic burden of lung cancer attributable to smoking in china in 2015. *Tobacco Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31073096>

Pizacani B, Rohde K, Fenaughty A, and Tutiakoff T. The real cost: Alaska's innovative media campaign to raise awareness about the direct and indirect costs of smoking to society. *Health Education Research*, 2019; 34(4):460-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31329859>

Oliva-Moreno J, Trapero-Bertran M, and Pena-Longobardo LM. Gender differences in labour losses associated with smoking-related mortality. *International Journal of Environmental Research and Public Health*, 2019; 16(19). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31569364>

Nolan MB, Borah BJ, Moriarty JP, and Warner DO. Association between smoking cessation and post-hospitalization healthcare costs: A matched cohort analysis. *BMC Health Services Research*, 2019; 19(1):924. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31791307>

McCann A. The real cost of smoking by state, in *Wallethub*2019. Available from: <https://wallethub.com/edu/the-financial-cost-of-smoking-by-state/9520/>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lindenbraten AL, Golubev NA, and Afonina MA. [the evaluation of direct economic loss related to tobacco smoking in 2009 and 2016]. *Probl Sotsialnoi Gig Zdravookhranennii i Istor Med*, 2019; 27(4):363-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31465647>

Hunt G. Government accepts stillbirth report recommendations, in *Ministers Department of Health* 2019. Available from: <https://beta.health.gov.au/ministers/the-hon-greg-hunt-mp/media/government-accepts-stillbirth-report-recommendations>.

Blacher J, Cinaud A, Blachier V, Vallee A, and Sorbets E. Quantifying the evil for a more effective fight against tobacco. *Eur J Prev Cardiol*, 2019:2047487319892400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31795765>

Wang Y, Sung HY, Yao T, Lightwood J, and Max W. Health care utilization and expenditures attributable to cigar smoking among us adults, 2000-2015. *Public Health Reports*, 2018:33354918769873. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29688130>

Vaz LR, Jones MJ, Szatkowski L, Tata LJ, Petrou S, et al. Estimating the health-care costs of children born to pregnant smokers in england: Cohort study using primary and secondary health-care data. *Addiction*, 2018; 113(7):1305-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29397000>

Tai EW, Guy GP, Jr., Steele CB, Henley SJ, Gallaway MS, et al. Cost of tobacco-related cancer hospitalizations in the u.S., 2014. *American Journal of Preventive Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29397279>

Nolan MB, Borah BJ, Moriarty JP, and Warner DO. Economic analysis of a geographically defined cohort of hospitalized patients who smoke. *Mayo Clinic Proceedings*, 2018; 93(8):1034-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30078410>

No authors listed. \$46 billion in productivity lost to cancer in major emerging economies, in *eCancer News* 2018. Available from: <http://ecancer.org/news/13268-46-billion-in-productivity-lost-to-cancer-in-major-emerging-economies.php>.

Miquel L, Rehm J, Shield KD, Vela E, Bustins M, et al. Alcohol, tobacco and health care costs: A population-wide cohort study (n = 606 947 patients) of current drinkers based on medical and administrative health records from catalonia. *European Journal of Public Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29325000>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Merianos AL, Odar Stough C, Nabors LA, and Mahabee-Gittens EM. Tobacco smoke exposure and health-care utilization among children in the united states. American Journal of Health Promotion, 2018; 32(1):123-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29214835>

Liutkute V, Stelemekas M, and Veryga A. Smoking-attributable direct healthcare expenditure in lithuania: A prevalence-based annual cost approach. Medicina (Kaunas), 2018; 54(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30344246> https://res.mdpi.com/medicina/medicina-54-00015/article_deploy/medicina-54-00015-v2.pdf?filename=&attachment=1

Goodchild M, Nargis N, and Tursan d'Espaignet E. Global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(1):58-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28138063>

Fu JY, Zhang CP, Gao J, Luo JF, Li J, et al. Estimate of health burden on smoking-associated oral cancer in shanghai and its surrounding areas. Chinese Journal of Dental Research, 2018; 21(2):127-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29808176>

Fardal O, Grytten J, Martin J, Ellingsen S, Fardal P, et al. Adding smoking to the fardal model of cost-effectiveness for the life-time treatment of periodontal diseases. Journal of Periodontology, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29768669>

David P. Basic economic gap related to smoking: Reconciling tobacco tax receipts and economic costs of smoking-attributable diseases. Tobacco Control, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30282775>

Arredondo A, Recaman AL, Pinzon C, and Azar A. Financial consequences from smoking-related diseases in middle-income countries: Evidence and lessons from mexico. International Journal of Health Planning and Management, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29363795>

Action on Smoking and Health. The local costs of tobacco. 2018. Last update: Viewed 6 June 2018. Available from: <http://ash.lelan.co.uk/>.

Correction: Global economic cost of smoking-attributable diseases. Tobacco Control, 2018; 27(4):478. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31329655>

Tobacco in Australia

Facts & Issues

Uwimana D. No tobacco day: “Two patients out of five are hospitalized due to smoking”, in *IWACU English News (bi)*2017. Available from: <http://www.iwacu-burundi.org/englishnews/no-tobacco-day-two-patients-out-of-five-are-hospitalized-due-to-smoking/>.

Rezaei S, Karami Matin B, Hajizadeh M, Bazayar M, and Akbari Sari A. Economic burden of smoking in iran: A prevalence-based annual cost approach. *Asian Pacific Journal of Cancer Prevention*, 2017; 18(10):2867-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29072438>

Kristina SA, Endarti D, Wiedyaningsih C, Fahamsya A, and Faizah N. Health care cost of noncommunicable diseases related to smoking in indonesia, 2015. *Asia-Pacific Journal of Public Health*, 2017:1010539517751311. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292653>

Keto J, Ventola H, Jokelainen J, Timonen M, Linden K, et al. Primary health care utilisation and its costs among middle-aged smokers. *European Journal of Health Economics*, 2017; 18(3):351-60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27008029>

Chen J, McGhee S, and Lam TH. Economic costs attributable to smoking in hong kong in 2011: A possible increase from 1998. *Nicotine and Tobacco Research*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29149286>

Akbari Sari A, Rezaei S, Arab M, Karami Matin B, and Majdzadeh R. Does smoking status affect cost of hospitalization? Evidence from three main diseases associated with smoking in iran. *Med J Islam Repub Iran*, 2017; 31:63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29445692>

Staff PM. Correction: Smoking behavior and healthcare expenditure in the united states, 1992-2009: Panel data estimates. *PLoS Medicine*, 2016; 13(6):e1002070. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27305149>

San S and Chaloupka FJ. The impact of tobacco expenditures on spending within turkish households. *Tobacco Control*, 2016; 25(5):558-63. Available from: <http://tobaccocontrol.bmj.com/content/25/5/558.abstract>

Robins S. Poll: Smoking comes at a million-pound price. *Ely Standard*, 2016. Available from: http://www.elystandard.co.uk/news/poll_smoking_comes_at_a_million_pound_price_1_4502430

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Rezaei S, Akbari Sari A, Arab M, Majdzadeh R, and Mohammad Poorasl A. Economic burden of smoking: A systematic review of direct and indirect costs. *Med J Islam Repub Iran*, 2016; 30:397. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27579287>

Pickles K. Smoking causes nearly 5,000 hospital admissions a day - and the number is still rising. *Daily Mail* 2016. Available from: <http://www.dailymail.co.uk/health/article-3612400/Smoking-causes-nearly-5-000-hospital-admissions-day-number-rising.html>

Manuel DG, Perez R, Sanmartin C, Taljaard M, Hennessy D, et al. Measuring burden of unhealthy behaviours using a multivariable predictive approach: Life expectancy lost in Canada attributable to smoking, alcohol, physical inactivity, and diet. *PLoS Medicine*, 2016; 13(8):e1002082. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27529741>

listed Na. Smoking costs Dutch society up to €43bn a year: Report, in *Dutch News* 2016. Available from: <http://www.dutchnews.nl/news/archives/2016/02/smoking-costs-dutch-society-up-to-e43bn-a-year-report/>.

Lightwood J and Glantz SA. Smoking behavior and healthcare expenditure in the United States, 1992-2009: Panel data estimates. *PLoS Medicine*, 2016; 13(5):e1002020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27163933>

Lhachimi SK, Nusselder WJ, Smit HA, Baili P, Bennett K, et al. Potential health gains and health losses in eleven EU countries attainable through feasible prevalences of the life-style related risk factors alcohol, BMI, and smoking: A quantitative health impact assessment. *BMC Public Health*, 2016; 16:734. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27495151>

Krueger H, Koot JM, Rasali DP, Gustin SE, and Pennock M. Regional variations in the economic burden attributable to excess weight, physical inactivity and tobacco smoking across British Columbia. *Health Promot Chronic Dis Prev Can*, 2016; 36(4):76-86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27077793>

Krueger H, Andres EN, Koot JM, and Reilly BD. The economic burden of cancers attributable to tobacco smoking, excess weight, alcohol use, and physical inactivity in Canada. *Curr Oncol*, 2016; 23(4):241-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27536174>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kristina SA, Endarti D, Sendjaya N, and Pramestuty O. Estimating the burden of cancers attributable to smoking using disability adjusted life years in indonesia. *Asian Pacific Journal of Cancer Prevention*, 2016; 17(3):1577-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27039808>

Hoang Anh PT, Thu LT, Ross H, Quynh Anh N, Linh BN, et al. Direct and indirect costs of smoking in vietnam. *Tobacco Control*, 2016; 25(1):96-100. Available from: <http://tobaccocontrol.bmj.com/content/25/1/96.abstract>

Feirman SP, Glasser AM, Teplitskaya L, Holtgrave DR, Abrams DB, et al. Medical costs and quality-adjusted life years associated with smoking: A systematic review. *BMC Public Health*, 2016; 16:646. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27460828>

Crispino A and Courtney J. New report shows states are making progress implementing policies to reduce toll of cancer. American Cancer Society Cancer Action Network, US 2016. Available from: <http://www.acscan.org/content/media-center/new-report-shows-states-are-making-progress-implementing-policies-to-reduce-toll-of-cancer/>.

Cao B. Future healthy life expectancy among older adults in the us: A forecast based on cohort smoking and obesity history. *Popul Health Metr*, 2016; 14:23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27408607>

Bundhamcharoen K, Aungkulanon S, Makka N, and Shibuya K. Economic burden from smoking-related diseases in thailand. *Tobacco Control*, 2016; 25(5):532-7. Available from: <http://tobaccocontrol.bmj.com/content/25/5/532.abstract>

Bernardo R. The true cost of smoking by state, in *WalletHub* 2016. Available from: <https://wallethub.com/edu/the-financial-cost-of-smoking-by-state/9520/>.

Xu X, Bishop EE, Kennedy SM, Simpson SA, and Pechacek TF. Annual healthcare spending attributable to cigarette smoking: An update. *American Journal of Preventive Medicine*, 2015; 48(3):326-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25498551>

Wu Q, Szatkowski L, Britton J, and Parrott S. Economic cost of smoking in people with mental disorders in the uk. *Tobacco Control*, 2015; 24(5):462-8. Available from: <http://tobaccocontrol.bmj.com/content/24/5/462.abstract>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Suwa K, Nakamura Y, Yoshikawa R, Gunji T, Iwasaki K, et al. The association between smoking cessation outpatient visits and total medical costs: An analysis of Japanese employee based public health insurance data. *Value in Health*, 2015; 18(7):A498. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26532797>

Suarez-Bonel MP, Villaverde-Royo MV, Nerin I, Sanz-Andres C, Mezquida-Arno J, et al. Health care costs and work absenteeism in smokers: Study in an urban community. *Archivos de Bronconeumologia*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26198012>

Rezaei S, Akbari Sari A, Arab M, Majdzadeh R, and Mohammadpoorasl A. Estimating economic burden of cancer deaths attributable to smoking in Iran. *J Res Health Sci*, 2015; 15(4):228-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26728908>

No authors listed. Smoking and drug abuse could more than triple annual ER visits in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/294351.php?tw>.

Max W, Sung HY, Shi Y, and Stark B. The cost of smoking in California. *Nicotine and Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26156629>

Maciosek MV, Xu X, Butani AL, and Pechacek TF. Smoking-attributable medical expenditures by age, sex, and smoking status estimated using a relative risk approach. *Preventive Medicine*, 2015; 77:162-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26051203>

listed Na. Unhealthy choices cost company health care plans billions of dollars, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/303990.php?tw>.

listed Na. Smoking increases hospitalizations, costs of peripheral artery disease, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/300148.php?tw>.

Lallukka T, Rahkonen O, Lahelma E, and Lahti J. Joint associations of smoking and physical activity with disability retirement: A register-linked cohort study. *BMJ Open*, 2015; 5(7):e006988. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26224014>

Krueger H, Krueger J, and Koot J. Variation across Canada in the economic burden attributable to excess weight, tobacco smoking and physical inactivity. *Canadian Journal of Public Health*, 2015; 106(4):e171-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26285186>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kotsopoulos N, Mergos G, Postma M, and Connolly M. Assessing the net fiscal consequences of tobacco use in a high consumption and high tobacco tax country: The case of Greece. *Value in Health*, 2015; 18(7):A506. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26532837>

Korhonen T, Smeds E, Silventoinen K, Heikkilä K, and Kaprio J. Cigarette smoking and alcohol use as predictors of disability retirement: A population-based cohort study. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26305074>

Duval S, Long KH, Roy SS, Oldenburg NC, Harr K, et al. The contribution of tobacco use to high health care utilization and medical costs in peripheral artery disease: A state-based cohort analysis. *Journal of the American College of Cardiology*, 2015; 66(14):1566-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26429081>

Buchanan P. Smoking costs Germany 79 billion per year, in *Germerica* 2015. Available from: <http://www.germerica.com/2015/04/19/smoking-costs-germany-79-billion-per-year/>.

Braillon A. Smoking-attributable medical expenditures: Time biases and smokers' social role. *Preventive Medicine*, 2015; 81:294. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26436685>

Böckerman P, Hyytinen A, and Kaprio J. Smoking and long-term labour market outcomes. *Tobacco Control*, 2015; 24(4):348-53. Available from: <http://tobaccocontrol.bmj.com/content/24/4/348.abstract>

Smokers take more time off work than non-smokers, Spanish survey reveals. *Nursing Standard*, 2015; 30(15):15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26647677>

Warner DO, Borah BJ, Moriarty J, Schroeder DR, Shi Y, et al. Smoking status and health care costs in the perioperative period: A population-based study. *JAMA Surg*, 2014; 149(3):259-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24382595>

Cooper C. Smoking costs England £1bn per year in care alone *The Independent*, 2014. Available from: <http://www.independent.co.uk/life-style/health-and-families/health-news/smoking-costs-england-1bn-per-year-in-care-alone-9706845.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Sturm R, An R, Maroba J, and Patel D. The effects of obesity, smoking, and excessive alcohol intake on healthcare expenditure in a comprehensive medical scheme. *South African Medical Journal*, 2013; 103(11):840-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24148168>

Tiihonen J, Ronkainen K, Kangasharju A, and Kauhanen J. The net effect of smoking on healthcare and welfare costs. A cohort study. *BMJ Open*, 2012; 2(6):e001678. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23233699>

17.2.3 Burden of death and disease attributable to tobacco

Haldorsen T, Martinsen JI, Kjaerheim K, and Grimsrud TK. Adjustment for tobacco smoking and alcohol consumption by simultaneous analysis of several types of cancer. *Cancer Causes and Control*, 2017; 28(2):155-65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28155007>

Wang H and Preston S. Forecasting united states mortality using cohort smoking histories. *Proceedings of the National Academy of Sciences of the United States of America*, 2009; 106(2):393-8. Available from: <http://www.pnas.org/content/early/2009/01/05/0811809106.abstract>
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2613940/pdf/zpq393.pdf>

Smith B, Smith G, Hurria A, Hortobagyi G, and Buchholz T. Future of cancer incidence in the united states: Burdens upon an aging, changing nation. *Journal of Clinical Oncology : Official Journal of the American Society of Clinical Oncology*, 2009; 27(17):2758-65. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19403886

Reuser M, Bonneux L, and Willekens F. Smoking kills, obesity disables: A multistate approach of the us health and retirement survey. *Obesity*, 2009; [Epub ahead of print]. Available from: <http://www.nature.com/oby/journal/vaop/ncurrent/full/oby2008640a.html>

Ide R, Hoshuyama T, Wilson D, Takahashi K, and Higashi T. The effects of smoking on dental care utilization and its costs in japan. *Journal of Dental Research*, 2009; 88(1):66-70. Available from: <http://jdr.sagepub.com/cgi/content/full/88/1/66> <http://jdr.sagepub.com/cgi/reprint/88/1/66.pdf>

Senes S and Woodall J. Health care expenditure on cardiovascular diseases 2004-05. *Cardiovascular disease series no. 30*, Canberra: Australian Institute of Health and Welfare, 2008. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10641>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Access Economics. Economic impact of copd and cost effective solutions. Teh (stet) Australian Lung Foundation, 2008. Available from: <http://www.accesseconomics.com.au/publicationsreports/showreport.php?id=178&searchfor=2008&searchby=year>.

Health expenditure australia 2006–07. Health and Welfare Expenditure Series Number 35, Cat. no. HWE 42. Canberra 2008. Available from: <http://www.aihw.gov.au/publications/hwe/hea06-07/hea06-07.pdf>.

17.2.3.1 The Australian Institute of Health and Welfare burden of disease study

Ma J, Siegel RL, Jacobs EJ, and Jemal A. Smoking-attributable mortality by state in 2014, u.S. American Journal of Preventive Medicine, 2018. Available from: <http://www.sciencedirect.com/science/article/pii/S0749379718300709>

Mons U and Kahnert S. [recalculation of tobacco-attributable mortality: National and regional data for germany]. Gesundheitswesen, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28505702>

Martin-Sanchez JC, Bilal U, Cleries R, Lidon-Moyano C, Fu M, et al. Modelling lung cancer mortality rates from smoking prevalence: Fill in the gap. Cancer Epidemiology, 2017; 49:19-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28528290>

Liutkute V, Veryga A, Stelemekas M, and Gostautaitė Midttun N. Burden of smoking in lithuania: Attributable mortality and years of potential life lost. European Journal of Public Health, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28379485>

Australian Government. Australian burden of disease study: Impact and causes of illness and death in australia 2011. Canberra 2016. Available from: <http://www.aihw.gov.au/publication-detail/?id=60129555173>.

17.2.3.2 Global Burden of Disease Study

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

17.2.3.3 International estimates of costs of health care attributable to smoking

Higgins, ST, Slade, EP, & Shepard, DS. (2020). Decreasing Smoking During Pregnancy: Potential Economic Benefit of Reducing Sudden Unexpected Infant Death. *Prev Med*, 106238. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32818512>

Merianos, AL, Jandarov, RA, Gordon, JS, Lyons, MS, & Mahabee-Gittens, EM. (2020). Child tobacco smoke exposure and healthcare resource utilization patterns. *Pediatr Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32505125>

Shi, L, Zhong, L, & Cai, Y. (2020). Economic burden of smoking-attributable diseases in China: A systematic review. *Tob Induc Dis*, 18, 42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32494236>

Koronaïou, K, & Delipalla, S. (2019). The economic cost of tobacco smoking and secondhand smoke in Greece: Musculoskeletal disorders the leading contributor to smoking-related morbidity. *Tob Prev Cessat*, 5, 39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411901>

Zhong, Z, Wei, H, Yang, L, Yao, T, Mao, Z, & Sun, Q. (2020). Catastrophic health expenditure: A comparative analysis of smoking and non-smoking households in China. *PLoS One*, 15(5), e0233749. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32469973>

17.2.4 Productivity costs attributable to smoking

No authors listed. Spanish court rules workers can have pay deducted for smoking breaks. *BBC News*, 2020. Feb 11, 2020. Retrieved from <https://www.bbc.com/news/world-europe-51467528>

Troelstra SA, Coenen P, Boot CR, Harting J, Kunst AE, et al. Smoking and sickness absence: A systematic review and meta-analysis. *Scandinavian Journal of Work, Environment and Health*, 2020; 46(1):5-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31478055>

Tan QY, Zomer E, Owen AJ, Chin KL, and Liew D. Impact of tobacco use on health and work productivity in malaysia. *Tobacco Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30610080>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lund I, Moan IS, and Edvardsen HME. The relative impact of smoking, alcohol use and drug use on general sickness absence among norwegian employees. BMC Public Health, 2019; 19(1):500.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31053139>

Hori A, Inoue Y, Kuwahara K, Kunugita N, Akter S, et al. Smoking and long-term sick leave in a japanese working population: Findings of the japan epidemiology collaboration on occupational health study. Nicotine and Tobacco Research, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31679035>

Harrison P. Cancer deaths cost u.S. Billions in lost earnings each year, in Medpage Today2019.

Available from:

https://www.medpagetoday.com/hematologyoncology/othercancers/80852?xid=nl_mpt_DHE_2019-07-04&eun=g220600d0r&utm_source=Sailthru&utm_medium=email&utm_campaign=Daily%20Headlines%202019-07-04&utm_term=NL_Daily_DHE_Active.

Poulsen J. Cancer council calls for workplaces to ban smoking as economic cost revealed, in The Courier Mail2018. Available from: <https://www.couriermail.com.au/news/queensland/cancer-council-calls-for-workplaces-to-ban-smoking/news-story/3b3e76a8dcb37ceff1c7355d47793902>.

Pearce A, Sharp L, Hanly P, Barchuk A, Bray F, et al. Productivity losses due to premature mortality from cancer in brazil, russia, india, china, and south africa (brics): A population-based comparison. Cancer Epidemiology, 2018; 53:27-34. Available from:

<https://www.sciencedirect.com/science/article/pii/S1877782117302126>

Kanerva N, Lallukka T, Rahkonen O, Pietilainen O, and Lahti J. The joint contribution of physical activity, insomnia symptoms and smoking to the cost of short-term sickness absence. Scandinavian Journal of Medicine and Science in Sports, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30480836>

Foster A. Smoking could soon be banned in the workplace after cost revelation, in

News.com.au2018. Available from: <https://www.news.com.au/finance/work/at-work/smoking-could-soon-be-banned-in-the-workplace-after-cost-revelation/news-story/1963fd0c84af4ec231b5cae55bf25058>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bengtsson T and Nilsson A. Smoking and early retirement due to chronic disability. *Economics and Human Biology*, 2018; 29:31-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29413586>

Baker CL, Bruno M, Emir B, Li VW, and Goren A. Smoking cessation is associated with lower indirect costs. *Journal of Occupational and Environmental Medicine*, 2018; 60(6):490-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29465514>

Suwa K, Flores NM, Yoshikawa R, Goto R, Vietri J, et al. Examining the association of smoking with work productivity and associated costs in Japan. *J Med Econ*, 2017; 20(9):938-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28685629>

Campbell AP, Hoehle LP, Phillips KM, Caradonna DS, Gray ST, et al. Smoking: An independent risk factor for lost productivity in chronic rhinosinusitis. *Laryngoscope*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28295361>

No authors listed. Smokers work four hours a week less than non-smokers. *The Gympie Times*, 2015. Available from: <http://www.gympietimes.com.au/news/smokers-work-four-hours-a-week-less-than-non-smoke/2630736/>

Sherman BW and Lynch WD. The association of smoking with medical treatment adherence in the workforce of a large employer. *Patient Prefer Adherence*, 2014; 8:477-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24790415>

Bockerman P, Hyytinen A, and Kaprio J. Smoking and long-term labour market outcomes. *Tobacco Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24570102>

Bhojani FA, Tsai SP, Wendt JK, and Koller KL. Simulating the impact of changing trends in smoking and obesity on productivity of an industrial population: An observational study. *BMJ Open*, 2014; 4(4):e004788. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24747795>

Berman M, Crane R, Seiber E, and Munur M. Estimating the cost of a smoking employee. *Tobacco Control*, 2014; 23(5):428-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23733918>

17.2.5 Estimates of total social costs of smoking

Tobacco in Australia

Facts & Issues

Saar, I, & Koitla, H. (2020). Quantifying the social costs and benefits of tobacco in Estonia. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32381681>

Preferred Futures. An analysis of the social costs of smoking in victoria 2015-16. Melbourne: Quit Victoria, Cancer Council Victoria, 2018.

Cher BP, Chen C, and Yoong J. Prevalence-based, disease-specific estimate of the social cost of smoking in singapore. *BMJ Open*, 2017; 7(4):e014377. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28389491>

John RM, Sung HY, and Max W. Economic cost of tobacco use in india, 2004. *Tobacco Control*, 2009; 18(2):138-43. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/18/2/138>

17.2.5.1 Collins and Lapsley's studies of social costs

Hall MG, Sheeran P, Noar SM, Boynton MH, Ribisl KM, et al. Negative affect, message reactance and perceived risk: How do pictorial cigarette pack warnings change quit intentions? *Tobacco Control*, 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/02/01/tobaccocontrol-2017-053972.full.pdf>

Mons U and Brenner H. Demographic ageing and the evolution of smoking-attributable mortality: The example of germany. *Tobacco Control*, 2017; 26(4):455-7. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/4/455.full.pdf>

17.2.5.2 Social costs of tobacco use to Australia 2015-16

Schneider, JE, Scheibling, CM, Peterson, NA, Granados, PS, Fulton, L, & Novotny, TE. (2020). Online Simulation Model to Estimate the Total Costs of Tobacco Product Waste in Large U.S. Cities. *Int J Environ Res Public Health*, 17(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32629929>

17.2.6 The economic benefits of the tobacco industry

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

World Health Organization. Health taxes: A primer, in WHO2019. Available from:
<https://www.who.int/publications-detail/health-taxes-a-primer#.XdOCN3fdVpE.twitter>.

Jha V, Narayanan BG, Wadhwa D, and Tesche J. Economic and environmental effects of reduction in smoking prevalence in tanzania. *Tobacco Control*, 2018. Available from:
<https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/11/02/tobaccocontrol-2018-054635.full.pdf>

Polder JJ, van Gils PF, Kok L, Talhout R, and Feenstra TL. [costs and benefits of smoking]. *Nederlands Tijdschrift voor Geneeskunde*, 2017; 160(0):D833. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28181894>

Nandi A, Ashok A, Guindon GE, Chaloupka FJ, and Jha P. Estimates of the economic contributions of the bidi manufacturing industry in india. *Tobacco Control*, 2015; 24(4):369-75. Available from:
<http://tobaccocontrol.bmj.com/content/24/4/369.abstract>

17.2.7 Economic costs studies internationally

John, RM, Sinha, P, Munish, VG, & Tullu, FT. (2020). Economic Costs of Diseases and Deaths Attributable to Tobacco use in India, 2017-18. *Nicotine Tob Res*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/32805055>

News reports

Beachum, L. U-Haul will stop hiring smokers, to foster 'a culture of wellness' — and cut health-care costs. *The Washington Post*, 2020. Jan 3, 2020. Retrieved from
<https://www.washingtonpost.com/business/2020/01/03/u-haul-will-stop-hiring-smokers-foster-culture-wellness-cut-health-care-costs/>

17.2.3.3 International estimates of costs of health care attributable to smoking

No authors listed. Substance Use in Canada Costs Almost \$46 Billion a Year According to Latest Data. *Canadian Centre on Substance Use and Addiction*, 2020. July 7, 2020. Retrieved from
<https://www.ccsa.ca/substance-use-canada-costs-almost-46-billion-year-according-latest-data>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

17.2.7 Economic costs studies internationally

tobaccoinaustralia.org.au