

Tobacco in Australia

Facts & Issues

Relevant news and research

17.4 Economic evaluations of tobacco control interventions

Last updated December 2024

Research:	2
17.4.1 The cost-effectiveness of tobacco control per se	6
17.4.1.1 Evaluations of comprehensive tobacco control programs	7
17.4.1.3 Evaluations of the benefit of smoking prevalence reductions	8
17.4.2 Economic evaluations of policy interventions	9
17.4.2.1 Cigarette taxation and price increases	10
17.4.2.2 Smokefree laws and policies.....	12
17.4.2.3 Retail promotion and access.....	12
17.4.2.5 Policies targeting adolescents.....	12
17.4.3 Economic evaluations of population-based strategies.....	12
17.4.3.1 Mass media campaigns	13
17.4.3.2 Quitlines	14
17.4.4 Economic evaluations of clinical interventions.....	14
17.4.4.1 Healthcare systems interventions	16
17.4.4.2 Pharmacotherapies	19
17.4.4.3 Workplace interventions.....	20
News reports:	20
17.4.1 The cost-effectiveness of tobacco control per se	21
17.4.1.1 Evaluations of comprehensive tobacco control programs	21

17.4.1.3 Evaluations of the smoking prevalence reductions	21
17.4.2 Economic evaluations of policy interventions	21
17.4.2.1 Cigarette taxation and price increases	22
17.4.2.2 Smoke-free-air laws and policies	22
17.4.3.2 Quitlines	22

Research:

Manuel, DG, Wilton, AS, Bennett, C, Rohit Dass, A, Laporte, A, & Holford, TR. (2020). Smoking patterns based on birth-cohort-specific histories from 1965 to 2013, with projections to 2041. *Health Rep*, 31(11), 16-31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33205939>

Nystrand, C, Gebreslassie, M, Ssegonja, R, Feldman, I, & Sampaio, F. (2020). A systematic review of economic evaluations of public health interventions targeting alcohol, tobacco, illicit drug use and problematic gambling: Using a case study to assess transferability. *Health Policy*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33069504>

Lightwood, J, & Anderson, S. (2020). Health Care Cost Savings Attributable to the California Tobacco Control Program, 1989 to 2018. *UCSF: Center for Tobacco Control Research and Education*. Retrieved from <https://escholarship.org/uc/item/53b9b8fz>

Maciosek, MV, LaFrance, AB, St Claire, A, Xu, Z, Brown, M, & Schillo, BA. (2020). Twenty-year health and economic impact of reducing cigarette use: Minnesota 1998–2017. *Tobacco Control*, 29(5), 564-569. Retrieved from <https://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/29/5/564.full.pdf>

Singh, A, Wilson, N, & Blakely, T. (2020). Simulating future public health benefits of tobacco control interventions: a systematic review of models. *Tobacco Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32587112>

Maciosek, MV, LaFrance, AB, St Claire, A, Xu, Z, Brown, M, & Schillo, BA. (2019). Twenty-year health and economic impact of reducing cigarette use: Minnesota 1998-2017. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31413150>

Baker, CL, Ding, Y, Ferrufino, CP, Kowal, S, Tan, J, Subedi, P. A cost-benefit analysis of smoking cessation prescription coverage from a US payer perspective. *Clinicoecon Outcomes Res*. 2018 Jul 16;10:359-370. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30038510>

Portes, LH, Machado, CV, Turci, SRB, Figueiredo, VC, Cavalcante, TM, Silva, Vldce. Tobacco Control Policies in Brazil: a 30-year assessment. *Cien Saude Colet*. 2018 Jun;23(6):1837-1848. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29972492>

Daly, AT, Deshmukh, AA, Virdrine, DJ, Prokhorov, AV, Frank, SG, Tahay, PD, Houchen, ME, Cantor, SB. Cost-effectiveness analysis of smoking cessation interventions using cell phones in a low-income population. *Tob Control*, 2018. Jun 11, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29886411>

Pennington, B, Filby, A, Owen, L, Taylor, M. Smoking Cessation: A Comparison of Two Model Structures. *Pharmacoeconomics*. 2018 May 8. pii: 10.1007/s40273-018-0657-y. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29736894>

Yieh, L, McEvoy, CT, Hoffman, SW, Caughey, AB, MacDonald, KD, Dukhovny, D. Cost effectiveness of vitamin c supplementation for pregnant smokers to improve offspring lung function at birth and reduce childhood wheeze/asthma. *J Perinatol*. 2018 May 22. pii: 10.1038/s41372-018-0135-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29785060>

Connolly, MP, Kotsopoulos, N, Suthipinijtham, P, Rungruanghiranya, S. Fiscal Impact of Smoking Cessation in Thailand: A Government Perspective Cost-Benefit Analysis. *Asia Pac J Public Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29667916>

Trapero-Bertran, M, Leidl, R, Munoz, C, Kulchaitanaroaj, P, Coyle, K, Prager, M, Jozwiak-Hagymasy, J, Cheung, KL, Hiligsmann, M, Pokhrel, S, EQUIPT Study Group. Estimates of costs for modelling return on investment from smoking cessation interventions. *Addiction*, 2018. Mar 13, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29532538>

Trapero-Bertran, M, Munoz, C, Coyle, K, Coyle, D, Lester-George, A, Leidl, R, Nemeth, B, Cheung, KL, Pokhrel, S, Lopez-Nicolas, A. Cost-effectiveness of alternative smoking cessation scenarios in Spain: results from the EQUIPTMOD. *Addiction*, 2018. Mar 13, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29532966>

Walker, N, Yang, Y, Kiparoglou, V, Pokhrel, S, Robinson, H, van Woerden, H. An examination of user costs in relation to smokers using a cessation service based in the UK. *BMC Health Serv Res*. 2018 Mar 15;18(1):182. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29544477>

Anraad, C, Cheung, KL, Hiligsmann, M, Coyle, K, Coyle, D, Owen, L, West, R, de Vries, H, Evers, SM, Pokhrel, S. Assessment of cost-effective changes to the current and potential provision of smoking cessation services: an analysis based on the EQUIPTMOD. *Addiction*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29430762>

Kulchaitanaroaj, P, Kalo, Z, West, R, Cheung, KL, Evers, S, Voko, Z, Hiligsmann, M, de Vries, H, Owen, L, Trapero-Bertran, M, Leidl, R, Pokhrel, S. Understanding perceived availability and importance of tobacco control interventions to inform European adoption of a UK economic model: a cross-sectional study. *BMC Health Serv Res*. 2018 Feb 14;18(1):115. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29444679>

Nakamura, Y, Takahashi, K, Nomura, M, Kamei, M. Welfare analysis of a zero-smoking policy - A case study in Japan. *Drug Discov Ther*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29479045>

White, P, Skirrow, H, George, A, Memon, A. A systematic review of economic evaluations of local authority commissioned preventative public health interventions in overweight and obesity, physical inactivity, alcohol and illicit drugs use and smoking cessation in the United Kingdom. *J Public Health (Oxf)*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29462346>

Yang, W, Zou, Q, Tan, E, Watkins, L, Beronja, K, Hogan, PF, Elenberg, K. Future Health and Economic Impact of Comprehensive Tobacco Control in DoD: A Microsimulation Approach. *Mil Med*. 2018 Jan 1;183(1-2):e104-e112. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29401346>

Connolly, MP, Baker, CL, Kotsopoulos, N. Estimating the public economic consequences of introducing varenicline smoking cessation therapy in South Korea using a fiscal analytic framework. *J Med Econ*. 2018 Jan 29:1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29376747>

Nemeth, B, Jozwiak-Hagymasy, J, Kovacs, G, Kovacs, A, Demjen, T, Huber, MB, Cheung, KL, Coyle, K, Lester-George, A, Pokhrel, S, Voko, Z. Cost-effectiveness of possible future smoking cessation strategies in Hungary: results from the EQUIPTMOD. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29368363>

Nemeth, B, Kulchaitanaroaj, P, Lester-George, A, Huic, M, Coyle, K, Coyle, D, Pokhrel, S, Kalo, Z. A utility of model input uncertainty analysis in transferring tobacco control-related economic evidence to countries with scarce resources: results from the EQUIPT study. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29377316>

Aluckal, E, Lakshmanan, S. The feasibility of smoker's surcharge policy in tobacco control. *J Cancer Res Ther*. 2017 Oct-Dec;13(6):1075-1076. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29237985>

Leao, T, Kunst, AE, Perelman, J. Cost-effectiveness of tobacco control policies and programmes targeting adolescents: a systematic review. *Eur J Public Health*. 2017 Dec 16. pii: 4753709. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29267928>

Verguet, S, Tarr, G, Gauvreau, CL, Mishra, S, Jha, P, Liu, L, Xiao, Y, Qiu, Y, Zhao, K. Distributional benefits of tobacco tax and smoke-free workplaces in China: A modeling study. *J Glob Health*. 2017 Dec;7(2):020701. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29188029>

Coyle, K, Coyle, D, Lester-George, A, West, R, Nemeth, B, Hiligsmann, M, Trapero-Bertran, M, Leidl, R, Pokhrel, S, Equipt Study Group. Development and Application of an Economic Model (EQUIPTMOD) to assess the Impact of Smoking Cessation. *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28833765>

West, R, Coyle, K, Owen, L, Coyle, D, Pokhrel, S, Equipt Study Group. Estimates of effectiveness and reach for 'return on investment' modelling of smoking cessation interventions using data from England. *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28833834>

Bell, R, Glinianaia, SV, Waal, ZV, Close, A, Moloney, E, Jones, S, Araujo-Soares, V, Hamilton, S, Milne, EM, Shucksmith, J, Vale, L, Willmore, M, White, M, Rushton, S. Evaluation of a complex healthcare intervention to increase smoking cessation in pregnant women: interrupted time series analysis with economic evaluation. *Tob Control*, Feb 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28202783>

Levy, DT, Abrams, DB, Levy, J, Rosen, L. Erratum to: Complying with the framework convention for tobacco control: an application of the Abridged SimSmoke model to Israel. *Isr J Health Policy Res*. 2017 Feb 8;6:6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28194271>

Tauras, JA, Peck, RM, Cheng, KW, Chaloupka, FJ. Graphic warning labels and the cost savings from reduced smoking among pregnant women. *Int J Environ Res Public Health*. 2017 Feb 8;14(2).

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28208749>

Levy, DE, Klinger, EV, Linder, JA, Fleegler, EW, Rigotti, NA, Park, ER, Haas, JS. Cost-effectiveness of a health system-based smoking cessation program. *Nicotine Tob Res*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27639095>

Mendes, AC, Toscano, CM, Barcellos, RM, Ribeiro, AL, Ritzel, JB, Cunha, VS, Duncan, BB. Costs of the smoking cessation program in Brazil. *Rev Saude Publica*. 2016 Nov 10;50(0):66. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27849293>

Leppanen, A, Lindgren, P, Sundberg, CJ, Petzold, M, Tomson, T. A cluster-randomized controlled trial evaluating the effectiveness and cost-effectiveness of tobacco cessation on prescription in Swedish primary health care: A protocol of the motivation 2 quit (M2Q) study. *JMIR Res Protoc*. 2016 Sep 16;5(3):e188. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27637517>

Levy, DE, Klinger, EV, Linder, JA, Fleegler, EW, Rigotti, NA, Park, ER, Haas, JS. Cost-effectiveness of a health system-based smoking cessation program. *Nicotine Tob Res*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27639095>

Hall, W, Doran, C. How much can the USA reduce health care costs by reducing smoking? *PLoS Med*. 2016 May 10;13(5):e1002021. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27164007>

Lightwood, J, Glantz, SA. Smoking behavior and healthcare expenditure in the United States, 1992-2009: Panel data estimates. *PLoS Med*. 2016 May 10;13(5):e1002020. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27163933>

Goodchild, M, Perucic, AM, Nargis, N. Modelling the impact of raising tobacco taxes on public health and finance. *Bull World Health Organ*. 2016 Apr 1;94(4):250-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27034518>

Ibrahim, MI, Magzoub, NA, Maarup, N. University-based smoking cessation program through pharmacist-physician initiative: an economic evaluation. *J Clin Diagn Res*. 2016 Feb;10(2):LC11-5.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27042488>

Jackson-Morris, A, Latif, E. Index of tobacco control sustainability (ITCS): a tool to measure the sustainability of national tobacco control programmes. *Tob Control*. 2016 Apr 20. pii: tobaccocontrol-2015-052799. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27098009>

Soler, R, Orenstein, D, Honeycutt, A, Bradley, C, Trogdon, J, Kent, CK, Wile, K, Haddix, A, O'Neil, D, Bunnell, R, Communities Putting Prevention to Work Leadership, Team. *Prev Chronic Dis*. 2016 Apr 7;13:E47. doi: 10.5888/pcd13.150272. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27055264>

Chavez, JJ. Economic policy - Public health linkage and the importance of a regional platform: The case of tobacco control. *Glob Soc Policy*, Dec 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26635507>

Igarashi, A et al. Cost-effectiveness analysis of smoking cessation interventions in Japan using a discrete-event simulation. *Appl Health Econ Health Policy*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26597111>

Ekpu, VU, Brown, AK. The economic impact of smoking and of reducing smoking prevalence: review of evidence. *Tob Use Insights*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26242225>

Hoffman, SJ, Tan, C. Overview of systematic reviews on the health-related effects of government tobacco control policies. *BMC Public Health*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26242915>

Huang, J et al. State Tobacco Control Program spending - United States, 2011. *MMWR. Morbidity and Mortality Weekly Report*, 2015. Available form:
<http://www.ncbi.nlm.nih.gov/pubmed/26110838>

No authors listed. Errors in intervention cost per smoker. *JAMA internal medicine*, 2015. May 6, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25938323>

Errors in intervention cost per smoker. *JAMA Intern Med*, 2015; 175(5):869. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25938323>

Sinclair-White BM, Pressler V, Lowery St John T, Okubo J, Richards K, et al. Insights in public health: the tobacco settlement special fund: how investments in prevention save lives and dollars. *Hawaii J Med Public Health*, 2015; 74(4):154-7. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25954604>

Hawkins SS, Baum CF, Oken E, and Gillman MW. Associations of tobacco control policies with birth outcomes. *JAMA Pediatr*, 2014; 168(11):e142365. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25365250>

Coward S, Heitman SJ, Clement F, Negron M, Panaccione R, et al. Funding a Smoking Cessation Program for Crohn's Disease: An Economic Evaluation. *Am J Gastroenterol*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25350768>

17.4.1 The cost-effectiveness of tobacco control per se

Bhattacharya, P, Khatoon, S, Roy, S, Mukherjee, N, Yadav, A, Lal, P et al. (2024). Return on investment of tobacco control measures: a systematic review protocol. *JBI Evid Synth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39285794>

Huang, V, Buchan, I, Capewell, S, & Kyridemos, C. (2023). Health, economic, and equity consequences of future tobacco control policies in England: a microsimulation study. *Lancet*, 402 Suppl 1, S52. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37997095>

Nargis, N, Hussain, A, Asare, S, Xue, Z, Majmundar, A, Bandi, P et al. (2022). Economic loss attributable to cigarette smoking in the USA: an economic modelling study. *Lancet Public Health*, 7(10), e834-e843. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36182233>

Maciosek, MV, Armour, BS, Babb, SD, Dhemer, SP, Grossman, ES, Homa, DM et al (2020). Budgetary impact from multiple perspectives of sustained antitobacco national media campaigns to reduce the harms of cigarette smoking. *Tobacco Control*, tobaccocontrol-2019-055482. Available from: <https://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/early/2020/04/26/tobaccocontrol-2019-055482.full.pdf>

Maciosek, MV, LaFrance, AB, St Claire, AW, Keller, PA, Xu, Z, & Schillo, BA. (2020). The 20-year impact of tobacco price and tobacco control expenditure increases in Minnesota, 1998–2017. *PLoS One*, 15(3), e0230364. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7225>

Maciosek, MV, St Claire, AW, Keller, PA, LaFrance, AB, Xu, Z, & Schillo, B. (2020). Projecting the future impact of past accomplishments in tobacco control. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7225>

Weishaar, H et al. Capturing complexity: Mixing methods in the analysis of a European tobacco control policy network. *International Journal of Social Research Methodology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC45482>

Sinclair-White, BM et al. Insights in public health: the tobacco settlement special fund: how investments in prevention save lives and dollars. *Hawai'i Journal of Medicine & Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC454604>

17.4.1.1 Evaluations of comprehensive tobacco control programs

Devaux, M, Dorfmuller Ciampi, M, Guignard, R, Lerouge, A, Aldea, A, Nguyen-Thanh, V et al (2024). Economic evaluation of the recent French tobacco control policy: a model-based approach. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4903>

Messer, K, Pierce, JP, Chen, J, Luo, M, Stone, MD, Leas, EC et al. (2024). Cigarette smoking decline among US young adults from 2000 to 2019, in relation to state-level cigarette price and tobacco control expenditure. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC491671>

Nonnemaker, J, Mann, N, MacMonegle, AJ, Gaber, J, & Fajobi, O. (2024). Estimating the return on investment of the New York Tobacco Control Programme: a synthetic control study. *BMJ Open*, 14(4), e080525. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC49704>

Lightwood, JM, Anderson, S, & Glantz, SA. (2023). Smoking and healthcare expenditure reductions associated with the California Tobacco Control Program, 1989 to 2019: A predictive validation. *PLoS One*, 18(3), e0263579. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC498830>

Hutchinson, B, Brispat, F, Calderon Pinzon, LV, Sarmiento, A, Solis, E, Nugent, R et al. (2022). The case for investment in tobacco control: lessons from four countries in the Americas. *Rev Panam Salud Publica*, 46, e174. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC491238>

Tarride, JE, Blackhouse, G, Guindon, GE, Chatton, MO, Planinac, L, & Schwartz, R. (2021). Return on investment of Canadian tobacco control policies implemented between 2001 and 2016. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4937653>

Paolillo-Cabrera, E, Torres, F, Machado, F, Scasso, A, Alvarado, A, Genta, D et al (2021). [Impact of tobacco control on healthcare costs for acute myocardial infarction in Uruguay: costs based on Diagnosis-Related Groups]. *Cad Saude Publica*, 37(1), e00149019. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33440410>

Shkolnikov, VM, Churilova, E, Jdanov, DA, Shalnova, SA, Nilssen, O, Kudryavtsev, A et al (2020). Time trends in smoking in Russia in the light of recent tobacco control measures: synthesis of evidence from multiple sources. *BMC Public Health*, 20(1), 378. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32293365>

Feirman, SP, Glasser, AM, Rose, S, Niaura, R, Abrams, DB, Teplitskaya, L, Villanti, AC. Computational Models Used to Assess US Tobacco Control Policies. *Nicotine Tob Res*, Jan 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28339561>

17.4.1.3 Evaluations of the benefit of smoking prevalence reductions

John, RM, Narayanan, B, Chakravarthy, S, Bharathi, S, Sinha, P, Munish, VG, & Goodchild, M. (2024). Economy-wide impact of a reduction in tobacco use in India. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39332898>

Ravida, A, Saleh, MHA, Ghassib, IH, Qazi, M, Kumar, PS, Wang, HL et al. (2024). Impact of smoking on cost-effectiveness of 10-48 years of periodontal care. *Periodontol 2000*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39054672>

Perdomo, S, Lopez, J, Torres-Ibarguen, MZ, Puerto-Jimenez, DN, & de Vries, E. (2022). Modelling the Reduction in Cancer Incidence After Variations in the Prevalence of Tobacco Consumption in Colombia in the Period 2016-2050. *Cancer Control*, 29, 10732748221121390. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36415920>

Bonaldi, C, Pasquereau, A, Hill, C, Thomas, D, Moutengou, E, Thanh, VN, & Olie, V. (2021). Hospitalizations for cardiovascular diseases attributable to tobacco smoking in France in 2015. *Eur J Prev Cardiol*, 28(12), 1327-1333. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34647590>

Hering, T, Batra, A, Muhlig, S, Nowak, D, Ruther, T, & Schwarzkopf, L. (2021). [Potential Savings in Treatment Costs of COPD through Smoking Cessation: Modeling for DMP COPD in Germany - Scientific Action Group on Tobacco Cessation (WAT) e. V.]. *Pneumologie*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34182578>

McCaffrey, N, Dowling, G, & White, SL. (2021). The estimated effect of reducing the maternal smoking rate on neonatal intensive care unit costs in Victorian public hospitals. *Aust Health Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33685579>

Gredner, T, Niedermaier, T, Brenner, H, & Mons, U. (2020). Impact of tobacco control policies on smoking-related cancer incidence in Germany 2020 to 2050 - a simulation study. *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32457183>

Reddy, KP, Bulteel, AJB, Levy, DE, Torola, P, Hyle, EP, Hou, T et al (2020). Novel microsimulation model of tobacco use behaviours and outcomes: calibration and validation in a US population. *BMJ Open*, 10(5), e032579. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32404384>

Hunt, D, Knuchel-Takano, A, Jaccard, A, Bhimjiyani, A, Retat, L, Selvarajah, C, Brown, K, Webber, LL and Brown, M. Modelling the implications of reducing smoking prevalence: the public health and economic benefits of achieving a 'tobacco-free' UK. *Tob Control*, 2017. May 11, 2017. Available from: <http://tobaccocontrol.bmjjournals.org/content/early/2017/04/20/tobaccocontrol-2016-053507>

17.4.2 Economic evaluations of policy interventions

Barbaro, S, Neu-Yanders, N, & Konig, N. (2024). A Health Economics Inquiry into Regulatory Constraints on the European Tobacco Market. *Forum Health Econ Policy*, 27(1), 1-27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39501451>

Tuvdendorj, A, Feenstra, T, & Buskens, E. (2023). Cost-Effectiveness of Four Tobacco Control Interventions in Mongolia. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37478493>

DeCicca, P, Kenkel, D, & Lovenheim, MF. (2022). The Economics of Tobacco Regulation: A Comprehensive Review. *J Econ Lit*, 60(3), 883-970. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37075070>

Yang, SL, Togawa, K, Gilmour, S, Leon, ME, Soerjomataram, I, & Katanoda, K. (2022). Projecting the impact of implementation of WHO MPOWER measures on smoking prevalence and mortality in Japan. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36100264>

Jiang, X, Jackson, LJ, Syed, MA, Avsar, TS, & Abdali, Z. (2022). Economic evaluations of tobacco control interventions in low- and middle-income countries: a systematic review. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35257422>

Huang, V, Head, A, Hyseni, L, O'Flaherty, M, Buchan, I, Capewell, S, & Kypridemos, C. (2022). Identifying best modelling practices for tobacco control policy simulations: a systematic review and a novel quality assessment framework. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35017262>

Huang, V, Head, A, Hyseni, L, O'Flaherty, M, Buchan, I, Capewell, S, & Kypridemos, C. (2021). Tobacco Control Policy Simulation Models: Protocol for a Systematic Methodological Review. *JMIR Res Protoc*, 10(7), e26854. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34309577>

Bardach, A, Alcaraz, A, Roberti, J, Ciapponi, A, Augustovski, F, & Pichon-Riviere, A. (2021). Optimizing Tobacco Advertising Bans in Seven Latin American Countries: Microsimulation Modeling of Health and Financial Impact to Inform Evidence-Based Policy. *Int J Environ Res Public Health*, 18(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34064880>

Nguyen, DT, Luong, KN, Phan, HT, Tran, AT Dao, ST, Poudel, AN et al (2021). Cost-Effectiveness of Population-Based Tobacco Control Interventions on the Health Burden of Cardiovascular Diseases in

Vietnam. *Asia Pac J Public Health*, 1010539521999873. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33764194>

Leao, T, Perelman, J, Clancy, L, Hoffmann, L, Kinnunen, JM, Melard, N et al. (2019). Cost of youth tobacco-control policies in seven European countries. *Eur J Public Health*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31535140>

Leao, T, Perelman, J, Clancy, L, Mlinaric, M, Kinnunen, JM, Nuyts, PAW et al. (2019). Economic evaluation of five tobacco control policies across seven European countries. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31350556>

Fillon, M. Tobacco control initiatives cut the number of lung cancer deaths in California by 28. *CA Cancer J Clin*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30645759>

Suwa, K, Yoshikawa, R, Iwasaki, K, Igarashi, A. The association between smoking cessation outpatient visits and total medical costs: a retrospective, observational analysis of Japanese employee-based public health insurance data. *J Med Econ*. 2018 Jan 9:1-15. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29316823>

Martin-Sanchez, JC, Martinez-Sanchez, JM, Bilal, U, Cleries, R, Fu, M, Lidon-Moyano, C, Sureda, X, Franco, M, Fernandez, E. Sex and age specific projections of smoking prevalence in Spain: a Bayesian approach. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28575394>

van der Deen, FS, Wilson, N, Cleghorn, CL, Kvizhinadze, G, Cobiac, LJ, Nghiem, N, Blakely, T. Impact of five tobacco endgame strategies on future smoking prevalence, population health and health system costs: two modelling studies to inform the tobacco endgame. *Tob Control*, 2017. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28647728>

Feirman, SP, Glasser, AM, Rose, S, Niaura, R, Abrams, DB, Teplitskaya, L and Villanti, AC. Computational Models Used to Assess US Tobacco Control Policies. *Nicotine Tob Res*, 2017. Jan 21, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx017/2936777/Computational-Models-Used-to-Assess-US-Tobacco?redirectedFrom=fulltext>

Contreary, KA et al. Economic impact of tobacco price increases through taxation: a community guide systematic review. *American Journal of Preventive Medicine*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26188686>

17.4.2.1 Cigarette taxation and price increases

Bai, Y, Kim, C, & Chum, A. (2023). Impact of the minimum wage increase on smoking behaviour: A quasi-experimental study in South Korea. *Soc Sci Med*, 333, 116135. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37562244>

Jawad, M, Awawda, S, Abla, R, Chalak, A, Khader, YS, Nakkash, RT et al. (2022). Impact of waterpipe tobacco taxation on consumption, government revenue and premature deaths averted in Jordan, Lebanon and Palestine: a simulation study. *Tob Control*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36601792>

- Mahase, E. (2022). Higher cigarette taxes could have prevented 182 000 newborn deaths in 2018, analysis finds. *BMJ*, 376, o700. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35296511>
- Bardach, A, Casarini, A, Rodriguez Cairoli, F, Adeniran, A, Castradori, M, Akanonu, P et al. (2022). The estimated benefits of increasing cigarette prices through taxation on the burden of disease and economic burden of smoking in Nigeria: A modeling study. *PLoS One*, 17(3), e0264757. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35235606>
- Divino, JA Ehrl, P. Candido, O., & Valadao, MAP. (2021). Extended cost-benefit analysis of tobacco taxation in Brazil. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34607889>
- Tuvendorj, A, Konings, SRA, Purevdorj, B, Buskens, E, & Feenstra, TL. (2021). REDUCING THE BURDEN OF DISEASE THROUGH TOBACCO TAXES IN MONGOLIA: A health impact analysis using a dynamic public health model. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34498055>
- Flor, LS Reitsma, MB, Gupta, V, Ng, M, & Gakidou, E. (2021). The effects of tobacco control policies on global smoking prevalence. *Nat Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33479500>
- Cheng, KJG, & Estrada, MAG. (2021). Cost-effectiveness analysis of the 2019 cigarette excise tax reform in the Philippines. *Prev Med*, 145, 106431. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33493524>
- Fuertes, E, Marcon, A, Potts, L, Pesce, G, Lhachimi, SK, Jani, V et al (2021). Health impact assessment to predict the impact of tobacco price increases on COPD burden in Italy, England and Sweden. *Sci Rep*, 11(1), 2311. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33504847>
- Levin, SR, Hawkins, SS, Farber, A, Goodney, PP, Osborne, NH, Tan, TW et al (2020). Association of State Tobacco Control Policies on Active Smoking at the Time of Intervention for Intermittent Claudication. *J Vasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33098941>
- Castillo-Riquelme, M, Bardach, A, Palacios, A, & Pichon-Riviere, A. (2020). Health burden and economic costs of smoking in Chile: The potential impact of increasing cigarettes prices. *PLoS One*, 15(8), e0237967. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32857819>
- Summan, A, Stacey, N, Birckmayer, J, Blecher, E, Chaloupka, FJ, & Laxminarayan, R. (2020). The potential global gains in health and revenue from increased taxation of tobacco, alcohol and sugar-sweetened beverages: a modelling analysis. *BMJ Glob Health*, 5(3), e002143. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32337082>
- Pinto, M, Bardach, A, Palacios, A, Biz, A, Alcaraz, A, Rodriguez, B et al. (2019). Burden of smoking in Brazil and potential benefit of increasing taxes on cigarettes for the economy and for reducing morbidity and mortality. *Cad Saude Publica*, 35(8), e00129118. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31483047>
- Baum, A, Aguilar-Gomez, S, Lightwood, J, Bruzelius, E, Glantz, SA, & Basu, S. Estimating the long-run relationship between state cigarette taxes and county life expectancy. *Tob Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30705247>

Minh, HV, Duyen, NT, Ngan, TT, Ngoc, NB, Son, DT, & Hai, PT. Potential health impacts of increasing the cigarette tax in Viet Nam. *Int J Tuberc Lung Dis*, 2018. 22(11), 1378-1382. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30355420>

Rosselli, D, Gil-Tamayo, S. [Cost per year of potential life lost: a proposal to estimate tobacco taxation]. *Rev Salud Publica (Bogota)*. 2017 Sep-Oct;19(5):591-594. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30183804>

Denu, RA. Estimates of Cancer Deaths Prevented by Raising Cigarette Taxes. *JAMA Intern Med*. 2017 May 1;177(5):739. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28460094>

17.4.2.2 Smokefree laws and policies

Oliver, JF. (2021). The impact of smoke-free air laws and conventional cigarette taxes on cardiovascular hospitalizations. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34480580>

Fujita, T, Babazono, A, Jiang, P, Jamal, A, & Li, Y. (2021). Cost-effectiveness analysis of treatment with varenicline for nicotine dependence compared with smoking cessation without pharmacotherapy in the real world. *Pharmacoepidemiol Drug Saf*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34529297>

Sheridan, P, Trinidad, D, McMenamin, S, Pierce, JP, & Benmarhnia, T. (2020). Evaluating the impact of the California 1995 smoke-free workplace law on population smoking prevalence using a synthetic control method. *Prev Med Rep*, 19, 101164. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32775177>

17.4.2.3 Retail promotion and access

Hefler, M, & Malone, RE. (2023). Short-term dollars at what cost? Repealing New Zealand's Smokefree Aotearoa 2025 plan would sacrifice lives and longer-term economic gain. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38149644>

17.4.2.5 Policies targeting adolescents

Pulkki-Brannstrom, AM, Galanti, MR, & Nilsson, M. (2021). Protocol for the evaluation of cost-effectiveness and health equity impact of a school-based tobacco prevention programme in a cluster randomised controlled trial (the TOPAS study). *BMJ Open*, 11(8), e045476. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34385232>

17.4.3 Economic evaluations of population-based strategies

Sandoval, RC, Bacelar Gomes, A, Roche, M, Parra, N, & Armada, F. (2022). Advances in tobacco control in the Region of the Americas, 2020. *Rev Panam Salud Publica*, 46, e202. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36211243>

Tuvdendorj, A, Du, Y, Sidorenkov, G, Buskens, E, de Bock, GH, & Feenstra, T. (2020). Informing policy makers on the efficiency of population level tobacco control interventions in Asia: A systematic review of model-based economic evaluations. *J Glob Health*, 10(2), 020437. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33403106>

Ngalesoni, F, Ruhago, G, Mayige, M, Oliveira, TC, Robberstad, B, Norheim, OF, Higashi, H. Cost-effectiveness analysis of population-based tobacco control strategies in the prevention of cardiovascular diseases in Tanzania. *PLoS One*. 2017 Aug 2;12(8):e0182113. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28767722>

17.4.3.1 Mass media campaigns

Shrestha, SS, Davis, K, Mann, N, Taylor, N, Nonnemaker, J, Murphy-Hoefer, R et al (2021). Cost Effectiveness of the Tips From Former Smokers Campaign-U.S., 2012-2018. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33455819>

Maciosek, MV, Armour, BS, Babb, SD, Dhemer, SP, Grossman, ES, Homa, DM et al (2020). Budgetary impact from multiple perspectives of sustained antitobacco national media campaigns to reduce the harms of cigarette smoking. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32341191>

Hair, EC, Holtgrave, DR, Romberg, AR, Bennett, M, Rath, JM, Diaz, MC, & Vallone, DM. (2019). Cost-Effectiveness of Using Mass Media to Prevent Tobacco Use among Youth and Young Adults: The FinishIt Campaign. *Int J Environ Res Public Health*, 16(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31698724>

Pang, L, Liu, S, Zhang, X, & Tian, T. (2019). The Cost-Effectiveness Analysis and Optimal Strategy of the Tobacco Control. *Comput Math Methods Med*, 2019, 8189270. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30863458>

MacMonegle, AJ, Nonnemaker, J, Duke, JC, Farrelly, MC, Zhao, X, Delahanty, JC, Smith, AA, Rao, P, Allen, JA. Cost-Effectiveness Analysis of The Real Cost Campaign's Effect on Smoking Prevention. *Am J Prev Med*. 2018 Sep;55(3):319-325. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30122214>

Weir, BW, Cantrell, J, Holtgrave, DR, Greenberg, MS, Kennedy, RD, Rath, JM, Hair, EC, Vallone, D. Cost and Threshold Analysis of the FinishIt Campaign to Prevent Youth Smoking in the United States. *Int J Environ Res Public Health*. 2018 Aug 6;15(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30082612>

Murukutla, N, Yan, H, Wang, S, Negi, NS, Kotov, A, Mullin, S, Goodchild, M. Cost-effectiveness of a smokeless tobacco control mass media campaign in India. *Tob Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28798263>

17.4.3.2 Quitlines

Gebreslassie, M, Galanti, MR, Feldman, I, & Lager, A. (2023). Should nicotine replacement therapy be provided free of charge? A cost-utility analysis in Sweden. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37367182>

Pauly, N, Talbert, J, Parsley, S, Gray, B, Hahn, EJ. Kentucky's Smoking Cessation Quitline: Annual Estimated Return on Investment to Employers. *Am J Health Promot.* 2018 Jan 1:890117118784875. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29969913>

17.4.4 Economic evaluations of clinical interventions

Palakai, R, Sornpaisarn, B, Sawangdee, Y, Chuanwan, S, Saonuam, P, Katewongsa, P, & Rehm, J. (2023). The cost-effectiveness of improved brief interventions for tobacco cessation in Thailand. *Front Public Health*, 11, 1289561. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38074714>

Love-Koh, J, Pennington, B, Owen, L, Taylor, M, & Griffin, S. (2021). Corrigendum to "How health inequalities accumulate and combine to affect treatment value: A distributional cost-effectiveness analysis of smoking cessation interventions" [Soc. Sci. Med. 265 (2020) 113339]. *Soc Sci Med*, 114060. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34045086>

Salloum, RG, LeLaurin, JH, Dallery, J, Childs, K, Huo, J, Shenkman, EA, & Warren, GW. (2021). Cost evaluation of tobacco control interventions in clinical settings: A systematic review. *Prev Med*, 146, 106469. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33639182>

Li, J, Fairhurst, C, Peckham, E, Bailey, D, Arundel, C, Hewitt, C et al (2020). Cost-effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trial-based economic evaluation from the SCIMITAR+ study. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32319154>

Goodfellow, LT, & Culbreath, RE. (2020). Sustainability of Tobacco Cessation Programs. *Respir Care*, 65(4), 575-576. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32213605>

Adams, JM. (2020). Good for Health, Good for Business: The Business Case for Reducing Tobacco Use. *Public Health Rep*, 135(1), 3-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31835007>

van den Brand, FA, Nagelhout, GE, Winkens, B, Chavannes, NH, van Schayck, OCP, & Evers, S. (2019). Cost-effectiveness and cost-utility analysis of a work-place smoking cessation intervention with and without financial incentives. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31849138>

Thao, V, Nyman, JA, Nelson, DB, Joseph, AM, Clothier, B, Hammett, PJ, & Fu, SS. (2019). Cost-effectiveness of population-level proactive tobacco cessation outreach among socio-economically disadvantaged smokers: evaluation of a randomized control trial. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31483549>

Lee, D, Lee, YR, & Oh, IH. (2019). Cost-effectiveness of smoking cessation programs for hospitalized patients: a systematic review. *The European Journal of Health Economics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31452084>

Nam, A, Naimark, DMJ, Stanbrook, MB, & Krahm, MD. (2019). Using a Health Economic Framework to Prioritize Quality Indicators: An Example With Smoking Cessation in Chronic Obstructive Pulmonary Disease. *MDM Policy Pract*, 4(1), 2381468319852358. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31192311>

Gutierrez, JR, Aldecoa, AL, Casasola, M, Varela, P, Quesada, S, Olive, V, & Arriaza, E. Economic Evaluation of Combining Pharmacological and Behavioural Therapies for Smoking Cessation in an Occupational Medicine Setting. *J Occup Environ Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30688765>

Lee, LJ, Li, Q, Bruno, M, Emir, B, Murphy, B, Shah, S et al. Healthcare Costs of Smokers Using Varenicline Versus Nicotine-Replacement Therapy Patch in the United States: Evidence from Real-World Practice. *Adv Ther*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30569324>

Thomas, D, Farrell, M, McRobbie, H, Tutka, P, Petrie, D, West, R et al. The effectiveness, safety and cost-effectiveness of cytisine versus varenicline for smoking cessation in an Australian population: A study protocol for a randomised controlled non-inferiority trial. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30589984>

Boylan, MR, Bosco, JA, & Slover, JD. Cost-Effectiveness of Preoperative Smoking Cessation Interventions in Total Joint Arthroplasty. *J Arthroplasty*, 2018. Available from: [https://www.arthroplastyjournal.org/article/S0883-5403\(18\)30867-2/pdf](https://www.arthroplastyjournal.org/article/S0883-5403(18)30867-2/pdf)

Renwick, C, Wu, Q, Breton, MO, Thorley, R, Britton, J, Lewis, S et al. Cost-effectiveness of a complex intervention to reduce children's exposure to second-hand smoke in the home. *BMC Public Health*, 18(1), 1252. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6234564/pdf/12889_2018_Article_6140.pdf

Sung, HY, Penko, J, Cummins, SE, Max, W, Zhu, SH, Bibbins-Domingo, K, & Kohatsu, ND. Economic Impact of Financial Incentives and Mailing Nicotine Patches to Help Medicaid Smokers Quit Smoking: A Cost-Benefit Analysis. *Am J Prev Med*, 2018. 55(6S2), S148-S158. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32172-X/pdf](https://www.ajpmonline.org/article/S0749-3797(18)32172-X/pdf)

Kulaylat, AS, Hollenbeck, CS, Soybel, DI. Cost-utility analysis of smoking cessation to prevent operative complications following elective abdominal colon surgery. *Am J Surg*. 2018 Aug 29. pii: S0002-9610(18)30836-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30262122>

Cartmell, KB, Dismuke, CE, Dooley, M, Mueller, M, Nahhas, GJ, Warren, GW, Fallis, P, Cummings, KM. Effect of an Evidence-based Inpatient Tobacco Dependence Treatment Service on 1-Year Postdischarge Health Care Costs. *Med Care*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30130271>

Djalalov, S, Masucci, L, Isaranuwatchai, W, Evans, W, Peter, A, Truscott, R, Cameron, E, Mittmann, N, Rabeneck, L, Chan, K, Hoch, JS. Economic evaluation of smoking cessation in Ontario's regional

cancer programs. *Cancer Med*, 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30019421>

Baker, CL, Pietri, G. A cost-effectiveness analysis of varenicline for smoking cessation using data from the EAGLES trial. *Clinicoecon Outcomes Res*. 2018 Jan 19;10:67-74. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29403297>

Clark, Lauren. Quit smoking to save the NHS: Treating smokers costs THIS much every year. *The Express*, 2017. May 12, 2017. Available from: <http://www.express.co.uk/life-style/health/803414/quit-smoking-treatment-disease-NHS>

Feeenay, Jack. How you can quit smoking with support from NHS Wales. *WalesOnline*, 2017. May 11, 2017. Available from: <http://www.walesonline.co.uk/special-features/how-you-can-quit-smoking-13009509>

Jimenez-Ruiz, CA et al. Budgetary impact analysis on funding smoking-cessation drugs in patients with COPD in Spain. *Int J Chron Obstruct Pulmon Dis*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26451100>

Athar, H et al. Impact of increasing coverage for select smoking cessation therapies with no out-of-pocket cost among the medicaid population in Alabama, Georgia, and Maine. *Journal of Public Health Management and Practice*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26131658>

Blyth, A et al. Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. *Health Technology Assessment*, Jul 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26218035>

17.4.4.1 Healthcare systems interventions

Teklu, SW, Kotola, BS, & Alemneh, HT. (2024). Smoking and alcoholism dual addiction dissemination model analysis with optimal control theory and cost-effectiveness. *PLoS One*, 19(10), e0309356. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39401240>

Mullen, KA, Hurley, K, Hewitson, S, Scoville, J, Grant, A, Thavorn, K et al(2024). Cost-effectiveness of point of care smoking cessation interventions in oncology clinics. *Br J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39143327>

Salloum, RG, Shoenbill, KA, & Goldstein, AO. (2024). Economic Considerations for Implementing Tobacco Cessation Programs in Cancer Care Settings. *Cancer Prev Res (Phila)*, 17(5), 197-199. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38693901>

Kim, AH, ElNemer, W, Cartagena-Reyes, MA, Marrache, M, Thompson, JM, & Aiyer, AA. (2024). The Cost-Effectiveness of Smoking Cessation Programs for Prevention of Wound Complications Following Total Ankle Arthroplasty: A Break-Even Analysis. *Foot Ankle Orthop*, 9(1), 24730114241239315. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38510516>

Yoo, SG, Kim, DJ, Chun, JW, & Choi, IY. (2024). Developing a Cost-Effectiveness Model of Digital Therapeutics for Smoking Cessation. *Stud Health Technol Inform*, 310, 1548-1549. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38269739>

Mundt, MP, McCarthy, DE, Baker, TB, Zehner, ME, Zwaga, D, & Fiore, MC. (2023). Cost-Effectiveness of a Comprehensive Primary Care Smoking Treatment Program. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37844710>

Miller, TR, Johnson, MB, Dziura, JD, Weiss, J, Carpenter, KM, Grau, LE et al. (2023). Cost-Effectiveness of Smoking-Cessation Approaches in Emergency Departments. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36710199>

Phillips, LCE, Nguyen, H, Genge, TL, & Maddigan, WJ. (2022). Effectiveness and cost-effectiveness of an intensive and abbreviated individualized smoking cessation program delivered by pharmacists: A pragmatic, mixed-method, randomized trial. [MS Top Pick]. *Can Pharm J (Ott)*, 155(6), 334-344. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36386606>

Hoch, JS, Barr, HK, Guggenbickler, AM, & Dewa, CS. (2022). Lessons from Cost-Effectiveness Analysis of Smoking Cessation Programs for Cancer Patients. *Curr Oncol*, 29(10), 6982-6991. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36290826>

Qin, T, Jin, Q, Li, X, Bai, X, Qiao, K, Gu, M, & Wang, Y. (2022). A Cost-Effectiveness Analysis of Comprehensive Smoking-Cessation Interventions Based on the Community and Hospital Collaboration. *Front Public Health*, 10, 853438. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35937255>

Cao, P, Smith, L, Mandelblatt, JS, Jeon, J, Taylor, KL, Zhao, A et al. (2022). Cost-Effectiveness of a Telephone-based Smoking Cessation Randomized Trial in the Lung Cancer Screening Setting. *JNCI Cancer Spectr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35818125>

Park, SK, Kang, DW., & Lee, EK. (2022). Cost-effectiveness analysis of smoking cessation interventions with behavioral support: a study based on the Benefits of Smoking Cessation on Outcomes (BENESCO) model. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35862219>

Jones, M, Smith, M, Lewis, S, Parrott, S, & Coleman, T. (2022). Investigating the cost-effectiveness of three cessation interventions on a national scale using the Economics of Smoking in Pregnancy (ESIP) decision analytical model. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35661312>

Levy, DE, Regan, S, Perez, GK, Muzikansky, A, Friedman, ER, Rabin, J et al. (2022). Cost-effectiveness of Implementing Smoking Cessation Interventions for Patients With Cancer. *JAMA Netw Open*, 5(6), e2216362. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35679043>

McCaffrey, N, Higgins, J, Greenhalgh, E, White, SL, Graves, N, Myles, PS et al. (2022). A systematic review of economic evaluations of preoperative smoking cessation for preventing surgical complications. *Int J Surg*, 106742. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35764251>

Shepard, DS, Slade, EP, Nighbor, TD, DeSarno, MJ, Roemhildt, ML, Williams, RK, & Higgins, ST. (2022). Economic analysis of financial incentives for smoking cessation during pregnancy and postpartum. *Prev Med*, 107079. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35533885>

Evison, M, Cox, J, Howle, F, Groom, K, Moore, R, Clegg, H et al. (2021). Health economic analysis for the 'CURE Project' pilot: a hospital-based tobacco dependency treatment service in Greater Manchester. *BMJ Open Respir Res*, 8(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34949573>

Souto, MLS, Carrer, FCA, Braga, MM, & Pannuti, CM. (2021). Smoking Cessation therapy is a cost-effective intervention to avoid tooth loss in Brazilian subjects with periodontitis: an economic evaluation. *BMC Oral Health*, 21(1), 616. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34861866>

Higgins, ST, Slade, EP, & Shepard, DS. (2021). Corrigendum to "Decreasing smoking during pregnancy: Potential economic benefit of reducing sudden unexpected infant death" [Preventive Medicine 140 (2020) 106238]. *Prev Med*, 106889. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34815091>

McCaffrey, N, Higgins, J, & Lal, A. (2021). Protocol for a systematic review of economic evaluations of preoperative smoking cessation interventions for preventing surgical complications. *BMJ Open*, 11(11), e057171. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34785561>

McCaffrey, N, Scollo, M, Dean, E, & White, SL. (2021). What is the likely impact on surgical site infections in Australian hospitals if smoking rates are reduced? A cost analysis. *PLoS One*, 16(8), e0256424. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34432843>

Mundt, MP, Fiore, MC Piper, ME, Ed, RAM, Kobinsky, KH, Alaniz, KM, & Baker, TB. (2021). Cost-effectiveness of stop smoking incentives for medicaid-enrolled pregnant women. *Prev Med*, 106777. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34450189>

Wu, Q, Gilbody, S, Li, J, Wang, HI, & Parrott, S. (2021). Long-Term Cost-Effectiveness of Smoking Cessation Interventions in People With Mental Disorders: A Dynamic Decision Analytical Model. *Value Health*, 24(9), 1263-1272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34452705>

Drouin, O, Sato, R, Drehmer, JE, Nabi-Burza, E, Hippie Walters, B, Winickoff, JP, & Levy, DE. (2021). Cost-effectiveness of a Smoking Cessation Intervention for Parents in Pediatric Primary Care. *JAMA Netw Open*, 4(4), e213927. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33792730>

Iragorri, N, Essue, B, Timmings, C, Keen, D, Bryant, H, & Warren, GW. (2020). The cost of failed first-line cancer treatment related to continued smoking in Canada. *Curr Oncol*, 27(6), 307-312. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33380862>

Cadham, CJ, Cao, P, Jayasekera, J, Taylor, KL, Levy, DT, Jeon, J et al (2021). Cost-Effectiveness of Smoking Cessation Interventions in the Lung Cancer Screening Setting: A Simulation Study. *J Natl Cancer Inst*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33484569>

Chalati, W, Crilly, P, Fletcher, J, & Kayyali, R. (2020). A Comparative Study of the Cost and Uptake of Community Pharmacy "Stop Smoking and Emergency Contraception" Services from the Perspective

of the National Health Service. *J Res Pharm Pract*, 9(2), 73-87. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33102381>

Zhuang, T, Ku, S, Shapiro, LM, Hu, SS, Cabell, A, & Kamal, RN. (2020). A Cost-Effectiveness Analysis of Smoking-Cessation Interventions Prior to Posterolateral Lumbar Fusion. *J Bone Joint Surg Am*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33038088>

Evans, WK, Gauvreau, CL, Flanagan, WM, Memon, S, Yong, JHE, Goffin, JR et al. (2020). Clinical impact and cost-effectiveness of integrating smoking cessation into lung cancer screening: a microsimulation model. *CMAJ Open*, 8(3), E585-E592. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32963023>

Jimenez-Ruiz, CA, Martin, V, Alsina-Restoy, X, de Granda-Orive, JL, de Higes-Martinez, E, Garcia-Rueda, M et al (2020). Cost-benefit analysis of funding smoking cessation before surgery. *Br J Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32372474>

17.4.4.2 Pharmacotherapies

Chen, AW, & Fishman, PA. (2024). Cost-effectiveness analysis of e-cigarettes compared to nicotine replacement therapy for smoking cessation among Medicaid users in California. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39271186>

Mundt, MP, Stein, JH, Fiore, MC, & Baker, TB. (2024). Economic Evaluation of Enhanced vs Standard Varenicline Treatment for Tobacco Cessation. *JAMA Netw Open*, 7(4), e248727. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38683609>

Chaisai, C, Patikorn, C, Thavorn, K, Lee, SWH, Chaiyakunapruk, N, & Veettil, SK. (2024). Incremental net monetary benefit of using varenicline for smoking cessation: A systematic review and meta-analysis of economic evaluation studies. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38520121>

Sun, PY, Xie, YT, Qie, RR, Huang, H, Hu, ZL, Wu, MY et al. (2024). [Cost-effectiveness of pharmaceutical smoking cessation intervention in China primary cancer prevention]. *Zhonghua Zhong Liu Za Zhi*, 46(1), 66-75. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38246782>

No authors listed. Correction to: Should nicotine replacement therapy be provided free of charge? (2023). *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37676740>

Sandoval, RC, Bacelar Gomes, A, Roche, M, Parra, N, & Armada, F. (2022). Advances in tobacco control in the Region of the Americas, 2020. *Rev Panam Salud Publica*, 46, e202. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36211243>

Fernandes, RRA, Seixas, BV, Szklo, AS, Guerra, RL, Barufaldi, LA, de Albuquerque, RCR, & de Mello Vianna, CM. (2021). Cost-Effectiveness Analysis of Varenicline Versus Currently Funded Smoking Cessation Strategies in Brazil. *Value Health Reg Issues*, 27, 25-31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34784545>

Keeney, E, Welton, NJ, Stevenson, M, Dalili, MN, Lopez-Lopez, JA, Caldwell, DM et al (2021). Cost-Effectiveness Analysis of Smoking Cessation Interventions in the United Kingdom Accounting for Major Neuropsychiatric Adverse Events. *Value Health*, 24(6), 780-788. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34119075>

17.4.4.3 Workplace interventions

Kim, SK, Lee, J, Lee, J, Ahn, J, & Kim, H. (2022). Health and economic impact of a smoking cessation program in Korean workplaces. *Health Promot Int*, 37(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35788310>

Hui, D, & Mierzwinski-Urban, M. (2021). In *Workplace Electronic Health Promotion Campaigns for Tobacco Smoking Prevention or Cessation*. Ottawa (ON). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34185453>

Russell, LB, Volpp, KG, Kwong, PL, Cosgriff, BS, Harhay, MO, Zhu, J, & Halpern, SD. (2021). Cost-Effectiveness of Four Financial-Incentive Programs for Smoking Cessation. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33979562>

News reports:

Tasker, J. 'Troubling signs': Health Canada to review tobacco strategy as smoking rate spikes. *CBC*, 2018. Nov 20, 2018. Available from: <https://www.cbc.ca/news/politics/tasker-health-canada-smoking-troubling-signs-1.4909402?cmp=rss>

No authors listed. Financing, Resource Allocations and Cost of Action Versus Inaction for Full Implementation of WHO FCTC. Professional Abstracts, 2018. Feb 22, 2018. Available from: <http://www.professionalabstracts.com/wctoh2018/iplanner/#/session/277>

Jašarević, Tarik, Lindmeier, Tarik and Garwood, Paul. Tobacco control can save billions of dollars and millions of lives. World Health Organization, 2017. Jan 10, 2017. Available from: <http://www.who.int/mediacentre/news/releases/2017/tobacco-control-lives/en/>

Chestnov, Oleg, Evans, Tim. Taxing tobacco to reduce expenditures on illnesses. China Daily, 2015. Aug 5, 2015. Available from: http://www.chinadaily.com.cn/opinion/2015-08/05/content_21502357.htm

No authors listed. Every country in the world can afford to support its smokers to stop. Medical News Today, 2015. July 30, 2015. Available from: <http://www.medicalnewstoday.com/releases/297557.php>

Begley, Sharon, Clarke, Toni. U.S. to roll back 'lost pleasure' approach on health rules. Reuters, 2015. Mar 18, 2015. Available from: <http://www.reuters.com/article/2015/03/18/us-usa-health-lostpleasure-idUSKBN0ME0DD20150318>

No authors listed,. Assessing the use of agent-based models for tobacco regulation. The Institute of Medicine of the National Academies, 2015. Mar 25, 2015. Available from:
<http://www.iom.edu/Reports/2015/Tobacco-Policy-Agent-Based-Modeling.aspx>

Xu, X et al. A cost-effectiveness analysis of the first federally funded antismoking campaign. American Journal of Preventive Medicine, 2015. Available from:
[http://www.ajpmonline.org/article/S0749-3797\(14\)2900615-1/pdf](http://www.ajpmonline.org/article/S0749-3797(14)2900615-1/pdf)

No authors listed,. CDC's Tips From Former Smokers campaign provided outstanding return on investment. Centers for Disease Control and Prevention, 2014. Dec 10, 2014. Available from:
<http://www.cdc.gov/media/releases/2014/p1210-tips-roi.html>

Crouch, Brad. Return of ads prompts increase in smokers seeking help from Cancer Council SA's Quitline. The Advertiser, 2014. Nov 2, 2014. Available from:
<http://www.adelaidenow.com.au/news/south-australia/return-of-ads-prompts-increase-in-smokers-seeking-help-from-cancer-council-sas-quitline/story-fni6uo1m-1227110195372?nk=2c142e0bee33c50cbcc60a580404fad>

17.4.1 The cost-effectiveness of tobacco control per se

Peeters, A, Mihalopoulos, C, Harper, T, Moodie, M, & Perez, J. How much to invest in evidence-based, cost-effective prevention? *InSight Plus*, 2021. Aug 9, 2021. Retrieved from
<https://insightplus.mja.com.au/2021/29/how-much-to-invest-in-evidence-based-cost-effective-prevention/>

17.4.1.1 Evaluations of comprehensive tobacco control programs

Levin, M. Analysis: Low number of lung cancer deaths saved California more than half a billion. Calmatters, 2018. Oct 24, 2018. Available from <https://calmatters.org/articles/lung-cancer-deaths-california-savings/>

17.4.1.3 Evaluations of the smoking prevalence reductions

McCaffrey, N, Dowling, G, & White, SL. (2021). The estimated effect of reducing the maternal smoking rate on neonatal intensive care unit costs in Victorian public hospitals. *Australian Health Review*. Retrieved from <https://doi.org/10.1071/AH20277>

17.4.2 Economic evaluations of policy interventions

Masters, R, Anwar, E, Collins, B, Cookson, R, Capewell, S. Return on investment of public health interventions: a systematic review. *J Epidemiol Community Health*. 2017 Mar 29. pii: jech-2016-208141. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28356325>

17.4.2.1 Cigarette taxation and price increases

All Party Parliamentary Group on Smoking and Health. (2023). *APPG on Smoking and Health Manifesto for a Smokefree Future. Make Smoking History: A cross Government strategy to improve the nation's health, wealth and productivity.* Retrieved from <https://ash.org.uk/resources/view/appg-on-smoking-and-health-manifesto-for-a-smokefree-future>

17.4.2.2 Smoke-free-air laws and policies

Foster, Ally. Smoking could soon be banned in the workplace after cost revelation. News.com.au, 2018. July17, 2018. Available from: <https://www.news.com.au/finance/work/at-work/smoking-could-soon-be-banned-in-the-workplace-after-cost-revelation/news-story/1963fd0c84af4ec231b5cae55bf25058>

17.4.3.2 Quitlines

Nghiem, N, Cleghorn, CL, Leung, W, Nair, N, Deen, FSV, Blakely, T and Wilson, N. A national quitline service and its promotion in the mass media: modelling the health gain, health equity and cost-utility. *Tob Control*, Jul 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28739609>

17.4.4 Economic evaluations of clinical interventions

Paine, M. NHS spent more than £1m helping smokers quit in 2023. *Hampshire Chronicle*, 2024. Apr 30, 2024. Retrieved from <https://www.hampshirechronicle.co.uk/news/24278591.nhs-spent-1m-helping-smokers-quit-2023/>