

Tobacco in Australia

Facts & Issues

Relevant news and research

18.1 Assessing the harmfulness of tobacco and tobacco-like products

Last updated October 2020

Research:

Kim, YH, & An, YJ. (2020). Development of a standardized new cigarette smoke generating (SNCSG) system for the assessment of chemicals in the smoke of new cigarette types (heat-not-burn (HNB) tobacco and electronic cigarettes (E-Cigs)). *Environ Res*, 185, 109413. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32224342>

Li, Y, Burns, AE, Burke, GJP, Poindexter, ME, Madl, AK, Pinkerton, KE, & Nguyen, TB. (2020). Application of High-Resolution Mass Spectrometry and a Theoretical Model to the Quantification of Multifunctional Carbonyls and Organic Acids in e-Cigarette Aerosol. *Environ Sci Technol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32271013>

Wang, L, Stanfill, S, Valentin-Blasini, L, Watson, CH, & Bravo Cardenas, R. (2019). LC-MS/MS Analysis of Sugars, Alditols, and Humectants in Smokeless Tobacco Products. *Beitr Tab Int*, 28(5), 203-213. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32327867>

Miller, JH, Danielson, T, Pithawalla, YB, Brown, AP, Wilkinson, C, Wagner, K, & Aldeek, F. (2020). Method development and validation of dissolution testing for nicotine release from smokeless tobacco products using flow-through cell apparatus and UPLC-PDA. *J Chromatogr B Analyt Technol Biomed Life Sci*, 1141, 122012. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32065955>

O'Connor, R, Watson, CH, Swan, GE, Nettles, DS, Geisler, RC, Hendershot, TP, & Phen, X TRRAWG. (2020). PhenX: Agent measures for tobacco regulatory research. *Tobacco Control*, 29(Suppl 1), s20-s26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31992660>

Piper, ME, Brown, DC, Hendershot, TP, Swan, GE, & Phen, XTRRHSCWG. (2020). PhenX: Host: Social/Cognitive measures for tobacco regulatory research. *Tobacco Control*, 29(Suppl 1), s5-s12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31992658>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ribisl, KM, Chaloupka, FJ, Kirchner, TR, Henriksen, L, Nettles, DS, Geisler, RC et al. (2020). PhenX: Vector measures for tobacco regulatory research. *Tobacco Control*, 29(Suppl 1), s27-s34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31992661>

Unger, JB, Chaloupka, FJ, Vallone, D, Thrasher, JF, Nettles, DS, Hendershot, TP et al. (2020). PhenX: Environment measures for Tobacco Regulatory Research. *Tobacco Control*, 29(Suppl 1), s35-s42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31992662>

van der Toorn, M, Koshibu, K, Schlage, WK, Majeed, S, Pospisil, P, Hoeng, J, & Peitsch, M C. (2019). Comparison of monoamine oxidase inhibition by cigarettes and modified risk tobacco products. *Toxicol Rep*, 6, 1206-1215. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31768332>

Berman, ML, El-Sabawi, T, & Shields, PG. (2019). Risk Assessment for Tobacco Regulation. *Tob Regul Sci*, 5(1), 36-49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31602391>

Bruijnzeel, AW. (2019). Shifting frontiers in basic research on nicotine and tobacco products. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31566234>

Lauterstein, D, Savidge, M, Chen, Y, Weil, R, & Yeager, RP. (2019). Nonanimal toxicology testing approaches for traditional and deemed tobacco products in a complex regulatory environment: Limitations, possibilities, and future directions. *Toxicol In Vitro*, 62, 104684. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31618670>

Miliano, C, Scott, ER, Murdaugh, LB, Gnatowski, ER, Faunce, CL, Anderson, MS et al (2019). Modeling Drug Exposure in Rodents using e-Cigarettes and other Electronic Nicotine Delivery Systems. *J Neurosci Methods*, 108458. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31614162>

Aghaloo, T, Kim, JJ, Gordon, T, & Behrsing, HP. (2019). In Vitro Models, Standards, and Experimental Methods for Tobacco Products. *Adv Dent Res*, 30(1), 16-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31538805>

Jabba, SV, & Jordt, SE. (2019). Risk Analysis for the Carcinogen Pulegone in Mint- and Menthol-Flavored e-Cigarettes and Smokeless Tobacco Products. *JAMA Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31524930>

Jablonski, JJ, Maines, JH, Cheetham, AG, & Gillman, IG. (2019). Comparative levels of carbonyl delivery between mass-market cigars and cigarettes. *Regul Toxicol Pharmacol*, 108, 104453. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31473262>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lamos, S, Kostenidou, E, Farsalinos, K, Zagoriti, Z, Ntoukas, A, Dalamarinis, K et al. (2019). Real-Time Assessment of E-Cigarettes and Conventional Cigarettes Emissions: Aerosol Size Distributions, Mass and Number Concentrations. *Toxics*, 7(3). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31480224>

Stephens, WE, de Falco, B, & Fiore, A. (2019). A Strategy for Efficiently Collecting Aerosol Condensate Using Silica Fibers: Application to Carbonyl Emissions from E-Cigarettes. *Chem Res Toxicol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31515993>

Williams, M, Li, J, & Talbot, P. (2019). Effects of Model, Method of Collection, and Topography on Chemical Elements and Metals in the Aerosol of Tank-Style Electronic Cigarettes. *Sci Rep*, 9(1), 13969. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31562360>

Ito, S, Taylor, M, Mori, S, Thorne, D, Nishino, T, Breheny, D et al. (2019). An inter-laboratory in vitro assessment of cigarettes and next generation nicotine delivery products. *Toxicol Lett*, 315, 14-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31400404>

Gupta, AK, Tulsyan, S, Bharadwaj, M, & Mehrotra, R. Grass roots approach to control levels of carcinogenic nitrosamines, NNN and NNK in smokeless tobacco products. *Food Chem Toxicol*, 2018. 124, 359-366. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30543893>

Perkins, KA, & Karelitz, JL. A Procedure to Standardize Puff Topography During Evaluations of Acute Tobacco or Electronic Cigarette Exposure. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30590778>

McAdam, K, Davis, P, Ashmore, L, Eaton, D, Jakaj, B, Eldridge, A, & Liu, C. Influence of machine-based puffing parameters on aerosol and smoke yields from next generation nicotine inhalation products. *Regul Toxicol Pharmacol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30445136>

Robinson, RJ, Eddingsaas, NC, DiFrancesco, AG, Jayasekera, S, & Hensel, EC. A framework to investigate the impact of topography and product characteristics on electronic cigarette emissions. *PLoS One*, 2018. 13(11), e0206341. Available from:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6218035/pdf/pone.0206341.pdf>

Pack, EC, Kim, HS, Jang, DY, Koo, YJ, Yu, HH, Lee, SH et al. Risk assessment of toxicants on WHO TobReg priority list in mainstream cigarette smoke using human-smoked yields of Korean smokers. *Environ Res*, 2018. 169, 206-219. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30469000>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Aszyk, J, Kubica, P, Namiesnik, J, Kot-Wasik, A, & Wasik, A. New approach for e-cigarette aerosol collection by an original automatic aerosol generator utilizing melt-blown non-woven fabric. *Anal Chim Acta*, 2018. 1038, 67-78. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30278909>

Hensel, EC, Jayasekera, S, & Robinson, RJ. Accounting for effects of system dynamics to improve accuracy of emissions reported in e-cig vaping machines. *Inhal Toxicol*, 2018. 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30328736>

Holbrook, LT, Zeman, KL, Burke, A, Jaspers, I, & Bennett, WD. Radiolabeling an Electronic Cigarette Aerosol Using Technetium Carbon Ultrafine Particles. *J Aerosol Med Pulm Drug Deliv*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30376396>

Peace, MR, Mulder, HA, Baird, TR, Butler, KE, Friedrich, AK, Stone, JW et al. Evaluation of Nicotine and the Components of e-Liquids Generated from e-Cigarette Aerosols. *J Anal Toxicol*, 2018. 42(8), 537-543. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30371842>

Noel, A, Verret, CM, Hasan, F, Lomnicki, S, Morse, J, Robichaud, A, Penn, AL. Generation of Electronic Cigarette Aerosol by a Third-Generation Machine-Vaping Device: Application to Toxicological Studies. *J Vis Exp*, 2018. (138). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30199038>

Alasmari, F, Crotty Alexander, LE, Drummond, CA, Sari, Y. A computerized exposure system for animal models to optimize nicotine delivery into the brain through inhalation of electronic cigarette vapors or cigarette smoke. *Saudi Pharm J*. 2018 Jul;26(5):622-628. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29989025>

Esteves, CHA, Iglesias, BA, Ogawa, T, Araki, K, Hoehne, L, Gruber, J. Identification of Tobacco Types and Cigarette Brands Using an Electronic Nose Based on Conductive Polymer/Porphyrin Composite Sensors. *ACS Omega*. 2018 Jun 30;3(6):6476-6482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30023949>

Kazi, A, Fazzi, A, Krebs, NM, Merchlinski, AJ, Kline, B, Veldheer, S, Richie, JP, Foulds, J, Lane, T, Donny, EC, Muscat, JE. Cigarette Management System: An operating procedures guide to obtaining and managing investigational tobacco products for regulatory science research. *Contemp Clin Trials Commun*. 2018 May 5;11:69-74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30023460>

Amith, HV, Agrawal, D, Gupta, A, Shrivastava, TP, Purohit, BM, Bhambhani, G. Assessing the nicotine content of smoked and smokeless forms of Tobacco Available in Bhopal. *Indian J Dent Res*. 2018 May-Jun;29(3):341-346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29900919>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Fowler, K, Fields, W, Hargreaves, V, Reeve, L, Bombick, B. Development, qualification, validation and application of the Ames test using a VITROCELL((R)) VC10((R)) smoke exposure system. Toxicol Rep. 2018 Apr 12;5:542-551. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29854624>

Hughes, JR. The Diversity of Nicotine and Tobacco Research. Nicotine Tob Res, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29878240>

Zhang, H, Pang, Y, Luo, Y, Li, X, Chen, H, Han, S, Jiang, X, Zhu, F, Hou, H, Hu, Q. Enantiomeric composition of nicotine in tobacco leaf, cigarette, smokeless tobacco, and e-liquid by normal phase high-performance liquid chromatography. Chirality, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29722457>

Marano, KM, Liu, C, Fuller, W, Gentry, PR. Quantitative risk assessment of tobacco products: A potentially useful component of substantial equivalence evaluations. Regul Toxicol Pharmacol. 2018 Mar 31;95:371-384. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29614342>

Navas-Acien, A. Global Tobacco Use: Old and New Products. Ann Am Thorac Soc. 2018 Apr;15(Supplement_2):S69-S75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29676648>

McAdam, K, Murphy, J, Eldridge, A, Meredith, C, Proctor, C. Integrating chemical, toxicological and clinical research to assess the potential of reducing health risks associated with cigarette smoking through reducing toxicant emissions. Regul Toxicol Pharmacol. 2018 Mar 9;95:102-114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29526814>

Garcia-Cazarin, ML, Mandal, RJ, Grana, R, Wanke, KL, Meissner, HI. Host-agent-vector-environment measures for electronic cigarette research used in NIH grants. Tob Control. 2018 Jan 13. pii: tobaccocontrol-2017-054032. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29332004>

Holliday, R, Arnott, D, Preshaw, PM, Bauld, L. Smoking: Developing the evidence base. Br Dent J. 2018 Jan 12;224(1):3-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29326468>

Martin, F, Vuillaume, G, Baker, G, Sponsiello-Wang, Z, Ricci, PF, Ludicke, F, Weitkunat, R. Quantifying the risk-reduction potential of new Modified Risk Tobacco Products. Regul Toxicol Pharmacol. 2017 Dec 16. pii: S0273-2300(17)30399-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29258927>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

McAdam, K, Kimpton, H, Porter, A, Liu, C, Faizi, A, Mola, M, McAughey, J, Rodu, B. Comprehensive survey of radionuclides in contemporary smokeless tobacco products. *Chem Cent J*. 2017 Dec 19;11(1):131. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29256072>

Ogunwale, MA, Chen, Y, Theis, WS, Nantz, MH, Conklin, DJ, Fu, XA. A novel method of nicotine quantification in electronic cigarette liquids and aerosols. *Anal Methods*. 2017 Aug 7;9(29):4261-4266. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29187865>

Boue, S, Exner, T, Ghosh, S, Belcastro, V, Dokler, J, Page, D, Boda, A, Bonjour, F, Hardy, B, Vanscheeuwijck, P, Hoeng, J, Peitsch, M. Supporting evidence-based analysis for modified risk tobacco products through a toxicology data-sharing infrastructure. *F1000Res*. 2017 Jan 5;6:12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29123642>

Qi, D, Fei, T, Liu, H, Yao, H, Wu, D, Liu, B. Development of Multiple Heart-Cutting Two-Dimensional Liquid Chromatography Coupled to Quadrupole-Orbitrap High Resolution Mass Spectrometry for Simultaneous Determination of Aflatoxin B1, B2, G1, G2, and Ochratoxin A in Snus, a Smokeless Tobacco Product. *J Agric Food Chem*. 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29065690>

Soulet, S, Pairaud, C, Lalo, H. A Novel Vaping Machine Dedicated to Fully Controlling the Generation of E-Cigarette Emissions. *Int J Environ Res Public Health*. 2017 Oct 14;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29036888>

Murphy, J, Gaca, M, Lowe, F, Minet, E, Breheny, D, Prasad, K, Camacho, O, Fearon, IM, Liu, C, Wright, C, McAdam, K, Proctor, C. Assessing modified risk tobacco and nicotine products: Description of the scientific framework and assessment of a closed modular electronic cigarette. *Regul Toxicol Pharmacol*. 2017 Sep 22. pii: S0273-2300(17)30280-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954704>

Choi, K, Sabado, M, El-Toukhy, S, Vogtmann, E, Freedman, ND, Hatsukami, DK. Tobacco product use patterns, nicotine and tobacco-specific nitrosamine exposure: NHANES 1999-2012. *Cancer Epidemiol Biomarkers Prev*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710077>

Lusso, M, Gunduz, I, Kondylis, A, Jaccard, G, Ruffieux, L, Gadani, F, Lion, K, Adams, A, Morris, W, Danielson, T, Warek, U, Strickland, J. Novel approach for selective reduction of NNN in cigarette tobacco filler and mainstream smoke. *Regul Toxicol Pharmacol*. 2017 Jul 20;89:101-111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28736287>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wagner, KA, Huang, CB, Melvin, MS, Ballentine, R, Meruva, NK, Flora, JW. Gas Chromatography-Mass Spectrometry Method to Quantify Benzo[a]Pyrene in Tobacco Products. *J Chromatogr Sci*. 2017 Apr 21:1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28444188>

Haziza, C, de La Bourdonnaye, G, Skiada, D, Ancerewicz, J, Baker, G, Picavet, P, Ludicke, F. Evaluation of the Tobacco Heating System 2.2. Part 8: 5-Day randomized reduced exposure clinical study in Poland. *Regul Toxicol Pharmacol*, 2016 Nov 30;81 Suppl 2:S139-S150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27816672>

Iskandar, AR, Mathis, C, Schlage, WK, Frentzel, S, Leroy, P, Xiang, Y, Sewer, A, Majeed, S, Ortega-Torres, L, Johne, S, Guedj, E, Trivedi, K, Kratzer, G, Merg, C, Elamin, A, Martin, F, Ivanov, NV, Peitsch, MC, Hoeng, J. A systems toxicology approach for comparative assessment: Biological impact of an aerosol from a candidate modified-risk tobacco product and cigarette smoke on human organotypic bronchial epithelial cultures. *Toxicol In Vitro*. 2016 Nov 16;39:29-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27865774>

Kogel, U, Titz, B, Schlage, WK, Nury, C, Martin, F, Oviedo, A, Lebrun, S, Elamin, A, Guedj, E, Trivedi, K, Ivanov, NV, Vanscheeuwijck, P, Peitsch, MC, Hoeng, J. Evaluation of the Tobacco Heating System 2.2. Part 7: Systems toxicological assessment of a mentholated version revealed reduced cellular and molecular exposure effects compared with mentholated and non-mentholated cigarette smoke. *Regul Toxicol Pharmacol*, 2016 Nov 30;81 Suppl 2:S123-S138. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27818347>

Martin, F, Talikka, M, Ivanov, NV, Haziza, C, Hoeng, J, Peitsch, MC. Evaluation of the tobacco heating system 2.2. Part 9: Application of systems pharmacology to identify exposure response markers in peripheral blood of smokers switching to THS2.2. *Regul Toxicol Pharmacol*, 2016 Nov 30;81 Suppl 2:S151-S157. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27845159>

Crenshaw, MD, Tefft, ME, Buehler, SS, Brinkman, MC, Clark, PI, Gordon, SM. Determination of nicotine, glycerol, propylene glycol and water in electronic cigarette fluids using quantitative ¹H NMR. *Magn Reson Chem*. 2016 Nov;54(11):901-904. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27495876>

Haziza, C, de La Bourdonnaye, G, Merlet, S, Benzimra, M, Ancerewicz, J, Donelli, A, Baker, G, Picavet, P, Ludicke, F. Assessment of the reduction in levels of exposure to harmful and potentially harmful constituents in Japanese subjects using a novel tobacco heating system compared with conventional cigarettes and smoking abstinence: A randomized controlled study in confinement. *Regul Toxicol*

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Pharmacol. 2016 Sep 29;81:489-499. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27693654>

Lopez, AA, Hiler, M, Maloney, S, Eissenberg, T, Breland, AB. Expanding clinical laboratory tobacco product evaluation methods to loose-leaf tobacco vaporizers. *Drug Alcohol Depend.* 2016 Oct 11;169:33-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27768968>

Schaller, JP, Keller, D, Poget, L, Pratte, P, Kaelin, E, McHugh, D, Cudazzo, G, Smart, D, Tricker, AR, Gautier, L, Yerly, M, Reis Pires, R, Le Bouhellec, S, Ghosh, D, Hofer, I, Garcia, E, Vanscheeuwijck, P, Maeder, S. Evaluation of the Tobacco Heating System 2.2. Part 2: Chemical composition, genotoxicity, cytotoxicity, and physical properties of the aerosol. *Regul Toxicol Pharmacol.* 2016 Oct 6. pii: S0273-2300(16)30290-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27720919>

Schaller, JP, Pijnenburg, JP, Ajithkumar, A, Tricker, AR. Evaluation of the Tobacco Heating System 2.2. Part 3: Influence of the tobacco blend on the formation of harmful and potentially harmful constituents of the Tobacco Heating System 2.2 aerosol. *Regul Toxicol Pharmacol.* 2016 Oct 25. pii: S0273-2300(16)30305-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27793747>

Wong, ET, Kogel, U, Veljkovic, E, Martin, F, Xiang, Y, Boue, S, Vuillaume, G, Leroyb, P, Guedj, E, Rodrigo, G, Ivanov, NV, Hoeng, J, Peitsch, MC, Vanscheeuwijck, P. Evaluation of the Tobacco Heating System 2.2. Part 4: 90-day OECD 413 rat inhalation study with systems toxicology endpoints demonstrates reduced exposure effects compared with cigarette smoke. *Regul Toxicol Pharmacol.* 2016 Oct 25. pii: S0273-2300(16)30304-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27793746>

Dayan, AD. Investigating a toxic risk (self-inflicted) the example of conventional and advanced studies of a novel Tobacco Heating System. *Regul Toxicol Pharmacol.* 2016 Jul 30. pii: S0273-2300(16)30212-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27483981>

18.1.1 Constituents of tobacco products

Kubica, P. (2019). Ultrasound-Assisted Solvent Extraction of a Porous Membrane Packed Sample for the Determination of Tobacco-Specific Nitrosamines in the Replacement Liquids for E-Cigarettes. *Molecules*, 24(24). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31861109>

Kaiser, S, Soares, FLF, Ardila, JA, Marcelo, MCA, Dias, JC, Porte, LMF, Goncalves, C, Pontes, OFS, Sabin, GP. Innovative Approaches for Estimating the Levels of Tobacco-Specific Nitrosamines in

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Cured Tobacco Samples. *Chem Res Toxicol*, Aug 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30113823>

Akhtar, A, Kazi, TG, Afridi, HI, Musharraf, SG, Talpur, FN, Khan, N, Bilal, M, Khan, M. Vortex-assisted ionic liquid-based dispersive liquid-liquid microextraction for assessment of chromium species in artificial saliva extract of different chewing tobacco products. *Environ Sci Pollut Res Int*, Oct 2016.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27696158>

18.1.2 Constituents of cigarette smoke

Pang, YQ, Chen, XJ, Li, XY, Zhang, HF, Jiang, XY, Zhu, FP, & Luo, YB. (2019). Magnetic solid phase extraction of tobacco-specific N-nitrosamines using magnetic graphene composite as sorbent. *J Sep Sci*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31347241>

Morabito, JA, Holman, MR, Ding, YS, Yan, X, Chan, M, Chafin, D, Perez, J, Mendez, MI, Cardenas, RB, Watson, C. The use of charcoal in modified cigarette filters for mainstream smoke carbonyl reduction. *Regul Toxicol Pharmacol*. 2017 Feb 23. pii: S0273-2300(17)30040-5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28238852>

Baumung, C, Rehm, J, Franke, H, Lachenmeier, DW. Comparative risk assessment of tobacco smoke constituents using the margin of exposure approach: the neglected contribution of nicotine. *Sci Rep*. 2016 Oct 19;6:35577. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27759090>

18.1.3 Biomarkers

De Jesus, VR, Bhandari, D, Zhang, L, Reese, C, Capella, K, Tevis, D et al. (2020). Urinary Biomarkers of Exposure to Volatile Organic Compounds from the Population Assessment of Tobacco and Health Study Wave 1 (2013-2014). *Int J Environ Res Public Health*, 17(15). Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32731321>

Habibagahi, A, Alderman, N, & Kubwabo, C. (2020). A review of the analysis of biomarkers of exposure to tobacco and vaping products. *Anal Methods*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32853303>

Xue, T, Dong, F, Huang, R, Tao, Z, Tang, J, Cheng, Y et al. (2020). Dynamic Neuroimaging Biomarkers of Smoking in Young Smokers. *Front Psychiatry*, 11, 663. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32754067>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bishop, E, Breheny, D, Hewitt, K, Taylor, M, Jaunky, T, Camacho, OM et al (2020). Evaluation of a High-Throughput In Vitro Endothelial Cell Migration Assay for the assessment of Nicotine and tobacco delivery Products. *Toxicol Lett*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32707277>

Carroll, DM, Cigan, S, Ikuemonisan, J, Hammonds, T, Stepanov, I, St Helen, G et al (2020). Relationships between race, gender, and spot urine levels of biomarkers of tobacco exposure vary based on how creatinine is handled in analyses. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32598452>

Faridoun, A, Sultan, AS, Ann Jabra-Rizk, M, & Meiller, TF. (2020). Salivary Biomarker Profiles in E-Cigarette Users and Conventional Smokers: A Cross-Sectional Study. *Oral Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32620031>

Harjes, U. (2020). Metabolites going up in smoke. *Nat Rev Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32636490>

Khouja, JN, Munafo, MR, Relton, CL, Taylor, AE, Gage, SH, & Richmond, RC. (2020). Investigating the added value of biomarkers compared with self-reported smoking in predicting future e-cigarette use: Evidence from a longitudinal UK cohort study. *PLoS One*, 15(7), e0235629. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32663218>

Maeda, K, Yamada, H, Munetsuna, E, Fujii, R, Yamazaki, M, Ando, Y et al (2020). Association of smoking habits with TXNIP DNA methylation levels in leukocytes among general Japanese population. *PLoS One*, 15(7), e0235486. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32609762>

Majeed, B, Linder, D, Eissenberg, T, Tarasenko, Y, Smith, D, & Ashley, D. (2020). Cluster analysis of urinary tobacco biomarkers among U.S. adults: Population Assessment of Tobacco and Health (PATH) biomarker study (2013-2014). *Prev Med*, 106218. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32693174>

Martin Santos, P, Campo, L, Olgiati, L, Polledri, E, Del Nogal Sanchez, M, & Fustinoni, S. (2020). Development of a method to profile 2- to 4-ring polycyclic aromatic hydrocarbons in saliva samples from smokers and non-smokers by headspace-solid-phase microextraction-gas chromatography-triple quadrupole tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci*, 1152, 122273. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32721862>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Paiano, V, Maertens, L, Guidolin, V, Yang, J, Balbo, S, & Hecht, SS. (2020). Quantitative Liquid Chromatography-Nanoelectrospray Ionization-High-Resolution Tandem Mass Spectrometry Analysis of Acrolein-DNA Adducts and Etheno-DNA Adducts in Oral Cells from Cigarette Smokers and Nonsmokers. *Chem Res Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32635726>

Siddall, AG, Stokes, KA, Thompson, D, Izard, R, Greeves, J, & Bilzon, JLJ. (2020). Influence of smoking status on acute biomarker responses to successive days of arduous military training. *BMJ Mil Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32718978>

Xia, B, Blount, BC, Guillot, T, Brosius, C, Li, Y, Van Bommel, DM et al (2020). Tobacco-Specific Nitrosamines (NNAL, NNN, NAT, and NAB) Exposures in the US Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013-2014). *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32716026>

Alamil, H, Galanti, L, Heutte, N, Der Schueren, MV, Dagher, Z, & Lechevrel, M. (2020). Genotoxicity of Aldehyde Mixtures: Profile of Exocyclic DNA-Adducts as a Biomarker of Exposure to Tobacco Smoke. *Toxicol Lett*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32442718>

Frigerio, G, Mercadante, R, Campo, L, Polledri, E, Boniardi, L, Olgiati, L et al (2020). Urinary biomonitoring of subjects with different smoking habits. Part II: an untargeted metabolomic approach and the comparison with the targeted measurement of mercapturic acids. *Toxicol Lett*, 329, 56-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32380120>

Luo, X, Carmella, SG, Chen, M, Jensen, JA, Wilkens, LR, Le Marchand, L et al (2020). Urinary cyanoethyl mercapturic acid, a biomarker of the smoke toxicant acrylonitrile, clearly distinguishes smokers from non-smokers. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32391548>

Carroll, DM, Wagener, TL, Peck, JD, Brame, LS, Thompson, DM, Stephens, LD et al. (2019). Biomarkers of Exposure in ENDS Users, Smokers, and Dual Users of American Indian Descent. *Addict Behav*, 92, 58-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32205902>

Carroll, DM, Murphy, SE, Benowitz, NL, Strasser, AA, Kotlyar, M, Carmella, SG et al. (2020). Relationships between the nicotine metabolite ratio and a panel of exposure and effect biomarkers: findings from two studies of U.S. commercial cigarette smokers. *Cancer Epidemiology, Biomarkers and Prevention*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32051195>

Tobacco in Australia

Facts & Issues

Heo, HC, Byun, YS, Sohn, SH, Jo, SM, Park, SK, & Sakong, J. (2020). Validity assessment of self-reported smoking status in firefighters using the urine cotinine test. *Ann Occup Environ Med*, 32, e2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32082584>

Luo, K, Hochalter, JB, Carmella, SG, & Hecht, SS. (2020). Quantitation of phenanthrene dihydrodiols in the urine of smokers and non-smokers by gas chromatography-negative ion chemical ionization-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci*, 1141, 122023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32109746>

Matsumura, K, & Ito, S. (2020). Novel biomarker genes which distinguish between smokers and chronic obstructive pulmonary disease patients with machine learning approach. *BMC Pulmonary Medicine*, 20(1), 29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32013930>

Cheng, YC, Reyes-Guzman, CM, Christensen, CH, Rostron, BL, Edwards, KC, Wang, L et al. (2020). Biomarkers of Exposure among Adult Smokeless Tobacco Users in the Population Assessment of Tobacco and Health Study (Wave 1, 2013-14). *Cancer Epidemiology, Biomarkers and Prevention*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31988072>

Giovino, GA, Swan, GE, Blount, B, O'Malley, S, Brown, DC, Hendershot, TP, & Phen, XTRRHBWG. (2020). PhenX: Host: Biobehavioral measures for tobacco regulatory research. *Tobacco Control*, 29(Suppl 1), s13-s19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31992659>

Jain, RB. (2020). Estimates of cutoffs with specificities and sensitivities for urine cotinine and hydroxycotinine for US adults aged ≥ 20 years to classify smokers and nonsmokers. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31953760>

Menaka, TR, Vasupradha, G, Ravikumar, SS, Dhivya, K, Dinakaran, J, & Saranya, V. (2019). Evaluation of salivary alkaline phosphatase levels in tobacco users to determine its role as a biomarker in oral potentially malignant disorders. *J Oral Maxillofac Pathol*, 23(3), 344-348. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31942112>

Mohammed, AM, Hussen, DF, Rashad, H, & Hasheesh, A. (2020). The Micronuclei Scoring as a Biomarker for Early Detection of Genotoxic Effect of Cigarette Smoking. *Asian Pacific Journal of Cancer Prevention*, 21(1), 87-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31983169>

Belsare, P, Senyurek, VY, Imtiaz, M, Tiffany, S, & Sazonov, E. (2019). Computation of Cigarette Smoke Exposure Metrics from Breathing. *IEEE Trans Biomed Eng*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31831405>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Mantri, T, Thete, SG, Male, V, Yadav, R, Grover, I, Adsure, GR, & Kulkarni, D. (2019). Study of the Role of Salivary Lactate Dehydrogenase in Habitual Tobacco Chewers, Oral Submucous Fibrosis and Oral Cancer as a Biomarker. *J Contemp Dent Pract*, 20(8), 970-973. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31797856>

Nardone, N, Jain, S, Addo, N, St Helen, G, Jacob, P & Benowitz, NL. (2019). Sources and Biomarkers of Secondhand Tobacco Smoke Exposure in Urban Adolescents. *Acad Pediatr*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31866460>

Song, MA, Freudenheim, JL, Brasky, TM, Mathe, EA, McElroy, JP, Nickerson, QA et al. (2019). Biomarkers of Exposure and Effect in the Lungs of Smokers, Non-Smokers and Electronic Cigarette Users. *Cancer Epidemiol Biomarkers Prev*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31848205>

Delgado, GE, Kramer, BK, Siekmeier, R, Yazdani, B, Marz, W, Leipe, J, & Kleber, ME. (2019). Influence of smoking and smoking cessation on biomarkers of endothelial function and their association with mortality. *Atherosclerosis*, 292, 52-59. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31783198>

Rezahosseini, O, Knudsen, AD, Gelpi, M, Ronit, A, Ueland, PM, Middtun, O et al. (2019). Plasma Cotinine Cutoff for Distinguishing Smokers From Nonsmokers Among Persons Living With HIV. *J Acquir Immune Defic Syndr*, 82(5), e54-e56. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31714432>

Thomas, CE, Wang, R, Adams-Haduch, J, Murphy, SE, Ueland, PM, Middtun, O et al. (2019). Urinary cotinine is as good a biomarker as serum cotinine for cigarette smoking exposure and lung cancer risk prediction. *Cancer Epidemiol Biomarkers Prev*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31685561>

Corley, J, Cox, SR, Harris, SE, Hernandez, MV, Maniega, SM, Bastin, ME et al (2019). Epigenetic signatures of smoking associate with cognitive function, brain structure, and mental and physical health outcomes in the Lothian Birth Cohort 1936. *Transl Psychiatry*, 9(1), 248. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31591380>

Ma, B, Huang, Z, Wang, Q, Zhang, J, Zhou, B, & Wu, J. (2019). Integrative analysis of genetic and epigenetic profiling of lung squamous cell carcinoma (LSCC) patients to identify smoking level

Tobacco in Australia

Facts & Issues

relevant biomarkers. *BioData Min*, 12, 18. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31641374>

Park, MB, & Choi, JK. (2019). Differences between the effects of conventional cigarettes, e-cigarettes and dual product use on urine cotinine levels. *Tob Induc Dis*, 17, 12. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31582923>

Batista, TBD, Chaiben, CL, Penteado, CAS, Nascimento, JMC, Ventura, TMO, Dionizio, A et al. (2019). Salivary proteome characterization of alcohol and tobacco dependents. *Drug Alcohol Depend*, 204, 107510. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31494441>

Khan, NA, Lawyer, G, McDonough, S, Wang, Q, Kassem, NO, Kas-Petrus, F et al. (2019). Systemic biomarkers of inflammation, oxidative stress and tissue injury and repair among waterpipe, cigarette and dual tobacco smokers. *Tob Control*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31494573>

Maas, SCE, Vidaki, A, Wilson, R, Teumer, A, Liu, F, van Meurs, JBJ et al. (2019). Validated inference of smoking habits from blood with a finite DNA methylation marker set. *Eur J Epidemiol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31494793>

Makena, P, Liu, G, Chen, P, Yates, CR, & Prasad, GL. (2019). Urinary Leukotriene E4 and 2,3-Dinor Thromboxane B2 are Biomarkers of Potential Harm in Short-Term Tobacco Switching Studies. *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31558507>

Oliveri, D, Liang, Q, & Sarkar, M. (2019). Real-World Evidence of Differences in Biomarkers of Exposure to Select Harmful and Potentially Harmful Constituents and Biomarkers of Potential Harm between Adult E-Vapor Users and Adult Cigarette Smokers. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31563966>

Andersson, BA, Lofgren, S, Lewin, F, Nilsson, M, & Laytragoon-Lewin, N. (2019). Impact of Cigarette Smoking and Head and Neck Squamous Cell Carcinoma on Circulating Inflammatory Biomarkers.

Oncology, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31437849>

Branstetter, SA, Nye, RT, & Muscat, JE. (2019). Time to first cigarette of the day and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) in adult regular and non-daily smokers: (NHANES) 2007-10. *Regul Toxicol Pharmacol*, 104454. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31470076>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Etter, JF. (2019). Assessment of the accuracy of salivary cotinine readings from NicAlert strips against a liquid chromatography tandem mass spectrometry assay in self-reported non-smokers who passed carbon monoxide but failed NicAlert validation. *Addiction*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31408237>

Malik, UU, Siddiqui, IA, Ilyas, A, Hashim, Z, Staunton, L, Kwasnik, A et al. (2019). Identification of Differentially Expressed Proteins from Smokeless Tobacco Addicted Patients Suffering from Oral Squamous Cell Carcinoma. *Pathol Oncol Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31446608>

Nardone, N, Jain, S, & Benowitz, NL. (2019). Biomarkers of Exposure to Nicotine and Tobacco-specific Nitrosamines in Adolescent Blunt Users. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31433049>

Philibert, R, Dogan, M, Beach, SRH, Mills, JA, & Long, JD. (2019). AHRR methylation predicts smoking status and smoking intensity in both saliva and blood DNA. *Am J Med Genet B Neuropsychiatr Genet*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31456352>

Stoops, WW, Johnson, MF, Strickland, JC, Knudsen, HK, Gilbert, GH, Massingale, SD et al. (2019). Feasibility of Collecting Saliva for Biological Verification of Tobacco Use Status in Dental Practices and Patients' Homes: Results from the National Dental PBRN. *Community Dent Health*, 36(3), 187-189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31436924>

Tompkins, EL, Beltran, TA, & Bedno, SA. (2019). Differentiating between smokers and nonsmokers using serum cotinine. *Biomark Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31385532>

Zhao, M, Liu, J, Cai, W, Li, J, Zhu, X, Yu, D, & Yuan, K. (2019). Support vector machine based classification of smokers and nonsmokers using diffusion tensor imaging. *Brain Imaging Behav*.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31428924>

Alrobaian, M, & Arida, H. (2019). Assessment of Heavy and Toxic Metals in the Blood and Hair of Saudi Arabia Smokers Using Modern Analytical Techniques. *Int J Anal Chem*, 2019, 7125210.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31275390>

Cekici, Y, Yilmaz, M, & Secen, O. (2019). New inflammatory indicators: association of high eosinophil-to-lymphocyte ratio and low lymphocyte-to-monocyte ratio with smoking. *J Int Med Res*,

300060519862077. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31319727>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Papathanasiou, E, Bakakos, P, Hillas, G, Ntontsi, P, Blizou, M, Kostikas, K et al. (2019). Diagnostic accuracy of T2 biomarkers for the prediction of airway eosinophilia in treated smoking asthmatic patients with loss of asthma control. *J Allergy Clin Immunol Pract*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31257188>

Bergens, MA, Pittman, GS, Thompson, IJB, Campbell, MR, Wang, X, Hoyo, C, & Bell, DA. (2019). Smoking-associated AHRR demethylation in cord blood DNA: impact of CD235a+ nucleated red blood cells. *Clin Epigenetics*, 11(1), 87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31182156>

Dawes, K, Andersen, A, Vercande, K, Papworth, E, Philibert, W, Beach, SRH et al (2019). Saliva DNA Methylation Detects Nascent Smoking in Adolescents. *J Child Adolesc Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31180231>

McElroy, JP, Carmella, SG, Heskin, AK, Tang, MK, Murphy, SE, Reisinger, SA et al (2019). Effects of cessation of cigarette smoking on eicosanoid biomarkers of inflammation and oxidative damage. *PLoS One*, 14(6), e0218386. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31251764>

Rostron, BL, Corey, CG, Chang, JT, van Bommel, DM, Miller, ME, & Chang, CM. (2019). Associations of Cigarettes Smoked Per Day with Biomarkers of Exposure Among US Adult Cigarette Smokers in the Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013-2014). *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31239264>

Sipos, IH, Labor, S, Juric, I, Plavec, D, Vlahovicek, K, Bogovic, S et al. (2019). Dynamics of exhaled breath temperature after smoking a cigarette and its association with lung function changes predictive of COPD risk in smokers: a cross-sectional study. *Arh Hig Rada Toksikol*, 70(2), 123-129. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31246566>

Wu, T, Sonoda, S, & Liu, H. (2019). Unprocessed red meat intakes are associated with increased inflammation, triglycerides and HDL cholesterol in past smokers. *Nutr Diet*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31161628>

Meenakshi, C., & Venkatraman, B. (2019). Correlation between cytogenetic biomarkers obtained from DC and CBMN assays Caused by Low dose Radon exposure in Smokers. *Int J Radiat Biol*, 1-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31145026>

Tobacco in Australia

Facts & Issues

Mohanty, P., Gujjari, S. K., & Nakum, C. G. (2019). Salivary free hemoglobin and lactate dehydrogenase as biomarkers for periodontal disease in smokers. *Quintessence Int*, 50(6), 428-434. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31086854>

Rodriguez-Roisin, R., & Celli, B. R. (2019). Enriched Systemic Biomarkers in Symptomatic Unobstructed Smokers: Moving Forward? *Chest*, 155(5), 886-887. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31060699>

Sakaguchi, C., Miura, N., Ohara, H., & Nagata, Y. (2019). Effects of reduced exposure to cigarette smoking on changes in biomarkers of potential harm in adult smokers: results of combined analysis of two clinical studies. *Biomarkers*, 1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31084221>

Sharma, P., Sane, N., Anand, S. D., Marimutthu, P., & Benegal, V. (2019). Assessment of cotinine in urine and saliva of smokers, passive smokers, and nonsmokers: Method validation using liquid chromatography and mass spectrometry. *Indian J Psychiatry*, 61(3), 270-276. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31142905>

Vaghefi, E., Yang, S., Hill, S., Humphrey, G., Walker, N., & Squirrell, D. (2019). Detection of smoking status from retinal images; a Convolutional Neural Network study. *Sci Rep*, 9(1), 7180. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31073220>

Carmella, SG, Heskin, AK, Tang, MK, Jensen, J, Luo, X, Le, CT et al. (2019). Longitudinal stability in cigarette smokers of urinary eicosanoid biomarkers of oxidative damage and inflammation. *PLoS One*, 14(4), e0215853. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31022220>

Elfiky, AM, Mahmoud, AA, Zeidan, HM, & Soliman, MM. (2019). Association between circulating microRNA-126 expression level and Tumor necrosis factor alpha in healthy smokers. *Biomarkers*, 1-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31018714>

Andersen, AM, Ryan, PT, Gibbons, FX, Simons, RL, Long, JD, & Philibert, RA. A Droplet Digital PCR Assay for Smoking Predicts All-Cause Mortality. *J Insur Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30702368>

Chang, CM, Rostron, BL, Chang, JT, Corey, CG, Kimmel, HL, Sosnoff, CS et al. Biomarkers of Exposure Among U.S. Adult Cigar Smokers: Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013-2014). *Cancer Epidemiol Biomarkers Prev*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30733305>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Conklin, DJ, Schick, SF, Blaha, MJ, Carll, A, DeFilippis, A, Ganz, P et al. Cardiovascular injury induced by tobacco products: Assessment of risk factors and biomarkers of harm A Tobacco Center of Regulatory Science (TCORS) Compilation. Am J Physiol Heart Circ Physiol. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30707616>

Palazzi, P, Hardy, EM, & Appenzeller, BMR. Biomonitoring of children exposure to urban pollution and environmental tobacco smoke with hair analysis - A pilot study on children living in Paris and Yeu Island, France. Sci Total Environ, 2019. 665, 864-872. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30790759>

Sugden, K, Hannon, EJ, Arseneault, L, Belsky, DW, Broadbent, JM, Corcoran, DL et al. Establishing a generalized polyepigenetic biomarker for tobacco smoking. Transl Psychiatry, 2019. 9(1), 92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30770782>

Wu, S, Li, X, Meng, S, Fung, T, Chan, AT, Liang, G et al. Fruit and vegetable consumption, cigarette smoke, and leukocyte mitochondrial DNA copy number. Am J Clin Nutr, 2019. 109(2), 424-432. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30721920>

Ali, SA, Telgi, RL, Tirth, A, Tantry, IQ, & Aleem, A. Lactate Dehydrogenase and beta-Glucuronidase as Salivary Biochemical Markers of Periodontitis Among Smokers and Non-Smokers. Sultan Qaboos Univ Med J, 2018. 18(3), e318-e323. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30607272>

Chen, M, Carmella, SG, Sipe, C, Jensen, J, Luo, X, Le, CT et al. Longitudinal stability in cigarette smokers of urinary biomarkers of exposure to the toxicants acrylonitrile and acrolein. PLoS One, 14(1), e0210104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30608961>

Tobacco in Australia

Facts & Issues

Etemadi, A, Poustchi, H, Chang, CM, Blount, BC, Calafat, AM, Wang, L et al. Urinary Biomarkers of Carcinogenic Exposure among Cigarette, Waterpipe, and Smokeless Tobacco Users and Never Users of Tobacco in the Golestan Cohort Study. *Cancer Epidemiol Biomarkers Prev*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30622099>

Madiyal, A, Ajila, V, Babu, SG, Hegde, S, Kumari, S, Madi, M et al. Status of thiocyanate levels in the serum and saliva of non-smokers, ex-smokers and smokers. *Afr Health Sci*, 18(3), 727-736. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30603006>

Sivarajah, S, Kostiuk, M, Lindsay, C, Puttagunta, L, O'Connell, DA, Harris, J et al. EGFR as a biomarker of smoking status and survival in oropharyngeal squamous cell carcinoma. *J Otolaryngol Head Neck Surg*, 48(1), 1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30630536>

Jain, RB. Factors affecting the variability in the observed levels of cadmium in blood and urine among former and current smokers aged 20-64 and \geq 65years. *Environ Sci Pollut Res Int*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28214937>

Yuan, JM, Nelson, HH, Carmella, SG, Wang, R, Kuriger-Laber, J, Jin, A, Adams-Haduch, J, Hecht, SS, Koh, WP, Murphy, SE. CYP2A6 genetic polymorphisms and biomarkers of tobacco smoke constituents in relation to risk of lung cancer in the Singapore Chinese Health Study. *Carcinogenesis*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28182203>

Chang, CM, Edwards, SH, Arab, A, Del Valle-Pinero, AY, Yang, L, Hatsukami, DK. Biomarkers of Tobacco Exposure: Summary of an FDA-Sponsored Public Workshop. *Cancer Epidemiol Biomarkers Prev*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28151705>

Biswas, SK. Acute and Chronic Effect of Cigarette Smoking on sRAGE. *Am J Respir Crit Care Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30589563>

Rounge, TB, Umu, SU, Keller, A, Meese, E, Ursin, G, Tretli, S et al. Circulating small non-coding RNAs associated with age, sex, smoking, body mass and physical activity. *Sci Rep*, 2018. 8(1), 17650. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30518766>

Ryu, AR, Kim, DH, Kim, E, & Lee, MY. The Potential Roles of Extracellular Vesicles in Cigarette Smoke-Associated Diseases. *Oxid Med Cell Longev*, 2018, 4692081. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30524655>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Torres, S, Merino, C, Paton, B, Correig, X, & Ramirez, N. Biomarkers of Exposure to Secondhand and Thirdhand Tobacco Smoke: Recent Advances and Future Perspectives. *Int J Environ Res Public Health*, 2018. 15(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30501044>

Verde, Z. (2018). New Biomarkers for Smoking: Epigenetic Changes. *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30528185>

Wang, Y, Wong, LY, Meng, L, Pittman, EN, Trinidad, DA, Hubbard, KL et al. Urinary concentrations of monohydroxylated polycyclic aromatic hydrocarbons in adults from the U.S. Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013-2014). *Environ Int*, 2018. 123, 201-208. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30530162>

Xiong, Y, Yuan, L, Chen, L, Zhu, Y, Zhang, S, Liu, X et al. Identifying a Novel Biomarker TOP2A of Clear Cell Renal Cell Carcinoma (ccRCC) Associated with Smoking by Co-Expression Network Analysis. *J Cancer*, 9(21), 3912-3922. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6218786/pdf/jcav09p3912.pdf>

Yu, T, Xue, P, Cui, S, Zhang, L, Zhang, G, Xiao, M et al. Rs3212986 polymorphism, a possible biomarker to predict smoking-related lung cancer, alters DNA repair capacity via regulating ERCC1 expression. *Cancer Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30453383>

Landmesser, A, Scherer, M, Pluym, N, Sarkar, M, Edmiston, J, Niessner, R, Scherer, G. Biomarkers of exposure specific to e-vapor products based on stable-isotope labeled ingredients. *Nicotine Tob Res*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30265341>

Coleman, T. Commentary on Taghavi et al. (2018): Accurate measurement of tobacco smoke exposure and smoking behaviour matters. *Addiction*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30076669>

Chappuis, TH, Pham Ho, BA, Ceillier, M, Ricoul, F, Alessio, M, Beche, JF, Corne, C, Besson, G, Vial, J, Thiebaut, D, Bournon, B. Miniaturization of breath sampling with silicon chip: application to volatile tobacco markers tracking. *J Breath Res*, July 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30008462>

Feng, S, Cummings, O, McIntire, G. Nicotine and cotinine in oral fluid: Passive exposure vs active smoking. *Pract Lab Med*. 2018 May 28;12:e00104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30009247>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Moore, MR, Mason, MJ, Brown, AR, Garcia, CM, Seibers, AD, Stephens, CJ. Remote biochemical verification of tobacco use: Reducing costs and improving methodological rigor with mailed oral cotinine swabs. *Addict Behav.* 2018 Jul 6;87:151-154. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30032041>

Sekine, Y, Sato, S, Kimura, K, Sato, H, Nakai, S, Yanagisawa, Y. Detection of tobacco smoke emanating from human skin surface of smokers employing passive flux sampler - GCMS system. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2018 Jun 19;1092:394-401. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29945104>

Taghavi, T, Arger, CA, Heil, SH, Higgins, ST, Tyndale, RF. Cigarette Consumption and Biomarkers of Nicotine Exposure during Pregnancy and Postpartum. *Addiction*, June 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29920836>

Yoshida, N, Baba, Y, Kuroda, D, Miyamoto, Y, Iwatsuki, M, Hiyoshi, Y, Ishimoto, T, Sawayama, H, Imamura, Y, Watanabe, M, Baba, H. Clinical utility of exhaled carbon monoxide in assessing preoperative smoking status and risks of postoperative morbidity after esophagectomy. *Dis Esophagus*, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29893796>

Inukai, T, Kaji, S, Kataoka, H. Analysis of nicotine and cotinine in hair by on-line in-tube solid-phase microextraction coupled with liquid chromatography-tandem mass spectrometry as biomarkers of exposure to tobacco smoke. *J Pharm Biomed Anal.* 2018 Jul 15;156:272-277. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29729641>

Philibert, R, Dogan, M, Noel, A, Miller, S, Krukow, B, Papworth, E, Cowley, J, Long, JD, Beach, SRH, Black, DW. Dose Response and Prediction Characteristics of a Methylation Sensitive Digital PCR Assay for Cigarette Consumption in Adults. *Front Genet.* 2018 Apr 24;9:137. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29740475>

Solak, I, Cetinkaya, CD, Gederet, YT, Kozanhan, B, Erel, O, Eryilmaz, MA. Effects of smoking on thiol/disulfide homeostasis. *Eur Rev Med Pharmacol Sci.* 2018 Apr;22(8):2477-2482. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29762849>

Castellanos, M, Suner, R, Fernandez-Real, JM, Sanchez Navarro, JM. 2,5-dimethylfuran as a validated biomarker of smoking status. *Nicotine Tob Res.* 2018 Apr 24. pii: 4984600. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29697832>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Cherot-Kornobis, N, Hulo, S, Giovannelli, J, de Broucker, V, Matran, R, Amouyel, P, Sobaszek, A, Dauchet, L, Edme, JL. Exhaled breath NOx levels in a middle-aged adults population-based study: reference values and association with the smoking status. *Respir Med*. 2018 Apr;137:134-140. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29605196>

Paci, E, Pignini, D, Bauleo, L, Ancona, C, Forastiere, F, Tranfo, G. Urinary Cotinine Concentration and Self-Reported Smoking Status in 1075 Subjects Living in Central Italy. *Int J Environ Res Public Health*. 2018 Apr 19;15(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29671826>

Sciskalska, M, Milnerowicz, H. CC16 as an early marker of harmful effect of tobacco smoke exposure in women. *Przegl Lek*. 2016;73(10):690-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29688684>

Singh, S, Sharma, M, Rohilla, N, Salgotra, V, Kumar, V, Sharma, RK. Assessment of Salivary Catalase, a-Amylase, and Cotinine Levels in Chronic Smokers: A Comparative Study. *J Contemp Dent Pract*. 2018 Mar 1;19(3):253-256. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29603693>

Gao, J, Li, J, Jiang, G, Yuan, Z, Eaglesham, G, Covaci, A, Mueller, JF, Thai, PK. Stability of alcohol and tobacco consumption biomarkers in a real rising main sewer. *Water Res*. 2018 Mar 14;138:19-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29571085>

Moon, JH, Kong, MH, Kim, HJ. Effect of Secondhand Smoking, Determined by Urinary Cotinine Level on Bone Health. *Int J Prev Med*. 2018 Feb 8;9:14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29541429>

Tarca, AL, Gong, X, Romero, R, Yang, W, Duan, Z, Yang, H, Zhang, C, Wang, P. Human blood gene signature as a marker for smoking exposure: computational approaches of the top ranked teams in the sbv IMPROVER Systems Toxicology challenge. *Comput Toxicol*. 2018 Feb;5:31-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29556588>

Wasserman, EJ, Reilly, SM, Goel, R, Foulds, J, Richie, JP, Muscat, JE. Comparison of Biomarkers of Tobacco Exposure between Premium and Discount Brand Cigarette Smokers in the NHANES 2011-2012 Special Sample. *Cancer Epidemiol Biomarkers Prev*. 2018 Mar 6. pii: 1055-9965.EPI-17-0869. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29511038>

Yu, HJ, Lim, S, Kim, MK, Lee, S, Kwon, MJ, Park, H, Woo, HY. Urine Cotinine level with smoking history predicts a risk of coronary artery calcification. *Environ Toxicol Pharmacol*. 2018 Mar 21;59:146-151. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29597077>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Benowitz, NL, Nardone, N, Jain, S, Dempsey, DA, Addo, N, St Helen, G, Jacob, P. Comparison of Urine 4-(Methylnitrosamino)-1-(3)Pyridyl-1-Butanol and Cotinine for Assessment of Active and Passive Smoke Exposure in Urban Adolescents. *Cancer Epidemiol Biomarkers Prev.* 2018 Mar;27(3):254-261. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29475963>

Jain, RB. Revised and extended serum cotinine cut-offs to classify smokers and non-smokers. *Biomarkers.* 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29465001>

Kaur, G, Muthumalage, T, Rahman, I. Mechanisms of toxicity and biomarkers of flavoring and flavor enhancing chemicals in emerging tobacco and non-tobacco products. *Toxicol Lett.* 2018 Feb 23. pii: S0378-4274(18)30071-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29481849>

Scherer, G. Suitability of biomarkers of biological effects (BOBEs) for assessing the likelihood of reducing the tobacco related disease risk by new and innovative tobacco products: A literature review. *Regul Toxicol Pharmacol.* 2018 Feb 9;94:203-233. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29428304>

Sutherland, MT, Stein, EA. Functional Neurocircuits and Neuroimaging Biomarkers of Tobacco Use Disorder. *Trends Mol Med.* 2018 Feb;24(2):129-143. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29398401>

Bergen, AW. Biomarkers for Tobacco Exposures, Toxicology, Regulation and Cessation. *Nicotine Tob Res.* 2018 Jan 12. pii: 4803943. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29342303>

Channa, NA, Kalhoro, DM, Jahangir, TM. Rapid diagnostic method of tobacco products in saliva by fourier transform infrared spectroscopy (FTIR). *Pak J Pharm Sci.* 2018 Jan;31(1):175-180. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29348100>

de Oliveira Costa Junior, CE, Maltz Borges Silva, L, de Salazar, E, Fernandes T, Souza Moraes, A, Amaral, A, Edvane, Borges. Evaluation of Pb-210 in urine and frequency of micronuclei in exfoliated cells as indicators of exposure to cigarettes. *Mutat Res.* 2018 Jan;825:59-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29307376>

Peck, Michael John, Sanders, Edward B., Scherer, Gerhard, Lüdicke, Frank and Weitkunat, Rolf. Review of biomarkers to assess the effects of switching from cigarettes to modified risk tobacco products. *Biomarkers,* Jan 2018. Available from: <https://doi.org/10.1080/1354750X.2017.1419284>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Rao, K, Babu, SG, Shetty, UA, Castelino, RL, Shetty, SR. Serum and salivary lactate dehydrogenase levels as biomarkers of tissue damage among cigarette smokers. A biochemical study. *Stomatologija*. 2017;19(3):91-96. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29339672>

Cao, L, Wang, X, Li, S, Zhi, Q, Wang, Y, Wang, L, Li, K, Jiang, R. PD-L1 is a Prognostic Biomarker in Resected NSCLC Patients with Moderate/high Smoking History and Elevated Serum SCCA Level. *J Cancer*. 2017 Sep 15;8(16):3251-3260. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29158797>

Capone, S, Tufariello, M, Forleo, A, Longo, V, Giampietruzzi, L, Radogna, AV, Casino, F, Siciliano, P. Chromatographic analysis of VOC patterns in exhaled breath from smokers and nonsmokers. *Biomed Chromatogr*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29131420>

Loukotkova, L, VonTungeln, LS, Vanlandingham, M, da Costa, GG. A simple and highly sensitive UPLC-ESI-MS/MS method for the simultaneous quantification of nicotine, cotinine, and the tobacco-specific carcinogens N¹-nitrosonornicotine and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone in serum samples. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2017 Nov 21;1072:229-234. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29179064>

Reynolds, LM, Lohman, K, Pittman, GS, Barr, RG, Chi, GC, Kaufman, J, Wan, M, Bell, DA, Blaha, MJ, Rodriguez, CJ, Liu, Y. Tobacco exposure-related alterations in DNA methylation and gene expression in human monocytes: the Multi-Ethnic Study of Atherosclerosis (MESA). *Epigenetics*. 2017 Nov 23:1-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29166816>

Narkowicz, S, Jaszczak, E, Polkowska, Z, Kielbratowska, B, Kotlowska, A, Namiesnik, J. Determination of Thiocyanate as a Biomarker of Tobacco Smoke Constituents in Selected Biological Materials of Human Origin. *Biomed Chromatogr*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29027680>

Lador, D, Pitt, B, Funk, W. Quantification of cotinine in dried blood spots as a biomarker of exposure to tobacco smoke. *Biomarkers*. 2017 Sep 18:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28862876>

Upadhyay, P, Gardi, N, Desai, S, Chandrani, P, Joshi, A, Dharavath, B, Arora, P, Bal, M, Nair, S, Dutt, A. Genomic characterization of tobacco/nut chewing HPV-negative early stage tongue tumors identify MMP10 as a candidate to predict metastases. *Oral Oncol*. 2017 Oct;73:56-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28939077>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Andersen, AM, Philibert, RA, Gibbons, FX, Simons, RL, Long, J. Accuracy and utility of an epigenetic biomarker for smoking in populations with varying rates of false self-report. *Am J Med Genet B Neuropsychiatr Genet.* 2017 Sep;174(6):641-650. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28816414>

Berg, CJ, Haardorfer, R, McBride, CM, Kilaru, V, Ressler, KJ, Wingo, AP, Saba, NF, Payne, JB, Smith, A. Resilience and Biomarkers of Health Risk in Black Smokers and Nonsmokers. *Health Psychol.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28825494>

Jacinto, T, Malinovsky, A, Janson, C, Fonseca, J, Alving, K. Differential effect of cigarette smoke exposure on exhaled nitric oxide and blood eosinophils in healthy and asthmatic individuals. *J Breath Res.* 2017 Aug 21;11(3):036006. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28825404>

Banerjee, S, Bhattacharyya, P, Mitra, S, Kundu, S, Panda, S, Chatterjee, IB. Anti-p-benzoquinone antibody level as a prospective biomarker to identify smokers at risk for COPD. *Int J Chron Obstruct Pulmon Dis.* 2017 Jun 21;12:1847-1856. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28684907>

Aksoy, MO, Kim, V, Cornwell, WD, Rogers, TJ, Kosmider, B, Bahmed, K, Barrero, C, Merali, S, Shetty, N, Kelsen, SG. Secretion of the endoplasmic reticulum stress protein, GRP78, into the BALF is increased in cigarette smokers. *Respir Res.* 2017 May 2;18(1):78. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28464871>

David, SP. Novel Methodologies and the Need for Big Data in Nicotine and Tobacco Genetics Research. *Nicotine Tob Res.* 2017 Apr 1;19(4):385-386. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28393169>

Gotts, JE, Abbott, J, Fang, X, Yanagisawa, H, Takasaka, N, Nishimura, SL, Calfee, CS, Matthay, MA. Cigarette Smoke Exposure Worsens Endotoxin-Induced Lung Injury and Pulmonary Edema in Mice. *Nicotine Tob Res.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28340238>

Kastelein, T, Duffield, R, Marino, F. Human in situ cytokine and leukocyte responses to acute smoking. *J Immunotoxicol.* 2017 Dec;14(1):109-115. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28549401>

Koks, S, Koks, G. Activation of GPR15 and its involvement in the biological effects of smoking. *Exp Biol Med (Maywood).* 2017 Jun;242(11):1207-1212. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28423922>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lee, DH, Hwang, SH, Lim, MK, Oh, JK, Song, DY, Yun, EH, Park, EY. Performance of urine cotinine and hypomethylation of AHRR and F2RL3 as biomarkers for smoking exposure in a population-based cohort. PLoS One. 2017 Apr 28;12(4):e0176783. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28453567>

Murphy, SE, Sipe, CJ, Choi, K, Raddatz, LM, Koopmeiners, JS, Donny, EC, Hatsukami, DK. Low Cotinine Glucuronidation Results in Higher Serum and Saliva Cotinine in African American Compared to White Smokers. Cancer Epidemiol Biomarkers Prev, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28264876>

Murr, A, Pink, C, Hammer, E, Michalik, S, Dhople, VM, Holtfreter, B, Volker, U, Kocher, T, Gesell Salazar, M. Cross-Sectional Association of Salivary Proteins with Age, Sex, Body Mass Index, Smoking, and Education. J Proteome Res. 2017 Jun 2;16(6):2273-2281. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28481548>

Park, SL, Murphy, SE, Wilkens, LR, Stram, DO, Hecht, SS, Le Marchand, L. Association of CYP2A6 activity with lung cancer incidence in smokers: The multiethnic cohort study. PLoS One. 2017 May 25;12(5):e0178435. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28542511>

Peralbo-Molina, A, Calderon-Santiago, M, Jurado-Gamez, B, Luque de Castro, MD, Priego-Capote, F. Exhaled breath condensate to discriminate individuals with different smoking habits by GC-TOF/MS. Sci Rep. 2017 May 3;7(1):1421. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28469199>

Sassano, MF, Ghosh, A, Tarran, R. Tobacco Smoke Constituents Trigger Cytoplasmic Calcium Release. Appl In Vitro Toxicol. 2017 Jun 1;3(2):193-198. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28620626>

Schick, SF, Blount, BC, Jacob, P, Saliba, NA, Bernert, JT, El Hellani, A, Jatlow, P, Pappas, R. Biomarkers of Exposure to New and Emerging Tobacco and Nicotine Delivery Products. Am J Physiol Lung Cell Mol Physiol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28522563>

Spinelli, SL, Lannan, KL, Loelius, SG, Phipps, RP. In Vitro and Ex Vivo Approaches to Evaluate Next-Generation Tobacco and Non-Tobacco Products on Human Blood Platelets. Appl In Vitro Toxicol. 2017 Mar 1;3(1):110-120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28337466>

Woo, S, Gao, H, Henderson, D, Zacharias, W, Liu, G, Tran, QT, Prasad, GL. AKR1C1 as a Biomarker for Differentiating the Biological Effects of Combustible from Non-Combustible Tobacco Products. Genes (Basel). 2017 May 3;8(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28467356>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Arimilli, S, Madahian, B, Chen, P, Marano, K, Prasad, GL. Gene expression profiles associated with cigarette smoking and moist snuff consumption. BMC Genomics. 2017 Feb 14;18(1):156. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28193179>

Cao, X, Muskhelishvili, L, Latendresse, J, Richter, P, Heflich, RH. Evaluating the toxicity of cigarette whole smoke solutions in an air-liquid-interface human in vitro airway tissue model. Toxicol Sci, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28115645>

Dey, S, Sarkar, R, Chatterjee, K, Datta, P, Barui, A, Maity, SP. Pre-cancer risk assessment in habitual smokers from DIC images of oral exfoliative cells using active contour and SVM analysis. Tissue Cell. 2017 Feb 9. pii: S0040-8166(16)30188-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28222889>

Harroun, SG, Zhang, Y, Chen, TH, Ku, CR, Chang, HT. Biomarkers of cigarette smoking and DNA methylating agents: Raman, SERS and DFT study of 3-methyladenine and 7-methyladenine. Spectrochim Acta A Mol Biomol Spectrosc. 2017 Apr 5;176:1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28061366>

Huan, T, Joehanes, R, Schurmann, C, Schramm, K, Pilling, LC, Peters, MJ, Magi, R, DeMeo, D, O'Connor, GT, Ferrucci, L, Teumer, A, Homuth, G, Biffar, R, Volker, U, Herder, C, Waldenberger, M, Peters, A, Zeilinger, S et al. A whole-blood transcriptome meta-analysis identifies gene expression signatures of cigarette smoking. Hum Mol Genet. 2016 Nov 1;25(21):4611-4623. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28158590>

Ghidei, W, Brottman, G, Lenne, E, Quan, T, Joseph, A. Provider perspectives on adding biomarker screening for tobacco smoke exposure to lead screening at well-child visits. J Pediatr Health Care. 2016 Nov 24. pii: S0891-5245(16)30306-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27890530>

Perez-Ortuno, R, Martinez-Sanchez, JM, Fu, M, Ballbe, M, Quiros, N, Fernandez, E, Pascual, JA. Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. Environ Res. 2016 Sep 8;151:635-641. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27619208>

Salandy, A, Malhotra, K, Goldberg, AJ, Cullen, N, Singh, D. Can a urine dipstick test be used to assess smoking status in patients undergoing planned orthopaedic surgery? a prospective cohort study. Bone Joint J. 2016 Oct;98-B(10):1418-1424. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27694599>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kaluarachchi, MR, Boulange, CL, Garcia-Perez, I, Lindon, JC, Minet, EF. Multiplatform serum metabolic phenotyping combined with pathway mapping to identify biochemical differences in smokers. *Bioanalysis*. 2016 Oct;8(19):2023-43. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27635669>

Lu, W, Ferguson, SG, Nichols, DS, Patel, R, Jacobson, GA. Application of an assay for 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) in urine for the assessment of tobacco-related harm. *J Pharm Biomed Anal*. 2016 Aug 16;131:327-332. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27632782>

Perez-Ortuno, R, Martinez-Sanchez, JM, Fu, M, Ballbe, M, Quiros, N, Fernandez, E, Pascual, JA. Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. *Environ Res*. 2016 Sep 8;151:635-641. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27619208>

News reports:

World Health Organization. WHO TobLabNet methods for measuring priority contents and emissions in tobacco and related products. *WHO*, March 2020. Retrieved from

<https://apps.who.int/iris/bitstream/handle/10665/331427/WHO-HEP-HPR-2020.1-eng.pdf>

No authors listed. Ruling by Administrative Court in Rotterdam: end of 'rigged' cigarette in sight? *Stichting Rookpreventie Jeugd*, 2020. Feb 17, 2020. Retrieved from

<https://stichtingrookpreventiejeugd.nl/over-rookpreventie-jeugd/english/item/155-ruling-by-administrative-court-in-rotterdam-end-of-rigged-cigarette-in-sight>

No authors listed. Bioabsorption Breakthrough Shows Promise for Tobacco, Cannabinoids, Medication. *PR Newswire*, 2017. Nov 2, 2017. Available from: <https://www.prnewswire.com/news-releases/bioabsorption-breakthrough-shows-promise-for-tobacco-cannabinoids-medication-654675243.html>

No author listed. Study finds perception of e-cigarette harm growing among US adults. *Medical Xpress*, 2016. Oct 26, 2016. Available from: <http://medicalxpress.com/news/2016-10-perception-e-cigarette-adults.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

18.1.1 Constituents of tobacco products

18.1.2 Constituents of cigarette smoke

18.1.3 Biomarkers

Peck, Michael John, Sanders, Edward B., Scherer, Gerhard, Lüdicke, Frank and Weitkunat, Rolf. Review of biomarkers to assess the effects of switching from cigarettes to modified risk tobacco products. Biomarkers, Jan 2018. Available from: <https://doi.org/10.1080/1354750X.2017.1419284>

tobaccoinaustralia.org.au