

Tobacco in Australia

Facts & Issues

Relevant news and research

18.4 Low nicotine–nicotine reduction

Last updated July 2021

Research:

Hatsukami, DK, Xu, D, & Ferris Wayne, G. (2021). Regulatory approaches and implementation of minimally addictive combusted products. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34192324>

Higgins, ST, DeSarno, M, Bunn, JY, Gaalema, DE Leventhal, AM, Davis, DR et al. (2021). Cumulative vulnerabilities as a potential moderator of response to reduced nicotine content cigarettes. *Prev Med*, 106714. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34242666>

Lin, B, Yao, Y, Wang, Y, Chen, L, Peng, X, & Guo, L. (2021). Facile Fabrication of a Functional Filter Tip for Highly Efficient Reduction of Nicotine Content in Mainstream Smoke. *ACS Appl Mater Interfaces*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34324292>

Oliver, AC, DeSarno, M, Irvin, CG, Kaminsky, D, Tidey, JW, Sigmon, SC et al. (2021). Effects of Reduced Nicotine Content Cigarettes on Fractional Exhaled Nitric Oxide (FeNO) and Self-Reported Respiratory Health Outcomes among Smokers with Psychiatric Conditions or Socioeconomic Disadvantage. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34255068>

Denlinger-Apte, RL, Pacek, LR, Ross, JC, Bansal-Travers, M, Donny, EC, Hatsukami, DK, & Carroll, DM. (2021). Risk Perceptions of Low Nicotine Cigarettes and Alternative Nicotine Products across Priority Smoking Populations. *Int J Environ Res Public Health*, 18(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34067652>

Bialous, S, & Freeman, B. (2021). Communication challenges of a tobacco addictiveness reduction policy. *Tob Induc Dis*, 19, 38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34017232>

tobaccoinaustralia.org.au

Carroll, DM, Lindgren, BR, Dermody, SS, Denlinger-Apte, R, Egbert, A, Cassidy, RN et al (2021). Impact of nicotine reduction in cigarettes on smoking behavior and exposure: Are there differences by race/ethnicity, educational attainment, or gender? *Drug Alcohol Depend*, 225, 108756. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34051544>

Sweitzer, MM, Pacek, LR, Kozink, RV, Locey, E, Kollins, SH, Donny, EC, & McClernon, F. J. (2021). Reactions to reduced nicotine content cigarettes in a sample of young adult, low-frequency smokers. *Psychopharmacology (Berl)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33982143>

Duong, HT, Loud, EE, Thrasher, JF, Henderson, KC, Ashley, DL, & Popova, L. (2021). 'It brings light to what you really put into your body': a focus group study of reactions to messages about nicotine reduction in cigarettes. *Tobacco Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33863835>

Mercincavage, M, Pacek, LR, Thrasher, J, Cappella, JN, Delnevo, C, Donny, EC, & Strasser, AA. (2021). Effects of advertising features on smokers' and non-smokers' perceptions of a reduced nicotine cigarette modified risk tobacco product. *Tobacco Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33858965>

MacLean, RR, DeVito, EE, Eid, T, Parida, S, Gueorguieva, R, & Sofuoglu, M. (2021). Threshold dose for intravenous nicotine self-administration in young adult non-dependent smokers. *Psychopharmacology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33796907>

Cassidy, RN, Tidey, JW, Cao, Q, Colby, SM, McClernon, FJ, Smith, TT et al(2021). Responses to Gradual and Immediate Reduction of Nicotine in Cigarettes in Young vs. Older Adult Smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33754156>

Denlinger-Apte, RL, White, CM Donny, EC, Hatsukami, DK, Benowitz, NL, Carpenter, M J, & Smith, TT. (2021). "I actually finally feel like the cigarettes aren't controlling me." - Interviews with participants smoking very low nicotine content cigarettes during a residential study. *Drug Alcohol Depend*, 219, 108465. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33383351>

Buckell, J, Hensher, DA, & Hess, S. (2020). Kicking the habit is hard: A hybrid choice model investigation into the role of addiction in smoking behavior. *Health Econ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33128328>

Dermody, SS, Tessier, KM, Meier, E, al'Absi, M, Denlinger-Apte, RL, Drobos, DJ et al (2020). An Evaluation of Potential Unintended Consequences of a Nicotine Product Standard: A Focus on Drinking History and Outcomes. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33220047>

Kaplan, BA, Koffarnus, MN, Franck, CT, & Bickel, WK. (2020). Effects of Reduced-Nicotine Cigarettes Across Regulatory Environments in the Experimental Tobacco Marketplace: A Randomized Trial. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33165612>

Krebs, NM, Zhu, J, Wasserman, E, Kuprewicz, R, Martinez, DJ, Veldheer, S et al. (2020). Switching to Progressively Reduced Nicotine Content Cigarettes in Smokers with Low Socioeconomic Status: A Double-Blind Randomized Clinical Trial. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33249498>

Denlinger-Apte, RL, Koopmeiners, JS, Tidey, JW, Luo, X, Smith, TT, Pacek, LR et al (2020). Support for a nicotine reduction policy among participants enrolled in a 20-week trial of very low nicotine content cigarettes. *Addict Behav*, 106727. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33261915>

Abrams, DB, & Notley, C. (2020). Is Nicotine Reduction in Cigarettes Enough? *JAMA Netw Open*, 3(10), e2019367. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33079192>

Higgins, ST, Tidey, JW, Sigmon, SC, Heil, SH, Gaalema, DE, Lee, D et al (2020). Changes in Cigarette Consumption With Reduced Nicotine Content Cigarettes Among Smokers With Psychiatric Conditions or Socioeconomic Disadvantage: 3 Randomized Clinical Trials. *JAMA Network Open*, 3(10), e2019311. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33079196>

Heil, SH, Bergeria, CL, Lee, DC, Bunn, JY, Harfmann, RF, Hughes, JR et al. (2020). Abuse liability of cigarettes with very low nicotine content in pregnant cigarette smokers. *Prev Med*, 106227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32768512>

Levy, DT, Cummings, KM, Heckman, BW, Li, Y, Yuan, Z, Smith, TT, & Meza, R. (2020). The Public Health Gains Had Cigarette Companies Chosen to Sell Very Low Nicotine Cigarettes. *Nicotine & Tobacco Research*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32710538>

Nighbor, TD, Klemperer, EM, Hughes, JR, Reed, EN, Simone, SJ, & West, JC. (2020). Both reducing cigarettes per day and transitioning to very low-nicotine-content cigarettes decreases demand for usual-brand cigarettes. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32658536>

Inoue-Choi, M, Christensen, CH, Rostron, BL, Cosgrove, CM, Reyes-Guzman, C, Apelberg, B, & Freedman, ND. (2020). Dose-Response Association of Low-Intensity and Nondaily Smoking With Mortality in the United States. *JAMA Netw Open*, 3(6), e206436. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32492162>

Schlagintweit, HE, Tyndale, RF, & Hendershot, CS. (2020). Acute effects of a very low nicotine content cigarette on laboratory smoking lapse: Impacts of nicotine metabolism and nicotine dependence. *Addict Biol*, e12930. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32573054>

White, CM, Hatsukami, DK, & Donny, EC. (2020). Reducing the relative value of cigarettes: Considerations for nicotine and non-nicotine factors. *Neuropharmacology*, 175, 108200. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32535010>

Perkins, KA, & Karelitz, JL. (2020). Differences in acute reinforcement across reduced nicotine content cigarettes. *Psychopharmacology (Berl)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32221696>

Park, EY, Park, E, Jeong, BY, Park, J, Lee, DH, Benowitz, NL, & Lim, MK. (2020). Comparison of smoking cessation rates of Quitline users in Korea between smokers of ultra-low nicotine yield cigarettes and other types of cigarette: a prospective study. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32083364>

Smith, TT, Koopmeiners, JS, Hatsukami, DK, Tessier, K. M., Benowitz, NL, Murphy, SE et al (2020). Mouth-Level Nicotine Intake Estimates from Discarded Filter Butts to Examine Compensatory Smoking in Low Nicotine Cigarettes. *Cancer Epidemiology, Biomarkers and Prevention*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32102909>

Smith, TT, Koopmeiners, JS, White, CM, Denlinger-Apte, RL, Pacek, LR, De Jesus, VR et al (2020). The Impact of Exclusive Use of Very Low Nicotine Cigarettes on Compensatory Smoking: An Inpatient Crossover Clinical Trial. *Cancer Epidemiology, Biomarkers and Prevention*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32102910>

Benowitz, NL, Donny, EC, Edwards, KC, Hatsukami, D, & Smith, TT. (2019). The Role of Compensation in Nicotine Reduction. *Nicotine Tob Res*, 21(Supplement_1), S16-S18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867654>

Berman, ML, & Glasser, AM. (2019). Nicotine Reduction in Cigarettes: Literature Review and Gap Analysis. *Nicotine Tob Res*, 21(Supplement_1), S133-S144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867659>

Byron, MJ, Hall, MG, King, JL, Ribisl, KM, & Brewer, NT. (2019). Reducing Nicotine Without Misleading the Public: Descriptions of Cigarette Nicotine Level and Accuracy of Perceptions About Nicotine Content, Addictiveness, and Risk. *Nicotine Tob Res*, 21(Supplement_1), S101-S107. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867657>

Colby, SM, Cassidy, RN, Denlinger-Apte, R, Smith, TT, Pacek, LR, McClernon, FJ, & Tidey, JW. (2019). Anticipated Effects of Nicotine Reduction on Youth Smoking Initiation and Maintenance. *Nicotine Tob Res*, 21(Supplement_1), S46-S48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867638>

Davis, DR, Parker, MA, Villanti, AC, Streck, JM, Priest, JS, Tidey, JW et al (2019). Examining Age as a Potential Moderator of Response to Reduced Nicotine Content Cigarettes in Vulnerable Populations. *Nicotine Tob Res*, 21(Supplement_1), S49-S55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867655>

Denlinger-Apte, RL, Cassidy, RN, Colby, SM, Sokolovsky, AW, & Tidey, JW. (2019). Effects of Cigarette Nicotine Content and Menthol Preference on Perceived Health Risks, Subjective Ratings, and Carbon Monoxide Exposure Among Adolescent Smokers. *Nicotine Tob Res*, 21(Supplement_1), S56-S62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867646>

Denlinger-Apte, RL, Kotlyar, M, Koopmeiners, JS, Tidey, JW, Luo, X, Benowitz, NL et al. (2019). Effects of Very Low Nicotine Content Cigarettes on Smoking Behavior and Biomarkers of Exposure in Menthol and Non-menthol Smokers. *Nicotine Tob Res*, 21(Supplement_1), S63-S72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867637>

Gaalema, DE, Tidey, JW, Davis, DR, Sigmon, SC, Heil, SH, Stitzer, ML et al (2019). Potential Moderating Effects of Psychiatric Diagnosis and Symptom Severity on Subjective and Behavioral Responses to Reduced Nicotine Content Cigarettes. *Nicotine Tob Res*, 21(Supplement_1), S29-S37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867653>

Hall, MG, Byron, JM, Brewer, NT, Noar, SM, & Ribisl, KM. (2019). Interest in Illicit Purchase of Cigarettes Under a Very Low Nicotine Content Product Standard. *Nicotine Tob Res*, 21(Supplement_1), S128-S132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867641>

Johnson, AC, Mays, D, Villanti, AC, Niaura, RS, Rehberg, K, Phan, L et al (2019). Marketing Influences on Perceptions of Reduced Nicotine Content Cigarettes. *Nicotine Tob Res*, 21(Supplement_1), S117-S124. Available from: Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867656>

Koopmeiners, JS, Vock, DM, Boatman, JA, Carroll, D, Colby, SM, Donny, EC et al. (2019). The Importance of Estimating Causal Effects for Evaluating a Nicotine Standard for Cigarettes. *Nicotine Tob Res*, 21(Supplement_1), S22-S25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867648>

Perkins, KA. (2019). Research on Behavioral Discrimination of Nicotine May Inform FDA Policy on Setting a Maximum Nicotine Content in Cigarettes. *Nicotine Tob Res*, 21(Supplement_1), S5-S12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867642>

Perkins, KA, & Karelitz, JL. (2019). A Forced Choice Procedure to Assess the Acute Relative Reinforcing Effects of Nicotine Dose Per Se in Humans. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31800053>

Piper, M. E., Drobos, D. J., & Walker, N. (2019). Behavioral and Subjective Effects of Reducing Nicotine in Cigarettes: A Cessation Commentary. *Nicotine Tob Res*, 21(Supplement_1), S19-S21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867644>

Popova, L, Owusu, D, Nyman, AL, Weaver, SR, Yang, B, Huang, J, & Ashley, DL. (2019). Effects of Framing Nicotine Reduction in Cigarettes on Anticipated Tobacco Product Use Intentions and Risk Perceptions Among US Adult Smokers. *Nicotine Tob Res*, 21(Supplement_1), S108-S116. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867652>

Smith, TT, Donny, EC, Luo, X, Allen, AM, Carroll, DM, Denlinger-Apte, RL et al. (2019). The Impact of Gradual and Immediate Nicotine Reduction on Subjective Cigarette Ratings. *Nicotine Tob Res*, 21(Supplement_1), S73-S80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867651>

Smith, TT, Heckman, BW, Tidey, JW, Colby, SM, & Cummings, KM. (2019). Behavioral Outcomes of Nicotine Reduction in Current Adult Smokers. *Nicotine Tob Res*, 21(Supplement_1), S125-S127. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867649>

Stanton, CA, & Hatsukami, DK. (2019). Nicotine Standards in the United States. *Nicotine Tob Res*, 21(Supplement_1), S1-S4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867658>

Tidey, JW, Colby, SM, Denlinger-Apte, RL, Goodwin, C, Cioe, PA, Cassidy, RN et al (2019). Effects of 6-Week Use of Very Low Nicotine Content Cigarettes in Smokers With Serious Mental Illness. *Nicotine Tob Res*, 21(Supplement_1), S38-S45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867650>

Tidey, JW, Muscat, JE, Foulds, J, Evins, AE, Gaalema, DE, & Denlinger-Apte, RL. (2019). Reducing the Nicotine Content of Cigarettes: Effects in Smokers With Mental Health Conditions and Socioeconomic Disadvantages. *Nicotine Tob Res*, 21(Supplement_1), S26-S28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867647>

Villanti, AC, Byron, MJ, Mercincavage, M, & Pacek, LR. (2019). Misperceptions of Nicotine and Nicotine Reduction: The Importance of Public Education to Maximize the Benefits of a Nicotine Reduction Standard. *Nicotine Tob Res*, 21(Supplement_1), S88-S90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867645>

White, CM, Pickworth, WB, Sved, AF, & Donny, EC. (2019). Using Product Standards to Render the Most Harmful Tobacco Products Minimally Addictive: Maximum Nicotine Level, Non-Nicotine Constituents, and Scope. *Nicotine Tob Res*, 21(Supplement_1), S13-S15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867639>

Patel, M, Cuccia, AF, Czaplicki, L, Donovan, EM, Simard, B, Pitzer, L et al. (2019). Smokers' behavioral intentions in response to a low-nicotine cigarette policy. *Drug Alcohol Depend*, 205, 107645. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31704376>

Robinson, JD, Kyriotakis, G, al'Absi, M, Denlinger-Apte, RL, Drobles, DJ, Leischow, S et al. (2019). Very low nicotine content cigarettes disrupt the feedback loop of affective states and smoking behavior. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31701153>

Denlinger-Apte, RL, Donny, EC, Lindgren, BR, Rubin, N, Goodwin, C, DeAtley, T et al (2019). Smoking topography characteristics during a six-week trial of very low nicotine content cigarettes in smokers with serious mental illness. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31628475>

Smith, TT, Koopmeiners, JS, Tessier, KM, Davis, EM, Conklin, CA, Denlinger-Apte, RL et al. (2019). Randomized Trial of Low-Nicotine Cigarettes and Transdermal Nicotine. *Am J Prev Med*, 57(4), 515-524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31542129>

Davis, DR, DeSarno, MJ, Bergeria, CL, Streck, JM, Tidey, JW, Sigmon, SC et al. (2019). Examining effects of unit price on preference for reduced nicotine content cigarettes and smoking rate. *Prev Med*, 105823. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31470023>

Kuehn, B. (2019). Less Addictive Cigarettes. *JAMA*, 322(8), 718. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31454020>

Shiffman, S, & Scholl, SM. (2019). How intensely nondaily smokers smoke in laboratory topography sessions correlates with cigarette smoking intensity in the field. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31393144>

Ali, FRM, Al-Shawaf, M, Wang, TW, & King, BA. (2019). U.S. Adults' Attitudes Toward Lowering Nicotine Levels in Cigarettes. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31303387>

Lindblom, EN. (2019). Illicit Trade Poses No Threat to an FDA Rule to Minimize Nicotine in Smoked Tobacco Products. *Am J Public Health*, 109(7), 960-961. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31166729>

Ribisl, KM, Hatsukami, DK, Huang, J, Williams, RS, & Donny, EC. (2019). Strategies to Reduce Illicit Trade of Regular Nicotine Tobacco Products After Introduction of a Low-Nicotine Tobacco Product Standard. *Am J Public Health*, 109(7), 1007-1014. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31166743>

Schachtsiek, J, & Stehle, F. (2019). Nicotine-free, Non-transgenic Tobacco (Nicotianatabacuml.) Edited by CRISPR-Cas9. *Plant Biotechnol J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31206994>

Streck, JM, Davis, DR, Pang, RD, Sigmon, SC, Bunn, JY, Bergeria, CL et al (2019). Potential Moderating Effects of Sex/Gender on the Acute Relative Reinforcing and Subjective Effects of Reduced Nicotine Content Cigarettes in Vulnerable Populations. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31225625>

Hatsukami, DK, Luo, X, Heskin, AK, Tang, MK, Carmella, SG, Jensen, J et al (2019). Effects of immediate versus gradual nicotine reduction in cigarettes on biomarkers of biological effects. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31140663>

Klemperer, EM, Hughes, JR, Callas, PW, Benner, JA, & Morley, NE. (2019). Effectiveness of switching to very low nicotine content cigarettes plus nicotine patch versus reducing daily cigarette consumption plus nicotine patch to decrease dependence: An exploratory randomized trial. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31106492>

Kamens, HM, Silva, CP, Nye, RT, Miller, CN, Singh, N, Sipko, J et al (2019). Pharmacokinetic profile of Spectrum reduced nicotine cigarettes. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30892637>

Bergeria, CL, Heil, SH, Davis, DR, Streck, JM, Sigmon, SC, Bunn, JY et al. Evaluating the utility of the modified cigarette evaluation questionnaire and cigarette purchase task for predicting acute relative reinforcing efficacy of cigarettes varying in nicotine content. *Drug Alcohol Depend*, 2019. 197, 56-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30776572>

Hrabovsky, SM, Midya, V, Lester, C, Veldheer, S, Yingst, JM, Allen, SI et al. Effect of Cigarette Rod Length on Smokers Switching to SPECTRUM Cigarettes. *Am J Health Behav*, 2019. 43(2), 380-392. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30808477>

Shiffman, S, Scholl, SM, & Mao, JM Very-low-nicotine-content cigarettes and dependence among non-daily smokers. *Drug Alcohol Depend*, 2019. 197, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30743194>

Mercincavage, M, Lochbuehler, K, Wileyto, EP, Benowitz, NL, Tyndale, RF, Lerman, C, & Strasser, AA. Association of Reduced Nicotine Content Cigarettes With Smoking Behaviors and Biomarkers of Exposure Among Slow and Fast Nicotine Metabolizers: A Nonrandomized Clinical Trial. *JAMA Netw Open*, 2018. 1(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30627706>

Veldheer, S, Midya, V, Lester, C, Liao, J, Yingst, J, Hrabovsky, S et al. Acceptability of SPECTRUM Research Cigarettes among Participants in Trials of Reduced Nicotine Content Cigarettes. *Tob Regul Sci*, 2018. 4(1), 573-585. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30662929>

Denlinger-Apte, RL, Tidey, JW, Koopmeiners, JS, Hatsukami, DK, Smith, TT, Pacek, LR et al. Correlates of support for a nicotine-reduction policy in smokers with 6-week exposure to very low nicotine cigarettes. *Tob Control*, 2018. Available from: <https://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/11/01/tobaccocontrol-2018-054622.full.pdf>

Kasza, KA, Coleman, B, Sharma, E, Conway, KP, Cummings, KM, Goniewicz, ML et al. Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013(-)2014 and 2014(-)2015: Findings from the PATH Study Wave 1 and Wave 2. *Int J Environ Res Public Health*, 2018. 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30441875>

No authors listed. Low cigarette consumption and risk of coronary heart disease and stroke: a meta-analysis of 141 cohort studies within 55 study reports. *BMJ*, 2018. 363, k5035. Available from: <https://www.bmj.com/content/bmj/363/bmj.k5035.full.pdf>

Pacek, LR, Oliver, JA, Sweitzer, MM, & McClernon, FJ. Young adult dual combusted cigarette and e-cigarette users' anticipated responses to a nicotine reduction policy and menthol ban in combusted cigarettes. *Drug Alcohol Depend*, 2018. 194, 40-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30399498>

Parker, MA, Streck, JM, Bergeria, CL, Bunn, JY, Gaalema, DE, Davis, DR et al. Reduced Nicotine Content Cigarettes and Cannabis Use in Vulnerable Populations. *Tob Regul Sci*, 2018. 4(5), 84-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30417034>

Streck, JM, Bergeria, CL, Parker, MA, Davis, DR, DeSarno, M, Sigmon, SC et al. Response to reduced nicotine content cigarettes among smokers with chronic health conditions. *Prev Med Rep*, 2018. 12, 321-329. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6224320/pdf/main.pdf>

Hatsukami, DK. Reducing Nicotine in Cigarettes to Minimally Addictive Levels: A New Frontier for Tobacco Control. *JAMA Psychiatry*, 2018. 75(10), 987-988. Available from: <https://jamanetwork.com/journals/jamapsychiatry/article-abstract/2704143>

Shiffman, S, Mao, JM., Kurland, BF, & Scholl, SM. Do non-daily smokers compensate for reduced cigarette consumption when smoking very-low-nicotine-content cigarettes? *Psychopharmacology (Berl)*, 2018. Available from: <https://link.springer.com/article/10.1007%2Fs00213-018-5056-8>

Hatsukami, DK, Luo, X, Jensen, JA, al'Absi, M, Allen, SS, Carmella, SG et al. Effect of Immediate vs Gradual Reduction in Nicotine Content of Cigarettes on Biomarkers of Smoke Exposure: A Randomized Clinical Trial. *JAMA*, 2018. 320(9), 880-891. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30193275>

Branstetter, SA, Nye, R, Sipko, JJ, Muscat, JE. The Effect of Price on the Consumption of Reduced Nicotine Cigarettes. *Nicotine Tob Res*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137465>

Peters, EN, Herrmann, ES, Cohn, AM, Coleman-Cowger, VH, Smith, C, Koszowski, B, Pickworth, WB. How Will Alcohol Research be Impacted by Future Reduction in Nicotine Content in Cigarettes? Alcohol Clin Exp Res, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30103287>

Britton, J. Denicotinised cigarettes. Lancet. 2018 Jul 14;392(10142):104-105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30017116>

Byron, MJ, Strasser, AA, Delnevo, CD. Little and filtered cigars meet the legal definition of cigarettes and should be included in nicotine reduction regulation. Tob Control, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30021871>

Benowitz, NL, Henningfield, JE. Nicotine Reduction Strategy: State of the science and challenges to tobacco control policy and FDA tobacco product regulation. Prev Med. 2018 Jun 23. pii: S0091-7435(18)30201-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29944901>

Berman, ML, Zettler, PJ, Ashley, DL. Anticipating Industry Arguments: The US Food and Drug Administration's Authority to Reduce Nicotine Levels in Cigarettes. Public Health Rep, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29879366>

Bevins, RA, Barrett, ST, Huynh, YW, Thompson, BM, Kwan, DA, Murray, JE. Experimental analysis of behavior and tobacco regulatory research on nicotine reduction. J Exp Anal Behav, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29869329>

Shiffman, S, Kurland, BF, Scholl, SM, Mao, JM. Nondaily Smokers' Changes in Cigarette Consumption With Very Low-Nicotine-Content Cigarettes: A Randomized Double-blind Clinical Trial. JAMA Psychiatry, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29902305>

Cassidy, RN, Colby, SM, Tidey, JW, Jackson, KM, Cioe, PA, Krishnan-Sarin, S, Hatsukami, D. Adolescent smokers' response to reducing the nicotine content of cigarettes: Acute effects on withdrawal symptoms and subjective evaluations. Drug Alcohol Depend. 2018 May 15;188:153-160. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29775959>

Cassidy, RN, Tidey, JW, Cao, Q, Colby, SM, McClernon, FJ, Koopmeiners, JS, Hatsukami, D, Donny, EC. Age Moderates Smokers' Subjective Response to Very Low Nicotine Content Cigarettes: Evidence from a Randomized Controlled Trial. Nicotine Tob Res, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29718460>

Mercincavage, M, Lochbuehler, K, Villanti, AC, Wileyto, EP, Audrain-McGovern, J, Strasser, AA. Examining risk perceptions among daily smokers naive to reduced nicotine content cigarettes. Nicotine Tob Res, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29718357>

Foulds, J, Hobkirk, A, Wasserman, E, Richie, J, Veldheer, S, Krebs, NM, Reinhart, L, Muscat, J. Estimation of compliance with exclusive smoking of very low nicotine content cigarettes using plasma cotinine. Prev Med. 2018 Apr 4. pii: S0091-7435(18)30122-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29626556>

Higgins, ST, Bergeria, CL, Davis, DR, Streck, JM, Villanti, AC, Hughes, JR, Sigmon, SC, Tidey, JW, Heil, SH, Gaalema, DE, Stitzer, ML, Priest, JS, Skelly, JM, Reed, DD, Bunn, JY, Tromblee, MA, Arger, CA,

Miller, ME. Response to reduced nicotine content cigarettes among smokers differing in tobacco dependence severity. *Prev Med*. 2018 Apr 4. pii: S0091-7435(18)30121-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29626557>

Perkins, KA. FDA Policy on Setting Maximum Nicotine Content in Cigarettes. *Nicotine Tob Res*. 2018 Apr 6. pii: 4962549. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29660048>

Smith, TT, Hatsukami, DK, Benowitz, NL, Colby, SM, McClernon, FJ, Strasser, AA, Tidey, JW, White, CM, Donny, EC. Whether to push or pull? Nicotine reduction and non-combusted alternatives - Two strategies for reducing smoking and improving public health. *Prev Med*. 2018 Mar 29. pii: S0091-7435(18)30110-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29604326>

Apelberg, BJ, Feirman, SP, Salazar, E, Corey, CG, Ambrose, BK, Paredes, A, Richman, E, Verzi, SJ, Vugrin, ED, Brodsky, NS, Rostron, BL. Potential Public Health Effects of Reducing Nicotine Levels in Cigarettes in the United States. *N Engl J Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29543114>

Dermody, SS, McClernon, FJ, Benowitz, N, Luo, X, Tidey, JW, Smith, TT, Vandrey, R, Hatsukami, D, Donny, EC. Effects of reduced nicotine content cigarettes on individual withdrawal symptoms over time and during abstinence. *Exp Clin Psychopharmacol*. 2018 Mar 5. pii: 2018-09026-001. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29504780>

Lewis, RS. Potential Mandated Lowering of Nicotine Levels in Cigarettes: A Plant Perspective. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29401309>

Byron, M Justin, Jeong, Michelle, Abrams, David B and Brewer, Noel T. Public misperception that very low nicotine cigarettes are less carcinogenic. *Tobacco Control*, Jan 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/01/23/tobaccocontrol-2017-054124.full.pdf>

Arger, CA, Heil, SH, Sigmon, SC, Tidey, JW, Stitzer, ML, Gaalema, DE, Durand, HJ, Bunn, JY, Ruggieri, EK, Higgins, S T. Preliminary validity of the modified Cigarette Evaluation Questionnaire in predicting the reinforcing effects of cigarettes that vary in nicotine content. *Exp Clin Psychopharmacol*. 2017 Dec;25(6):473-478. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29251976>

Krebs, NM, Allen, SI, Veldheer, S, Martinez, DJ, Horn, K, Livelsberger, C, Modesto, J, Kuprewicz, R, Wilhelm, A, Hrabovsky, S, Kazi, A, Fazzi, A, Liao, J, Zhu, J, Wasserman, E, Reilly, SM, Reinhart, L, Trushin, N, Moyer, RE, Bascom, R, Foulds, J, Richie, JP, Muscat, JE. Correction to Reduced nicotine content cigarettes in smokers of low socioeconomic status: study protocol for a randomized control trial. *Trials*. 2017 Dec 15;18(1):598. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29246173>

Jing, Y, Yu, B, Li, P, Xiong, B, Cheng, Y, Li, Y, Li, C, Xiao, X, Chen, M, Chen, L, Zhang, Y, Zhao, M, Cheng, C. Synthesis of graphene/DPA composite for determination of nicotine in tobacco products. *Sci Rep*. 2017 Oct 30;7(1):14332. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29084991>

Lippmann, S, Singh, D. Vaping marijuana? J Fam Pract. 2017 Nov;66(11):655. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29099516>

Faulkner, P, Petersen, N, Ghahremani, DG, Cox, CM, Tyndale, RF, Helleman, GS, London, ED. Sex differences in tobacco withdrawal and responses to smoking reduced-nicotine cigarettes in young smokers. Psychopharmacology (Berl), 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29022071>

Jensen, KP, DeVito, EE, Sofuoglu, M. How Intravenous Nicotine Administration in Smokers Can Inform Tobacco Regulatory Science. Tob Regul Sci. 2016 Oct;2(4):452-463. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29082299>

Perkins, KA, Karelitz, JL, Kunkle, N. Sex differences in subjective responses to moderate versus very low nicotine content cigarettes. Nicotine Tob Res, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29059330>

Higgins, ST, Heil, SH, Sigmon, SC, Tidey, JW, Gaalema, DE, Hughes, JR, Stitzer, ML, Durand, H, Bunn, JY, Priest, JS, Arger, CA, Miller, ME, Bergeria, CL, Davis, DR, Streck, JM, Reed, DD, Skelly, JM, Tursi, L. Addiction Potential of Cigarettes With Reduced Nicotine Content in Populations With Psychiatric Disorders and Other Vulnerabilities to Tobacco Addiction. JAMA Psychiatry, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28832876>

Proctor, RN. FDA's new plan to reduce the nicotine in cigarettes to sub-addictive levels could be a game-changer. Tob Control. 2016 Sep;26(5):487-488. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28831030>

Krebs, NM, Allen, SI, Veldheer, S, Martinez, DJ, Horn, K, Livelsberger, C, Modesto, J, Kuprewicz, R, Wilhelm, A, Hrabovsky, S, Kazi, A, Fazzi, A, Liao, J, Zhu, J, Wasserman, E, Reilly, SM, Reinhart, L, Trushin, N, Moyer, RE, Bascom, R, Foulds, J, Richie, JP, Muscat, JE. Reduced nicotine content cigarettes in smokers of low socioeconomic status: study protocol for a randomized control trial. Trials. 2017 Jul 3;18(1):300. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28673312>

Pacek, LR, Joseph McClernon, F, Denlinger-Apte, RL, Mercincavage, M, Strasser, AA, Dermody, SS, Vandrey, R, Smith, TT, Nardone, N, Hatsukami, DK, Koopmeiners, JS, Kozink, RV, Donny, EC. Perceived nicotine content of reduced nicotine content cigarettes is a correlate of perceived health risks. Tob Control. 2017 Jul 22. pii: tobaccocontrol-2017-053689. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28735272>

Fraser, T, Kira, A. Perspectives of key stakeholders and smokers on a very low nicotine content cigarette-only policy: qualitative study. N Z Med J. 2017 Jun 2;130(1456):36-45. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28571047>

Keith, DR, Kurti, AN, Davis, DR, Zvorsky, IA, Higgins, ST. A review of the effects of very low nicotine content cigarettes on behavioral and cognitive performance. Prev Med. 2017 Jun 21. pii: S0091-7435(17)30221-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28647546>

Robinson, JD, Kyriotakis, G, Karam-Hage, M, Green, CE, Hatsukami, DK, Cinciripini, PM, Donny, EC. Cigarette Nicotine Content as a Moderator of the Relationship between Negative Affect and Smoking. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28371900>

Tucker, MR, Laugesen, M, Grace, RC. Estimating Demand and Cross-Price Elasticity for Very Low Nicotine Content (VLNC) Cigarettes Using a Simulated Demand Task. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28340034>

Mercincavage, M, Saddleson, ML, Gup, E, Halstead, A, Mays, D, Strasser, AA. Reduced nicotine content cigarette advertising: How false beliefs and subjective ratings affect smoking behaviour. *Drug Alcohol Depend*. 2017 Feb 3;173:99-106. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28214392>

Restrepo, BJ. Nicotine intake per cigarette smoked among smokers nationally and in New York City. *Am J Prev Med*. 2017 Feb 1. pii: S0749-3797(16)30688-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28161036>

Mercincavage, M, Smyth, JM, Strasser, AA, Branstetter, SA. *Tob Regul Sci*. 2016 Oct;2(4):309-316. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27917397>

Hatsukami, DK, Luo, X, Dick, L, Kangkum, M, Allen, SS, Murphy, SE, Hecht, SS, Shields, P, al'Absi, M. Reduced nicotine content cigarettes and use of alternative nicotine products: exploratory trial. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27614097>

Rupprecht, LE, Koopmeiners, JS, Dermody, SS, Oliver, JA, al'Absi, M, Benowitz, NL, Denlinger-Apte, R, Drobles, DJ, Hatsukami, D, McClernon, FJ, Pacek, LR, Smith, TT, Sved, AF, Tidey, J, Vandrey, R and Donny, EC. Reducing nicotine exposure results in weight gain in smokers randomised to very low nicotine content cigarettes. *Tob Control*, 2016. Nov 17, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27856940>

Higgins, ST, Heil, SH, Sigmon, SC, Tidey, JW, Gaalema, DE, Stitzer, ML, Durand, H, Bunn, JY, Priest, JS, Arger, CA, Miller, ME, Bergeria, CL, Davis, DR, Streck, JM, Zvorsky, I, Redner, R, Vandrey, R, Pacek, LR. Response to varying the nicotine content of cigarettes in vulnerable populations: an initial experimental examination of acute effects. *Psychopharmacology*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27714427>

Smith, TT, Cassidy, RN, Tidey, JW, Luo, X, Le, CT, Hatsukami, DK, Donny, EC. Impact of smoking reduced nicotine content cigarettes on sensitivity to cigarette price: Further results from a multi-site clinical trial. *Addiction*, Oct 16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27741367>

Donny, EC, Walker, N, Hatsukami, D, Bullen, C. Reducing the nicotine content of combusted tobacco products sold in New Zealand. *Tob Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27672126>

Hatsukami, DK, Luo, X, Dick, L, Kangkum, M, Allen, SS, Murphy, SE, Hecht, SS, Shields, P, al'Absi, M. Reduced nicotine content cigarettes and use of alternative nicotine products: exploratory trial. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27614097>

Tidey, JW, Pacek, LR, Koopmeiners, JS, Vandrey, R, Nardone, N, Drobles, DJ, Benowitz, NL, Dermody, SS, Lemieux, A, Denlinger, RL, Cassidy, R, al'Absi, M, Hatsukami, DK, Donny, EC. Effects of 6-week use of reduced-nicotine content cigarettes in smokers with and without elevated depressive symptoms. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613885>

Benowitz, NL, Donny, EC, Hatsukami, DK. Reduced nicotine content cigarettes, e-cigarettes and the cigarette end game. *Addiction*, Sep 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27555354>

Kozlowski, LT. Let actual markets help assess the worth of optional very-low-nicotine cigarettes before deciding on mandatory regulations. *Addiction*, Aug 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27554993>

News reports:

Massie, G. Biden 'to slash amount of nicotine in cigarettes'. *Independent*, 2021. April 20, 2021. Retrieved from <https://www.independent.co.uk/news/world/americas/us-politics/biden-cigarettes-nicotine-fda-menthol-b1834162.html>

Ralph, A. Plan to limit nicotine level cuts £6bn off tobacco firms. *The Times*, 2021. April 21, 2021. Retrieved from <https://www.thetimes.co.uk/article/plan-to-limit-nicotine-level-cuts-6bn-off-tobacco-firms-chfgvplf>

Owermohle, S. House tobacco bill revives talk of nicotine limits. *Politico*, 2020. Feb 27, 2020. Retrieved from <https://www.politico.com/news/2020/02/27/house-tobacco-bill-revives-talk-of-nicotine-limits-117908>

Perrone, M. US permits sale of cigarettes with 95% less nicotine. *AP News*, 2019. Dec 17, 2019. Available from: <https://apnews.com/d34f391754690977cbe80c9b370d29d9>

Kekatos, M. US regulators drop plans to cap nicotine levels in cigarettes to non-addictive levels just hours after Trump's FDA nominee says he will not ban flavored e-cigs. *Daily Mail Australia*, 2019. Nov 21, 2019. Available from: <https://www.dailymail.co.uk/health/article-7707305/U-S-health-regulators-drop-plan-sharply-cut-nicotine-cigarettes-Bloomberg.html>

US Food and Drug Administration. 22nd Century Group Inc. Modified Risk Tobacco Product (MRTP) Applications. *FDA*, 2019. July 19, 2019. Available from: <https://www.fda.gov/tobacco-products/advertising-and-promotion/22nd-century-group-inc-modified-risk-tobacco-product-mrtp-applications>

Le Page, M. Non-addictive CRISPR-edited tobacco could help eliminate smoking. *New Scientist*, 2019. June 25, 2019. Available from: <https://www.newscientist.com/article/2207636-non-addictive-crispr-edited-tobacco-could-help-eliminate-smoking/>

Rees, T. Nicotine cap threat hits Big Tobacco. *Telegraph*, 2019. June 18, 2019. Available from: <https://www.telegraph.co.uk/business/2019/06/18/nicotine-cap-threat-hits-big-tobacco/>

Blankenhorn, D. Promise of Low Nicotine Fires Up 22nd Century Stock As Trading Scrutinized. *Investor Place*, 2019. Feb 19, 2019. Available from: <https://investorplace.com/2019/02/22nd-century-stock-is-a-bet-on-smokes-without-the-high-fimg/>

Duprey, R. Will the FDA Burn Tobacco Giants With Low-Nicotine Rules? The Motley Fool, 2018. Oct 28, 2018. Available from: <https://www.fool.com/investing/2018/10/28/will-fda-burn-tobacco-giants-with-low-nicotine-rul.aspx>

No authors listed. 22nd Century Group Comments on Grossly Misleading “Short and Distort” Article *Business Wire*, 2018. Oct 26, 2018. Available from: <https://www.businesswire.com/news/home/20181026005127/en/22nd-Century-Group-Comments-Grossly-Misleading-%E2%80%9CShort>

Bender, K. Immediate Reduction of Nicotine in Cigarettes Provides Greatest Decrease in Biomarkers of Smoke Exposure. *MD Magazine*, 2018. Sept 5, 2018. Available from: <https://www.mdmag.com/medical-news/immediate-reduction-of-nicotine-in-cigarettes-provides-greatest-decrease-in-biomarkers-of-smoke-exposure>

No authors listed. JAMA Publishes Greatly Anticipated Phase III Study Using 22nd Century’s SPECTRUM® Very Low Nicotine Content Cigarettes *Business Wire.*, 2018. Sept 5, 2018. Available from: <https://www.businesswire.com/news/home/20180905005335/en/JAMA-Publishes-Greatly-Anticipated-Phase-III-Study>

Pavlova, Uliana. Altria Thinks Low-Nicotine Cigarettes Could Lead to About a Million Lost Jobs. *Bloomberg*, 2018. July 17, 2018. Available from: <https://www.bloombergquint.com/onweb/2018/07/17/altria-sees-low-nicotine-smokes-eating-about-a-million-u-s-jobs#gs.2L8AXYE>

Stanton A. Glantz, Neal Benowitz, Benjamin Chaffee, Jeffrey Gotts, Bonnie Halpern-Felsher, Peyton Jacob, Pamela Ling, Wendy Max, Farzad Moazed, Matthew Springer, Gideon St.Helen, Erin Vogel and Lauren Lempert. Tobacco Product Standard for Nicotine Level: The FDA Should Set a Nicotine Level to be Achieved in a Single Step for All Combusted Tobacco Products. July 2018. Available from: <https://tobacco.ucsf.edu/fda-should-set-nicotine-product-standard-level-be-achieved-single-step-all-combusted-tobacco-products>

Arnstein, SE, LLP, Lehr. FDA to Evaluate Minimally or Non-Addictive Cigarette Product Standard, Also Plans to Look at Flavors and Premium Cigars. *JD Supra*, 2018. Apr 19, 2018. Available from: <https://www.jdsupra.com/legalnews/fda-to-evaluate-minimally-or-non-81382/>

Food and Drug Administration (FDA). Tobacco Product Standard for Nicotine Level of Combusted Cigarettes. *Regulations.gov*, 2018. May 11, 2018. Available from: <https://www.regulations.gov/document?D=FDA-2017-N-6189-0001>

Apelberg, BJ, Feirman, SP, Salazar, E, Corey, CG, Ambrose, BK, Paredes, A, Richman, E, Verzi, SJ, Vugrin, ED, Brodsky, NS, Rostron, BL. Potential Public Health Effects of Reducing Nicotine Levels in Cigarettes in the United States. *N Engl J Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29543114>

Byron, M Justin, Jeong, Michelle, Abrams, David B and Brewer, Noel T. Public misperception that very low nicotine cigarettes are less carcinogenic. *Tobacco Control*, Jan 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/01/23/tobaccocontrol-2017-054124.full.pdf>

Cunningham, Paige Winfield. The Health 202: Who knew? A top Trump conservative is aggressively taking on tobacco. The Washington Post, 2018. Mar 19, 2018. Available from: https://www.washingtonpost.com/news/powerpost/paloma/the-health-202/2018/03/16/the-health-202-who-knew-a-top-trump-conservative-is-aggressively-taking-on-tobacco/5aaa9cac30fb047655a06cbe/?utm_term=.ace3fc5c09d9

Federal Register. Tobacco Product Standard for Nicotine Level of Combusted Cigarettes. Mar 19, 2018. Available from: <https://www.federalregister.gov/documents/2018/03/16/2018-05345/tobacco-product-standard-for-nicotine-level-of-combusted-cigarettes>

Koval, Robin. Less is More When it Comes to the FDA's Game-Changing Nicotine Reduction Plan. Truth Initiative, 2018. Mar 19, 2018. Available from: <https://truthinitiative.org/news/less-more-when-it-comes-fdas-game-changing-nicotine-reduction-plan>

Lewis, RS. Potential Mandated Lowering of Nicotine Levels in Cigarettes: A Plant Perspective. Nicotine Tob Res, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29401309>

Lunn, Susan. What would a million cigarettes cost? Health Canada wants to know. CBC News 2018. Feb 8, 2018. Available from: <http://www.cbc.ca/news/politics/what-would-a-million-cigarettes-cost-health-canada-wants-to-know-1.4517203>

Myers, Matthew L. FDA Plan to Reduce Nicotine Levels in Cigarettes Would Save Millions of Lives – Agency Must Quickly Implement It. Tobacco Free Kids, Mar 19, 2018. Available from: https://www.tobaccofreekids.org/press-releases/2018_03_15_fda

No authors listed. FDA Seeks Public Comment on a Potential Product Standard to Lower Nicotine in Cigarettes to a Minimally or Non-Addictive Level. U.S. Food & Drug Administration (FDA), 2018. Mar 19, 2018. Available from: <https://www.fda.gov/TobaccoProducts/NewsEvents/ucm600955.htm>

Perrone, Matthew. FDA begins anti-smoking push to cut nicotine in cigarettes. Business Insider (UK), 2018. Mar 19, 2018. Available from: <http://uk.businessinsider.com/ap-fda-begins-anti-smoking-push-to-cut-nicotine-in-cigarettes-2018-3/?r=AU&IR=T>

Lewis, RS. Potential Mandated Lowering of Nicotine Levels in Cigarettes: A Plant Perspective. Nicotine Tob Res, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29401309>

Lunn, Susan. What would a million cigarettes cost? Health Canada wants to know. CBC News 2018. Feb 8, 2018. Available from: <http://www.cbc.ca/news/politics/what-would-a-million-cigarettes-cost-health-canada-wants-to-know-1.4517203>

Byron, M Justin, Jeong, Michelle, Abrams, David B and Brewer, Noel T. Public misperception that very low nicotine cigarettes are less carcinogenic. Tobacco Control, Jan 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/01/23/tobaccocontrol-2017-054124.full.pdf>

No authors listed. 22nd Century Ships 2.4 Million SPECTRUM® Cigarettes for the National Institute on Drug Abuse. Business Wire, 2017. Nov 30, 2017. Available from: <https://www.businesswire.com/news/home/20171130005870/en/22nd-Century-Ships-2.4-Million-SPECTRUM%2%ae-Cigarettes>

Maloney, Jennifer. Altria, Anticipating FDA Rule, Is Developing Reduced-Nicotine Cigarettes. Fox Business, 2017. Nov 2, 2017. Available from: <http://www.foxbusiness.com/features/2017/11/02/altria-anticipating-fda-rule-is-developing-reduced-nicotine-cigarettes.html>

No authors listed. 22nd Century Hires Former Reynolds American Vice President. Business Wire, 2017. Nov 2, 2017. Available from: <http://www.businesswire.com/news/home/20171102005363/en/22nd-Century-Hires-Reynolds-American-Vice-President>

Abcede, Angel. Trump Base May Nix Low Nicotine. Convenience Store/Petroleum (CSPNet), Oct 2017. Available from: <http://www.cspdailynews.com/category-news/tobacco/articles/trump-base-may-nix-low-nicotine#page=0>

Edney, Anna and Kaplan, Jennifer. 8 Million Tobacco Deaths Could Be Avoided by Slashing Nicotine. Bloomberg, 2017. Oct 20, 2017. Available from: <https://www.bloomberg.com/news/articles/2017-10-19/8-million-tobacco-deaths-could-be-avoided-by-slashing-nicotine>

No authors listed. The Regulation of Nicotine. John Hopkins Bloomberg School of Public Health, 2017. Oct 19, 2017. Available from: <https://www.jhsph.edu/offices-and-services/practice-and-training/news-and-events/the-regulation-of-nicotine.html>

No authors listed. Impact of Exclusive Use of Low Nicotine Cigarettes on Compensatory Smoking. Clinical Trials.gov (NIH and FDA), Sept 2017. Available from: https://clinicaltrials.gov/ct2/show/NCT03311646?sfpd_d=60&lupd_s=09%2F17%2F2017&lupd_d=30

Vail, James. Phase III Study using 22nd Century's SPECTRUM® Research Cigarettes Demonstrates Immediate Reduction to Very Low Nicotine is Most Likely to Lead to Less Harm. Business Wire, 2017. Oct 6, 2017. Available from: <http://www.businesswire.com/news/home/20171006005223/en/Phase-III-Study-22nd-Century%E2%80%99s-SPECTRUM%C2%AE-Research>

Vashi, Neeti. Tobacco Addiction Influenced by Cigarette Nicotine Content. Medical News Bulletin, 2017. Oct 8, 2017. Available from: <https://www.medicalnewsbulletin.com/tobacco-addiction-influenced-cigarette-nicotine-content/>

No authors listed. Smoking Cessation and Nicotine De-addiction Products Market | Analysis & Key Trends 2023. OpenPR, 2017. Sept 14, 2017. Available from: <http://www.openpr.com/news/717383/Smoking-Cessation-and-Nicotine-De-addiction-Products-Market-Analysis-Key-Trends-2023.html>

Eriksen, Michael P. Why lowering nicotine in cigarettes could change the course of health. The Conversation, 2017. Aug 21, 2017. Available from: <https://theconversation.com/why-lowering-nicotine-in-cigarettes-could-change-the-course-of-health-82241>

No authors listed. 22nd century's "non- or minimally-addictive" cigarettes gaining support of leading tobacco scientists around the world. Business Wire, 2017. Mar 30, 2017. Available from:

<http://www.businesswire.com/news/home/20170330005421/en/22nd-Century%E2%80%99s-%E2%80%9CNon--Minimally-Addictive%E2%80%9D-Cigarettes-Gaining-Support>

Young, Sarah. Reducing nicotine in cigarettes could curb smoking addiction, study finds. The Independent, 2017. Aug 25, 2017. Available from: <http://www.independent.co.uk/life-style/nicotine-reduce-cigarettes-smoking-addiction-help-curb-study-uk-a7911716.html>

Edney, Anna and Bjerga, Alan. Tiny Biotech's Tobacco Tinkering Makes It a Rare Winner. Bloomberg, 2017. Aug 5, 2017. Available from: <https://www.bloomberg.com/news/articles/2017-08-04/tiny-biotech-s-tobacco-tinkering-makes-it-smoking-s-rare-winner>

Glantz, S. FDA's "new" nicotine policy: A mixed picture that highlights the importance of local and state action to maintain progress. UCSF Center for Tobacco Control Research and Education, 2017. Available from: <https://tobacco.ucsf.edu/fda%E2%80%99s-%E2%80%9Cnew%E2%80%9D-nicotine-policy-mixed-picture-highlights-importance-local-and-state-action-maintain-progress>

No authors listed. Tobacco Industry Faces Bifurcation Following FDA Proposed Regulation. The Hedge Connection, 2017. Aug 1, 2017. Available from: <http://hedgeconnection.com/blog/?p=8309>

Proctor, Robert N. Taking the Addiction Out of Smoking. The New York Times, 2017. Aug 2, 2017. Available from: <https://www.nytimes.com/2017/08/02/opinion/fda-smoking-nicotine.html?mcubz=1>

Wilts, Alexandra. US proposes cutting nicotine in cigarettes to 'non-addictive' levels. Independent, 2017. Jul 31, 2017. Available from: <http://www.independent.co.uk/news/world/americas/us-politics/us-cigarettes-nicotine-levels-non-addictive-e-cigarettes-vaping-fda-food-drug-administration-deaths-a7869626.html>

Beranac, Nusreta . 7 Facts About Nicotine Free Herbal Cigarettes. Insider Monkey, 2017. July 16, 2017. Available from: <http://www.insidermonkey.com/blog/7-facts-about-nicotine-free-herbal-cigarettes-590781/?singlepage=1>

Edney, Anna and Kaplan, Jennifer. FDA targets cigarettes in broadening of fight against addiction. Bloomberg News, 2017. July 9, 2017. Available from: <https://www.bloomberg.com/news/articles/2017-07-28/fda-looks-to-cut-nicotine-in-cigarettes-to-non-addictive-level>

Gottlieb, Scott. Protecting American Families: Comprehensive Approach to Nicotine and Tobacco. FDA - Food and Drug Administration, 2017. Available from: <https://www.fda.gov/NewsEvents/Speeches/ucm569024.htm>

Koval, Robin. FDA Nicotine Reduction Plan Announced Today Has Promise, But Timeline Puts Young Lives at Risk. Truth Initiative (American Legacy Foundation), 2017. July 28, 2017. Available from: <https://truthinitiative.org/news/fda-nicotine-reduction-plan-announced-today-has-promise-timeline-puts-young-lives-risk>

Krauskopf, Lewis. S&P 500 dented by earnings; Dow hits record high. Reuters, 2017. July 28, 2017. Available from: <http://www.reuters.com/article/us-usa-stocks-idUSKBN1AD1E>

Lachapelle, Tara. Tobacco's Teflon Gets Tested. Bloomberg News, 2017. July 28, 2017. Available from: <https://www.bloomberg.com/gadfly/articles/2017-07-28/fda-cigarette-proposal-tests-teflon-tobacco-stocks>

Myers, Matthew L. New FDA Agenda on Tobacco Has Great Potential to Save Lives, But Devil Is In the Details. Campaign for Tobacco-Free Kids (CTFK), 2017. July 28, 2017. Available from: http://www.tobaccofreekids.org/press_releases/post/2017_07_28_fda

No authors listed. FDA announces comprehensive regulatory plan to shift trajectory of tobacco-related disease, death. FDA - Food and Drug Administration, 2017. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm568923.htm>

No authors listed. FDA's New Plan for Tobacco and Nicotine Regulation. FDA - Food and Drug Administration, 2017. Available from: <https://www.fda.gov/TobaccoProducts/NewsEvents/ucm568425.htm>

No authors listed. Altria Group's Statement on FDA's Tobacco Regulatory Plan. Altria Group, Inc., 2017. July 28, 2017. Available from: <http://www.altria.com/Media/Press-Releases/Pages/PressReleaseDetails.aspx?reqID=2289943>

No authors listed. Big Tobacco smoked after FDA takes aim on cigarette nicotine levels. Reuters, 2017. July 29, 2017. Available from: <http://www.reuters.com/article/big-tobacco-smoked-after-fda-takes-aim-o-idUSL5N1KJ62J>

Craver, Richard. 22nd Century gets FDA authorization for low tar-to-nicotine cigarette clinical trial. Winston-Salem Journal, 2017. May 2, 2017. Available from: http://www.journalnow.com/business/business_news/local/nd-century-gets-fda-authorization-for-low-nicotine-cigarette-clinical/article_cdbbbf4c-0272-589d-8c40-ebf3edb7f04b.html

No authors listed. "Learn How This Plant Biotechnology Company is Reducing the Harm Caused by Cigarette Smoking". Stock News Watch, 2017. Available from: <http://www.stocknewswatch.com/xxii-profile/?gclid=CIONgLSx1tMCFQx7fgod3QsFFA>

Doss, Catherine. UVA researching reduced-nicotine cigarettes, looking for study participants. WSET-TV 13 (Lynchburg, VA), 2017. Available from: <http://wset.com/news/local/uva-researching-reduced-nicotine-cigarettes-looking-for-study-participants>

No authors listed. 22nd century's "non- or minimally-addictive" cigarettes gaining support of leading tobacco scientists around the world. Business Wire, 2017. Mar 30, 2017. Available from: <http://www.businesswire.com/news/home/20170330005421/en/22nd-Century%E2%80%99s-%E2%80%9CNon--Minimally-Addictive%E2%80%9D-Cigarettes-Gaining-Support>

No authors listed. 22nd Century Granted FDA Guidance Meeting for X-22 Smoking Cessation Aid. Business Wire, 2017. Mar 2, 2017. Available from: <http://www.businesswire.com/news/home/20170302005015/en/22nd-Century-Granted-FDA-Guidance-Meeting-X-22>

No authors listed. Turning Point Brands to Host FY2016 Earnings Conference Call. Business Wire, 2017. Mar 1, 2017. Available from:

<http://www.businesswire.com/news/home/20170301005401/en/Turning-Point-Brands-Host-FY2016-Earnings-Conference>

No authors listed. 22nd Century accepted to present proprietary smoking cessation product at BIOCHINA partnering forum in Zhuhai, China. Business Wire, 2017. Apr 25, 2017. Available from: <http://www.businesswire.com/news/home/20170425005978/en/22nd-Century-Accepted-Present-Proprietary-Smoking-Cessation>

No authors listed. New Zealand Study Recommends 22nd Century's VLN cigarettes as an effective tobacco control strategy. Business Wire, 2017. Apr 4, 2017. Available from: <http://www.businesswire.com/news/home/20170404005332/en/Zealand-Study-Recommends-22nd-Century%E2%80%99s-VLN-Cigarettes>

Haag, Andrew and Redington, Tom. FDA provides positive and encouraging feedback for 22nd century's very low nicotine MRTPA filings. Business Wire, 2017. Jan 5, 2017. Available from: <http://www.businesswire.com/news/home/20170105005614/en/FDA-Positive-Encouraging-Feedback-22nd-Century%E2%80%99s-Nicotine>

Rupprecht, LE, Koopmeiners, JS, Dermody, SS, Oliver, JA, al'Absi, M, Benowitz, NL, Denlinger-Apte, R, Drobos, DJ, Hatsukami, D, McClernon, FJ, Pacek, LR, Smith, TT, Sved, AF, Tidey, J, Vandrey, R and Donny, EC. Reducing nicotine exposure results in weight gain in smokers randomised to very low nicotine content cigarettes. Tob Control, 2016. Nov 17, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27856940>

Haag, Andrew and Redington, Tom. 22nd Century's Very Low Nicotine Cigarettes Significantly Reduce Withdrawal and Craving Symptoms in Vulnerable Population Groups. Business Wire, 2016. Oct 20, 2016. Available from: <http://www.businesswire.com/news/home/20161020005415/en/22nd-Century%E2%80%99s-Nicotine-Cigarettes-Significantly-Reduce-Withdrawal>