

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 18A.3 Health effects of various forms of smokeless tobacco

*Last updated December 2024*

#### Research:

Pandya, D, Banerjee, A, Maitra, A, Puttanavar, R, Datta, P, & Mukherji, I. (2024). Prevalence of Oral Potentially Malignant Disorders Among Tobacco Users in Kolkata: A Hospital-Based Study. *Cureus*, 16(10), e72084. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39575055>

Noggle, B, Cheng, H, & Sarkar, M. (2024). Oral Cancer Incidence Among Adult Males With Current or Former Use of Cigarettes or Smokeless Tobacco: Population-Based Study. *JMIR Cancer*, 10, e51936. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39504575>

Zettergren, A, Andersson, N, Pershagen, G, Lindh, C, Georgelis, A, Kull, I et al. (2024). Snus and cardiometabolic health markers among Swedish young adults. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39546376>

Nordstrom, M, Zetterberg, M, Toren, K, Schioler, L, & Holm, M. (2024). The more smoking the more cataract: A study on smoking, snus use and cataract in a Swedish population. *Acta Ophthalmol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39422508>

Das, S, Thakur, S, Cahais, V, Virard, F, Claeys, L, Renard, C et al. (2024). Molecular and cell phenotype programs in oral epithelial cells directed by co-exposure to arsenic and smokeless tobacco. *bioRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39463997>

Dwivedi, P, Lohiya, A, Rizwan, SA, Daniel, RA, Rath, RS, Verma, A et al. (2024). Association of Non-Tobacco Products (NTP) with Oral, Esophageal, and Pharyngeal Cancer and Oral Potentially Malignant Disorders (OPMD) in Adults: A Systematic Review and Meta-Analysis. *Asian Pac J Cancer Prev*, 25(10), 3371-3378. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39471003>

tobaccoinaustralia.org.au

- Gombra, V, Kaur, M, Hasan, S, & Mansoori, S. (2024). Smokeless tobacco- and quid-associated localized lesions of the oral cavity: A cross-sectional study from a dental institute. *Dent Med Probl*, 61(5), 687-696. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39387611>
- Katz, J. (2024). Smokeless Tobacco Keratosis. *N Engl J Med*, 391(15), e32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39404119>
- Mishra, A, Kumar, R, Mishra, SN, Vijayaraghavalu, S, Shukla, GC, & Kumar, M. (2024). Impact of smokeless tobacco on psychological and oxidative stress in unemployed indian youth. *Amino Acids*, 56(1), 59. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39395920>
- Mohandoss, AA, & Thavarajah, R. (2024). Combined Addiction and Neurobiological Targets: An In Silico Analysis of Areca Nut and Areca Nut with Tobacco Biomolecules. *Neuropsychopharmacol Hung*, 26(3), 133-143. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39360488>
- Rumgay, H, Nethan, ST, Shah, R, Vignat, J, Ayo-Yusuf, O, Chaturvedi, P et al (2024). Global burden of oral cancer in 2022 attributable to smokeless tobacco and areca nut consumption: a population attributable fraction analysis. *Lancet Oncol*, 25(11), 1413-1423. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39393386>
- Peng, J, Petersen, AB, Shavlik, D, Xiao, D, Yel, D, Kheam, T, & Singh, PN. (2024). Smoked, smokeless, and poly-tobacco use during pregnancy in relation to infant mortality in Cambodia: Findings from a nationwide sample. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39315292>
- Dutta, S, Paladhi, P, Pal, S, Srimani, S, Bose, G, Ghosh, P et al. (2024). Screening of the Combined Risk of Genetics and Epidemiology on Infertility Among Indian Men: Synergistic Effect of AZFc Partial Deletions and Habits of Smokeless Chewing Tobacco. *Am J Mens Health*, 18(5), 15579883241279195. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39311468>
- Holm, S, Pafitanis, G, Khan, F, & Berner, JE. (2024). Unknown effects of nicotine pouches (snus) in Plastic Surgery: Lessons from a systematic review. *J Plast Reconstr Aesthet Surg*, 98, 34-36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39232369>
- Karambelkar, MV, Varma, S, Suragimath, G, Zope, SA, Mashalkar, VS, & Kale, AV. (2024). Comparative Evaluation of Salivary Cathelicidin and 8-Isoprostane Levels Among Smokeless Tobacco Users and Non-users and Their Correlation With Periodontal Health and Disease: A Cross-Sectional Study. *Cureus*, 16(8), e67646. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39314598>
- Kashyap, P, Mehta, T, Raval, C, Manek, PV, Kewalia, K, Guruprasad, Y, & Arya, S. (2024). Clinical Correlation of Types and Forms of Smokeless Forms of Quid (Tobacco and Arecanut) and Occurrence of Oro Mucosal Lesions: A Cross-Sectional Study. *J Pharm Bioallied Sci*, 16(Suppl 3), S2182-S2184. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39346176>
- Kengadaran, S, & Anusha, D. (2024). Vaginal tobacco - A hidden addiction in the African continent. *J Family Med Prim Care*, 13(8), 3449. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39228553>

- Lien, L, Bolstad, I, & Bramness, JG. (2024). Is smokeless tobacco a healthier option in patients with AUD? A follow-up study during treatment. *Harm Reduct J*, 21(1), 173. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39300439>
- Nikam, SS, Gota, V, Gupta, PC, Puntambekar, N, Singh, A, Chaturvedi, P et al (2024). Variability in addictive and carcinogenic potential of smokeless tobacco products marketed in Mumbai, India: a surveillance study. *Lancet Reg Health Southeast Asia*, 29, 100457. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39258248>
- Bains, KES, Kreyberg, I, Fardig, M, Granum, B, Gudmundsdottir, HK, Haugen, G et al. (2024). Maternal use of snus as smokeless tobacco in pregnancy and infant lung function. *ERJ Open Res*, 10(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38978555>
- Garg, K, Kumar, A, Kizhakkethil, V, Kumar, P, & Singh, S. (2024). Overlap in oncogenic and pro-inflammatory pathways associated with areca nut and nicotine exposure. *Cancer Pathog Ther*, 2(3), 187-194. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39027148>
- Lopez-Cervantes, JP, Schlunssen, V, Senaratna, C, Accordini, S, Callejas, FJ, Franklin, KA et al. (2024). Use of oral moist tobacco (snus) in puberty and its association with asthma in the population-based RHINESSA study. *BMJ Open Respir Res*, 11(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39038916>
- Oliver, BG, & Foster, PS. (2024). To burn or not to burn: similar effects of different types of prenatal tobacco exposure on infant lung function. *ERJ Open Res*, 10(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38978549>
- Waters, TL, Winter, JE, Delvadia, BP, Sherman, WF, & Lee, OC. (2024). Smokeless Tobacco Use is Associated with Worse Outcomes Following Open Tibia Fracture. *Orthop Rev (Pavia)*, 16, 120370. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39040501>
- Thomas, P, Mathew, D, Anisha, K, Ramasubramanian, A, Ramalingam, K, Ramani, P, & Sekar, D. (2024). A Retrospective Analysis of the Clinicopathological Profile of Oral Squamous Cell Carcinoma in Tobacco and Non-tobacco Users: Highlighting the Significance of Chronic Mechanical Irritation. *Cureus*, 16(5), e59953. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38854267>
- Arif Khan, M, Chandra, D, Singh, B, Gowrav, P, Gupta, S, & Rani Roy, T. (2024). Effects of Smokeless Tobacco on Oral Health: A Cross-Sectional Study. *Cureus*, 16(5), e60391. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38882958>
- Khan, MA, Vichayanrat, T, & Ngoenwiwatkul, Y. (2024). The association between smoking and smokeless tobacco use with dental caries among Pakistani patients. *BMC Oral Health*, 24(1), 723. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38915022>
- Sajid, M, Sharma, U, Srivastava, S, Yadav, RK, & Bharadwaj, M. (2024). Microbial community and functions involved in smokeless tobacco product: a metagenomic approach. *Appl Microbiol Biotechnol*, 108(1), 395. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38918238>
- Yadadi, SS, Mohammed, MM, Abdelhakim, AAM, Badrkhan, MH, Emam, AAI, Alshatti, A, & Shetty, RM. (2024). The Prevalence of Smokeless Tobacco Consumption and Its Effects on Gingival and Periodontal Health Among the Adults in the Emirates of Sharjah, UAE - A Cross-Sectional Study. *J*

*Pharm Bioallied Sci*, 16(Suppl 2), S1447-S1452. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38882819>

Chattopadhyay, S, Malayil, L, Chopyk, J, Smyth, E, Kulkarni, P, Raspanti, G et al. (2024). Oral microbiome dysbiosis among cigarette smokers and smokeless tobacco users compared to non-users. *Sci Rep*, 14(1), 10394. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38710815>

Coyle, K, Singh, PK, Kaushik, R, Huque, R, Khan, Z, Mehrotra, R et al. (2024). The Lifetime Health and Economic Burden of Smokeless Tobacco use in Bangladesh, India, and Pakistan: Results From ASTRAMOD. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38715337>

DeShazo, SJ, Crossnoe, RC, Bailey, LC, Rogers, JM, & Naeger, PA. (2024). Non-Tobacco Nicotine Dependence and Rates of Postoperative Complications in Total Knee Arthroplasty: A Propensity-Matched Comparison. *J Am Acad Orthop Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38713764>

Itumalla, R, Khatib, MN, Gaidhane, S, Zahiruddin, QS, Gaidhane, AM, Neyazi, A et al. (2024). Smokeless tobacco consumption among women of reproductive age: a systematic review and meta-analysis. *BMC Public Health*, 24(1), 1361. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38769491>

Oguanobi, NI, Chijioke, CP, Ghasi, SI, Nubila, NI, Nwoke, OC, & Okolo, CC. (2024). Impact of Smokeless Tobacco on Cardiovascular Disease Risk in a Nigerian Metropolitan City. *Cardiovasc Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38709447>

Quadri, MFA, Kamel, AM, Nayeem, M, John, T, Thacheril, A, Tartaglia, G, & Tadakamadla, S. (2024). Smokeless tobacco and periodontitis: A systematic review with meta-analysis. *J Periodontal Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38757716>

Agarwal, N, Shaikh, MN, Banu, A, & Ahuja, P. (2024). Repercussions of Smokeless Tobacco on Buccal Mucosa: A Community Based Observational Study at a Tertiary Care Centre in Western Rajasthan. *Indian J Otolaryngol Head Neck Surg*, 76(2), 1891-1897. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38566678>

Huque, R, Abdullah, SM, Ahmed, S, Hossain, N, Islam, F, Sarker, MAB et al. (2024). Is smokeless tobacco use associated with lower health-related quality of life? A cross-sectional survey among women in Bangladesh. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38586495>

Kaabi, HH. (2024). Smokeless tobacco keratosis in oral mucosa with epithelial dysplasia: A case report. *Medicine (Baltimore)*, 103(15), e37771. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38608125>

Kathuria, NS, Patel, SK, Kaur, M, Garg, R, Sidhu, A, & Sharma, P. (2024). A Study to Assess Biochemical Profile of Tobacco Chewers with Chewing Habit Over a Period of 10 Years. *J Pharm Bioallied Sci*, 16(Suppl 1), S942-S944. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38595532>

Nimbal, A, Ahirrao, B, Vishwakarma, A, Vishwakarma, P, Wani, AB, & Patil, AA. (2024). Comparative evaluation of GSH, total protein and albumin levels in patients using smokeless tobacco with oral

precancerous and cancerous lesions. *Med Int (Lond)*, 4(2), 15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38476986>

Winter, JE, Budin, JS, Delvadia, BP, Cole, MW, Waters, TL, Schiff, AP, & Sherman, WF. (2024). Association of Smokeless Tobacco and Complications Following Ankle and Hindfoot Arthrodesis. *Foot Ankle Int*, 10711007241238213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38529955>

Gil, GF, Anderson, JA, Aravkin, A, Bhangdia, K, Carr, S, Dai, X et al. (2024). Health effects associated with chewing tobacco: a Burden of Proof study. *Nat Commun*, 15(1), 1082. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38316758>

Alharbi, F, Alsaedi, H, Alharbi, NS, Alharbi, R, Alharbi, H, Alazmi, A, & Alghamdi, F. (2023). Awareness of Oral Cancer Among Users of Smokeless Tobacco: A Cross-Sectional Study. *Cureus*, 15(12), e50404. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38213365>

Nordenstam, F, Norman, M, Caidahl, K, & Wickstrom, R. (2024). Arterial Stiffness and Carotid Intima-Media Thickness in Children Exposed to Smokeless Tobacco in Fetal Life. *J Am Heart Assoc*, 13(2), e9128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38214274>

Sawane, H, Rajpurohit, L, Sonawane, S, Kharat, P, & Mathur, A. (2023). Smokeless Tobacco Use and Its Association with Type 2 Diabetes: A Case Control Study. *Asian Pac J Cancer Prev*, 24(12), 4209-4217. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38156856>

Arakeri, G, Vishal Rao, US, Patil, S, Patil, S, Krishnamurthy, M, Krishnan, M, & Brennan, P. A. (2023). Evaluation of fluoride levels in areca nut, tobacco, and commercial smokeless tobacco products: a pilot study. *Br J Oral Maxillofac Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38092568>

Gomez, F, Ayo-Yusuf, O, Yershova, K, Jain, V, Alcheva, A, Hatsukami, DK et al. (2023). Heterogeneity of Harmful Constituent Profiles in Smokeless Tobacco Products from Five African Countries. *Chem Res Toxicol*, 36(12), 1901-1911. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38051542>

Keyser, BM, Flockton, H, Weidman, RA, Payne, R, Rowe, J, & Jordan, KG. (2023). In vitro Permeation of Nicotine and Tobacco Specific Nitrosamines from Smokeless Tobacco Product Extracts in a 3D Buccal Tissue Model. *Toxicol Lett*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38142871>

Nimbal, AV, Kharkar, SP, Vishwakarma, AP, Patil, AA, Patil, SS, & Patil, RA. (2023). Comparative Analysis of Dentition and Periodontal Status in Patients With Unilateral Smokeless Tobacco Pouch Keratosis. *Cureus*, 15(11), e48923. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38111421>

Read, D, Cope, E, & Taylor, L. (2023). Nicotine dependence in elite sport. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38123180>

Shahid, M, Srivastava, S, Shukla, P, Yadav, R, Sajid, M, Kumar, A et al. (2023). Characterization of physiochemical parameters & their effect on microbial content of smokeless tobacco products marketed in north India. *Indian J Med Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38088421>

Stanfill, SB, Hecht, SS, Joerger, AC, Gonzalez, PJ, Maia, LB, Rivas, MG et al. (2023). From cultivation to cancer: formation of N-nitrosamines and other carcinogens in smokeless tobacco and their mutagenic implications. *Crit Rev Toxicol*, 53(10), 658-701. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38050998>

Gupta, B, Gupta, A, Singh, N, Bhushan Singh, R, & Gupta, V. (2023). Occurrence of Oral Premalignant Lesions Among Tobacco Users in a Tribal Population: A Systematic Review and Meta-Analysis. *Cureus*, 15(10), e47162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38022083>

Jain, K, Gakhar, R, Bhatia, S, Manjunatha, BS, Jindal, D, & Jindal, V. (2023). Comparison of salivary flow rate and pH between healthy subjects and tobacco and areca nut chewers. *J Oral Maxillofac Pathol*, 27(3), 599. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38033965>

Mukherjee, A, Ferrao, T, Spadigam, AE, & Dhupar, A. (2023). Oral Epithelial Dysplasia in Tobacco Non-habitues: A Case Report and Review of Literature. *Cureus*, 15(10), e47362. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38022123>

Ravi, K, Kaur, T, Khan, AS, Pope, B, Nguyen, KY, Muralidhar, K et al (2023). Oral Human Papillomavirus Infection among Smokeless Tobacco-using Tribal Women in Mysuru, India. *Indian J Community Med*, 48(5), 775-780. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37970149>

Sarker, MHR, Moriyama, M, Sujon, H, Rahman, MM, Banu, S, Chisti, MJ et al. (2023). Smokeless tobacco consumption and its association with risk factors of chronic kidney disease in rural and peri-urban Bangladesh. *Tob Induc Dis*, 21, 138. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37869615>

Suvarna, R, Rao, PK, Poonja, PA, Rai, D, Kini, R, & Meghana, HC. (2023). Salivary superoxide dismutase activity in smokeless tobacco consumers and non-consumers: A biochemical study. *J Cancer Res Ther*, 19(5), 1359-1364. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37787309>

Sawane, HB, & Shetiya, SH. (2023). Smokeless Tobacco as a Risk Factor for Type 2 Diabetes Mellitus in South East Asia Region: Systematic Review and Meta-Analysis. *Indian J Community Med*, 48(4), 579-587. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37662127>

Sayed, ME, Jain, S, Jokhadar, HF, Alshahrani, AA, AlResayes, SS, Alqahtani, SM et al. (2023). Effect of smokeless tobacco on color stability and surface roughness of CAD/CAM milled, 3D printed, and conventional provisional crown and fixed dental prosthesis materials: An in vitro study. *Technol Health Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37694329>

Petruzzelli, CJ, Varano, A, Desrosiers, A, Hossler, EW, & Mowad, CM. (2023). Smokeless tobacco keratosis. *Dermatol Online J*, 29(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37591270>

Tian, Y, Zhao, L, Pan, Y, Li, Z, Shen, X, Zhang, X et al (2023). The volatile release evaluation of nicotine from snus products under different storage conditions based on surface-enhanced Raman spectroscopy technology. *RSC Adv*, 13(33), 23130-23137. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37533785>



Vishwakarma, A, & Verma, D. (2023). Smokeless Tobacco Harbors Bacteria Involved in Biofilm Formation as Well as Salt and Heavy Metal Tolerance Activity. *Appl Biochem Biotechnol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37610514>

Ahmad, I, Binmadi, N, Afridi, SG, Aljohani, S, Shah, I, Saidal, A, & Shahzad, M. (2023). Salivary Oxidative Stress and Antioxidant Capacity in Smokeless Tobacco (Naswar) Users. *Clin Cosmet Investig Dent*, 15, 121-132. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37465099>

Alrashdan, MS. (2023). To biopsy or not to biopsy, the smokeless tobacco keratosis dilemma. *Oral Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37448238>

Sharma, MK, Srivastav, VK, Joshi, CK, Kumar, M, & Bhat, KM. (2022). Metagenomic analysis of oral microbiota among oral cancer patients and tobacco chewers in Rajasthan, India. *Bioinformatics*, 18(9), 757-763. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37426511>

Valen, H, Becher, R, Vist, GE, Holme, JA, Mdala, I, Elvsaas, IO et al. (2023). A systematic review of cancer risk among users of smokeless tobacco (Swedish snus) exclusively, compared with no use of tobacco. *Int J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37480210>

Warnakulasuriya, S. (2023). Management of oral smokeless tobacco keratosis-An opinion. *Oral Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37455398>

Patil, AP, & Yogeshkumar, S. (2023). Tobacco use and Oral Premalignant Lesions among Auto-Rickshaw Drivers in Belagavi, North Karnataka. *Indian J Occup Environ Med*, 27(1), 79-83. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37303986>

Gocer, K, Ozturk, B, Kaniyolu, M, & Tekinalp, M. (2023). Effect of Smokeless Tobacco (Maras Powder) on the Epicardial Fat Thickness and Ventricular Repolarization Parameters. *Medicina (Kaunas)*, 59(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37374331>

Nasir, SM, Sultana, T, Hashmi, S, & Ahmed, M. (2023). Patterns and predictors of periodontal disease and tooth loss among users of smokeless tobacco. *BMC Oral Health*, 23(1), 428. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37370042>

Shaashi Uday, H, Pethagounder Thangavelu, R, Rajaram Mohan, K, Fenn, SM, & Appusamy, K. (2023). Evaluation of Nicotine Dependence Among Smokeless Tobacco Users Using the Fagerstrom Nicotine Dependence Scale for Smokeless Tobacco. *Cureus*, 15(5), e38639. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37288236>

Tiwari, T, & Nagar, K. (2023). Smokeless Tobacco and Current Preoperative Fasting Guidelines, Time to Find the Missing Link. *Adv Biomed Res*, 12, 111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37288033>

Waters, TL, Collins, LK, Cole, MW, Medvedev, G, Lee, OC, Salas, Z, & Sherman, WF. (2023). The Snuffbox: The Effect of Smokeless Tobacco Use on Scaphoid Fracture Healing. *J Am Acad Orthop Surg*. doi:10.5435/JAAOS-D-23-00188 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37311425>

Waters, TL, Collins, LK, Cole, MW, Springer, BD, Salas, Z, & Sherman, WF. (2023). Smokeless Tobacco Use is Associated with Worse Medical and Surgical Outcomes Following Total Hip Arthroplasty. *J Arthroplasty*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37271231>

Wachsmann, S, Nordeman, L, Billhult, A, & Rembeck, G. (2023). Tobacco impact on quality of life, a cross-sectional study of smokers, snuff-users and non-users of tobacco. *BMC Public Health*, 23(1), 886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37189128>

Wu, J, Olsson, T, Hillert, J, Alfredsson, L, & Hedstrom, AK. (2023). Influence of oral tobacco versus smoking on multiple sclerosis disease activity and progression. *J Neurol Neurosurg Psychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37001984>

Alaws, H, Aggarwal, T, Ahmad, HR, & Hatoum, CA. (2023). The Association Between Smokeless Tobacco and a Lung Mass in a Healthy Young Male. *Cureus*, 15(3), e36467. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37090323>

Athar, S, Arora, SA, Kalsi, R, Saurav, K, Arora, V, & Baro, K. (2022). Prevalence of periodontitis and its association with smokeless tobacco (SLT) Use amongst the adult population of Greater Noida, India - A cross-sectional study. *Indian J Dent Res*, 33(4), 397-401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37006004>

Cole, MW, Collins, LK, Waters, TL, Salas, Z, Sherman, WF, & Cyriac, M. (2023). Put Down the Tin: Chewing Tobacco Use Is Associated With Worse Outcomes After Primary Lumbar Fusion. *Clin Spine Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37053116>

Habiba, U, Moaaz Bin Sultan, SM, & Waseem, R. (2023). Nicotine Pouches: A Guilt-Free addiction path? *J Pak Med Assoc*, 73(4), 948. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37052027>

Jha, A, Verma, A, & Priya, C. (2023). Effects of chewing tobacco on corneal endothelium in patients with diabetes mellitus. *Eye (Lond)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37072470>

Mandal, A, Talukdar, D, Das, A, Giri, A, Barhoi, D, & Giri, S. (2023). Areca nut and smokeless tobacco exposure induces micronucleus, other nuclear abnormalities and cytotoxicity in early chick embryo. *Birth Defects Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37078627>

Pedroso, CM, Normando, AGC, Siracusa, CS, Lauby-Secretan, B, Nethan, ST, Tomasi, RA et al. (2023). Pan-American prevalence of smokeless tobacco use and association with oral potentially malignant disorders and head and neck cancer: a systematic review and meta-analysis. *Oral Surg Oral Med Oral Pathol Oral Radiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37076380>

Sami, A, Elimairi, I, Ryan, CA, Stanton, C, Patangia, D, & Ross, RP. (2023). Altered oral microbiome in Sudanese Toombak smokeless tobacco users carries a newly emerging risk of squamous cell carcinoma development and progression. *Sci Rep*, 13(1), 6645. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37095112>

Jorvekar, SB, Jala, A, Rai, A, Jangili, S, Adla, D, Borkar, G et al. (2023). Urinary Metabolomics Identified Metabolic Perturbations Associated with Gutka, a Smokeless Form of Tobacco. *Chem Res Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36976269>

Sajid, M, Srivastava, S, Yadav, RK, Joshi, L, & Bharadwaj, M. (2023). Fungal Community Composition and Function Associated with Loose Smokeless Tobacco Products. *Curr Microbiol*, 80(4), 131. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36976269>



Ohara, H, Ito, S, & Takanami, Y. (2023). Binary classification of users of electronic cigarettes and smokeless tobacco through biomarkers to assess similarity with current and former smokers: machine learning applied to the population assessment of tobacco and health study. *BMC Public Health*, 23(1), 589. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36991369>

Al-Rawi, NH, Rizvi, Z, Mkadmi, S, Abu Kou, R, Elmabrouk, N, Alrashdan, MS, & Koippallil Gopalakrishnan, AR. (2023). Differential Expression Profile of Salivary oncomiRNAs among Smokeless Tobacco Users. *Eur J Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36812928>

Kopperud, SE, Ansteinsson, V, Mdala, I, Becher, R, & Valen, H. (2023). Oral lesions associated with daily use of snus, a moist smokeless tobacco product. A cross-sectional study among Norwegian adolescents. *Acta Odontol Scand*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36799465>

Malvania, EA, Parikh, SJ, Pathak, V, Nayi, PB, Gandhi, TA, & Patel, NN. (2023). Association of Clinical Staging of OSMF with Habit of Smokeless Tobacco Consumption - Hospital Based Cross Sectional Study. *Gulf J Oncolog*, 1(41), 72-77. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36804162>

Sami, A, Elimairi, I, Anthony Ryan, C, Paul Ross, R, & Stanton, C. (2023). Sudanese Toombak smokeless tobacco users harbour significantly altered long-term cortisol body production. *Steroids*, 193, 109189. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36738817>

Simba, H, Menya, D, Mmbaga, BT, Dzamalala, C, Finch, P, Mlombe, Y et al. (2023). The contribution of smoking and smokeless tobacco to oesophageal squamous cell carcinoma risk in the African oesophageal cancer corridor: Results from the ESCCAPE multicentre case-control studies. *Int J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36733225>

Waters, TL, Collins, LK, Cole, MW, Salas, Z, Springer, BD, & Sherman, WF. (2023). Smokeless Tobacco Use is Associated With Worse Outcomes Following Total Knee Arthroplasty. *J Arthroplasty*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36731583>

Gunnerbeck, A, Lundholm, C, Rhedin, S, Mitha, A, Chen, R, D'Onofrio, BM, & Almqvist, C. (2023). Association of maternal snuff use and smoking with Sudden Infant Death Syndrome: a national register study. *Pediatr Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36755185>

Titova, OE, Baron, JA, Fall, T, Michaelsson, K, & Larsson, SC. (2023). Swedish Snuff (Snus), Cigarette Smoking, and Risk of Type 2 Diabetes. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36754744>

Kaur, J, Rinkoo, AV, & Richardson, S. (2023). Trends in smokeless tobacco use and attributable mortality and morbidity in the South-East Asia Region: implications for policy. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36596709>

Sawant, S, Dugad, J, Parikh, D, Srinivasan, S, & Singh, H. (2023). Oral Microbial Signatures of Tobacco Chewers and Oral Cancer Patients in India. *Pathogens*, 12(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36678424>

- Van't Hof, JR, Wang, W, Matsushita, K, Heiss, G, Folsom, AR, Widome, R, & Lutsey, PL. (2023). Association of Smokeless Tobacco Use With Incident Peripheral Artery Disease: Results From the Atherosclerotic Risk in Communities Study. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36682917>
- Bongongo, T, Jeewa, Y, Nzaumvila, DK, & Govender, I. (2022). Awareness of health risks associated with smokeless tobacco use among users in Pretoria. *S Afr Fam Pract (2004)*, 64(1), e1-e6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36453800>
- Brinchmann, BC, Vist, GE, Becher, R, Grimsrud, TK, Elvsaa, IO, Underland, V et al. (2022). Use of Swedish smokeless tobacco during pregnancy: a systematic review of pregnancy and early life health risk. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36524899>
- Constance Wiener, R. (2022). Smokeless tobacco use and dental care utilization, using a National dataset. *Addict Behav Rep*, 16, 100472. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36479154>
- Mushtaq, N, Sarwar, Z, Kouplen, K, Ahmed, R, & Beebe, LA. (2022). Association of Cardiovascular Disease Risk Factors with Exclusive Smokeless Tobacco Use among US Males: Cross-Sectional Analysis of NHANES Data 2003-2018. *Am J Health Promot*, 8901171221141980. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36535915>
- Vidya, GS, Bhatt, G, Kathiresan, J, Rai, S, Verma, M, & Goel, S. (2022). Predictors of hypertension among current smokeless tobacco users in India; analysis from the fourth round of National Family Health Survey (2015-2016). *J Family Med Prim Care*, 11(9), 5785-5791. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36505658>
- Vishwakarma, A, Srivastava, A, Mishra, S, & Verma, D. (2022). Taxonomic and functional profiling of Indian smokeless tobacco bacteriome uncovers several bacterial-derived risks to human health. *World J Microbiol Biotechnol*, 39(1), 20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36409379>
- Skogsdal, Y, Karlsson, J, Tyden, T, Patil, S, & Backman, H. (2022). The association of smoking, use of snuff, and preconception alcohol consumption with spontaneous abortion: A population-based cohort study. *Acta Obstet Gynecol Scand*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36222196>
- Gupta, AK, Kanaan, M, Siddiqi, K, Sinha, DN, & Mehrotra, R. (2022). Oral Cancer Risk Assessment for Different Type of Smokeless Tobacco Products Sold Worldwide: A Review of Reviews and Meta-analyses. *Cancer Prev Res (Phila)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36095092>
- Lund, L, Bast, LS, Rubaek, M, & Andersen, S. (2022). Exploring factors associated with smokeless tobacco use among young people: A systematic scoping review. *Drug Alcohol Depend*, 240, 109627. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36167002>
- Karuveetil, V, Ramanarayanan, V, Fernandez, R, Green, H, Sanjeevan, V, & Janakiram, C. (2022). Exploring the perceived sociocultural factors in the initiation of smokeless tobacco among adolescents: a qualitative systematic review protocol. *JBI Evid Synth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35997324>

Li, Y, & Hecht, SS. (2022). Mass Spectrometric Quantitation of N'-Nitrosornicotine-1N-oxide in the Urine of Cigarette Smokers and Smokeless Tobacco Users. *Chem Res Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36006857>

Miluna, S, Melderis, R, Briuka, L, Skadins, I, Broks, R, Kroica, J, & Rostoka, D. (2022). The Correlation of Swedish Snus, Nicotine Pouches and Other Tobacco Products with Oral Mucosal Health and Salivary Biomarkers. *Dent J (Basel)*, 10(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36005252>

Nighbor, T, Meredith, S, Salazar, E, Cartagena, C, Koszowski, B, Pickworth, WB, & Hull, L. C. (2022). A Comparison of Use Topography and Nicotine Pharmacokinetics Among Loose and Portioned Smokeless Tobacco Users. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35965261>

Tjora, T, Skogen, JC, & Sivertsen, B. (2022). Establishing the association between snus use and mental health problems: A study of Norwegian college and university students. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36037069>

Edstorp, J, Wei, Y, Ahlqvist, E, Alfredsson, L, Grill, V, Groop, L et al. (2022). Smoking, use of smokeless tobacco, HLA genotypes and incidence of latent autoimmune diabetes in adults. *Diabetologia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35900371>

Alizadehgharib, S, Lehrkinder, A, Alshabeeb, A, Ostberg, AK, & Lingstrom, P. (2022). The effect of a non-tobacco-based nicotine pouch on mucosal lesions caused by Swedish smokeless tobacco (snus). *Eur J Oral Sci*, (4), e12885. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35853092>

Iqbal, N, Sheikh, MDA, Riaz, SU, Irfan, M, Awan, S, Khan, MW et al. (2022). Differences in gender perception of smokeless tobacco. *Int J Tuberc Lung Dis*, 26(8), 795-797. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35898143>

Yuan, S, Titova, OE, Damrauer, SM, Akesson, A, & Larsson, SC. (2022). Swedish snuff (snus) dipping, cigarette smoking, and risk of peripheral artery disease: a prospective cohort study. *Sci Rep*, 12(1), 12139. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35840660>

Kimblad, A, Ollvik, G, Lindh, CH, & Axelsson, J. (2022). Decreased sperm counts in Swedish users of oral tobacco. *Andrology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35642735>

Lin, HJ, Wang, XL, Tian, MY, Li, XL, & Tan, HZ. (2022). Betel quid chewing and oral potential malignant disorders and the impact of smoking and drinking: A meta-analysis. *World J Clin Cases*, 10(10), 3131-3142. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35647119>

Doddawad, VG, Shivananda, S, Paul, NJ & Chandrakala, J. (2022). Dental caries: Impact of tobacco product among tobacco chewers and tobacco smokers. *J Oral Biol Craniofac Res*, 12(3), 401-404. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35615340>

Saxena, S., Singh, P. K., Singh, L., Kashyap, S., & Singh, S. (2022). Smokeless Tobacco Use and Public Health Nutrition: A Global Systematic Review. *Public Health Nutr*, 1-31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35618706>

Shukla, A., Tikka, S. K., Singh, L. K., Arora, R., Singh, S., Mahant, S., . . . Verma, S. (2022). Impact of cancer diagnosis on use of smokeless tobacco: A descriptive study of patient-relative dyads. *Indian J Psychiatry*, 64(2), 192-198. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35494335>

Srivastava, A., Mishra, S., Garg, P. K., Dubey, A. K., Deo, S. V. S., & Verma, D. (2022). Comparative and analytical characterization of the oral bacteriome of smokeless tobacco users with oral squamous cell carcinoma. *Appl Microbiol Biotechnol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35596785>

Elkhalifa, AME, Ali, NY, Tamomh, AG., Tabash, MI, Mustafa, ETA, Mohammed, ZAK & Ahamed, NAS. (2022). Influence of Oral Dipping Tombak Smokeless Tobacco on Coagulation Profile and Platelet Counts. *Hematol Rep*, 14(2), 126-134. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35466183>

Rao, SS, Agadi, R, Shetty, S, Rao, R & Shenoy, RD. (2022). Smokeless Tobacco Exposure and Fetal Iron Status: An Analytical Study. *Indian J Community Med*, 47(1), 87-91. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35466183>

Saxena, R, Prasoodanan, PKV, Gupta, SV, Gupta, S, Waiker, P, Samaiya, A et al. (2022). Assessing the Effect of Smokeless Tobacco Consumption on Oral Microbiome in Healthy and Oral Cancer Patients. *Front Cell Infect Microbiol*, 12, 841465. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35433507>

Alamgir, MM, Jamal, Q, & Mirza, T. (2022). Gene-gene and gene-environment interaction: An important predictor of oral cancer among smokeless tobacco users in Karachi. *J Pak Med Assoc*, 72(3), 477-482. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35320228>

Binmadi, N, Harere, L, Mattar, A, Aljohani, S, Alhindi, N, Ali, S, & Almazrooa, S. (2022). Oral lesions associated with smokeless tobacco users in Saudi Arabia: Single center cross-sectional study. *Saudi Dent J*, 34(2), 114-120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35241900>

Laldinsangi, C. (2022). Toxic effects of smokeless tobacco on female reproductive health: A review. *Curr Res Toxicol*, 3, 100066. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35310558>

Naik, SS, Nayak, A, Kotrashetti, V, & Bhatt, A. (2022). Comparative assessment of exfoliated gingival cells in healthy individuals and chronic periodontitis patients with and without tobacco chewing habit: A cytormorphometric study. *J Indian Soc Periodontol*, 26(2), 117-122. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35321291>

Noh, JW, Kim, MH, Lee, Y, Kwon, YD, Kim, KB, Lee, HJ, & Yoo, KB. (2022). Association between smokeless tobacco use and cigarette smoking amount by age. *BMC Public Health*, 22(1), 505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35292000>

Pluym, N, Scherer, G, Edmiston, JS, Jin, XC, Sarkar, M, & Scherer, M. (2022). Assessment of the Exposure to NNN in the Plasma of Smokeless Tobacco Users. *Chem Res Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35298127>

Singh, PK, Dubey, R, Singh, L, Singh, N, Kumar, C, Kashyap, S et al. (2022). Mixed Effect of Alcohol, Smoking, and Smokeless Tobacco Use on Hypertension among Adult Population in India: A

Nationally Representative Cross-Sectional Study. *Int J Environ Res Public Health*, 19(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35328927>

Singh, PK, Jain, P, Singh, N, Singh, L, & Singh, S. (2022). Smokeless Tobacco Use among Pregnant Women in India: The Tale of Two Nationally Representative Surveys. *Asian Pac J Cancer Prev*, 23(2), 389-392. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35225448>

Thawal, VP, Tzelepis, F, Ahmadi, S, Palazzi, K, & Paul, C. (2022). Addiction perceptions among users of smokeless or combustible tobacco attending a tertiary care hospital in India. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35238094>

Nahhas, GJ, Cummings, KM, Halenar, MJ, Sharma, E, Alberg, AJ, Hatuskami, D et al. (2022). Smokeless Tobacco Use and Prevalence of Cardiovascular Disease Among Males in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1-4. *Prev Med Rep*, 25, 101650. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35127346>

Devadoss, S, Raveendranath, MC, Kathiresan, TS, & Ganesan, K. (2021). Genotoxic Effect of Various forms of Tobacco on Oral Buccal Mucosa and Nuclear Changes as a biomarker. *J Pharm Bioallied Sci*, 13(Suppl 2), S1141-S1148. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35017946>

Hecht, SS, & Hatuskami, DK. (2022). Smokeless tobacco and cigarette smoking: chemical mechanisms and cancer prevention. *Nat Rev Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34980891>

Rezk-Hanna, M, Warda, US, Stokes, AC, Fetterman, J, Li, J, Macey, PM et al. (2022). Associations of Smokeless Tobacco Use With Cardiovascular Disease Risk: Insights From the Population Assessment of Tobacco and Health Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34999825>

Sajid, M, Srivastava, S, Kumar, A, Kumar, A, Singh, H, & Bharadwaj, M. (2021). Bacteriome of Moist Smokeless Tobacco Products Consumed in India With Emphasis on the Predictive Functional Potential. *Front Microbiol*, 12, 784841. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35003015>

Madley-Dowd, P, Lundberg, M, Heron, J, Zammit, S, Ahlqvist, VH, Magnusson, C, & Rai, D. (2022). Maternal smoking and smokeless tobacco use during pregnancy and offspring development: sibling analysis in an intergenerational Swedish cohort. *Int J Epidemiol*, 50(6), 1840-1851. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34999852>

Keyser, BM. (2021). Cytotoxicity, oxidative stress, and inflammatory response of smokeless tobacco extracts and cytotoxicity of combustible cigarette whole smoke in a 3D oral organotypic buccal cell model. *Toxicol Mech Methods*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34923904>

Hajat, C, Stein, E, Ramstrom, L, Shantikumar, S, & Polosa, R. (2021). The health impact of smokeless tobacco products: a systematic review. *Harm Reduct J*, 18(1), 123. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34863207>

Mishra, VK, Srivastava, S, T, M, & Murthy, PV. (2021). Population attributable risk for multimorbidity among adult women in India: Do smoking tobacco, chewing tobacco and consuming alcohol make a

difference? *PLoS One*, 16(11), e0259578. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34731220>

Guezguez, F, Abdelwaheb, M, Anane, I, Rekik, S, Saguem, S, Charfeddine, B, & Rouatbi, S. (2021). Chemical characteristics and cancer risk assessment of smokeless tobacco used in Tunisia (neffa). *Pan Afr Med J*, 40, 45. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34795826>

Mesaik, MA, Jabeen, A, Saeed, M, Zaheer, U-H, Ahmed, IE, Ibrahim, Y et al. (2021). Effects of Smokeless Tobacco Samples from Tabuk Saudi Arabia on Nitric Oxide Production: A Potential Risk for Cancer and Cardiovascular Diseases. *Curr Comput Aided Drug Des*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34792014>

Wilhelm, J, Mishina, E, Viray, L, Paredes, A, & Pickworth, WB. (2021). The pH of Smokeless Tobacco Determines Nicotine Buccal Absorption: Results of a Randomized Crossover Trial. *Clin Pharmacol Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34826137>

Wallen, J. Experts warn smokeless tobacco is fuelling an epidemic of oral cancer across Asia. *The Telegraph*, 2021. Nov 16, 2021. Retrieved from <https://www.telegraph.co.uk/global-health/climate-and-people/experts-warn-smokeless-tobacco-fuelling-epidemic-oral-cancer/>

Park, S, & Lee, KS. (2021). Association of heated tobacco product use and secondhand smoke exposure with suicidal ideation, suicide plans and suicide attempts among Korean adolescents: A 2019 national survey. *Tob Induc Dis*, 19, 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34602935>

Acharya, S, Singh, S, & Bhatia, SK. (2021). Association between Smokeless Tobacco and risk of malignant and premalignant conditions of oral cavity: A systematic review of Indian literature. *J Oral Maxillofac Pathol*, 25(2), 371. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34703140>

Lee, CY, Wang, WH, Lee, CH, & Ho, MC. (2021). Betel Quid Dependence Effects on Working Memory and Remote Memory in Chewers with Concurrent Use of Cigarette and Alcohol. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34678114>

Mehta, A, Ramanarayanan, V, Karuveetil, V, & Janakiram, C. (2021). Association between Smokeless Tobacco Use and Risk of Periodontitis in Asian Countries: A Systematic Review and Meta-Analysis. *Asian Pac J Cancer Prev*, 22(10), 3061-3074. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34710980>

Basavarajappa, S, & Shahira. (2020). Do the Renal Function Parameters of Serum and Salivary Urea and Creatinine Alter in Smokeless Tobacco Chewers? A Case-Control Study. *J Contemp Dent Pract*, 21(11), 1222-1228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34463293>

Sawant, S, Dugad, J, Parikh, D, Srinivasan, S, & Singh, H. (2021). Identification & correlation of bacterial diversity in oral cancer and long-term tobacco chewers- A case-control pilot study. *J Med Microbiol*, 70(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34553683>

Gopinath, D, Wie, CC, Banerjee, M, Thangavelu, L, Kumar, RP, Nallaswamy, D et al. (2021). Compositional profile of mucosal bacteriome of smokers and smokeless tobacco users. *Clin Oral Invest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34436669>



- McKinney, R, & Olmo, H. (2021). Pathologic Manifestations Of Smokeless Tobacco. In *StatPearls*. Treasure Island (FL). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34424631>
- Mu, G, Wang, J, Liu, Z, Zhang, H, Zhou, S, Xiang, Q, & Cui, Y. (2021). Association between smokeless tobacco use and oral cavity cancer risk in women compared with men: a systematic review and meta-analysis. *BMC Cancer*, 21(1), 960. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34452595>
- Vishwakarma, A, & Verma, D. (2021). Microorganisms: crucial players of smokeless tobacco for several health attributes. *Appl Microbiol Biotechnol*, 105(16-17), 6123-6132. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34331556>
- Anand, PS, Mishra, S, Nagle, D, Kamath, NP, Kamath, KP, & Anil, S. (2021). Patterns of Periodontal Destruction among Smokeless Tobacco Users in a Central Indian Population. *Healthcare (Basel)*, 9(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34204533>
- Kumar, SN, Bastia, B, Borgohain, D, Agrawal, U, Raisuddin, S, & Jain, AK. (2021). Structural changes, increased hypoxia, and oxidative DNA damage in placenta due to maternal smokeless tobacco use. *Birth Defects Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34288583>
- Memon, SM, Kumar, N, Rahman, AAU, & Syed, BM. (2021). Evaluation of C-reactive protein and hematological parameters in smokeless tobacco users: A comparative cross-sectional study. *Pak J Med Sci*, 37(4), 983-987. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34290770>
- Gao, X, Deming, NJ, & Cavalier, AN. (2021). Letter to the Editor: Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 12(2), 282-283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34178410>
- Guan, S, Bush, L, Jitnarin, N., Poston, W. S. C., Jahnke, S. A., Haddock, C. K., & Kelley, H. N. (2021). The Author Response: Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 12(2), 284-285. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34155520>
- Jitnarin, N, Poston, WSC, Jahnke, SA, Haddock, CK, & Kelley, HN. (2021). The Author Response: Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 12(2), 284-285. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34178411>
- Moorpani, P, Qazi, FUR, Jat, SA, Akhtar, H, Aziz, M, & Shah, M. (2021). Comparison of gingival biotype in smokeless tobacco users (Gutka and Paan) and non-tobacco users. *J Pak Med Assoc*, 71(6), 1561-1565. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34111072>
- Nikam, KS, Wingkar, KC, Joshi, RK, & Kallur, RK. (2020). Correlation between cotinine urinary levels & cardiovascular autonomic function tests among smokeless tobacco chewers: A cross-sectional study. *Indian J Med Res*, 152(6), 633-637. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34145103>
- Rivera, AJ, & Tyx, RE. (2021). Microbiology of the American Smokeless Tobacco. *Appl Microbiol Biotechnol*, 105(12), 4843-4853. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34110473>

Sajid, M, Srivastava, S, Joshi, L, & Bharadwaj, M. (2021). Impact of smokeless tobacco-associated bacteriome in oral carcinogenesis. *Anaerobe*, 70, 102400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34090995>

Hemminki, K, Forsti, A, Hemminki, A, Ljungberg, B, & Hemminki, O. (2021). Incidence trends in bladder and lung cancers between Denmark, Finland and Sweden may implicate oral tobacco (snuff/snus) as a possible risk factor. *BMC Cancer*, 21(1), 604. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34034676>

Panta, P, Dhopathi, SR, Gilligan, G, & Seshadri, M. (2021). Invasive oral squamous cell carcinoma induced by concurrent smokeless tobacco and creamy snuff use: A case report. *Oral Oncol*, 105354. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34023217>

Santoshi, CK, Kumar, JV, Bhagirath, PV, Vinay, BH, & Prakash, YJ. (2020). Morphometric analysis of basal cells of oral epithelium in predicting malignant transformation of oral potentially malignant disorders in patients with tobacco chewing habit. *J Oral Maxillofac Pathol*, 24(3), 579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33967506>

Wang, X, Qin, Y, Nie, C, Guo, J, Pan, L, Xie, F et al (2021). Smokeless tobacco analysis: Simultaneous extraction and purification of alkaloids, volatile N-nitrosamines, and polycyclic hydrocarbons for GC-MS/MS. *J Sep Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33915029>

Buendia, AM, Ying, Y, & Kau, CH. (2020). Incidental Finding of Oral White Lesions Due to Tobacco Chewing - A Case Report. *Ann Maxillofac Surg*, 10(2), 488-490. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33708602>

Ray, S, Saha, D, Alam, N, Mitra Mustafi, S, Mandal, S, Sarkar, A et al (2021). Exposure to chewing tobacco promotes primary oral squamous cell carcinoma and regional lymph node metastasis by alterations of SDF1alpha/CXCR4 axis. *Int J Exp Pathol*, 102(2), 80-92. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33655604>

Shaik, FB, Nagajothi, G, Swarnalatha, K, Kumar, CS, Rajendra, W, & Maddu, N. (2021). Correlation between smokeless tobacco (Gutkha) and biomarkers of oxidative stress in plasma with cardiovascular effects. *Heliyon*, 7(2), e05487. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33659719>

Srivastava, A, Mishra, S, & Verma, D. (2021). Characterization of Oral Bacterial Composition of Adult Smokeless Tobacco Users from Healthy Indians Using 16S rDNA Analysis. *Microb Ecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33634334>

Bhattacharyya, S, Ray, S, Saha, D, Mustafi, SM, Alam, N, Sarkar, A, & Murmu, N. (2020). Chewing tobacco may act as a risk factor for dysplastic transformation of squamous cells in Oral leukoplakia- A cytochemistry based approach. *Pathol Res Pract*, 218, 153287. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33454586>

Muhammad, T, Govindu, M, & Srivastava, S. (2021). Relationship between chewing tobacco, smoking, consuming alcohol and cognitive impairment among older adults in India: a cross-sectional study. *BMC Geriatr*, 21(1), 85. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33514331>

Shahi, Y, Mukherjee, S, & Samadi, FM. (2021). Interaction of tobacco chewing and smoking habit with interleukin 6 promoter polymorphism in oral precancerous lesions and oral cancer. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33501560>

Zhao, J, Qiao, L, Shang, P, Hua, C, Xie, Y, Li, X et al (2021). Effects of smokeless tobacco on cell viability, reactive oxygen species, apoptosis, and inflammatory cytokines in human umbilical vein endothelial cells. *Toxicol Mech Methods*, 1-31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33467949>

Rivera, AJ Tyx, RE, Keong, LM, Stanfill, SB, & Watson, CH. (2020). Microbial communities and gene contributions in smokeless tobacco products. *Appl Microbiol Biotechnol*, 104(24), 10613-10629. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33180172>

Aziz Ali, S Khan, U., Abrejo, F, Vollmer, B, Saleem, S, Hambidge, MK et al (2020). Use of smokeless tobacco before conception and its relationship with maternal and fetal outcomes of pregnancy in Thatta, Pakistan: Findings from Women First study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33084903>

Jitnarin, N, Poston, WSC, Jahnke, SA, Haddock, CK, & Kelley, HN. (2020). Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 11(3), 284-290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995053>

Subramaniam, N, Dhar, SK, Rao, R, Prasad, K, & Das, M. (2020). Novel tyrosine metabolites in the transcriptomic profiling of smokeless tobacco related oral cancer and their potential implications. *Oral Oncol*, 105027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33012656>

Tran, QT, Arimilli, S, Scott, E, Chen, P, & Prasad, GL. (2020). Differences in biomarkers of inflammation and immune responses in chronic smokers and moist snuff users. *Cytokine*, 137, 155299. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33011400>

Begum, SF, G, N, K, S, C, VK, K, ND, C, SK, & Maddu, N. (2020). Smokeless tobacco induced biophysical and biochemical alterations in the plasma, erythrocytes, and platelets of panmasala users: Subsequent biological effects. *Toxicol Rep*, 7, 963-978. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32904118>

Bhattacharjee, T, Mandal, P, & Gangopadhyay, S. (2020). Smokeless tobacco use and related oral mucosal changes in Bengali Women. *J Family Med Prim Care*, 9(6), 2741-2746. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32984118>

Gupta, AK, & Mehrotra, R. (2020). Alarmingly High Levels of Nicotine and Carcinogenic Nitrosamines in Smokeless Tobacco Products Sold Worldwide. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32951041>

Skranes, JB, Kleiven, O, Aakre, KM, Skadberg, O, Melberg, TH, Omland, T, & Orn, S. (2020). High-Sensitivity Cardiac Troponin I and T Response Following Strenuous Activity is Attenuated by Smokeless Tobacco: NEEDED (North Sea Race Endurance Exercise Study) 2014. *J Am Heart Assoc*, e017363. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32930023>

Biswas, S, Das, H, Das, U, Sengupta, A, Dey Sharma, R, Biswas, SC, & Dey, S. (2020). Smokeless tobacco induces toxicity and apoptosis in neuronal cells: a mechanistic evaluation. *Free Radic Res*, 1-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32842814>

Siddiqi, K, Husain, S, Vidyasagaran, A, Readshaw, A, Mishu, MP, & Sheikh, A. (2020). Global burden of disease due to smokeless tobacco consumption in adults: an updated analysis of data from 127 countries. *BMC Med*, 18(1), 222. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32782007>

Azeem, MS, Yesupatham, ST, Mohiyuddin, SMA, Sumanth, V, & Ravishankar, S. (2020). Usefulness of salivary sialic acid as a tumor marker in tobacco chewers with oral cancer. *J Cancer Res Ther*, 16(3), 605-611. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32719275>

Bhandarkar, GP, Shetty, KV, Ashaya, Jha, K, Arati, K, & Thomas, T. (2020). Correlation of periodontal parameters to various types of smokeless tobacco in tobacco pouch keratosis patients: A cross-sectional study. *J Cancer Res Ther*, 16(3), 463-469. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32719252>

Gupta, R, Gupta, S, Sharma, S, Sinha, DN, & Mehrotra, R. (2020). Corrigendum to: Association of smokeless tobacco and cerebrovascular accident: a systematic review and meta-analysis of global data. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32725202>

Halboub, E, Al-Ak'hali, MS, Alamir, AH, Homeida, HE, Baraniya, D, Chen, T, & Al-Hebshi, NN. (2020). Tongue microbiome of smokeless tobacco users. *BMC Microbiol*, 20(1), 201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32640977>

Oldham, MJ, Lion, KE, hillips, DJ, Morton, MJ, Lusso, MF, Harris, EA et al (2020). Variability of TSNA in U.S. Tobacco and Moist Smokeless Tobacco Products. *Toxicol Rep*, 7, 752-758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32612935>

Shukla, AK, Khaitan, T, Gupta, P, & Naik, S. (2020). Serum Immunoglobulins as Diagnostic Markers in Smokeless Tobacco Users for Prevention of Oral Potentially Malignant Disorders. *Asian Pac J Cancer Prev*, 21(7), 2055-2059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32711432>

Asthana, S, Vohra, P, & Labani, S. (2019). Association of smokeless tobacco with oral cancer: A review of systematic reviews. *Tob Prev Cessat*, 5, 34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411897>

Comez, A, Karakucuk, Y, & Beyoglu, A. (2020). Evaluation of the effect of smokeless tobacco (Maras powder) on choroidal and retinal blood flow: an optical coherence tomography angiography study. *Int Ophthalmol*, 40(6), 1367-1376. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32383132>

Nasrin, S, Chen, G, Watson, CJW, & Lazarus, P. (2020). Comparison of tobacco-specific nitrosamine levels in smokeless tobacco products: High levels in products from Bangladesh. *PLoS One*, 15(5), e0233111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32453764>

Diendere, J, Zeba, AN, Nikiema, L, Kabore, A, Savadogo, PW, Tougma, SJ et al (2020). Smokeless tobacco use: its prevalence and relationships with dental symptoms, nutritional status and blood pressure among rural women in Burkina Faso. *BMC Public Health*, 20(1), 579. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32345279>

Kawada, T. (2020). Effects of maras powder (smokeless tobacco) on lumbar disc degeneration. *Clin Neurol Neurosurg*, 193, 105776. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32146232>

Monika, S, Dineshkumar, T, Priyadharini, S, Niveditha, T, Sk, P, & Rajkumar, K. (2020). Smokeless Tobacco Products (STPs) Harbour Bacterial Populations with Potential for Oral Carcinogenicity. *Asian Pac J Cancer Prev*, 21(3), 815-824. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32212812>

Singh, PK, Yadav, A, Lal, P, Sinha, DN, Prakash, CG, Swasthicharan, L et al. (2020). Dual Burden of Smoked and Smokeless Tobacco Use in India, 2009-17: A Repeated Cross-Sectional Analysis based on Global Adult Tobacco Survey. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32034915>

Khaitan, T, Shukla, AK, Gupta, P, Naik, SR, Verma, P, & Kumar, S. (2019). Liver and thyroid profile in educating smokeless tobacco users and its role in oral health promotion. *J Educ Health Promot*, 8, 224. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867388>

Negi, M, Sepolia, N, Panwar, SS, Kumar, M, Singla, J, & Aggarwal, RK. (2019). Prevalence of oral parameters in smokeless tobacco-associated precancer. *J Family Med Prim Care*, 8(12), 3956-3961. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31879643>

Nersesyan, A. (2020). Letter to Editor: The smokeless tobacco habit and DNA damage: A systematic review and meta-analysis. *Med Oral Patol Oral Cir Bucal*, 25(1), e150-e153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31885367>

Shaik, FB, Nagajothi, G, Swarnalatha, K, Kumar, CS, & Maddu, N. (2019). Quantification of Nicotine and Cotinine in Plasma, Saliva, and Urine by HPLC Method in Chewing Tobacco Users. *Asian Pac J Cancer Prev*, 20(12), 3617-3623. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31870102>

Tyx, RE, Rivera, AJ, Keong, LM, & Stanfill, SB. (2019). An exploration of smokeless tobacco product nucleic acids: a combined metagenome and metatranscriptome analysis. *Appl Microbiol Biotechnol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31820070>

Frobert, O, Reitan, C, Hatsukami, DK, Pernow, J, Omerovic, E, & Andell, P. (2019). Smokeless tobacco, snus, at admission for percutaneous coronary intervention and future risk for cardiac events. *Open Heart*, 6(2), e001109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31673392>

Khan, SZ, Farooq, A, Masood, M, Shahid, A, Nisar, H, & Fatima, I. (2019). Smokeless tobacco use and risk of oral cavity cancer. *Turk J Med Sci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31655504>

Nordenstam, F, Norman, M, & Wickstrom, R. (2019). Blood Pressure and Heart Rate Variability in Preschool Children Exposed to Smokeless Tobacco in Fetal Life. *J Am Heart Assoc*, 8(21), e012629. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31615305>

Quadri, MFA, Tadakamadla, SK, & John, T. (2019). Smokeless tobacco and oral cancer in the Middle East and North Africa: A systematic review and meta-analysis. *Tob Induc Dis*, 17, 56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582945>

Watanabe, H, & Parikh, NS. (2019). Maternal Use of Snus in Pregnancy and Early Childhood Blood Pressure: A Warning for e-Cigarettes? *J Am Heart Assoc*, 8(21), e014416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31615306>

Chaffee, BW, Jacob, P, Couch, ET, & Benowitz, NL. (2019). Exposure to a Tobacco-Specific Carcinogen Among Adolescent Smokeless Tobacco Users in Rural California, United States. *Nicotine Tob Res.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31504879>

Dogan, A, Dogan, K, & Tasolar, S. (2019). Magnetic resonance imaging evaluation of the effects of cigarette and maras powder (smokeless tobacco) on lumbar disc degeneration. *Clin Neurol Neurosurg*, 186, 105500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31557568>

Mohammed, MEA, & Brima, EI. (2019). Cytological changes in oral mucosa induced by smokeless tobacco. *Tob Induc Dis*, 17, 46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516489>

Shah, SS, Shah, M, Habib, SH, Shah, FA, & Malik, MO. (2019). Correlation of plasma kisspeptin with total testosterone levels in smokeless tobacco and smoking tobacco users in a healthy cohort: A cross-sectional study. *Andrologia*, e13409. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31502328>

Choudhary, AK, & Qudeer, A. (2019). Smokeless tobacco: Risk factor for cardiovascular and breathing in young Indian adolescent. *Hipertens Riesgo Vasc.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31401090>

Datta, KK, Patil, S, Patel, K, Babu, N, Raja, R, Nanjappa, V et al. (2019). Chronic Exposure to Chewing Tobacco Induces Metabolic Reprogramming and Cancer Stem Cell-Like Properties in Esophageal Epithelial Cells. *Cells*, 8(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31438645>

Rodu, B, & Plurphanswat, N. (2019). Mortality among male smokers and smokeless tobacco users in the USA. *Harm Reduct J*, 16(1), 50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31429765>

Vaid, N, Bhargava, D, Bansal, P, Chawla, R, Goyal, D, & Pawar, CU. (2019). Cytogenetic Analysis of Micronuclei in Tobacco Chewers: A Study in North Indian Population. *J Contemp Dent Pract*, 20(6), 693-696. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31358711>

Arimilli, S, Makena, P, & Prasad, GL. (2019). Combustible Cigarette and Smokeless Tobacco Product Preparations Differentially Regulate Intracellular Calcium Mobilization in HL60 Cells. *Inflammation*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31190105>

Gupta, R, Gupta, S, Sharma, S, Sinha, DN, & Mehrotra, R. (2019). Association of smokeless tobacco and cerebrovascular accident: a systematic review and meta-analysis of global data. *J Public Health (Oxf)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31067304>

Kaur, J, Sharma, A, Kumar, A, Bhartiya, D, Sinha, DN, Kumari, S et al (2019). SLTChemDB: A database of chemical compounds present in Smokeless tobacco products. *Sci Rep*, 9(1), 7142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31073139>

Sen, N, Bathija, P, Chakravarty, T, Das, D, Baghel, NS, & Khan, TA. (2019). Caries risk assessment using Cariogram model among smokeless tobacco users in India. *Med Pharm Rep*, 92(2), 165-171. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31086845>

Tsou, HH, Ko, HT, Chen, CT, Wang, TW, Lee, CH, Liu, TY, & Wang, HT. (2019). Betel quid containing safrole enhances metabolic activation of tobacco specific 4-(methylnitrosamino)-1-(3-pyridyl)-1-



butanone (NNK). *Environ Pollut*, 251, 13-21. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31071628>

de Geus, JL, Wambier, LM, Loguercio, AD, & Reis, A. (2019). The smokeless tobacco habit and DNA damage: A systematic review and meta-analysis. *Med Oral Patol Oral Cir Bucal*, 24(2), e145-e155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30818306>

Joksic, G, Rutqvist, LE, Micic, M, Trickovic, JF, & Nilsson, R. (2019). Factors effecting the induction of rat forestomach hyperplasia induced by Swedish oral smokeless tobacco (snus). *Regul Toxicol Pharmacol*, 104, 21-28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30844416>

Fisher, MT, Tan-Torres, SM, Gaworski, CL, Black, RA, & Sarkar, MA. (2019). Smokeless tobacco mortality risks: an analysis of two contemporary nationally representative longitudinal mortality studies. *Harm Reduct J*, 16(1), 27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30975137>

Mahmoodabad, SSM, Jadgal, MS, Zareban, I, & Zadeh, HF. (2019). The Determinants of Salivary Cotinine Concentration in Smokeless Tobacco Users. *Open Access Maced J Med Sci*, 7(5), 810-815. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30962846>

Arimilli, S, Makena, P, Liu, G, & Prasad, GL. Distinct gene expression changes in human peripheral blood mononuclear cells treated with different tobacco product preparations. *Toxicol In Vitro*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30776502>

Dandona, R, Mathur, MR, Kumar, GA, & Dandona, L. Improving Utility of Data on Cancer Mortality Risk Associated with Smokeless Tobacco: Recommendations for Future Research. *Asian Pac J Cancer Prev*, 2019. (2), 581-588. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30803225>

Rimal, J, Shrestha, A, Maharjan, IK, Shrestha, S, & Shah, P. Risk Assessment of Smokeless Tobacco among Oral Precancer and Cancer Patients in Eastern Developmental Region of Nepal. *Asian Pac J Cancer Prev*, 2019. 20(2), 411-415. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30803200>

Sen, N, Asawa, K, Bhat, N, Tak, M, Sultane, P, & Chakravarty, T. A comparative assessment of caries risk using cariogram among smokers and smokeless tobacco users in india - a cross-sectional study. *Afr Health Sci*, 2018. 18(4), 1046-1056. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30766571>

Warnakulasuriya, S, & Straif, K. Carcinogenicity of smokeless tobacco: Evidence from studies in humans & experimental animals. *Indian J Med Res*, 2018. 148(6), 681-686. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30778001>

Sankhla, B, Kachhwaha, K, Hussain, SY, Saxena, S, Sireesha, SK, & Bhargava, A. Genotoxic and Carcinogenic Effect of Gutkha: A Fast-growing Smokeless Tobacco. *Addict Health*, 2018. 10(1), 52-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30627385>

Zanetti, F, Sewer, A, Titz, B, Schlage, WK, Iskandar, AR, Kondylis, A et al. Assessment of a 72-hour repeated exposure to Swedish snus extract and total particulate matter from 3R4F cigarette smoke on gingival organotypic cultures. *Food Chem Toxicol*, 2019. 125, 252-270. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30610935>

Mahapatra, S, Chaly, P E, Mohapatra, SC, & Madhumitha, M. Influence of tobacco chewing on oral health: A hospital-based cross-sectional study in Odisha. *Indian J Public Health*, 2018. 62(4), 282-286. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30539890>

McAdam, K, Enos, T, Goss, C, Kimpton, H, Faizi, A, Edwards, S et al. Analysis of coumarin and angelica lactones in smokeless tobacco products. *Chem Cent J*, 2018. 12(1), 142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30569337>

Prasad, K., Rao, R., Augustine, D., Sowmya, S. V., Haragannavar, V., Sagar, P., & Sreedhar, P. (2018). Pathway based prognostic gene expression profile of buccal and gingivo-buccal oral squamous cell carcinoma in smokeless tobacco chewers. *Head Neck*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30536474>

Shahid, N., Iqbal, A., Siddiqui, A. J., Shoaib, M., & Musharraf, S. G. (2018). Plasma metabolite profiling and chemometric analyses of tobacco snuff dippers and patients with oral cancer: Relationship between metabolic signatures. *Head Neck*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548891>

Sharma, S., Mishra, S. K., & Mittal, N. (2018). Influence of tobacco dependence on caries development in young male adults: A cross-sectional study. *J Conserv Dent*, 21(6), 597-601. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30546202>

Martinez, IKC, Sparks, N RL, Madrid, JV, Affeldt, H, Vera, MKM, Bhanu, B, & Zur Nieden, NI. Video-based kinetic analysis of calcification in live osteogenic human embryonic stem cell cultures reveals the developmentally toxic effect of Snus tobacco extract. *Toxicol Appl Pharmacol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30468815>

Pemberton, MN. Oral cancer and tobacco: developments in harm reduction. *Br Dent J*, 2018. Available from: <https://www.nature.com/articles/sj.bdj.2018.928>

Zandonai, T, Tam, E, Bruseghini, P, Capelli, C, Baraldo, M, & Chiamulera, C. Exercise performance increase in smokeless tobacco-user athletes after overnight nicotine abstinence. *Scand J Med Sci Sports*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30387193>

Zandonai, T, Tam, E, Bruseghini, P, Pizzolato, F, Franceschi, L, Baraldo, M et al. The effects of oral smokeless tobacco administration on endurance performance. *J Sport Health Sci*, 2018. 7(4), 465-472. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6226421/pdf/main.pdf>

Khanal, S, Khan, SA, Baral, D, Shrestha, S, Baral, N, & Lamsal, M. Oxidant-antioxidant status and assessment of cardiovascular morbidity in Pan Masala containing Tobacco users: a cross-sectional study. *BMC Res Notes*, 2018. 11(1), 727. Available from: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6186140/pdf/13104\\_2018\\_Article\\_3832.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6186140/pdf/13104_2018_Article_3832.pdf)

Nordenstam, F, Lundell, B, Bonamy, AE, Raaschou, P, & Wickstrom, R. Snus users had high levels of nicotine, cotinine and 3-hydroxycotinine in their breast milk and the clearance was slower than in smoking mothers. *Acta Paediatr*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/apa.14602>

- Rostron, BL, Chang, JT, Anic, GM, Tanwar, M, Chang, CM, & Corey, CG. Smokeless tobacco use and circulatory disease risk: a systematic review and meta-analysis. *Open Heart*, 2018. 5(2), e000846. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6196954/pdf/openhrt-2018-000846.pdf>
- Gulati, HK, Kumar, A, Dhama, AS, Gupta, R, Sharma, AK, Singh, H, et al. Setting research priorities in smokeless tobacco control: A retrospective review. *Indian J Med Res*, 2018. 148(1), 103-109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264759>
- Gupta, R, Gupta, S, Sharma, S, Sinha, DN, Mehrotra, R. A systematic review on association between smokeless tobacco & cardiovascular diseases. *Indian J Med Res*, 2018. 148(1), 77-89. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264756>
- Gupta, S, Gupta, R, Sinha, DN, Mehrotra, R. Relationship between type of smokeless tobacco & risk of cancer: A systematic review. *Indian J Med Res*, 2018. 148(1), 56-76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264755>
- Kaur, J, Sharma, A, Gupta, R, Singh, H. Development of comprehensive data repository on chemicals present in smokeless tobacco products: Opportunities & challenges. *Indian J Med Res*, 2018. 148(1), 4-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264748>
- Li, L, Zhou, X, Wang, Y. Smokeless tobacco extract inhibits proliferation and promotes apoptosis in oral mucous fibroblasts. *Oncol Lett*, 2018. 16(4), 5066-5074. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30250574>
- Muthukrishnan, A, Warnakulasuriya, S. Oral health consequences of smokeless tobacco use. *Indian J Med Res*, 2018. 148(1), 35-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264752>
- Begum, SF, Nagajothi, G, Latha, KS, Sandeep, G, Sreekanth, B, Kumar, CS, Rajendra, W, Maddu, N. Possible role of nicotine and cotinine on nitroxidative stress and antioxidant content in saliva of smokeless tobacco consumers. *Pract Lab Med*. 2018 Jul 17;12:e00105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30090844>
- Kundu, S, Ramshankar, V, Verma, AK, Thangaraj, SV, Krishnamurthy, A, Kumar, R, Kannan, R, Ghosh, SK. Association of DFNA5, SYK, and NELL1 variants along with HPV infection in oral cancer among the prolonged tobacco-chewers. *Tumour Biol*. 2018 Aug;40(8):1010428318793023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30091681>
- Anitha, TS, Srikanth, K, Suganya, S, Muthukumar, S. A comparative clinical study on the generation of nitrosative stress in cataractous lenses of smokers and non-smoker tobacco patients. *Eur J Ophthalmol*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29991295>
- Hu, CW, Cooke, MS, Chang, YJ, Chao, MR. : Direct-acting DNA ethylating agents associated with tobacco use primarily originate from the tobacco itself, not combustion. *J Hazard Mater*. 2018 Sep 15;358:397-404. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30005251>
- McAdam, K, Vas, C, Kimpton, H, Faizi, A, Liu, C, Porter, A, Synnerdahl, T, Karlsson, P, Rodu, B. Ethyl carbamate in Swedish and American smokeless tobacco products and some factors affecting its concentration. *Chem Cent J*. 2018 Jul 24;12(1):86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30043180>

Nwanaji-Enwerem, JC, Cardenas, A, Chai, PR, Weisskopf, MG, Baccarelli, AA, Boyer, EW. Relationships of Long-term Smoking and Moist Snuff Consumption with a DNA Methylation Age Relevant Smoking Index: An Analysis in Buccal Cells. *Nicotine Tob Res*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053132>

Raj, AT, Patil, S, Sarode, SC, Sarode, GS. Systematic reviews and meta-analyses on smokeless tobacco products should include Shammah. *Nicotine Tob Res*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986117>

Alrashidi, AG, Alrashidi, TG, Alrashedi, SA, Alreshidi, NA, Alrashidi, MF, Alrashidi, AS, Alkhaldi, EH, Alrashidi, AG, Alshammari, MS, Ahmed, HG. Epidemiologic Pattern and Types of Oral Smokeless Tobacco Usage in Saudi Arabia. *J Contemp Dent Pract*. 2018 Apr 1;19(4):456-462. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29728553>

Asthana, S, Labani, S, Kailash, U, Sinha, DN, Mehrotra, R. Association of Smokeless Tobacco Use and Oral Cancer: A Systematic Global Review and Meta-Analysis. *Nicotine Tob Res*. 2018 May 22. pii: 4998035. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29790998>

Honarmand, M, Nakhaee, A, Moradi, M. Comparison of Salivary Cotinine Concentrations in Male Smokers and Smokeless Tobacco Users. *Asian Pac J Cancer Prev*. 2018 May 26;19(5):1363-1366. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29802701>

Jessen, WJ, Borgerding, MF, Prasad, GL. Global methylation profiles in buccal cells of long-term smokers and moist snuff consumers. *Biomarkers*. 2018 May 17:1-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29771158>

Stanfill, SB, Croucher, RE, Gupta, PC, Lisko, JG, Lawler, TS, Kuklennyik, P, Dahiya, M, Duncan, B, Kimbrell, JB, Peuchen, EH, Watson, CH. Chemical characterization of smokeless tobacco products from South Asia: Nicotine, unprotonated nicotine, tobacco-specific N-Nitrosamines, and flavor compounds. *Food Chem Toxicol*. 2018 May 7. pii: S0278-6915(18)30293-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29746936>

Bhat, MY, Advani, J, Rajagopalan, P, Patel, K, Nanjappa, V, Solanki, HS, Patil, AH, Bhat, FA, Mathur, PP, Nair, B, Prasad, TSK, Califano, JA, Sidransky, D, Gowda, H, Chatterjee, A. Cigarette smoke and chewing tobacco alter expression of different sets of miRNAs in oral keratinocytes. *Sci Rep*. 2018 May 4;8(1):7040. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29728663>

Baig, S, Rubab, Z, Farooq, W. Molecular Pathogenesis of Chewable Tobacco. *J Coll Physicians Surg Pak*. 2018 May;28(5):381-385. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29690969>

El Zahran, T, Ralston, A, King, A, Hindman, D, Morgan, BW. Elevated lead level from a tobacco source requiring chelation in a 12-year-old child. *Clin Toxicol (Phila)*. 2018 Apr 6:1-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29623731>

Bhartiya, D, Kumar, A, Kaur, J, Kumari, S, Sharma, AK, Sinha, DN, Singh, H, Mehrotra, R. In-silico study of toxicokinetics and disease association of chemicals present in smokeless tobacco products. *Regul Toxicol Pharmacol*. 2018 Mar 2;95:8-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29505798>

Desideri, D, Roselli, C, Fagiolino, I, Meli, MA. Toxic Elements in Human Saliva of Smokeless Tobacco Users. *J Anal Toxicol*, 2018. Mar 2, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29509887>

Zandonai, T, Chiamulera, C, Mancabelli, A, Falconieri, D, Diana, M. A Preliminary Investigation on Smokeless Tobacco Use and Its Cognitive Effects Among Athletes. *Front Pharmacol*. 2018 Mar 12;9:216. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29593541>

Donald, PM, Renjith, G, Arora, A. Tobacco Pouch Keratosis in a young individual: A brief description. *J Indian Soc Periodontol*. 2017 May-Jun;21(3):249-251. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29440796>

Stanisce, L, Levin, K, Ahmad, N, Koshkareva, Y. Reviewing smokeless tobacco epidemiology, carcinogenesis, and cessation strategy for otolaryngologists. *Laryngoscope*, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29427388>

Gupta, R, Gupta, S, Sharma, S, Sinha, DN, Mehrotra, R. Risk of coronary heart disease among smokeless tobacco users: results of systematic review and meta-analysis of global data. *Nicotine Tob Res*. 2018 Jan 9. pii: 4793346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29325111>

Khan, Z, Suliankatchi, RA, Heise, TL, Dreger, S. Naswar (Smokeless Tobacco) Use and the Risk of Oral Cancer in Pakistan: A systematic Review with meta-analysis. *Nicotine Tob Res*. 2017 Dec 25. pii: 4774580. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29294113>

Sinha, DN, Gupta, PC, Kumar, A, Bhartiya, D, Agarwal, N, Sharma, S, Singh, H, Parascandola, M, Mehrotra, R. The poorest of poor suffer the greatest burden from smokeless tobacco use: A study from 140 countries. *Nicotine Tob Res*. 2017 Dec 22. pii: 4772208. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29309692>

Giovannoni, ML, Valdivia-Gandur, I, Lozano de Luaces, V, Varela Veliz, H, Balasubbaiah, Y, Chimenos-Kustner, E. Betel and tobacco chewing habit and its relation to risk factors for periodontal disease. *Oral Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29284200>

Rastogi, A, Supriya, Sahu, S, Haldar, R. Nil per oral instructions in chronic tobacco chewers: Are they enough? *Indian J Anaesth*. 2017 Oct;61(10):849-850. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29242662>

Sgambato, JA, Jones, BA, Caraway, JW, Prasad, GL. Inflammatory profile analysis reveals differences in cytokine expression between smokers, moist snuff users, and dual users compared to non-tobacco consumers. *Cytokine*. 2017 Dec 4. pii: S1043-4666(17)30355-1. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29217402>

Anand, A, Sk, MIK. The Risk of Hypertension and Other Chronic Diseases: Comparing Smokeless Tobacco with Smoking. *Front Public Health*. 2017 Sep 22;5:255. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29018793>

Araghi, M, Galanti, MR, Lundberg, M, Liu, Z, Ye, W, Lager, A, Engstrom, G, Manjer, J, Alfredsson, L, Knutsson, A, Norberg, M, Palmqvist, R, Gylling, B, Wennberg, P, Lagerros, YT, Bellocco, R, Pedersen, NL, Ostergren, PO, Magnusson, C. Smokeless tobacco (snus) use and colorectal cancer incidence and

survival: Results from nine pooled cohorts. *Scand J Public Health*. 2017 Jul 1;1403494817714191. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28994648>

No authors listed. Bacteria Caused By Smokeless Tobacco Creates Health Issues. *J Calif Dent Assoc*. 2016 Nov;44(11):668. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29039635>

Wang, Y, Sung, HY, Lightwood, J, Chaffee, BW, Yao, T, Max, W. Healthcare Utilization and Expenditures Attributable to Smokeless Tobacco Use among US Adults. *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059335>

Bhatt, D, Sharma, S, Gupta, R, Sinha, DN, Mehrotra, R. Predictors of Hypertension among Nonpregnant Females Attending Health Promotion Clinic with Special Emphasis on Smokeless Tobacco: A Cross-Sectional Study. *Biomed Res Int*. 2017;2017:8765217. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900627>

Dagli, AF, Sahin, N, Bozdog, Z, Ucer, O, Akatli, AN, Artas, G, Sahin, I, Yardim, M, Dalkilic, S, Akkoc, RF, Simsek, S, Aydin, S. Cytological and cytomorphometric characteristics of buccal mucosa cells from smokeless tobacco users. *Diagn Cytopathol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28862802>

Feirman, SP, Donaldson, EA, Parascandola, M, Snyder, K, Tworek, C. Monitoring harm perceptions of smokeless tobacco products among U.S. adults: Health Information National Trends Survey 2012, 2014, 2015. *Addict Behav*. 2017 Sep 9;77:7-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28938110>

Huque, R, Zaman, MM, Huq, SM, Sinha, DN. Smokeless tobacco and public health in Bangladesh. *Indian J Public Health*. 2017 Sep;61(Supplement):S18-S24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28928314>

Rodu, B. Re: "Smokeless Tobacco Use and the Risk of Head and Neck Cancer: Pooled Analysis of Us Studies in the Inhance Consortium". *Am J Epidemiol*. 2017 Sep 1;186(5):624. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28911014>

Khan, Z, Dreger, S, Shah, SMH, Pohlabeln, H, Khan, S, Ullah, Z, Rehman, B, Zeeb, H. Oral cancer via the bargain bin: The risk of oral cancer associated with a smokeless tobacco product (Naswar). *PLoS One*. 2017 Jul 10;12(7):e0180445. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28692704>

Lallier, TE, Moylan, JT, Maturin, E. Greater Sensitivity of Oral Fibroblasts to Smoked vs. Smokeless Tobacco. *J Periodontol*. 2017 Jul 14:1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28708037>

Al-Hebshi, NN, Alharbi, FA, Mahri, M, Chen, T. Differences in the Bacteriome of Smokeless Tobacco Products with Different Oral Carcinogenicity: Compositional and Predicted Functional Analysis. *Genes (Basel)*. 2017 Mar 23;8(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28333122>



Al-Sowaygh, ZH. Efficacy of periimplant mechanical curettage with and without adjunct antimicrobial photodynamic therapy in *smokeless*-tobacco product users. *Photodiagnosis Photodyn Ther*. 2017 Jun;18:260-263. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28347865>

Froisland, DH. Nicotine withdrawal syndrome in a newborn baby after maternal use of oral applied moist tobacco (snus), should result in greater awareness to the use of snus among pregnant women. *Acta Paediatr*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28508412>

Ganganahalli, P, Pratinidhi, A, Patil, J, Kakade, SV. Correlation of Cotinine Levels with Use of Smokeless Tobacco (Mishri) among Pregnant Women and Anthropometry of Newborn. *J Clin Diagn Res*. 2017 Mar;11(3):LC16-LC19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511416>

Nilsson, R. Use of rodent data for cancer risk assessment of smokeless tobacco in the regulatory context. *Regul Toxicol Pharmacol*. 2017 Jun 16. pii: S0273-2300(17)30174-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28625913>

Rauwolf, KK, Berglund, KJ, Berggren, U, Balldin, J, Fahlke, C. The Influence of Smoking and Smokeless Tobacco on the Progression, Severity and Treatment Outcome in Alcohol-Dependent Individuals. *Alcohol Alcohol*. 2017 Jul 1;52(4):477-482. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28525537>

Rollins, K, Lewis, C, Goeckner, R, Pacheco, J, Smith, TE, Hale, J, Daley, SM, Choi, WS, Daley, CM. American Indian Knowledge, Attitudes, and Beliefs About Smokeless Tobacco: A Comparison of Two Focus Group Studies. *J Community Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28447180>

Seenan, P, Conway, D. Smokeless tobacco - a substantial risk for oral potentially malignant disorders in South Asia. *Evid Based Dent*. 2017 Jun 23;18(2):54-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28642557>

Siddiqui, M, Noon, MJ, Mehboob, N, Khalid, R, Mansoor, S, Khan, HH. Smokeless Tobacco Use and Ischemic Stroke: A Cross-Sectional Study. *Ann Glob Health*. 2016 Sep - Oct;82(5):768-769. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28283127>

Smyth, EM, Kulkarni, P, Claye, E, Stanfill, S, Tyx, R, Maddox, C, Mongodin, EF, Sapkota, AR. Smokeless tobacco products harbor diverse bacterial microbiota that differ across products and brands. *Appl Microbiol Biotechnol*. 2017 Jul;101(13):5391-5403. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28432442>

Timberlake, DS, Nikitin, D, Johnson, NJ, Altekruse, SF. A longitudinal study of smokeless tobacco use and mortality in the United States. *Int J Cancer*. 2017 Jul 15;141(2):264-270. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28411395>

Sinha, DN, Suliankatchi, RA, Gupta, PC, Thamarangsi, T, Agarwal, N, Parascandola, M, Mehrotra, R. Global burden of all-cause and cause-specific mortality due to smokeless tobacco use: systematic review and meta-analysis. *Tob Control*. 2016 Nov 30. pii: tobaccocontrol-2016-053302. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27903956>

Ozga, JE, Felicione, NJ, Elswick, D, Blank, MD. Acute effects of snus in never-tobacco users: a pilot study. *Am J Drug Alcohol Abuse*. 2016 Dec 8;1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27929684>

Jena, SS, Kabi, S, Panda, BN, Kameswari, BC, Payal, Behera, IC, Tripathy, SK, Mahanta, S. Smokeless tobacco and stroke - A clinico-epidemiological follow-up study in a tertiary care hospital. *J Clin Diagn Res*. 2016 Oct;10(10):OC40-OC43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891376>

Liu, M, Jin, J, Pan, H, Feng, J, Cerniglia, CE, Yang, M, Chen, H. Effect of smokeless tobacco products on human oral bacteria growth and viability. *Anaerobe*. 2016 Oct 15. pii: S1075-9964(16)30125-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756619>

Awan, KH, Hussain, QA, Patil, S, Maralingannavar, M. Assessing the risk of oral cancer associated with Gutka and other smokeless tobacco products: a case-control study. *J Contemp Dent Pract*. 2016 Sep 1;17(9):740-744. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27733717>

Liu, M, Jin, J, Pan, H, Feng, J, Cerniglia, CE, Yang, M, Chen, H. Effect of smokeless tobacco products on human oral bacteria growth and viability. *Anaerobe*. 2016 Oct 15. pii: S1075-9964(16)30125-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756619>

Reddy, SS, Sharma, S, Mysorekar, V. Expression of Epstein-Barr virus among oral potentially malignant disorders and oral squamous cell carcinomas in the South Indian tobacco-chewing population. *J Oral Pathol Med*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27704636>

Wu, YH, Yen, CJ, Hsiao, JR, Ou, CY, Huang, JS, Wong, TY, Tsai, ST, Huang, CC, Lee, WT, Chen, KC, Fang, SY, Wu, JL et al. A comprehensive analysis on the association between tobacco-free betel quid and risk of head and neck cancer in Taiwanese men. *PLoS One*. 2016 Oct 25;11(10):e0164937. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27780233>

Wyss, AB, Hashibe, M, Lee, YA, Chuang, SC, Muscat, J, Chen, C, Schwartz, SM, Smith, E, Zhang, ZF, Morgenstern, H, Wei, Q, Li, G, Kelsey, KT, McClean, M, Winn, DM, Schantz, S, Yu, GP, Gillison, ML, Zavallos, JP, Boffetta, P, Olshan, A. F. Smokeless tobacco use and the risk of head and neck cancer: pooled analysis of US studies in the INHANCE consortium. *Am J Epidemiol*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27744388>

Awan, KH, Patil, S. Association of smokeless tobacco with oral cancer - Evidence from the South Asian studies: a systematic review. *J Coll Physicians Surg Pak*. 2016 Sep;26(9):775-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27671184>

Farhad Mollashahi, L, Honarmand, M, Nakhaee, A, Mollashahi, G. Salivary sialic acid levels in smokeless tobacco users. *Int J High Risk Behav Addict*. 2016 Feb 8;5(2):e27969. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27622172>

Suliankatchi, RA, Sinha, DN. The human cost of tobacco chewing among pregnant women in India: a systematic review and meta-analysis. *J Obstet Gynaecol India*. 2016 Oct;66(Suppl 1):161-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27651596>

Wilson, KM, Markt, SC, Fang, F, Nordenvall, C, Rider, JR, Ye, W, Adami, HO, Stattin, P, Nyren, O, Mucci, LA. Snus use, smoking and survival among prostate cancer patients. *Int J Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27582277>

Prajapati, KJ, Chawda, JG. Estimation of major immunoglobulins in smokers and gutkha chewers. *J Oral Maxillofac Pathol*. 2016 May-Aug;20(2):219-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27601812>

Rygh, E, Gallefoss, F, Reiso, H. Use of snus and smoking tobacco among pregnant women in the Agder counties. *Tidsskr Nor Laegeforen*. 2016 Sep 13;136(16):1351-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27637053>

Chande, M, Suba, K. Tackling the use of Supari (Areca Nut) and smokeless tobacco products in the South Asian community in the United Kingdom. *Dent Update*. 2016 Jun;43(5):442-4, 446-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27529912>

Han, J, Sanad, YM, Deck, J, Sutherland, JB, Li, Z, Walters, MJ, Duran, N, Holman, MR, Foley, SL. Bacterial populations associated with smokeless tobacco products. *Appl Environ Microbiol*, 2016 Sep 30;82(20):6273-6283. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27565615>

Huque, R, Shah, S, Mushtaq, N, Siddiqi, K. Determinants of salivary cotinine among smokeless tobacco users: a cross-sectional survey in Bangladesh. *PLoS One*. 2016 Aug 9;11(8):e0160211. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27504912>

Moghbel, N, Ryu, B, Cabot, PJ, Ratsch, A, Steadman, KJ. Corrigendum to "In vitro cytotoxicity of *Nicotiana glauca* leaves, used in the Australian Aboriginal smokeless tobacco known as pituri or mingkulpa" [*Toxicol. Lett.* 254 (2016) 45-51]. *Toxicol Lett*. 2016 Aug 6. pii: S0378-4274(16)32301-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27507730>

Sajid, F, Bano, S. Pro inflammatory interleukins and thyroid function in Naswar (dipping tobacco) users: a case control study. *BMC Endocr Disord*. 2016 Aug 11;16(1):47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27515932>

Skaug, EA, Nes, B, Aspenes, ST, Ellingsen, O. Non-smoking tobacco affects endothelial function in healthy men in one of the largest health studies ever performed; the Nord-Trøndelag Health Study in Norway; HUNT3. *PLoS One*. 2016 Aug 4;11(8):e0160205. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27490361>

Sun, J, Jin, J, Beger, RD, Cerniglia, CE, Yang, M, Chen, H. Metabolomics evaluation of the impact of smokeless tobacco exposure on the oral bacterium *Capnocytophaga sputigena*. *Toxicol In Vitro*. 2016 Jul 30;36:133-141. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27480511>

Akhtar, A, Afridi, HI, Kazi, TG, Talpur, FN, Arain, SS, Baig, JA, Khan, N, Khan, M, Bilal, M. Chromium exposure in the adult population, consuming different types of smokeless tobacco products in Pakistan. *Biol Trace Elem Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27422637>

Yen, AM, Boucher, BJ, Chiu, SY, Fann, JC, Chen, SL, Huang, KC, Chen, HH. Longer duration and earlier age of onset of paternal betel chewing and smoking increase metabolic syndrome risk in human offspring, independently, in a community-based screening program in Taiwan. *Circulation*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27448815>

## News reports:

No authors listed. Study finds all Myanmar mouth cancer patients chew betel quid. *Medical Xpress*, 2017. Nov 20, 2017. Available from: <https://medicalxpress.com/news/2017-11-myanmar-mouth-cancer-patients-betel.html>

Dwyer, M. Smokeless tobacco product snus may increase risk of death among prostate cancer patients. *Harvard School of Public Health*, 2016. Oct 12, 2016. Available from: <https://www.hsph.harvard.edu/news/press-releases/smokeless-tobacco-snus-prostate-cancer-death/>

No authors listed. Bacteria in smokeless tobacco products may be a health concern. *Science Daily*, 2016. Aug 26, 2016. Available from: <https://www.sciencedaily.com/releases/2016/08/160826142008.html>