

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 18A.3 Health effects of various forms of smokeless tobacco

*Last updated August 2021*

#### Research:

Gopinath, D, Wie, CC, Banerjee, M, Thangavelu, L, Kumar, RP, Nallaswamy, D et al. (2021). Compositional profile of mucosal bacteriome of smokers and smokeless tobacco users. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34436669>

McKinney, R, & Olmo, H. (2021). Pathologic Manifestations Of Smokeless Tobacco. In *StatPearls*. Treasure Island (FL). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34424631>

Mu, G, Wang, J, Liu, Z, Zhang, H, Zhou, S, Xiang, Q, & Cui, Y. (2021). Association between smokeless tobacco use and oral cavity cancer risk in women compared with men: a systematic review and meta-analysis. *BMC Cancer*, 21(1), 960. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34452595>

Vishwakarma, A, & Verma, D. (2021). Microorganisms: crucial players of smokeless tobacco for several health attributes. *Appl Microbiol Biotechnol*, 105(16-17), 6123-6132. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34331556>

Anand, PS, Mishra, S, Nagle, D, Kamath, NP, Kamath, KP, & Anil, S. (2021). Patterns of Periodontal Destruction among Smokeless Tobacco Users in a Central Indian Population. *Healthcare (Basel)*, 9(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34204533>

Kumar, SN, Bastia, B, Borgohain, D, Agrawal, U, Raisuddin, S, & Jain, AK. (2021). Structural changes, increased hypoxia, and oxidative DNA damage in placenta due to maternal smokeless tobacco use. *Birth Defects Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34288583>

Memon, SM, Kumar, N, Rahman, AAU, & Syed, BM. (2021). Evaluation of C-reactive protein and hematological parameters in smokeless tobacco users: A comparative cross-sectional study. *Pak J Med Sci*, 37(4), 983-987. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34290770>

tobaccoinaustralia.org.au

Gao, X, Deming, NJ, & Cavalier, AN. (2021). Letter to the Editor: Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 12(2), 282-283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34178410>

Guan, S, Bush, L Jitnarin, N., Poston, W. S. C., Jahnke, S. A., Haddock, C. K., & Kelley, H. N. (2021). The Author Response: Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 12(2), 284-285. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34155520>

Jitnarin, N, Poston, WSC, Jahnke, SA, Haddock, CK, & Kelley, HN. (2021). The Author Response: Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 12(2), 284-285. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34178411>

Moorpani, P, Qazi, FUR, Jat, SA, Akhtar, H, Aziz, M, & Shah, M. (2021). Comparison of gingival biotype in smokeless tobacco users (Gutka and Paan) and non-tobacco users. *J Pak Med Assoc*, 71(6), 1561-1565. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34111072>

Nikam, KS, Wingkar, KC, Joshi, RK, & Kallur, RK. (2020). Correlation between cotinine urinary levels & cardiovascular autonomic function tests among smokeless tobacco chewers: A cross-sectional study. *Indian J Med Res*, 152(6), 633-637. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34145103>

Rivera, AJ, & Tyx, RE. (2021). Microbiology of the American Smokeless Tobacco. *Appl Microbiol Biotechnol*, 105(12), 4843-4853. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34110473>

Sajid, M, Srivastava, S, Joshi, L, & Bharadwaj, M. (2021). Impact of smokeless tobacco-associated bacteriome in oral carcinogenesis. *Anaerobe*, 70, 102400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34090995>

Hemminki, K, Forsti, A, Hemminki, A, Ljungberg, B, & Hemminki, O. (2021). Incidence trends in bladder and lung cancers between Denmark, Finland and Sweden may implicate oral tobacco (snuff/snus) as a possible risk factor. *BMC Cancer*, 21(1), 604. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34034676>

Panta, P, Dhopathi, SR, Gilligan, G, & Seshadri, M. (2021). Invasive oral squamous cell carcinoma induced by concurrent smokeless tobacco and creamy snuff use: A case report. *Oral Oncol*, 105354. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34023217>

Santoshi, CK, Kumar, JV, Bhagirath, PV, Vinay, BH, & Prakash, YJ. (2020). Morphometric analysis of basal cells of oral epithelium in predicting malignant transformation of oral potentially malignant disorders in patients with tobacco chewing habit. *J Oral Maxillofac Pathol*, 24(3), 579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33967506>

Wang, X, Qin, Y, Nie, C, Guo, J, Pan, L, Xie, F et al (2021). Smokeless tobacco analysis: Simultaneous extraction and purification of alkaloids, volatile N-nitrosamines, and polycyclic hydrocarbons for GC-MS/MS. *J Sep Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33915029>

Buendia, AM, Ying, Y, & Kau, CH. (2020). Incidental Finding of Oral White Lesions Due to Tobacco Chewing - A Case Report. *Ann Maxillofac Surg*, 10(2), 488-490. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33708602>

- Ray, S, Saha, D, Alam, N, Mitra Mustafi, S, Mandal, S, Sarkar, A et al (2021). Exposure to chewing tobacco promotes primary oral squamous cell carcinoma and regional lymph node metastasis by alterations of SDF1alpha/CXCR4 axis. *Int J Exp Pathol*, 102(2), 80-92. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33655604>
- Shaik, FB, Nagajothi, G, Swarnalatha, K, Kumar, CS, Rajendra, W, & Maddu, N. (2021). Correlation between smokeless tobacco (Gutkha) and biomarkers of oxidative stress in plasma with cardiovascular effects. *Heliyon*, 7(2), e05487. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33659719>
- Srivastava, A, Mishra, S, & Verma, D. (2021). Characterization of Oral Bacterial Composition of Adult Smokeless Tobacco Users from Healthy Indians Using 16S rDNA Analysis. *Microb Ecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33634334>
- Bhattacharyya, S, Ray, S, Saha, D, Mustafi, SM, Alam, N, Sarkar, A, & Murmu, N. (2020). Chewing tobacco may act as a risk factor for dysplastic transformation of squamous cells in Oral leukoplakia- A cytochemistry based approach. *Pathol Res Pract*, 218, 153287. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33454586>
- Muhammad, T, Govindu, M, & Srivastava, S. (2021). Relationship between chewing tobacco, smoking, consuming alcohol and cognitive impairment among older adults in India: a cross-sectional study. *BMC Geriatr*, 21(1), 85. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33514331>
- Shahi, Y, Mukherjee, S, & Samadi, FM. (2021). Interaction of tobacco chewing and smoking habit with interleukin 6 promoter polymorphism in oral precancerous lesions and oral cancer. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33501560>
- Zhao, J, Qiao, L, Shang, P, Hua, C, Xie, Y, Li, X et al (2021). Effects of smokeless tobacco on cell viability, reactive oxygen species, apoptosis, and inflammatory cytokines in human umbilical vein endothelial cells. *Toxicol Mech Methods*, 1-31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33467949>
- Rivera, AJ Tyx, RE, Keong, LM, Stanfill, SB, & Watson, CH. (2020). Microbial communities and gene contributions in smokeless tobacco products. *Appl Microbiol Biotechnol*, 104(24), 10613-10629. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33180172>
- Aziz Ali, S Khan, U., Abrejo, F, Vollmer, B, Saleem, S, Hambidge, MK et al (2020). Use of smokeless tobacco before conception and its relationship with maternal and fetal outcomes of pregnancy in Thatta, Pakistan: Findings from Women First study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33084903>
- Jitnarin, N, Poston, WSC, Jahnke, SA, Haddock, CK, & Kelley, HN. (2020). Cancer Perceptions Among Smokeless Tobacco Users: A Qualitative Study of US Firefighters. *Saf Health Work*, 11(3), 284-290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995053>
- Subramaniam, N, Dhar, SK, Rao, R, Prasad, K, & Das, M. (2020). Novel tyrosine metabolites in the transcriptomic profiling of smokeless tobacco related oral cancer and their potential implications. *Oral Oncol*, 105027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33012656>

- Tran, QT, Arimilli, S, Scott, E, Chen, P, & Prasad, GL. (2020). Differences in biomarkers of inflammation and immune responses in chronic smokers and moist snuff users. *Cytokine*, 137, 155299. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33011400>
- Begum, SF, G, N, K, S, C, VK, K, ND, C, SK, & Maddu, N. (2020). Smokeless tobacco induced biophysical and biochemical alterations in the plasma, erythrocytes, and platelets of panmasala users: Subsequent biological effects. *Toxicol Rep*, 7, 963-978. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32904118>
- Bhattacharjee, T, Mandal, P, & Gangopadhyay, S. (2020). Smokeless tobacco use and related oral mucosal changes in Bengali Women. *J Family Med Prim Care*, 9(6), 2741-2746. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32984118>
- Gupta, AK, & Mehrotra, R. (2020). Alarming High Levels of Nicotine and Carcinogenic Nitrosamines in Smokeless Tobacco Products Sold Worldwide. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32951041>
- Skranes, JB, Kleiven, O, Aakre, KM, Skadberg, O, Melberg, TH, Omland, T, & Orn, S. (2020). High-Sensitivity Cardiac Troponin I and T Response Following Strenuous Activity is Attenuated by Smokeless Tobacco: NEEDED (North Sea Race Endurance Exercise Study) 2014. *J Am Heart Assoc*, e017363. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32930023>
- Biswas, S, Das, H, Das, U, Sengupta, A, Dey Sharma, R, Biswas, SC, & Dey, S. (2020). Smokeless tobacco induces toxicity and apoptosis in neuronal cells: a mechanistic evaluation. *Free Radic Res*, 1-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32842814>
- Siddiqi, K, Husain, S, Vidyasagaran, A, Readshaw, A, Mishu, MP, & Sheikh, A. (2020). Global burden of disease due to smokeless tobacco consumption in adults: an updated analysis of data from 127 countries. *BMC Med*, 18(1), 222. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32782007>
- Azeem, MS, Yesupatham, ST, Mohiyuddin, SMA, Sumanth, V, & Ravishankar, S. (2020). Usefulness of salivary sialic acid as a tumor marker in tobacco chewers with oral cancer. *J Cancer Res Ther*, 16(3), 605-611. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32719275>
- Bhandarkar, GP, Shetty, KV, Ashaya, Jha, K, Arati, K, & Thomas, T. (2020). Correlation of periodontal parameters to various types of smokeless tobacco in tobacco pouch keratosis patients: A cross-sectional study. *J Cancer Res Ther*, 16(3), 463-469. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32719252>
- Gupta, R, Gupta, S, Sharma, S, Sinha, DN, & Mehrotra, R. (2020). Corrigendum to: Association of smokeless tobacco and cerebrovascular accident: a systematic review and meta-analysis of global data. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32725202>
- Halboub, E, Al-Ak'hali, MS, Alamir, AH, Homeida, HE, Baraniya, D, Chen, T, & Al-Hebshi, NN. (2020). Tongue microbiome of smokeless tobacco users. *BMC Microbiol*, 20(1), 201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32640977>
- Oldham, MJ, Lion, KE, hillips, DJ, Morton, MJ, Lusso, MF, Harris, EA et al (2020). Variability of TSNA in U.S. Tobacco and Moist Smokeless Tobacco Products. *Toxicol Rep*, 7, 752-758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32612935>

Shukla, AK, Khaitan, T, Gupta, P, & Naik, S. (2020). Serum Immunoglobulins as Diagnostic Markers in Smokeless Tobacco Users for Prevention of Oral Potentially Malignant Disorders. *Asian Pac J Cancer Prev*, 21(7), 2055-2059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32711432>

Asthana, S, Vohra, P, & Labani, S. (2019). Association of smokeless tobacco with oral cancer: A review of systematic reviews. *Tob Prev Cessat*, 5, 34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411897>

Comez, A, Karakucuk, Y, & Beyoglu, A. (2020). Evaluation of the effect of smokeless tobacco (Maras powder) on choroidal and retinal blood flow: an optical coherence tomography angiography study. *Int Ophthalmol*, 40(6), 1367-1376. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32383132>

Nasrin, S, Chen, G, Watson, CJW, & Lazarus, P. (2020). Comparison of tobacco-specific nitrosamine levels in smokeless tobacco products: High levels in products from Bangladesh. *PLoS One*, 15(5), e0233111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32453764>

Diendere, J, Zeba, AN, Nikiema, L, Kabore, A, Savadogo, PW, Tougma, SJ et al (2020). Smokeless tobacco use: its prevalence and relationships with dental symptoms, nutritional status and blood pressure among rural women in Burkina Faso. *BMC Public Health*, 20(1), 579. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32345279>

Kawada, T. (2020). Effects of maras powder (smokeless tobacco) on lumbar disc degeneration. *Clin Neurol Neurosurg*, 193, 105776. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32146232>

Monika, S, Dineshkumar, T, Priyadharini, S, Niveditha, T, Sk, P, & Rajkumar, K. (2020). Smokeless Tobacco Products (STPs) Harbour Bacterial Populations with Potential for Oral Carcinogenicity. *Asian Pac J Cancer Prev*, 21(3), 815-824. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32212812>

Singh, PK, Yadav, A, Lal, P, Sinha, DN, Prakash, CG, Swasthicharan, L et al. (2020). Dual Burden of Smoked and Smokeless Tobacco Use in India, 2009-17: A Repeated Cross-Sectional Analysis based on Global Adult Tobacco Survey. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32034915>

Khaitan, T, Shukla, AK, Gupta, P, Naik, SR, Verma, P, & Kumar, S. (2019). Liver and thyroid profile in educating smokeless tobacco users and its role in oral health promotion. *J Educ Health Promot*, 8, 224. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31867388>

Negi, M, Sepolia, N, Panwar, SS, Kumar, M, Singla, J, & Aggarwal, RK. (2019). Prevalence of oral parameters in smokeless tobacco-associated precancer. *J Family Med Prim Care*, 8(12), 3956-3961. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31879643>

Nersesyan, A. (2020). Letter to Editor: The smokeless tobacco habit and DNA damage: A systematic review and meta-analysis. *Med Oral Patol Oral Cir Bucal*, 25(1), e150-e153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31885367>

Shaik, FB, Nagajothi, G, Swarnalatha, K, Kumar, CS, & Maddu, N. (2019). Quantification of Nicotine and Cotinine in Plasma, Saliva, and Urine by HPLC Method in Chewing Tobacco Users. *Asian Pac J Cancer Prev*, 20(12), 3617-3623. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31870102>

Tyx, RE, Rivera, AJ, Keong, LM, & Stanfill, SB. (2019). An exploration of smokeless tobacco product nucleic acids: a combined metagenome and metatranscriptome analysis. *Appl Microbiol Biotechnol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31820070>

Frobert, O, Reitan, C, Hatsukami, DK, Pernow, J, Omerovic, E, & Andell, P. (2019). Smokeless tobacco, snus, at admission for percutaneous coronary intervention and future risk for cardiac events. *Open Heart*, 6(2), e001109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31673392>

Khan, SZ, Farooq, A, Masood, M, Shahid, A, Nisar, H, & Fatima, I. (2019). Smokeless tobacco use and risk of oral cavity cancer. *Turk J Med Sci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31655504>

Nordenstam, F, Norman, M, & Wickstrom, R. (2019). Blood Pressure and Heart Rate Variability in Preschool Children Exposed to Smokeless Tobacco in Fetal Life. *J Am Heart Assoc*, 8(21), e012629. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31615305>

Quadri, MFA, Tadakamadla, SK, & John, T. (2019). Smokeless tobacco and oral cancer in the Middle East and North Africa: A systematic review and meta-analysis. *Tob Induc Dis*, 17, 56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582945>

Watanabe, H, & Parikh, NS. (2019). Maternal Use of Snus in Pregnancy and Early Childhood Blood Pressure: A Warning for e-Cigarettes? *J Am Heart Assoc*, 8(21), e014416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31615306>

Chaffee, BW, Jacob, P, Couch, ET, & Benowitz, NL. (2019). Exposure to a Tobacco-Specific Carcinogen Among Adolescent Smokeless Tobacco Users in Rural California, United States. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31504879>

Dogan, A, Dogan, K, & Tasolar, S. (2019). Magnetic resonance imaging evaluation of the effects of cigarette and maras powder (smokeless tobacco) on lumbar disc degeneration. *Clin Neurol Neurosurg*, 186, 105500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31557568>

Mohammed, MEA, & Brima, EI. (2019). Cytological changes in oral mucosa induced by smokeless tobacco. *Tob Induc Dis*, 17, 46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516489>

Shah, SS, Shah, M, Habib, SH, Shah, FA, & Malik, MO. (2019). Correlation of plasma kisspeptin with total testosterone levels in smokeless tobacco and smoking tobacco users in a healthy cohort: A cross-sectional study. *Andrologia*, e13409. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31502328>

Choudhary, AK, & Qudeer, A. (2019). Smokeless tobacco: Risk factor for cardiovascular and breathing in young Indian adolescent. *Hipertens Riesgo Vasc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31401090>

Datta, KK, Patil, S, Patel, K, Babu, N, Raja, R, Nanjappa, V et al. (2019). Chronic Exposure to Chewing Tobacco Induces Metabolic Reprogramming and Cancer Stem Cell-Like Properties in Esophageal Epithelial Cells. *Cells*, 8(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31438645>

Rodu, B, & Plurphanswat, N. (2019). Mortality among male smokers and smokeless tobacco users in the USA. *Harm Reduct J*, 16(1), 50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31429765>

Vaid, N, Bhargava, D, Bansal, P, Chawla, R, Goyal, D, & Pawar, CU. (2019). Cytogenetic Analysis of Micronuclei in Tobacco Chewers: A Study in North Indian Population. *J Contemp Dent Pract*, 20(6), 693-696. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31358711>

Arimilli, S, Makena, P, & Prasad, GL. (2019). Combustible Cigarette and Smokeless Tobacco Product Preparations Differentially Regulate Intracellular Calcium Mobilization in HL60 Cells. *Inflammation*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31190105>

Gupta, R, Gupta, S, Sharma, S, Sinha, DN, & Mehrotra, R. (2019). Association of smokeless tobacco and cerebrovascular accident: a systematic review and meta-analysis of global data. *J Public Health (Oxf)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31067304>

Kaur, J, Sharma, A, Kumar, A, Bhartiya, D, Sinha, DN, Kumari, S et al (2019). SLTChemDB: A database of chemical compounds present in Smokeless tobacco products. *Sci Rep*, 9(1), 7142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31073139>

Sen, N, Bathija, P, Chakravarty, T, Das, D, Baghel, NS, & Khan, TA. (2019). Caries risk assessment using Cariogram model among smokeless tobacco users in India. *Med Pharm Rep*, 92(2), 165-171. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31086845>

Tsou, HH, Ko, HT, Chen, CT, Wang, TW, Lee, CH, Liu, TY, & Wang, HT. (2019). Betel quid containing safrole enhances metabolic activation of tobacco specific 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK). *Environ Pollut*, 251, 13-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31071628>

de Geus, JL, Wambier, LM, Loguercio, AD, & Reis, A. (2019). The smokeless tobacco habit and DNA damage: A systematic review and meta-analysis. *Med Oral Patol Oral Cir Bucal*, 24(2), e145-e155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30818306>

Joksic, G, Rutqvist, LE, Micic, M, Trickovic, JF, & Nilsson, R. (2019). Factors effecting the induction of rat forestomach hyperplasia induced by Swedish oral smokeless tobacco (snus). *Regul Toxicol Pharmacol*, 104, 21-28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30844416>

Fisher, MT, Tan-Torres, SM, Gaworski, CL, Black, RA, & Sarkar, MA. (2019). Smokeless tobacco mortality risks: an analysis of two contemporary nationally representative longitudinal mortality studies. *Harm Reduct J*, 16(1), 27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30975137>

Mahmoodabad, SSM, Jadgal, MS, Zareban, I, & Zadeh, HF. (2019). The Determinants of Salivary Cotinine Concentration in Smokeless Tobacco Users. *Open Access Maced J Med Sci*, 7(5), 810-815. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30962846>

Arimilli, S, Makena, P, Liu, G, & Prasad, GL. Distinct gene expression changes in human peripheral blood mononuclear cells treated with different tobacco product preparations. *Toxicol In Vitro*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30776502>

Dandona, R, Mathur, MR, Kumar, GA, & Dandona, L. Improving Utility of Data on Cancer Mortality Risk Associated with Smokeless Tobacco: Recommendations for Future Research. *Asian Pac J Cancer Prev*, 2019. (2), 581-588. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30803225>

Rimal, J, Shrestha, A, Maharjan, IK, Shrestha, S, & Shah, P. Risk Assessment of Smokeless Tobacco among Oral Precancer and Cancer Patients in Eastern Developmental Region of Nepal. *Asian Pac J Cancer Prev*, 2019. 20(2), 411-415. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30803200>

Sen, N, Asawa, K, Bhat, N, Tak, M, Sultane, P, & Chakravarty, T. A comparative assessment of caries risk using cariogram among smokers and smokeless tobacco users in india - a cross-sectional study. *Afr Health Sci*, 2018. 18(4), 1046-1056. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30766571>

Warnakulasuriya, S, & Straif, K. Carcinogenicity of smokeless tobacco: Evidence from studies in humans & experimental animals. *Indian J Med Res*, 2018. 148(6), 681-686. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30778001>

Sankhla, B, Kachhwaha, K, Hussain, SY, Saxena, S, Sireesha, SK, & Bhargava, A. Genotoxic and Carcinogenic Effect of Gutkha: A Fast-growing Smokeless Tobacco. *Addict Health*, 2018. 10(1), 52-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30627385>

Zanetti, F, Sewer, A, Titz, B, Schlage, WK, Iskandar, AR, Kondylis, A et al. Assessment of a 72-hour repeated exposure to Swedish snus extract and total particulate matter from 3R4F cigarette smoke on gingival organotypic cultures. *Food Chem Toxicol*, 2019. 125, 252-270. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30610935>

Mahapatra, S, Chaly, P E, Mohapatra, SC, & Madhumitha, M. Influence of tobacco chewing on oral health: A hospital-based cross-sectional study in Odisha. *Indian J Public Health*, 2018. 62(4), 282-286. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30539890>

McAdam, K, Enos, T, Goss, C, Kimpton, H, Faizi, A, Edwards, S et al. Analysis of coumarin and angelica lactones in smokeless tobacco products. *Chem Cent J*, 2018. 12(1), 142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30569337>

Prasad, K., Rao, R., Augustine, D., Sowmya, S. V., Haragannavar, V., Sagar, P., & Sreedhar, P. (2018). Pathway based prognostic gene expression profile of buccal and gingivo-buccal oral squamous cell carcinoma in smokeless tobacco chewers. *Head Neck*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30536474>

Shahid, N., Iqbal, A., Siddiqui, A. J., Shoaib, M., & Musharraf, S. G. (2018). Plasma metabolite profiling and chemometric analyses of tobacco snuff dippers and patients with oral cancer: Relationship between metabolic signatures. *Head Neck*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548891>

Sharma, S., Mishra, S. K., & Mittal, N. (2018). Influence of tobacco dependence on caries development in young male adults: A cross-sectional study. *J Conserv Dent*, 21(6), 597-601. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30546202>

Martinez, IKC, Sparks, N RL, Madrid, JV, Affeldt, H, Vera, MKM, Bhanu, B, & Zur Nieden, NI. Video-based kinetic analysis of calcification in live osteogenic human embryonic stem cell cultures reveals

the developmentally toxic effect of Snus tobacco extract. *Toxicol Appl Pharmacol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30468815>

Pemberton, MN. Oral cancer and tobacco: developments in harm reduction. *Br Dent J*, 2018. Available from: <https://www.nature.com/articles/sj.bdj.2018.928>

Zandonai, T, Tam, E, Bruseghini, P, Capelli, C, Baraldo, M, & Chiamulera, C. Exercise performance increase in smokeless tobacco-user athletes after overnight nicotine abstinence. *Scand J Med Sci Sports*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30387193>

Zandonai, T, Tam, E, Bruseghini, P, Pizzolato, F, Franceschi, L, Baraldo, M et al. The effects of oral smokeless tobacco administration on endurance performance. *J Sport Health Sci*, 2018. 7(4), 465-472. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6226421/pdf/main.pdf>

Khanal, S, Khan, SA, Baral, D, Shrestha, S, Baral, N, & Lamsal, M. Oxidant-antioxidant status and assessment of cardiovascular morbidity in Pan Masala containing Tobacco users: a cross-sectional study. *BMC Res Notes*, 2018. 11(1), 727. Available from: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6186140/pdf/13104\\_2018\\_Article\\_3832.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6186140/pdf/13104_2018_Article_3832.pdf)

Nordenstam, F, Lundell, B, Bonamy, AE, Raaschou, P, & Wickstrom, R. Snus users had high levels of nicotine, cotinine and 3-hydroxycotinine in their breast milk and the clearance was slower than in smoking mothers. *Acta Paediatr*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/apa.14602>

Rostron, BL, Chang, JT, Anic, GM, Tanwar, M, Chang, CM, & Corey, CG. Smokeless tobacco use and circulatory disease risk: a systematic review and meta-analysis. *Open Heart*, 2018. 5(2), e000846. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6196954/pdf/openhrt-2018-000846.pdf>

Gulati, HK, Kumar, A, Dhama, AS, Gupta, R, Sharma, AK, Singh, H, et al. Setting research priorities in smokeless tobacco control: A retrospective review. *Indian J Med Res*, 2018. 148(1), 103-109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264759>

Gupta, R, Gupta, S, Sharma, S, Sinha, DN, Mehrotra, R. A systematic review on association between smokeless tobacco & cardiovascular diseases. *Indian J Med Res*, 2018. 148(1), 77-89. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264756>

Gupta, S, Gupta, R, Sinha, DN, Mehrotra, R. Relationship between type of smokeless tobacco & risk of cancer: A systematic review. *Indian J Med Res*, 2018. 148(1), 56-76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264755>

Kaur, J, Sharma, A, Gupta, R, Singh, H. Development of comprehensive data repository on chemicals present in smokeless tobacco products: Opportunities & challenges. *Indian J Med Res*, 2018. 148(1), 4-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264748>

Li, L, Zhou, X, Wang, Y. Smokeless tobacco extract inhibits proliferation and promotes apoptosis in oral mucous fibroblasts. *Oncol Lett*, 2018. 16(4), 5066-5074. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30250574>

Muthukrishnan, A, Warnakulasuriya, S. Oral health consequences of smokeless tobacco use. Indian J Med Res, 2018. 148(1), 35-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30264752>

Begum, SF, Nagajothi, G, Latha, KS, Sandeep, G, Sreekanth, B, Kumar, CS, Rajendra, W, Maddu, N. Possible role of nicotine and cotinine on nitroxidative stress and antioxidant content in saliva of smokeless tobacco consumers. Pract Lab Med. 2018 Jul 17;12:e00105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30090844>

Kundu, S, Ramshankar, V, Verma, AK, Thangaraj, SV, Krishnamurthy, A, Kumar, R, Kannan, R, Ghosh, SK. Association of DFNA5, SYK, and NELL1 variants along with HPV infection in oral cancer among the prolonged tobacco-chewers. Tumour Biol. 2018 Aug;40(8):1010428318793023. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30091681>

Anitha, TS, Srikanth, K, Suganya, S, Muthukumar, S. A comparative clinical study on the generation of nitrosative stress in cataractous lenses of smokers and non-smoker tobacco patients. Eur J Ophthalmol, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29991295>

Hu, CW, Cooke, MS, Chang, YJ, Chao, MR. : Direct-acting DNA ethylating agents associated with tobacco use primarily originate from the tobacco itself, not combustion. J Hazard Mater. 2018 Sep 15;358:397-404. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30005251>

McAdam, K, Vas, C, Kimpton, H, Faizi, A, Liu, C, Porter, A, Synnerdahl, T, Karlsson, P, Rodu, B. Ethyl carbamate in Swedish and American smokeless tobacco products and some factors affecting its concentration. Chem Cent J. 2018 Jul 24;12(1):86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30043180>

Nwanaji-Enwerem, JC, Cardenas, A, Chai, PR, Weisskopf, MG, Baccarelli, AA, Boyer, EW. Relationships of Long-term Smoking and Moist Snuff Consumption with a DNA Methylation Age Relevant Smoking Index: An Analysis in Buccal Cells. Nicotine Tob Res, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053132>

Raj, AT, Patil, S, Sarode, SC, Sarode, GS. Systematic reviews and meta-analyses on smokeless tobacco products should include Shammah. Nicotine Tob Res, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986117>

Alrashidi, AG, Alrashidi, TG, Alrashedi, SA, Alreshidi, NA, Alrashidi, MF, Alrashidi, AS, Alkhaldi, EH, Alrashidi, AG, Alshammari, MS, Ahmed, HG. Epidemiologic Pattern and Types of Oral Smokeless Tobacco Usage in Saudi Arabia. J Contemp Dent Pract. 2018 Apr 1;19(4):456-462. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29728553>

Asthana, S, Labani, S, Kailash, U, Sinha, DN, Mehrotra, R. Association of Smokeless Tobacco Use and Oral Cancer: A Systematic Global Review and Meta-Analysis. Nicotine Tob Res. 2018 May 22. pii: 4998035. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29790998>

Honarmand, M, Nakhaee, A, Moradi, M. Comparison of Salivary Cotinine Concentrations in Male Smokers and Smokeless Tobacco Users. Asian Pac J Cancer Prev. 2018 May 26;19(5):1363-1366. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29802701>

Jessen, WJ, Borgerding, MF, Prasad, GL. Global methylation profiles in buccal cells of long-term smokers and moist snuff consumers. *Biomarkers*. 2018 May 17:1-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29771158>

Stanfill, SB, Croucher, RE, Gupta, PC, Lisko, JG, Lawler, TS, Kuklennyik, P, Dahiya, M, Duncan, B, Kimbrell, JB, Peuchen, EH, Watson, CH. Chemical characterization of smokeless tobacco products from South Asia: Nicotine, unprotonated nicotine, tobacco-specific N-Nitrosamines, and flavor compounds. *Food Chem Toxicol*. 2018 May 7. pii: S0278-6915(18)30293-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29746936>

Bhat, MY, Advani, J, Rajagopalan, P, Patel, K, Nanjappa, V, Solanki, HS, Patil, AH, Bhat, FA, Mathur, PP, Nair, B, Prasad, TSK, Califano, JA, Sidransky, D, Gowda, H, Chatterjee, A. Cigarette smoke and chewing tobacco alter expression of different sets of miRNAs in oral keratinocytes. *Sci Rep*. 2018 May 4;8(1):7040. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29728663>

Baig, S, Rubab, Z, Farooq, W. Molecular Pathogenesis of Chewable Tobacco. *J Coll Physicians Surg Pak*. 2018 May;28(5):381-385. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29690969>

El Zahran, T, Ralston, A, King, A, Hindman, D, Morgan, BW. Elevated lead level from a tobacco source requiring chelation in a 12-year-old child. *Clin Toxicol (Phila)*. 2018 Apr 6:1-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29623731>

Bhartiya, D, Kumar, A, Kaur, J, Kumari, S, Sharma, AK, Sinha, DN, Singh, H, Mehrotra, R. In-silico study of toxicokinetics and disease association of chemicals present in smokeless tobacco products. *Regul Toxicol Pharmacol*. 2018 Mar 2;95:8-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29505798>

Desideri, D, Roselli, C, Fagiolino, I, Meli, MA. Toxic Elements in Human Saliva of Smokeless Tobacco Users. *J Anal Toxicol*, 2018. Mar 2, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29509887>

Zandonai, T, Chiamulera, C, Mancabelli, A, Falconieri, D, Diana, M. A Preliminary Investigation on Smokeless Tobacco Use and Its Cognitive Effects Among Athletes. *Front Pharmacol*. 2018 Mar 12;9:216. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29593541>

Donald, PM, Renjith, G, Arora, A. Tobacco Pouch Keratosis in a young individual: A brief description. *J Indian Soc Periodontol*. 2017 May-Jun;21(3):249-251. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29440796>

Stanisce, L, Levin, K, Ahmad, N, Koshkareva, Y. Reviewing smokeless tobacco epidemiology, carcinogenesis, and cessation strategy for otolaryngologists. *Laryngoscope*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29427388>

Gupta, R, Gupta, S, Sharma, S, Sinha, DN, Mehrotra, R. Risk of coronary heart disease among smokeless tobacco users: results of systematic review and meta-analysis of global data. *Nicotine Tob Res*. 2018 Jan 9. pii: 4793346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29325111>

Khan, Z, Suliankatchi, RA, Heise, TL, Dreger, S, Naswar (Smokeless Tobacco) Use and the Risk of Oral Cancer in Pakistan: A systematic Review with meta-analysis. *Nicotine Tob Res.* 2017 Dec 25. pii: 4774580. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29294113>

Sinha, DN, Gupta, PC, Kumar, A, Bhartiya, D, Agarwal, N, Sharma, S, Singh, H, Parascandola, M, Mehrotra, R. The poorest of poor suffer the greatest burden from smokeless tobacco use: A study from 140 countries. *Nicotine Tob Res.* 2017 Dec 22. pii: 4772208. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29309692>

Giovannoni, ML, Valdivia-Gandur, I, Lozano de Luaces, V, Varela Veliz, H, Balasubbaiah, Y, Chimenos-Kustner, E. Betel and tobacco chewing habit and its relation to risk factors for periodontal disease. *Oral Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29284200>

Rastogi, A, Supriya, Sahu, S, Haldar, R. Nil per oral instructions in chronic tobacco chewers: Are they enough? *Indian J Anaesth.* 2017 Oct;61(10):849-850. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29242662>

Sgambato, JA, Jones, BA, Caraway, JW, Prasad, GL. Inflammatory profile analysis reveals differences in cytokine expression between smokers, moist snuff users, and dual users compared to non-tobacco consumers. *Cytokine.* 2017 Dec 4. pii: S1043-4666(17)30355-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29217402>

Anand, A, Sk, MIK. The Risk of Hypertension and Other Chronic Diseases: Comparing Smokeless Tobacco with Smoking. *Front Public Health.* 2017 Sep 22;5:255. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29018793>

Araghi, M, Galanti, MR, Lundberg, M, Liu, Z, Ye, W, Lager, A, Engstrom, G, Manjer, J, Alfredsson, L, Knutsson, A, Norberg, M, Palmqvist, R, Gylling, B, Wennberg, P, Lagerros, YT, Bellocco, R, Pedersen, NL, Ostergren, PO, Magnusson, C. Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. *Scand J Public Health.* 2017 Jul 1:1403494817714191. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28994648>

No authors listed. Bacteria Caused By Smokeless Tobacco Creates Health Issues. *J Calif Dent Assoc.* 2016 Nov;44(11):668. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29039635>

Wang, Y, Sung, HY, Lightwood, J, Chaffee, BW, Yao, T, Max, W. Healthcare Utilization and Expenditures Attributable to Smokeless Tobacco Use among US Adults. *Nicotine Tob Res.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059335>

Bhatt, D, Sharma, S, Gupta, R, Sinha, DN, Mehrotra, R. Predictors of Hypertension among Nonpregnant Females Attending Health Promotion Clinic with Special Emphasis on Smokeless Tobacco: A Cross-Sectional Study. *Biomed Res Int.* 2017;2017:8765217. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900627>

Dagli, AF, Sahin, N, Bozdog, Z, Ucer, O, Akatli, AN, Artas, G, Sahin, I, Yardim, M, Dalkilic, S, Akkoc, RF, Simsek, S, Aydin, S. Cytological and cytomorphometric characteristics of buccal mucosa cells from smokeless tobacco users. *Diagn Cytopathol.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28862802>

Feirman, SP, Donaldson, EA, Parascandola, M, Snyder, K, Tworek, C. Monitoring harm perceptions of smokeless tobacco products among U.S. adults: Health Information National Trends Survey 2012, 2014, 2015. *Addict Behav.* 2017 Sep 9;77:7-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28938110>

Huque, R, Zaman, MM, Huq, SM, Sinha, DN. Smokeless tobacco and public health in Bangladesh. *Indian J Public Health.* 2017 Sep;61(Supplement):S18-S24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28928314>

Rodu, B. Re: "Smokeless Tobacco Use and the Risk of Head and Neck Cancer: Pooled Analysis of Us Studies in the Inhance Consortium". *Am J Epidemiol.* 2017 Sep 1;186(5):624. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28911014>

Khan, Z, Dreger, S, Shah, SMH, Pohlabeln, H, Khan, S, Ullah, Z, Rehman, B, Zeeb, H. Oral cancer via the bargain bin: The risk of oral cancer associated with a smokeless tobacco product (Naswar). *PLoS One.* 2017 Jul 10;12(7):e0180445. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28692704>

Lallier, TE, Moylan, JT, Maturin, E. Greater Sensitivity of Oral Fibroblasts to Smoked vs. Smokeless Tobacco. *J Periodontol.* 2017 Jul 14:1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28708037>

Al-Hebshi, NN, Alharbi, FA, Mahri, M, Chen, T. Differences in the Bacteriome of Smokeless Tobacco Products with Different Oral Carcinogenicity: Compositional and Predicted Functional Analysis. *Genes (Basel).* 2017 Mar 23;8(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28333122>

Al-Sowygh, ZH. Efficacy of periimplant mechanical curettage with and without adjunct antimicrobial photodynamic therapy in *smokeless*-tobacco product users. *Photodiagnosis Photodyn Ther.* 2017 Jun;18:260-263. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28347865>

Froisland, DH. Nicotine withdrawal syndrome in a newborn baby after maternal use of oral applied moist tobacco (snus), should result in greater awareness to the use of snus among pregnant women. *Acta Paediatr.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28508412>

Ganganahalli, P, Pratinidhi, A, Patil, J, Kakade, SV. Correlation of Cotinine Levels with Use of Smokeless Tobacco (Mishri) among Pregnant Women and Anthropometry of Newborn. *J Clin Diagn Res.* 2017 Mar;11(3):LC16-LC19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511416>

Nilsson, R. Use of rodent data for cancer risk assessment of smokeless tobacco in the regulatory context. *Regul Toxicol Pharmacol.* 2017 Jun 16. pii: S0273-2300(17)30174-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28625913>

Rauwolf, KK, Berglund, KJ, Berggren, U, Balldin, J, Fahlke, C. The Influence of Smoking and Smokeless Tobacco on the Progression, Severity and Treatment Outcome in Alcohol-Dependent Individuals. *Alcohol Alcohol.* 2017 Jul 1;52(4):477-482. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28525537>

Rollins, K, Lewis, C, Goeckner, R, Pacheco, J, Smith, TE, Hale, J, Daley, SM, Choi, WS, Daley, CM. American Indian Knowledge, Attitudes, and Beliefs About Smokeless Tobacco: A Comparison of Two Focus Group Studies. *J Community Health*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28447180>

Seenan, P, Conway, D. Smokeless tobacco - a substantial risk for oral potentially malignant disorders in South Asia. *Evid Based Dent*. 2017 Jun 23;18(2):54-55. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28642557>

Siddiqui, M, Noon, MJ, Mehboob, N, Khalid, R, Mansoor, S, Khan, HH. Smokeless Tobacco Use and Ischemic Stroke: A Cross-Sectional Study. *Ann Glob Health*. 2016 Sep - Oct;82(5):768-769. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28283127>

Smyth, EM, Kulkarni, P, Claye, E, Stanfill, S, Tyx, R, Maddox, C, Mongodin, EF, Sapkota, AR. Smokeless tobacco products harbor diverse bacterial microbiota that differ across products and brands. *Appl Microbiol Biotechnol*. 2017 Jul;101(13):5391-5403. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28432442>

Timberlake, DS, Nikitin, D, Johnson, NJ, Altekruze, SF. A longitudinal study of smokeless tobacco use and mortality in the United States. *Int J Cancer*. 2017 Jul 15;141(2):264-270. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28411395>

Sinha, DN, Suliankatchi, RA, Gupta, PC, Thamarangsi, T, Agarwal, N, Parascandola, M, Mehrotra, R. Global burden of all-cause and cause-specific mortality due to smokeless tobacco use: systematic review and meta-analysis. *Tob Control*. 2016 Nov 30. pii: tobaccocontrol-2016-053302. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27903956>

Ozga, JE, Felicione, NJ, Elswick, D, Blank, MD. Acute effects of snus in never-tobacco users: a pilot study. *Am J Drug Alcohol Abuse*. 2016 Dec 8:1-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27929684>

Jena, SS, Kabi, S, Panda, BN, Kameswari, BC, Payal, Behera, IC, Tripathy, SK, Mahanta, S. Smokeless tobacco and stroke - A clinico-epidemiological follow-up study in a tertiary care hospital. *J Clin Diagn Res*. 2016 Oct;10(10):OC40-OC43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891376>

Liu, M, Jin, J, Pan, H, Feng, J, Cerniglia, CE, Yang, M, Chen, H. Effect of smokeless tobacco products on human oral bacteria growth and viability. *Anaerobe*. 2016 Oct 15. pii: S1075-9964(16)30125-1.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756619>

Awan, KH, Hussain, QA, Patil, S, Maralingannavar, M. Assessing the risk of oral cancer associated with Gutka and other smokeless tobacco products: a case-control study. *J Contemp Dent Pract*. 2016 Sep 1;17(9):740-744. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27733717>

Liu, M, Jin, J, Pan, H, Feng, J, Cerniglia, CE, Yang, M, Chen, H. Effect of smokeless tobacco products on human oral bacteria growth and viability. *Anaerobe*. 2016 Oct 15. pii: S1075-9964(16)30125-1.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756619>

Reddy, SS, Sharma, S, Mysorekar, V. Expression of Epstein-Barr virus among oral potentially malignant disorders and oral squamous cell carcinomas in the South Indian tobacco-chewing population. *J Oral Pathol Med*, Oct 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27704636>

Wu, YH, Yen, CJ, Hsiao, JR, Ou, CY, Huang, JS, Wong, TY, Tsai, ST, Huang, CC, Lee, WT, Chen, KC, Fang, SY, Wu, JL et al. A comprehensive analysis on the association between tobacco-free betel quid and risk of head and neck cancer in Taiwanese men. *PLoS One*. 2016 Oct 25;11(10):e0164937. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27780233>

Wyss, AB, Hashibe, M, Lee, YA, Chuang, SC, Muscat, J, Chen, C, Schwartz, SM, Smith, E, Zhang, ZF, Morgenstern, H, Wei, Q, Li, G, Kelsey, KT, McClean, M, Winn, DM, Schantz, S, Yu, GP, Gillison, ML, Zavallos, JP, Boffetta, P, Olshan, A. F. Smokeless tobacco use and the risk of head and neck cancer: pooled analysis of US studies in the INHANCE consortium. *Am J Epidemiol*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27744388>

Awan, KH, Patil, S. Association of smokeless tobacco with oral cancer - Evidence from the South Asian studies: a systematic review. *J Coll Physicians Surg Pak*. 2016 Sep;26(9):775-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27671184>

Farhad Mollashahi, L, Honarmand, M, Nakhaee, A, Mollashahi, G. Salivary sialic acid levels in smokeless tobacco users. *Int J High Risk Behav Addict*. 2016 Feb 8;5(2):e27969. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27622172>

Suliankatchi, RA, Sinha, DN. The human cost of tobacco chewing among pregnant women in India: a systematic review and meta-analysis. *J Obstet Gynaecol India*. 2016 Oct;66(Suppl 1):161-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27651596>

Wilson, KM, Markt, SC, Fang, F, Nordenvall, C, Rider, JR, Ye, W, Adami, HO, Stattin, P, Nyren, O, Mucci, LA. Snus use, smoking and survival among prostate cancer patients. *Int J Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27582277>

Prajapati, KJ, Chawda, JG. Estimation of major immunoglobulins in smokers and gutkha chewers. *J Oral Maxillofac Pathol*. 2016 May-Aug;20(2):219-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27601812>

Rygh, E, Gallefoss, F, Reiso, H. Use of snus and smoking tobacco among pregnant women in the Agder counties. *Tidsskr Nor Laegeforen*. 2016 Sep 13;136(16):1351-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27637053>

Chande, M, Suba, K. Tackling the use of Supari (Areca Nut) and smokeless tobacco products in the South Asian community in the United Kingdom. *Dent Update*. 2016 Jun;43(5):442-4, 446-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27529912>

Han, J, Sanad, YM, Deck, J, Sutherland, JB, Li, Z, Walters, MJ, Duran, N, Holman, MR, Foley, SL. Bacterial populations associated with smokeless tobacco products. *Appl Environ Microbiol*, 2016 Sep 30;82(20):6273-6283. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27565615>

Huque, R, Shah, S, Mushtaq, N, Siddiqi, K. Determinants of salivary cotinine among smokeless tobacco users: a cross-sectional survey in Bangladesh. PLoS One. 2016 Aug 9;11(8):e0160211. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27504912>

Moghbel, N, Ryu, B, Cabot, PJ, Ratsch, A, Steadman, KJ. Corrigendum to "In vitro cytotoxicity of Nicotiana gossei leaves, used in the Australian Aboriginal smokeless tobacco known as pituri or mingkulpa" [Toxicol. Lett. 254 (2016) 45-51]. Toxicol Lett. 2016 Aug 6. pii: S0378-4274(16)32301-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27507730>

Sajid, F, Bano, S. Pro inflammatory interleukins and thyroid function in Naswar (dipping tobacco) users: a case control study. BMC Endocr Disord. 2016 Aug 11;16(1):47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27515932>

Skaug, EA, Nes, B, Aspenes, ST, Ellingsen, O. Non-smoking tobacco affects endothelial function in healthy men in one of the largest health studies ever performed; the Nord-Trondelag Health Study in Norway; HUNT3. PLoS One. 2016 Aug 4;11(8):e0160205. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27490361>

Sun, J, Jin, J, Beger, RD, Cerniglia, CE, Yang, M, Chen, H. Metabolomics evaluation of the impact of smokeless tobacco exposure on the oral bacterium Capnocytophaga sputigena. Toxicol In Vitro. 2016 Jul 30;36:133-141. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27480511>

Akhtar, A, Afridi, HI, Kazi, TG, Talpur, FN, Arain, SS, Baig, JA, Khan, N, Khan, M, Bilal, M. Chromium exposure in the adult population, consuming different types of smokeless tobacco products in Pakistan. Biol Trace Elem Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27422637>

Yen, AM, Boucher, BJ, Chiu, SY, Fann, JC, Chen, SL, Huang, KC, Chen, HH. Longer duration and earlier age of onset of paternal betel chewing and smoking increase metabolic syndrome risk in human offspring, independently, in a community-based screening program in Taiwan. Circulation, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27448815>

## News reports:

No authors listed. Study finds all Myanmar mouth cancer patients chew betel quid. Medical Xpress, 2017. Nov 20, 2017. Available from: <https://medicalxpress.com/news/2017-11-myanmar-mouth-cancer-patients-betel.html>

Dwyer, M. Smokeless tobacco product snus may increase risk of death among prostate cancer patients. Harvard School of Public Health, 2016. Oct 12, 2016. Available from: <https://www.hsph.harvard.edu/news/press-releases/smokeless-tobacco-snus-prostate-cancer-death/>

No authors listed. Bacteria in smokeless tobacco products may be a health concern. Science Daily, 2016. Aug 26, 2016. Available from: <https://www.sciencedaily.com/releases/2016/08/160826142008.html>