

Tobacco in Australia

Facts & Issues

Relevant news and research

18B.3 Extent of Use

Last updated April 2019

Research:

Hall, MT, Austin, RP, Do, TA, McGlynn, A. Vape and Aviate: Electronic-Cigarette Use and Misuse in Naval Aviation. *Mil Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365191>

Sharapova, SR, Singh, T, Agaku, IT, Kennedy, SM, King, BA. Patterns of E-cigarette Use Frequency- National Adult Tobacco Survey, 2012-2014. *Am J Prev Med*. 2017 Nov 3. pii: S0749-3797(17)30534-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29129463>

Levy, DT, Yuan, Z, Li, Y. The Prevalence and Characteristics of E-Cigarette Users in the U.S. *Int J Environ Res Public Health*. 2017 Oct 11;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29019917>

Morean, ME, L'Insalata, A. Electronic cigarette use among individuals with a self-reported eating disorder diagnosis. *Int J Eat Disord*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29076176>

Cavalcante, TM, Szklo, AS, Perez, CA, Thrasher, JF, Szklo, M, Ouimet, J, Gravely, S, Fong, GT, Almeida, LM. Electronic cigarette awareness, use, and perception of harmfulness in Brazil: findings from a country that has strict regulatory requirements. *Cad Saude Publica*. 2017 Sep 21;33Suppl 3(Suppl 3):e00074416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954048>

Mendy, VL, Vargas, R, Cannon-Smith, G, Payton, M, Byambaa, E, Zhang, L. Electronic Cigarette Use among Mississippi Adults, 2015. *J Addict*. 2017;2017:5931736. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900552>

Park, SH, Duncan, DT, Shahawy, OE, Lee, L, Shearston, JA, Tamura, K, Sherman, SE, Weitzman, M. Characteristics of Adults Who Switched From Cigarette Smoking to E-cigarettes. *Am J Prev Med*.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

2017 Aug 22. pii: S0749-3797(17)30363-X. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28864130>

Schneider, S, Gorig, T, Schilling, L, Diehl, K. [E-Cigarettes on Everyone's Lips - Current Representative Data on Use Among Adolescents and Adults]. Dtsch Med Wochenschr. 2017 Sep 15. doi: 10.1055/s-0043-111741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28915519>

Sussan, TE, Shahzad, FG, Tabassum, E, Cohen, JE, Wise, RA, Blaha, MJ, Holbrook, JT, Biswal, S. Electronic cigarette use behaviors and motivations among smokers and non-smokers. BMC Public Health. 2017 Sep 8;17(1):686. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28882123>

Venkatesan, P. E-cigarette use in young people in the UK. Lancet Oncol. 2017 Sep 7. pii: S1470-2045(17)30674-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28890297>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from:

<http://www.mdpi.com/1660-4601/14/9/973>

Cassidy, RN, Tidey, JW, Colby, SM, Long, V, Higgins, ST. Initial Development of an E-cigarette Purchase Task: A Mixed Methods Study. Tob Regul Sci. 2017 Apr;3(2):139-150. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28824938>

No authors listed. QuickStats: Percentage* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. MMWR Morb Mortal Wkly Rep, 2017. Aug 25, 2017. Available from:

<https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

Young-Wolff, KC, Klebaner, D, Folck, B, Carter-Harris, L, Salloum, RG, Prochaska, JJ, Fogelberg, R, Tan, ASL. Do you vape? Leveraging electronic health records to assess clinician documentation of electronic nicotine delivery system use among adolescents and adults. Prev Med. 2017 Aug 16;105:32-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28823688>

De Genna, NM, Ylioja, T, Schulze, AE, Manta, C, Douaihy, AB, Davis, EM. Electronic Cigarette Use Among Counselled Tobacco Users Hospitalized in 2015. J Addict Med, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28753139>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Furlow, B. Are e-cigarettes and tobacco products losing their allure for US teenagers? *Lancet Respir Med*. 2017 Aug;5(8):612. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28689795>

Isaacs, D. Adolescent use of electronic cigarettes. *J Paediatr Child Health*. 2017 Jul;53(7):722. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28670812>

Kalkhoran, S, Alvarado, N, Vijayaraghavan, M, Lum, PJ, Yuan, P, Satterfield, JM. Patterns of and reasons for electronic cigarette use in primary care patients. *J Gen Intern Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710596>

Matilla-Santander, N, Fu, M, Ballbe, M, Bunch, K, Lidon-Moyano, C, Martin-Sanchez, JC, Fernandez, E, Martinez-Sanchez, JM. Use of electronic cigarettes in public and private settings in Barcelona (Spain). *Environ Res*. 2017 Jul 19;158:685-690. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734255>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Erratum to: Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28695454>

Noland, M, Rayens, MK, Wiggins, AT, Huntington-Moskos, L, Rayens, EA, Howard, T, Hahn, EJ. Current Use of E-Cigarettes and Conventional Cigarettes Among US High School Students in Urban and Rural Locations: 2014 National Youth Tobacco Survey. *Am J Health Promot*. 2017 Jan 1:890117117719621. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28731384>

Ayers, JW, Leas, EC, Allem, JP, Benton, A, Dredze, M, Althouse, BM, Cruz, TB, Unger, JB. Why do people use electronic nicotine delivery systems (electronic cigarettes)? A content analysis of Twitter, 2012-2015. *PLoS One*. 2017 Mar 1;12(3):e0170702. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28248987>

Bover Manderski, MT, Giovenco, DP, Delnevo, CD. The Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. *Pediatrics*. 2017 May;139(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28557767>

Burki, TK. Electronic cigarette use in the UK. *Lancet Oncol*. 2017 Jun;18(6):e311. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28528750>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. *PLoS One*. 2017 May

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

5;12(5):e0177073. Available from:

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

Chen, X, Yu, B, Wang, Y. Initiation of Electronic Cigarette Use by Age Among Youth in the U.S. *Am J Prev Med*. 2017 Mar 31. pii: S0749-3797(17)30158-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28372920>

Coleman, BN, Rostron, B, Johnson, SE, Ambrose, BK, Pearson, J, Stanton, CA, Wang, B, Delnevo, C, Bansal-Travers, M, Kimmel, HL, Goniewicz, ML, Niaura, R, Abrams, D, Conway, KP, Borek, N, Compton, WM, Hyland, A. Electronic cigarette use among US adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013-2014. *Tob Control*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28624763>

Collins, LK, Villanti, AC, Pearson, JL, Glasser, AM, Johnson, AL, Niaura, RS, Abrams, DB. Frequency of Youth E-Cigarette, Tobacco, and Poly-Use in the United States, 2015: Update to Villanti et al., "Frequency of Youth E-Cigarette and Tobacco Use Patterns in the United States: Measurement Precision Is Critical to Inform Public Health". *Nicotine Tob Res*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28444309>

Conway, KP, Green, VR, Kasza, KA, Silveira, ML, Borek, N, Kimmel, HL, Sargent, JD, Stanton, C, Lambert, E, Hilmi, N, Reissig, CJ, Jackson, KJ, Tanski, SE, Maklan, D, Hyland, AJ, Compton, WM. Co-occurrence of tobacco product use, substance use, and mental health problems among adults: Findings from Wave 1 (2013-2014) of the Population Assessment of Tobacco and Health (PATH) Study. *Drug Alcohol Depend*. 2017 May 30;177:104-111. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28582698>

Dai, H. Tobacco Product Use Among Lesbian, Gay, and Bisexual Adolescents. *Pediatrics*. 2017 Apr;139(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28348201>

Delnevo, CD, Gundersen, DA, Manderski, MT, Giovenco, DP, Giovino, GA. Importance of Survey Design for Studying the Epidemiology of Emerging Tobacco Product Use Among Youth. *Am J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28369184>

Dutra, L, Glantz, S. We Agree on the Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. *Pediatrics*. 2017 May;139(5). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28557769>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Eastwood, B, East, K, Brose, LS, Dockrell, MJ, Arnott, D, Cheeseman, H, McNeill, A. Electronic cigarette use in young people in Great Britain 2015-2016. *Public Health*. 2017 May 19;149:45-48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28531448>

El-Toukhy, S, Sabado, M, Choi, K. Trends in tobacco product use patterns among U.S. youth, 1999 – 2014. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28582567>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. Prevalence and correlates of current daily use of electronic cigarettes in the European Union: analysis of the 2014 Eurobarometer survey. *Intern Emerg Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260221>

Kaufmann, N, Currie, D. The Scottish adolescent e-cigarette user: profiling from the Scottish Schools Adolescent Lifestyle and Substance Use Survey (SALSUS). *Public Health*. 2017 Jun;147:69-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404499>

Kozlowski, LT, Homish, DL, Homish, GG. Daily users compared to less frequent users find vape as or more satisfying and less dangerous than cigarettes, and are likelier to use non-cig-alike vaping products. *Prev Med Rep*. 2017 Feb 28;6:111-114. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28289597>

Kristjansson, AL, Mann, MJ, Sigfusson, J, Sarbu, EA, Grubliauskiene, J, Daily, SM, Sigfusdottir, ID. Prevalence of e-cigarette use among adolescents in 13 Eastern European towns and cities. *Public Health*. 2017 Jun;147:66-68. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404498>

Levy, DT, Borland, R, Fong, GT, Villanti, AC, Niaura, R, Meza, R, Holford, TR, Cummings, KM, Abrams, DB. Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al. *Nicotine Tob Res*. 2017 Feb;19(2):268-270. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28082477>

Majeed, BA, Stanton, CA, Dube, SR, Sterling, KL, Burns, JD, Eriksen, MP. Electronic Cigarette Use among Current Smokers: A Pilot Qualitative Study. *Health Behav Policy Rev*. 2016 Nov;3(6):590-596. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28393082>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. *Am J Prev Med*. 2017 Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)30022-3/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)30022-3/fulltext)

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

McCabe, SE, West, BT, Veliz, P, Boyd, CJ. E-cigarette Use, Cigarette Smoking, Dual Use, and Problem Behaviors Among U.S. Adolescents: Results From a National Survey. *J Adolesc Health*. 2017 Apr 5. pii: S1054-139X(17)30070-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28391965>

Montreuil, A, MacDonald, M, Asbridge, M, Wild, TC, Hammond, D, Manske, S, Rutherford, E. Prevalence and correlates of electronic cigarette use among Canadian students: cross-sectional findings from the 2014/15 Canadian Student Tobacco, Alcohol and Drugs Survey. *CMAJ Open*. 2017 Jun 14;5(2):E460-E467. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28625973>

O'Connor, RJ, Rees, VW, Rivard, C, Hatsukami, DK, Cummings, KM. Internalized smoking stigma in relation to quit intentions, quit attempts, and current e-cigarette use. *Subst Abus*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28481713>

Pearson, JL, Hitchman, SC, Brose, LS, Bauld, L, Glasser, AM, Villanti, AC, McNeill, A, Abrams, DB and Cohen, JE. Recommended core items to assess e-cigarette use in population-based surveys. *Tob Control*, 2017. Available from: <http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2016-053541?paperoc>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28477286>

Rodriguez, E, Parron, T, Alarcon, R. Perceptions and use of the e-cigarette among university students. *Arch Bronconeumol*. 2017 May 30. pii: S0300-2896(17)30081-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28576391>

Simonavicius, E, McNeill, A, Arnott, D, Brose, LS. What factors are associated with current smokers using or stopping e-cigarette use? *Drug Alcohol Depend*. 2017 Apr 1;173:139-143. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28246049>

Temple, JR, Shorey, RC, Lu, Y, Torres, E, Stuart, GL, Le, VD. E-cigarette use of young adults motivations and associations with combustible cigarette alcohol, marijuana, and other illicit drugs. *Am J Addict*. 2017 Jun;26(4):343-348. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28370717>

Westling, E, Rusby, JC, Crowley, R, Light, JM. Electronic Cigarette Use by Youth: Prevalence, Correlates, and Use Trajectories From Middle to High School. *J Adolesc Health*. 2017 Jun;60(6):660-666. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242187>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Yu, E, Lippert, AM. Race/ethnicity modifies the association between school prevalence of e-cigarette use and student-level use: Results from the 2014 US National Youth Tobacco Survey. Health Place. 2017 May 17;46:114-120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527326>

Hinds, JT, 3rd, Loukas, A, Perry, CL. Sexual and Gender Minority College Students and Tobacco Use in Texas. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472411>

Bandiera, FC, Loukas, A, Li, X, Wilkinson, AV, Perry, CL. Depressive symptoms predict current E-cigarette use among college students in Texas. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199689>

Brozek, G, Jankowski, M, Zejda, J, Jarosinska, A, Idzik, A, Banka, P. E-smoking among students of medicine - frequency, pattern and motivations. Adv Respir Med. 2017;85(1):8-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28198988>

Choi, K, Bestrashniy, J, Forster, J. Trends in awareness, use of, and beliefs about electronic cigarette and snus among a longitudinal cohort of US Midwest young adults. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199683>

de Lacy, E, Fletcher, A, Hewitt, G, Murphy, S, Moore, G. Cross-sectional study examining the prevalence, correlates and sequencing of electronic cigarette and tobacco use among 11-16-year olds in schools in Wales. BMJ Open. 2017 Feb 3;7(2):e012784. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28159848>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. E-cigarette use in the European Union: millions of smokers claim e-cigarettes helped them quit. Addiction. 2017 Mar;112(3):545-546. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28168790>

Webb Hooper, M, Kolar, SK. Racial/ethnic differences in electronic cigarette knowledge, social norms, and risk perceptions among current and former smokers. Addict Behav. 2017 Apr;67:86-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28063324>

Miller, BJ, Wang, A, Wong, J, Paletta, N, Buckley, PF. Electronic cigarette use in patients with schizophrenia: Prevalence and attitudes. Ann Clin Psychiatry. 2016 Nov 1;28(4):e1-e7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27901521>

Murthy, VH. E-Cigarette use among youth and young adults: a major public health concern. JAMA Pediatr, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27928577>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Meernik, C, Baker, HM, Lee, JG, Goldstein, AO. The Tobacco 21 Movement and Electronic Nicotine Delivery System Use Among Youth. *Pediatrics*. 2017 Jan;139(1). pii: e20162216. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940513>

No authors listed. Smoking, vaping and adolescents. *Arch Dis Child*. 2017 Feb 23. pii: archdischild-2017-312880. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28232460>

Amato, MS, Boyle, RG, Levy, D. E-cigarette use 1 year later in a population-based prospective cohort. *Tob Control*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27807298>

Dai, H, Hao, J. Electronic cigarette and marijuana use among youth in the United States. *Addict Behav*. 2016 Nov 18;66:48-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871045>

Dunbar, MS, Tucker, JS, Ewing, BA, Pedersen, ER, Miles, JN, Shih, RA, D'Amico, EJ. Frequency of E-cigarette use, health status, and risk and protective health behaviors in adolescents. *J Addict Med*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27898495>

Fedele, DA, Barnett, TE, Dekevich, D, Gibson-Young, LM, Martinasek, M, Jagger, MA. Prevalence of and beliefs about electronic cigarettes and hookah among high school students with asthma. *Ann Epidemiol*. 2016 Dec;26(12):865-869. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27839657>

Harrell, MB, Weaver, SR, Loukas, A, Creamer, M, Marti, CN, Jackson, CD, Heath, JW, Nayak, P, Perry, CL, Pechacek, TF, Eriksen, MP. Flavored e-cigarette use: Characterizing youth, young adult, and adult users. *Prev Med Rep*. 2016 Nov 11;5:33-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27896041>

Kinnunen, JM, Ollila, H, Lindfors, PL, Rimpela, AH. Changes in Electronic cigarette use from 2013 to 2015 and reasons for use among Finnish adolescents. *Int J Environ Res Public Health*. 2016 Nov 9;13(11). pii: E1114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27834885>

Larsen, K, Faulkner, GE, Boak, A, Hamilton, HA, Mann, RE, Irving, HM, To, T, Canadian Respiratory Research, Network. Looking beyond cigarettes: Are Ontario adolescents with asthma less likely to smoke e-cigarettes, marijuana, waterpipes or tobacco cigarettes? *Respir Med*. 2016 Nov;120:10-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27817805>

Owusu, D, Aibangbee, J, Collins, C, Robertson, C, Wang, L, Littleton, MA, Boghozian, R, Casenburg, V, Mamudu, HM. The use of E-cigarettes among school-going adolescents in a predominantly rural environment of central Appalachia. *J Community Health*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27868166>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. *Drug Alcohol Depend.* 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Robinson, RJ, Hensel, EC, Roundtree, KA, Difrancesco, AG, Nonnemaker, JM, Lee, YO. Week long topography study of young adults using electronic cigarettes in their natural environment. *PLoS One.* 2016 Oct 13;11(10):e0164038. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736944>

Seto, JC, Davis, JW, Taira, DA. E-cigarette use related to demographic factors in Hawai'i. *Hawaii J Med Public Health.* 2016 Oct;75(10):295-302. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27738563>

Kong, G, Idrisov, B, Galimov, A, Masagutov, R, Sussman, S. Electronic cigarette use among adolescents in the Russian Federation. *Subst Use Misuse*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27767370>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. *Drug Alcohol Depend.* 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Kim, H, Davis, AH, Dohack, JL, Clark, PI. E-cigarettes use behavior and experience of adults: qualitative research findings to inform E-cigarette use measure development. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613944>

Persoskie, A, Donaldson, EA, King, BA. Ever-use and curiosity about cigarettes, cigars, smokeless tobacco, and electronic cigarettes among US Middle and High School Students, 2012-2014. *Prev Chronic Dis.* 2016 Sep 22;13:E134. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27657506>

Awan, KH. Experimentation and correlates of electronic nicotine delivery system (electronic cigarettes) among university students - A cross sectional study. *Saudi Dent J.* 2016 Apr;28(2):91-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27486295>

Chivers, LL, Hand, DJ, Priest, JS, Higgins, ST. E-cigarette use among women of reproductive age: Impulsivity, cigarette smoking status, and other risk factors. *Prev Med.* 2016 Aug 1. pii: S0091-7435(16)30206-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27492277>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Gubner, NR, Andrews, KB, Mohammad-Zadeh, A, Lisha, NE, Guydish, J. Electronic-cigarette use by individuals in treatment for substance abuse: A survey of 24 treatment centers in the United States. *Addict Behav.* 2016 Jun 29;63:45-50. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27423097>

Khoury, M, Manlhiot, C, Fan, CS, Gibson, D, Stearne, K, Chahal, N, Dobbin, S, McCrindle, BW. Reported electronic cigarette use among adolescents in the Niagara region of Ontario. *CMAJ*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27431303>

LeVault, K, Mueller-Luckey, G, Waters, EA, Fogleman, A, Crumly, D, Jenkins, WD. E-cigarettes: Who's using them and why? *J Fam Pract.* 2016 Jun;65(6):390-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27474820>

Wang, Y, Wilson, FA, Larson, J, Chen, LW. The use of E-cigarettes among U.S. immigrants: The 2014 National Health Interview Survey. *Public Health Rep.* 2016 Jul-Aug;131(4):605-13. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27453606>

18B3.1 Trends in use of e-cigarettes in Australia

Melka, AS, Chojenta, CL, Holliday, EG, & Loxton, DJ. Predictors of E-cigarette Use Among Young Australian Women. *Am J Prev Med*, 2018. Available from:

[https://www.ajpmonline.org/article/S0749-3797\(18\)32326-2/fulltext](https://www.ajpmonline.org/article/S0749-3797(18)32326-2/fulltext)

Jongenelis, MI, Brennan, E, Slevin, T, Kameron, C, Rudaizky, D, Pettigrew, S. Differences in use of electronic nicotine delivery systems by smoking status and demographic characteristics among Australian young adults. *Health Promot J Austr*, Sept 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30191637>

Jongenelis, MI, Kameron, C, Brennan, E, Rudaizky, D, Slevin, T, Pettigrew, S. E-cigarette product preferences among Australian young adult e-cigarette users. *Aust N Z J Public Health*, Sept 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30248716>

Twyman, L, Watts, C, Chapman, K, Walsberger, SC. Electronic cigarette use in New South Wales, Australia: reasons for use, place of purchase and use in enclosed and outdoor places. *Aust N Z J Public Health*, Aug 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30152006>

Thomas, DP, Lusic, N, van der Sterren, AE, Borland, R. Electronic cigarette use and understanding among a national sample of Australian Aboriginal and Torres Islander smokers. *Nicotine Tob Res*, Jul 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30053109>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Williams, T, White, V. What Factors are Associated with Electronic Cigarette, Shisha-Tobacco and Conventional Cigarette Use? Findings from a Cross-Sectional Survey of Australian Adolescents? *Subst Use Misuse*. 2018 Jan 16:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29336657>

18B.3.2 International trends in use of e-cigarettes

Grant, JE, Lust, K, Fridberg, DJ, King, AC, & Chamberlain, SR. E-cigarette use (vaping) is associated with illicit drug use, mental health problems, and impulsivity in university students. *Ann Clin Psychiatry*, 2019. 31(1), 27-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30699215>

Creamer, M, Case, K, Loukas, A, Cooper, M, & Perry, CL. Patterns of sustained e-cigarette use in a sample of young adults. *Addict Behav*, 2018. 92, 28-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30579114>

Martinez, C, Baena, A, Castellano, Y, Fu, M, Margalef, M, Tigova, O et al. Prevalence and determinants of tobacco, e-cigarettes, and cannabis use among nursing students: A multicenter cross-sectional study. *Nurse Educ Today*, 2018. 74, 61-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30583124>

Thompson, ME, Fong, GT, Boudreau, C, Driezen, P, Li, G, Gravely, S et al. Methods of the ITC Four Country Smoking and Vaping Survey, Wave 1 (2016). *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548345>

Zhan, Y., Etter, J. F., Leischow, S., & Zeng, D. (2019). Electronic cigarette usage patterns: a case study combining survey and social media data. *J Am Med Inform Assoc*, 26(1), 9-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30544163>

Kasza, KA, Borek, N, Conway, KP, Goniewicz, ML, Stanton, CA, Sharma, E et al. Transitions in Tobacco Product Use by U.S. Adults between 2013(-)2014 and 2014(-)2015: Findings from the PATH Study Wave 1 and Wave 2. *Int J Environ Res Public Health*, 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30423998>

Kilibarda, B, Krstev, S, Milovanovic, M, & Foley, K. E-cigarette use in Serbia: Prevalence, reasons for trying and perceptions. *Addict Behav*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30473245>

Tobacco in Australia

Facts & Issues

Kock, L, Shahab, L, West, R, & Brown, J. E-cigarette use in England 2014-17 as a function of socio-economic profile. *Addiction*, 2018. Available from:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/add.14446>

Spears, CA, Jones, DM, Weaver, SR, Yang, B, Pechacek, TF, & Eriksen, MP. Electronic nicotine delivery system (ENDS) use in relation to mental health conditions, past-month serious psychological distress and cigarette smoking status, 2017. *Addiction*, 2018. Available from:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/add.14464>

Yingst, J, Foulds, J, Veldheer, S, Cobb, CO, Yen, MS, Hrabovsky, S et al. Measurement of electronic cigarette frequency of use among smokers participating in a randomized controlled trial. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30365024>

Yingst, J, Foulds, J, Veldheer, S, & Du, P. Device characteristics of long term electronic cigarette users: A follow-up study. *Addict Behav*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30270024>

Bianco, CL. Rates of electronic cigarette use among adults with a chronic mental illness. *Addict Behav*, 2018. 89, 1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30237110>

Chen, YL, Wu, SC, Chen, YT, Hsiao, PC, Yu, YH, Ting, TT, et al. E-Cigarette Use in a Country With Prevalent Tobacco Smoking: A Population-Based Study in Taiwan. *J Epidemiol*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30175730>

Mirbolouk, M, Charkhchi, P, Kianoush, S, Uddin, SMI, Orimoloye, OA, Jaber, R, et al. Prevalence and Distribution of E-Cigarette Use Among U.S. Adults: Behavioral Risk Factor Surveillance System, 2016. *Ann Intern Med*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30167658>

Zavala-Arciniega, L, Rodriguez-Andrade, MA, Reynales-Shigematsu, LM, Lozano, P, Arillo-Santillan, E, Thrasher, JF. Patterns of awareness and use of electronic cigarettes in Mexico, a middle-income country that bans them: Results from a 2016 national survey. *Prev Med*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30261244>

Kuiper, NM, Loomis, BR, Falvey, KT, Gammon, DG, King, BA, Wang, TW, Rogers, T. Trends in Unit Sales of Flavored and Menthol Electronic Cigarettes in the United States, 2012-2016. *Prev Chronic Dis*. 2018 Aug 23;15:E105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30148426>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kypriotakis, G, Robinson, JD, Green, CE, Cinciripini, PM. Patterns of Tobacco Product Use and Correlates Among Adults in the Population Assessment of Tobacco and Health (PATH) Study: A Latent Class Analysis. *Nicotine Tob Res.* 2018 Aug 14;20(suppl_1):S81-S87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30125013>

Laverty, AA, Filippidis, FT, Vardavas, CI. Patterns, trends and determinants of e-cigarette use in 28 European Union Member States 2014-2017. *Prev Med.* 2018 Aug 22. pii: S0091-7435(18)30259-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30144487>

Oliveira, WJC, Zobiole, AF, Lima, CB, Zurita, RM, Flores, PEM, Rodrigues, LGV, Pinheiro, RCA, Silva, V. Electronic cigarette awareness and use among students at the Federal University of Mato Grosso, Brazil. *J Bras Pneumol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30066740>

Schneller, LM, Bansal-Travers, M, Goniewicz, ML, McIntosh, S, Ossip, D, O'Connor, RJ. Use of flavored electronic cigarette refill liquids among adults and youth in the US-Results from Wave 2 of the Population Assessment of Tobacco and Health Study (2014-2015). *PLoS One.* 2018 Aug 23;13(8):e0202744. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30138412>

Harlow, A, Stokes, A, Brooks, D. Socio-economic and racial/ethnic differences in e-cigarette uptake among cigarette smokers: Longitudinal analysis of the Population Assessment of Tobacco and Health (PATH) study. *Nicotine Tob Res*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986109>

Jaber, RM, Mirbolouk, M, DeFilippis, AP, Maziak, W, Keith, R, Payne, T, Stokes, A, Benjamin, E, Bhatnagar, A, Blankstein, R, Saxena, A, Blaha, MJ, Nasir, K. Electronic Cigarette Use Prevalence, Associated Factors, and Pattern by Cigarette Smoking Status in the United States From NHANES (National Health and Nutrition Examination Survey) 2013-2014. *J Am Heart Assoc.* 2018 Jul 14;7(14). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30007934>

Rodu, B, Plurphanswat, N. E-cigarette Use Among US Adults: Population Assessment of Tobacco and Health (PATH) Study. *Nicotine Tob Res.* 2018 Jul 9;20(8):940-948. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986104>

Friedman, AS, Horn, SJL. Socioeconomic Disparities in Electronic Cigarette Use and Transitions from Smoking. *Nicotine Tob Res*, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29917124>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kalkhoran, S, Kruse, GR, Rigotti, NA, Rabin, J, Ostroff, JS, Park, ER. Electronic cigarette use patterns and reasons for use among smokers recently diagnosed with cancer. *Cancer Med*, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29905013>

Russell, C, McKegane, N, Dickson, T, Nides, M. Changing patterns of first e-cigarette flavor used and current flavors used by 20,836 adult frequent e-cigarette users in the USA. *Harm Reduct J*. 2018 Jun 28;15(1):33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29954412>

Bao, W, Xu, G, Lu, J, Snetselaar, LG, Wallace, RB. Changes in Electronic Cigarette Use Among Adults in the United States, 2014-2016. *JAMA*. 2018 May 15;319(19):2039-2041. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800201>

Kotz, D, Bockmann, M, Kastaun, S. The Use of Tobacco, E-Cigarettes, and Methods to Quit Smoking in Germany. *Dtsch Arztebl Int*. 2018 Apr 6;115(14):235-242. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29716687>

Farsalinos, Konstantinos E, Siakas, Georgios, Poulas, Konstantinos, Voudris, Vassilis, Merakou, Kyriakoula and Barbouni, Anastasia. Electronic cigarette use in Greece: an analysis of a representative population sample in Attica prefecture. *Harm Reduction Journal*, Apr 2018. Available from: <https://doi.org/10.1186/s12954-018-0229-7>

Pourchez, J, Forest, V. E-cigarettes: from nicotine to cannabinoids, the French situation. *Lancet Respir Med*. 2018 May;6(5):e16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29605622>

El-Shahawy, O, Park, SH, Duncan, DT, Lee, L, Tamura, K, Shearston, JA, Weitzman, M, Sherman, SE. Evaluating State-Level Differences in E-cigarette and Cigarette Use Among Adults in the United States Between 2012 and 2014: Findings From the National Adult Tobacco Survey. *Nicotine Tob Res*. 2018. Feb 27, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29490078>

Atzendorf, J, de Matos, EG, Kroger, C, Kraus, L, Piontek, D. [The use of E-Cigarettes in the German Population: Results of the Epidemiological Survey of Substance Abuse 2015]. *Gesundheitswesen*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29486498>

Miyazaki, Y, Tabuchi, T. Educational gradients in the use of electronic cigarettes and heat-not-burn tobacco products in Japan. *PLoS One*. 2018 Jan 12;13(1):e0191008. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29329351>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. QuickStats: Percentage* of Adults Aged ≥ 18 Years Who Currently Use E-Cigarettes,(dagger) by Sex and Age Group - National Health Interview Survey,(section sign) 2016. MMWR Morb Mortal Wkly Rep. 2018 Jan 5;66(5152):1412. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29300719>

Unger, JB. Perceived Discrimination as a Risk Factor for Use of Emerging Tobacco Products: More Similarities Than Differences Across Demographic Groups and Attributions for Discrimination. Subst Use Misuse. 2018 Jan 17:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29338581>

18B3.3 International trends in use among teenagers

Kuehn, B. Youth e-Cigarette Use. JAMA, 2019. 321(2), 138. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30644990>

Oh, KH, Lee, CM, Oh, B, Oh, SW, Joh, HK, Choi, HC et al. The Relationship between Electronic Cigarette Use with or without Cigarette Smoking and Alcohol Use among Adolescents: Finding from the 11th Korea Youth Risk Behavior Web-based Survey. Korean J Fam Med, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30636385>

Anic, GM, Sawdey, MD, Jamal, A, & Trivers, KF. Frequency of Use Among Middle and High School Student Tobacco Product Users - United States, 2015-2017. MMWR Morb Mortal Wkly Rep, 2018. 67(49), 1353-1357. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30543601>

Miech, R, Johnston, L, O'Malley, PM, Bachman, JG, & Patrick, ME. Adolescent Vaping and Nicotine Use in 2017-2018 - U.S. National Estimates. N Engl J Med, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30554549>

Cullen, KA, Ambrose, BK, Gentzke, AS, Apelberg, BJ, Jamal, A, & King, BA. Notes from the Field: Use of Electronic Cigarettes and Any Tobacco Product Among Middle and High School Students - United States, 2011-2018. MMWR Morb Mortal Wkly Rep, 2018. 67(45), 1276-1277. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30439875>

McMillen, R, Tanski, S, Wilson, K, Klein, JD, Winickoff, JP. Adolescent Use of Different E-cigarette Products. Pediatrics, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30201626>

Xiao, L, Parascandola, M, Wang, C, Jiang, Y. Perception and Current Use of E-cigarettes Among Youth in China. Nicotine Tob Res, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053201>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Agaku, IT, Odani, S, Homa, D, Armour, B, Glover-Kudon, R. Discordance between perceived and actual tobacco product use prevalence among US youth: a comparative analysis of electronic and regular cigarettes. *Tob Control*, Apr 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29674512>

News reports:

Miech, R, Schulenberg, J, Johnston, L, Bachman, J, O'Malley, P, & Patrick, M. (2018). National Adolescent Drug Trends in 2018 [Press release]. Available from:

<http://monitoringthefuture.org/data/18data.html#2018data-drugs>

Chapman, Simon. Are there really 250 000 people vaping in Australia? *MJA InSight*, 2018. Feb 8, 2018. Available from: <https://www.doctorportal.com.au/mjainsight/2018/4/are-there-really-250-000-people-vaping-in-australia/>

No authors listed. QuickStats: Percentage* of Adults Aged ≥18 Years Who Currently Use E-Cigarettes,† by Sex and Age Group — National Health Interview Survey,§ 2016. Centres for Disease Control and Prevention, Jan 2018. Available from:

https://www.cdc.gov/mmwr/volumes/66/wr/mm665152a7.htm?s_cid=mm665152a7_w

No authors listed. E-cigarettes are more likely to be used by alcohol drinkers and former cigarette smokers. *Medical Xpress*, 2017. Nov 15, 2017. Available from:

<https://medicalxpress.com/news/2017-11-e-cigarettes-alcohol-drinkers-cigarette-smokers.html>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. *Int J Environ Res Public Health*. 2017 Aug 29;14(9). Available from:

<http://www.mdpi.com/1660-4601/14/9/973>

Weaver, Scott, Kemp, Catherine B, Heath, J Wesley, Pechacek, Terry F and Eriksen, Michael P. Use of Nicotine in Electronic Nicotine and Non-Nicotine Delivery Systems by US Adults, 2015. *Public Health Reports*, 2017. Available from: <http://journals.sagepub.com/doi/abs/10.1177/0033354917723597>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. *Int J Environ Res Public Health*. 2017 Aug 29;14(9). Available from:

<http://www.mdpi.com/1660-4601/14/9/973>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Caruana, Diane. Survey from Indiana shows that e-cigarette use is on the decline. Vaping Post, 2017. Aug 24, 2017. Available from: <https://www.vapingpost.com/2017/08/24/survey-from-indiana-shows-that-e-cigarette-use-is-on-the-decline/>

No authors listed. QuickStats: Percentage* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. MMWR Morb Mortal Wkly Rep, 2017. Aug 25, 2017. Available from: <https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

No authors listed. High use of electronic cigarettes seen in 8th-9th graders in Oregon. Science Daily, 2017. Aug 14, 2017. Available from: <https://www.sciencedaily.com/releases/2017/08/170814143101.htm>

Caruana, Diane. Gottlieb fails to credit vaping products for reduction in teen smoking. Vaping Journal, 2017. Jun 20, 2017. Available from: <http://www.vapingpost.com/2017/06/20/gottlieb-fails-to-credit-vaping-products-for-reduction-in-teen-smoking/>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. PLoS One. 2017 May 5;12(5):e0177073. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

No authors listed. Special Eurobarometer 458: Attitudes of Europeans towards tobacco and electronic cigarettes. European Commission – Trade, 2017. Available from: https://data.europa.eu/euodp/en/data/dataset/S2146_87_1_458_ENG

No authors listed. Minnesota Department of Health reissues nicotine advisory, e-cigarette use among teens is double that of cigarettes. KTTC, 2017. May 11, 2017. Available from: <http://www.kttc.com/story/35400185/minnesota-department-of-health-reissues-nicotine-advisory-e-cigarette-use-among-teens-is-double-that-of-cigarettes>

No authors listed. Teen vaping rates fall in the United States. The Pharmaceutical Journal, 2017. Jun 23, 2017. Available from: <http://www.pharmaceutical-journal.com/news-and-analysis/news-in-brief/teen-vaping-rates-fall-in-the-us/20203019.article>

No authors listed. No longer the hot new thing? Teen vaping falls, study says. Boston Herald, 2017. June 15, 2017. Available from:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

http://www.bostonherald.com/news/national/2017/06/no_longer_the_hot_new_thing_teen_vaping_falls_study_says

No authors listed. Teens using marijuana and cigarettes daily at same rate, UW study finds. Canadian Television (CTV), 2017. May 9, 2017. Available from: <http://kitchener.ctvnews.ca/teens-using-marijuana-and-cigarettes-daily-at-same-rate-uw-study-finds-1.3405649>

Reid, Jessica and Hammond, David. Tobacco Use in Canada: Patterns and Trends 2017 EDITION. University of Waterloo, 2017. Available from: https://uwaterloo.ca/tobacco-use-canada/sites/ca.tobacco-use-canada/files/uploads/files/2017_tobaccouseincanada_final_0.pdf

Williams, R. S, Derrick, J, Liebman, AK, LaFleur, K and Ribisl, KM. Content analysis of age verification, purchase and delivery methods of internet e-cigarette vendors, 2013 and 2014. Tob Control, 2017. May 8, 2017. Available from: <http://tobaccocontrol.bmj.com/content/early/2017/05/11/tobaccocontrol-2016-053616?papetoc=>

Abcede, Angel. Study Shows E-Cig Use Up Dramatically. Convenience Store/Petroleum (CSPNet), 2017. Mar 14, 2017. Available from: <http://www.cspdailynews.com/category-news/tobacco/articles/study-shows-e-cig-use-dramatically>

Allen, Victoria. E-cigarette use falls for the first time as MPs launch inquiry into whether use of the devices should be restricted. Mail Online, 2017. Mar 1, 2017. Available from: <http://www.mailonsunday.co.uk/news/article-4269822/E-cigarette-use-falls-time.html>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. Am J Prev Med. 2017 Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)30022-3/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)30022-3/fulltext)

Morley, Katie. Britain's e-cigarette boom is over, data suggests. The Telegraph , 2017. Mar 1, 2017. Available from: <http://www.telegraph.co.uk/news/2017/03/01/britains-e-cigarette-boom-data-suggests/>

No authors listed. Fewer people 'using e-cigarettes to quit smoking amid lack of official guidance'. BT News, 2017. Mar 1, 2017. Available from: <http://home.bt.com/news/uk-news/fewer-people-using-e-cigarettes-to-quit-smoking-amid-lack-of-official-guidance-11364160483995>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Many smokers switch to E-cigs after tobacco-related illness. HealthDay [HealthScout], 2017. Feb 28, 2017. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/many-smokers-switch-to-e-cigs-after-tobacco-related-illness-719995.html>

Sands, Mark. British smokers are switching to e-cigarettes faster than anyone else in Europe. City A.M., 2017. Feb 6, 2017. Available from: <http://www.cityam.com/258441/british-smokers-switching-e-cigarettes-faster-than-anyone>

Bagot, Martin. Number of smokers at 20-year low as men lead in the fight against fags. Daily Mirror, 2016. Dec 14, 2016. Available from: <http://www.mirror.co.uk/lifestyle/health/number-smokers-20-year-low-9458390>

Donnelly, Laura. 'Clean cut' generation is least likely to have ever had an alcoholic drink. The Telegraph, 2016. Dec 14, 2016. Available from: <http://www.telegraph.co.uk/news/2016/12/14/clean-cut-generation-least-likely-have-ever-had-alcoholic-drink/>

No authors listed. New survey shows both youth smoking and E-cigarette use fell this year. Campaign for Tobacco Free Kids, 2016. Dec 13, 2016. Available from: <http://www.publicnow.com/view/B26AE63A287780C816070D412DD366B6DD4142FF>

Smyth, Chris. Clean-living generation of children snub cigarettes and alcohol. The Times, 2016. Dec 15, 2016. Available from: <http://www.thetimes.co.uk/edition/news/clean-living-generation-of-children-snob-cigarettes-and-alcohol-9n90v72sl>

Myers, Matthew. CDC survey shows large majority of adult E-cigarette users in U.S. also smoke cigarettes. Campaign for Tobacco-Free Kids (CTFK), 2016. Oct 27, 2016. Available from: http://www.tobaccofreekids.org/press_releases/post/2016_10_27_ecigarettes

No author listed. Nearly two-thirds of E-cigarette users also smoke: CDC. Health Day, 2016. Oct 30, 2016. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/nearly-two-thirds-of-current-smokers-also-use-e-cigs-cdc-716290.html>

No authors listed. QuickStats: Cigarette Smoking Status* Among Current Adult E-cigarette Users, dagger by Age Group - National Health Interview Survey, section sign United States, 2015. MMWR Morb Mortal Wkly Rep. 2016 Oct 28;65(42):1177. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27787495>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

O'Dowd, Adrian. Young people's regular use of e-cigarettes still low. On Medica, 2016. Oct 31, 2016. Available from: <http://www.onmedica.com/newsArticle.aspx?id=ceedfb46-cafe-421b-a52e-ced0b1e0d73c>

18B3.1 Trends in use of e-cigarettes in Australia

Jongenelis, MI, Kameron, C, Brennan, E, Rudaizky, D, Slevin, T, & Pettigrew, S. E-cigarette product preferences among Australian young adult e-cigarette users. Australian and New Zealand Journal of Public Health, 2018. 42(6), 572-574. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/1753-6405.12842>

Lee, C, Yong, HH, Borland, R, McNeill, A, Hitchman, SC. Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. Drug Alcohol Depend. 2018 Feb 10;185:142-148. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29448147>

18B.3.2 International trends in use of e-cigarettes

No authors listed. Behind the explosive growth of JUUL. Truth initiative, 2019. Jan 3, 2019. Available from: <https://truthinitiative.org/news/behind-explosive-growth-juul>

Action on Smoking and Health (UK). (2018). Use of e-cigarettes (vapourisers) among adults in Great Britain. Available from London, UK: <http://ash.org.uk/category/information-and-resources/fact-sheets/>

No authors listed. Vapers rise 'to more than three million' in Britain. BBC, 2018. Sept 14, 2018. Available from <https://www.bbc.com/news/health-45513762>

Perry, Cheryl. Alarming Trend Shows First-Time Smoking Among Young Adults. News Wise, 2018. July 23, 2018. Available from: [http://www.newswise.com/articles/view/697140/?sc=rsmn&utm_source=feedburner&utm_medium=feed&utm_campaign=Feed%3A+NewswiseMednews+\(Newswise%3A+MedNews](http://www.newswise.com/articles/view/697140/?sc=rsmn&utm_source=feedburner&utm_medium=feed&utm_campaign=Feed%3A+NewswiseMednews+(Newswise%3A+MedNews)

No authors listed. Study finds decrease in rate of e-cigarette use among American adults. Medical Life Sciences News, 2018. May 24, 2018. Available from: <https://www.news-medical.net/news/20180516/Study-finds-decrease-in-rate-of-e-cigarette-use-among-American-adults.aspx>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Tanner, Lindsey. More US adults try vaping but current use is down, data show. Business Insider UK, 2018. May 17, 2018. Available from: <http://uk.businessinsider.com/ap-more-us-adults-try-vaping-but-current-use-is-down-data-show-2018-5/?r=AU&IR=T>

Coleman, Blair, Rostron, Brian, Johnson, Sarah E, Persoskie, Alexander, Pearson, Jennifer, Stanton, Cassandra et al. Transitions in electronic cigarette use among adults in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1 and 2 (2013–2015). Tobacco Control, Apr 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/04/25/tobaccocontrol-2017-054174.full.pdf>

Delaney, Roisin. Greece: “Extremely rare” for non-smokers to use e-cigarettes. Vapground Magazine, 2018. Apr 24, 2018. Available from: <https://vapouround.co.uk/greece-extremely-rare-for-non-smokers-to-use-e-cigarettes/>

Farsalinos, Konstantinos E, Siakas, Georgios, Poulas, Konstantinos, Voudris, Vassilis, Merakou, Kyriakoula and Barbouni, Anastasia. Electronic cigarette use in Greece: an analysis of a representative population sample in Attica prefecture. Harm Reduction Journal, Apr 2018. Available from: <https://doi.org/10.1186/s12954-018-0229-7>

Kuhlman, Mary. Data Shows E-Cigarette Use Rising in Ohio. , 2018. Apr 6, 2018. Available from: <https://www.clevescene.com/scene-and-heard/archives/2018/04/03/data-shows-e-cigarette-use-rising-in-ohio>

No authors listed. E-cigarette use soars in HK in short time span. The Standard (HK), 2018. Mar 23, 2018. Available from: <http://www.thestandard.com.hk/breaking-news.php?id=104677&sid=4>

No authors listed. Public health study finds sexual minorities more likely to have used E-cigarettes. Medical Xpress, 2018. Jan 17, 2018. Available from: <https://medicalxpress.com/news/2018-01-health-sexual-minorities-e-cigarettes.html>

18B3.3 International trends in use among teenagers

Crowe, K. Teen vaping in Canada has taken a 'worrisome' turn. CBC, 2018. Dec 8, 2018. Available from: <https://www.cbc.ca/news/health/health-canada-youth-teenage-vaping-smoking-hammond-1.4937593>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Paul, K. Teen vaping is a 'public health tragedy' and the FDA has a plan to stop it *Market Watch*, 2018. Nov 2, 2018. Available from: <https://www.marketwatch.com/story/fda-promises-forceful-steps-to-halt-health-tragedy-of-teen-e-cigarette-use-2018-10-31>

FDA. Results from 2018 National Youth Tobacco Survey show dramatic increase in e-cigarette use among youth over past year. *U.S. Food and Drug Administration*, 2018. Nov 2, 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm625917.htm>

No authors listed. Statement from FDA Commissioner Scott Gottlieb, M.D., on meetings with industry related to the agency's ongoing policy commitment to firmly address rising epidemic rates in youth e-cigarette use. *U.S. Food & Drug Administration*, 2018. Oct 31, 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm624657.htm>

Cheung, E. Ban e-cigarettes, Hong Kong medical experts say after 'shocking' 55 per cent rise in primary schoolchildren trying vaping. *South China Morning Post*, 2018. Sept 228, 2018. Available from: <https://www.scmp.com/news/hong-kong/health-environment/article/2166062/ban-e-cigarettes-hong-kong-medical-experts-say>

Action on Smoking and Health. Use of e-cigarettes among young people in Great Britain. Fact Sheet, Aug 2018. Available from: <https://ash.us14.list-manage.com/track/click?u=3d5578d8735672472bede942b&id=66564774bd&e=a9265a5c3b>

Crittenton, Anya. LGBT teens are 'far more likely' to smoke or vape than straight teens. *Gay Star News*, 2018. July 9, 2018. Available from: <https://www.gaystarnews.com/article/lgbt-teens-more-likely-smoke-vape/#gs.d0720SE>

No authors listed. Now, more city youth hooked to e-cigarettes despite doctors' warning. *The New Indian Express*, 2018. July 25, 2018. Available from: <http://www.newindianexpress.com/cities/vijayawada/2018/jul/25/now-more-city-youth-hooked-to-e-cigarettes-despite-doctors-warning-1848220.html>

No authors listed. E-cigarette use in youth on rise in twin cities. *Pakistan Observer*, 2018. June 6, 2018. Available from: <https://pakobserver.net/e-cigarette-use-in-youth-on-rise-in-twin-cities/>

Farsalinos, Konstantinos, Tomaselli, Venera and Polosa, Riccardo. Frequency of Use and Smoking Status of U.S. Adolescent E-Cigarette Users in 2015. *American Journal of Preventive Medicine*, Apr 2018. Available from: <https://www.sciencedirect.com/science/article/pii/S074937971831626X>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Half of Utah youth report using alcohol, vaping. Herald Extra, Apr 2018. Available from: https://www.heraldextra.com/sanpete-county/news/half-of-utah-youth-report-using-alcohol-vaping/article_7b0eec17-0b75-51f7-9917-705ee6cc69a0.html

Kong, G, Kuguru, KE, Krishnan-Sarin, S. Gender Differences in U.S. Adolescent E-Cigarette Use. Curr Addict Rep. 2017 Dec;4(4):422-430. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29545987>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28850065>

Glenza, Jessica. More US teens are vaping than smoking cigarettes, study finds. The Guardian, 2017. Dec 14, 2017. Available from: <https://www.theguardian.com/society/2017/dec/13/e-cigarettes-vaping-more-teens-cigarettes-study>

Lockhart, Ben. What Utah found when surveying students about vape, alcohol use. Deseret News Utah, 2018. Mar 20, 2018. Available from: <https://www.deseretnews.com/article/900013255/utah-survey-finds-over-20-in-8th-grade-or-above-tried-vaping.html>

No authors listed. Use of electronic cigarettes (vapourisers) among children in Great Britain. Action on Smoking and Health, 2017. Aug 15, 2017. Available from: <http://ash.org.uk/information-and-resources/fact-sheets/use-of-electronic-cigarettes-vapourisers-among-children-in-great-britain/>

No authors listed. Monitoring the Future Revised December 2017: Trends in Prevalence of Various Drugs. National Institute on Drug Abuse (NIDA), 2017. Available from: <https://www.drugabuse.gov/related-topics/trends-statistics/monitoring-future>