

Tobacco in Australia

Facts & Issues

Relevant news and research

18B.3 Extent of Use

Last updated October 2020

Research:

Jose, T, Hays, JT, & Warner, DO. (2020). Improved Documentation of Electronic Cigarette Use in an Electronic Health Record. *Int J Environ Res Public Health*, 17(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32823985>

Lev, S, Louis, SS, Collier, R, & Britton, GR. (2020). Tabs: The Development and Testing of a Nicotine and Tobacco use Research tool. *J Nurs Meas*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32444421>

Dai, H, & Leventhal, AM. (2019). Prevalence of e-Cigarette Use Among Adults in the United States, 2014-2018. *JAMA*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31524940>

Parker, MA, Pearson, JL, & Villanti, AC. (2019). Limited utility of detailed e-cigarette use measures: An analysis of NESARC-III. *Addict Behav*, 97, 56-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31150991>

Hall, MT, Austin, RP, Do, TA, McGlynn, A. Vape and Aviate: Electronic-Cigarette Use and Misuse in Naval Aviation. *Mil Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365191>

Sharapova, SR, Singh, T, Agaku, IT, Kennedy, SM, King, BA. Patterns of E-cigarette Use Frequency- National Adult Tobacco Survey, 2012-2014. *Am J Prev Med*. 2017 Nov 3. pii: S0749-3797(17)30534-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29129463>

Levy, DT, Yuan, Z, Li, Y. The Prevalence and Characteristics of E-Cigarette Users in the U.S. *Int J Environ Res Public Health*. 2017 Oct 11;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29019917>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Morean, ME, L'Insalata, A. Electronic cigarette use among individuals with a self-reported eating disorder diagnosis. *Int J Eat Disord*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29076176>

Cavalcante, TM, Szklo, AS, Perez, CA, Thrasher, JF, Szklo, M, Ouimet, J, Gravely, S, Fong, GT, Almeida, LM. Electronic cigarette awareness, use, and perception of harmfulness in Brazil: findings from a country that has strict regulatory requirements. *Cad Saude Publica*. 2017 Sep 21;33(Suppl 3(Suppl 3):e00074416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954048>

Mendy, VL, Vargas, R, Cannon-Smith, G, Payton, M, Byambaa, E, Zhang, L. Electronic Cigarette Use among Mississippi Adults, 2015. *J Addict*. 2017;2017:5931736. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900552>

Park, SH, Duncan, DT, Shahawy, OE, Lee, L, Shearston, JA, Tamura, K, Sherman, SE, Weitzman, M. Characteristics of Adults Who Switched From Cigarette Smoking to E-cigarettes. *Am J Prev Med*. 2017 Aug 22. pii: S0749-3797(17)30363-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864130>

Schneider, S, Gorig, T, Schilling, L, Diehl, K. [E-Cigarettes on Everyone's Lips - Current Representative Data on Use Among Adolescents and Adults]. *Dtsch Med Wochenschr*. 2017 Sep 15. doi: 10.1055/s-0043-111741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28915519>

Sussan, TE, Shahzad, FG, Tabassum, E, Cohen, JE, Wise, RA, Blaha, MJ, Holbrook, JT, Biswal, S. Electronic cigarette use behaviors and motivations among smokers and non-smokers. *BMC Public Health*. 2017 Sep 8;17(1):686. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28882123>

Venkatesan, P. E-cigarette use in young people in the UK. *Lancet Oncol*. 2017 Sep 7. pii: S1470-2045(17)30674-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28890297>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. *Int J Environ Res Public Health*. 2017 Aug 29;14(9). Available from: <http://www.mdpi.com/1660-4601/14/9/973>

Cassidy, RN, Tidey, JW, Colby, SM, Long, V, Higgins, ST. Initial Development of an E-cigarette Purchase Task: A Mixed Methods Study. *Tob Regul Sci*. 2017 Apr;3(2):139-150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28824938>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. QuickStats: Percentage* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. MMWR Morb Mortal Wkly Rep, 2017. Aug 25, 2017. Available from: <https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

Young-Wolff, KC, Klebaner, D, Folck, B, Carter-Harris, L, Salloum, RG, Prochaska, JJ, Fogelberg, R, Tan, ASL. Do you vape? Leveraging electronic health records to assess clinician documentation of electronic nicotine delivery system use among adolescents and adults. Prev Med. 2017 Aug 16;105:32-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28823688>

De Genna, NM, Ylioja, T, Schulze, AE, Manta, C, Douaihy, AB, Davis, EM. Electronic Cigarette Use Among Counselled Tobacco Users Hospitalized in 2015. J Addict Med, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28753139>

Furlow, B. Are e-cigarettes and tobacco products losing their allure for US teenagers? Lancet Respir Med. 2017 Aug;5(8):612. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28689795>

Isaacs, D. Adolescent use of electronic cigarettes. J Paediatr Child Health. 2017 Jul;53(7):722. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28670812>

Kalkhoran, S, Alvarado, N, Vijayaraghavan, M, Lum, PJ, Yuan, P, Satterfield, JM. Patterns of and reasons for electronic cigarette use in primary care patients. J Gen Intern Med, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710596>

Matilla-Santander, N, Fu, M, Ballbe, M, Bunch, K, Lidon-Moyano, C, Martin-Sanchez, JC, Fernandez, E, Martinez-Sanchez, JM. Use of electronic cigarettes in public and private settings in Barcelona (Spain). Environ Res. 2017 Jul 19;158:685-690. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734255>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Erratum to: Analysis of E-cigarette use in the 2014 Eurobarometer survey: calling out deficiencies in epidemiology methods. Intern Emerg Med, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28695454>

Noland, M, Rayens, MK, Wiggins, AT, Huntington-Moskos, L, Rayens, EA, Howard, T, Hahn, EJ. Current Use of E-Cigarettes and Conventional Cigarettes Among US High School Students in Urban and Rural Locations: 2014 National Youth Tobacco Survey. Am J Health Promot. 2017 Jan 1:890117117719621. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28731384>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ayers, JW, Leas, EC, Allem, JP, Benton, A, Dredze, M, Althouse, BM, Cruz, TB, Unger, JB. Why do people use electronic nicotine delivery systems (electronic cigarettes)? A content analysis of Twitter, 2012-2015. PLoS One. 2017 Mar 1;12(3):e0170702. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28248987>

Bover Manderski, MT, Giovenco, DP, Delnevo, CD. The Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. Pediatrics. 2017 May;139(5). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28557767>

Burki, TK. Electronic cigarette use in the UK. Lancet Oncol. 2017 Jun;18(6):e311. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28528750>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. PLoS One. 2017 May 5;12(5):e0177073. Available from:

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

Chen, X, Yu, B, Wang, Y. Initiation of Electronic Cigarette Use by Age Among Youth in the U.S. Am J Prev Med. 2017 Mar 31. pii: S0749-3797(17)30158-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28372920>

Coleman, BN, Rostron, B, Johnson, SE, Ambrose, BK, Pearson, J, Stanton, CA, Wang, B, Delnevo, C, Bansal-Travers, M, Kimmel, HL, Goniewicz, ML, Niaura, R, Abrams, D, Conway, KP, Borek, N, Compton, WM, Hyland, A. Electronic cigarette use among US adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013-2014. Tob Control, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28624763>

Collins, LK, Villanti, AC, Pearson, JL, Glasser, AM, Johnson, AL, Niaura, RS, Abrams, DB. Frequency of Youth E-Cigarette, Tobacco, and Poly-Use in the United States, 2015: Update to Villanti et al., "Frequency of Youth E-Cigarette and Tobacco Use Patterns in the United States: Measurement Precision Is Critical to Inform Public Health". Nicotine Tob Res, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28444309>

Conway, KP, Green, VR, Kasza, KA, Silveira, ML, Borek, N, Kimmel, HL, Sargent, JD, Stanton, C, Lambert, E, Hilmi, N, Reissig, CJ, Jackson, KJ, Tanski, SE, Maklan, D, Hyland, AJ, Compton, WM. Co-occurrence of tobacco product use, substance use, and mental health problems among adults: Findings from Wave 1 (2013-2014) of the Population Assessment of Tobacco and Health (PATH)

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Study. Drug Alcohol Depend. 2017 May 30;177:104-111. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28582698>

Dai, H. Tobacco Product Use Among Lesbian, Gay, and Bisexual Adolescents. Pediatrics. 2017 Apr;139(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28348201>

Delnevo, CD, Gundersen, DA, Manderski, MT, Giovenco, DP, Giovino, GA. Importance of Survey Design for Studying the Epidemiology of Emerging Tobacco Product Use Among Youth. Am J Epidemiol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28369184>

Dutra, L, Glantz, S. We Agree on the Importance of Contextual and Temporal Accuracy When Studying Novel Tobacco Products. Pediatrics. 2017 May;139(5). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28557769>

Eastwood, B, East, K, Brose, LS, Dockrell, MJ, Arnott, D, Cheeseman, H, McNeill, A. Electronic cigarette use in young people in Great Britain 2015-2016. Public Health. 2017 May 19;149:45-48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28531448>

El-Toukhy, S, Sabado, M, Choi, K. Trends in tobacco product use patterns among U.S. youth, 1999 – 2014. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28582567>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. Prevalence and correlates of current daily use of electronic cigarettes in the European Union: analysis of the 2014 Eurobarometer survey. Intern Emerg Med, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260221>

Kaufmann, N, Currie, D. The Scottish adolescent e-cigarette user: profiling from the Scottish Schools Adolescent Lifestyle and Substance Use Survey (SALSUS). Public Health. 2017 Jun;147:69-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404499>

Kozlowski, LT, Homish, DL, Homish, GG. Daily users compared to less frequent users find vape as or more satisfying and less dangerous than cigarettes, and are likelier to use non-cig-alike vaping products. Prev Med Rep. 2017 Feb 28;6:111-114. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28289597>

Kristjansson, AL, Mann, MJ, Sigfusson, J, Sarbu, EA, Grubliauskiene, J, Daily, SM, Sigfusdottir, ID. Prevalence of e-cigarette use among adolescents in 13 Eastern European towns and cities. Public Health. 2017 Jun;147:66-68. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404498>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Levy, DT, Borland, R, Fong, GT, Villanti, AC, Niaura, R, Meza, R, Holford, TR, Cummings, KM, Abrams, DB. Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al. *Nicotine Tob Res.* 2017 Feb;19(2):268-270. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28082477>

Majeed, BA, Stanton, CA, Dube, SR, Sterling, KL, Burns, JD, Eriksen, MP. Electronic Cigarette Use among Current Smokers: A Pilot Qualitative Study. *Health Behav Policy Rev.* 2016 Nov;3(6):590-596.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28393082>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. *Am J Prev Med.* 2017

Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)30022-3/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)30022-3/fulltext)

McCabe, SE, West, BT, Veliz, P, Boyd, CJ. E-cigarette Use, Cigarette Smoking, Dual Use, and Problem Behaviors Among U.S. Adolescents: Results From a National Survey. *J Adolesc Health.* 2017 Apr 5. pii: S1054-139X(17)30070-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28391965>

Montreuil, A, MacDonald, M, Asbridge, M, Wild, TC, Hammond, D, Manske, S, Rutherford, E.

Prevalence and correlates of electronic cigarette use among Canadian students: cross-sectional findings from the 2014/15 Canadian Student Tobacco, Alcohol and Drugs Survey. *CMAJ Open.* 2017

Jun 14;5(2):E460-E467. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28625973>

O'Connor, RJ, Rees, VW, Rivard, C, Hatsukami, DK, Cummings, KM. Internalized smoking stigma in relation to quit intentions, quit attempts, and current e-cigarette use. *Subst Abus.* 2017. Available

from: <http://www.ncbi.nlm.nih.gov/pubmed/28481713>

Pearson, JL, Hitchman, SC, Brose, LS, Bauld, L, Glasser, AM, Villanti, AC, McNeill, A, Abrams, DB and Cohen, JE. Recommended core items to assess e-cigarette use in population-based surveys. *Tob*

Control. 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/08/22/tobaccocontrol-2016-053541?paperfrom=pdf>

Polosa, R, Caponnetto, P, Niaura, R, Abrams, D. Analysis of E-cigarette use in the 2014

Eurobarometer survey: calling out deficiencies in epidemiology methods. *Intern Emerg Med.* 2017.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28477286>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Rodriguez, E, Parron, T, Alarcon, R. Perceptions and use of the e-cigarette among university students. Arch Bronconeumol. 2017 May 30. pii: S0300-2896(17)30081-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28576391>

Simonavicius, E, McNeill, A, Arnott, D, Brose, LS. What factors are associated with current smokers using or stopping e-cigarette use? Drug Alcohol Depend. 2017 Apr 1;173:139-143. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28246049>

Temple, JR, Shorey, RC, Lu, Y, Torres, E, Stuart, GL, Le, VD. E-cigarette use of young adults motivations and associations with combustible cigarette alcohol, marijuana, and other illicit drugs. Am J Addict. 2017 Jun;26(4):343-348. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28370717>

Westling, E, Rusby, JC, Crowley, R, Light, JM. Electronic Cigarette Use by Youth: Prevalence, Correlates, and Use Trajectories From Middle to High School. J Adolesc Health. 2017 Jun;60(6):660-666. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242187>

Yu, E, Lippert, AM. Race/ethnicity modifies the association between school prevalence of e-cigarette use and student-level use: Results from the 2014 US National Youth Tobacco Survey. Health Place. 2017 May 17;46:114-120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527326>

Hinds, JT, 3rd, Loukas, A, Perry, CL. Sexual and Gender Minority College Students and Tobacco Use in Texas. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472411>

Bandiera, FC, Loukas, A, Li, X, Wilkinson, AV, Perry, CL. Depressive symptoms predict current E-cigarette use among college students in Texas. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199689>

Brozek, G, Jankowski, M, Zejda, J, Jarosinska, A, Idzik, A, Banka, P. E-smoking among students of medicine - frequency, pattern and motivations. Adv Respir Med. 2017;85(1):8-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28198988>

Choi, K, Bestrashniy, J, Forster, J. Trends in awareness, use of, and beliefs about electronic cigarette and snus among a longitudinal cohort of US Midwest young adults. Nicotine Tob Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199683>

de Lacy, E, Fletcher, A, Hewitt, G, Murphy, S, Moore, G. Cross-sectional study examining the prevalence, correlates and sequencing of electronic cigarette and tobacco use among 11-16-year

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

olds in schools in Wales. *BMJ Open*. 2017 Feb 3;7(2):e012784. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28159848>

Farsalinos, KE, Poulas, K, Voudris, V, Le Houezec, J. E-cigarette use in the European Union: millions of smokers claim e-cigarettes helped them quit. *Addiction*. 2017 Mar;112(3):545-546. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28168790>

Webb Hooper, M, Kolar, SK. Racial/ethnic differences in electronic cigarette knowledge, social norms, and risk perceptions among current and former smokers. *Addict Behav*. 2017 Apr;67:86-91.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28063324>

Miller, BJ, Wang, A, Wong, J, Paletta, N, Buckley, PF. Electronic cigarette use in patients with schizophrenia: Prevalence and attitudes. *Ann Clin Psychiatry*. 2016 Nov 1;28(4):e1-e7. Available

from: <http://www.ncbi.nlm.nih.gov/pubmed/27901521>

Murthy, VH. E-Cigarette use among youth and young adults: a major public health concern. *JAMA*

Pediatr, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27928577>

Meernik, C, Baker, HM, Lee, JG, Goldstein, AO. The Tobacco 21 Movement and Electronic Nicotine Delivery System Use Among Youth. *Pediatrics*. 2017 Jan;139(1). pii: e20162216. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27940513>

No authors listed. Smoking, vaping and adolescents. *Arch Dis Child*. 2017 Feb 23. pii: archdischild-

2017-312880. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28232460>

Amato, MS, Boyle, RG, Levy, D. E-cigarette use 1 year later in a population-based prospective cohort.

Tob Control, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27807298>

Dai, H, Hao, J. Electronic cigarette and marijuana use among youth in the United States. *Addict*

Behav. 2016 Nov 18;66:48-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871045>

Dunbar, MS, Tucker, JS, Ewing, BA, Pedersen, ER, Miles, JN, Shih, RA, D'Amico, EJ. Frequency of E-cigarette use, health status, and risk and protective health behaviors in adolescents. *J Addict Med*,

2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27898495>

Fedele, DA, Barnett, TE, Dekevich, D, Gibson-Young, LM, Martinasek, M, Jagger, MA. Prevalence of and beliefs about electronic cigarettes and hookah among high school students with asthma. *Ann Epidemiol*. 2016 Dec;26(12):865-869. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27839657>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Harrell, MB, Weaver, SR, Loukas, A, Creamer, M, Marti, CN, Jackson, CD, Heath, JW, Nayak, P, Perry, CL, Pechacek, TF, Eriksen, MP. Flavored e-cigarette use: Characterizing youth, young adult, and adult users. *Prev Med Rep*. 2016 Nov 11;5:33-40. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27896041>

Kinnunen, JM, Ollila, H, Lindfors, PL, Rimpela, AH. Changes in Electronic cigarette use from 2013 to 2015 and reasons for use among Finnish adolescents. *Int J Environ Res Public Health*. 2016 Nov 9;13(11). pii: E1114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27834885>

Larsen, K, Faulkner, GE, Boak, A, Hamilton, HA, Mann, RE, Irving, HM, To, T, Canadian Respiratory Research, Network. Looking beyond cigarettes: Are Ontario adolescents with asthma less likely to smoke e-cigarettes, marijuana, waterpipes or tobacco cigarettes? *Respir Med*. 2016 Nov;120:10-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27817805>

Owusu, D, Aibangbee, J, Collins, C, Robertson, C, Wang, L, Littleton, MA, Boghozian, R, Casenburg, V, Mamudu, HM. The use of E-cigarettes among school-going adolescents in a predominantly rural environment of central Appalachia. *J Community Health*, 2016. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27868166>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students: Prevalence and risk factors. *Drug Alcohol Depend*. 2016 Sep 5;168:99-103. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Robinson, RJ, Hensel, EC, Roundtree, KA, Difrancesco, AG, Nonnemaker, JM, Lee, YO. Week long topography study of young adults using electronic cigarettes in their natural environment. *PLoS One*. 2016 Oct 13;11(10):e0164038. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736944>

Seto, JC, Davis, JW, Taira, DA. E-cigarette use related to demographic factors in Hawai'i. *Hawaii J Med Public Health*. 2016 Oct;75(10):295-302. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27738563>

Kong, G, Idrisov, B, Galimov, A, Masagutov, R, Sussman, S. Electronic cigarette use among adolescents in the Russian Federation. *Subst Use Misuse*, Oct 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27767370>

Jeon, C, Jung, KJ, Kimm, H, Lee, S, Barrington-Trimis, JL, McConnell, R, Samet, JM, Jee, SH. E-cigarettes, conventional cigarettes, and dual use in Korean adolescents and university students:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Prevalence and risk factors. *Drug Alcohol Depend.* 2016 Sep 5;168:99-103. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635996>

Kim, H, Davis, AH, Dohack, JL, Clark, PI. E-cigarettes use behavior and experience of adults: qualitative research findings to inform E-cigarette use measure development. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613944>

Persoskie, A, Donaldson, EA, King, BA. Ever-use and curiosity about cigarettes, cigars, smokeless tobacco, and electronic cigarettes among US Middle and High School Students, 2012-2014. *Prev Chronic Dis.* 2016 Sep 22;13:E134. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27657506>

Awan, KH. Experimentation and correlates of electronic nicotine delivery system (electronic cigarettes) among university students - A cross sectional study. *Saudi Dent J.* 2016 Apr;28(2):91-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27486295>

Chivers, LL, Hand, DJ, Priest, JS, Higgins, ST. E-cigarette use among women of reproductive age: Impulsivity, cigarette smoking status, and other risk factors. *Prev Med.* 2016 Aug 1. pii: S0091-7435(16)30206-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27492277>

Gubner, NR, Andrews, KB, Mohammad-Zadeh, A, Lisha, NE, Guydish, J. Electronic-cigarette use by individuals in treatment for substance abuse: A survey of 24 treatment centers in the United States. *Addict Behav.* 2016 Jun 29;63:45-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27423097>

Khoury, M, Manlhiot, C, Fan, CS, Gibson, D, Stearne, K, Chahal, N, Dobbin, S, McCrindle, BW. Reported electronic cigarette use among adolescents in the Niagara region of Ontario. *CMAJ*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27431303>

LeVault, K, Mueller-Luckey, G, Waters, EA, Fogleman, A, Crumly, D, Jenkins, WD. E-cigarettes: Who's using them and why? *J Fam Pract.* 2016 Jun;65(6):390-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27474820>

Wang, Y, Wilson, FA, Larson, J, Chen, LW. The use of E-cigarettes among U.S. immigrants: The 2014 National Health Interview Survey. *Public Health Rep.* 2016 Jul-Aug;131(4):605-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27453606>

18B3.1 Trends in use of e-cigarettes in Australia

Jongenelis, MI, Brennan, E, Slevin, T, Kameron, C, Jardine, E, Rudaizky, D, & Pettigrew, S. (2019). Factors associated with intentions to use e-cigarettes among Australian young adult non-smokers. *Drug Alcohol Rev*, 38(5), 579-587. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31317596>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Melka, A, Chojenta, C, Holliday, E, & Loxton, D. (2019). Adverse childhood experiences and electronic cigarette use among young Australian women. *Preventive Medicine*, 105759. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31251947>

Chan, G, Leung, J, Gartner, C, Yong, HH, Borland, R, & Hall, W. Correlates of electronic cigarette use in the general population and among smokers in Australia - Findings from a nationally representative survey. *Addictive Behaviors*, 2019. 95, 6-10. Available from:

Melka, AS, Chojenta, CL, Holliday, EG, & Loxton, DJ. Predictors of E-cigarette Use Among Young Australian Women. *Am J Prev Med*, 2018. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32326-2/fulltext](https://www.ajpmonline.org/article/S0749-3797(18)32326-2/fulltext)

Jongenelis, MI, Brennan, E, Slevin, T, Kameron, C, Rudaizky, D, Pettigrew, S. Differences in use of electronic nicotine delivery systems by smoking status and demographic characteristics among Australian young adults. *Health Promot J Austr*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30191637>

Jongenelis, MI, Kameron, C, Brennan, E, Rudaizky, D, Slevin, T, Pettigrew, S. E-cigarette product preferences among Australian young adult e-cigarette users. *Aust N Z J Public Health*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30248716>

Twyman, L, Watts, C, Chapman, K, Walsberger, SC. Electronic cigarette use in New South Wales, Australia: reasons for use, place of purchase and use in enclosed and outdoor places. *Aust N Z J Public Health*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30152006>

Thomas, DP, Lusic, N, van der Sterren, AE, Borland, R. Electronic cigarette use and understanding among a national sample of Australian Aboriginal and Torres Islander smokers. *Nicotine Tob Res*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30053109>

Williams, T, White, V. What Factors are Associated with Electronic Cigarette, Shisha-Tobacco and Conventional Cigarette Use? Findings from a Cross-Sectional Survey of Australian Adolescents? *Subst Use Misuse*. 2018 Jan 16:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29336657>

18B.3.2 International trends in use of e-cigarettes

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Visweswaran, S, Colditz, JB, O'Halloran, P, Han, NR, Taneja, SB, Welling, J et al. (2020). Machine Learning Classifiers for Twitter Surveillance of Vaping: Comparative Machine Learning Study. *J Med Internet Res*, 22(8), e17478. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32784184>

Leventhal, AM, & Dai, H. (2020). Prevalence of Flavored e-Cigarette Use Among Subpopulations of Adults in the United States. *J Natl Cancer Inst*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32785659>

Pebley, K, Krukowski, RA, Porter, K, & Little, MA. (2020). Descriptive and Injunctive Norms Related to E-Cigarettes. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32803243>

Kcomt, L, Evans-Polce, RJ, Veliz, PT, Boyd, CJ, & McCabe, SE. (2020). Use of Cigarettes and E-Cigarettes/Vaping Among Transgender People: Results From the 2015 U.S. Transgender Survey. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32803243>

Balogh, E, Wagner, Z, Faubl, N, Riemenschneider, H, Voigt, K, Terebessy, A et al (2020). Increasing Prevalence of Electronic Cigarette Use among Medical Students. Repeated Cross-Sectional Multicenter Surveys in Germany and Hungary, 2016-2018. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32646285>

Boyle, RG, Richter, S, & St Claire, AW. (2020). Defining adult e-cigarette prevalence: comparing a categorical definition with days of use. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32675251>

Patrounova, V Yoon, JH, Schmitz, JM, Nguyen, K, Alaniz, J, & Yammine, L. (2020). Combustible and electronic cigarette use among patients at a large academic dental school clinic: A preimplementation needs assessment survey. *J Am Dent Assoc*, 151(7), 510-518. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32593353>

Simonavicius, E, McNeill, A, Cheeseman, H, Arnott, D, & Brose, LS. (2020). Smokers who have not tried alternative nicotine products: a 2019 survey of adults in Great Britain. *Harm Reduct J*, 17(1), 46. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32664883>

Kock, L, Brown, J, & Shahab, L. (2020). Association of Socioeconomic Position With e-Cigarette Use Among Individuals Who Quit Smoking in England, 2014 to 2019. *JAMA Netw Open*, 3(6), e204207. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32501491>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Villarroel, MA, Cha, AE, & Vahratian, A. (2020). Electronic Cigarette Use Among U.S. Adults, 2018. *NCHS Data Brief*(365), 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32487293>

Wang, Q. (2020). High-intensity binge drinking is associated with cigarette smoking and e-cigarette use among US adults aged 40-64 years: Findings from the 2017 BRFSS survey. *Tob Induc Dis*, 18, 54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32587485>

Phyo, Y, Kumar, AMV, Kyaw, K W Y, Kaung, KK, Nwe, ML, Thida, & Tharaphi. (2020). Prevalence of e-cigarette use among tobacco smokers in six states and regions of Myanmar. *Addict Behav Rep*, 11, 100248. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32467837>

European Publishing Production, T. (2020). Erratum: Electronic cigarette use in China: Awareness, prevalence and regulation. *Tob Induc Dis*, 18, 15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32256279>

Gallus, S, Borroni, E, Liu, X, Carrozzi, L, Dalla Pietra, G, Eslami Varzaneh, S et al (2020). Electronic cigarette use among Italian smokers: patterns, settings, and adverse events. *Tumori*, 300891620915784. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32338200>

Parsons, HM, Jewett, PI, Sadak, K, Turcotte, LM, Vogel, RI, & Blaes, AH. (2020). e-Cigarette Use Among Young Adult Cancer Survivors Relative to the US Population. *JAMA Oncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32271357>

Sharan, RN, Chanu, TM, Chakrabarty, TK, & Farsalinos, K. (2020). Patterns of tobacco and e-cigarette use status in India: a cross-sectional survey of 3000 vapers in eight Indian cities. *Harm Reduct J*, 17(1), 21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32228623>

Weinberger, AH, Zhu, J, Barrington-Trimis, JL, Wyka, K, & Goodwin, RD. (2020). Cigarette use, e-cigarette use, and dual product use is higher among adults with serious psychological distress in the United States: 2014-2017. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32285121>

Kapan, A, Stefanac, S, Sandner, I, Haider, S, Grabovac, I, & Dorner, TE. (2020). Use of Electronic Cigarettes in European Populations: A Narrative Review. *Int J Environ Res Public Health*, 17(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32192139>

Tobacco in Australia

Facts & Issues

McKelvey, K, & Halpern-Felsher, B. (2020). How and Why California Young Adults Are Using Different Brands of Pod-Type Electronic Cigarettes in 2019: Implications for Researchers and Regulators. *J Adolesc Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32192827>

Sugiyama, T, & Tabuchi, T. (2020). Use of Multiple Tobacco and Tobacco-Like Products Including Heated Tobacco and E-Cigarettes in Japan: A Cross-Sectional Assessment of the 2017 JASTIS Study. *Int J Environ Res Public Health*, 17(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32213924>

Assari, S, Mistry, R, & Bazargan, M. (2020). Race, Educational Attainment, and E-Cigarette Use. *J Med Res Innov*, 4(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32090188>

Corrigan, JR, O'Connor, RJ, & Rousu, MC. (2020). Which smokers adopt e-cigarettes and at what price? An experimental estimation of price elasticity of demand and factors correlated with e-cigarette adoption. *Addictive Behaviors*, 105, 106324. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32045835>

Du, Y, Liu, B, Xu, G, Rong, S, Sun, Y, Wu, Y et al (2020). Association of Electronic Cigarette Regulations With Electronic Cigarette Use Among Adults in the United States. *JAMA Netw Open*, 3(1), e1920255. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32003818>

Green, MJ, Gray, L, Sweeting, H, & Benzeval, M. (2020). Socioeconomic patterning of vaping by smoking status among UK adults and youth. *BMC Public Health*, 20(1), 183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32036787>

Kale, D., Pickering, A., & Cooper, A. (2020). Examining the relationship between impulsivity-related personality traits and e-cigarette use in adults. *Addictive Behaviors*, 106, 106348. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32087475>

Kava, C. M., Hannon, P. A., & Harris, J. R. (2020). Use of Cigarettes and E-Cigarettes and Dual Use Among Adult Employees in the US Workplace. *Prev Chronic Dis*, 17, E16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32078502>

Aljandaleh, H, Bolze, C, El-Khoury Lesueur, F, Melchior, M, & Mary-Krause, M. (2020). Factors Associated with Electronic Cigarette Use among Young Adults: The French "Trajectories EpideMiologiques en POpulation" (TEMPO) Cohort Study. *Substance Use and Misuse*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31997695>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Gricourt, Y, Ghezal, H, Claret, PG, Zoric, L, Chaumeron, A, Raux, M et al. (2019). Preoperative vaping prevalence and behavior of French surgical patients: A multicentre study. *Tob Induc Dis*, 17, 84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31889946>

Grzywacz, A, Suchanecka, A, Chmielowiec, J, Chmielowiec, K, Szumilas, K, Masiak, J et al. (2020). Personality Traits or Genetic Determinants-Which Strongly Influences E-Cigarette Users? *International Journal of Environmental Research and Public Health*, 17(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31948125>

Khanagar, SB, Siddeeqh, S, Khinda, V, Khinda, P, Divakar, DD, & Jhugroo, C. (2019). Impact of electronic cigarette smoking on the Saudi population through the analysis of literature: A systematic review. *J Oral Maxillofac Pathol*, 23(3), 473. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31942135>

Leas, EC, Trinidad, DR, Pierce, JP, & Benmarhnia, T. (2020). The effect of college attendance on young adult cigarette, e-cigarette, cigarillo, hookah and smokeless tobacco use and its potential for addressing tobacco-related health disparities. *Preventive Medicine*, 132, 105954. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31917304>

Rebuli, ME, Liu, F, Urman, R, Barrington-Trimis, JL, Eckel, SP, McConnell, R, & Jaspers, I. (2020). Compliance in controlled e-cigarette studies. *Nicotine and Tobacco Research*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31993664>

Reile, R, & Parna, K. (2020). E-Cigarette Use by Smoking Status in Estonia, 2012-2018. *International Journal of Environmental Research and Public Health*, 17(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31947610>

Roberts, W, Verplaetse, T, Peltier, MKR, Moore, KE, Gueorguieva, R, & McKee, SA. (2020). Prospective association of e-cigarette and cigarette use with alcohol use in 2 waves of the Population Assessment of Tobacco and Health. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977106>

St Claire, AW, Schillo, BA, Lien, RK, Keller, PA, O'Gara, E, D'Silva, J et al. (2019). Changing patterns in E-cigarette use among Minnesota adults between 2014 and 2018. *Prev Med Rep*, 16, 101014. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31890471>

Tabuchi, T, Shinozaki, T, Kunugita, N, Nakamura, M, & Tsuji, I. (2020). Erratum to 'Study Profile: The Japan "Society and New Tobacco" Internet Survey (JASTIS): A Longitudinal Internet Cohort Study of

Tobacco in Australia

Facts & Issues

Heat-Not-Burn Tobacco Products, Electronic Cigarettes, and Conventional Tobacco Products in Japan' [J Epidemiol 29 (11) (2019) 444-450]. *Journal of Epidemiology*, 30(1), 55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31902823>

Vallone, DM, Cuccia, AF, Briggs, J, Xiao, H, Schillo, BA, & Hair, EC. (2020). Electronic Cigarette and JUUL Use Among Adolescents and Young Adults. *JAMA Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31961395>

Choi, K, & Chen-Sankey, JC. (2020). Will Electronic Nicotine Delivery System (ENDS) use reduce smoking disparities? Prevalence of daily ENDS use among cigarette smokers. *Prev Med Rep*, 17, 101020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31871881>

Comiford, AL, Rhoades, DA, Dvorak, JD, Ding, K, Mehta, T, Spicer, P et al. (2020). Use of Potentially Reduced Exposure Tobacco Products Among American Indian Smokeless Tobacco Users: Associations With Cessation Behaviors and Cotinine Levels. *Public Health Rep*, 135(1), 141-149. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31835016>

Corpuz, KA, & Dela Cruz, MRI. (2019). Rates of Current Tobacco and Electronic Smoking Device Use Among Filipinos in Hawai'i. *Hawaii J Health Soc Welf*, 78(12), 359-364. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31886467>

Gathright, EC, Wu, WC, & Scott-Sheldon, LAJ. (2019). Electronic cigarette use among heart failure patients: Findings from the Population Assessment of Tobacco and Health study (Wave 1: 2013-2014). *Heart Lung*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31812280>

Ho, BK, Mohamad Haniki, NM, Jamalludin, AR, Samsul, D, Mira, K, Norny Syafinaz, AR et al (2019). Prevalence and characteristics of e-cigarette users among Malaysian current and ex-smokers. *Malays Fam Physician*, 14(2), 10-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31827730>

Pinkas, J, Kaleta, D, Zgliczynski, WS, Lusawa, A, Wrzesniewska-Wal, I, Wierzba, W et al (2019). The Prevalence of Tobacco and E-Cigarette Use in Poland: A 2019 Nationwide Cross-Sectional Survey. *Int J Environ Res Public Health*, 16(23). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31801221>

Pokhrel, P, Schmid, S, & Pagano, I. (2019). Physical Activity and Use of Cigarettes and E-Cigarettes Among Young Adults. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31866208>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Rostron, BL, Cheng, YC, Gardner, LD, & Ambrose, BK. (2020). Prevalence and Reasons for Use of Flavored Cigars and ENDS among US Youth and Adults: Estimates from Wave 4 of the PATH Study, 2016-2017. *Am J Health Behav*, 44(1), 76-81. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31783934>

Salloum, RG, Huo, J, Lee, JH, Lee, J, Dallery, J, George, T, & Warren, G. (2019). Tobacco and E-cigarette use among cancer survivors in the United States. *PLoS One*, 14(12), e0226110. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31815948>

Wanasinghe, D, Shah, S, Bamanikar, A, Aboudi, D, Mikkilineni, S, Shyong, O et al (2019). Lifestyle characteristics of parental electronic cigarette and marijuana users: healthy or not? *J Perinat Med*, 48(1), 59-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855571>

Chang, Y, Cho, S, Kim, I, & Khang, YH. (2019). Socioeconomic Inequalities in e-Cigarette Use in Korea: Comparison with Inequalities in Conventional Cigarette Use Using Two National Surveys. *Int J Environ Res Public Health*, 16(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31766232>

John, WS, Grover, K, Greenblatt, LH, Schwartz, RP, & Wu, LT. (2019). E-Cigarette Use Among Adult Primary Care Patients: Results from a Multisite Study. *J Gen Intern Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31705467>

Jones, DM, Ashley, DL, Weaver, SR, & Eriksen, MP. (2019). Flavored ENDS Use among Adults Who Have Used Cigarettes and ENDS, 2016-2017. *Tob Regul Sci*, 5(6), 518-531. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31696149>

Nguyen Zarndt, A, Donaldson, EA, Bernat, JK, Henrie, JA, & Portnoy, DB. (2019). Adult use of and transitions from nicotine and non-nicotine containing e-cigarettes: Data from the Population Assessment of Tobacco and Health (PATH) Study, 2013-2016. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31774123>

QuickStats: Age-Adjusted Percentage* of Adults Who Had Ever Used an E-cigarette,(dagger) by Race and Ethnicity - National Health Interview Survey, United States, 2014 and 2018(section sign). (2019). *MMWR Morb Mortal Wkly Rep*, 68(47), 1102. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31774739>

Powers, JM, Heckman, BW, LaRowe, LR, & Ditre, JW. (2019). Smokers with pain are more likely to report use of e-cigarettes and other nicotine products. *Exp Clin Psychopharmacol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31724418>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Skelton, E, Silberberg, L, Guillaumier, A, Dunlop, AJ, Wilkinson, RB, & Bonevski, B. (2019). Electronic cigarettes: Ever use, current use and attitudes among alcohol and other drug clients. *Drug Alcohol Rev.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31696560>

Soule, EK, Rossheim, ME, Cavazos, TC, Bode, K, & Desrosiers, AC. (2019). Cigarette, waterpipe, and electronic cigarette use among college fraternity and sorority members and athletes in the United States. *J Am Coll Health*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31702957>

QuickStats: Percentage of Adults Aged 18-24 Years Who Currently Smoke Cigarettes* or Who Currently Use Electronic Cigarettes,(dagger) by Year - National Health Interview Survey, United States, 2014-2018(section sign). (2019). *MMWR Morb Mortal Wkly Rep*, 68(39), 870. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31581167>

Bao, W, Liu, B, Du, Y, Snetselaar, LG, & Wallace, RB. (2019). Electronic Cigarette Use Among Young, Middle-Aged, and Older Adults in the United States in 2017 and 2018. *JAMA Intern Med.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31609399>

Hiong Tee, G, & Low, WY. (2019). Electronic Cigarettes Use Among Adults and Adolescents in Malaysia: A Public Health Concern? *Asia Pac J Public Health*, 1010539519878329. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31595768>

Kirby, T. (2019). E-cigarette use in Great Britain. *Lancet Respir Med.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31631031>

Lin, J, Zhu, K, Hoang, L, Solivan-Ortiz, L, Larsen, CSL, Irwin, L et al (2019). Electronic Cigarette Use and Related Factors among Active Duty Service Members in the U.S. Military. *Mil Med.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31642477>

Rezk-Hanna, M, Toyama, J, Ikharo, E, Brecht, ML, & Benowitz, NL. (2019). E-Hookah Versus E-Cigarettes: Findings From Wave 2 of the PATH Study (2014-2015). *Am J Prev Med*, 57(5), e163-e173. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564602>

Wang, X, Zhang, X, Xu, X, & Gao, Y. (2019). Perceptions and use of electronic cigarettes among young adults in China. *Tob Induc Dis*, 17, 17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582928>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zhao, L, Mbulo, L, Palipudi, K, Wang, J, & King, B. (2019). Awareness and use of e-cigarettes among urban residents in China. *Tob Induc Dis*, 17, 53. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31582942>

ERRATUM to Demographic, Behavioral, and Social Characteristics Associated With Smoking and Vaping Among Men Who Have Sex With Men in San Francisco and Lifestyle Factors Rather Than Helicobacter pylori Infection or Estradiol Level are Associated With Osteopenia in Japanese Men. (2019). *Am J Mens Health*, 13(5), 1557988319873448. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31496334>

El Hajj, D, Cook, PF, James, KA, Battaglia, C, & Prochazca, AV. (2019). Newer Forms of Tobacco Products: Characteristics of Poly Users Among Adults Living in Colorado-A Secondary Data Analysis of the Attitudes and Behaviors Survey on Health 2015. *Tob Use Insights*, 12, 1179173X19874811.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31523133>

Kioi, Y, & Tabuchi, T. (2018). Electronic, heat-not-burn, and combustible cigarette use among chronic disease patients in Japan: A cross-sectional study. *Tob Induc Dis*, 16, 41. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31516440>

Levy, DT, Yuan, Z, Li, Y, Mays, D, & Sanchez-Romero, LM. (2019). An Examination of the Variation in Estimates of E-Cigarette Prevalence among U.S. Adults. *Int J Environ Res Public Health*, 16(17).

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31480240>

Narcisse, MR, Dobbs, P, Long, CR, Purvis, RS, Kimminau, KS, & McElfish, PA. (2019). Electronic cigarette use and psychological distress in the Native Hawaiian and Pacific Islander adults compared with other racial/ethnic groups: Data from the National Health Interview Survey, 2014. *J Community Psychol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31535719>

Perialathan, K, Rahman, AB, Lim, KH, Adon, Y, Ahmad, A, Juatan, N, & Jaafar, N. (2018). Prevalence and associated factors of ever use of electronic cigarettes: Findings from a hospitals and health clinics study based in Malaysia. *Tob Induc Dis*, 16, 55. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31516452>

Pham, T, Williams, JVA, Bhattarai, A, Dores, AK, Isherwood, LJ, & Patten, SB. (2019). Electronic cigarette use and mental health: A Canadian population-based study. *J Affect Disord*, 260, 646-652.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31542558>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Puteh, SEW, Manap, RA, Hassan, TM, Ahmad, IS, Idris, IB, Sham, FM et al. (2018). The use of e-cigarettes among university students in Malaysia. *Tob Induc Dis*, 16, 57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516454>

Rhoades, DA, Comiford, AL, Dvorak, JD, Ding, K, Hopkins, M, Spicer, P et al. (2019). Vaping patterns, nicotine dependence and reasons for vaping among American Indian dual users of cigarettes and electronic cigarettes. *BMC Public Health*, 19(1), 1211. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31477072>

Thrul, J, Vijayaraghavan, M, Kalkhoran, S, & Satterfield, JM. (2019). Patterns of cigarette, e-cigarette, and cannabis use among adult smokers in primary care 2014-2015. *Addict Behav*, 100, 106109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31522133>

Wang, W, He, Z, Feng, N, & Cai, Y. (2019). Electronic cigarette use in China: Awareness, prevalence and regulation. *Tob Induc Dis*, 17, 30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516473>

Zhu, J, Shi, F, Xu, G, Li, N, Li, J, He, Y, & Yu, J. (2019). Conventional Cigarette and E-Cigarette Smoking among School Personnel in Shanghai, China: Prevalence and Determinants. *Int J Environ Res Public Health*, 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31480564>

Jiang, N, Cleland, CM, Wang, MP, Kwong, A, Lai, V, & Lam, TH. (2019). Perceptions and use of e-cigarettes among young adults in Hong Kong. *BMC Public Health*, 19(1), 1123. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31420031>

Majmundar, A, Allem, JP, Cruz, TB, & Unger, JB. (2019). Where Do People Vape? Insights from Twitter Data. *Int J Environ Res Public Health*, 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31443591>

Rhoades, DA, Comiford, AL, Dvorak, JD, Ding, K, Driskill, LM, Hopkins, AM et al. (2019). Dual Versus Never Use of E-Cigarettes Among American Indians Who Smoke. *Am J Prev Med*, 57(3), e59-e68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31377092>

Roys, MR, Peltier, MR, Stewart, SA, Waters, AF, Waldo, KM, & Copeland, AL. (2019). The association between problematic alcohol use, risk perceptions, and e-cigarette use. *Am J Drug Alcohol Abuse*, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31433677>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Schneller, LM, Bansal-Travers, M, Goniewicz, ML, McIntosh, S, Ossip, D, & O'Connor, RJ. (2019). Use of Flavored E-Cigarettes and the Type of E-Cigarette Devices Used among Adults and Youth in the US-Results from Wave 3 of the Population Assessment of Tobacco and Health Study (2015-2016). *Int J Environ Res Public Health*, 16(16). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31434229>

Stallings-Smith, S, & Ballantyne, T. (2019). Ever Use of E-Cigarettes Among Adults in the United States: A Cross-Sectional Study of Sociodemographic Factors. *Inquiry*, 56, 46958019864479.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31328601>

Bentivegna, K, Atuegwu, NC, Oncken, C, Mead, EL, Perez, MF, & Mortensen, EM. (2019). E-cigarette Use Is Associated with Non-prescribed Medication Use in Adults: Results from the PATH Survey. *J Gen Intern Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31190256>

Bertoni, N, Szklo, A, Boni, R, Coutinho, C, Vasconcellos, M, Nascimento Silva, P et al (2019). Electronic cigarettes and narghile users in Brazil: Do they differ from cigarettes smokers? *Addict Behav*, 98, 106007. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31247536>

Dobbs, PD, Jozkowski, KN, Hammig, B, Blunt-Vinti, H, Henry, JL, Lo, WJ et al (2019). College Student E-cigarette Use: A Reasoned Action Approach Measure Development. *Am J Health Behav*, 43(4), 753-766. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31239018>

Du, Y, Shih, M, Shah, MD, Weber, MD, & Lightstone, AS. (2019). Prevalence and sociodemographic disparities in ever E-cigarette use among adults in Los Angeles County. *Prev Med Rep*, 15, 100904. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31194002>

Oakly, A, Edwards, R, & Martin, G. (2019). Prevalence of e-cigarette use from a nationally representative sample in New Zealand. *Addict Behav*, 98, 106024. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31233951>

Parker, MA, & Villanti, AC. (2019). Patterns and Frequency of Current e-Cigarette Use in United States Adults. *Subst Use Misuse*, 1-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31226905>

Wang, Y, Laestadius, L, Stimpson, JP, & Wilson, FA. (2019). Association Between E-Cigarette Use and Acculturation Among Adult Immigrants in the United States. *Subst Abuse*, 13, 1178221819855086.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31223233>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Deshpande, M, Bromann, S, & Arnoldi, J. (2019). Electronic cigarette use among adults with asthma: 2014-2017 National Health Interview Survey. *Res Social Adm Pharm*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31105038>

Santos, GM, Tan, J, Turner, C, & Raymond, HF. (2019). Demographic, Behavioral, and Social Characteristics Associated With Smoking and Vaping Among Men Who Have Sex With Men in San Francisco. *Am J Mens Health*, 13(2), 1557988319847833. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31043125>

Zvolensky, MJ, Manning, K, Garey, L, Mayorga, NA, & Peraza, N. (2019). Fatigue severity and electronic cigarette beliefs and use behavior. *Addict Behav*, 97, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31108412>

Ab Rahman, J, Mohd Yusoff, MF, Nik Mohamed, MH, Mahadir Naidu, B, Hock, LK, Hiong, TG et al (2019). The Prevalence of E-Cigarette Use Among Adults in Malaysia: Findings From the 2016 National E-Cigarette Survey. *Asia Pac J Public Health*, 1010539519834735. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30880403>

Etter, JF. (2019). Are long-term vapers interested in vaping cessation support? *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30830703>

Hiscock, R, Arnott, D, Dockrell, M, Ross, L, & McEwen, A. (2019). Stop Smoking Practitioners' understanding of e-cigarettes' use and efficacy with particular reference to vapers' socioeconomic status. *J Smok Cessat*, 14(1), 21-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30828391>

Antwi, GO, Lohrmann, DK, Jayawardene, W, Chow, A, Obeng, CS, & Sayegh, AM. (2019). Associations between e-cigarette and combustible cigarette use among U.S. cancer survivors: implications for research and practice. *J Cancer Surviv*, 13(2), 316-325. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30955182>

Li, L, Borland, R, O'Connor, RJ, Fong, GT, McNeill, A, Driezen, P, & Cummings, KM. (2019). How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. *Int J Environ Res Public Health*, 16(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31010185>

Tobacco in Australia

Facts & Issues

Marynak, KL, Ali, FRM, Schauer, GL, Tynan, MA, & King, BA. (2019). Use and reasons for use of electronic vapour products shaped like USB flash drives among a national sample of adults. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31023856>

Owens, VL, Ha, T, & Soulakova, JN. (2019). Widespread use of flavored e-cigarettes and hookah tobacco in the United States. *Prev Med Rep*, 14, 100854. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30976489>

Tabuchi, T. (2019). Commentary on Gravely et al (2019): Beginning a new era of nicotine products- beyond the four national-level determinants of nicotine vaping products (NVPs) use. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30977164>

Zvolensky, M. J., Garey, L., Mayorga, N. A., Peraza, N., Rogers, A. H., Ditre, J. W., & Orr, M. F. (2019). Pain Severity and Anxiety Sensitivity Interplay Among Exclusive and Dual Electronic Cigarette Users. *J Stud Alcohol Drugs*, 80(2), 211-219. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31014466>

Borland, R, Murray, K, Gravely, S, Fong, GT, Thompson, ME, McNeill, A et al. A new Classification System for describing concurrent use of Nicotine Vaping Products alongside Cigarettes (so-called "Dual Use"): Findings from the ITC-4 Country Smoking and Vaping Wave 1 Survey t. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30702175>

Hu, SS, Homa, DM, Wang, T, Gomez, Y, Walton, K, Lu, H, & Neff, L. State-Specific Patterns of Cigarette Smoking, Smokeless Tobacco Use, and E-Cigarette Use Among Adults - United States, 2016. *Prev Chronic Dis*, 2019. 16, E17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30730828>

Lee, J, & Oh, M. The moderating effect of gender on the association between E-cigarette use and smoking status: A cross-sectional study. *Addict Behav*, 2019. 93, 108-114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703665>

Nicksic, NE, Snell, LM, & Barnes, AJ. Reasons to use e-cigarettes among adults and youth in the Population Assessment of Tobacco and Health (PATH) study. *Addict Behav*, 2019. 93, 93-99. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703668>

Oakly, A, & Martin, G. Dual use of electronic cigarettes and tobacco in New Zealand from a nationally representative sample. *Aust N Z J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30727031>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

O'Connor, RJ, Fix, BV, McNeill, A, Goniewicz, ML, Bansal-Travers, M, Heckman, B W et al. Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30701622>

Qanash, S, Alemam, S, Mahdi, E, Softah, J, Touman, AA, & Alsulami, A. Electronic cigarette among health science students in Saudi Arabia. *Ann Thorac Med*, 2019. 14(1), 56-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745936>

Sanford, NN, Sher, DJ, Xu, X, Aizer, AA, & Mahal, BATrends in Smoking and e-Cigarette Use Among US Patients With Cancer, 2014-2017. *JAMA Oncol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30763430>

Grant, JE, Lust, K, Fridberg, DJ, King, AC, & Chamberlain, SR. E-cigarette use (vaping) is associated with illicit drug use, mental health problems, and impulsivity in university students. *Ann Clin Psychiatry*, 2019. 31(1), 27-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30699215>

Creamer, M, Case, K, Loukas, A, Cooper, M, & Perry, CL. Patterns of sustained e-cigarette use in a sample of young adults. *Addict Behav*, 2018. 92, 28-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30579114>

Martinez, C, Baena, A, Castellano, Y, Fu, M, Margalef, M, Tigova, O et al. Prevalence and determinants of tobacco, e-cigarettes, and cannabis use among nursing students: A multicenter cross-sectional study. *Nurse Educ Today*, 2018. 74, 61-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30583124>

Thompson, ME, Fong, GT, Boudreau, C, Driezen, P, Li, G, Gravely, S et al. Methods of the ITC Four Country Smoking and Vaping Survey, Wave 1 (2016). *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548345>

Zhan, Y., Etter, J. F., Leischow, S., & Zeng, D. (2019). Electronic cigarette usage patterns: a case study combining survey and social media data. *J Am Med Inform Assoc*, 26(1), 9-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30544163>

Kasza, KA, Borek, N, Conway, KP, Goniewicz, ML, Stanton, CA, Sharma, E et al. Transitions in Tobacco Product Use by U.S. Adults between 2013(-)2014 and 2014(-)2015: Findings from the PATH Study Wave 1 and Wave 2. *Int J Environ Res Public Health*, 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30423998>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kilibarda, B, Krstev, S, Milovanovic, M, & Foley, K. E-cigarette use in Serbia: Prevalence, reasons for trying and perceptions. *Addict Behav*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30473245>

Kock, L, Shahab, L, West, R, & Brown, J. E-cigarette use in England 2014-17 as a function of socio-economic profile. *Addiction*, 2018. Available from:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/add.14446>

Spears, CA, Jones, DM, Weaver, SR, Yang, B, Pechacek, TF, & Eriksen, MP. Electronic nicotine delivery system (ENDS) use in relation to mental health conditions, past-month serious psychological distress and cigarette smoking status, 2017. *Addiction*, 2018. Available from:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/add.14464>

Yingst, J, Foulds, J, Veldheer, S, Cobb, CO, Yen, MS, Hrabovsky, S et al. Measurement of electronic cigarette frequency of use among smokers participating in a randomized controlled trial. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30365024>

Yingst, J, Foulds, J, Veldheer, S, & Du, P. Device characteristics of long term electronic cigarette users: A follow-up study. *Addict Behav*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30270024>

Bianco, CL. Rates of electronic cigarette use among adults with a chronic mental illness. *Addict Behav*, 2018. 89, 1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30237110>

Chen, YL, Wu, SC, Chen, YT, Hsiao, PC, Yu, YH, Ting, TT, et al. E-Cigarette Use in a Country With Prevalent Tobacco Smoking: A Population-Based Study in Taiwan. *J Epidemiol*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30175730>

Mirbolouk, M, Charkhchi, P, Kianoush, S, Uddin, SMI, Orimoloye, OA, Jaber, R, et al. Prevalence and Distribution of E-Cigarette Use Among U.S. Adults: Behavioral Risk Factor Surveillance System, 2016. *Ann Intern Med*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30167658>

Zavala-Arciniega, L, Rodriguez-Andrade, MA, Reynales-Shigematsu, LM, Lozano, P, Arillo-Santillan, E, Thrasher, JF. Patterns of awareness and use of electronic cigarettes in Mexico, a middle-income country that bans them: Results from a 2016 national survey. *Prev Med*, Sept 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30261244>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kuiper, NM, Loomis, BR, Falvey, KT, Gammon, DG, King, BA, Wang, TW, Rogers, T. Trends in Unit Sales of Flavored and Menthol Electronic Cigarettes in the United States, 2012-2016. *Prev Chronic Dis.* 2018 Aug 23;15:E105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30148426>

Kypriotakis, G, Robinson, JD, Green, CE, Cinciripini, PM. Patterns of Tobacco Product Use and Correlates Among Adults in the Population Assessment of Tobacco and Health (PATH) Study: A Latent Class Analysis. *Nicotine Tob Res.* 2018 Aug 14;20(suppl_1):S81-S87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30125013>

Laverty, AA, Filippidis, FT, Vardavas, CI. Patterns, trends and determinants of e-cigarette use in 28 European Union Member States 2014-2017. *Prev Med.* 2018 Aug 22. pii: S0091-7435(18)30259-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30144487>

Oliveira, WJC, Zobiolo, AF, Lima, CB, Zurita, RM, Flores, PEM, Rodrigues, LGV, Pinheiro, RCA, Silva, V. Electronic cigarette awareness and use among students at the Federal University of Mato Grosso, Brazil. *J Bras Pneumol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30066740>

Schneller, LM, Bansal-Travers, M, Goniewicz, ML, McIntosh, S, Ossip, D, O'Connor, RJ. Use of flavored electronic cigarette refill liquids among adults and youth in the US-Results from Wave 2 of the Population Assessment of Tobacco and Health Study (2014-2015). *PLoS One.* 2018 Aug 23;13(8):e0202744. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30138412>

Harlow, A, Stokes, A, Brooks, D. Socio-economic and racial/ethnic differences in e-cigarette uptake among cigarette smokers: Longitudinal analysis of the Population Assessment of Tobacco and Health (PATH) study. *Nicotine Tob Res.* Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986109>

Jaber, RM, Mirbolouk, M, DeFilippis, AP, Maziak, W, Keith, R, Payne, T, Stokes, A, Benjamin, E, Bhatnagar, A, Blankstein, R, Saxena, A, Blaha, MJ, Nasir, K. Electronic Cigarette Use Prevalence, Associated Factors, and Pattern by Cigarette Smoking Status in the United States From NHANES (National Health and Nutrition Examination Survey) 2013-2014. *J Am Heart Assoc.* 2018 Jul 14;7(14). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30007934>

Rodu, B, Plurphanswat, N. E-cigarette Use Among US Adults: Population Assessment of Tobacco and Health (PATH) Study. *Nicotine Tob Res.* 2018 Jul 9;20(8):940-948. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29986104>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Friedman, AS, Horn, SJL. Socioeconomic Disparities in Electronic Cigarette Use and Transitions from Smoking. *Nicotine Tob Res*, June 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29917124>

Kalkhoran, S, Kruse, GR, Rigotti, NA, Rabin, J, Ostroff, JS, Park, ER. Electronic cigarette use patterns and reasons for use among smokers recently diagnosed with cancer. *Cancer Med*, June 2018.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29905013>

Russell, C, McKegane, N, Dickson, T, Nides, M. Changing patterns of first e-cigarette flavor used and current flavors used by 20,836 adult frequent e-cigarette users in the USA. *Harm Reduct J*. 2018 Jun 28;15(1):33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29954412>

Bao, W, Xu, G, Lu, J, Snetselaar, LG, Wallace, RB. Changes in Electronic Cigarette Use Among Adults in the United States, 2014-2016. *JAMA*. 2018 May 15;319(19):2039-2041. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29800201>

Kotz, D, Bockmann, M, Kastaun, S. The Use of Tobacco, E-Cigarettes, and Methods to Quit Smoking in Germany. *Dtsch Arztebl Int*. 2018 Apr 6;115(14):235-242. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29716687>

Farsalinos, Konstantinos E, Siakas, Georgios, Poulas, Konstantinos, Voudris, Vassilis, Merakou, Kyriakoula and Barbouni, Anastasia. Electronic cigarette use in Greece: an analysis of a representative population sample in Attica prefecture. *Harm Reduction Journal*, Apr 2018. Available from: <https://doi.org/10.1186/s12954-018-0229-7>

Pourchez, J, Forest, V. E-cigarettes: from nicotine to cannabinoids, the French situation. *Lancet Respir Med*. 2018 May;6(5):e16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29605622>

El-Shahawy, O, Park, SH, Duncan, DT, Lee, L, Tamura, K, Shearston, JA, Weitzman, M, Sherman, SE. Evaluating State-Level Differences in E-cigarette and Cigarette Use Among Adults in the United States Between 2012 and 2014: Findings From the National Adult Tobacco Survey. *Nicotine Tob Res*. 2018. Feb 27, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29490078>

Atzendorf, J, de Matos, EG, Kroger, C, Kraus, L, Piontek, D. [The use of E-Cigarettes in the German Population: Results of the Epidemiological Survey of Substance Abuse 2015]. *Gesundheitswesen*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29486498>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Miyazaki, Y, Tabuchi, T. Educational gradients in the use of electronic cigarettes and heat-not-burn tobacco products in Japan. PLoS One. 2018 Jan 12;13(1):e0191008. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29329351>

No authors listed. QuickStats: Percentage* of Adults Aged >=18 Years Who Currently Use E-Cigarettes,(dagger) by Sex and Age Group - National Health Interview Survey,(section sign) 2016. MMWR Morb Mortal Wkly Rep. 2018 Jan 5;66(5152):1412. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29300719>

Unger, JB. Perceived Discrimination as a Risk Factor for Use of Emerging Tobacco Products: More Similarities Than Differences Across Demographic Groups and Attributions for Discrimination. Subst Use Misuse. 2018 Jan 17:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29338581>

18B3.3 International trends in use among teenagers

Boyd, CJ, Veliz, P, Evans-Polce, RJ, Eisman, AB, & Esteban McCabe, S. (2020). Why Are National Estimates So Different? A Comparison of Youth E-Cigarette Use and Cigarette Smoking in the MTF and PATH Surveys. *J Stud Alcohol Drugs*, 81(4), 497-504. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32800087>

Fakeh Campbell, ML, Sansone, A, Gonzalez, LN, Schroth, KRJ, & Shendell, DG. (2020). E-cigarette environmental and fire/life safety risks in schools reported by secondary school teachers. *BMC Public Health*, 20(1), 1215. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32770976>

Esmail, A, Alshammasi, A, Almutairi, W, Alnajem, A, Alroumi, D, Ali, M et al. (2020). Patterns of electronic cigarette, conventional cigarette, and hookah use and related passive exposure among adolescents in Kuwait: A cross-sectional study. *Tob Induc Dis*, 18, 59. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32765199>

Cole, AG, Aleyan, S, Battista, K, & Leatherdale, ST. (2020). Trends in youth e-cigarette and cigarette use between 2013 and 2019: insights from repeat cross-sectional data from the COMPASS study. *Can J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32804379>

Moore, G, Brown, R, Page, N, Hallingberg, B, Maynard, O, McKell, J et al. (2020). Young people's use of e-cigarettes in Wales, England and Scotland before and after introduction of EU Tobacco Products

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Directive regulations: a mixed-method natural experimental evaluation. *Int J Drug Policy*, 85, 102795. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32854047>

Wagoner, KG, King, JL, Suerken, CK, Reboussin, BA, Cornacchione Ross, J, & Sutfin, EL. (2020). Changes in knowledge, perceptions and use of JUUL among a cohort of young adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32848079>

Ingels, JB, Thapa, K, Shrestha, S, & Rajbhandari-Thapa, J. (2020). Cigarette and electronic vapor product use among high school students in Georgia, 2015-2018. *Prev Med Rep*, 19, 101140. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32612907>

Jackson, A, Kong, G, Wu, R, Morean, ME, Davis, DR, Camenga, DR et al (2020). E-cigarette devices used on school grounds. *Addict Behav*, 110, 106516. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32622027>

Lee, YC, Chang, LC, Hsu, C & Chen, PC. (2020). Comparing the Characteristics of Cigarette Smoking and e-Cigarette and IQOS Use among Adolescents in Taiwan. *J Environ Public Health*, 2020, 7391587. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32655649>

No authors listed. Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. (2020). *BMJ*, 370, m2579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32651173>

Xie, L, Rao, DR Harrell, MB, Vidot, DC., Gelfand, A., Sterling, K., & Messiah, S. E. (2020). Ethnic disparities in the e-cigarette use epidemic and childhood asthma in the US. *Pediatr Pulmonol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32720458>

Farsalinos, K, Barbouni, A, & Niaura, R. (2020). Changes from 2017 to 2018 in e-cigarette use and in ever marijuana use with e-cigarettes among US adolescents: analysis of the National Youth Tobacco Survey. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32533631>

Jones, RD, Asare, M, & Lanning, B. (2020). A Retrospective Cross-Sectional Study on the Prevalence of E-cigarette Use Among College Students. *J Community Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32592159>

Le, D, Moran, MB, Atnafou, R, Matson, PA, Jones, MR, & D'Souza, G. (2019). E-cigarette Use, Tobacco Product Polyuse, and Motivations for Use among Baltimore Young Adults. *Health Behav Policy Rev*, 6(5), 427-437. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32490030>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lee, SJ, Rees, VW, Yossefy, N, Emmons, KM, & Tan, ASL. (2020). Youth and Young Adult Use of Pod-Based Electronic Cigarettes From 2015 to 2019: A Systematic Review. *JAMA Pediatrics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32478809>

Omoike, OE, & Johnson, KR. (2020). Prevalence of Vaping and Behavioral Associations of Vaping Among a Community of College Students in the United States. *J Community Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32583359>

Tokle, R. (2020). 'Vaping and fidget-spinners': A qualitative, longitudinal study of e-cigarettes in adolescence. *Int J Drug Policy*, 82, 102791. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32516687>

Wamamili, B, Wallace-Bell, M, Richardson, A, Grace, RC, & Coope, P. (2020). Electronic cigarette use among university students aged 18-24 years in New Zealand: results of a 2018 national cross-sectional survey. *BMJ Open*, 10(6), e035093. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32571858>

Hammond, D, Rynard, VL, & Reid, JL. (2020). Changes in Prevalence of Vaping Among Youths in the United States, Canada, and England from 2017 to 2019. *JAMA Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32364581>

Lin, C, Baiocchi, M, & Halpern-Felsher, B. (2020). Longitudinal trends in e-cigarette devices used by Californian youth, 2014-2018. *Addict Behav*, 108, 106459. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32388394>

McCabe, SE, Boyd, CJ, Evans-Polce, RJ, McCabe, VV, & Veliz, PT. (2020). School-Level Prevalence and Predictors of e-Cigarette Use in 8th, 10th, and 12th Grade U.S. Youth: Results From a National Survey (2015-2016). *J Adolesc Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32402800>

Rodu, B. (2020). The Food and Drug Administration Is Not Positioned to Deter Adolescent E-Cigarette Use. *Am J Public Health*, 110(6), 778-779. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32374697>

Subica, AM, Guerrero, E, Wu, LT, Aitaoto, N, Iwamoto, D, & Moss, HB. (2020). Electronic Cigarette Use and Associated Risk Factors in U.S.-Dwelling Pacific Islander Young Adults. *Subst Use Misuse*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32397921>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zeller, M. (2020). Youth E-Cigarette Use and the Food and Drug Administration's Multifaceted Approach. *Am J Public Health*, 110(6), 772-773. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32374705>

Foxon, F, & Selya, AS. (2020). Electronic Cigarettes, Nicotine Use Trends, and Use Initiation Ages among US Adolescents from 1999-2018. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32335976>

Hanewinkel, R, Isensee, B, Seidel, AK, Goecke, M, & Morgenstern, M. (2020). [The Course of E-Cigarette Use in Adolescence: A Cohort Study over 18 Months]. *Pneumologie*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32323286>

Veliz, PT, Boyd, CJ, Evans-Polce, RJ, & McCabe, SE. (2020). Increases in the Prevalence of Frequent E-Cigarette Use Among Adolescents. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32312617>

Wang, M., Wang, H., Hu, R. Y., Gong, W. W., Pan, J., & Yu, M. (2020). Associations between trying to control weight, weight control behaviors and current electronic cigarette usage in middle and high school students: A cross-sectional study in Zhejiang Province, China. *Tob Induc Dis*, 18, 28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32292318>

Zhu, J, Li, J, Xu, G, Yu, J, Wang, Q, & He, Y. (2020). School-type differences in e-cigarette use and its correlates among Chinese adolescents. *Tob Induc Dis*, 18, 17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32256281>

Evans-Polce, RJ, Veliz, PT, Boyd, CJ, & McCabe, SE. (2020). E-Cigarette and Cigarette Use Among U.S. Adolescents: Longitudinal Associations With Marijuana Use and Perceptions. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32201183>

Leventhal, AM, Bae, D, Kechter, A, & Barrington-Trimis, JL. (2020). Psychiatric comorbidity in adolescent use and poly-use of combustible, vaporized, and edible cannabis products. *J Psychiatr Res*, 124, 91-98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32135391>

Osibogun, O, Bursac, Z, & Maziak, W. (2020). E-Cigarette Use and Regular Cigarette Smoking Among Youth: Population Assessment of Tobacco and Health Study (2013-2016). *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32147371>

Tobacco in Australia

Facts & Issues

Soteriades, S, Barbouni, A, Rachiotis, G, Grevenitou, P, Mouchtouri, V, Pinaka, O et al (2020). Prevalence of Electronic Cigarette Use and its Determinants among 13-to-15-Year-Old Students in Greece: Results from the 2013 Global Youth Tobacco Survey (GYTS). *Int J Environ Res Public Health*, 17(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32143414>

Watkins, NK, & Ohannessian, CM. (2020). Timing of vape use among adolescents: Differences by family structure. *Drug Alcohol Depend*, 209, 107953. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32172131>

Gilbert, PA, Kava, CM, & Afifi, R. (2020). High school students rarely use e-cigarettes alone: A socio-demographic analysis of poly-substance use among adolescents in the USA. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32052052>

Hageman, JR. (2020). E-Cigarette and Vaping Use in Children and Adolescents. *Pediatr Ann*, 49(2), e59-e60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32045481>

Hrywna, M, Bover Manderski, MT, & Delnevo, CD. (2020). Prevalence of Electronic Cigarette Use Among Adolescents in New Jersey and Association With Social Factors. *JAMA Netw Open*, 3(2), e1920961. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32049291>

Orr, M, Rajotte, J, Jackson, T, Cooper, T, & Clyne, A. (2020). E-cigarette Use and Rhode Island High School Students: What Providers Need to Know about the Characteristics of Initiation of E-cigarettes and Related Risk Behaviors. *R I Med J (2013)*, 103(1), 51-54. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32013307>

Shan, L, Manzione, LC, & Azagba, S. (2020). Psychological well-being and dual-use of cigarettes and e-cigarettes among high school students in Canada. *J Affect Disord*, 265, 357-363. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32090760>

Singh, S, Windle, SB, Filion, KB, Thombs, BD, O'Loughlin, JL, Grad, R, & Eisenberg, MJ. (2020). E-cigarettes and youth: Patterns of use, potential harms, and recommendations. *Prev Med*, 106009. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32027913>

Stalgaitis, CA, Navarro, MA, Wagner, DE, & Walker, MW. (2020). Who Uses Tobacco Products? Using Peer Crowd Segmentation to Identify Youth at Risk for Cigarettes, Cigar Products, Hookah, and E-Cigarettes. *Subst Use Misuse*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32024418>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Vogel, EA, Cho, J, McConnell, RS, Barrington-Trimis, JL, & Leventhal, AM. (2020). Prevalence of Electronic Cigarette Dependence Among Youth and Its Association With Future Use. *JAMA Netw Open*, 3(2), e1921513. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32074292>

Glasser, AM, Johnson, AL, Niaura, RS, Abrams, DB, & Pearson, JL. (2020). Youth Vaping and Tobacco Use in Context in the United States: Results from the 2018 National Youth Tobacco Survey. *Nicotine and Tobacco Research*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31930295>

Okawa, S, Tabuchi, T, & Miyashiro, I. (2019). Who Uses E-cigarettes and Why? E-cigarette Use among Older Adolescents and Young Adults in Japan: JASTIS Study. *Journal of Psychoactive Drugs*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31888424>

Rodriguez-Bolanos, R, Arillo-Santillan, E, Barrientos-Gutierrez, I, Zavala-Arciniega, L, Ntansah, CA, & Thrasher, JF. (2019). Sex Differences in Becoming a Current Electronic Cigarette User, Current Smoker and Current Dual User of Both Products: A Longitudinal Study among Mexican Adolescents. *International Journal of Environmental Research and Public Health*, 17(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31892159>

Walker, N, Parag, V, Wong, SF, Youdan, B, Broughton, B, Bullen, C, & Beaglehole, R. (2020). Use of e-cigarettes and smoked tobacco in youth aged 14-15 years in New Zealand: findings from repeated cross-sectional studies (2014-19). *Lancet Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31981489>

Bigwanto, M, Nurmansyah, MI, Orlan, E, Farradika, Y, & Purnama, TB. (2019). Determinants of e-cigarette use among a sample of high school students in Jakarta, Indonesia. *Int J Adolesc Med Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31800392>

Evans-Polce, R, Veliz, P, Boyd, CJ, McCabe, VV, & McCabe, SE. (2019). Trends in E-Cigarette, Cigarette, Cigar, and Smokeless Tobacco Use Among US Adolescent Cohorts, 2014-2018. *Am J Public Health*, e1-e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855480>

Gaiha, SM, & Halpern-Felsher, B. (2020). Escalating Safety Concerns Are Not Changing Adolescent E-Cigarette Use Patterns: The Possible Role of Adolescent Mental Health. *J Adolesc Health*, 66(1), 3-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31866056>

Gorini, G, Gallus, S, Carreras, G, De Mei, B, Masocco, M, Faggiano, F et al. (2019). Prevalence of tobacco smoking and electronic cigarette use among adolescents in Italy: Global Youth Tobacco

Tobacco in Australia

Facts & Issues

Surveys (GYTS), 2010, 2014, 2018. *Prev Med*, 131, 105903. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31812559>

Kidd, JB, & Jarman, J. (2019). Vaping in Taranaki Schools: A need for policies to prohibit the use and possession of vaping devices in schools. *N Z Med J*, 132(1507), 108-110. Available

from: <https://www.ncbi.nlm.nih.gov/pubmed/31830025>

Wang, TW, Gentzke, AS, Creamer, MR, Cullen, KA, Holder-Hayes, E, Sawdey, MD et al. (2019). Tobacco Product Use and Associated Factors Among Middle and High School Students - United States, 2019. *MMWR Surveill Summ*, 68(12), 1-22. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31805035>

Chyderiotis, S, Spilka, S, & Beck, F. (2019). [Use of electronic cigarette in France among adolescents aged 17: Results from the ESCAPAD 2017 survey]. *Bull Cancer*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31732122>

Cullen, KA, Gentzke, AS, Sawdey, MD, Chang, JT, Anic, GM, Wang, TW et al. (2019). e-Cigarette Use Among Youth in the United States, 2019. *JAMA*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31688912>

Staff, J, Maggs, JL, Seto, C, Dillavou, J, & Vuolo, M. (2019). Electronic and Combustible Cigarette Use in Adolescence: Links With Adjustment, Delinquency, and Other Substance Use. *J Adolesc Health*.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31711837>

Al-Hamdani, M, Hopkins, DB, & Park, T. (2019). Vaping among youth and young adults: a "red alert" state. *J Public Health Policy*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31664162>

Kilibarda, B, Vukovic, D, & Krstev, S. (2019). Prevalence and correlates of concurrent use of cigarettes, electronic cigarettes, and waterpipes among Serbian youth. *Tob Induc Dis*, 17, 66.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582955>

Simon, P, Buta, E, Gueorguieva, R, Kong, G, Morean, ME, Camenga, D et al (2019). Transitions Across Tobacco Use Profiles Among Adolescents: Results from the Population Assessment of Tobacco and Health (PATH) Study Wave 1 and Wave 2. *Addiction*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31618491>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wang, M, Hu, RY, Pan, J, Wang, H, Yu, M, Xie, KX, & Gong, WW. (2019). Awareness, current use of electronic cigarettes and associated smoking factors in Zhejiang Chinese adolescents. *PLoS One*, 14(10), e0224033. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31634360>

Zavala-Arciniega, L, Lozano, P, Kollath-Cattano, C, Gutierrez-Torres, DS, Arillo-Santillan, E, Barrientos-Gutierrez, I et al. (2019). E-cigarette use frequency and motivations among current users in middle school. *Drug Alcohol Depend*, 204, 107585. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31590130>

Evans-Polce, RJ, Veliz, P, Boyd, CJ, & McCabe, SE. (2019). Initiation Patterns and Trends of E-Cigarette and Cigarette Use Among U.S. Adolescents. *J Adolesc Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31521510>

Iacobucci, G. (2019). Vaping among US teens has doubled since 2017. *BMJ*, 366, l5653. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31537611>

Mehra, VM, Keethakumar, A, Bohr, YM, Abdullah, P, & Tamim, H. (2019). The association between alcohol, marijuana, illegal drug use and current use of E-cigarette among youth and young adults in Canada: results from Canadian Tobacco, Alcohol and Drugs Survey 2017. *BMC Public Health*, 19(1), 1208. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31477067>

Miech, R, Johnston, L, O'Malley, PM, Bachman, JG, & Patrick, ME. (2019). Trends in Adolescent Vaping, 2017-2019. *N Engl J Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31532955>

Patino-Maso, J, Font-Mayolas, S, Salamo, A, Arboix, M, Sullman, MJ, & Gras, ME. (2019). Predictors of intentions to use cigarettes and electronic-cigarettes among high school students. *J Multidiscip Healthc*, 12, 591-599. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31534341>

Robert Lourdes, TG, Abd Hamid, HA, Mohd Yusoff, MF, Rodzlan Hasani, WS, Mat Rifin, H, Saminathan, TA et al. (2019). Factors Associated With E-Cigarette Usage and the Reasons for Initiation Among Malaysian Adolescents. *Asia Pac J Public Health*, 1010539519870663. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31522514>

Goldenson, NI, Leventhal, AM, Simpson, KA, & Barrington-Trimis, JL. (2019). A Review of the Use and Appeal of Flavored Electronic Cigarettes. *Curr Addict Rep*, 6(2), 98-113. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31453046>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lee, Y, & Lee, KS. (2019). Association of alcohol and drug use with use of electronic cigarettes and heat-not-burn tobacco products among Korean adolescents. *PLoS One*, 14(7), e0220241. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31365564>

Lippert, AM, Corsi, DJ, & Venechuk, GE. (2019). Schools Influence Adolescent E-Cigarette use, but when? Examining the Interdependent Association between School Context and Teen Vaping over time. *J Youth Adolesc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31446585>

Wille, L, & Parent, MC. (2019). Association of No Promotion of Homosexuality Laws and Electronic Cigarette Use Disparities for Sexual Minority Youth. *JAMA Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31449292>

Azagba, S, Kah, K, & Latham, K. (2019). Frequency of E-cigarette use and cigarette smoking among Canadian students. *Prev Med*, 126, 105769. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31310786>

Brozek, GM, Jankowski, M, Lawson, JA, Shpakou, A, Poznanski, M, Zielonka, TM et al. (2019). The Prevalence of Cigarette and E-cigarette Smoking Among Students in Central and Eastern Europe- Results of the YUPESS Study. *Int J Environ Res Public Health*, 16(13). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31261697>

Cho, YG. (2019). Electronic and Conventional Cigarette Use and Drinking Behaviors in Korean Adolescents. *Korean J Fam Med*, 40(4), 201-203. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31344993>

La Torre, G, Dorelli, B, Ricciardi, M, Grassi, MC, & Mannocci, A. (2019). Smoking E-Cigarette and HEat-noT-burn products: validation of the SECRHET questionnaire. *Clin Ter*, 170(4), e247-e251. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31304510>

Morello, P, Perez, A, Pena, L, Lozano, P, Thrasher, JF, Sargent, JD, & Mejia, R. (2016). Prevalence and Predictors of E-Cigarette Trial among Adolescents in Argentina. *Tob Prev Cessat*, 2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31355353>

Barrington-Trimis, JL, Bello, MS, Liu, F, Leventhal, AM, Kong, G, Mayer, M et al (2019). Ethnic Differences in Patterns of Cigarette and E-Cigarette Use Over Time Among Adolescents. *J Adolesc Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31248804>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Conner, M, Grogan, S, Simms-Ellis, R, Scholtens, K, Sykes-Muskett, B, Cowap, L et al (2019). Patterns and predictors of e-cigarette, cigarette and dual use uptake in UK adolescents: Evidence from a 24-month Prospective Study. *Addiction*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31254419>

Hammond, D, Reid, JL, Rynard, VL, Fong, GT, Cummings, KM, McNeill, A et al (2019). Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. *BMJ*, 365, l2219. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31221636>

Merianos, AL, Jandarov, RA, Klein, JD, & Mahabee-Gittens, EM. (2019). Characteristics of Daily E-Cigarette Use and Acquisition Means Among a National Sample of Adolescents. *Am J Health Promot*, 890117119854051. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31159556>

Miech, R, Johnston, LD, O'Malley, PM, & Terry-McElrath, YM. (2019). The national prevalence of adolescent nicotine use in 2017: Estimates taking into account student reports of substances vaped. *Addict Behav Rep*, 9, 100159. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193782>

Nur Atikah, AH, Wee, LH, Nur Zakiah, MS, Chan, CMH, Mohamed Haniki, NM, Swinderjit, JS, & Siau, CS. (2019). Factors associated with different smoking statuses among Malaysian adolescent smokers: a cross-sectional study. *BMC Public Health*, 19(Suppl 4), 579. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31196055>

Riehm, KE, Young, AS, Feder, KA, Krawczyk, N, Tormohlen, KN, Pacek, LR et al(2019). Mental Health Problems and Initiation of E-cigarette and Combustible Cigarette Use. *Pediatrics*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31160343>

Tan, ASL, Soneji, SS, Choi, K, & Moran, MB. (2019). Prevalence of using pod-based vaping devices by brand among youth and young adults. *Tobacco Control*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31175225>

McKeganey, N, & Russell, C. (2019). Prevalence of Awareness and Use of JUUL E-cigarettes in a National Probability Sample of Adolescents in the United States. *Am J Health Behav*, 43(3), 591-605. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31046889>

Shin, SH, Conley, D, Ksinan Jiskrova, G, & Wills, TA. (2019). Adverse Childhood Experiences and E-Cigarette Use During Young Adulthood. *Am J Addict*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31069879>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Vogel, EA, Prochaska, JJ, Ramo, DE, Andres, J, & Rubinstein, ML. (2019). Adolescents' E-Cigarette Use: Increases in Frequency, Dependence, and Nicotine Exposure Over 12 Months. *J Adolesc Health*, 64(6), 770-775. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31122507>

Bluestein, M, Kelder, S, Perry, CL, & Perez, A. (2019). Exploring associations between the use of alcohol and marijuana with e-cigarette use in a U.S.A. nationally representative sample of young adults. *Int J Health Sci (Qassim)*, 13(1), 30-39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30842716>

Bourdon, JL, & Hancock, LC. (2019). Using electronic audience response technology to track e-cigarette habits among college freshmen. *Addict Behav*, 95, 24-27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30818072>

Buu, A, Hu, YH, Wong, SW, & Lin, HC. (2019). Comparing American college and noncollege young adults on e-cigarette use patterns including polysubstance use and reasons for using e-cigarettes. *J Am Coll Health*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30908151>

Cho, BY. (2019). Parent's Depression as a Moderator of the Association Between Offspring's Depressive Symptoms and Use of Combustible Cigarettes and Electronic Vapor Products. *J Behav Health Serv Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30868451>

Dvorsky, MR, & Langberg, JM. (2019). Cigarette and e-cigarette use and social perceptions over the transition to college: The role of ADHD symptoms. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30869922>

Hawkes, N. Sixty seconds on . . . vaping. *BMJ*. 2019 Mar 1;364:l979. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30824413>

Nicksic, NE, Harrell, MB, Perez, A, Pasch, KE, & Perry, CL. (2018). School Policy, Administrator Perceptions, and Student E-cigarette Use. *Health Behav Policy Rev*, 5(4), 72-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30854404>

Printz, C. (2019). Experts see successes, trouble spots in data on tobacco usage: As cigarette smoking rates among adults decline, a public health crisis among young people emerges. *Cancer*, 125(10), 1581-1582. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31026076>

Genzke, AS, Creamer, M, Cullen, KA, Ambrose, BK, Willis, G, Jamal, A, & King, BA. Vital Signs: Tobacco Product Use Among Middle and High School Students - United States, 2011-2018. *Morbidity*

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

and Mortality Weekly Report (MMWR), 2019. 68(6), 157-164. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30763302>

Kuehn, B. Youth e-Cigarette Use. *JAMA*, 2019. 321(2), 138. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30644990>

Oh, KH, Lee, CM, Oh, B, Oh, SW, Joh, HK, Choi, HC et al. The Relationship between Electronic Cigarette Use with or without Cigarette Smoking and Alcohol Use among Adolescents: Finding from the 11th Korea Youth Risk Behavior Web-based Survey. *Korean J Fam Med*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30636385>

Anic, GM, Sawdey, MD, Jamal, A, & Trivers, KF. Frequency of Use Among Middle and High School Student Tobacco Product Users - United States, 2015-2017. *MMWR Morb Mortal Wkly Rep*, 2018. 67(49), 1353-1357. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30543601>

Miech, R, Johnston, L, O'Malley, PM, Bachman, JG, & Patrick, ME. Adolescent Vaping and Nicotine Use in 2017-2018 - U.S. National Estimates. *N Engl J Med*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30554549>

Cullen, KA, Ambrose, BK, Gentzke, AS, Apelberg, BJ, Jamal, A, & King, BA. Notes from the Field: Use of Electronic Cigarettes and Any Tobacco Product Among Middle and High School Students - United States, 2011-2018. *MMWR Morb Mortal Wkly Rep*, 2018. 67(45), 1276-1277. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30439875>

McMillen, R, Tanski, S, Wilson, K, Klein, JD, Winickoff, JP. Adolescent Use of Different E-cigarette Products. *Pediatrics*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30201626>

Xiao, L, Parascandola, M, Wang, C, Jiang, Y. Perception and Current Use of E-cigarettes Among Youth in China. *Nicotine Tob Res*, Jul 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30053201>

Agaku, IT, Odani, S, Homa, D, Armour, B, Glover-Kudon, R. Discordance between perceived and actual tobacco product use prevalence among US youth: a comparative analysis of electronic and regular cigarettes. *Tob Control*, Apr 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29674512>

News reports:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Miech, R, Schulenberg, J, Johnston, L, Bachman, J, O'Malley, P, & Patrick, M. (2018). National Adolescent Drug Trends in 2018 [Press release]. Available from: <http://monitoringthefuture.org/data/18data.html#2018data-drugs>

Chapman, Simon. Are there really 250 000 people vaping in Australia? MJA InSight, 2018. Feb 8, 2018. Available from: <https://www.doctorportal.com.au/mjainsight/2018/4/are-there-really-250-000-people-vaping-in-australia/>

No authors listed. QuickStats: Percentage* of Adults Aged ≥18 Years Who Currently Use E-Cigarettes,† by Sex and Age Group — National Health Interview Survey,§ 2016. Centres for Disease Control and Prevention, Jan 2018. Available from: https://www.cdc.gov/mmwr/volumes/66/wr/mm665152a7.htm?s_cid=mm665152a7_w

No authors listed. E-cigarettes are more likely to be used by alcohol drinkers and former cigarette smokers. Medical Xpress, 2017. Nov 15, 2017. Available from: <https://medicalxpress.com/news/2017-11-e-cigarettes-alcohol-drinkers-cigarette-smokers.html>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from: <http://www.mdpi.com/1660-4601/14/9/973>

Weaver, Scott, Kemp, Catherine B, Heath, J Wesley, Pechacek, Terry F and Eriksen, Michael P. Use of Nicotine in Electronic Nicotine and Non-Nicotine Delivery Systems by US Adults, 2015. Public Health Reports, 2017. Available from: <http://journals.sagepub.com/doi/abs/10.1177/0033354917723597>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young people's use of E-cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from: <http://www.mdpi.com/1660-4601/14/9/973>

Caruana, Diane. Survey from Indiana shows that e-cigarette use is on the decline. Vaping Post, 2017. Aug 24, 2017. Available from: <https://www.vapingpost.com/2017/08/24/survey-from-indiana-shows-that-e-cigarette-use-is-on-the-decline/>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. QuickStats: Percentage* of Adults Who Ever Used an E-cigarette and Percentage Who Currently Use E-cigarettes, section sign by Age Group - National Health Interview Survey, United States, 2016 paragraph sign. MMWR Morb Mortal Wkly Rep, 2017. Aug 25, 2017. Available from: <https://www.cdc.gov/mmwr/volumes/66/wr/mm6633a6.htm>

No authors listed. High use of electronic cigarettes seen in 8th-9th graders in Oregon. Science Daily, 2017. Aug 14, 2017. Available from: <https://www.sciencedaily.com/releases/2017/08/170814143101.htm>

Caruana, Diane. Gottlieb fails to credit vaping products for reduction in teen smoking. Vaping Journal, 2017. Jun 20, 2017. Available from: <http://www.vapingpost.com/2017/06/20/gottlieb-fails-to-credit-vaping-products-for-reduction-in-teen-smoking/>

Chaffee, BW, Couch, ET and Gansky, SA. Trends in characteristics and multi-product use among adolescents who use electronic cigarettes, United States 2011-2015. PLoS One. 2017 May 5;12(5):e0177073. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0177073>

No authors listed. Special Eurobarometer 458: Attitudes of Europeans towards tobacco and electronic cigarettes. European Commission – Trade, 2017. Available from: https://data.europa.eu/euodp/en/data/dataset/S2146_87_1_458_ENG

No authors listed. Minnesota Department of Health reissues nicotine advisory, e-cigarette use among teens is double that of cigarettes. KTTC, 2017. May 11, 2017. Available from: <http://www.kttc.com/story/35400185/minnesota-department-of-health-reissues-nicotine-advisory-e-cigarette-use-among-teens-is-double-that-of-cigarettes>

No authors listed. Teen vaping rates fall in the United States. The Pharmaceutical Journal, 2017. Jun 23, 2017. Available from: <http://www.pharmaceutical-journal.com/news-and-analysis/news-in-brief/teen-vaping-rates-fall-in-the-us/20203019.article>

No authors listed. No longer the hot new thing? Teen vaping falls, study says. Boston Herald, 2017. June 15, 2017. Available from: http://www.bostonherald.com/news/national/2017/06/no_longer_the_hot_new_thing_teen_vaping_falls_study_says

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Teens using marijuana and cigarettes daily at same rate, UW study finds. Canadian Television (CTV), 2017. May 9, 2017. Available from: <http://kitchener.ctvnews.ca/teens-using-marijuana-and-cigarettes-daily-at-same-rate-uw-study-finds-1.3405649>

Reid, Jessica and Hammond, David. Tobacco Use in Canada:Patterns and Trends 2017 EDITION. University of Waterloo, 2017. Available from: https://uwaterloo.ca/tobacco-use-canada/sites/ca.tobacco-use-canada/files/uploads/files/2017_tobaccouseincanada_final_0.pdf

Williams, R. S, Derrick, J, Liebman, AK, LaFleur, K and Ribisl, KM. Content analysis of age verification, purchase and delivery methods of internet e-cigarette vendors, 2013 and 2014. Tob Control, 2017. May 8, 2017. Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/05/11/tobaccocontrol-2016-053616?papetoc=>

Abcede, Angel. Study Shows E-Cig Use Up Dramatically. Convenience Store/Petroleum (CSPNet), 2017. Mar 14, 2017. Available from: <http://www.cspdailynews.com/category-news/tobacco/articles/study-shows-e-cig-use-dramatically>

Allen, Victoria. E-cigarette use falls for the first time as MPs launch inquiry into whether use of the devices should be restricted. Mail Online, 2017. Mar 1, 2017. Available from:

<http://www.mailonsunday.co.uk/news/article-4269822/E-cigarette-use-falls-time.html>

Marynak, KL, Gammon, DG, King, BA, Loomis, BR, Fulmer, EB, Wang, TW, Rogers, T. National and State Trends in Sales of Cigarettes and E-Cigarettes, U.S., 2011-2015. Am J Prev Med. 2017

Jul;53(1):96-101. Available from: [http://www.ajpmonline.org/article/S0749-3797\(17\)30022-3/fulltext](http://www.ajpmonline.org/article/S0749-3797(17)30022-3/fulltext)

Morley, Katie. Britain's e-cigarette boom is over, data suggests. The Telegraph , 2017. Mar 1, 2017.

Available from: <http://www.telegraph.co.uk/news/2017/03/01/britains-e-cigarette-boom-data-suggests/>

No authors listed. Fewer people 'using e-cigarettes to quit smoking amid lack of official guidance'. BT News, 2017. Mar 1, 2017. Available from: <http://home.bt.com/news/uk-news/fewer-people-using-e-cigarettes-to-quit-smoking-amid-lack-of-official-guidance-11364160483995>

No authors listed. Many smokers switch to E-cigs after tobacco-related illness. HealthDay [HealthScout], 2017. Feb 28, 2017. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/many-smokers-switch-to-e-cigs-after-tobacco-related-illness-719995.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Sands, Mark. British smokers are switching to e-cigarettes faster than anyone else in Europe. City A.M., 2017. Feb 6, 2017. Available from: <http://www.cityam.com/258441/british-smokers-switching-e-cigarettes-faster-than-anyone>

Bagot, Martin. Number of smokers at 20-year low as men lead in the fight against fags. Daily Mirror, 2016. Dec 14, 2016. Available from: <http://www.mirror.co.uk/lifestyle/health/number-smokers-20-year-low-9458390>

Donnelly, Laura. 'Clean cut' generation is least likely to have ever had an alcoholic drink. The Telegraph, 2016. Dec 14, 2016. Available from: <http://www.telegraph.co.uk/news/2016/12/14/clean-cut-generation-least-likely-have-ever-had-alcoholic-drink/>

No authors listed. New survey shows both youth smoking and E-cigarette use fell this year. Campaign for Tobacco Free Kids, 2016. Dec 13, 2016. Available from: <http://www.publicnow.com/view/B26AE63A287780C816070D412DD366B6DD4142FF>

Smyth, Chris. Clean-living generation of children snub cigarettes and alcohol. The Times, 2016. Dec 15, 2016. Available from: <http://www.thetimes.co.uk/edition/news/clean-living-generation-of-children-snob-cigarettes-and-alcohol-9n90v72sl>

Myers, Matthew. CDC survey shows large majority of adult E-cigarette users in U.S. also smoke cigarettes. Campaign for Tobacco-Free Kids (CTFK), 2016. Oct 27, 2016. Available from: http://www.tobaccofreekids.org/press_releases/post/2016_10_27_ecigarettes

No author listed. Nearly two-thirds of E-cigarette users also smoke: CDC. Health Day, 2016. Oct 30, 2016. Available from: <https://consumer.healthday.com/cancer-information-5/electronic-cigarettes-970/nearly-two-thirds-of-current-smokers-also-use-e-cigs-cdc-716290.html>

No authors listed. QuickStats: Cigarette Smoking Status* Among Current Adult E-cigarette Users, dagger by Age Group - National Health Interview Survey, section sign United States, 2015. MMWR Morb Mortal Wkly Rep. 2016 Oct 28;65(42):1177. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27787495>

O'Dowd, Adrian. Young people's regular use of e-cigarettes still low. On Medica, 2016. Oct 31, 2016. Available from: <http://www.onmedica.com/newsArticle.aspx?id=ceedfb46-cafe-421b-a52e-ced0b1e0d73c>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

18B3.1 Trends in use of e-cigarettes in Australia

No authors listed. Schools struggle with new vaping. *Daily Telegraph*, 2020. August 8, 2020.

Retrieved from <https://customreport.mediaportal.com/#/articlepresenter/19ab99df-3942-4c95-8042-55d6f9cd93a6/620781797/-1868334132? k=rcp6ls>

No authors listed. (2020). Principals fume over rising nest of vapers. *Sun Herald*. Retrieved from

<https://customreport.mediaportal.com/#/articlepresenter/96864709-81af-40fb-9619-03b330c8791e/610570625/1478846282? k=hllfhr>

Heaney, C. Top Melbourne private school Xavier College in vaping crackdown *Herald Sun*, 2019. Oct

10, 2019. Available from: <https://www.heraldsun.com.au/education/top-melbourne-private-school-xavier-college-in-vaping-crackdown/news-story/ccdc385938b6d559f520019a19ef0aac?btr=b11d22db0cbe4000d143c529602ce4c1>

Jongenelis, MI, Kameron, C, Brennan, E, Rudaizky, D, Slevin, T, & Pettigrew, S. E-cigarette product preferences among Australian young adult e-cigarette users. *Australian and New Zealand Journal of Public Health*, 2018. 42(6), 572-574. Available from:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/1753-6405.12842>

Lee, C, Yong, HH, Borland, R, McNeill, A, Hitchman, SC. Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. *Drug Alcohol Depend*. 2018 Feb 10;185:142-148. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29448147>

18B.3.2 International trends in use of e-cigarettes

Jones, N. Cigarette sales down as vaping up, End Smoking NZ says, but Smokefree 2025 target won't be met *NZ Herald*, 2020. August 28, 2020. Retrieved from

https://www.nzherald.co.nz/politics/news/article.cfm?c_id=280&objectid=12359933

Lefkowitz, M. Device tracks vaping habits to better understand use. *Medical Xpress*, 2020. May 1st

2020. Retrieved from <https://medicalxpress.com/news/2020-05-device-tracks-vaping-habits.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Depner, W. Nicotine by far the most commonly used vaping product in Canada: survey. *Vancouver Island Free Daily*, 2020. March 17, 2020. Retrieved from <https://www.vancouverislandfreedaily.com/news/nicotine-by-far-the-most-commonly-used-vaping-product-in-canada-survey/>

McNeill, A, Brose, L, Calder, R, Bauld, L, & Robson, D. *Vaping in England: an evidence update including mental health and pregnancy, March 2020*. Retrieved from London: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/869401/Vaping_in_England_evidence_update_March_2020.pdf

Gregory, R. E-cigarettes now the most popular quit smoking tool in Wales. *Wales247*, 2019. Nov 12, 2019. Available from: <https://wales247.co.uk/e-cigarettes-now-the-most-popular-quit-smoking-tool-in-wales/>

Kekatos, M. Vaping increased by 14% in the US last year as cigarette smoking fell to an all-time low for the second year in a row. *Daily Mail Australia*, 2019. Nov 15, 2019. Available from <https://www.mailonsunday.co.uk/health/article-7686207/E-cigarette-use-increased-14-year-cigarette-smoking-fell-time-low.html>

Power, J. Smoking levels falling faster than increases in e-cigarette use. *The Irish Times*, 2019. Nov 21, 2019. Available from: <https://www.irishtimes.com/news/health/smoking-levels-falling-faster-than-increases-in-e-cigarette-use-1.4090658>

Hrynowski, Z. What Percentage of Americans Vape? *Gallup*, 2019. Oct 11, 2019. Available from: <https://news.gallup.com/poll/267413/percentage-americans-vape.aspx>

Action on Smoking and Health. In 2019 around half as many Britons now vape as smoke, and the majority are ex-smokers. *ASH*, 2019. Sept 24, 2019. Available from <https://ash.org.uk/media-and-news/press-releases-media-and-news/in-2019-around-half-as-many-britons-now-vape-as-smoke-and-the-majority-are-ex-smokers/>

Action on Smoking and Health. Use of e-cigarettes (vaporisers) among adults in Great Britain. *ASH*, Sept 2019. Available from <https://ash.org.uk/wp-content/uploads/2019/09/Use-of-e-cigarettes-among-adults-2019.pdf>

Topham-Kindley, L. New data on e-cigarette use among New Zealand adults. *Medical Xpress*, 2019. July 15, 2019. Available from: <https://medicalxpress.com/news/2019-07-e-cigarette-zealand-adults.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Behind the explosive growth of JUUL. Truth initiative, 2019. Jan 3, 2019. Available from: <https://truthinitiative.org/news/behind-explosive-growth-juul>

Action on Smoking and Health (UK). (2018). Use of e-cigarettes (vapourisers) among adults in Great Britain. Available from London, UK: <http://ash.org.uk/category/information-and-resources/fact-sheets/>

No authors listed. Vapers rise 'to more than three million' in Britain. BBC, 2018. Sept 14, 2018. Available from <https://www.bbc.com/news/health-45513762>

Perry, Cheryl. Alarming Trend Shows First-Time Smoking Among Young Adults. News Wise, 2018. July 23, 2018. Available from: [http://www.newswise.com/articles/view/697140/?sc=rsmn&utm_source=feedburner&utm_medium=feed&utm_campaign=Feed%3A+NewswiseMednews+\(Newswise%3A+MedNews\)](http://www.newswise.com/articles/view/697140/?sc=rsmn&utm_source=feedburner&utm_medium=feed&utm_campaign=Feed%3A+NewswiseMednews+(Newswise%3A+MedNews))

No authors listed. Study finds decrease in rate of e-cigarette use among American adults. Medical Life Sciences News, 2018. May 24, 2018. Available from: <https://www.news-medical.net/news/20180516/Study-finds-decrease-in-rate-of-e-cigarette-use-among-American-adults.aspx>

Tanner, Lindsey. More US adults try vaping but current use is down, data show. Business Insider UK, 2018. May 17, 2018. Available from: <http://uk.businessinsider.com/ap-more-us-adults-try-vaping-but-current-use-is-down-data-show-2018-5/?r=AU&IR=T>

Coleman, Blair, Rostron, Brian, Johnson, Sarah E, Persoskie, Alexander, Pearson, Jennifer, Stanton, Cassandra et al. Transitions in electronic cigarette use among adults in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1 and 2 (2013–2015). Tobacco Control, Apr 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/04/25/tobaccocontrol-2017-054174.full.pdf>

Delaney, Roisin. Greece: “Extremely rare” for non-smokers to use e-cigarettes. Vapground Magazine, 2018. Apr 24, 2018. Available from: <https://vapouround.co.uk/greece-extremely-rare-for-non-smokers-to-use-e-cigarettes/>

Farsalinos, Konstantinos E, Siakas, Georgios, Poulas, Konstantinos, Voudris, Vassilis, Merakou, Kyriakoula and Barbouni, Anastasia. Electronic cigarette use in Greece: an analysis of a representative population sample in Attica prefecture. Harm Reduction Journal, Apr 2018. Available from: <https://doi.org/10.1186/s12954-018-0229-7>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kuhlman, Mary. Data Shows E-Cigarette Use Rising in Ohio. , 2018. Apr 6, 2018. Available from: <https://www.clevescene.com/scene-and-heard/archives/2018/04/03/data-shows-e-cigarette-use-rising-in-ohio>

No authors listed. E-cigarette use soars in HK in short time span. *The Standard (HK)*, 2018. Mar 23, 2018. Available from: <http://www.thestandard.com.hk/breaking-news.php?id=104677&sid=4>

No authors listed. Public health study finds sexual minorities more likely to have used E-cigarettes. *Medical Xpress*, 2018. Jan 17, 2018. Available from: <https://medicalxpress.com/news/2018-01-health-sexual-minorities-e-cigarettes.html>

18B3.3 International trends in use among teenagers

Creamer, M, Everett Jones, S, Gentzke, A, Jamal, A, & King, B. (2020). *Tobacco Product Use Among High School Students — Youth Risk Behavior Survey, United States, 2019*. Retrieved from <https://www.cdc.gov/mmwr/volumes/69/su/pdfs/su6901a7-H.pdf>

No authors listed. Nearly one-third of all American high school students used e-cigarettes in 2019, new CDC data show. *Truth Initiative*, 2020. August 21, 2020. Retrieved from <https://truthinitiative.org/press/press-release/nearly-one-third-all-american-high-school-students-used-e-cigarettes-2019-new>

Keyue, X. Number of e-cigarettes smokers among Chinese middle school students on the rise significantly: survey. *Global Times*, 2020. May 31, 2020. Retrieved from <https://www.globaltimes.cn/content/1190090.shtml>

Chapman, M. Underage vaping spikes in the north of England. *The Bureau of Investigative Journalism*, 2020. May 4, 2020. Retrieved from <https://www.thebureauinvestigates.com/stories/2020-05-04/underage-vaping-spikes-in-north-of-england>

No authors listed. More teenagers in Taiwan smoke electronic cigarettes. *China Daily*, 2020. May 29, 2020. Retrieved from <https://www.chinadaily.com.cn/a/202005/29/WS5ed0cd45a310a8b241159872.html>

No authors listed. (2020). *Canadian Tobacco and Nicotine Survey, 2019*. Retrieved from <https://www150.statcan.gc.ca/n1/daily-quotidien/200305/dq200305a-eng.htm>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Weikle, B. 'We have a youth vaping crisis': 1 in 3 teens have tried vaping, Statistics Canada finds. *CBC*, 2020. March 5, 2020. Retrieved from <https://www.cbc.ca/news/health/teen-vaping-statistics-canada-1.5487109>

Evans-Polce, R, Veliz, P, Boyd, CJ, McCabe, VV, & McCabe, SE. (2020). Trends in E-Cigarette, Cigarette, Cigar, and Smokeless Tobacco Use Among US Adolescent Cohorts, 2014–2018. *American Journal of Public Health*, 110(2), 163-165. Available from: <https://ajph.aphapublications.org/doi/abs/10.2105/AJPH.2019.305421>

Ryan, O. 'The tobacco industry targeting e-cigarettes at young people is cynical, sickening and dangerous'. *The Journal (Republic of Ireland)*, 2020. Jan 10, 2020. Retrieved from <https://www.thejournal.ie/survey-on-irish-children-alcohol-smoking-food-4958875-Jan2020/>

Hoffman, J, & Kaplan, S. Nearly a Third of Teens Use One or More Tobacco Products. *The New York Times*, 2019. Dec 5, 2019. Available from: <https://www.nytimes.com/2019/12/05/health/vaping-teenagers-tobacco.html>

Koval, R. As Teen Smoking Rate Hits Historic Low, Youth Tobacco Use Hits Record High Derailing Years of Progress and Putting a New Generation at Risk. *Truth Initiative*, 2019. Dec 18, 2019. Available from: https://truthinitiative.org/press/press-release/teen-smoking-rate-hits-historic-low-youth-tobacco-use-hits-record-high?utm_source=Truth+Initiative+Mailing+List&utm_campaign=7eb738fa7c-Newsletter+180+2019+12+19&utm_medium=email&utm_term=0_c91fd8a5c5-7eb738fa7c-86471991

Downey, M. New poll: Teen vaping is everywhere including schools. *AJC*, 2019. Nov 4, 2019. Available from <https://www.ajc.com/blog/get-schooled/new-poll-finds-vaping-everywhere-including-schools/WCCLX3xKuWa00Q6Uf7NEO/>

Weeks, C. New survey shows dramatic increase in vaping among high school students. *The Globe and Mail*, 2019. Nov 19, 2019. Available from: <https://www.theglobeandmail.com/canada/article-new-survey-shows-dramatic-increase-in-vaping-among-high-school/>

Tulley, C. Vaping: 'I'm 17, and rarely ID'd for e-cigs'. *BBC News*, 2019. Oct 15, 2019. Available from <https://www.bbc.com/news/health-50045639>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Emery, G. Survey logs big one-year jump in nicotine vaping among 8th-graders. *Reuters*, 2019. Sept 19, 2019. Available from <https://www.reuters.com/article/us-health-vaping-teens/survey-logs-big-one-year-jump-in-nicotine-vaping-among-8th-graders-idUSKBN1W32WD>

No authors listed. 'We don't promote to youth' says Philip Morris NZ official as high schools report students are vaping. *1 News Now*, 2019. Sept 2, 2019. Available from <https://www.tvnz.co.nz/one-news/new-zealand/we-dont-promote-youth-says-philip-morris-nz-official-high-schools-report-students-vaping>

No authors listed. Fact sheet: Use of e-cigarettes among young people in Great Britain. Action on Smoking and Health, June 2019. Available from: <http://ash.org.uk/wp-content/uploads/2019/06/ASH-Factsheet-Youth-E-cigarette-Use-2019.pdf>

Edney, A. Teens Say They Don't Vape, They Juul, Making E-Cigarette Use Hard to Track. *Bloomberg*, 2019. Apr 30. Available from: <https://www.bloomberg.com/news/articles/2019-04-29/is-juul-vaping-new-e-cigarette-survey-asks-teens-for-first-time>

Stafford, B. With All Due Speed | Health Canada Reacts to Youth Vaping 'Epidemic'. *Regulator Watch*, 2019. Apr 16. Available from: <https://regulatorwatch.com/brent-stafford/with-all-due-speed-health-canada-reacts-to-youth-vaping-epidemic/>

Crowe, K. Teen vaping in Canada has taken a 'worrisome' turn. *CBC*, 2018. Dec 8, 2018. Available from: <https://www.cbc.ca/news/health/health-canada-youth-teenage-vaping-smoking-hammond-1.4937593>

Paul, K. Teen vaping is a 'public health tragedy' and the FDA has a plan to stop it *Market Watch*, 2018. Nov 2, 2018. Available from: <https://www.marketwatch.com/story/fda-promises-forceful-steps-to-halt-health-tragedy-of-teen-e-cigarette-use-2018-10-31>

FDA. Results from 2018 National Youth Tobacco Survey show dramatic increase in e-cigarette use among youth over past year. *U.S. Food and Drug Administration*, 2018. Nov 2, 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm625917.htm>

No authors listed. Statement from FDA Commissioner Scott Gottlieb, M.D., on meetings with industry related to the agency's ongoing policy commitment to firmly address rising epidemic rates in youth e-cigarette use. *U.S. Food & Drug Administration*, 2018. Oct 31, 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm624657.htm>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Cheung, E. Ban e-cigarettes, Hong Kong medical experts say after 'shocking' 55 per cent rise in primary schoolchildren trying vaping. South China Morning Post, 2018. Sept 228, 2018. Available from: <https://www.scmp.com/news/hong-kong/health-environment/article/2166062/ban-e-cigarettes-hong-kong-medical-experts-say>

Action on Smoking and Health. Use of e-cigarettes among young people in Great Britain. Fact Sheet, Aug 2018. Available from: <https://ash.us14.list-manage.com/track/click?u=3d5578d8735672472bede942b&id=66564774bd&e=a9265a5c3b>

Crittenton, Anya. LGBT teens are 'far more likely' to smoke or vape than straight teens. Gay Star News, 2018. July 9, 2018. Available from: <https://www.gaystarnews.com/article/lgbt-teens-more-likely-smoke-vape/#gs.d0720SE>

No authors listed. Now, more city youth hooked to e-cigarettes despite doctors' warning. The New Indian Express, 2018. July 25, 2018. Available from: <http://www.newindianexpress.com/cities/vijayawada/2018/jul/25/now-more-city-youth-hooked-to-e-cigarettes-despite-doctors-warning-1848220.html>

No authors listed. E-cigarette use in youth on rise in twin cities. Pakistan Observer, 2018. June 6, 2018. Available from: <https://pakobserver.net/e-cigarette-use-in-youth-on-rise-in-twin-cities/>

Farsalinos, Konstantinos, Tomaselli, Venera and Polosa, Riccardo. Frequency of Use and Smoking Status of U.S. Adolescent E-Cigarette Users in 2015. American Journal of Preventive Medicine, Apr 2018. Available from: <https://www.sciencedirect.com/science/article/pii/S074937971831626X>

No authors listed. Half of Utah youth report using alcohol, vaping. Herald Extra, Apr 2018. Available from: https://www.heraldextra.com/sanpete-county/news/half-of-utah-youth-report-using-alcohol-vaping/article_7b0eec17-0b75-51f7-9917-705ee6cc69a0.html

Kong, G, Kuguru, KE, Krishnan-Sarin, S. Gender Differences in U.S. Adolescent E-Cigarette Use. Curr Addict Rep. 2017 Dec;4(4):422-430. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29545987>

Bauld, L, MacKintosh, AM, Eastwood, B, Ford, A, Moore, G, Dockrell, M, Arnott, D, Cheeseman, H and McNeill, A. Young People's Use of E-Cigarettes across the United Kingdom: Findings from Five Surveys 2015-2017. Int J Environ Res Public Health. 2017 Aug 29;14(9). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28850065>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Glenza, Jessica. More US teens are vaping than smoking cigarettes, study finds. The Guardian, 2017. Dec 14, 2017. Available from: <https://www.theguardian.com/society/2017/dec/13/e-cigarettes-vaping-more-teens-cigarettes-study>

Lockhart, Ben. What Utah found when surveying students about vape, alcohol use. Deseret News Utah, 2018. Mar 20, 2018. Available from: <https://www.deseretnews.com/article/900013255/utah-survey-finds-over-20-in-8th-grade-or-above-tried-vaping.html>

No authors listed. Use of electronic cigarettes (vapourisers) among children in Great Britain. Action on Smoking and Health, 2017. Aug 15, 2017. Available from: <http://ash.org.uk/information-and-resources/fact-sheets/use-of-electronic-cigarettes-vapourisers-among-children-in-great-britain/>

No authors listed. Monitoring the Future Revised December 2017: Trends in Prevalence of Various Drugs. National Institute on Drug Abuse (NIDA), 2017. Available from: <https://www.drugabuse.gov/related-topics/trends-statistics/monitoring-future>