Tobacco in Australia
Facts & Issues

Relevant news and research
18B.4 Awareness, perceptions, and use of heated tobacco products

Last updated December 2024

Research: 2
18B.4 Awareness, perceptions, and use of heated tobacco products 2
18B.4.1 Awareness of heated tobacco products 2
18B.4.2 Perceptions of heated tobacco products 3
18B.4.3 Prevalence of use of heated tobacco products 5
18B.4.3.1 Prevalence of use in Australia 6
18B.4.3.2 International prevalence of use 6
News: 12
18B.4 Awareness, perceptions, and use of heated tobacco products 12
18B.4.1 Awareness of heated tobacco products 12
18B.4.2 Perceptions of heated tobacco products 12
18B.4.3 Prevalence of use of heated tobacco products 12
18B.4.3.1 Prevalence of use in Australia 12
18B.4.3.2 International prevalence of use 12

Research:

18B.4 Awareness, perceptions, and use of heated tobacco products

Irshad, HA, Jehanzeb, H, Raja, S, Saleem, U, Shaikh, WA, Shahzad, A et al. (2024). Heated tobacco products- well known or well understood? A national cross-sectional study on knowledge, attitudes and usage in Pakistan. *BMC Public Health, 24*(1), 1328. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38755586

18B.4.1 Awareness of heated tobacco products

Sparrock LS, Phan L, Chen-Sankey J, Hacker K, Ajith A, et al. Heated Tobacco Products: Awareness, Beliefs, Use and Susceptibility among US Adult Current Tobacco Users, 2021. International Journal of Environmental Research and Public Health, 2023; 20(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36767383

Puvanesarajah S, Wang T, Alexander DS, Gomez Y, Head SK, et al. Awareness and Use of Heated Tobacco Products Among Middle School and High School Students, United States, 2019-2020. Nicotine & Tobacco Research, 2022; 24(8):1273-80. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35380704

Otsuka Y, Kaneita Y, Itani O, Matsumoto Y, Hatori Y, et al. Awareness, Attitudes, and Concerns Regarding Heated Tobacco Products among Physicians in Japan. J Epidemiol, 2022. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35370227

Miller CR, Sutanto E, Smith DM, Hitchman SC, Gravely S, et al. Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2022; 31(1):11-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32994299

Karim MA, Talluri R, Chido-Amajuoyi OG, and Shete S. Awareness of heated tobacco products among US Adults - Health information national trends survey, 2020. Substance Abuse, 2022; 43(1):1023-34. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35435808

Berg CJ, Romm KF, Patterson B, and Wysota CN. Heated Tobacco Product Awareness, Use, and Perceptions in a Sample of Young Adults in the United States. Nicotine & Tobacco Research, 2021; 23(11):1967-71. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33822111

Azagba S and Shan L. Heated Tobacco Products: Awareness and Ever Use Among U.S. Adults. American Journal of Preventive Medicine, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33518430

Maria Lotrean L, Trofor A, Radu-Loghin C, Eremia M, Mihaltan F, et al. Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020; 30(Supplement_3):iii78-iii83. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32918826

Ho LLK, Li WHC, Cheung AT, Xia W, and Lam TH. Awareness and Use of Heated Tobacco Products among Youth Smokers in Hong Kong: A Cross-Sectional Study. International Journal of Environmental

Research and Public Health, 2020; 17(22). Available from: https://www.ncbi.nlm.nih.gov/pubmed/33227929

Gottschlich A, Mus S, Monzon JC, Thrasher JF, and Barnoya J. Cross-sectional study on the awareness, susceptibility and use of heated tobacco products among adolescents in Guatemala City, Guatemala. BMJ Open, 2020; 10(12):e039792. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33318112

Dunbar MS, Seelam R, Tucker JS, Rodriguez A, Shih RA, et al. Correlates of Awareness and Use of Heated Tobacco Products in a Sample of US Young Adults in 2018-2019. Nicotine & Tobacco Research, 2020; 22(12):2178-87. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32047910

Czoli CD, White CM, Reid JL, RJ OC, and Hammond D. Awareness and interest in IQOS heated tobacco products among youth in Canada, England and the USA. Tobacco Control, 2019.

Nyman AL, Weaver SR, Popova L, Pechacek TF, Huang J, et al. Awareness and use of heated tobacco products among US adults, 2016-2017. Tobacco Control, 2018; 27(Suppl 1):s55-s61. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30158204

Marynak KL, Wang TW, King BA, Agaku IT, Reimels EA, et al. Awareness and Ever Use of "Heat-Not-Burn" Tobacco Products Among U.S. Adults, 2017. American Journal of Preventive Medicine, 2018; 55(4):551-4. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30033025

Kim J, Yu H, Lee S, and Paek YJ. Awareness, experience and prevalence of heated tobacco product, IQOS, among young Korean adults. Tobacco Control, 2018; 27(Suppl 1):s74-s7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30158210

18B.4.2 Perceptions of heated tobacco products

Borland, R, Dhungel, B, Gartner, CE, Fong, GT, Hyland, A, Cummings, KM, & East, KA. (2024). How is heated tobacco product use described by people who use them daily? *Tob Control*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39461850

Kim, M, Vassey, J, Li, D, Galimov, A, Han, E, Kirkpatrick, MG et al. (2024). Discussion of Heated Tobacco Products on Twitter Following IQOS's Modified-Risk Tobacco Product Authorization and US Import Ban: Content Analysis. *J Med Internet Res, 26*, e53938. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39446431

Tan, ASL, Mercincavage, M, Young, WJ, Hrywna, M, Delnevo, CD, & Strasser, AA. (2024). Perceived relative harm and addictiveness compared with cigarettes and intentions to use modified risk tobacco products utilizing FDA-authorized marketing claims among adults in the United States. *Drug Alcohol Depend, 261*, 111291. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38851035

Wu YS, Cheung YTD, Ho SY, Tong HSC, Lai VWY, et al. Perception of heated tobacco products and support for regulations: a cross-sectional study in Hong Kong. Tobacco Control, 2024; 33(e1):e132-e5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36344255

Momosaka T, Saito J, Otsuki A, Yaguchi-Saito A, Fujimori M, et al. Associations of individual characteristics and socioeconomic status with heated tobacco product harmfulness perceptions in Japan: A nationwide cross-sectional study (INFORM Study 2020). J Epidemiol, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38191179

Duan Z, Berg CJ, Bar-Zeev Y, Abroms LC, Wang Y, et al. Perceptions of Heated Tobacco Products (HTPs) vs. Cigarettes and E-Cigarettes in Relation to Likelihood of Trying HTPs or Suggesting HTPs to Those Who Smoke Cigarettes. Nicotine & Tobacco Research, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38666732

DeAtley T, Stone MD, Strasser AA, and Audrain-McGovern J. The role of IQOS risk perceptions on cigarette smoking behaviours: results from a prospective pilot study. Tobacco Control, 2024; 33(2):263-6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36002165

Wackowski OA, Steinberg MB, and Delnevo CD. Impact of IQOS modified risk messaging on physicians' product perceptions and recommendations. Tobacco Control, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37280064

Sparrock LS, Phan L, Chen-Sankey J, Hacker K, Ajith A, et al. Heated Tobacco Products: Awareness, Beliefs, Use and Susceptibility among US Adult Current Tobacco Users, 2021. International Journal of Environmental Research and Public Health, 2023; 20(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36767383

Sharma A, Fix B, Hyland A, Quisenberry AJ, Bansal-Travers M, et al. Differences in demographics and behaviors across two web-based survey platforms: Observations from a study of risk perceptions of heated tobacco products (HTPs). Preventive Medicine Reports, 2023; 33:102194. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37223582

Yang B, Massey ZB, and Popova L. Effects of modified risk tobacco product claims on consumer comprehension and risk perceptions of IQOS. Tobacco Control, 2022; 31(e1):e41-e9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33688084

Park J, Kim HJ, Shin SH, Park E, Oh JK, et al. Perceptions of Heated Tobacco Products (HTPs) and Intention to Quit Among Adult Tobacco Users in Korea. J Epidemiol, 2022; 32(8):357-62. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33551386

Otsuka Y, Kaneita Y, Itani O, Matsumoto Y, Hatori Y, et al. Awareness, Attitudes, and Concerns Regarding Heated Tobacco Products among Physicians in Japan. J Epidemiol, 2022. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35370227

Duan Z, Wysota CN, Romm KF, Levine H, Bar-Zeev Y, et al. Correlates of Perceptions, Use, and Intention to Use Heated Tobacco Products Among US Young Adults in 2020. Nicotine & Tobacco Research, 2022; 24(12):1968-77. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35901840

Duan Z, Le D, Ciceron AC, Dickey-Chasins R, Wysota CN, et al. 'It's like if a vape pen and a cigarette had a baby': a mixed methods study of perceptions and use of IQOS among US young adults. Health

Education Research, 2022; 37(5):364-77. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36036655

AlMoosawi S, Bajec M, Mainy N, Kallischnigg G, Zwisele B, et al. Risk perception of IQOS and cigarettes: Temporal and cross-country comparisons. SSM Popul Health, 2022; 18:101123. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35669892

Majek P, Jankowski M, Nowak B, Macherski M, Nowak M, et al. The Frequency of Use and Harm Perception of Heated Tobacco Products (HTPs): The 2019 Cross-Sectional Survey among Medical Students from Poland. International Journal of Environmental Research and Public Health, 2021; 18(7). Available from: https://www.ncbi.nlm.nih.gov/pubmed/33805180

East KA, Tompkins CNE, McNeill A, and Hitchman SC. 'I perceive it to be less harmful, I have no idea if it is or not:' a qualitative exploration of the harm perceptions of IQOS among adult users. Harm Reduct J, 2021; 18(1):42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33849549

Chen-Sankey JC, Kechter A, Barrington-Trimis J, McConnell R, Krueger EA, et al. Effect of a hypothetical modified risk tobacco product claim on heated tobacco product use intention and perceptions in young adults. Tobacco Control, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34059552

Berg CJ, Romm KF, Patterson B, and Wysota CN. Heated Tobacco Product Awareness, Use, and Perceptions in a Sample of Young Adults in the United States. Nicotine & Tobacco Research, 2021; 23(11):1967-71. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33822111

Gravely S, Fong GT, Sutanto E, Loewen R, Ouimet J, et al. Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020; 17(7). Available from: https://www.ncbi.nlm.nih.gov/pubmed/32244619

Hair EC, Bennett M, Sheen E, Cantrell J, Briggs J, et al. Examining perceptions about IQOS heated tobacco product: consumer studies in Japan and Switzerland. Tobacco Control, 2018; 27(Suppl 1):s70-s3. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29764957

O'Brien EK, Persoskie A, Parascandola M, and Hoffman AC. U.S. Adult Interest in Less Harmful and Less Addictive Hypothetical Modified Risk Tobacco Products. Nicotine & Tobacco Research, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29059364

18B.4.3 Prevalence of use of heated tobacco products

Reyes-Guzman, CM, Baker, L, Goss-Holmes, H, & Bloch, MH. (2024). Patterns of Emerging Tobacco Product Use Among U.S. Adults, 2019-2022. *Am J Prev Med*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39547264

Seo HG, Xu SS, Li G, Gravely S, Quah ACK, et al. Reasons for Initiation and Regular Use of Heated Tobacco Products among Current and Former Smokers in South Korea: Findings from the 2020 ITC Korea Survey. International Journal of Environmental Research and Public Health, 2023; 20(6). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36981869

Tompkins CNE, Burnley A, McNeill A, and Hitchman SC. Factors that influence smokers' and ex-smokers' use of IQOS: a qualitative study of IQOS users and ex-users in the UK. Tobacco Control, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31941822

18B.4.3.1 Prevalence of use in Australia

18B.4.3.2 International prevalence of use

Sreeramareddy, CT, Shu Syuen, MO, Hon, MI, & Daher, AM. (2024). Electronic Cigarette and Heated Tobacco Product Use and Their Association With Tobacco Control Factors Among Adults in Indonesia, Kazakhstan, and the Philippines. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39110887

Levy, DT, Issabakhsh, M, Warner, KE, Liber, A, Meza, R, & Cummings, M. (2024). Evaluating trends in cigarette and HTP use in Japan and measurement issues in the National Health and Nutrition Survey. *Tob Control*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38906697

Izquierdo-Condoy, JS, Naranjo-Lara, P, Morales-Lapo, E, Puglla-Mendoza, A, Hidalgo, MR, Tello-De-la-Torre, A et al. (2024). E-cigarette use among Ecuadorian adults: A national cross-sectional study on use rates, perceptions, and associated factors. *Tob Induc Dis, 22*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38828079

Lee, S, Xu, SS, Yan, M, Gravely, S, Quah, ACK, Seo, HG et al. (2024). Patterns of cigarette, heated tobacco product, and nicotine vaping product use among Korean adults: Findings from the 2020 ITC Korea Survey. *Tob Induc Dis, 22*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38638419

Odani S and Tabuchi T. Tobacco usage in the home: a cross-sectional analysis of heated tobacco product (HTP) use and combustible tobacco smoking in Japan, 2023. Environ Health Prev Med, 2024; 29:11. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38447971

Noh MAM, Hairi FM, Nordin ASA, Yee A, Tajuddin NAA, et al. Prevalence and reasons for use of heated tobacco products among Malaysian adults who smoked: Findings from the 2020 International Tobacco Control Malaysia Survey. Drug and Alcohol Dependence, 2024; 257:111131. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38428371

Lee S, Xu SS, Yan M, Gravely S, Quah ACK, et al. Patterns of cigarette, heated tobacco product, and nicotine vaping product use among Korean adults: Findings from the 2020 ITC Korea Survey. Tobacco Induced Diseases, 2024; 22. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38638419

Sun T, Anandan A, Lim CCW, East K, Xu SS, et al. Global prevalence of heated tobacco product use, 2015-22: A systematic review and meta-analysis. Addiction, 2023; 118(8):1430-44. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37005862

Sparrock LS, Phan L, Chen-Sankey J, Hacker K, Ajith A, et al. Heated Tobacco Products: Awareness, Beliefs, Use and Susceptibility among US Adult Current Tobacco Users, 2021. International Journal of Environmental Research and Public Health, 2023; 20(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36767383

Noguchi S, Ishimaru T, Fujino Y, Yatera K, and Tabuchi T. Association of cigarette smoking with increased use of heated tobacco products in middle-aged and older adults with self-reported chronic obstructive pulmonary disease, asthma, and asthma-COPD overlap in Japan, 2022: the JASTIS study. BMC Pulm Med, 2023; 23(1):365. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37777737

Levine H, Duan Z, Bar-Zeev Y, Abroms LC, Khayat A, et al. IQOS Use and Interest by Sociodemographic and Tobacco Behavior Characteristics among Adults in the US and Israel. International Journal of Environmental Research and Public Health, 2023; 20(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36833831

Hori A, Tabuchi T, and Kunugita N. The spread of heated tobacco product (HTP) use across various subgroups during 2015-16 and 2017-18 in Japan. Environ Health Prev Med, 2023; 28:5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36653145

Puvanesarajah S, Wang T, Alexander DS, Gomez Y, Head SK, et al. Awareness and Use of Heated Tobacco Products Among Middle School and High School Students, United States, 2019-2020. Nicotine & Tobacco Research, 2022; 24(8):1273-80. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35380704

Odani S and Tabuchi T. Prevalence and denial of current tobacco product use: Combustible and heated tobacco products, Japan, 2022. Preventive Medicine Reports, 2022; 30:102031. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36531095

Miller CR, Sutanto E, Smith DM, Hitchman SC, Gravely S, et al. Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2022; 31(1):11-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32994299

Lau YK, Okawa S, Meza R, Katanoda K, and Tabuchi T. Nicotine dependence of cigarette and heated tobacco users in Japan, 2019: a cross-sectional analysis of the JASTIS Study. Tobacco Control, 2022; 31(e1):e50-e6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33741741

Karim MA, Talluri R, Chido-Amajuoyi OG, and Shete S. Awareness of heated tobacco products among US Adults - Health information national trends survey, 2020. Substance Abuse, 2022; 43(1):1023-34. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35435808

Duan Z, Wysota CN, Romm KF, Levine H, Bar-Zeev Y, et al. Correlates of Perceptions, Use, and Intention to Use Heated Tobacco Products Among US Young Adults in 2020. Nicotine & Tobacco Research, 2022; 24(12):1968-77. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35901840

Cruz-Jimenez L, Barrientos-Gutierrez I, Zavala-Arciniega L, Arillo-Santillan E, Gallegos-Carrillo K, et al. Heated tobacco product use, its correlates, and reasons for use among Mexican smokers. Drug and Alcohol Dependence, 2022; 232:109283. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35134734

Zhu SH, Ong J, Wong S, Cole A, Zhuang YL, et al. Early adoption of heated tobacco products resembles that of e-cigarettes. Tobacco Control, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33542070

Yi J, Lee CM, Hwang SS, and Cho SI. Prevalence and predictors of heated tobacco products use among male ever smokers: results from a Korean longitudinal study. BMC Public Health, 2021; 21(1):316. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33557796

Odani S and Tabuchi T. Prevalence of heated tobacco product use in Japan: the 2020 JASTIS study. Tobacco Control, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33707176

Myagmar-Ochir E, Kaneko M, Tomiyama K, Zaitsu M, Watanabe S, et al. Occupational difference in use of heated tobacco products: a cross-sectional analysis of retail workers in Japan. BMJ Open, 2021; 11(8):e049395. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34429314

Miller CR, Sutanto E, Smith DM, Hitchman SC, Gravely S, et al. Characterizing heated tobacco product use among adult cigarette smokers and nicotine vaping product users in the 2018 ITC Four Country Smoking & Vaping Survey. Nicotine & Tobacco Research, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34669964

Majek P, Jankowski M, Nowak B, Macherski M, Nowak M, et al. The Frequency of Use and Harm Perception of Heated Tobacco Products (HTPs): The 2019 Cross-Sectional Survey among Medical Students from Poland. International Journal of Environmental Research and Public Health, 2021; 18(7). Available from: https://www.ncbi.nlm.nih.gov/pubmed/33805180

Li S, Braden K, Zhuang YL, and Zhu SH. Adolescent Use of and Susceptibility to Heated Tobacco Products. Pediatrics, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34312293

Laverty AA, Vardavas CI, and Filippidis FT. Prevalence and reasons for use of Heated Tobacco Products (HTP) in Europe: an analysis of Eurobarometer data in 28 countries. Lancet Reg Health Eur, 2021; 8:100159. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34557853

Kang SY, Lee S, and Cho HJ. Prevalence and predictors of heated tobacco product use and its relationship with attempts to quit cigarette smoking among Korean adolescents. Tobacco Control, 2021; 30(2):192-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32108085

Azagba S and Shan L. Heated Tobacco Products: Awareness and Ever Use Among U.S. Adults. American Journal of Preventive Medicine, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33518430

Afolalu EF, Langer P, Fischer K, Roulet S, and Magnani P. Prevalence and patterns of tobacco and/or nicotine product use in Japan (2017) after the launch of a heated tobacco product (IQOS ((R))): a cross-sectional study. F1000Res, 2021; 10:504. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35528952

Xu SS, Meng G, Yan M, Gravely S, Quah ACK, et al. Reasons for Regularly Using Heated Tobacco Products among Adult Current and Former Smokers in Japan: Finding from 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020; 17(21). Available from: https://www.ncbi.nlm.nih.gov/pubmed/33142757

Sutanto E, Miller C, Smith DM, Borland R, Hyland A, et al. Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey.

International Journal of Environmental Research and Public Health, 2020; 17(6). Available from: https://www.ncbi.nlm.nih.gov/pubmed/32235702

Maria Lotrean L, Trofor A, Radu-Loghin C, Eremia M, Mihaltan F, et al. Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020; 30(Supplement_3):iii78-iii83. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32918826

Kinjo A, Kuwabara Y, Fujii M, Imamoto A, Osaki Y, et al. Heated Tobacco Product Smokers in Japan Identified by a Population-Based Survey. J Epidemiol, 2020; 30(12):547-55. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31787705

Kim SH and Cho HJ. Prevalence and correlates of current use of heated tobacco products among a nationally representative sample of Korean adults: Results from a cross-sectional study. Tobacco Induced Diseases, 2020; 18:66. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32818029

Kim K, Kim J, and Cho HJ. Gendered factors for heated tobacco product use: Focus group interviews with Korean adults. Tobacco Induced Diseases, 2020; 18:43. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32477038

Igarashi A, Aida J, Kusama T, Tabuchi T, Tsuboya T, et al. Heated Tobacco Products Have Reached Younger or More Affluent People in Japan. J Epidemiol, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32224597

Hori A, Tabuchi T, and Kunugita N. Rapid increase in heated tobacco product (HTP) use from 2015 to 2019: from the Japan 'Society and New Tobacco' Internet Survey (JASTIS). Tobacco Control, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32503900

Ho LLK, Li WHC, Cheung AT, Xia W, and Lam TH. Awareness and Use of Heated Tobacco Products among Youth Smokers in Hong Kong: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020; 17(22). Available from: https://www.ncbi.nlm.nih.gov/pubmed/33227929

Gottschlich A, Mus S, Monzon JC, Thrasher JF, and Barnoya J. Cross-sectional study on the awareness, susceptibility and use of heated tobacco products among adolescents in Guatemala City, Guatemala. BMJ Open, 2020; 10(12):e039792. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33318112

Dunbar MS, Seelam R, Tucker JS, Rodriguez A, Shih RA, et al. Correlates of Awareness and Use of Heated Tobacco Products in a Sample of US Young Adults in 2018-2019. Nicotine & Tobacco Research, 2020; 22(12):2178-87. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32047910

Dai H. Heated tobacco product use and associated factors among U.S. youth, 2019. Drug and Alcohol Dependence, 2020; 214:108150. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32645682

Chang LC, Lee YC, Hsu C, and Chen PC. Prevalence of heated tobacco product use among adolescents in Taiwan. PLoS One, 2020; 15(12):e0244218. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33347476

Adamson J, Kanitscheider C, Prasad K, Camacho OM, Beyerlein E, et al. Results from a 2018 cross-sectional survey in Tokyo, Osaka and Sendai to assess tobacco and nicotine product usage after the introduction of heated tobacco products (HTPs) in Japan. Harm Reduct J, 2020; 17(1):32. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32450856

Wu YS, Wang MP, Ho SY, Li HCW, Cheung YTD, et al. Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. Tobacco Control, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31005892

Sutanto E, Smith DM, Miller C, O'Connor RJ, Hyland A, et al. Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2019; 16(23). Available from: https://www.ncbi.nlm.nih.gov/pubmed/31816848

Sutanto E, Miller C, Smith DM, O'Connor RJ, Quah ACK, et al. Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2019; 16(23). Available from: https://www.ncbi.nlm.nih.gov/pubmed/31766410

Roulet S, Chrea C, Kanitscheider C, Kallischnigg G, Magnani P, et al. Potential predictors of adoption of the Tobacco Heating System by U.S. adult smokers: An actual use study. F1000Res, 2019; 8:214. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31559015

Kang H and Cho SI. Heated tobacco product use among Korean adolescents. Tobacco Control, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31164491

Czoli CD, White CM, Reid JL, RJ OC, and Hammond D. Awareness and interest in IQOS heated tobacco products among youth in Canada, England and the USA. Tobacco Control, 2019.

Tabuchi T, Shinozaki T, Kunugita N, Nakamura M, and Tsuji I. Study Profile: The Japan "Society and New Tobacco" Internet Survey (JASTIS): A longitudinal internet cohort study of heat-not-burn tobacco products, electronic cigarettes and conventional tobacco products in Japan. J Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30318495

Tabuchi T, Gallus S, Shinozaki T, Nakaya T, Kunugita N, et al. Heat-not-burn tobacco product use in Japan: its prevalence, predictors and perceived symptoms from exposure to secondhand heat-not-burn tobacco aerosol. Tobacco Control, 2018; 27(e1):e25-e33. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29248896

Nyman AL, Weaver SR, Popova L, Pechacek TF, Huang J, et al. Awareness and use of heated tobacco products among US adults, 2016-2017. Tobacco Control, 2018; 27(Suppl 1):s55-s61. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30158204

Marynak KL, Wang TW, King BA, Agaku IT, Reimels EA, et al. Awareness and Ever Use of "Heat-Not-Burn" Tobacco Products Among U.S. Adults, 2017. American Journal of Preventive Medicine, 2018; 55(4):551-4. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30033025

Liu X, Lugo A, Spizzichino L, Tabuchi T, Gorini G, et al. Heat-Not-Burn Tobacco Products Are Getting Hot in Italy. J Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29657258

Kim J, Yu H, Lee S, and Paek YJ. Awareness, experience and prevalence of heated tobacco product, IQOS, among young Korean adults. Tobacco Control, 2018; 27(Suppl 1):s74-s7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30158210

News:

18B.4 Awareness, perceptions, and use of heated tobacco products

18B.4.1 Awareness of heated tobacco products

18B.4.2 Perceptions of heated tobacco products

Glantz S. PMI's December 22, 2017 amendment to its IQOS MRTP application failed to address concerns about dual use, flavors, risk perceptions, and its Population Health Impact Model Center for Tobacco Control Research and Education. 2018. Available from: https://tobacco.ucsf.edu/pmi%E2%80%99s-december-22-2017-amendment-its-iqos-mrtp-application-failed-address-concerns-about-dual-use-flavors-risk-perceptions-and-its-population-health-impact-model.

Beacher F, Magnani P, Kallischnigg G, Zwisele B, Colman S, et al. The Relationship between Intended Use and Perceived Health Risk for a Novel Heat-Not-Burn Tobacco Product. in *Society for Research on Nicotine & Tobacco (SRNT) Annual Meeting*. Baltimore, Maryland. 2018. Available from: https://www.pmiscience.com/library/relationship-between-intended-use-and-perceived-health-risk-novel-heat-not-burn-tobacco.

Parry L. SMOKE SCREEN There's a new, apparently 'healthier' way to smoke – and it's NOT e-cigarettes. The Sun, 2017. Available from: https://www.thescottishsun.co.uk/news/1687680/theres-a-new-apparently-healthier-way-to-smoke-and-its-not-e-cigarettes/

18B.4.3 Prevalence of use of heated tobacco products

Boyles S. Non-Smokers, Former Smokers are Using Heatsticks—Nearly half of IQOS users in Italy are non-smokers, study claims. Medpage Today. 2018. Available from: https://www.medpagetoday.com/pulmonology/smoking/70913

No authors listed. Three million smokers around the world switch to IQOS, Philip Morris' first commercialized heated tobacco product. The Online Citizen. 2017. Available from: https://www.theonlinecitizen.com/2017/08/24/three-million-smokers-around-the-world-switch-to-iqos-philip-morris-first-commercialized-heated-tobacco-product/.

No authors listed. Demand for New Heat-Not-Burn Products Outpacing Supply. Convenience Store News. 2017. Available from: http://www.csnews.com/product-categories/tobacco/demand-new-heat-not-burn-products-outpacing-supply.

18B.4.3.1 Prevalence of use in Australia

18B.4.3.2 International prevalence of use

No authors listed. Heated tobacco product use up among Japan young adults, overall smoking down: gov't survey. The Mainichi. 2020. Available from: https://mainichi.jp/english/articles/20200115/p2a/00m/0na/014000c.

Anastasopoulou S. Consumer survey report: health benefits top reason for HnB use in Greece. Tobacco Intelligence. 2020. Available from: https://tobaccointelligence.com/consumer-survey-report-health-benefits-top-reason-for-hnb-use-in-greece/

Seok-woo C and Ha-yeon L. One out of nine Koreans smoke e-cigarettes Pulse News. 2018. Available from: https://pulsenews.co.kr/view.php?year=2018&no=796184.