Tobacco in Australia
Facts & Issues

Relevant news and research
18B.6 Health effects of heated tobacco products

Last updated December 2024

Research: 3

18B.6 Health effects of heated tobacco products 3

18B.6.1 Estimating the health risks from use of heated tobacco products 6

18B.6.2 Addiction to heated tobacco products 10

18B.6.3 Cardiovascular effects of heated tobacco products 11

18B.6.4 Effects of heated tobacco products on respiratory health 13

18B.6.5 Cancer risk for users of heated tobacco products 16

18B.6.6 Effects of heated tobacco products on pregnancy and reproductive health 17

18B.6.7 Possible liver toxicity with use of heated tobacco products 18

18B.6.8 Other possible health effects of heated tobacco products 19

18B.6.9 Health effects of exposure to secondhand emissions from heated tobacco products 22

18B.6.10 Safety issues with use of heated tobacco products 24

News: 25

18B.6 Health effects of heated tobacco products 25

18B.6.1 Estimating the health risks from use of heated tobacco products 25

18B.6.2 Addiction to heated tobacco products 25

18B.6.3 Cardiovascular effects of heated tobacco products 25

18B.6.4 Effects of heated tobacco products on respiratory health 26

18B.6.5 Cancer risk for users of heated tobacco products 26

18B.6.6 Effects of heated tobacco products on pregnancy and reproductive health 26

18B.6.7 Possible liver toxicity with use of heated tobacco products 26

18B.6.8 Other possible health effects of heated tobacco products 26
18B.6.9 Health effects of exposure to secondhand emissions from heated tobacco products 26
18B.6.10 Safety issues with use of heated tobacco products 26

Research:

18B.6 Health effects of heated tobacco products

Miyoshi, K, Kimura, Y, & Miyawaki, T. (2024). Dietary Habits, Nutrition Intake, and Alcohol Consumption Based on Types of Smoking and Smoking Status: A Cross-Sectional Study. *Nutrients, 16*(22). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39599667

Kastratovic, N, Zdravkovic, N, Cekerevac, I, Sekerus, V, Harrell, CR, Mladenovic, V et al. (2024). Effects of Combustible Cigarettes and Heated Tobacco Products on Systemic Inflammatory Response in Patients with Chronic Inflammatory Diseases. *Diseases, 12*(7). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39057115

Tian, Y, Cheng, J, Yang, Y, Wang, H, Fu, Y, Li, X et al. (2024). A 90-day subchronic exposure to heated tobacco product aerosol caused differences in intestinal inflammation and microbiome dysregulation in rats. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39028556

Scharf, P, Sandri, S, Borges, PP, Franco de Oliveira, T, & Farsky, SHP. (2024). A single and short exposure to heated tobacco vapor or cigarette smoke affects macrophage activation and polarization. *Toxicology, 506*, 153859. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38825031

Doi, H, Kakiuchi, T, Nishino, M, & Yoshiura, M. (2024). Natural excretion of a metallic susceptor originating from an ingested heated tobacco stick. *Clin Case Rep, 12*(4), e8756. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38595963

Keyser, BM, Leverette, R, McRae, R, Wertman, J, Shutsky, T, Jordan, K et al. (2024). In vitro toxicological evaluation of glo menthol and non-menthol heated tobacco products. *Toxicology, 504*, 153801. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38614204

Merritt, N, Urquhart, C, & Burcham, P. (2024). Role of reactive carbonyls and superoxide radicals in protein damage by cigarette smoke extracts: Comparison of Heat-not-Burn e-cigarettes to conventional cigarettes. *Chem Biol Interact, 395*, 111008. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38636791

Ohashi, K, Hayashida, A, Nozawa, A, & Ito, S. (2024). RNA sequencing analysis of early-stage atherosclerosis in vascular-on-a-chip and its application for comparing combustible cigarettes with heated tobacco products. *Curr Res Toxicol, 6*, 100163. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38571525

Swiatkowska, B, Jankowski, M, & Kaleta, D. (2024). Comparative evaluation of ten blood biomarkers of inflammation in regular heated tobacco users and non-smoking healthy males-a pilot study. *Sci Rep, 14*(1), 8779. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38627440

Zervas, EN, Matsouki, N, Tsipa, CF, & Katsaounou, PA. (2024). Particle emissions from heated tobacco products. *Tob Prev Cessat, 10*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38566785

Mohr T, Probst E, Idel C, Plotze-Martin K, Fleckner J, et al. Different Influence Pattern of Conventional and Alternative Sources of Smoking on Adhesion Molecules and Cytokine Secretion in THP-1 Monocytes. Anticancer Research, 2024; 44(4):1455-64. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38537980

Lenski M, Zarcone G, Maallem S, Garcon G, Lo-Guidice JM, et al. Metabolomics Provides Novel Insights into the Potential Toxicity Associated with Heated Tobacco Products, Electronic Cigarettes, and Tobacco Cigarettes on Human Bronchial Epithelial BEAS-2B Cells. Toxics, 2024; 12(2). Available from: https://www.ncbi.nlm.nih.gov/pubmed/38393223

Kopa-Stojak PN and Pawliczak R. Comparison of the effects of active and passive smoking of tobacco cigarettes, electronic nicotine delivery systems and tobacco heating products on the expression and secretion of oxidative stress and inflammatory response markers. A systematic review. Inhal Toxicol, 2024:1-15. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38394073

Frino-Garcia A, Perez Rodas EN, Hernandez-Gonzalez F, Alsina-Restoy X, Kette-Aguilera P, et al. Everyone was Fooled, it Burns: Simple Diy Proof of the Falsity of Heat-Not-Burn Tobacco. Arch Bronconeumol, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38429133

Upadhyay S, Rahman M, Johanson G, Palmberg L, and Ganguly K. Heated tobacco products: Insights into composition and toxicity. Toxics, 2023; 11(8). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37624172

Picchio V, Ferrero G, Cozzolino C, Pardini B, Floris E, et al. Effect of traditional or heat-not-burn cigarette smoking on circulating miRNAs in healthy subjects. Eur J Clin Invest, 2023:e14140. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38050790

Nishihara D, Yuki D, Suzuki T, Sakaguchi C, Nagata Y, et al. A Randomized Control Study in Healthy Adult Smokers to Assess Reduced Exposure to Selected Cigarette Smoke Constituents in Switching to the Novel Heated Tobacco Product DT3.0a. Clin Pharmacol Drug Dev, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37680118

Nabhan EM, Jaafar K, Daoud R, and Nasser Z. Sleep Quality and Nicotine Dependence Among Lebanese University Residents and Fellows: A Cross-Sectional Study. Cureus, 2023; 15(7):e42364. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37621823

Lim DH, Ahmadi Y, Kim YH, and Kim KH. The extent of harmful volatile organic compounds released when smoking after breaking the flavor capsules of heat-not-burn (HNB) cigarette products. Environmental Research, 2023; 216(Pt 1):114501. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36220443

Leavens ELS, Lambart L, Diaz FJ, Wagener TL, Ahluwalia JS, et al. Nicotine delivery and changes in withdrawal and craving during acute electronic cigarette, heated tobacco product, and cigarette use among a sample of Black and White people who smoke. Nicotine & Tobacco Research, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38097340

Goebel I, Mohr T, Axt PN, Watz H, Trinkmann F, et al. Impact of heated tobacco products, e-cigarettes, and combustible cigarettes on small airways and arterial stiffness. Toxics, 2023; 11(9). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37755768

Bhat TA, Kalathil SG, Leigh N, Hutson A, Goniewicz ML, et al. Do alternative tobacco products induce less adverse respiratory risk than cigarettes? Respiratory Research, 2023; 24(1):261. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37907902

Ardati O, Adeniji A, El Hage R, Salman R, El-Kaassamani M, et al. Impact of smoking intensity and device cleaning on IQOS emissions: comparison with an array of cigarettes. Tobacco Control, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36609493

Znyk M, Jurewicz J, and Kaleta D. Exposure to Heated Tobacco Products and Adverse Health Effects, a Systematic Review. International Journal of Environmental Research and Public Health, 2021; 18(12). Available from: https://www.ncbi.nlm.nih.gov/pubmed/34205612

Polosa R. Examining the evidence for the health impact of combustion-free products: progress and prospects for tobacco harm reversal and reduction. Intern Emerg Med, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34524625

Petrache I and de Boer E. Cooling off the heated controversy of a safer cigarette: heat-not-burn no better than traditional combustion cigarettes. Thorax, 2021; 76(6):536. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34161919

Schlage WK, Titz B, Iskandar A, Poussin C, Van der Toorn M, et al. Comparing the preclinical risk profile of inhalable candidate and potential candidate modified risk tobacco products: A bridging use case. Toxicol Rep, 2020; 7:1187-206. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32995294

Sponsiello-Wang Z, Langer P, Prieto L, Dobrynina M, Skiada D, et al. Household Surveys in the General Population and Web-Based Surveys in IQOS Users Registered at the Philip Morris International IQOS User Database: Protocols on the Use of Tobacco- and Nicotine-Containing Products in Germany, Italy, and the United Kingdom (Greater London), 2018-2020. JMIR Res Protoc, 2019; 8(5):e12061. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31094340

Simonavicius E, McNeill A, Shahab L, and Brose LS. Heat-not-burn tobacco products: a systematic literature review. Tobacco Control, 2019; 28(5):582-94. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30181382

Haziza C, de La Bourdonnaye G, Donelli A, Poux V, Skiada D, et al. Reduction In Exposure To Selected Harmful And Potentially Harmful Constituents Approaching Those Observed Upon Smoking Abstinence In Smokers Switching To The Menthol Tobacco Heating System 2.2 For Three Months (Part 1). Nicotine & Tobacco Research, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30722062

No authors listed. Briefing Document: January 24-25, 2018 Meeting of the Tobacco Products Scientific Advisory Committee (TPSAC), Modified Risk Tobacco Product Applications (MRTPAs), MR0000059-MR0000061, Philip Morris Products S.A. U.S. Food and Drug Administration: Office of

Science, Center for Tobacco Products, 2018. Available from: https://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/TobaccoProductsScientificAdvisoryCommittee/UCM593109.pdf.

McNeill A, Brose LS, Calder R, Bauld L, and Robson D. Evidence review of e-cigarettes and heated tobacco products 2018: A report commissioned by Public Health England. Public Health England London: Public Health England, 2018. Available from: https://www.gov.uk/government/publications/e-cigarettes-and-heated-tobacco-products-evidence-review.

McAdam K, Murphy J, Eldridge A, Meredith C, and Proctor C. Integrating chemical, toxicological and clinical research to assess the potential of reducing health risks associated with cigarette smoking through reducing toxicant emissions. Regulatory Toxicology and Pharmacology, 2018; 95:102-14. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29526814

Poland B and Teischinger F. Population Modeling of Modified Risk Tobacco Products Accounting for Smoking Reduction and Gradual Transitions of Relative Risk. Nicotine & Tobacco Research, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28371856

No authors listed. Tobacco Heating System (IQOS) Briefing Document, January 24-25, 2018 Tobacco Products Scientific Advisory Committee Meeting. Philip Morris Products S.A 2017. Available from: https://www.fda.gov/downloads/advisorycommittees/committeesmeetingmaterials/tobaccoproductsscientificadvisorycommittee/ucm593108.pdf.

Maeder S and Peitsch MC. Perplexing Conclusions Concerning Heat-Not-Burn Tobacco Cigarettes. JAMA Internal Medicine, 2017; 177(11):1698-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29114792

Caruso M and Polosa R. Perplexing Conclusions Concerning Heat-Not-Burn Tobacco Cigarettes. JAMA Internal Medicine, 2017; 177(11):1699. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29114793

Martin F, Talikka M, Ivanov NV, Haziza C, Hoeng J, et al. Evaluation of the tobacco heating system 2.2. Part 9: Application of systems pharmacology to identify exposure response markers in peripheral blood of smokers switching to THS2.2. Regulatory Toxicology and Pharmacology, 2016. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27845159

18B.6.1 Estimating the health risks from use of heated tobacco products

Okawa, S, Nanishi, K, Iso, H, & Tabuchi, T. (2024). Association between cigarette and heated tobacco use and breastfeeding cessation within 6 months postpartum in Japan: an internet-based cross-sectional study. *Sci Rep, 14*(1), 29214. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39587127

Chu, S, Li, X, Zhang, D, Jing, H, Feng, L, Zuo, Y et al. (2024). Impact of Heating Conventional Cigarettes with a Novel Device on Health-related Biomarkers and Cigarette Use Patterns among Chinese Adult Smokers Unwilling to Quit: A Pilot Randomized Controlled Trial. *Nicotine Tob Res*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39021120

Zieba, S, Maciejczyk, M, Antonowicz, B, Porydzaj, A, Szuta, M, Lo Giudice, G et al. (2024). Comparison of smoking traditional, heat not burn and electronic cigarettes on salivary cytokine, chemokine and growth factor profile in healthy young adults-pilot study. *Front Physiol, 15*, 1404944. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38915777

Ansari, SM, Hession, PS, David, M, Blanc, N, Bourdonnaye, G, Pouly, S, & Haziza, C. (2024). Impact of Switching from Cigarette Smoking to Tobacco Heating System Use on Biomarkers of Potential Harm in a Randomized Trial. *Biomarkers*, 1-52. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38804903

Liu, Y, Cao, J, Zhang, J, Chen, G, Luo, C, & Huang, L. (2024). Research progress and prospect on the safety of heated tobacco products. *Toxicology, 505*, 153823. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38705559

Merritt N, Urquhart C, and Burcham P. Role of reactive carbonyls and superoxide radicals in protein damage by cigarette smoke extracts: Comparison of Heat-not-Burn e-cigarettes to conventional cigarettes. Chem Biol Interact, 2024; 395:111008. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38636791

Keyser BM, Leverette R, McRae R, Wertman J, Shutsky T, et al. In vitro toxicological evaluation of glo menthol and non-menthol heated tobacco products. Toxicology, 2024; 504:153801. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38614204

Wang H, Lu F, Tian Y, Zhang S, Han S, et al. Evaluation of toxicity of heated tobacco products aerosol and cigarette smoke to BEAS-2B cells based on 3D biomimetic chip model. Toxicol In Vitro, 2023; 94:105708. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37806364

Majek P, Jankowski M, and Brozek GM. Acute health effects of heated tobacco products: comparative analysis with traditional cigarettes and electronic cigarettes in young adults. ERJ Open Research, 2023; 9(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37260463

Kusonic D, Bijelic K, Kladar N, Bozin B, Torovic L, et al. Comparative Health Risk Assessment of Heated Tobacco Products versus Conventional Cigarettes. Substance Use and Misuse, 2023; 58(3):346-53. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36630411

Chapman F, Sticken ET, Wieczorek R, Pour SJ, Dethloff O, et al. Multiple endpoint in vitro toxicity assessment of a prototype heated tobacco product indicates substantially reduced effects compared to those of combustible cigarette. Toxicol In Vitro, 2023; 86:105510. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36372310

Chapman F, Pour SJ, Wieczorek R, Trelles Sticken E, Budde J, et al. Twenty-eight day repeated exposure of human 3D bronchial epithelial model to heated tobacco aerosols indicates decreased toxicological responses compared to cigarette smoke. Front Toxicol, 2023; 5:1076752. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36875887

Lyu Q, Jiang L, Zheng H, Hayashi S, Sato K, et al. Diluted aqueous extract of heat-not-burn tobacco product smoke causes less oxidative damage in fibroblasts than conventional cigarette. J Clin Biochem Nutr, 2022; 71(1):55-63. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35903603

Goodall S, Gale N, Thorne D, Hadley S, Prasad K, et al. Evaluation of behavioural, chemical, toxicological and clinical studies of a tobacco heated product glo and the potential for bridging from a foundational dataset to new product iterations. Toxicol Rep, 2022; 9:1426-42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36561950

Braznell S, Van Den Akker A, Metcalfe C, Taylor GMJ, and Hartmann-Boyce J. Critical appraisal of interventional clinical trials assessing heated tobacco products: a systematic review. Tobacco Control, 2022. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36347620

Sawa M, Ushiyama A, Inaba Y, Uchiyama S, Hattori K, et al. A newly developed aerosol exposure apparatus for heated tobacco products for in vivo experiments can deliver both particles and gas phase with high recovery and depicts the time-dependent variation in nicotine metabolites in mouse urine. Nicotine & Tobacco Research, 2021; 23(12):2145-52. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34111284

Salazar E, Ren C, Rostron BL, and Solomon G. Modeling mortality risk effects of cigarettes and smokeless tobacco: results from the National Health Interview Survey Linked Mortality File Data. BMC Public Health, 2021; 21(1):1773. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34587918

Poussin C, van der Toorn M, Scheuner S, Piault R, Kondylis A, et al. Systems toxicology study reveals reduced impact of heated tobacco product aerosol extract relative to cigarette smoke on premature aging and exacerbation effects in aged aortic cells in vitro. Arch Toxicol, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34313809

Giebe S, Hofmann A, Brux M, Lowe F, Breheny D, et al. Comparative study of the effects of cigarette smoke versus next generation tobacco and nicotine product extracts on endothelial function. Redox Biol, 2021; 47:102150. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34601427

Wang L, Liu X, Chen L, Liu D, Yu T, et al. Harmful chemicals of heat not burn product and its induced oxidative stress of macrophages at air-liquid interface: Comparison with ultra-light cigarette. Toxicol Lett, 2020; 331:200-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32569802

Thorne D, Whitwell J, Clements J, Walker P, Breheny D, et al. The genotoxicological assessment of a tobacco heating product relative to cigarette smoke using the in vitro micronucleus assay. Toxicol Rep, 2020; 7:1010-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32874925

Takanami Y, Kitamura N, and Ito S. LC/MS analysis of three-dimensional model cells exposed to cigarette smoke or aerosol from a novel tobacco vapor product. J Toxicol Sci, 2020; 45(12):769-82. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33268677

Scharf P, da Rocha GHO, Sandri S, Heluany CS, Pedreira Filho WR, et al. Immunotoxic mechanisms of cigarette smoke and heat-not-burn tobacco vapor on Jurkat T cell functions. Environ Pollut, 2020; 268(Pt B):115863. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33126161

Hattori N, Nakagawa T, Yoneda M, Nakagawa K, Hayashida H, et al. Cigarette smoke, but not novel tobacco vapor products, causes epigenetic disruption and cell apoptosis. Biochem Biophys Rep, 2020; 24:100865. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33294641

Aspera-Werz RH, Ehnert S, Muller M, Zhu S, Chen T, et al. Assessment of tobacco heating system 2.4 on osteogenic differentiation of mesenchymal stem cells and primary human osteoblasts compared to conventional cigarettes. World J Stem Cells, 2020; 12(8):841-56. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32952862

Newland N, Lowe FJ, Camacho OM, McEwan M, Gale N, et al. Evaluating the effects of switching from cigarette smoking to using a heated tobacco product on health effect indicators in healthy subjects: study protocol for a randomized controlled trial. Intern Emerg Med, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31049783

Kopa PN and Pawliczak R. IQOS - a heat-not-burn (HnB) tobacco product - chemical composition and possible impact on oxidative stress and inflammatory response. A systematic review. Toxicol Mech Methods, 2019:1-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31532297

Zanetti F, Sewer A, Scotti E, Titz B, Schlage WK, et al. Assessment of the impact of aerosol from a potential modified risk tobacco product compared with cigarette smoke on human organotypic oral epithelial cultures under different exposure regimens. Food Chem Toxicol, 2018; 115:148–69. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29505817

van der Toorn M, Sewer A, Marescotti D, Johne S, Baumer K, et al. The biological effects of long-term exposure of human bronchial epithelial cells to total particulate matter from a candidate modified-risk tobacco product. Toxicol In Vitro, 2018; 50:95–108. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29524472

Malinska D, Szymanski J, Patalas-Krawczyk P, Michalska B, Wojtala A, et al. Assessment of mitochondrial function following short- and long-term exposure of human bronchial epithelial cells to total particulate matter from a candidate modified-risk tobacco product and reference cigarettes. Food Chem Toxicol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29448087

Jaccard G, Kondylis A, Gunduz I, Pijnenburg J, and Belushkin M. Investigation and comparison of the transfer of TSNA from tobacco to cigarette mainstream smoke and to the aerosol of a heated tobacco product, THS2.2. Regulatory Toxicology and Pharmacology, 2018; 97:103-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29928933

Haswell LE, Corke S, Verrastro I, Baxter A, Banerjee A, et al. In vitro RNA-seq-based toxicogenomics assessment shows reduced biological effect of tobacco heating products when compared to cigarette smoke. Scientific Reports, 2018; 8(1):1145. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29402904

Crooks I, Neilson L, Scott K, Reynolds L, Oke T, et al. Evaluation of flavourings potentially used in a heated tobacco product: Chemical analysis, in vitro mutagenicity, genotoxicity, cytotoxicity and in vitro tumour promoting activity. Food Chem Toxicol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29879435

Ansari SM, Lama N, Blanc N, Bosilkovska M, Donelli A, et al. Evaluation of Biological and Functional Changes in Healthy Smokers Switching to the Tobacco Heating System 2.2 Versus Continued Tobacco Smoking: Protocol for a Randomized, Controlled, Multicenter Study. JMIR Res Protoc, 2018; 7(8):e11294. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30143474

Adamson J, Jaunky T, Thorne D, and Gaca MD. Characterisation of the borgwaldt LM4E system for in vitro exposures to undiluted aerosols from next generation tobacco and nicotine products (NGPs). Food Chem Toxicol, 2018; 113:337-44. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29421647

Thorne D, Breheny D, Proctor C, and Gaca M. Assessment of novel tobacco heating product THP1.0. Part 7: Comparative in vitro toxicological evaluation. Regulatory Toxicology and Pharmacology, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29080850

Taylor M, Thorne D, Carr T, Breheny D, Walker P, et al. Assessment of novel tobacco heating product THP1.0. Part 6: A comparative in vitro study using contemporary screening approaches. Regulatory Toxicology and Pharmacology, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29080849

Martin F, Vuillaume G, Baker G, Sponsiello-Wang Z, Ricci PF, et al. Quantifying the risk-reduction potential of new Modified Risk Tobacco Products. Regulatory Toxicology and Pharmacology, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29258927

Iskandar AR, Martinez Y, Martin F, Schlage WK, Leroy P, et al. Comparative effects of a candidate modified-risk tobacco product Aerosol and cigarette smoke on human organotypic small airway cultures: a systems toxicology approach. Toxicol Res (Camb), 2017; 6(6):930-46. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30090554

Zanetti F, Sewer A, Mathis C, Iskandar AR, Kostadinova R, et al. Systems toxicology assessment of the biological impact of a candidate Modified Risk Tobacco Product on human organotypic oral epithelial cultures. Chem Res Toxicol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27404394

Wong ET, Kogel U, Veljkovic E, Martin F, Xiang Y, et al. Evaluation of the Tobacco Heating System 2.2. Part 4: 90-day OECD 413 rat inhalation study with systems toxicology endpoints demonstrates reduced exposure effects compared with cigarette smoke. Regulatory Toxicology and Pharmacology, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27793746

Iskandar AR, Mathis C, Schlage WK, Frentzel S, Leroy P, et al. A systems toxicology approach for comparative assessment: Biological impact of an aerosol from a candidate modified-risk tobacco product and cigarette smoke on human organotypic bronchial epithelial cultures. Toxicol In Vitro, 2016; 39:29-51. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27865774

18B.6.2 Addiction to heated tobacco products

Kanobe, MN, Makena, P, Prevette, K, & Baxter, SA. (2024). Assessment of Abuse Liability and Nicotine Pharmacokinetics of glo Heated Tobacco Products in a Randomized, Crossover Study. *Eur J Drug Metab Pharmacokinet*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39453550

Hardie G, Gale N, McEwan M, Oscar SM, Ziviani L, et al. An abuse liability assessment of the glo tobacco heating product in comparison to combustible cigarettes and nicotine replacement therapy. Scientific Reports, 2022; 12(1):14701. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36038580

18B.6.3 Cardiovascular effects of heated tobacco products

Belive, N. (2024). Association of conventional cigarette smoking, heated tobacco product use and dual use with hypertension. *Int J Epidemiol, 53*(6). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39579333

Antoniewicz, L, Melnikov, G, Lyytinen, G, Blomberg, A, Bosson, JA, Hedman, L et al. (2024). Vascular Stress Markers Following Inhalation of Heated Tobacco Products: A Study on Extracellular Vesicles. *Cardiovasc Toxicol*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39472409

Hu, H, Nakagawa, T, Honda, T, Yamamoto, S, & Mizoue, T. (2024). Association of conventional cigarette smoking, heated tobacco product use and dual use with hypertension. *Int J Epidemiol, 53*(5). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39174315

Picchio, V, Pagano, F, Carnevale, R, D'Amico, A, Cozzolino, C, Floris, E et al. (2024). Exposure to serum from exclusive heated tobacco product smokers induces mTOR activation and fibrotic features in human cardiac stromal cells. *Biochim Biophys Acta Mol Basis Dis, 1870*(7), 167350. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39002704

Ohashi K, Hayashida A, Nozawa A, and Ito S. RNA sequencing analysis of early-stage atherosclerosis in vascular-on-a-chip and its application for comparing combustible cigarettes with heated tobacco products. Curr Res Toxicol, 2024; 6:100163. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38571525

Lyytinen G, Melnikov G, Brynedal A, Anesater E, Antoniewicz L, et al. Use of heated tobacco products (IQOS) causes an acute increase in arterial stiffness and platelet thrombus formation. Atherosclerosis, 2024; 390:117335. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37872010

Horinouchi T, Mazaki Y, and Miwa S. Mechanism of cytotoxicity induced by the cigarette smoke extract (CSE) of heated tobacco products in vascular smooth muscle cells: A comparative study of the cytotoxic effects of CSE and the ferroptosis inducer, erastin. J Pharmacol Sci, 2024; 154(2):86-96. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38246732

Ohashi K, Hayashida A, Nozawa A, Matsumura K, and Ito S. Human vasculature-on-a-chip with macrophage-mediated endothelial activation: The biological effect of aerosol from heated tobacco products on monocyte adhesion. Toxicol In Vitro, 2023; 89:105582. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36933580

Luca AC, Curpan AS, Iordache AC, Mindru DE, Tarca E, et al. Cardiotoxicity of Electronic Cigarettes and Heat-Not-Burn Tobacco Products-A Problem for the Modern Pediatric Cardiologist. Healthcare (Basel), 2023; 11(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36833024

Krysinski A, Russo C, Campagna D, Di Pino A, John S, et al. A multicenter prospective randomized controlled trial investigating the effects of combustion-free nicotine alternatives on cardiovascular risk factors and metabolic parameters in individuals with type 2 diabetes who smoke: the DiaSmokeFree study protocol. Intern Emerg Med, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37999870

Fujiwara H, Nakai M, and Iwanaga Y. No Significant Change in Trend of Hospitalizations for Acute Coronary Syndrome in Japan Before and After Introduction of Heated Tobacco Products. Circ Cardiovasc Qual Outcomes, 2023:e010112. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37815554

Belkin S, Benthien J, Axt PN, Mohr T, Mortensen K, et al. Impact of heated tobacco products, e-cigarettes, and cigarettes on inflammation and endothelial dysfunction. International Journal of Molecular Sciences, 2023; 24(11). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37298381

Begic E, Aziri B, Omeragic E, Medjedovic E, Iglica A, et al. Heat-not-burn tobacco products and cardiovascular risk reduction: A systematic review of randomized controlled trials. Technol Health Care, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36641697

van der Plas A, Antunes M, Romero-Kauss A, Hankins M, and Heremans A. Ischemic Heart Disease and Chronic Obstructive Pulmonary Disease Hospitalizations in Japan Before and After the Introduction of a Heated Tobacco Product. Front Public Health, 2022; 10:909459. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35836991

Schirone L, Loffredo L, Carnevale R, Battaglia S, Marti R, et al. Sex-Related Differences in Oxidative, Platelet, and Vascular Function in Chronic Users of Heat-not-Burn vs. Traditional Combustion Cigarettes. Antioxidants (Basel), 2022; 11(7). Available from: https://www.ncbi.nlm.nih.gov/pubmed/35883727

Benthien J, Meusel M, Cayo Talavera S, Eitel I, Dromann D, et al. JUULing and heating lead to a worsening of arterial stiffness. Medicines (Basel), 2022; 9(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/35447876

Yaman B, Akpinar O, Kemal HS, Cerit L, Yuksek U, et al. Comparison of IQOS (heated tobacco) and cigarette smoking on cardiac functions by two-dimensional speckle tracking echocardiography. Toxicol Appl Pharmacol, 2021; 423:115575. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34000265

Ioakeimidis N, Emmanouil E, Terentes-Printzios D, Dima I, Aznaouridis K, et al. Acute effect of heat-not-burn versus standard cigarette smoking on arterial stiffness and wave reflections in young smokers. European Journal of Preventive Cardiology, 2021; 28(11):e9-e11. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32340460

Ikonomidis I, Vlastos D, Kostelli G, Kourea K, Katogiannis K, et al. Differential effects of heat-not-burn and conventional cigarettes on coronary flow, myocardial and vascular function. Scientific Reports, 2021; 11(1):11808. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34083663

Auer R, Diethelm P, and Berthet A. Heating tobacco sticks instead of combusting conventional cigarettes and future heart attacks: Still smoke, and risk. Circulation, 2021; 144(19):1539-42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34748392

Fried ND and Gardner JD. Heat-Not-Burn Tobacco Products: An Emerging Threat to Cardiovascular Health. Am J Physiol Heart Circ Physiol, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33006919

Franzen KF, Belkin S, Goldmann T, Reppel M, Watz H, et al. The impact of heated tobacco products on arterial stiffness. Vascular Medicine, 2020; 25(6):572-4. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32721197

Poussin C, Laurent A, Kondylis A, Marescotti D, van der Toorn M, et al. In vitro systems toxicology-based assessment of the potential modified risk tobacco product CHTP 1.2 for vascular inflammation- and cytotoxicity-associated mechanisms promoting adhesion of monocytic cells to human coronary arterial endothelial cells. Food Chem Toxicol, 2018; 120:390-406. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30026091

Poussin C, Laurent A, Peitsch MC, Hoeng J, and De Leon H. Systems toxicology-based assessment of the candidate modified risk tobacco product THS2.2 for the adhesion of monocytic cells to human coronary arterial endothelial cells. Toxicology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26655683

18B.6.4 Effects of heated tobacco products on respiratory health

Bhat, TA, Kalathil, SG, Leigh, NJ, Goniewicz, ML, & Thanavala, YM. (2024). Can switching from cigarettes to heated tobacco products reduce consequences of pulmonary infection? *Respir Res, 25*(1), 381. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39427167

Kimura, Y, & Sugita, M. (2024). Association between use of heated tobacco products and long-term respiratory effects considering smoking history: internet-based cross-sectional study in Japan. *BMC Public Health, 24*(1), 2785. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39394579

Korolainen, H, Olzynska, A, Pajerski, W, Chytrosz-Wrobel, P, Vattulainen, I, Kulig, W, & Cwiklik, L. (2024). Assessing vitamin E acetate as a proxy for E-cigarette additives in a realistic pulmonary surfactant model. *Sci Rep, 14*(1), 23805. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39394419

Kastratovic, N, Cekerevac, I, Sekerus, V, Markovic, V, Arsenijevic, A, Volarevic, A et al (2024). Effects of combustible cigarettes and heated tobacco products on immune cell-driven inflammation in chronic obstructive respiratory diseases. *Toxicol Sci*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38788227

Thomas, M, Hameed, M, Alhadad, S, & Haq, IU. (2024). Heated tobacco product (IQOS) induced pulmonary infiltrates. *Respir Med Case Rep, 49*, 102026. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38712315

Andreozzi, P, Gussoni, G, Sesti, G, Montano, N, Pietrangelo, A, & Italian Society of Internal Medicine Council Member, G. (2024). Impact of electronic cigarettes (e-cigs) and heat-not-burn/heated tobacco products (HnB/HTP) on asthma and chronic obstructive pulmonary disease: a viewpoint of the Italian Society of Internal Medicine. *Intern Emerg Med*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38806787

Odani S, Koyama S, Miyashiro I, Tanigami H, Ohashi Y, et al. Association between heated tobacco product use and airway obstruction: a single-centre observational study, Japan. BMJ Open Respir Res, 2024; 11(1). Available from: https://pubmed.ncbi.nlm.nih.gov/38460973/

Curley EO, Abu Aboud O, Chmiel KJ, Nayak AP, Fiehn O, et al. Heated tobacco product IQOS induces unique metabolic signatures in human bronchial epithelial cells. ERJ Open Res, 2024; 10(2). Available from: https://www.ncbi.nlm.nih.gov/pubmed/38444658

Sato A and Ishigami A. Effects of heated tobacco product aerosol extracts on DNA methylation and gene transcription in lung epithelial cells. Toxicology and Applied Pharmacology, 2023; 475:116637. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37499768

Saha P, Jain S, Mukherjee I, Panda SR, Zeki AA, et al. The effects of dual IQOS and cigarette smoke exposure on airway epithelial cells: implications for lung health and respiratory disease pathogenesis. ERJ Open Res, 2023; 9(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37260462

Nishimura M, Asai K, Tabuchi T, Toyokura E, Kawai T, et al. Association of combustible cigarettes and heated tobacco products use with SARS-CoV-2 infection and severe COVID-19 in Japan: a JASTIS 2022 cross-sectional study. Scientific Reports, 2023; 13(1):1120. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36732559

Muratani S, Ichikawa S, Erami K, and Ito S. Oxidative stress-mediated epidermal growth factor receptor activation by cigarette smoke or heated tobacco aerosol in human primary bronchial epithelial cells from multiple donors. J Appl Toxicol, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36946243

Gu J, Gong D, Wang Y, Feng T, Zhang J, et al. Chronic exposure to IQOS results in impaired pulmonary function and lung tissue damage in mice. Toxicology Letters, 2023; 374:1-10. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36462770

Desorgher L, Berthet A, Rossier J, Bochud F, and Froidevaux P. Dosimetry in the lungs of alpha-particles ((210)Po) and beta-particles ((210)Pb) present in the tobacco smoke of conventional cigarettes and heated tobacco products. Journal of Environmental Radioactivity, 2023; 263:107178. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37060833

Blach J, Siedlinski M, and Sydor W. Immunology in COPD and the use of combustible cigarettes and heated tobacco products. European Journal of Medical Research, 2023; 28(1):397. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37794516

van der Plas A, Antunes M, Romero-Kauss A, Hankins M, and Heremans A. Ischemic Heart Disease and Chronic Obstructive Pulmonary Disease Hospitalizations in Japan Before and After the Introduction of a Heated Tobacco Product. Front Public Health, 2022; 10:909459. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35836991

Tsou HH, Wang PH, Ting TH, Ping YH, Liu TY, et al. Effect of heated tobacco products and traditional cigarettes on pulmonary toxicity and SARS-CoV-2-induced lung injury. Toxicology, 2022; 479:153318. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36096319

Rahman M, Irmler M, Introna M, Beckers J, Palmberg L, et al. Insight into the pulmonary molecular toxicity of heated tobacco products using human bronchial and alveolar mucosa models at air-liquid

interface. Scientific Reports, 2022; 12(1):16396. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36180488

Nitta NA, Sato T, Komura M, Yoshikawa H, Suzuki Y, et al. Exposure to the heated tobacco product IQOS generates apoptosis-mediated pulmonary emphysema in murine lungs. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2022; 322(5):L699-L711. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35380471

Koike S, Sato K, Sawa M, Inaba Y, Hattori K, et al. Exposure to Heated Tobacco Products Aerosol Causes Acute Stress Responses in the Lung of Mouse. Antioxidants (Basel), 2022; 11(12). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36552537

Kang BH, Lee DH, Roh MS, Um SJ, and Kim I. Acute eosinophilic pneumonia after combined use of conventional and heat-not-burn cigarettes: A case report. Medicina (Kaunas), 2022; 58(11). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36363483

Harada S, Sata M, Matsumoto M, Iida M, Takeuchi A, et al. Changes in smoking habits and behaviors following the introduction and spread of heated tobacco products in Japan and its effect on FEV(1) decline: A longitudinal cohort study. Journal of Epidemiology, 2022; 32(4):180-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34657910

Szymanski FM, Semczuk-Kaczmarek K, and Kuna P. "Health outcomes in COPD smokers using heated tobacco products: a 3year followup: comment". Intern Emerg Med, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33983473

Suzuki H and Fujiyoshi A. Use of heated tobacco products and pulmonary function in a real-world: more studies needed to answer many important questions. J Epidemiol, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34657913

Polosa R, Morjaria JB, Prosperini U, Busa B, Pennisi A, et al. Health outcomes in COPD smokers using heated tobacco products: a 3-year follow-up. Intern Emerg Med, 2021; 16(3):687-96. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33754228

Nishimoto-Kusunose S, Sawa M, Inaba Y, Ushiyama A, Ishii K, et al. Exposure to aerosol extract from heated tobacco products causes a drastic decrease of glutathione and protein carbonylation in human lung epithelial cells. Biochem Biophys Res Commun, 2021; 589:92-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34896781

Bhat TA, Kalathil SG, Leigh N, Muthumalage T, Rahman I, et al. Acute effects of heated tobacco product (IQOS) aerosol inhalation on lung tissue damage and inflammatory changes in the lungs. Nicotine & Tobacco Research, 2021; 23(7):1160-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33346355

Tajiri T, Wada C, Ohkubo H, Takeda N, Fukumitsu K, et al. Acute Eosinophilic Pneumonia Induced by Switching from Conventional Cigarette Smoking to Heated Tobacco Product Smoking. Intern Med, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32713912

Sakao S. Acute Eosinophilic Pneumonia and Heated Tobacco Products. Intern Med, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32713923

Pataka A, Kotoulas S, Chatzopoulos E, Grigoriou I, Sapalidis K, et al. Acute effects of a heat-not-burn tobacco product on pulmonary function. Medicina (Kaunas), 2020; 56(6). Available from: https://www.ncbi.nlm.nih.gov/pubmed/32545573

Ito Y, Oshinden K, Kutsuzawa N, Kohno C, Isaki S, et al. Heat-Not-Burn cigarette induces oxidative stress response in primary rat alveolar epithelial cells. PLoS One, 2020; 15(11):e0242789. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33237957

Sohal SS, Eapen MS, Naidu VGM, and Sharma P. IQOS exposure impairs human airway cell homeostasis: direct comparison with traditional cigarette and e-cigarette. ERJ Open Res, 2019; 5(1). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30775377

Lee A, Lee SY, and Lee KS. The use of heated tobacco products is associated with asthma, allergic rhinitis, and atopic dermatitis in Korean adolescents. Scientific Reports, 2019; 9(1):17699. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31776400

Aokage T, Tsukahara K, Fukuda Y, Tokioka F, Taniguchi A, et al. Heat-not-burn cigarettes induce fulminant acute eosinophilic pneumonia requiring extracorporeal membrane oxygenation. Respir Med Case Rep, 2019; 26:87-90. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30560050

Sharman A, Zhussupov B, Sharman D, Kim I, and Yerenchina E. Lung Function in Users of a Smoke-Free Electronic Device With HeatSticks (iQOS) Versus Smokers of Conventional Cigarettes: Protocol for a Longitudinal Cohort Observational Study. JMIR Res Protoc, 2018; 7(11):e10006. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30401669

Moazed F, Chun L, Matthay MA, Calfee CS, and Gotts J. Assessment of industry data on pulmonary and immunosuppressive effects of IQOS. Tobacco Control, 2018; 27(Suppl 1):s20-s5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30158203

Leigh NJ, Tran PL, O'Connor RJ, and Goniewicz ML. Cytotoxic effects of heated tobacco products (HTP) on human bronchial epithelial cells. Tobacco Control, 2018; 27(Suppl 1):s26–s9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30185530

Iskandar AR, Martin F, Leroy P, Schlage WK, Mathis C, et al. Comparative biological impacts of an aerosol from carbon-heated tobacco and smoke from cigarettes on human respiratory epithelial cultures: A systems toxicology assessment. Food Chem Toxicol, 2018; 115:109-26. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29501877

Choukrallah MA, Sierro N, Martin F, Baumer K, Thomas J, et al. Tobacco Heating System 2.2 has a limited impact on DNA methylation of candidate enhancers in mouse lung compared with cigarette smoke. Food Chem Toxicol, 2018; 123:501-10. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30414959

18B.6.5 Cancer risk for users of heated tobacco products

Uchida, S, Moriya, J, Morihara, D, Shimura, M, & Kagitani, F. (2024). Cerebral Cortical Vasodilation via Nicotinic Receptors by Heated Tobacco Product Aerosol Extract in Rats. *J Vasc Res*, 1-9. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39500297

Kagemichi, N, Umemura, M, Ishikawa, S, Iida, Y, Takayasu, S, Nagasako, A et al. (2024). Cytotoxic effects of the cigarette smoke extract of heated tobacco products on human oral squamous cell carcinoma: the role of reactive oxygen species and CaMKK2. *J Physiol Sci, 74*(1), 35. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38918702

Braznell S, Campbell J, and Gilmore AB. What can current biomarker data tell us about the risks of lung cancer posed by heated tobacco products? Nicotine & Tobacco Research, 2024; 26(3):270-80. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37210693

Zarcone G, Lenski M, Martinez T, Talahari S, Simonin O, et al. Impact of electronic cigarettes, heated tobacco products and conventional cigarettes on the generation of oxidative stress and genetic and epigenetic lesions in human bronchial epithelial BEAS-2B Cells. Toxics, 2023; 11(10). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37888697

Morishita Y, Hasegawa S, Koie S, Ueda S, Miyabe S, et al. Cytotoxic, genotoxic, and toxicogenomic effects of heated tobacco products and cigarette smoke in human primary keratinocytes. Tobacco Induced Diseases, 2022; 20:82. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36249345

Hirata N, Horinouchi T, and Kanda Y. Effects of cigarette smoke extract derived from heated tobacco products on the proliferation of lung cancer stem cells. Toxicol Rep, 2022; 9:1273-80. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36518441

Wang H, Chen H, Huang L, Li X, Wang L, et al. In vitro toxicological evaluation of a tobacco heating product THP COO and 3R4F research reference cigarette on human lung cancer cells. Toxicol In Vitro, 2021; 74:105173. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33848590

Vivarelli F, Canistro D, Cirillo S, Elias RJ, Granata S, et al. Unburned tobacco cigarette smoke alters rat ultrastructural lung airways and DNA. Nicotine & Tobacco Research, 2021; 23(12):2127-34. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34036368

Svendsen C, James A, Matulewicz RS, Moreton E, Sosnowski R, et al. Carcinogenic biomarkers of exposure in the urine of heated tobacco product users associated with bladder cancer: A systematic review. Urologic Oncology, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34920944

Slob W, Soeteman-Hernandez LG, Bil W, Staal YCM, Stephens WE, et al. A Method for Comparing the Impact on Carcinogenicity of Tobacco Products: A Case Study on Heated Tobacco Versus Cigarettes. Risk Anal, 2020. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32356921

Hoeng J, Maeder S, Vanscheeuwijck P, and Peitsch MC. Assessing the lung cancer risk reduction potential of candidate modified risk tobacco products. Intern Emerg Med, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30767158

18B.6.6 Effects of heated tobacco products on pregnancy and reproductive health

Zaitsu M, Kono K, Hosokawa Y, Miyamoto M, Nanishi K, et al. Maternal heated tobacco product use during pregnancy and allergy in offspring. Allergy, 2023; 78(4):1104-12. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36176042

Wang H, Tian Y, Fu Y, Ma S, Xu X, et al. Testicular tissue response following a 90-day subchronic exposure to HTP aerosols and cigarette smoke in rats. Toxicol Res (Camb), 2023; 12(5):902-12. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37915495

Incognito GG, Grassi L, and Palumbo M. Use of cigarettes and heated tobacco products during pregnancy and maternal-fetal outcomes: a retrospective, monocentric study. Arch Gynecol Obstet, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37341854

Galanti F, Licata E, Paciotti G, Gallo M, Riccio S, et al. Impact of different typologies of smoking on ovarian reserve and oocyte quality in women performing ICSI cycles: an observational prospective study. Eur Rev Med Pharmacol Sci, 2023; 27(11):5190-9. Available from: https://pubmed.ncbi.nlm.nih.gov/37318508/

Hosokawa Y, Zaitsu M, Okawa S, Morisaki N, Hori A, et al. Association between heated tobacco product use during pregnancy and fetal growth in Japan: A nationwide web-based survey. International Journal of Environmental Research and Public Health, 2022; 19(18). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36142098

Zaitsu M, Hosokawa Y, Okawa S, Hori A, Kobashi G, et al. Heated tobacco product use and hypertensive disorders of pregnancy and low birth weight: analysis of a cross-sectional, web-based survey in Japan. BMJ Open, 2021; 11(9):e052976. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34548366

Yoshida S, Ichinose T, and Shibamoto T. Effects of Fetal Exposure to Heat-Not-Burn Tobacco on Testicular Function in Male Offspring. Biol Pharm Bull, 2020; 43(11):1687-92. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33132313

18B.6.7 Possible liver toxicity with use of heated tobacco products

Tian Y, Wang H, Han S, Fu Y, Lu F, et al. Liver toxicity in rats after subchronic exposure to HTP aerosol and cigarette smoke. Toxicol Res (Camb), 2024; 13(1):tfae002. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38250585

Reis R, Kolci K, Bahcivan I, Coskun GP, and Sipahi H. Alpha-lipoic acid modulates the oxidative and inflammatory responses induced by traditional and novel tobacco products in human liver epithelial cells. Chem Biodivers, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36650104

Granata S, Canistro D, Vivarelli F, Morosini C, Rullo L, et al. Potential harm of IQOS smoke to rat liver. International Journal of Molecular Sciences, 2023; 24(15). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37569836

Basaran R, Guven NM, and Eke BC. An Overview of iQOS((R)) as a New Heat-Not-Burn Tobacco Product and Its Potential Effects on Human Health and the Environment. Turk J Pharm Sci, 2019; 16(3):371-4. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32454738

Chun L, Moazed F, Matthay M, Calfee C, and Gotts J. Possible hepatotoxicity of IQOS. Tobacco Control, 2018; 27(Suppl 1):s39-s40. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30131373

Baker G, Picavet P, Smith M, Vanscheeuwijck P, and Peitsch MC. Summary of Evidence on the Absence of Hepatotoxicity of IQOS Response. Philip Morris International Science. 2018. Available from: https://www.pmiscience.com/discover/news/summary-of-evidence-on-the-absence-of-hepatotoxicity-of-iqos-response.

Chun LF, Moazed F, Matthay MA, Calfee CS, and Gotts JE. PMI's MRTP application for IQOS does not adequately evaluate potential for hepatotoxicity risk. University of California San Francisco UCSF Tobacco Center of Regulatory Science US 2017. Available from: https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/FINAL%20MRTP%20Comment%20Hepatotoxicity_Calfee%20Group.pdf.

18B.6.8 Other possible health effects of heated tobacco products

Hamdan, AL, Abi Zeid Daou, C, Yammine, Y, Jabbour, C, Carapiperis, I, Helou, V et al. (2024). The Effect of Heated Cigarette Smoking on Voice In Comparison to Combustion Cigarette Smoking: Self-Perceived Evaluation. *J Laryngol Otol*, 1-18. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39463261

Sever, E, Pavicic, DK, Pupovac, A, Saltovic, E, Spalj, S, & Glazar, I. (2024). Comparison of smoking conventional cigarettes and using heated tobacco products on the olfactory and gustatory function in healthy young adults: A cross-sectional study. *Tob Induc Dis, 22*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39263492

Al Ankily, M, Makkeyah, F, Bakr, MM, & Shamel, M. (2024). Evaluating the Effects of Cigarette Smoking and Heated Tobacco Products on Hard Dental Tissues: A Comparative Histological and Colorimetric Analysis. *Clin Exp Dent Res, 10*(4), e941. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39089266

Bozac, E, Paljevic, E, Sever, E, Braut, A, Spalj, S, & Persic Bukmir, R. (2024). Clinical characteristics and caries risk assessment of tobacco heating systems smokers, cigarette smokers and non-smokers: a cross-sectional study. *Clin Oral Investig, 28*(7), 382. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38888700

Schmidt, CM, & Chebli, CM. (2024). All Forms of Tobacco Products Adversely Affect Rotator Cuff Healing: Commentary on an article by Tae-Hwan Yoon, MD, PhD, et al.: "Heated Tobacco Products Have Detrimental Effects on Rotator Cuff Healing, Similar to Conventional Cigarettes". *J Bone Joint Surg Am, 106*(10), e23. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38747935

Hu, H, Miyake, H, Kochi, T, Miyamoto, T, Okazaki, H, Kabe, I et al. (2024). Association of conventional cigarette smoking, heated tobacco product use, and dual use with hearing loss: A working population-based study. *Tob Induc Dis, 22*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38783967

Grossmann, T, Kirsch, A, Gerstenberger, C, Steffan, B, & Gugatschka, M. (2024). Describing the Cellular Impact of IQOS Smoke Extract and Vibration on Human Vocal Fold Fibroblasts. *J Voice*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38705740

Yoon TH, Choi JH, Lim JR, Chang HH, and Chun YM. Heated Tobacco Products Have Detrimental Effects on Rotator Cuff Healing, Similar to Conventional Cigarettes. J Bone Joint Surg Am, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38507504

Yamada H, Yamazaki Y, Takebayashi Y, Yazawa K, Sasanishi M, et al. The long-term effects of heated tobacco product exposure on the central nervous system in a mouse model of prodromal Alzheimer's disease. Scientific Reports, 2024; 14(1):227. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38167640

Takagi A, Hamada H, Sekikawa K, Ueoka H, Namba H, et al. Plasma oxidative state induced by exercise in young heat-not-burn cigarette users. Nicotine & Tobacco Research, 2024. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38242704

Miskovic I, Kuis D, Spalj S, Pupovac A, and Prpic J. Periodontal Health Status in Adults Exposed to Tobacco Heating System Aerosol and Cigarette Smoke vs. Non-Smokers: A Cross-Sectional Study. Dent J (Basel), 2024; 12(2). Available from: https://www.ncbi.nlm.nih.gov/pubmed/38392230

Weng W, Bovard D, Zanetti F, Ehnert S, Braun B, et al. Tobacco heating system has less impact on bone metabolism than cigarette smoke. Food Chem Toxicol, 2023:113637. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36708864

Uehara O, Nakamoto N, Hiraki D, Paudel D, Sugiyama N, et al. Effects of prolonged stimulation with heated tobacco products (Ploom TECH(+)) on gingival epithelial cells. J Periodontal Res, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36974375

Sever E, Bozac E, Saltovic E, Simonic-Kocijan S, Brumini M, et al. Impact of the Tobacco Heating System and Cigarette Smoking on the Oral Cavity: A Pilot Study. Dent J (Basel), 2023; 11(11). Available from: https://www.ncbi.nlm.nih.gov/pubmed/37999015

Seo YG, Paek YJ, Kim JH, Kim JK, and Noh HM. Relationship between heated tobacco product use and allergic rhinitis in Korean adults. Tobacco Induced Diseases, 2023; 21:146. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37954489

Kurachi T, Chuman S, Suzuki T, Kubota T, and Ishikawa S. Effects of aerosols from heated tobacco products with flavors on the discoloration of bovine tooth enamel. Clin Exp Dent Res, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37438937

Koh DH. The relationship between heated cigarette smoking and blood white blood cell count: a population-based cross-sectional study. Public Health, 2023; 222:154-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37544126

Hu H, Miyamoto T, Okazaki H, Eguchi M, Shirasaka T, et al. Heated tobacco product use and abnormal glucose metabolism: a working population-based study. Acta Diabetologica, 2023; 60(3):371-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36527503

Harada S, Ohmomo H, Matsumoto M, Sata M, Iida M, et al. Metabolomics profiles alterations in cigarette smokers and heated tobacco product users. J Epidemiol, 2023. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37926518

Yamamoto S, Tanaka A, Ohmagari N, Yamaguchi K, Ishitsuka K, et al. Use of heated tobacco products, moderate alcohol drinking, and anti-SARS-CoV-2 IgG antibody titers after BNT162b2 vaccination among Japanese healthcare workers. Preventive Medicine, 2022; 161:107123. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35787841

Sawa M, Ushiyama A, Inaba Y, and Hattori K. Increased oxidative stress and effects on inflammatory cytokine secretion by heated tobacco products aerosol exposure to mice. Biochem Biophys Res Commun, 2022; 610:43-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35462100

Mori Y, Tanaka M, Kozai H, Aoyama Y, Shigeno Y, et al. Effects of heat-not-burn cigarette smoking on the secretion of saliva and its innate immune system components. Healthcare (Basel), 2022; 11(1). Available from: https://www.ncbi.nlm.nih.gov/pubmed/36611591

Hu H, Nakagawa T, Honda T, Yamamoto S, Miyamoto T, et al. Heated tobacco products and circulating high-density lipoprotein cholesterol concentrations. Scientific Reports, 2022; 12(1):17385. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36253392

Chaffee BW, Lauten K, Sharma E, Everard CD, Duffy K, et al. Oral health in the Population Assessment of Tobacco and Health Study. Journal of Dental Research, 2022; 101(9):1046-54. Available from: https://pubmed.ncbi.nlm.nih.gov/35403466/

Yoshioka T and Tabuchi T. Combustible cigarettes, heated tobacco products, combined product use, and periodontal disease: A cross-sectional JASTIS study. PLoS One, 2021; 16(3):e0248989. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33784312

Wang Y, Ryu R, Seo JM, and Lee JJ. Effects of conventional and heated tobacco product smoking on discoloration of artificial denture teeth. J Prosthet Dent, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33608106

Pagano S, Negri P, Coniglio M, Bruscoli S, Di Michele A, et al. Heat-not-burn tobacco (IQOS), oral fibroblasts and keratinocytes: cytotoxicity, morphological analysis, apoptosis and cellular cycle. An in vitro study. J Periodontal Res, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34018192

Otsu W, Ishida K, Chinen N, Nakamura S, Shimazawa M, et al. Cigarette smoke extract and heated tobacco products promote ferritin cleavage and iron accumulation in human corneal epithelial cells. Scientific Reports, 2021; 11(1):18555. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34535730

Ohmomo H, Harada S, Komaki S, Ono K, Sutoh Y, et al. DNA Methylation Abnormalities and Altered Whole Transcriptome Profiles after Switching from Combustible Tobacco Smoking to Heated Tobacco Products. Cancer Epidemiology, Biomarkers & Prevention, 2021. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34728466

Nishino K, Tamai K, Orita K, Hashimoto Y, and Nakamura H. Heated Tobacco Products Impair Cell Viability, Osteoblastic Differentiation, and Bone Fracture-Healing. J Bone Joint Surg Am, 2021; 103(21):2024-31. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34730563

Loffredo L, Carnevale R, Battaglia S, Marti R, Pizzolo S, et al. Impact of chronic use of heat-not-burn cigarettes on oxidative stress, endothelial dysfunction and platelet activation: the SUR-VAPES Chronic Study. Thorax, 2021:thoraxjnl-2020-215900. Available from: http://dx.doi.org/10.1136/thoraxjnl-2020-215900

Heluany CS, Scharf P, Schneider AH, Donate PB, Dos Reis Pedreira Filho W, et al. Toxic mechanisms of cigarette smoke and heat-not-burn tobacco vapor inhalation on rheumatoid arthritis. Sci Total Environ, 2021:151097. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34695477

Battey JND, Szostak J, Phillips B, Teng C, Tung CK, et al. Impact of 6-Month Exposure to Aerosols From Potential Modified Risk Tobacco Products Relative to Cigarette Smoke on the Rodent Gastrointestinal Tract. Front Microbiol, 2021; 12:587745. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34276574

Walczak J, Malinska D, Drabik K, Michalska B, Prill M, et al. Mitochondrial Network and Biogenesis in Response to Short and Long-Term Exposure of Human BEAS-2B Cells to Aerosol Extracts from the Tobacco Heating System 2.2. Cell Physiol Biochem, 2020; 54(2):230-51. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32153152

Makurina HI, Makarchuk OI, Dmytrenko IP, Holovkin AV, Sokolovska IA, et al. Verrucous leukoplakia of the red border caused by the use of IQOS heated tobacco product (a case report). Zaporozhye medical journal, 2020; 22(6). Available from: http://zmj.zsmu.edu.ua/article/view/218477/218770

Haiduc A, Zanetti F, Zhao X, Schlage WK, Scherer M, et al. Analysis of chemical deposits on tooth enamel exposed to total particulate matter from cigarette smoke and tobacco heating system 2.2 aerosol by novel GC-MS deconvolution procedures. J Chromatogr B Analyt Technol Biomed Life Sci, 2020; 1152:122228. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32585495

Zanetti F, Zhao X, Pan J, Peitsch MC, Hoeng J, et al. Effects of cigarette smoke and tobacco heating aerosol on color stability of dental enamel, dentin, and composite resin restorations. Quintessence Int, 2019; 50(2):156–66. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30564805

Lee A, Lee SY, and Lee KS. The use of heated tobacco products is associated with asthma, allergic rhinitis, and atopic dermatitis in Korean adolescents. Scientific Reports, 2019; 9(1):17699. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31776400

Nabavizadeh P, Liu J, Havel CM, Ibrahim S, Derakhshandeh R, et al. Vascular endothelial function is impaired by aerosol from a single IQOS HeatStick to the same extent as by cigarette smoke. Tobacco Control, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30206183

Moazed F, Chun L, Matthay MA, Calfee CS, and Gotts J. Assessment of industry data on pulmonary and immunosuppressive effects of IQOS. Tobacco Control, 2018; 27(Suppl 1):s20-s5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30158203

18B.6.9 Health effects of exposure to secondhand emissions from heated tobacco products

Loffredo L, Carnevale R, Pannunzio A, Cinicola BL, Palumbo IM, et al. Impact of heat-not-burn cigarette passive smoking on children's oxidative stress, endothelial and platelet function. Environ Pollut, 2024; 345:123304. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38295930

Yoshioka T, Shinozaki T, Hori A, Okawa S, Nakashima K, et al. Association between exposure to secondhand aerosol from heated tobacco products and respiratory symptoms among current non-smokers in Japan: a cross-sectional study. BMJ Open, 2023; 13(3):e065322. Available from: https://www.ncbi.nlm.nih.gov/pubmed/36882244

Kawasaki Y, Li YS, Ootsuyama Y, Fujisawa K, Omori H, et al. Assessment of exposure and DNA damage from second-hand smoke using potential biomarker in urine: cigarettes and heated tobacco products. J Clin Biochem Nutr, 2023; 72(3):242-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37251967

Yu SJ, Kwon MK, Choi W, and Son YS. Preliminary study on the effect of using heat-not-burn tobacco products on indoor air quality. Environmental Research, 2022; 212(Pt A):113217. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35381261

Tamada Y, Takeuchi K, Okawa S, and Tabuchi T. Secondhand aerosol exposure from heated tobacco products and its socioeconomic inequalities in Japan: The JASTIS study 2017-2020. Nicotine & Tobacco Research, 2022. Available from: https://www.ncbi.nlm.nih.gov/pubmed/35312015

Onoue A, Inaba Y, Machida K, Samukawa T, Inoue H, et al. Association between Fathers' Use of Heated Tobacco Products and Urinary Cotinine Concentrations in Their Spouses and Children. International Journal of Environmental Research and Public Health, 2022; 19(10). Available from: https://www.ncbi.nlm.nih.gov/pubmed/35627812

Kawasaki Y, Li YS, Watanabe S, Ootsuyama Y, and Kawai K. Urinary biomarkers for secondhand smoke and heated tobacco products exposure. J Clin Biochem Nutr, 2021; 69(1):37-43. Available from: https://www.ncbi.nlm.nih.gov/pubmed/34376912

Imura Y and Tabuchi T. Exposure to secondhand heated-tobacco-product aerosol may cause similar incidence of asthma attack and chest pain to secondhand cigarette exposure: The JASTIS 2019 Study. International Journal of Environmental Research and Public Health, 2021; 18(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/33670318

Chavarrio Canas JE, Monge-Palacios M, Grajales-Gonzalez E, and Sarathy SM. Early Chemistry of Nicotine Degradation in Heat-Not-Burn Smoking Devices and Conventional Cigarettes: Implications for Users and Second- and Third-Hand Smokers. J Phys Chem A, 2021; 125(15):3177-88. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33834773

Hirano T and Takei T. Estimating the Carcinogenic Potency of Second-Hand Smoke and Aerosol from Cigarettes and Heated Tobacco Products. International Journal of Environmental Research and Public Health, 2020; 17(22). Available from: https://pubmed.ncbi.nlm.nih.gov/33182793/

Tabuchi T, Gallus S, Shinozaki T, Nakaya T, Kunugita N, et al. Heat-not-burn tobacco product use in Japan: its prevalence, predictors and perceived symptoms from exposure to secondhand heat-not-burn tobacco aerosol. Tobacco Control, 2018; 27(e1):e25-e33. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29248896

18B.6.10 Safety issues with use of heated tobacco products

Moro, PA, Maida, F, Solimini, R, Spizzichino, L, Pauwels, C, Pieper, E, & Havermans, A. (2024). Urgent health concerns: Clinical issues associated with accidental ingestion of new metal-blade-containing sticks for heated tobacco products. *Tob Prev Cessat, 10*. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/39006098

Uchida, K, Yokoyama, H, Yamamoto, A, Hashimoto, K, Koike, Y, & Mohri, Y. (2024). Safe extraction technique of a metallic blade after heated tobacco ingestion. *Pediatr Int, 66*(1), e15763. Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/38742689

Schicchi A, Lonati D, Papotto A, Ippolito A, Piana S, et al. Ingestion of heated tobacco sticks containing a micro-blade by children: the importance of performing a radiograph. Clin Toxicol (Phila), 2024; 62(2):129-30. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38477964

Doi H, Kakiuchi T, Nishino M, and Yoshiura M. Natural excretion of a metallic susceptor originating from an ingested heated tobacco stick. Clin Case Rep, 2024; 12(4):e8756. Available from: https://www.ncbi.nlm.nih.gov/pubmed/38595963

Higashi K, Koike Y, Sato Y, Yamashita S, Nagano Y, et al. Extraction of a metallic susceptor after accidental ingestion of the heated tobaccostick TEREA: a case report. BMC Pediatrics, 2023; 23(1):452. Available from: https://www.ncbi.nlm.nih.gov/pubmed/37689624

Yumoto T, Hamaguchi H, Mae S, and Nakao A. Potentially fatal ingestion of heat-not-burn cigarettes successfully treated by gastric lavage. Journal of the American College of Emergency Physicians Open, 2020; 1(6):1709-11. Available from: https://www.ncbi.nlm.nih.gov/pubmed/33392579

Koutela N, Fernandez E, Saru ML, and Psillakis E. A comprehensive study on the leaching of metals from heated tobacco sticks and cigarettes in water and natural waters. Sci Total Environ, 2020; 714:136700. Available from: https://www.ncbi.nlm.nih.gov/pubmed/32028551

Hitosugi M, Tojo M, Kane M, Shiomi N, Shimizu T, et al. Criminal mercury vapor poisoning using heated tobacco product. Int J Legal Med, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30178086

News:

18B.6 Health effects of heated tobacco products

WHO, International Diabetes Federation, and University of Newcastle. Tobacco and Diabetes. 2023. Available from: https://idf.org/news/quitting-smoking-cuts-your-risk-of-developing-type-2-diabetes-by-up-to-40/.

No authors listed. Korea to unveil e-cigarettes' harmful effects. The Korea Times. 2018. Available from: http://www.koreatimes.co.kr/www/nation/2018/05/119_249834.html.

No authors listed. 'Bespoke' study designs central to assessment of next-generation products, British American Tobacco scientists tell NAS. British American Tobacco. 2018. Available from: http://www.bat-science.com/groupms/sites/BAT_9GVJXS.nsf/vwPagesWebLive/DOAK7EFB?opendocument.

Chu M. Study finds heat-not-burn cigarettes no less harmful than ordinary cigarettes. Korea Biomedical Review. 2018. Available from: http://www.koreabiomed.com/news/articleView.html?idxno=3451.

Boseley S. Smokeless cigarettes not as harmless as claimed, study says The Guardian. 2018. Available from: https://www.theguardian.com/society/2018/mar/13/iqos-smokeless-cigarettes-not-as-harmless-as-claimed-study-says.

Wan W. Big tobacco's new cigarette is sleek, smokeless — but is it actually healthier? The Chicago Tribune, 2017. Available from: http://www.chicagotribune.com/business/ct-smokeless-cigarette-iqos-20170814-story.html

No authors listed. 'Heat-not-burn' tobacco may be safer but still a risk: UK panel. Reuters. 2017. Available from: https://www.reuters.com/article/us-health-tobacco-heatnotburn/heat-not-burn-tobacco-may-be-safer-but-still-a-risk-uk-panel-idUSKBN1E61QV.

18B.6.1 Estimating the health risks from use of heated tobacco products

No authors listed. Vapour from glo™ had little or no biological impact on cells in laboratory tests. British American Tobacco Science.com. 2017. Available from: http://www.bat-science.com/groupms/sites/BAT_9GVJXS.nsf/vwPagesWebLive/DOASGCUC?opendocument.

18B.6.2 Addiction to heated tobacco products

18B.6.3 Cardiovascular effects of heated tobacco products

Thompson D. New 'Heat-Not-Burn' Cigarettes Harm Blood Vessels: Study. HealthDay [HealthScout]. 2017. Available from: https://consumer.healthday.com/cancer-information-5/cigarette-smoking-tobacco-health-news-665/new-heat-not-burn-cigarettes-harm-blood-vessels-study-728445.html.

No authors listed. Heat-not-burn cigarettes may still harm the heart, as FDA mulls approval. American Heart Association (AHA). 2017. Available from: https://news.heart.org/heat-not-burn-cigarettes-may-still-harm-heart-fda-mulls-approval/.

18B.6.4 Effects of heated tobacco products on respiratory health

Food and Drug Administration. FDA authorizes marketing of IQOS tobacco heating system with 'reduced exposure' information. FDA, 2020. Last update: Viewed Available from: https://www.fda.gov/news-events/press-announcements/fda-authorizes-marketing-iqos-tobacco-heating-system-reduced-exposure-information.

No authors listed. Smoke-damaged airway tissue restored on switching to glo EurekAlert! 2018. Available from: https://www.eurekalert.org/pub_releases/2018-03/raba-sda031318.php.

18B.6.5 Cancer risk for users of heated tobacco products

18B.6.6 Effects of heated tobacco products on pregnancy and reproductive health

18B.6.7 Possible liver toxicity with use of heated tobacco products

18B.6.8 Other possible health effects of heated tobacco products

18B.6.9 Health effects of exposure to secondhand emissions from heated tobacco products

18B.6.10 Safety issues with use of heated tobacco products

Hey-seon L. Safety of heat-not-burn tobacco still controversial. Korea Biomedical Review. 2018. Available from: http://www.koreabiomed.com/news/articleView.html?idxno=3519.

Glantz S. Philip Morris' claims about IQOS safety are attracting scrutiny. UCSF Center for Tobacco Control Research and Education. 2017. Available from: https://tobacco.ucsf.edu/philip-morris%E2%80%99-claims-about-iqos-safety-are-attracting-scrutiny.