

Tobacco in Australia

Facts & Issues

Relevant news and research

18B.8 Public health and regulatory considerations

Last updated December 2024

Research:.....	2
18B.8 Public health and regulatory considerations	2
News:	9
18B.8 Public health and regulatory considerations	9

Research:

18B.8 Public health and regulatory considerations

Mahlich, J, & Kamae, I. (2024). Switching from Cigarettes to Heated Tobacco Products in Japan- Potential Impact on Health Outcomes and Associated Health Care Costs. *Healthcare (Basel)*, 12(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39408118>

Fearon, IM, Cordery, SF, Fitzpatrick, M, Weaver, S, Stevenson, M, Grandolfo, E et al (2024). A Scoping Review of Behavioural Studies on Heated Tobacco Products. *Cureus*, 16(7), e65773. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39211653>

Dauchy, E, & Shang, C. (2024). The price elasticity of heated tobacco and cigarette demand: Empirical evaluation across countries. *Health Econ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39188224>

Limb, M. (2024). Philip Morris: Leaked documents show how company tries to influence science and policy on heated tobacco. *BMJ*, 385, q1451. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38942428>

Noggle, B, Ball, KM, & Vansickel, AR. (2024). Correction: A reduced exposure heated tobacco product was introduced then abruptly taken off United States shelves: results from a tobacco harm reduction natural experiment. *Harm Reduct J*, 21(1), 110. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38844919>

Duan, Z, Berg, CJ, Bar-Zeev, Y, Abrams, LC, Wang, Y, Khayat, A et al. (2024). Perceptions of Heated Tobacco Products (HTPs) vs. Cigarettes and E-Cigarettes in Relation to Likelihood of Trying HTPs or Suggesting HTPs to Those Who Smoke Cigarettes. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38666732>

Lopez-Granados, L. (2024). New heated tobacco products. *An Pediatr (Engl Ed)*, 100(4), e38-e39. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38575480>

Noggle, B, Ball, KM, Vansickel, AR, & Noggle, B. (2024). A reduced exposure heated tobacco product was introduced then abruptly taken off United States shelves: results from a tobacco harm reduction natural experiment. *Harm Reduct J*, 21(1), 84. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38659033>

Yingst JM, Bordner C, Hrabovsky S, Hobkirk AL, Trushin N, et al. Nicotine delivery of a menthol-flavored heat-not-burn tobacco product during directed use. *Nicotine & Tobacco Research*, 2024; 26(3):397-401. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37434562>

Venrick SJ, Margolis KA, Bernat JK, Donaldson E, Pepper JK, et al. Believability of messaging concerning a hypothetical product standard to lower a constituent in cigarettes or smokeless tobacco among U.S. Adults who use tobacco. *Preventive Medicine Reports*, 2024; 37:102544. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38169982>

Thomas D. Is heated tobacco a harm reduction tool?. *Sante Publique*, 2024; 35(5):61-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38172050>

Noggle B, Ball KM, Vansickel AR, and Noggle B. A reduced exposure heated tobacco product was introduced then abruptly taken off United States shelves: results from a tobacco harm reduction natural experiment. *Harm Reduct J*, 2024; 21(1):84. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/38659033>

Mott H, Leatherdale ST, and Cole AG. Exploring the association between the proximity to and density around schools of retailers selling IQOS products and youth use of heated tobacco products: evidence from the 2020-2021 COMPASS study. *Health Promot Chronic Dis Prev Can*, 2024; 44(1):1-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/38231088>

Miyoshi K, Kimura Y, Nakahata M, and Miyawaki T. Foods and beverages associated with smoking craving in heated tobacco product and cigarette smokers: A cross-sectional study. *Tobacco Induced Diseases*, 2024; 22. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/38188940>

Lopez-Granados L. New heated tobacco products. *An Pediatr (Engl Ed)*, 2024; 100(4):e38-e9.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38575480>

Kale D, Brown J, Dawkins L, Goniewicz ML, Leppin C, et al. Comparing identity, attitudes, and indicators of effectiveness in people who smoke, vape or use heated tobacco products: A cross-sectional study. *Addictive Behaviors*, 2024; 151:107933. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/38142579>

Vukas J, Mallock-Ohnesorg N, Ruther T, Pieper E, Romano-Brandt L, et al. Two different heated tobacco products vs. cigarettes: Comparison of nicotine delivery and subjective effects in experienced users. *Toxics*, 2023; 11(6). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37368625>

Suzuki H, Aono N, Zhang Y, Yuri K, Bassole Epse Brou MAM, et al. Comparison of Publications on Heated Tobacco Products With Conventional Cigarettes and Implied Desirability of the Products According to Tobacco Industry Affiliation: A Systematic Review. *Nicotine & Tobacco Research*, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37950902>

Solomou N, Fernandez E, Szafnauer R, and Psillakis E. Total and bioavailable polycyclic aromatic hydrocarbons in unused and operated heat-not-burn tobacco products and conventional cigarettes. *Chemosphere*, 2023:139050. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37247679>

Nishihara D, Yuki D, Suzuki T, Sakaguchi C, Nagata Y, et al. A Randomized Control Study in Healthy Adult Smokers to Assess Reduced Exposure to Selected Cigarette Smoke Constituents in Switching to the Novel Heated Tobacco Product DT3.0a. *Clin Pharmacol Drug Dev*, 2023. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37680118>

Martin-Alvarez JM, Almeida A, Golpe AA, and Asensio E. Electronic device or regulated tobacco product? Learning from the diffusion of heated tobacco products in Spain. *Public Health*, 2023; 219:61-6. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37119795>

Li X, Wang X, Cui P, Liu G, Zhang H, et al. Comparison of Biomarkers of Exposure in a Controlled Study of Smokers Switched from Conventional Cigarettes to Heated Tobacco Products. *Toxics*, 2023; 11(10). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/37888667>

Kale D, Tattan-Birch H, Brown J, Cox S, Dawkins L, et al. Examining acute psychopharmacological effects of nicotine vaping versus heated tobacco products in a randomised crossover study of product naive adult smokers. *Scientific Reports*, 2023; 13(1):22676. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/38114686>

Hardie G, Gale N, McEwan M, Oscar SM, Ziviani L, et al. Author Correction: An abuse liability assessment of the glo tobacco heating product in comparison to combustible cigarettes and nicotine replacement therapy. *Scientific Reports*, 2023; 13(1):10441. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37369803>

Braznell S, Branston JR, and Gilmore AB. Corporate communication of the relative health risks of IQOS through a webchat service. *Tobacco Control*, 2023; 32(e2):e205-e11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35241501>

Alanazi AM, Monshi SS, Aldawsari NS, Almujel AA, Bin Saad WM, et al. The associations between cigarette smoking behavior and the use of heated tobacco products among Arab cigarette smokers: Findings from Saudi Arabia, Egypt, Kuwait, and Yemen. *J Ethn Subst Abuse*, 2023:1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/37184532>

Penzes M, Joo T, and Urban R. Perceived harm of heated tobacco products, e-cigarettes, and nicotine replacement therapy compared with conventional cigarettes among ever and current heated tobacco users. *Addictive Behaviors Reports*, 2022; 15:100432. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35600227>

Miller CR, Xu SS, Smith DM, Sutanto E, Goniewicz ML, et al. Assessing use of inhalable nicotine products within complex markets: the dilemma of heated tobacco products. *Tobacco Control*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35680384>

Matsuyama Y and Tabuchi T. Heated tobacco product use and combustible cigarette smoking relapse/initiation among former/never smokers in Japan: the JASTIS 2019 study with 1-year follow-up. *Tobacco Control*, 2022; 31(4):520-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33408121>

Isaji H and Yamada K. A Survey on the Actual Use of and Reasons for Heated Tobacco Products in Patients with Rheumatoid Arthritis. *International Journal of Environmental Research and Public Health*, 2022; 19(19). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36231765>

East K, Miller CR, Hitchman SC, McNeill A, and Tompkins CNE. 'It's not what you'd term normal smoking': A qualitative exploration of language used to describe Heated Tobacco Product (HTP) use and associated user identity. *Addiction*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/36148622>

Bogomolov A, Zaikov S, Gogunska I, and Tkhorovskyi M. Heated Tobacco Products: We Still Need to Know a Bit More. *Wiad Lek*, 2022; 75(6):1771-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35962696>

Phillips-Waller A, Przulj D, Pesola F, Myers Smith K, and Hajek P. Nicotine delivery and user ratings of IQOS heated tobacco system compared to cigarettes, Juul and refillable e-cigarettes. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33983450>

Nakama C and Tabuchi T. Use of heated tobacco products by people with chronic diseases: The 2019 JASTIS study. *PLoS One*, 2021; 16(11):e0260154. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34793517>

Hwang J and Cho SI. A comparative study on changes in the use of heat-not-burn tobacco products based on whether apartment buildings have designated non-smoking areas. *Tob Prev Cessat*, 2021; 7:46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34179592>

Hirai K, Tanaka A, Homma T, Kawahara T, Oda N, et al. Characteristics of and reasons for patients with chronic obstructive pulmonary disease to continue smoking, quit smoking, and switch to heated tobacco products. *Tobacco Induced Diseases*, 2021; 19:85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34786018>

Ratajczak A, Jankowski P, Strus P, and Feleszko W. Heat Not Burn Tobacco Product-A New Global Trend: Impact of Heat-Not-Burn Tobacco Products on Public Health, a Systematic Review. *International Journal of Environmental Research and Public Health*, 2020; 17(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31936252>

Lee CM, Kim CY, Lee K, and Kim S. Are Heated Tobacco Product Users Less Likely to Quit than Cigarette Smokers? Findings from THINK (Tobacco and Health IN Korea) Study. *International Journal of Environmental Research and Public Health*, 2020; 17(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33233606>

Kim SH, Kang SY, and Cho HJ. Beliefs about the Harmfulness of Heated Tobacco Products Compared with Combustible Cigarettes and Their Effectiveness for Smoking Cessation among Korean Adults. *International Journal of Environmental Research and Public Health*, 2020; 17(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32756449>

Kim M, Watkins SL, Koester KA, Mock J, Kim HC, et al. Unboxed: US Young Adult Tobacco Users' Responses to a New Heated Tobacco Product. *International Journal of Environmental Research and Public Health*, 2020; 17(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33153143>

Evans-Reeves K. Addiction at any cost STOP 2020. Available from: <https://exposetobacco.org/pmi-uncovered/>.

Caponnetto P, Caruso M, Maglia M, Emma R, Saitta D, et al. Non-inferiority trial comparing cigarette consumption, adoption rates, acceptability, tolerability, and tobacco harm reduction potential in smokers switching to Heated Tobacco Products or electronic cigarettes: Study protocol for a randomized controlled trial. *Contemp Clin Trials Commun*, 2020; 17:100518. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31956726>

Camacho OM, Hedge A, Lowe F, Newland N, Gale N, et al. Statistical analysis plan for "A randomised, controlled study to evaluate the effects of switching from cigarette smoking to using a tobacco heating product on health effect indicators in healthy subjects". *Contemp Clin Trials Commun*, 2020; 17:100535. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32072070>

Berg CJ, Bar-Zeev Y, and Levine H. Informing iQOS Regulations in the United States: A Synthesis of What We Know. *SAGE Open*, 2020; 10(1):2158244019898823. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32719733>

Mohanty D and Lippmann S. We must counsel against heat-not-burn cigarettes. *J Fam Pract*, 2019; 68(1):E2-E3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30724908>

Mallock N, Pieper E, Hutzler C, Henkler-Stephani F, and Luch A. Heated Tobacco Products: A Review of Current Knowledge and Initial Assessments. *Front Public Health*, 2019; 7:287. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31649912>

Liu X, Lugo A, Spizzichino L, Tabuchi T, Pacifici R, et al. Heat-not-burn tobacco products: concerns from the Italian experience. *Tobacco Control*, 2019; 28(1):113-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29374094>

Lee A, Lee KS, and Park H. Association of the Use of a Heated Tobacco Product with Perceived Stress, Physical Activity, and Internet Use in Korean Adolescents: A 2018 National Survey. *International Journal of Environmental Research and Public Health*, 2019; 16(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30889838>

Jankowski M, Brozek GM, Lawson J, Skoczynski S, Majek P, et al. New ideas, old problems? Heated tobacco products - a systematic review. *Int J Occup Med Environ Health*, 2019; 32(5):595-634. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31584041>

Formoso G, Celani MG, Minozzi S, Cinquini M, Mosconi P, et al. Heated tobacco and politics in Italy. *British Medical Journal*, 2019; 365:l4189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31208961>

Stepanov I and Woodward A. Heated tobacco products: things we do and do not know. *Tobacco Control*, 2018; 27(Suppl 1):s7-s8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30352842>

Public Health England. Evidence review of e-cigarettes and heated tobacco products 2018: executive summary. UK Government London, UK 2018. Available from: <https://www.gov.uk/government/publications/e-cigarettes-and-heated-tobacco-products-evidence-review/evidence-review-of-e-cigarettes-and-heated-tobacco-products-2018-executive-summary>.

Popova L, Lempert LK, and Glantz SA. Light and mild redux: heated tobacco products' reduced exposure claims are likely to be misunderstood as reduced risk claims. *Tobacco Control*, 2018; 27(Suppl 1):s87-s95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30209208>

Paumgarten FJR. A critical appraisal of the harm reduction argument for heat-not-burn tobacco products. *Rev Panam Salud Publica*, 2018; 42:e161. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31093189>

McKelvey K, Popova L, Kim M, Chaffee BW, Vijayaraghavan M, et al. Heated tobacco products likely appeal to adolescents and young adults. *Tobacco Control*, 2018; 27(Suppl 1):s41-s7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30352843>

Max WB, Sung HY, Lightwood J, Wang Y, and Yao T. Modelling the impact of a new tobacco product: review of Philip Morris International's Population Health Impact Model as applied to the IQOS heated tobacco product. *Tobacco Control*, 2018; 27(Suppl 1):s82-s86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30275170>

Lee PN, Djurdjevic S, Weitkunat R, and Baker G. Estimating the population health impact of introducing a reduced-risk tobacco product into Japan. The effect of differing assumptions, and some comparisons with the U.S. *Regulatory Toxicology and Pharmacology*, 2018; 100:92-104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30367904>

Kim TI. Heat-not-burn cigarettes heat up controversy. *J Periodontal Implant Sci*, 2018; 48(4):201. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30202603>

Elias J, Dutra LM, St Helen G, and Ling PM. Revolution or redux? Assessing IQOS through a precursor product. *Tobacco Control*, 2018; 27(Suppl 1):s102-s110. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30305324>

Dautzenberg B and Dautzenberg MD. [Systematic analysis of the scientific literature on heated tobacco]. *Rev Mal Respir*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30429092>

Collishaw N. This should change everything: using the toxic profile of heat-not-burn products as a performance standard to phase out combustible cigarettes. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30032098>

Chrea C, Acquadro C, Afolalu EF, Spies E, Salzberger T, et al. Developing fit-for-purpose self-report instruments for assessing consumer responses to tobacco and nicotine products: the ABOUT Toolbox initiative. *F1000Res*, 2018; 7:1878. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30906527>

Cho YJ and Thrasher JF. Flavour capsule heat-sticks for heated tobacco products. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30217960>

Bialous SA and Glantz SA. Heated tobacco products: another tobacco industry global strategy to slow progress in tobacco control. *Tobacco Control*, 2018; 27(Suppl 1):s111-s117. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30209207>

Adriaens K, Gucht DV, and Baeyens F. IQOS(TM) vs. e-cigarette vs. tobacco cigarette: A direct comparison of short-term effects after overnight-abstinence. *International Journal of Environmental Research and Public Health*, 2018; 15(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30567400>

Van der Plas A, Prieto L, Skiada D, Dobrynina M, Baker G, et al. Prevalence and Patterns of Tobacco Use in Japan after the Commercialization of a Heat-Not-Burn Alternative (IQOS) to Cigarettes. *PMI*

Science, 2017. Available from: <https://www.pmiscience.com/library/prevalence-and-patterns-tobacco-use-japan-after-commercialization-heat-not-burn-alternative>

No authors listed. Smoke-Free Products - The Scientific Update - Issue 03. PMI Science (Philip Morris International) 2017. Available from: <https://www.pmiscience.com/news/smoke-free-products-scientific-update-issue-03>.

Lee PN, Fry JS, Hamling JF, Sponsiello-Wang Z, Baker G, et al. Estimating the effect of differing assumptions on the population health impact of introducing a Reduced Risk Tobacco Product in the USA. Regulatory Toxicology and Pharmacology, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28651854>

Hye-seon L. Will new research calm controversies over heat-not-burn cigarettes? Korea Biomedical Review Korea 2017. Available from: <http://www.koreabiomed.com/news/articleView.html?idxno=1895>.

Glantz S. PM's Population Health Impact Model for IQOS underestimates the impact of IQOS and does not show population benefit. UCSF Center for Tobacco Control, Research and Education US 2017. Available from: <https://tobacco.ucsf.edu/pm%E2%80%99s-population-health-impact-model-iqos-underestimates-impact-iqos-and-does-not-show-population-benefit>.

Berman ML, Connolly G, Cummings KM, Djordjevic MV, Hatsukami DK, et al. Providing a Science Base for the Evaluation of Tobacco Products. Tobacco Regulatory Science, 2015; 1(1):76–93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26665160>

News:

18B.8 Public health and regulatory considerations

Associated Press. Expert cites benefits of heat-not-burn items. The Manila Times. 2020. Available from: <https://www.manilatimes.net/2020/08/19/news/world/expert-cites-benefits-of-heat-not-burn-items/757459/>.

Glantz S. FDA sets exceptionally low bar when authorizing IQOS, a new tobacco products Center for Tobacco Control Research and Education. 2019. Available from: <https://tobacco.ucsf.edu/fda-sets-exceptionally-low-bar-when-authorizing-iqos-new-tobacco-products>.

Perrone M. Heat-Not-Burn Cigarette Alternative Faces US Scrutiny U.S. News. 2018. Available from: <https://www.usnews.com/news/business/articles/2018-01-22/heat-not-burn-cigarette-alternative-faces-us-scrutiny>.

No authors listed. Platform 1's risk-reduction potential presented at GFN 2018. PMI Science. 2018. Available from: <https://www.pmiscience.com/discover/news/platform-1-s-risk-reduction-potential-presented-at-gfn-2018>.

Glantz SA. PMI releases new data purporting to show how healthy IQOS is UCSF Center for Tobacco Control Research and Education. 2018. Available from: <https://tobacco.ucsf.edu/pmi-releases-new-data-purporting-show-how-healthy-iqos>.

Glantz S. PMI's December 22, 2017 amendment to its IQOS MRTP application failed to address concerns about dual use, flavors, risk perceptions, and its Population Health Impact Model Center for Tobacco Control Research and Education. 2018. Available from: <https://tobacco.ucsf.edu/pmi%E2%80%99s-december-22-2017-amendment-its-iqos-mrtp-application-failed-address-concerns-about-dual-use-flavors-risk-perceptions-and-its-population-health-impact-model>.

Glantz S. Two new peer reviewed papers discuss how PMI's own data shows they are as dangerous, maybe worse, than cigarettes. UCSF Center for Tobacco Control Research and Education. 2018. Available from: <https://tobacco.ucsf.edu/two-new-peer-reviewed-papers-discuss-how-pmis-own-data-shows-they-are-dangerous-maybe-worse-cigarettes>.

ENSP. ENSP FACT SHEET ON HEATED TOBACCO PRODUCTS. ENSP Fact Sheet Series #2/2018. 2018. Available from: <https://drive.google.com/file/d/1rtFLCnBUNKpkG0-1Tp618JF5v7S6oXd9/view>.

Di L. Harm reduction for smokers : the case for 'Heat-not-burn' products. The Global Dispatch. 2018. Available from: <https://www.theglobaldispatch.com/harm-reduction-for-smokers-the-case-for-heat-not-burn-products-57345/>.

Abutaleb Y. Two U.S. lawmakers voice concerns over Philip Morris tobacco trials. Business Insider UK. 2018. Available from: <https://www.reuters.com/article/us-health-tobacco-pmi-trial-idUSKBN1FL3XY/>.

Smith R. Richard Smith: A public health witch hunt—bad for everybody. The BMJ Opinion. 2017. Available from: <http://blogs.bmj.com/bmj/2017/12/19/richard-smith-a-public-health-witch-hunt-bad-for-everybody/>.

Picavet P. PMI's APPLICATION OF BEST PRACTICES TO OUR CLINICAL PROGRAM. PMI Science (philip Morris International). 2017. Available from: <https://www.pmiscience.com/news/pmi%E2%80%99s-application-best-practices-our-clinical-program>.

No authors listed. Philip Morris International Releases Latest Scientific Update for Smoke-Free Products on Clinical Program. Phillip Morris International 2017. Available from: <https://www.pmi.com/media-center/press-releases/press-release-details/?newsId=2322342>.

No authors listed. Call for Input and Collaboration on Research Priorities. Foundation for a Smoke-free World. 2017. Available from: https://www.smokefreeworld.org/sites/default/files/uploads/fsfw_research_input_submissions_12.12.17.pdf.

Murphy M. Studies support the reduced-risk potential of glo™ EurekaAlert. 2017. Available from: https://www.eurekaalert.org/pub_releases/2017-10/raba-sst102317.php.

Lempert LK, Popova L, Halpern-Felsher B, McKelvey K, Kim M, et al. Because PMI has not demonstrated that IQOS is associated with lower risks, FDA should not permit modified exposure claims, because such claims are likely to be misunderstood as modified risk claims. UCSF Center for Tobacco Control, Research and Education. 2017. Available from: https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/Modified%20exposure%20claim%20misleading_Dec11-final.pdf.

Lempert LK and Glantz S. Detailed analysis of the Executive Summary (Section 2.7) submitted by Philip Morris International in support of its MRTP application for IQOS. UCSF Center for Tobacco Control, Research and Education. 2017. Available from: <https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/Comments%20on%20Exec%20Summary%20-%20final.pdf>.

Lasseter T, Bansal P, Wilson T, Miyazaki A, Wilson D, et al. USA: Reuters special reports raise questions about the quality of Philip Morris International's research into 'heat not burn' products and their interaction with governments. Reuters. 2017. Available from: <https://www.reuters.com/investigates/special-report/tobacco-iqos-science/>.

Halpern-Felsher B, McKelvey K, Popova L, Kim M, Chaffee B, et al. The evidence cited in PMI's MRTP Application indicates that the proposed labeling and warnings for IQOS will mislead consumers, particularly youth, about the product UCSF Center for Tobacco Control, Research and Education. 2017. Available from: https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/iQOS%20MRTP%20comment%20Warnings_Dec%208-final.pdf.

Glantz S. Philip Morris hides data in plain sight on dangers of new heat-not-burn product The Conversation. 2017. Available from: <https://theconversation.com/philip-morris-hides-data-in-plain-sight-on-dangers-of-new-heat-not-burn-product-87636>.

Fojtik B. Vapers Should Embrace Smokeless Tobacco and Heat-Not-Burn. Vaping 360. 2017. Available from: <http://vaping360.com/vapers-tobacco-harm-reduction/>.

Dubé D-E. Heat-not-burn tobacco: The emerging smoking trend that has experts worried. Global News. 2017. Available from: <https://globalnews.ca/news/3797722/heat-not-burn-tobacco-the-emerging-smoking-trend-that-has-experts-worried/>.