

Tobacco in Australia

Facts & Issues

Relevant news and research

18C.2 Extent of Use

Last updated January 2023

Research:

Tompkins, CNE, Burnley, A, McNeill, A, & Hitchman, SC. (2020). Factors that influence smokers' and ex-smokers' use of IQOS: a qualitative study of IQOS users and ex-users in the UK. *Tobacco Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31941822>

18C.2.2 International trends in use

Odani, S, & Tabuchi, T. (2022). Prevalence and denial of current tobacco product use: Combustible and heated tobacco products, Japan, 2022. *Prev Med Rep, 30, 102031*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36531095>

Afolalu, EF, Langer, P, Fischer, K, Roulet, S, & Magnani, P. (2021). Prevalence and patterns of tobacco and/or nicotine product use in Japan (2017) after the launch of a heated tobacco product (IQOS ((R))): a cross-sectional study. *F1000Res, 10, 504*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35528952>

Karim, MA, Talluri, R, Chido-Amajuoyi, OG, & Shete, S. (2022). Awareness of heated tobacco products among US Adults - Health information national trends survey, 2020. *Subst Abus, 43(1), 1023-1034*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35435808>

Puvanesarajah, S, Wang, T, Alexander, DS, Gomez, Y, Head, SK, Alexandridis, AA et al. (2022). Awareness and Use of Heated Tobacco Products Among Middle School and High School Students, United States, 2019-2020. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35380704>

- Cruz-Jimenez, L, Barrientos-Gutierrez, I, Zavala-Arciniega, L, Arillo-Santillan, E, Gallegos-Carrillo, K, Rodriguez-Bolanos, R et al. (2022). Heated tobacco product use, its correlates, and reasons for use among Mexican smokers. *Drug Alcohol Depend*, 232, 109283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35134734>
- Miller, CR, Sutanto, E, Smith, DM, Hitchman, SC, Gravely, S, Yong, HH et al. (2021). Characterizing heated tobacco product use among adult cigarette smokers and nicotine vaping product users in the 2018 ITC Four Country Smoking & Vaping Survey. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34669964>
- Laverty, AA, Vardavas, CI, & Filippidis, FT. (2021). Prevalence and reasons for use of Heated Tobacco Products (HTP) in Europe: an analysis of Eurobarometer data in 28 countries. *Lancet Reg Health Eur*, 8, 100159. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34557853>
- Brose, LS, McDermott, MS, & McNeill, A. (2021). Heated Tobacco Products and Nicotine Pouches: A Survey of People with Experience of Smoking and/or Vaping in the UK. *Int J Environ Res Public Health*, 18(16) Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34444601>
- Myagmar-Ochir, E, Kaneko, M, Tomiyama, K, Zaitso, M, Watanabe, S, Nishino, Y et al. (2021). Occupational difference in use of heated tobacco products: a cross-sectional analysis of retail workers in Japan. *BMJ Open*, 11(8), e049395. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34429314>
- Li, S, Braden, K, Zhuang, YL, & Zhu, SH. (2021). Adolescent Use of and Susceptibility to Heated Tobacco Products. *Pediatrics*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34312293>
- Tattan-Birch, H, Brown, J, Shahab, L, & Jackson, SE. (2021). Trends in use of e-cigarette device types and heated tobacco products from 2016 to 2020 in England. *Sci Rep*, 11(1), 13203. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34168216>
- Majek, P, Jankowski, M, Nowak, B, Macherski, M, Nowak, M, Gil, A et al (2021). The Frequency of Use and Harm Perception of Heated Tobacco Products (HTPs): The 2019 Cross-Sectional Survey among Medical Students from Poland. *International Journal of Environmental Research and Public Health*, 18(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33805180>
- Lau, YK, Okawa, S, Meza, R, Katanoda, K, & Tabuchi, T. (2021). Nicotine dependence of cigarette and heated tobacco users in Japan, 2019: a cross-sectional analysis of the JASTIS Study. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33741741>
- Odani, S, & Tabuchi, T. (2021). Prevalence of heated tobacco product use in Japan: the 2020 JASTIS study. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33707176>
- Azagba, S, & Shan, L. (2021). Heated Tobacco Products: Awareness and Ever Use Among U.S. Adults. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33518430>
- Yi, J, Lee, CM, Hwang, SS, & Cho, SI. (2021). Prevalence and predictors of heated tobacco products use among male ever smokers: results from a Korean longitudinal study. *BMC Public Health*, 21(1), 316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33557796>

- Zhu, SH, Ong, J, Wong, S, Cole, A, Zhuang, YL, & Shi, Y. (2021). Early adoption of heated tobacco products resembles that of e-cigarettes. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33542070>
- Lee, J, Thompson, LA, & Salloum, RG. (2021). Heated tobacco product use among US adolescents in 2019: The new tobacco risk. *Tob Prev Cessat*, 7, 01. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33437895>
- Gottschlich, A, Mus, S, Monzon, JC, Thrasher, JF, & Barnoya, J. (2020). Cross-sectional study on the awareness, susceptibility and use of heated tobacco products among adolescents in Guatemala City, Guatemala. *BMJ Open*, 10(12), e039792. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33318112>
- Chang, LC, Lee, YC, Hsu, C, & Chen, PC. (2020). Prevalence of heated tobacco product use among adolescents in Taiwan. *PLoS One*, 15(12), e0244218. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33347476>
- Ho, LLK, Li, WHC, Cheung, AT, Xia, W, & Lam, TH. (2020). Awareness and Use of Heated Tobacco Products among Youth Smokers in Hong Kong: A Cross-Sectional Study. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33227929>
- Ryu, DH, Park, SW, & Hwang, JH. (2020). Association between Intention to Quit Cigarette Smoking and Use of Heated Tobacco Products: Application of Smoking Intensity Perspective on Heated Tobacco Product Users. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33207771>
- Xu, SS, Meng, G, Yan, M, Gravely, S, Quah, ACK, Ouimet, J et al (2020). Reasons for Regularly Using Heated Tobacco Products among Adult Current and Former Smokers in Japan: Finding from 2018 ITC Japan Survey. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33142757>
- Miller, CR, Sutanto, E, Smith, DM, Hitchman, SC, Gravely, S, Yong, HH et al (2020). Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32994299>
- Maria Lotrean, L, Trofor, A, Radu-Loghin, C, Eremia, M, Mihaltan, F, Driezen, P et al. (2020). Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. *Eur J Public Health*, 30(Supplement_3), iii78-iii83. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32918826>
- Kim, SH, & Cho, HJ. (2020). Prevalence and correlates of current use of heated tobacco products among a nationally representative sample of Korean adults: Results from a cross-sectional study. *Tob Induc Dis*, 18, 66. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32818029>
- Dai, H. (2020). Heated tobacco product use and associated factors among U.S. youth, 2019. *Drug Alcohol Depend*, 214, 108150. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32645682>

Hori, A, Tabuchi, T, & Kunugita, N. (2020). Rapid increase in heated tobacco product (HTP) use from 2015 to 2019: from the Japan 'Society and New Tobacco' Internet Survey (JASTIS). *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32503900>

Kim, K, Kim, J, & Cho, HJ. (2020). Gendered factors for heated tobacco product use: Focus group interviews with Korean adults. *Tob Induc Dis*, 18, 43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32477038>

Adamson, J, Kanitscheider, C, Prasad, K, Camacho, OM, Beyerlein, E, Bhagavan, YK et al (2020). Results from a 2018 cross-sectional survey in Tokyo, Osaka and Sendai to assess tobacco and nicotine product usage after the introduction of heated tobacco products (HTPs) in Japan. *Harm Reduct J*, 17(1), 32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32450856>

Cummings, KM, Nahhas, GJ, & Sweanor, DT. (2020). What Is Accounting for the Rapid Decline in Cigarette Sales in Japan? *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32443663>

Kuwabara, Y, Kinjo, A, Fujii, M, Imamoto, A, Osaki, Y, Jike, M et al (2020). Heat-not-burn tobacco, electronic cigarettes, and combustible cigarette use among Japanese adolescents: a nationwide population survey 2017. *BMC Public Health*, 20(1), 741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32434517>

Igarashi, A, Aida, J, Kusama, T, Tabuchi, T, Tsuboya, T, Sugiyama, K et al (2020). Heated Tobacco Products Have Reached Younger or More Affluent People in Japan. *J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32224597>

Sutanto, E, Miller, C, Smith, DM, Borland, R, Hyland, A, Cummings, KM et al (2020). Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey. *Int J Environ Res Public Health*, 17(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32235702>

Dunbar, MS, Seelam, R, Tucker, JS, Rodriguez, A, Shih, RA, & D'Amico, EJ. (2020). Correlates of Awareness and Use of Heated Tobacco Products in a Sample of US Young Adults in 2018-2019. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32047910>

Kang, SY, Lee, S, & Cho, HJ. (2020). Prevalence and predictors of heated tobacco product use and its relationship with attempts to quit cigarette smoking among Korean adolescents. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32108085>

Kinjo, A, Kuwabara, Y, Fujii, M, Imamoto, A, Osaki, Y, Minobe, R et al. (2019). Heated tobacco product smokers in Japan identified by a population-based survey. *J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31787705>

Sutanto, E, Smith, DM, Miller, C, O'Connor, RJ, Hyland, A, Tabuchi, T et al. (2019). Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. *Int J Environ Res Public Health*, 16(23). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31816848>

Sutanto, E, Miller, C, Smith, DM, O'Connor, RJ, Quah, ACK, Cummings, KM et al. (2019). Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018

ITC Japan Survey. *Int J Environ Res Public Health*, 16(23). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31766410>

Roulet, S, Chrea, C, Kanitscheider, C, Kallischnigg, G, Magnani, P, & Weitkunat, R. (2019). Potential predictors of adoption of the Tobacco Heating System by U.S. adult smokers: An actual use study. *F1000Res*, 8, 214. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31559015>

Kang, H, & Cho, SI. (2019). Heated tobacco product use among Korean adolescents. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31164491>

Wu, YS, Wang, MP, Ho, SY, Li, HCW, Cheung, YTD, Tabuchi, T et al. (2019). Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31005892>

Czoli, CD, White, CM, Reid, JL, RJ, OC, & Hammond, D. Awareness and interest in IQOS heated tobacco products among youth in Canada, England and the USA. *Tob Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30696783>

Tabuchi, T, Shinozaki, T, Kunugita, N, Nakamura, M, & Tsuji, I. Study Profile: The Japan "Society and New Tobacco" Internet Survey (JASTIS): A longitudinal internet cohort study of heat-not-burn tobacco products, electronic cigarettes and conventional tobacco products in Japan. *J Epidemiol*, 2018. Available from: https://www.jstage.jst.go.jp/article/jea/advpub/0/advpub_JE20180116/_pdf

Kim, J, Yu, H, Lee, S, Paek, YJ. Awareness, experience and prevalence of heated tobacco product, IQOS, among young Korean adults. *Tob Control*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30158210>

Nyman, AL, Weaver, SR, Popova, L, Pechacek, TF, Huang, J, Ashley, DL, Eriksen, MP. Awareness and use of heated tobacco products among US adults, 2016-2017. *Tob Control*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30158204>

Marynak, KL, Wang, TW, King, BA, Agaku, IT, Reimels, EA, Graffunder, CM. Awareness and Ever Use of "Heat-Not-Burn" Tobacco Products Among U.S. Adults, 2017. *Am J Prev Med*. 2018 Jul 18. pii: S0749-3797(18)31738-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30033025>

News reports:

18C2.2 International trends in use

Anastasopoulou, S. Consumer survey report: health benefits top reason for HnB use in Greece.

Tobacco Intelligence, 2020. August 19, 2020. Retrieved from

https://tobaccointelligence.com/consumer-survey-report-health-benefits-top-reason-for-hnb-use-in-greece/?utm_source=wysija&utm_medium=email&utm_campaign=Bits+and+Bytes+20th+Aug

No authors listed. Heated tobacco product use up among Japan young adults, overall smoking down: gov't survey. *The Mainichi*, 2020. Jan 16, 2020. Retrieved from <https://mainichi.jp/english/articles/20200115/p2a/00m/0na/014000c>

Seok-woo, C, & Ha-yeon, L. One out of nine Koreans smoke e-cigarettes *Pulse News*, 2018. Dec 21, 2018. Available from: <https://pulsenews.co.kr/view.php?year=2018&no=796184>