

Tobacco in Australia

Facts & Issues

Relevant news and research

18C.3 Health risks of heated tobacco products

Last updated April 2021

Research:

Chavarrio Canas, JE, Monge-Palacios, M, Grajales-Gonzalez, E, & Sarathy, SM. (2021). Early Chemistry of Nicotine Degradation in Heat-Not-Burn Smoking Devices and Conventional Cigarettes: Implications for Users and Second- and Third-Hand Smokers. *Journal of Physical Chemistry. A*, 125(15), 3177-3188. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33834773>

Loffredo, L, Carnevale, R, Battaglia, S, Marti, R, Pizzolo, S, Bartimoccia, S et al (2021). Impact of chronic use of heat-not-burn cigarettes on oxidative stress, endothelial dysfunction and platelet activation: the SUR-VAPES Chronic Study. *Thorax*, thoraxjnl-2020-215900. Retrieved from <http://dx.doi.org/10.1136/thoraxjnl-2020-215900>

Wang, H, Chen, H, Huang, L, Li, X, Wang, L, Li, S et al (2021). In vitro toxicological evaluation of a tobacco heating product THP COO and 3R4F research reference cigarette on human lung cancer cells. *Toxicology in Vitro*, 74, 105173. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33848590>

Imura, Y, & Tabuchi, T. (2021). Exposure to Secondhand Heated-Tobacco-Product Aerosol May Cause Similar Incidence of Asthma Attack and Chest Pain to Secondhand Cigarette Exposure: The JASTIS 2019 Study. *Int J Environ Res Public Health*, 18(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33670318>

Polosa, R, Morjaria, JB, Prosperini, U, Busa, B, Pennisi, A, Gussoni, G et al (2021). Health outcomes in COPD smokers using heated tobacco products: a 3-year follow-up. *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33754228>

tobaccoinaustralia.org.au

Yoshioka, T, & Tabuchi, T. (2021). Combustible cigarettes, heated tobacco products, combined product use, and periodontal disease: A cross-sectional JASTIS study. *PLoS One*, 16(3), e0248989. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33784312>

Ioakeimidis, N, Emmanouil, E, Terentes-Printzios, D, Dima, I, Aznaouridis, K, Tousoulis, D, & Vlachopoulos, C. (2020). Acute effect of heat-not-burn versus standard cigarette smoking on arterial stiffness and wave reflections in young smokers. *Eur J Prev Cardiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33611437>

Wang, Y, Ryu, R, Seo, JM, & Lee, JJ. (2021). Effects of conventional and heated tobacco product smoking on discoloration of artificial denture teeth. *J Prosthet Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33608106>

Akiyama, Y, & Sherwood, N. (2021). Systematic review of biomarker findings from clinical studies of electronic cigarettes and heated tobacco products. *Toxicol Rep*, 8, 282-294. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33552927>

Pouly, S, Ng, WT, Benzimra, M, Soulan, A, Blanc, N, Zanetti, F et al (2021). Effect of Switching to the Tobacco Heating System Versus Continued Cigarette Smoking on Chronic Generalized Periodontitis Treatment Outcome: Protocol for a Randomized Controlled Multicenter Study. *JMIR Res Protoc*, 10(1), e15350. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33459599>

Sakaguchi, C, Nagata, Y, Kikuchi, A, Takeshige, Y, & Minami, N. (2021). Differences in Levels of Biomarkers of Potential Harm among Users of a Heat-not-burn Tobacco Product, Cigarette Smokers, and Never-Smokers in Japan: A Post-Marketing Observational Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33502518>

Yumoto, T, Hamaguchi, H, Mae, S, & Nakao, A. (2020). Potentially fatal ingestion of heat-not-burn cigarettes successfully treated by gastric lavage. *J Am Coll Emerg Physicians Open*, 1(6), 1709-1711. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33392579>

Bhat, TA, Kalathil, SG, Leigh, N, Muthumalage, T, Rahman, I, Goniewicz, ML, & Thanavala, YM. (2020). Acute effects of heated tobacco product (IQOS) aerosol-inhalation on lung tissue damage and inflammatory changes in the lungs. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33346355>

Hattori, N, Nakagawa, T, Yoneda, M, Nakagawa, K, Hayashida, H & Ito, T. (2020). Cigarette smoke, but not novel tobacco vapor products, causes epigenetic disruption and cell apoptosis. *Biochem Biophys Rep*, 24, 100865. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33294641>

Takanami, Y, Kitamura, N, & Ito, S. (2020). LC/MS analysis of three-dimensional model cells exposed to cigarette smoke or aerosol from a novel tobacco vapor product. *J Toxicol Sci*, 45(12), 769-782. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33268677>

Hirano, T, Shobayashi, T, Takei, T, & Wakao, F. (2020). Exposure Assessment of Environmental Tobacco Aerosol from Heated Tobacco Products: Nicotine and PM Exposures under Two Limited Conditions. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33217889>

Hirano, T, & Takeji, T. (2020). Estimating the Carcinogenic Potency of Second-Hand Smoke and Aerosol from Cigarettes and Heated Tobacco Products. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33182793>

Hirn, C, Kanemaru, Y, Stedeford, T, Paschke, T, & Baskerville-Abraham, I. (2020). Comparative and cumulative quantitative risk assessments on a novel heated tobacco product versus the 3R4F reference cigarette. *Toxicol Rep*, 7, 1502-1513. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33209587>

Ito, Y, Oshinden, K, Kutsuzawa, N, Kohno, C, Isaki, S, Yokoyama, K et al (2020). Heat-Not-Burn cigarette induces oxidative stress response in primary rat alveolar epithelial cells. *PLoS One*, 15(11), e0242789. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33237957>

Tran, CT, Bosilkovska, M, de La Bourdonnaye, G, Blanc, N, & Haziza, C. (2020). Reduced levels of biomarkers of exposure in smokers switching to the Carbon-Heated Tobacco Product 1.0: a controlled, randomized, open-label 5-day exposure trial. *Sci Rep*, 10(1), 19227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33154508>

van der Plas, A, Pouly, S, Blanc, N, Haziza, C, de La Bourdonnaye, G, Titz, B et al (2020). Impact of switching to a heat-not-burn tobacco product on CYP1A2 activity. *Toxicol Rep*, 7, 1480-1486. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33204648>

Yoshida, S, Ichinose, T, & Shibamoto, T. (2020). Effects of Fetal Exposure to Heat-Not-Burn Tobacco on Testicular Function in Male Offspring. *Biol Pharm Bull*, 43(11), 1687-1692. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33132313>

Fried, ND, & Gardner, JD. (2020). Heat-Not-Burn Tobacco Products: An Emerging Threat to Cardiovascular Health. *Am J Physiol Heart Circ Physiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33006919>

Scharf, P, da Rocha, GHO, Sandri, S, Heluany, CS, Pedreira Filho, WR. & Farsky, SHP. (2020). Immunotoxic mechanisms of cigarette smoke and heat-not-burn tobacco vapor on Jurkat T cell functions. *Environ Pollut*, 268(Pt B), 115863. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33126161>

Aspera-Werz, RH, Ehnert, S, Muller, M, Zhu, S, Chen, T, Weng, W et al. (2020). Assessment of tobacco heating system 2.4 on osteogenic differentiation of mesenchymal stem cells and primary human osteoblasts compared to conventional cigarettes. *World J Stem Cells*, 12(8), 841-856. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32952862>

Thorne, D, Whitwell, J, Clements, J, Walker, P, Breheny, D, & Gaca, M. (2020). The genotoxicological assessment of a tobacco heating product relative to cigarette smoke using the in vitro micronucleus assay. *Toxicol Rep*, 7, 1010-1019. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32874925>

Franzen, KF, Belkin, S, Goldmann, T, Reppel, M, Watz, H, Mortensen, K, & Droemann, D. (2020). The impact of heated tobacco products on arterial stiffness. *Vasc Med*, 1358863X20943292. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32721197>

Sakao, S. (2020). Acute Eosinophilic Pneumonia and Heated Tobacco Products. *Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32713923>

Tajiri, T, Wada, C, Ohkubo, H, Takeda, N, Fukumitsu, K, Fukuda, S et al (2020). Acute Eosinophilic Pneumonia Induced by Switching from Conventional Cigarette Smoking to Heated Tobacco Product Smoking. *Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32713912>

Haiduc, A, Zanetti, F, Zhao, X, Schlage, WK, Scherer, M, Pluym, N et al (2020). Analysis of chemical deposits on tooth enamel exposed to total particulate matter from cigarette smoke and tobacco heating system 2.2 aerosol by novel GC-MS deconvolution procedures. *J Chromatogr B Analyt Technol Biomed Life Sci*, 1152, 122228. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32585495>

Pataka, A, Kotoulas, S, Chatzopoulos, E, Grigoriou, I, Sapalidis, K, Kosmidis, C et al (2020). Acute Effects of a Heat-Not-Burn Tobacco Product on Pulmonary Function. *Medicina (Kaunas)*, 56(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32545573>

Wang, L, Liu, X, Chen, L, Liu, D, Yu, T, Bai, R et al (2020). Harmful chemicals of heat not burn product and its induced oxidative stress of macrophages at air-liquid interface: Comparison with ultra-light cigarette. *Toxicol Lett*, 331, 200-207. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32569802>

Basaran, R, Guven, NM, & Eke, BC. (2019). An Overview of iQOS((R)) as a New Heat-Not-Burn Tobacco Product and Its Potential Effects on Human Health and the Environment. *Turk J Pharm Sci*, 16(3), 371-374. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32454738>

Ilies, BD, Moosakutty, S, Kharbatia, N, & Sarathy, M. (2020). Identification of volatile constituents released from IQOS heat-not-burn tobacco HeatSticks using a direct sampling method. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32457207>

Slob, W, Soeteman-Hernandez, LG, Bil, W, Staal, YCM, Stephens, WE, & Talhout, R. (2020). A Method for Comparing the Impact on Carcinogenicity of Tobacco Products: A Case Study on Heated Tobacco Versus Cigarettes. *Risk Anal*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32356921>

Ioakeimidis, N, Emmanouil, E, Terentes-Printzios, D, Dima, I, Aznaouridis, K, Tousoulis, D, & Vlachopoulos, C. (2020). Acute effect of heat-not-burn versus standard cigarette smoking on arterial stiffness and wave reflections in young smokers. *Eur J Prev Cardiol*, 2047487320918365. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32340460>

Walczak, J, Malinska, D, Drabik, K, Michalska, B, Prill, M, Johne, S et al (2020). Mitochondrial Network and Biogenesis in Response to Short and Long-Term Exposure of Human BEAS-2B Cells to Aerosol Extracts from the Tobacco Heating System 2.2. *Cell Physiol Biochem*, 54(2), 230-251. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32153152>

Bentley, MC, Almstetter, M, Arndt, D, Knorr, A, Martin, E, Pospisil, P, & Maeder, S. (2020). Comprehensive chemical characterization of the aerosol generated by a heated tobacco product by untargeted screening. *Analytical and Bioanalytical Chemistry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32072212>

Koutela, N, Fernandez, E, Saru, ML, & Psillakis, E. (2020). A comprehensive study on the leaching of metals from heated tobacco sticks and cigarettes in water and natural waters. *Sci Total Environ*, 714, 136700. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32028551>

Lee, A, Lee, SY, & Lee, KS. (2019). The Use of Heated Tobacco Products is Associated with Asthma, Allergic Rhinitis, and Atopic Dermatitis in Korean Adolescents. *Sci Rep*, 9(1), 17699. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31776400>

Drovandi, A, Salem, S, Barker, D, Booth, D, & Kairuz, T. (2019). Human Biomarker Exposure from Cigarettes versus Novel Heat-Not-Burn Devices: A Systematic Review and Meta-Analysis. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31641752>

Mallock, N, Pieper, E, Hutzler, C, Henkler-Stephani, F, & Luch, A. (2019). Heated Tobacco Products: A Review of Current Knowledge and Initial Assessments. *Front Public Health*, 7, 287. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31649912>

Davis, B, To, V, & Talbot, P. (2019). Comparison of cytotoxicity of IQOS aerosols to smoke from marlboro Red and 3R4F reference cigarettes. *Toxicol In Vitro*, 104652. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31526836>

Kopa, PN, & Pawliczak, R. (2019). IQOS - a heat-not-burn (HnB) tobacco product - chemical composition and possible impact on oxidative stress and inflammatory response. A systematic review. *Toxicol Mech Methods*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31532297>

Ludicke, F, Ansari, SM, Lama, N, Blanc, N, Bosilkovska, M, Donelli, A et al. (2019). Effects of Switching to a Heat-Not-Burn Tobacco Product on Biologically-Relevant Biomarkers to assess a Candidate Modified Risk Tobacco Product: A Randomized Trial. *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31270101>

Savareear, B, Escobar-Arnanz, J, Brokl, M, Saxton, M J, Wright, C, Liu, C, & Focant, JF. (2019). Non-targeted analysis of the particulate phase of heated tobacco product aerosol and cigarette mainstream tobacco smoke by thermal desorption comprehensive two-dimensional gas chromatography with dual flame ionisation and mass spectrometric detection. *J Chromatogr A*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31266643>

Cancelada, L, Sleiman, M, Tang, X, Russell, ML, Montesinos, VN, Litter, MI et al. (2019). Heated Tobacco Products: Volatile Emissions and Their Predicted Impact on Indoor Air Quality. *Environ Sci Technol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31150216>

Haziza, C, de La Bourdonnaye, G, Donelli, A, Skiada, D, Poux, V, Weitkunat, R et al (2019). Favorable Changes in Biomarkers of Potential Harm to Reduce the Adverse Health Effects of Smoking in Smokers Switching to the Menthol Tobacco Heating System 2.2 for Three Months (Part 2). *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31125079>

Newland, N, Lowe, FJ, Camacho, OM, McEwan, M, Gale, N, Ebajemito, J et al (2019). Evaluating the effects of switching from cigarette smoking to using a heated tobacco product on health effect indicators in healthy subjects: study protocol for a randomized controlled trial. *Intern Emerg Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31049783>

Sponsiello-Wang, Z, Langer, P, Prieto, L, Dobrynina, M, Skiada, D, Camille, N et al. (2019). Household Surveys in the General Population and Web-Based Surveys in IQOS Users Registered at the Philip Morris International IQOS User Database: Protocols on the Use of Tobacco- and Nicotine-Containing

Products in Germany, Italy, and the United Kingdom (Greater London), 2018-2020. *JMIR Res Protoc*, 8(5), e12061. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31094340>

Boue, S, Schlage, WK, Page, D, Hoeng, J, & Peitsch, MC. (2019). Toxicological assessment of Tobacco Heating System 2.2: Findings from an independent peer review. *Regul Toxicol Pharmacol*, 104, 115-127. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30878573>

Haziza, C, de La Bourdonnaye, G, Donelli, A, Poux, V, Skiada, D, Weitkunat, R et al. Reduction In Exposure To Selected Harmful And Potentially Harmful Constituents Approaching Those Observed Upon Smoking Abstinence In Smokers Switching To The Menthol Tobacco Heating System 2.2 For Three Months (Part 1). *Nicotine Tob Res*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30722062>

Hoeng, J, Maeder, S, Vanscheeuwijck, P, & Peitsch, MC. Assessing the lung cancer risk reduction potential of candidate modified risk tobacco products. *Intern Emerg Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30767158>

Jeong, WT, Cho, HK, Lee, HR, Song, KH, & Lim, HB. Comparison of the content of tobacco alkaloids and tobacco-specific nitrosamines in 'heat-not-burn' tobacco products before and after aerosol generation. *Inhal Toxicol*, 2019. 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30741569>

Meisutovic-Akhtarjeva, M, Prasauskas, T, Ciuzas, D, Krugly, E, Keraityte, K, Martuzevicius, D, & Kauneliene, V. Impacts of exhaled aerosol from the usage of the tobacco heating system to indoor air quality: A chamber study. *Chemosphere*, 2019. 223, 474-482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30784754>

Sohal, SS, Eapen, MS, Naidu, VGM, & Sharma, P. IQOS exposure impairs human airway cell homeostasis: direct comparison with traditional cigarette and e-cigarette. *ERJ Open Res*, 2019. 5(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30775377>

Talih, S, Salman, R, El-Hage, R, Karam, E, Karaoghlanian, N, El-Hellani, A et al. Characteristics and toxicant emissions of JUUL electronic cigarettes. *Tob Control*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745326>

Schober, W, Fembacher, L, Frenzen, A, & Fromme, H. Passive exposure to pollutants from conventional cigarettes and new electronic smoking devices (IQOS, e-cigarette) in passenger cars. *Int J Hyg Environ Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30685192>

van der Toorn, M, Sewer, A, Marescotti, D, Johne, S, Baumer, K, Bornand, D et al. Corrigendum to "The biological effects of long-term exposure of human bronchial epithelial cells to total particulate matter from a candidate modified-risk tobacco product" published in *Toxicology in Vitro*, Volume 50, August 2018, Pages 95-108. *Toxicol In Vitro*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30686568>

Aokage, T, Tsukahara, K, Fukuda, Y, Tokioka, F, Taniguchi, A, Naito, H, & Nakao, A. Heat-not-burn cigarettes induce fulminant acute eosinophilic pneumonia requiring extracorporeal membrane oxygenation. *Respir Med Case Rep*, 2019;26, 87-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30560050>

Zanetti, F, Zhao, X, Pan, J, Peitsch, MC, Hoeng, J, & Ren, Y. Effects of cigarette smoke and tobacco heating aerosol on color stability of dental enamel, dentin, and composite resin restorations. *Quintessence Int*, 2018; 2-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30564805>

Choukrallah, MA, Sierro, N, Martin, F, Baumer, K, Thomas, J, Ouadi, S et al. Tobacco Heating System 2.2 has a limited impact on DNA methylation of candidate enhancers in mouse lung compared with cigarette smoke. *Food Chem Toxicol*, 123, 501-510. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30414959>

Salman, R, Talih, S, El-Hage, R, Haddad, C, Karaoghlanian, N, El-Hellani, A et al. Free-Base and Total Nicotine, Reactive Oxygen Species, and Carbonyl Emissions From IQOS, a Heated Tobacco Product. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30476301>

Savareear, B, Escobar-Arnanz, J, Brokl, M, Saxton, MJ, Wright, C, Liu, C, & Focant, JF. Comprehensive comparative compositional study of the vapour phase of cigarette mainstream tobacco smoke and tobacco heating product aerosol. *J Chromatogr A*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30455053>

Sharman, A, Zhussupov, B., Sharman, D, Kim, I, & Yerenchina, E. Lung Function in Users of a Smoke-Free Electronic Device With HeatSticks (iQOS) Versus Smokers of Conventional Cigarettes: Protocol for a Longitudinal Cohort Observational Study. *JMIR Res Protoc*, 2018. 7(11), e10006. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30401669>

Elias, J, Dutra, LM, St Helen, G, & Ling, PM. Revolution or redux? Assessing IQOS through a precursor product. *Tob Control*, 2018. 27(Suppl 1), s102-s110. Available from: https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/Suppl_1/s102.full.pdf

Stepanov, I, & Woodward, A. Heated tobacco products: things we do and do not know. *Tob Control*, 2018. 27(Suppl 1), s7-s8. Available from: https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/Suppl_1/s7.full.pdf

Caponnetto, P, Maglia, M, Prosperini, G, Busa, B, & Polosa, R. Carbon monoxide levels after inhalation from new generation heated tobacco products. *Respir Res*, 2018. 19(1), 164. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30170593>

Gasparyan, H, Mariner, D, Wright, C, Nicol, J, Murphy, J, Liu, C, & Proctor, C. Accurate measurement of main aerosol constituents from heated tobacco products (HTPs): Implications for a fundamentally different aerosol. *Regul Toxicol Pharmacol*, 2018. 99, 131-141. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30244041>

Hitosugi, M, Tojo, M, Kane, M, Shiomi, N, Shimizu, T, & Nomiyama, T. Criminal mercury vapor poisoning using heated tobacco product. *Int J Legal Med*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30178086>

Leigh, NJ, Palumbo, MN, Marino, AM, O'Connor, RJ, & Goniewicz, ML. Tobacco-specific nitrosamines (TSNA) in heated tobacco product IQOS. *Tob Control*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30242043>

Leigh, NJ, Tran, PL, O'Connor, RJ, & Goniewicz, ML. Cytotoxic effects of heated tobacco products (HTP) on human bronchial epithelial cells. *Tob Control*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30185530>

Nabavizadeh, P, Liu, J, Havel, CM, Ibrahim, S, Derakhshandeh, R, Jacob Iii, P, & Springer, ML. Vascular endothelial function is impaired by aerosol from a single IQOS HeatStick to the same extent as by cigarette smoke. *Tob Control*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30206183>

Simonavicius, E, McNeill, A, Shahab, L, & Brose, LS. Heat-not-burn tobacco products: a systematic literature review. *Tob Control*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30181382>

Ansari, SM, Lama, N, Blanc, N, Bosilkovska, M, Donelli, A, Picavet, P, Baker, G, Haziza, C, Ludicke, F. Evaluation of Biological and Functional Changes in Healthy Smokers Switching to the Tobacco Heating System 2.2 Versus Continued Tobacco Smoking: Protocol for a Randomized, Controlled, Multicenter Study. *JMIR Res Protoc*. 2018 Aug 24;7(8):e11294. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30143474>

Chun, L, Moazed, F, Matthay, M, Calfee, C, Gotts, J. Possible hepatotoxicity of IQOS. *Tob Control*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131373>

Glantz, SA. PMI's own in vivo clinical data on biomarkers of potential harm in Americans show that IQOS is not detectably different from conventional cigarettes. *Tob Control*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131374>

Iskandar, AR, Martinez, Y, Martin, F, Schlage, WK, Leroy, P, Sewer, A, Torres, LO, Majeed, S, Merg, C, Trivedi, K, Guedj, E, Frentzel, S, Mathis, C, Ivanov, NV, Peitsch, MC, Hoeng, J. Comparative effects of a candidate modified-risk tobacco product Aerosol and cigarette smoke on human organotypic small airway cultures: a systems toxicology approach. *Toxicol Res (Camb)*. 2017 Sep 28;6(6):930-946. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30090554>

Moazed, F, Chun, L, Matthay, MA, Calfee, CS, Gotts, J. Assessment of industry data on pulmonary and immunosuppressive effects of IQOS. *Tob Control*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30158203>

St Helen, G, Jacob IP, Nardone, N, Benowitz, NL. IQOS: examination of Philip Morris International's claim of reduced exposure. *Tob Control*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30158205>

Poussin, C, Laurent, A, Kondylis, A, Marescotti, D, van der Toorn, M, Guedj, E, Goedertier, D, Acali, S, Pak, C, Dulize, R, Baumer, K, Peric, D, Maluenda, E, Bornand, D, Suarez, IG, Schlage, WK, Ivanov, NV, Peitsch, MC, Hoeng, J. In vitro systems toxicology-based assessment of the potential modified risk tobacco product CHTP 1.2 for vascular inflammation- and cytotoxicity-associated mechanisms promoting adhesion of monocytic cells to human coronary arterial endothelial cells. *Food Chem Toxicol*. 2018 Jul 17;120:390-406. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30026091>

Crooks, I, Neilson, L, Scott, K, Reynolds, L, Oke, T, Forster, M, Meredith, C, McAdam, K, Proctor, C. Evaluation of flavourings potentially used in a heated tobacco product: Chemical analysis, in vitro mutagenicity, genotoxicity, cytotoxicity and in vitro tumour promoting activity. *Food Chem Toxicol*.

2018 Jun 4. pii: S0278-6915(18)30358-2. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29879435>

Farsalinos, KE, Yannovits, N, Sarri, T, Voudris, V, Poulas, K, Leischow, S. Carbonyl emissions from a novel heated tobacco product (IQOS): comparison with an e-cigarette and a tobacco cigarette. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29920842>

Gale, Nathan, McEwan, Mike, Eldridge, Alison C., Fearon, Ian M., Sherwood, Neil, Bowen, Edward, McDermott, Simon, Holmes, Emma, Hedge, Andrew, Hossack, Stuart, Wakenshaw, Louise, Glew, James, Camacho, Oscar M., Errington, Graham, McAughey, John, Murphy, James, Liu, Chuan, Proctor, Christopher J. Changes in Biomarkers of Exposure on Switching From a Conventional Cigarette to Tobacco Heating Products: A Randomized, Controlled Study in Healthy Japanese Subjects. *Nicotine & Tobacco Research*, June 2018. Available from:

<http://dx.doi.org/10.1093/ntr/nty104>

Jaccard, G, Kondylis, A, Gunduz, I, Pijnenburg, J, Belushkin, M. Investigation and comparison of the transfer of TSNA from tobacco to cigarette mainstream smoke and to the aerosol of a heated tobacco product, THS2.2. *Regul Toxicol Pharmacol*. 2018 Jun 19;97:103-109. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29928933>

Uchiyama, S, Noguchi, M, Takagi, N, Hayashida, H, Inaba, Y, Ogura, H, Kunugita, N. Simple Determination of Gaseous and Particulate Compounds Generated from Heated Tobacco Products. *Chem Res Toxicol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29863851>

Kauneliene, V, Meisutovic-Akhtarjeva, M, Martuzevicius, D. A review of the impacts of tobacco heating system on indoor air quality versus conventional pollution sources. *Chemosphere*. 2018 May 8;206:568-578. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29778082>

Mallock, N, Boss, L, Burk, R, Danziger, M, Welsch, T, Hahn, H, Trieu, HL, Hahn, J, Pieper, E, Henkler-Stephani, F, Hutzler, C, Luch, A. Levels of selected analytes in the emissions of "heat not burn" tobacco products that are relevant to assess human health risks. *Arch Toxicol*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29730817>

Pacitto, A, Stabile, L, Scungio, M, Rizza, V, Buonanno, G. Characterization of airborne particles emitted by an electrically heated tobacco smoking system. *Environ Pollut*. 2018 May 7;240:248-254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747109>

Adamson, J, Jaunky, T, Thorne, D, Gaca, MD. Characterisation of the borgwaldt LM4E system for in vitro exposures to undiluted aerosols from next generation tobacco and nicotine products (NGPs). *Food Chem Toxicol*. 2018 Mar;113:337-344. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29421647>

van der Toorn, M, Sewer, A, Marescotti, D, Johne, S, Baumer, K, Bornand, D, Dulize, R, Merg, C, Corciulo, M, Scotti, E, Pak, C, Leroy, P, Guedj, E, Ivanov, N, Martin, F, Peitsch, M, Hoeng, J, Luettich, K. The biological effects of long-term exposure of human bronchial epithelial cells to total particulate matter from a candidate modified-risk tobacco product. *Toxicol In Vitro*. 2018 Mar 7;50:95-108. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29524472>

Zanetti, F, Sewer, A, Scotti, E, Titz, B, Schlage, WK, Leroy, P, Kondylis, A, Vuillaume, G, Iskandar, AR, Guedj, E, Trivedi, K, Schneider, T, Elamin, A, Martin, F, Frentzel, S, Ivanov, NV, Peitsch, MC, Hoeng, J. Assessment of the impact of aerosol from a potential modified risk tobacco product compared with cigarette smoke on human organotypic oral epithelial cultures under different exposure regimens. *Food Chem Toxicol.* 2018 Mar 2;115:148-169. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29505817>

Iskandar, AR, Martin, F, Leroy, P, Schlage, WK, Mathis, C, Titz, B, Kondylis, A, Schneider, T, Vuillaume, G, Sewer, A, Guedj, E, Trivedi, K, Elamin, A, Frentzel, S, Ivanov, NV, Peitsch, MC, Hoeng, J. Comparative biological impacts of an aerosol from carbon-heated tobacco and smoke from cigarettes on human respiratory epithelial cultures: A systems toxicology assessment. *Food Chem Toxicol.* 2018 Mar 1;115:109-126. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29501877>

Beacher, F, Magnani, P, Kallischnigg, G, Zwisele, B, Colman, S, Lüdicke, F, Ramazzotti, A, Weitkunat, R. The Relationship between Intended Use and Perceived Health Risk for a Novel Heat-Not-Burn Tobacco Product. Society for Research on Nicotine & Tobacco (SRNT) Annual Meeting, Feb 2018. Available from: <https://www.pmiscience.com/library/relationship-between-intended-use-and-perceived-health-risk-novel-heat-not-burn-tobacco>

Malinska, D, Szymanski, J, Patalas-Krawczyk, P, Michalska, B, Wojtala, A, Prill, M, Partyka, M, Drabik, K, Walczak, J, Sewer, A, John, S, Luettich, K, Peitsch, MC, Hoeng, J, Duszynski, J, Szczepanowska, J, van der Toorn, M, Wieckowski, MR. Assessment of mitochondrial function following short- and long-term exposure of human bronchial epithelial cells to total particulate matter from a candidate modified-risk tobacco product and reference cigarettes. *Food Chem Toxicol.* 2018 Feb 12. pii: S0278-6915(18)30078-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29448087>

Haswell, LE, Corke, S, Verrastro, I, Baxter, A, Banerjee, A, Adamson, J, Jaunky, T, Proctor, C, Gaca, M, Minet, E. In vitro RNA-seq-based toxicogenomics assessment shows reduced biological effect of tobacco heating products when compared to cigarette smoke. *Sci Rep.* 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29402904>

McNeill, Ann, Brose, Leonie S, Calder, Robert, Bauld, Linda, Robson, Debbie. Evidence review of e-cigarettes and heated tobacco products 2018: A report commissioned by Public Health England. Public Health England, 2018. Available from: <https://www.gov.uk/government/publications/e-cigarettes-and-heated-tobacco-products-evidence-review>

Li, X, Luo, Y, Jiang, X, Zhang, H, Zhu, F, Hu, S, Hou, H, Hu, Q, Pang, Y. Chemical Analysis and Simulated Pyrolysis of Tobacco Heating System 2.2 Compared to Conventional Cigarettes. *Nicotine Tob Res.* 2018 Jan 8. pii: 4793230. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29319815>

Davis, Barbara, Williams, Monique, Talbot, Prue. iQOS: evidence of pyrolysis and release of a toxicant from plastic. *Tobacco Control*, 2018. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/early/2018/02/20/tobaccocontrol-2017-054104.full.pdf>

Tabuchi, T, Gallus, S, Shinozaki, T, Nakaya, T, Kunugita, N, Colwell, B. Heat-not-burn tobacco product use in Japan: its prevalence, predictors and perceived symptoms from exposure to secondhand heat-

not-burn tobacco aerosol. Tob Control, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29248896>

Lempert, Lauren K, Popova, Lucy, Halpern-Felsher, Bonnie , McKelvey, Karma , Kim, Minji , Chaffee, Benjamin , Ling, Pamela, Glantz, S. Because PMI has not demonstrated that IQOS is associated with lower risks, FDA should not permit modified exposure claims, because such claims are likely to be misunderstood as modified risk claims. UCSF Center for Tobacco Control, Research and Education, Dec 2017. Available from:
https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/Modified%20exposure%20claim%20misleading_Dec11-final.pdf

Auer, R, Cornuz, J, Berthet, A. Perplexing Conclusions Concerning Heat-Not-Burn Tobacco Cigarettes-Reply. JAMA Intern Med. 2017 Nov 1;177(11):1699-1700. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29114801>

Maeder, S, Peitsch, MC. Perplexing Conclusions Concerning Heat-Not-Burn Tobacco Cigarettes. JAMA Intern Med. 2017 Nov 1;177(11):1698-1699. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29114792>

Takahashi, Y, Kanemaru, Y, Fukushima, T, Eguchi, K, Yoshida, S, Miller-Holt, J, Jones, I. Chemical analysis and in vitro toxicological evaluation of aerosol from a novel tobacco vapor product: A comparison with cigarette smoke. Regul Toxicol Pharmacol. 2017 Nov 21;92:94-103. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29158044>

Murphy, J, Liu, C, McAdam, K, Gaca, M, Prasad, K, Camacho, O, McAughey, J, Proctor, C. Assessment of tobacco heating product THP1.0. Part 9: The placement of a range of next-generation products on an emissions continuum relative to cigarettes via pre-clinical assessment studies. Regul Toxicol Pharmacol. 2017 Oct 5. pii: S0273-2300(17)30303-3. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29080852>

Eaton, D, Jakaj, B, Forster, M, Nicol, J, Mavropoulou, E, Scott, K, Liu, C, McAdam, K, Murphy, J, Proctor, CJ. Assessment of tobacco heating product THP1.0. Part 2: Product design, operation and thermophysical characterisation. Regul Toxicol Pharmacol. 2017 Sep 28. pii: S0273-2300(17)30281-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29080851>

Forster, M, Fiebelkorn, S, Yurteri, C, Mariner, D, Liu, C, Wright, C, McAdam, K, Murphy, J, Proctor, C. Assessment of novel tobacco heating product THP1.0. Part 3: Comprehensive chemical characterisation of harmful and potentially harmful aerosol emissions. Regul Toxicol Pharmacol. 2017 Oct 13. pii: S0273-2300(17)30308-2. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29080848>

Halpern-Felsher, Bonnie , McKelvey, Karma, Popova, Lucy , Kim, Minji , Chaffee, Benjamin, Vijayaraghavan, Maya, Ling, Pamela, Lempert, Lauren K, Glantz, S. The evidence cited in PMI's MRTP Application indicates that the proposed labeling and warnings for IQOS will mislead consumers, particularly youth, about the product . UCSF Center for Tobacco Control, Research and Education, Dec 2017. Available from:
https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/iQOS%20MRTP%20comment%20Warnings_Dec%208-final.pdf

Auer, R., Concha-Lozano, N., Jacot-Sadowski, I., Cornuz, J. and Berthet, A. Heat-not-burn tobacco cigarettes: Smoke by any other name. *JAMA Internal Medicine*, 2017. Available from: <http://dx.doi.org/10.1001/jamainternmed.2017.1419>

Proctor, C. TEMPORARY REMOVAL: Assessment of tobacco heating product THP1.0. Part 1: Series introduction. *Regul Toxicol Pharmacol*. 2017 Oct 1. pii: S0273-2300(17)30282-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28989081>

Taylor, M, Thorne, D, Carr, T, Breheny, D, Walker, P, Proctor, C, Gaca, M. Assessment of novel tobacco heating product THP1.0. Part 6: A comparative in vitro study using contemporary screening approaches. *Regul Toxicol Pharmacol*. 2017 Sep 4. pii: S0273-2300(17)30266-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29080849>

Caruso, M, Polosa, R. Perplexing Conclusions Concerning Heat-Not-Burn Tobacco Cigarettes. *JAMA Intern Med*. 2017 Nov 1;177(11):1699. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29114793>

Thorne, D, Breheny, D, Proctor, C, Gaca, M. Assessment of novel tobacco heating product THP1.0. Part 7: Comparative in vitro toxicological evaluation. *Regul Toxicol Pharmacol*. 2017 Sep 5. pii: S0273-2300(17)30267-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29080850>

Bekki, K, Inaba, Y, Uchiyama, S, Kunugita, N. Comparison of Chemicals in Mainstream Smoke in Heat-not-burn Tobacco and Combustion Cigarettes. *J UOEH*. 2017;39(3):201-207. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28904270>

Savareear, B, Lizak, R, Brokl, M, Wright, C, Liu, C, Focant, JF. Headspace solid-phase microextraction coupled to comprehensive two-dimensional gas chromatography-time-of-flight mass spectrometry for the analysis of aerosol from tobacco heating product. *J Chromatogr A*. 2017 Oct 20;1520:135-142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28911941>

News reports:

No authors listed. Statement on the toxicological evaluation of novel heat-not-burn tobacco products. *Committee on toxicity, 2019*. May 13, 2019. Available from: https://cot.food.gov.uk/sites/default/files/heat_not_burn_tobacco_statement.pdf

Baker, G, Picavet, P, Smith, M, Vanscheeuwijck, P, & Peitsch, MC. Summary of Evidence on the Absence of Hepatotoxicity of IQOS Response. Philip Morris International Science, Sept 2018. Available from <https://www.pmiscience.com/discover/news/summary-of-evidence-on-the-absence-of-hepatotoxicity-of-iqos-response>

Glantz, Stanton. Two new peer reviewed papers discuss how PMI's own data shows they are as dangerous, maybe worse, than cigarettes. UCSF Center for Tobacco Control Research and Education, 2018. Aug 24, 2018. Available from: <https://tobacco.ucsf.edu/two-new-peer-reviewed-papers-discuss-how-pmis-own-data-shows-they-are-dangerous-maybe-worse-cigarettes>

Glantz, Stanton A. PMI releases new data purporting to show how healthy IQOS is. UCSF Center for Tobacco Control Research and Education, 2018. June 20, 2018. Available from: <https://tobacco.ucsf.edu/pmi-releases-new-data-purporting-show-how-healthy-iqos>

No authors listed. Platform 1's risk-reduction potential presented at GFN 2018. PMI Science, 2018. July 10, 2018. Available from: <https://www.pmiscience.com/discover/news/platform-1-s-risk-reduction-potential-presented-at-gfn-2018>

Chu, Marian. Study finds heat-not-burn cigarettes no less harmful than ordinary cigarettes. Korea Biomedical Review, 2018. June 12, 2018. Available from: <http://www.koreabiomed.com/news/articleView.html?idxno=3451>

Gale, Nathan, McEwan, Mike, Eldridge, Alison C., Fearon, Ian M., Sherwood, Neil, Bowen, Edward, McDermott, Simon, Holmes, Emma, Hedge, Andrew, Hossack, Stuart, Wakenshaw, Louise, Glew, James, Camacho, Oscar M., Errington, Graham, McAughey, John, Murphy, James, Liu, Chuan, Proctor, Christopher J. Changes in Biomarkers of Exposure on Switching From a Conventional Cigarette to Tobacco Heating Products: A Randomized, Controlled Study in Healthy Japanese Subjects. Nicotine & Tobacco Research, June 2018. Available from: <http://dx.doi.org/10.1093/ntr/nty104>

Hey-seon, Lee. Safety of heat-not-burn tobacco still controversial. Korea Biomedical Review, 2018. June 21, 2018. Available from: <http://www.koreabiomed.com/news/articleView.html?idxno=3519>

No authors listed. Korea to unveil e-cigarettes' harmful effects. The Korea Times, 2018. June 6, 2018. Available from: http://www.koreatimes.co.kr/www/nation/2018/05/119_249834.html

No authors listed. Korea to unveil e-cigarettes' harmful effects. The Korea Times, 2018. June 6, 2018. Available from: http://www.koreatimes.co.kr/www/nation/2018/05/119_249834.html

British American Tobacco. Smokers Who Switch to Glo had Significantly Reduced Exposure to Toxicants. Technology Networks, 2018. Feb 28, 2018. Available from: <https://www.technologynetworks.com/tn/news/smokers-who-switch-to-glo-had-significantly-reduced-exposure-to-toxicants-297939>

No authors listed. Smoke-damaged airway tissue restored on switching to glo. EurekAlert!, 2018. Mar 19, 2018. Available from: https://www.eurekalert.org/pub_releases/2018-03/raba-sda031318.php

No authors listed. Clinical study reveals smokers who switch to glo had significantly reduced exposure to toxicants. British American Tobacco, 2018. Mar 5, 2018. Available from: http://bat-science.com/groupms/sites/BAT_9GVJXS.nsf/vwPagesWebLive/DOAW6FS2?opendocument

No authors listed. Tobacco hybrid emits low-toxicant, e-cig-like vapour with enhanced flavour. British American Tobacco, 2018. Mar 5, 2018. Available from: http://www.bat-science.com/groupms/sites/BAT_9GVJXS.nsf/vwPagesWebLive/DOAMULJY

Boseley, Sarah. Smokeless cigarettes not as harmless as claimed, study says. The Guardian 2018. March 15, 2018. Available from: <https://www.theguardian.com/society/2018/mar/13/iqos-smokeless-cigarettes-not-as-harmless-as-claimed-study-says>

No authors listed. 'Bespoke' study designs central to assessment of next-generation products, British American Tobacco scientists tell NAS. British American Tobacco, 2018. Mar 5, 2018. Available from: http://www.bat-science.com/groupms/sites/BAT_9GVJXS.nsf/vwPagesWebLive/DOAK7EFB?opendocument

Tran, C, Felber-Medlin, L, Lama, N, Taranu, B, Pierri, E, Ancerewicz, J, Picavet, P, Baker, G, Haziza, C, Lüdicke, F. A Multi-Center, Multi-Regional, Study on Biological and Functional Changes in Healthy Adult Smokers during One Year of Continuous Smoking Abstinence. Society for Research on Nicotine & Tobacco (SRNT) Annual Meeting, Feb 2018. Available from: <https://www.pmisce.com/library/multi-center-multi-regional-study-biological-and-functional-changes-healthy-adult-smokers>

No authors listed. Tobacco Heating System (IQOS) Briefing Document, January 24-25, 2018 Tobacco Products Scientific Advisory Committee Meeting. Philip Morris Products S.A, Jan 2018. Available from: <https://www.fda.gov/downloads/advisorycommittees/committeesmeetingmaterials/tobaccoproductsscificadvisorycommittee/ucm593108.pdf>

No authors listed. Briefing Document: January 24-25, 2018 Meeting of the Tobacco Products Scientific Advisory Committee (TPSAC), Modified Risk Tobacco Product Applications (MRTPA), MR0000059-MR0000061, Philip Morris Products S.A.. U.S. Food and Drug Administration, Jan 2018. Available from: <https://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/TobaccoProductsScientificAdvisoryCommittee/UCM593109.pdf>

Perrone, Matthew. Heat-Not-Burn Cigarette Alternative Faces US Scrutiny. U.S. News, 2018. Jan 22, 2018. Available from: <https://www.usnews.com/news/business/articles/2018-01-22/heat-not-burn-cigarette-alternative-faces-us-scrutiny>

Boseley, Sarah. 'Heat not burn' cigarettes still harmful to health, say government advisers. The Guardian, 2017. Dec 13, 2017. Available from: <https://www.theguardian.com/society/2017/dec/12/heat-not-burn-cigarettes-still-harmful-to-health-say-government-advisors>

No authors listed. Heat-not-burn cigarettes may still harm the heart, as FDA mulls approval. American Heart Association (AHA), 2017. Dec 7, 2017. Available from: <https://news.heart.org/heat-not-burn-cigarettes-may-still-harm-heart-fda-mulls-approval/>

No authors listed. 'Heat-not-burn' tobacco may be safer but still a risk: UK panel. Reuters, 2017. Dec 13, 2017. Available from: <https://www.reuters.com/article/us-health-tobacco-heatnotburn/heat-not-burn-tobacco-may-be-safer-but-still-a-risk-uk-panel-idUSKBN1E61QV>

No authors listed. Toxicological evaluation of novel heat-not-burn tobacco products –non-technical summary. Committee on Toxicity of Chemicals in Food, Consumer Products and the Environment (COT) (UK), Dec 2017. Available from: https://cot.food.gov.uk/sites/default/files/heat_not_burn_tobacco_summary.pdf

Chun, Lauren F, Moazed, Farzad , Matthay, Michael A, Calfee, Carolyn S and Gotts, Jeffrey E. PMI's MRTP application for IQOS does not adequately evaluate potential for hepatotoxicity risk. University of California San Francisco

UCSF Tobacco Center of Regulatory Science, 2017. Nov 30, 2017. Available from:

https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/FINAL%20MRTP%20Comment%20Hepatotoxicity_Calfee%20Group.pdf

Glantz, S. Philip Morris hides data in plain sight on dangers of new heat-not-burn product. The Conversation, 2017. Nov 20, 2017. Available from: <https://theconversation.com/philip-morris-hides-data-in-plain-sight-on-dangers-of-new-heat-not-burn-product-87636>

St.Helen, Gideon, Jacob, Peyton, Nardone, Natalie and Benowitz, Neal L. Because PMI application did not report the full range of HPHCs in IQOS aerosol, characterize HPHCs in sidestream emissions, include a non-targeted analysis of chemicals in emissions, or conduct clinical studies to describe exposure to toxicants during dual use

with other tobacco products, FDA must deny PMI's application. University of California San Francisco, 2017. Nov 29, 2017. Available from:

https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/Gideon-ClinPharm_Comments%20on%20aerosol%20and%20exposure_IQOS_11292017-FINAL.pdf

Thompson, Dennis. New 'Heat-Not-Burn' Cigarettes Harm Blood Vessels: Study. HealthDay [HealthScout], 2017. Nov 14, 2017. Available from: <https://consumer.healthday.com/cancer-information-5/cigarette-smoking-tobacco-health-news-665/new-heat-not-burn-cigarettes-harm-blood-vessels-study-728445.html>

No authors listed. Smoke-Free Products - The Scientific Update - Issue 03. PMI Science (Philip Morris International), 2017. Nov 2, 2017. Available from: <https://www.pmiscience.com/news/smoke-free-products-scientific-update-issue-03>

No authors listed. Philip Morris International Outlines Its Scientific Assessment Program and Results for Its Electronically Heated Tobacco Product (IQOS) in Latest Scientific Update for Smoke-Free Products. Philip Morris, 2017. Nov 2, 2017. Available from: <https://www.pmi.com/media-center/press-releases/press-release-details/?newsId=2313908>

No authors listed. Vapour from glo™ had little or no biological impact on cells in laboratory tests. British American Tobacco Science.com, 2017. Oct 25, 2017. Available from: http://www.bat-science.com/groupms/sites/BAT_9GVJXS.nsf/vwPagesWebLive/DOASGCUC?opendocument

Wan, William. Big Tobacco's new cigarette is sleek, smokeless — but is it any better for you?

Washington Post, 2017. Aug 11, 2017. Available from:

https://www.washingtonpost.com/national/health-science/big-tobaccos-new-cigarette-is-sleek-smokeless--but-is-it-actually-healthier/2017/08/11/60e9fe5a-763e-11e7-8839-ec48ec4cae25_story.html?tid=a_inl&utm_term=.3d482a95fbb2

Glantz, S. Philip Morris' claims about IQOS safety are attracting scrutiny. UCSF Center for Tobacco Control Research and Education, 2017. Aug 13, 2017. Available from:

<https://tobacco.ucsf.edu/philip-morris%E2%80%99-claims-about-igqs-safety-are-attracting-scrutiny>