

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 18C.4 Potential risks/benefits to public health

*Last updated January 2021*

#### Research:

Craig, LV, Yoshimi, I, Fong, GT, Meng, G, Yan, M, Mochizuki, Y et al (2020). Awareness of Marketing of Heated Tobacco Products and Cigarettes and Support for Tobacco Marketing Restrictions in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33202995>

Kim, M, Watkins, SL Koester, KA, Mock, J, Kim, HC, Olson, S et al (2020). Unboxed: US Young Adult Tobacco Users' Responses to a New Heated Tobacco Product. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33153143>

Kiyohara, K, & Tabuchi, T. (2020). Use of heated tobacco products in smoke-free locations in Japan: the JASTIS 2019 study. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33199542>

Lee, CM, Kim, CY, Lee, K, & Kim, S. (2020). Are Heated Tobacco Product Users Less Likely to Quit than Cigarette Smokers? Findings from THINK (Tobacco and Health IN Korea) Study. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33233606>

Queloz, S, & Etter, JF. (2020). A survey of users of the IQOS tobacco vaporizer: perceived dependence and perceived effects on cigarette withdrawal symptoms. *J Addict Dis*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33336625>

Lee, CM. (2020). The Impact of Heated Tobacco Products on Smoking Cessation, Tobacco Use, and Tobacco Sales in South Korea. *Korean J Fam Med*, 41(5), 273-281. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32961046>

tobaccoinaustralia.org.au

Luk, TT, Weng, X, Wu, YS, Chan, HL, Lau, CY, Kwong, AC et al. (2020). Association of heated tobacco product use with smoking cessation in Chinese cigarette smokers in Hong Kong: a prospective study. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32912861>

Gale, N, McEwan, M, Camacho, OM, Hardie, G, Murphy, J, & Proctor, CJ. (2020). Changes in Biomarkers of Exposure on Switching From a Conventional Cigarette to the glo Tobacco Heating Product: A Randomized, Controlled Ambulatory Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32776101>

Kim, SH, Kang, SY, & Cho, HJ. (2020). Beliefs about the Harmfulness of Heated Tobacco Products Compared with Combustible Cigarettes and Their Effectiveness for Smoking Cessation among Korean Adults. *Int J Environ Res Public Health*, 17(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32756449>

Bosilkovska, M, Tran, CT, de La Bourdonnaye, G, Taranu, B, Benzimra, M, & Haziza, C. (2020). Exposure to harmful and potentially harmful constituents decreased in smokers switching to Carbon-Heated Tobacco Product. *Toxicol Lett*, 330, 30-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32380119>

Gravelly, S, Fong, GT, Sutanto, E, Loewen, R, Ouimet, J, Xu, SS et al (2020). Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. *Int J Environ Res Public Health*, 17(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32244619>

Camacho, OM, Hedge, A, Lowe, F, Newland, N, Gale, N, McEwan, M, & Proctor, C. (2020). Statistical analysis plan for "A randomised, controlled study to evaluate the effects of switching from cigarette smoking to using a tobacco heating product on health effect indicators in healthy subjects". *Contemp Clin Trials Commun*, 17, 100535. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32072070>

Leas, EC, Cohen, JE, & Ayers, JW. (2020). A Philip Morris advertisement for its heated tobacco product IQOS sets a troubling precedent. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32019894>

McKelvey, K, Baiocchi, M, & Halpern-Felsher, B. (2020). PMI's heated tobacco products marketing claims of reduced risk and reduced exposure may entice youth to try and continue using these products. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32029537>

Caponnetto, P, Caruso, M, Maglia, M, Emma, R, Saitta, D, Busa, B et al. (2020). Non-inferiority trial comparing cigarette consumption, adoption rates, acceptability, tolerability, and tobacco harm reduction potential in smokers switching to Heated Tobacco Products or electronic cigarettes: Study protocol for a randomized controlled trial. *Contemp Clin Trials Commun*, 17, 100518. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31956726>

Hwang, JH, Ryu, DH, & Park, SW. (2020). Corrigendum to "Heated tobacco products: Cigarette complements, not substitutes" [Drug and Alcohol Depend. 204 (2019) 107576]. *Drug and Alcohol Dependence*, 208, 107872. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31982638>

Ratajczak, A, Jankowski, P, Strus, P, & Feleszko, W. (2020). Heat Not Burn Tobacco Product-A New Global Trend: Impact of Heat-Not-Burn Tobacco Products on Public Health, a Systematic Review. *International Journal of Environmental Research and Public Health*, 17(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31936252>

Hwang, JH Ryu, DH, & Park, SW. (2019). Heated tobacco products: Cigarette complements, not substitutes. *Drug Alcohol Depend*, 204, 107576. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31586808>

Jankowski, M, Brozek, GM, Lawson, J, Skoczynski, S, Majek, P, & Zejda, JE. (2019). New ideas, old problems? Heated tobacco products - a systematic review. *Int J Occup Med Environ Health*, 32(5), 595-634. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31584041>

Formoso, G, Celani, MG, Minozzi, S, Cinquini, M, Mosconi, P, Pistotti, V et al (2019). Heated tobacco and politics in Italy. *BMJ*, 365, l4189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31208961>

Stoklosa, M, Cahn, Z, Liber, A, Nargis, N, & Drope, J. (2019). Effect of IQOS introduction on cigarette sales: evidence of decline and replacement. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31209129>

Paumgarten, FJR. (2018). A critical appraisal of the harm reduction argument for heat-not-burn tobacco products. *Rev Panam Salud Publica*, 42, e161. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31093189>

Chrea, C, Acquadro, C, Afolalu, EF, Spies, E, Salzberger, T, Abetz-Webb, L et al (2018). Developing fit-for-purpose self-report instruments for assessing consumer responses to tobacco and nicotine products: the ABOUT Toolbox initiative. *F1000Res*, 7, 1878. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30906527>

Lee, A, Lee, KS, & Park, H. (2019). Association of the Use of a Heated Tobacco Product with Perceived Stress, Physical Activity, and Internet Use in Korean Adolescents: A 2018 National Survey. *Int J Environ Res Public Health*, 16(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30889838>

Mohanty, D, & Lippmann, S. We must counsel against heat-not-burn cigarettes. *J Fam Pract*, 2019. 68(1), E2-E3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30724908>

Adriaens, K, Gucht, DV, & Baeyens, F. IQOS(TM) vs. e-Cigarette vs. Tobacco Cigarette: A Direct Comparison of Short-Term Effects after Overnight-Abstinence. *Int J Environ Res Public Health*, 2018; 15(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30567400>

Dautzenberg, B, & Dautzenberg, MD. [Systematic analysis of the scientific literature on heated tobacco]. *Rev Mal Respir*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30429092>

Lee, PN, Djurdjevic, S, Weitkunat, R, & Baker, G. Estimating the population health impact of introducing a reduced-risk tobacco product into Japan. The effect of differing assumptions, and some comparisons with the U.S. *Regul Toxicol Pharmacol*, 2018. 100, 92-104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30367904>

Max, WB, Sung, HY, Lightwood, J, Wang, Y, & Yao, T. Modelling the impact of a new tobacco product: review of Philip Morris International's Population Health Impact Model as applied to the IQOS heated tobacco product. *Tob Control*, 2018. 27(Suppl 1), s82-s86. Available from: [https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/Suppl\\_1/s82.full.pdf](https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/Suppl_1/s82.full.pdf)

McKelvey, K, Popova, L, Kim, M, Chaffee, BW, Vijayaraghavan, M, Ling, P, & Halpern-Felsher, B. Heated tobacco products likely appeal to adolescents and young adults. *Tob Control*, 2018. 27(Suppl 1), s41-s47. Available from: [https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/Suppl\\_1/s41.full.pdf](https://tobaccocontrol.bmj.com/content/tobaccocontrol/27/Suppl_1/s41.full.pdf)

Bialous, SA, & Glantz, SA. Heated tobacco products: another tobacco industry global strategy to slow progress in tobacco control. *Tob Control*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30209207>

Cho, YJ, & Thrasher, JF. Flavour capsule heat-sticks for heated tobacco products. *Tob Control*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30217960>

Kim, TI. Heat-not-burn cigarettes heat up controversy. *J Periodontal Implant Sci*, 2018. 48(4), 201. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30202603>

Popova, L, Lempert, LK, & Glantz, SA. Light and mild redux: heated tobacco products' reduced exposure claims are likely to be misunderstood as reduced risk claims. *Tob Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30209208>

Collishaw, N. This should change everything: using the toxic profile of heat-not-burn products as a performance standard to phase out combustible cigarettes. *Tob Control*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30032098>

Hair, EC, Bennett, M, Sheen, E, Cantrell, J, Briggs, J, Fenn, Z, Willett, JG, Vallone, D. Examining perceptions about IQOS heated tobacco product: consumer studies in Japan and Switzerland. *Tob Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29764957>

Smith, Richard. Richard Smith: A public health witch hunt—bad for everybody. *The BMJ Opinion*, 2017. Dec 31, 2017. Available from: <http://blogs.bmj.com/bmj/2017/12/19/richard-smith-a-public-health-witch-hunt-bad-for-everybody/>

Glantz, S. PMI's MRTP Application for IQOS Does Not Consider IQOS's Appeal to Youth or Adolescents. UCSF Center for Tobacco Control, Research and Education, 2017. Dec 8, 2017. Available from: <https://tobacco.ucsf.edu/pmi%E2%80%99s-mrtp-application-iqos-does-not-consider-iqos%E2%80%99s-appeal-youth-or-adolescents>

Glantz, S. PM's Population Health Impact Model for IQOS underestimates the impact of IQOS and does not show population benefit. UCSF Center for Tobacco Control, Research and Education, 2017. Nov 22, 2017. Available from: <https://tobacco.ucsf.edu/pm%E2%80%99s-population-health-impact-model-iqos-underestimates-impact-iqos-and-does-not-show-population-benefit>

Lempert, Lauren K, Glantz, S. Detailed analysis of the Executive Summary (Section 2.7) submitted by Philip Morris International in support of its MRTP application for IQOS. UCSF Center for Tobacco Control, Research and Education, 2017. Dec 9, 2017. Available from:

<https://tobacco.ucsf.edu/sites/tobacco.ucsf.edu/files/u9/Comments%20on%20Exec%20Summary%20-%20final.pdf>

Hye-seon, Lee. Will new research calm controversies over heat-not-burn cigarettes? Korea Biomedical Review, 2017. Nov 15, 2017. Available from:  
<http://www.koreabiomed.com/news/articleView.html?idxno=1895>

## News reports:

Associated Press. Expert cites benefits of heat-not-burn items. *The Manila Times*, 2020. August 19, 2020. Retrieved from <https://www.manilatimes.net/2020/08/19/news/world/expert-cites-benefits-of-heat-not-burn-items/757459/>

Evans-Reeves, K. (2020). *Addiction at any cost* Retrieved from <https://exposetobacco.org/pmi-uncovered/>

Glantz, S. FDA sets exceptionally low bar when authorizing IQOS, a new tobacco products Center for Tobacco Control Research and Education, 2019. June 17, 2019. Available from:  
<https://tobacco.ucsf.edu/fda-sets-exceptionally-low-bar-when-authorizing-iqos-new-tobacco-products>

Glantz, S. PMI's December 22, 2017 amendment to its IQOS MRTP application failed to address concerns about dual use, flavors, risk perceptions, and its Population Health Impact Model *Center for Tobacco Control Research and Education*, 2018. Nov 22, 2018. Available from:  
<https://tobacco.ucsf.edu/pmi%E2%80%99s-december-22-2017-amendment-its-iqos-mrtp-application-failed-address-concerns-about-dual-use-flavors-risk-perceptions-and-its-population-health-impact-model>

ENSP. ENSP FACT SHEET ON HEATED TOBACCO PRODUCTS. ENSP Fact Sheet Series #2/2018, Oct 3, 2018. Available from: <https://drive.google.com/file/d/1rtFLCnBUNKpkG0-1Tp618JF5v7S6oXd9/view>

Public Health England. Evidence review of e-cigarettes and heated tobacco products 2018: executive summary. UK Government, Mar 2018. Available from:  
<https://www.gov.uk/government/publications/e-cigarettes-and-heated-tobacco-products-evidence-review/evidence-review-of-e-cigarettes-and-heated-tobacco-products-2018-executive-summary>

No authors listed. 4 big concerns about selling IQOS heat-not-burn cigarettes in the US. Truth Initiative, 2018. Mar 9, 2018. Available from: <https://truthinitiative.org/news/4-big-concerns-about-selling-iqos-heat-not-burn-cigarettes-us>

Di, Lolita. Harm reduction for smokers : the case for 'Heat-not-burn' products. *The Global Dispatch*, 2018. Feb 5, 2018. Available from: <https://www.theglobaldispatch.com/harm-reduction-for-smokers-the-case-for-heat-not-burn-products-57345/>

Abutaleb, Yasmeen. Two U.S. lawmakers voice concerns over Philip Morris tobacco trials. *Business Insider UK*, 2018. Feb 1, 2018. Available from: <http://uk.businessinsider.com/r-two-us-lawmakers-voice-concerns-over-philip-morris-tobacco-trials-2018-1/?r=AU&IR=T>

Fojtik, Brian. Vapers Should Embrace Smokeless Tobacco and Heat-Not-Burn. Vaping 360, 2017. Nov 2, 2017. Available from: <http://vaping360.com/vapers-tobacco-harm-reduction/>

Van der Plas, A, Prieto, L, Skiada, D, Dobrynina, M, Baker, G, Lüdicke, F. Prevalence and Patterns of Tobacco Use in Japan after the Commercialization of a Heat-Not-Burn Alternative (IQOS) to Cigarettes. PMI Science, Sept 2017. Available from: <https://www.pmiscience.com/library/prevalence-and-patterns-tobacco-use-japan-after-commercialization-heat-not-burn-alternative>

Dubé, Dani-Elle. Heat-not-burn tobacco: The emerging smoking trend that has experts worried. Global News, 2017. Oct 11, 2017. Available from: <https://globalnews.ca/news/3797722/heat-not-burn-tobacco-the-emerging-smoking-trend-that-has-experts-worried/>

No authors listed. Call for Input and Collaboration on Research Priorities. Foundation for a Smoke-free World, 2017. Dec 31, 2017. Available from: [https://www.smokefreeworld.org/sites/default/files/uploads/fsfw\\_research\\_input\\_submissions\\_12.12.17.pdf](https://www.smokefreeworld.org/sites/default/files/uploads/fsfw_research_input_submissions_12.12.17.pdf)

No authors listed. Philip Morris International Releases Latest Scientific Update for Smoke-Free Products on Clinical Program. Phillip Morris International, 2017. Dec 12, 2017. Available from: <https://www.pmi.com/media-center/press-releases/press-release-details/?newsId=2322342>

Picavet, Patrick. PMI's APPLICATION OF BEST PRACTICES TO OUR CLINICAL PROGRAM. PMI Science (Philip Morris International), 2017. Dec 11, 2017. Available from: <https://www.pmiscience.com/news/pmi%E2%80%99s-application-best-practices-our-clinical-program>

Lasseter, Tom, Bansal, Paritosh , Wilson, Thomas , Miyazaki, Ami , Wilson, Duff, Kalra, Aditya. USA: Reuters special reports raise questions about the quality of Philip Morris International's research into 'heat not burn' products and their interaction with governments. Reuter, 2017. Dec 10, 2017. Available from: <https://www.reuters.com/investigates/special-report/tobacco-iqos-science/>

No authors listed. Smoke-Free Products - The Scientific Update - Issue 03. PMI Science (Philip Morris International), 2017. Nov 2, 2017. Available from: <https://www.pmiscience.com/news/smoke-free-products-scientific-update-issue-03>

No authors listed. Philip Morris International Outlines Its Scientific Assessment Program and Results for Its Electronically Heated Tobacco Product (IQOS) in Latest Scientific Update for Smoke-Free Products. Philip Morris, 2017. Nov 2, 2017. Available from: <https://www.pmi.com/media-center/press-releases/press-release-details/?newsId=2313908>

Murphy, Marina. Studies support the reduced-risk potential of glo™. EurekAlert, 2017. Oct 24, 2017. Available from: [https://www.eurekalert.org/pub\\_releases/2017-10/raba-sst102317.php](https://www.eurekalert.org/pub_releases/2017-10/raba-sst102317.php)