

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 3.12 Gastro-intestinal diseases

*Last updated April 2021*

Research: .....	1
3.12.1 Peptic ulcer disease .....	4
3.12.2 Inflammatory bowel disease .....	5
3.12.3 Disorders of the liver and gallbladder .....	10
3.12.4 Disorders of the pancreas .....	12
3.12.5 Other gastrointestinal disorders .....	15

#### Research:

Lin, R, Zhang, Y, Chen, L, Qi, Y, He, J, Hu, M et al. (2020). The effects of cigarettes and alcohol on intestinal microbiota in healthy men. *J Microbiol*, 58(11), 926-937.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32997305>

Wijarnpreecha K, Panjawatanan P, Mousa OY, Cheungpasitporn W, Pungpapong S, et al. Association between smoking and risk of primary sclerosing cholangitis: A systematic review and meta-analysis. *United European Gastroenterol J*, 2018; 6(4):500-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29881604>

Savin Z, Kivity S, Yonath H, and Yehuda S. Smoking and the intestinal microbiome. *Arch Microbiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29626219>

tobaccoinaustralia.org.au

Kim NH, Jung YS, Yang HJ, Park SK, Park JH, et al. Association between cotinine-verified smoking status and risk of colorectal neoplasia. *J Clin Gastroenterol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29351157>

Fricker M, Goggins BJ, Mateer S, Jones B, Kim RY, et al. Chronic cigarette smoke exposure induces systemic hypoxia that drives intestinal dysfunction. *JCI Insight*, 2018; 3(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29415878>

Chivese T, Esterhuizen TM, Basson AR, and Watermeyer G. Correction: The influence of second-hand cigarette smoke exposure during childhood and active cigarette smoking on crohn's disease phenotype defined by the montreal classification scheme in a western cape population, south africa. *PLoS ONE*, 2018; 13(1):e0190822. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29293673>

Berkowitz L, Schultz BM, Salazar GA, Pardo-Roa C, Sebastian VP, et al. Impact of cigarette smoking on the gastrointestinal tract inflammation: Opposing effects in crohn's disease and ulcerative colitis. *Front Immunol*, 2018; 9:74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29441064>

Shabanzadeh DM and Novovic S. Alcohol, smoking and benign hepato-biliary disease. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):519-27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195671>

Ohlsson B. The role of smoking and alcohol behaviour in management of functional gastrointestinal disorders. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):545-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195674>

Ness-Jensen E and Lagergren J. Tobacco smoking, alcohol consumption and gastro-oesophageal reflux disease. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):501-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195669>

McMenamin UC, McCain S, and Kunzmann AT. Do smoking and alcohol behaviours influence gi cancer survival? *Best Pract Res Clin Gastroenterol*, 2017; 31(5):569-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195677>

Kuenzig ME, Yim J, Coward S, Eksteen B, Seow CH, et al. The nod2-smoking interaction in crohn's disease is likely specific to the 1007fs mutation and may be explained by age at diagnosis: A meta-analysis and case-only study. *EBioMedicine*, 2017; 21:188-96. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28668336>

Kennedy ND and Winter DC. Impact of alcohol & smoking on the surgical management of gastrointestinal patients. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):589-95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195679>

Heerasing N and Kennedy NA. Interaction between nod2 and smoking in the pathogenesis of crohn's disease. *EBioMedicine*, 2017; 21:49-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28684279>

Capurso G and Lahner E. The interaction between smoking, alcohol and the gut microbiome. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):579-88. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195678>

To N, Gracie DJ, and Ford AC. Systematic review with meta-analysis: The adverse effects of tobacco smoking on the natural history of crohn's disease. *Aliment Pharmacol Ther*, 2016; 43(5):549-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26749371>

To N, Gracie DJ, and Ford AC. Letter: Smoking as a modifiable risk factor for a complicated course in crohn's disease. *Aliment Pharmacol Ther*, 2016; 43(3):440. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26782114>

Strate LL, Singh P, Boylan MR, Piawah S, Cao Y, et al. A prospective study of alcohol consumption and smoking and the risk of major gastrointestinal bleeding in men. *PLoS ONE*, 2016; 11(11):e0165278. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27824864>

Quezada SM, Langenberg P, and Cross RK. Cigarette smoking adversely affects disease activity and disease-specific quality of life in patients with crohn's disease at a tertiary referral center. *Clin Exp Gastroenterol*, 2016; 9:307-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27703391>

Prager M, Buttner J, Grunert P, Ellinghaus D, and Buning C. A promoter variant within the aryl hydrocarbon receptor gene is associated with an epithelial barrier defect in smokers with crohn's disease. *Inflamm Bowel Dis*, 2016; 22(10):2356-68. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27598741>

Mukherjee D, Devi KR, Deka M, Malakar M, Kaur T, et al. Association of toll-like receptor 2 22 and risk for gastric cancer considering main effects and interactions with smoking: A matched case-control study from mizoram, india. *Tumour Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26880585>

Lundstrom O, Manjer J, and Ohlsson B. Smoking is associated with several functional gastrointestinal symptoms. *Scand J Gastroenterol*, 2016; 51(8):914-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27160318>

Li JH, Wu N, Yang HM, Tang HB, Bao DP, et al. Interaction between stat3 gene polymorphisms and smoking on crohn's disease susceptibility: A case-control study in a chinese han population. *Inflamm Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27022745>

Kaplan GG. Editorial: Smoking cessation for crohn's disease: Clearing the haze. *Am J Gastroenterol*, 2016; 111(3):420-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27018116>

Humes DJ, Ludvigsson JF, and Jarvholm B. Smoking and the risk of hospitalization for symptomatic diverticular disease: A population-based cohort study from sweden. *Dis Colon Rectum*, 2016; 59(2):110-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26734968>

P063. Mesalazine and cigarette smoke inhibit neutrophil extracellular trap formation in vitro. *J Crohns Colitis*, 2015; 9 Suppl 1:S108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25717519>

P160. Need for recurrent resection and complex phenotype are associated with a specific antibody signature in crohn's disease patients undergoing resection. Smoking is not associated with prevalent antibodies. Prognostic and mechanistic implications. *J Crohns Colitis*, 2015; 9 Suppl 1:S156. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25717623>

P171. Smoking is associated with watery diarrhea and decreased likelihood to achieve clinical remission in collagenous colitis. *J Crohns Colitis*, 2015; 9 Suppl 1:S162. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25717636>

P409. Smoking is associated with extra-intestinal manifestations in inflammatory bowel disease. *J Crohns Colitis*, 2015; 9 Suppl 1:S284. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25717897>

P640. Smoking is associated with higher healthcare costs in ibd patients, primarily due to more frequent anti-tnfalpa use. *J Crohns Colitis*, 2015; 9 Suppl 1:S401-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25718146>

Yuhara H, Ogawa M, Kawaguchi Y, Igarashi M, and Mine T. Smoking and risk for acute pancreatitis: A systematic review and meta-analysis. *Pancreas*, 2014; 43(8):1201-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25333404>

Tao Z and Hua-Tian G. Does cigarette smoke extract really bring out different effects on dendritic cells from ulcerative colitis and crohn's disease? *Inflamm Bowel Dis*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25230169>

Roberts H, Rai SN, Pan J, Rao JM, Keskey RC, et al. Extraintestinal manifestations of inflammatory bowel disease and the influence of smoking. *Digestion*, 2014; 90(2):122-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25277851>

Ott C, Taksas A, Obermeier F, Schnoy E, and Muller M. Smoking increases the risk of extraintestinal manifestations in crohn's disease. *World J Gastroenterol*, 2014; 20(34):12269-76. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25232261>

Nassaji M, Askari Z, and Ghorbani R. Cigarette smoking and risk of pressure ulcer in adult intensive care unit patients. *Int J Nurs Pract*, 2014; 20(4):418-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25157943>

Hannah J. The noncancer effects of smoking on the gastrointestinal tract. *Gastroenterol Nurs*, 2014; 37(5):366-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25271830>

Esmailzadeh A, Keshteli AH, Tabesh M, Feizi A, and Adibi P. Smoking status and prevalence of upper gastrointestinal disorders. *Digestion*, 2014; 89(4):282-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25034636>

Biedermann L, Zeitz J, Mwinyi J, Sutter-Minder E, Rehman A, et al. Smoking cessation induces profound changes in the composition of the intestinal microbiota in humans. *PLoS ONE*, 2013; 8(3):e59260. Available from: <http://www.plosone.org/article/info:doi/10.1371/journal.pone.0059260>

<http://www.ncbi.nlm.nih.gov/pubmed/23516617>

### *3.12.1 Peptic ulcer disease*

Wu, W, Leja, M, Tsukanov, V, Basharat, Z, Hua, D, & Hong, W. (2020). Sex differences in the relationship among alcohol, smoking, and *Helicobacter pylori* infection in asymptomatic individuals. *J*

*Int Med Res*, 48(5), 300060520926036. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32462953>

Itskoviz D, Boltin D, Leibovitz H, Tsadok Perets T, Comaneshter D, et al. Smoking increases the likelihood of helicobacter pylori treatment failure. *Dig Liver Dis*, 2017; 49(7):764-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28427781>

Nam SY, Kim YW, Park BJ, Ryu KH, Choi IJ, et al. Effect of abdominal visceral fat on the development of new erosive oesophagitis: A prospective cohort study. *Eur J Gastroenterol Hepatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27922485>

Rantanen T, Udd M, Honkanen T, Miettinen P, Karja V, et al. Effect of omeprazole dose, nonsteroidal anti-inflammatory agents, and smoking on repair mechanisms in acute peptic ulcer bleeding. *Dig Dis Sci*, 2014; 59(11):2666-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25138901>

Goodwin R, Keyes K, Stein M, and Talley N. Peptic ulcer and mental disorders among adults in the community: The role of nicotine and alcohol use disorders. *Psychosomatic Medicine*, 2009; 71(4):463–8. Available from: <http://www.psychosomaticmedicine.org/cgi/content/full/71/4/463>

### 3.12.2 Inflammatory bowel disease

**Piovani, D, Pansieri, C, Kotha, SRR, Piazza, AC, Comberg, CL, Peyrin-Biroulet, L et al (2021). Ethnic Differences in the Smoking-Related Risk of Inflammatory Bowel Disease: A Systematic Review and Meta-Analysis. *J Crohns Colitis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33721889>**

Rimsha, C, Samiha, R, Mehrshad, M, Ma'ayan, F, Nazanin, ND, Zemrah, C et al (2020). P016 Smoking Status Increases Likelihood of Advanced Disease Phenotype in Crohn's Disease. *Am J Gastroenterol*, 115(Suppl 1), S4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33566490>

Jones, DP Richardson, TG, Davey Smith, G, Gunnell, D, Munafo, MR, & Wootton, RE. (2020). Exploring the Effects of Cigarette Smoking on Inflammatory Bowel Disease Using Mendelian Randomization. *Crohns Colitis* 360, 2(1), otaa018. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33506196>

van der Sloot, KWJ, Tiems, JL, Visschedijk, MC, Festen, EAM, van Dullemen, HM Weersma, RK et al (2021). Cigarette smoke increases risk for colorectal neoplasia in inflammatory bowel disease. *Clin Gastroenterol Hepatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33453400>

Kang, EA, Chun, Kim, JH, Han, K, Soh, H, Park, S et al. (2020). Periodontitis combined with smoking increases risk of the ulcerative colitis: A national cohort study. *World J Gastroenterol*, 26(37), 5661-5672. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33088159>

Nicolaidis, S, Vasudevan, A, Long, T, & van Langenberg, D. (2020). The impact of tobacco smoking on treatment choice and efficacy in inflammatory bowel disease. *Intest Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33040518>

Kani, HT, Ramai, D, Caniglia, E, Hudesman, D, Axelrad, J, Nicholson, J et al (2020). Systematic review with meta-analysis: a history of smoking is not associated with a higher risk of pouchitis. *Aliment Pharmacol Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32780484>

Le Berre, C, Loy, L, Lonnfors, S, Avedano, L, & Piovani, D. (2020). Patients' perspectives on smoking and inflammatory bowel disease: An online survey in collaboration with European Federation of Crohn's and Ulcerative Colitis Associations. *World J Gastroenterol*, 26(29), 4343-4355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32848338>

Georgiou, AN, Ntritsos, G, Papadimitriou, N, Dimou, N, & Evangelou, E. (2020). Cigarette Smoking, Coffee Consumption, Alcohol Intake, and Risk of Crohn's Disease and Ulcerative Colitis: A Mendelian Randomization Study. *Inflamm Bowel Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32628751>

Lee, S, Kuenzig, ME, Ricciuto, A, Zhang, Z, Shim, HH, Panaccione, R et al (2020). Smoking may reduce the effectiveness of anti-TNF therapies to induce clinical response and remission in Crohn's disease: a systematic review and meta-analysis. *J Crohns Colitis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32621742>

Schnitzler, F, Friedrich, M, Angelberger, M, Diegelmann, J, Stallhofer, J, Wolf, C et al (2020). Development of a uniform, very aggressive disease phenotype in all homozygous carriers of the NOD2 mutation p.Leu1007fsX1008 with Crohn's disease and active smoking status resulting in ileal stenosis requiring surgery. *PLoS One*, 15(7), e0236421. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32716958>

Widbom, L, Schneede, J, Middtun, O, Ueland, PM, Karling, P, & Hultdin, J. (2020). Elevated plasma cotinine is associated with an increased risk of developing IBD, especially among users of combusted tobacco. *PLoS One*, 15(7), e0235536. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32614903>

AlQasrawi, D, Abdelli, LS, & Naser, SA. (2020). Mystery Solved: Why Smoke Extract Worsens Disease in Smokers with Crohn's Disease and Not Ulcerative Colitis? Gut MAP! *Microorganisms*, 8(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32370298>

Papoutsopoulou, S, Satsangi, J, Campbell, BJ, & Probert, CS. (2020). Review article: impact of cigarette smoking on intestinal inflammation-direct and indirect mechanisms. *Aliment Pharmacol Ther*, 51(12), 1268-1285. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32372449>

Dziekiewicz, M, Kowalska-Duplaga, K, Baranowska-Nowak, M, Nescioruk, M, Kuzniarski, S, Banasiuk, M, & Banaszkiwicz, A. (2020). Awareness of smoking in adolescents with inflammatory bowel disease. *Ann Agric Environ Med*, 27(1), 61-65. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32208581>

Vrablicova, Z, Soltys, K, Krajcovicova, A, Stuchlikova, K, Sturdik, I, Koller, T et al. (2019). Impact of smoking cigarette on the mRNA expression of cytokines in mucosa of inflammatory bowel disease. *Physiol Res*, 68(Suppl 2), S183-S192. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31842582>

Thomas, T, Chandan, JS Li, VSW, Lai, CY, Tang, W, Bhala, N et al. (2019). Global smoking trends in inflammatory bowel disease: A systematic review of inception cohorts. *PLoS One*, 14(9), e0221961. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31545811>

Chong, C, Rahman, A, Loonat, K, Sagar, RC, & Selinger, CP. (2019). Current smoking habits in British IBD patients in the age of e-cigarettes. *BMJ Open Gastroenterol*, 6(1), e000309. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31297234>

Kondo, K, Ohfuji, S, Watanabe, K, Yamagami, H, Fukushima, W, Ito, K et al. (2019). The association between environmental factors and the development of Crohn's disease with focusing on passive smoking: A multicenter case-control study in Japan. *PLoS One*, 14(6), e0216429. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31173593>

Bruna-Barranco, I, Lue, A, Gargallo-Puyuelo, CJ, Arroyo, MT, Alfambra, E, Montero, J, & Gomollon, F. (2019). Young age and tobacco use are predictors of lower medication adherence in inflammatory bowel disease. *Eur J Gastroenterol Hepatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31107739>

Allez, M, Auzolle, C, Ngollo, M, Bottois, H, Chardiny, V, Corraliza, AM et al. T cell clonal expansions in ileal Crohn's disease are associated with smoking behaviour and postoperative recurrence. *Gut*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30792246>

Even Dar, R, Mazor, Y, Karban, A, Ish-Shalom, S, & Segal, E. Risk Factors for Low Bone Density in Inflammatory Bowel Disease: Use of Glucocorticoids, Low Body Mass Index, and Smoking. *Dig Dis*, 2019. 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30799399>

Alexakis, C, Saxena, S, Chhaya, V, Cecil, E, Majeed, A, & Pollok, R. Smoking Status at Diagnosis and Subsequent Smoking Cessation: Associations With Corticosteroid Use and Intestinal Resection in Crohn's Disease. *Am J Gastroenterol*, 2018. Available from: <https://www.nature.com/articles/s41395-018-0273-7>

Liu, TC, Kern, JT, VanDussen, KL, Xiong, S, Kaiko, GE, Wilen, CB, Rajala, MW, Caruso, R, Holtzman, MJ, Gao, F, McGovern, DP, Nunez, G, Head, RD, Stappenbeck, TS. Interaction between smoking and ATG16L1T300A triggers Paneth cell defects in Crohn's disease. *J Clin Invest*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137026>

Wang P, Hu J, Ghadermarzi S, Raza A, O'Connell D, et al. Smoking and inflammatory bowel disease: A comparison of china, india, and the USA. *Dig Dis Sci*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29862485>

Lang BM, Beerenwinkel N, and Misselwitz B. Editorial: The influence of genetic factors in mediating the effects of tobacco smoke in ibd-authors' reply. *Aliment Pharmacol Ther*, 2018; 47(2):307-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29265456>

Greenstein RJ and Brown ST. A data-based hypothesis explicating the observations that "smoking is associated with risk for developing inflammatory bowel disease including late onset ulcerative colitis: A prospective study". *Scand J Gastroenterol*, 2018:1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29447017>

Cushing KC, Chiplunker A, Li A, Sung YJ, Geisman T, et al. Smoking interacts with chrna5, a nicotinic acetylcholine receptor subunit gene, to influence the risk of ibd-related surgery. *Inflamm Bowel Dis*, 2018; 24(5):1057-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29688464>

Adams A, Kalla R, and Satsangi J. Editorial: The influence of genetic factors in mediating the effects of tobacco smoke in ibd. *Aliment Pharmacol Ther*, 2018; 47(2):306-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29265462>

Yadav P, Ellinghaus D, Remy G, Freitag-Wolf S, Cesaro A, et al. Genetic factors interact with tobacco smoke to modify risk for inflammatory bowel disease in humans and mice. *Gastroenterology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28506689>

Sirri L, Grandi S, and Tossani E. Smoking in irritable bowel syndrome: A systematic review. *J Dual Diagn*, 2017;1-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28609199>

Malickova K, Francova I, Lukas M, Kolar M, Kralikova E, et al. Fecal zonulin is elevated in crohn's disease and in cigarette smokers. *Pract Lab Med*, 2017; 9:39-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29034305>

Lang BM, Biedermann L, van Haaften WT, de Valliere C, Schuurmans M, et al. Genetic polymorphisms associated with smoking behaviour predict the risk of surgery in patients with crohn's disease. *Aliment Pharmacol Ther*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29052254>

Khasawneh M, Spence AD, Addley J, and Allen PB. The role of smoking and alcohol behaviour in the management of inflammatory bowel disease. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):553-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195675>

Yamamoto T, Shimoyama T, and Kuriyama M. Letter: Deleterious effects of smoking on post-operative crohn's disease. *Aliment Pharmacol Ther*, 2016; 43(11):1247-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27137736>

Walker MM and Harris AK. Pathogenesis of diverticulosis and diverticular disease. *Minerva Gastroenterol Dietol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27973464>

To N, Gracie DJ, and Ford AC. Letter: Biologics are effective in neutralising the detrimental effect of smoking on the natural course of crohn's disease - authors' reply. *Aliment Pharmacol Ther*, 2016; 43(11):1246. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27137735>

To N, Gracie DJ, and Ford AC. Letter: Deleterious effects of smoking on post-operative crohn's disease - authors' reply. *Aliment Pharmacol Ther*, 2016; 43(11):1248. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27137737>

Severs M, Mangen MJ, van der Valk ME, Fidder HH, Dijkstra G, et al. Smoking is associated with higher disease-related costs and lower health-related quality of life in inflammatory bowel disease. *J Crohns Colitis*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27647859>

Savarino E, Bodini G, and Savarino V. Letter: Biologics are effective in neutralising the detrimental effect of smoking on the natural course of crohn's disease. *Aliment Pharmacol Ther*, 2016; 43(11):1245. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27137733>

Opstelten JL, Plassais J, van Mil SW, Achouri E, Pichaud M, et al. Gut microbial diversity is reduced in smokers with crohn's disease. *Inflamm Bowel Dis*, 2016; 22(9):2070-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27542127>

Li G, Ren J, Wang G, Hu Q, Wu Q, et al. Disease-related knowledge and smoking behavior of patients with crohn's disease. *Dig Liver Dis*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27289332>



Leong RW and Alswaifi AO. Smoking cessation improves crohn's disease outcomes regardless of the use of anti-tnf or immunomodulator. *Evid Based Med*, 2016; 21(4):153. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27402871>

Frolkis AD, de Bruyn J, Jette N, Lowerison M, Engbers J, et al. The association of smoking and surgery in inflammatory bowel disease is modified by age at diagnosis. *Clin Transl Gastroenterol*, 2016; 7:e165. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27101004>

Diamant MJ, Schaffer S, Coward S, Kuenzig ME, Hubbard J, et al. Smoking is associated with an increased risk for surgery in diverticulitis: A case control study. *PLoS ONE*, 2016; 11(7):e0153871. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27467077>

De Bie C and Ferrante M. Letter: Smoking as a modifiable risk factor for a complicated course in crohn's disease. Authors' reply. *Aliment Pharmacol Ther*, 2016; 43(3):441. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26782115>

Cosnes J. Smoking and diet: Impact on disease course? *Dig Dis*, 2016; 34(1-2):72-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26981632>

Allais L, De Smet R, Verschuere S, Talavera K, Cuvelier CA, et al. Transient receptor potential channels in intestinal inflammation: What is the impact of cigarette smoking? *Pathobiology*, 2016; 84(1):1-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27388890>

Severs M, van Erp SJ, van der Valk ME, Mangen MJ, Fidder HH, et al. Smoking is associated with extra-intestinal manifestations in inflammatory bowel disease. *J Crohns Colitis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26721937>

Poon SS, Asher R, Jackson R, Kneebone A, Collins P, et al. Body mass index and smoking affect thioguanine nucleotide levels in inflammatory bowel disease. *J Crohns Colitis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25968584>

Munch A, Tysk C, Bohr J, Madisch A, Bonderup OK, et al. Smoking status influences clinical outcome in collagenous colitis. *J Crohns Colitis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26721941>

Ducharme-Benard S, Cote-Daigneault J, Lemoyne M, Orlicka K, Lahaie R, et al. Patients with inflammatory bowel disease are unaware of the impact of smoking on their disease. *J Clin Gastroenterol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26196475>

Dai C, Jiang M, and Sun MJ. The impact of smoking on inflammatory bowel disease. *J Clin Gastroenterol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26501878>

P708. What causes recurrence of crohn's disease after intestinal resection? A prospective evaluation of microbiota, smoking and anti-tnf therapy. Results from the pocer study. *J Crohns Colitis*, 2015; 9 Suppl 1:S436. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25718217>

Parkes GC, Whelan K, and Lindsay JO. Smoking in inflammatory bowel disease: Impact on disease course and insights into the aetiology of its effect. *J Crohns Colitis*, 2014; 8(8):717-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24636140>

Karczewski J, Poniedzialek B, Rzymiski P, Rychlewska-Hanczewska A, Adamski Z, et al. The effect of cigarette smoking on the clinical course of inflammatory bowel disease. *Prz Gastroenterol*, 2014; 9(3):153-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25097712>

Inamdar S, Volfson A, Rosen L, Sunday S, Katz S, et al. Smoking and early infliximab response in crohn's disease: A meta-analysis. *J Crohns Colitis*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25518060>

El-Tawil A. Smoking and inflammatory bowel diseases: What in smoking alters the course? *International Journal of Colorectal Disease*, 2010; 25(6):671–80. Available from: <https://commerce.metapress.com/content/g2604t35xu673395/resource-secured/?target=fulltext.pdf&sid=l2ro41f42zla4cynsxo4sw45&sh=www.springerlink.com>

Reese G, Nanidis T, Borysiewicz C, Yamamoto T, Orchard T, et al. The effect of smoking after surgery for crohn's disease: A meta-analysis of observational studies. *International Journal of Colorectal Disease*, 2008; 23:1213–21. Available from: <https://link.springer.com/article/10.1007/s00384-008-0542-9>

### *3.12.3 Disorders of the liver and gallbladder*

**Bandiera, S, Pulcinelli, RR, Huf, F, Almeida, FB, Halmenschlager, G, Bitencourt, PER et al (2021). Hepatic and renal damage by alcohol and cigarette smoking in rats. *Toxicol Res*, 37(2), 209-219. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33868978>**

Takenaka, H, Fujita, T, Masuda, A, Yano, Y, Watanabe, A, & Kodama, Y. (2020). Non-Alcoholic Fatty Liver Disease Is Strongly Associated with Smoking Status and Is Improved by Smoking Cessation in Japanese Males: A Retrospective Study. *Kobe J Med Sci*, 66(3), E102-E112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33431783>

Lopez-Lazcano, AI, Gual, A, Colmenero, J, Caballeria, E, Lligona, A, Navasa, M et al. (2020). Active Smoking Before Liver Transplantation in Patients with Alcohol Use Disorder: Risk Factors and Outcomes. *J Clin Med*, 9(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32825794>

Ou, H, Fu, Y, Liao, W, Zheng, C, & Wu, X. (2019). Association between Smoking and Liver Fibrosis among Patients with Nonalcoholic Fatty Liver Disease. *Can J Gastroenterol Hepatol*, 2019, 6028952. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31737583>

Chan, KH, Bennett, DA, Kurmi, OP, Yang, L, Chen, Y, Lv, J et al. (2019). Solid fuels for cooking and tobacco use and risk of major chronic liver disease mortality: a prospective cohort study of 0.5 million Chinese adults. *Int J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31650183>

Enc, FY, Ulasoglu, C, Bakir, A, & Yilmaz, Y. (2019). The interaction between current smoking and hemoglobin on the risk of advanced fibrosis in patients with biopsy-proven nonalcoholic fatty liver disease. *Eur J Gastroenterol Hepatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31524771>

Kato, A, Li, Y, Ota, A, Naito, H, Yamada, H, Nihashi, T et al. (2019). Smoking results in accumulation of ectopic fat in the liver. *Diabetes Metab Syndr Obes*, 12, 1075-1080. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31372017>

Wijesuriya, H, Perera, MN, De Silva, G, Vithanage, PR, Dineshkumar, P, Lakmal, S (2019). Two-a-pack cigarette packet in Sri Lanka: an affordability experiment by the tobacco industry? *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31204401>

McGee, EE, Jackson, SS, Petrick, JL, Van Dyke, AL, Adami, HO, Albanes, D. (2019). Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. *J Natl Cancer Inst*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31127946>

Jung, HS, Chang, Y, Kwon, MJ, Sung, E, Yun, KE, Cho, YK et al. Smoking and the Risk of Non-alcoholic Fatty Liver Disease: A Cohort Study. *Am J Gastroenterol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30353055>

Mantaka, A, Koulentaki, M, Samonakis, D, Sifaki-Pistolla, D, Voumvouraki, A, Tzardi, M, Kouroumalis, E. Association of smoking with liver fibrosis and mortality in primary biliary cholangitis. *Eur J Gastroenterol Hepatol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30106760>

Okamoto M, Miyake T, Kitai K, Furukawa S, Yamamoto S, et al. Cigarette smoking is a risk factor for the onset of fatty liver disease in nondrinkers: A longitudinal cohort study. *PLoS ONE*, 2018; 13(4):e0195147. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29664906>

Kim NH, Jung YS, Hong HP, Park JH, Kim HJ, et al. Association between cotinine-verified smoking status and risk of nonalcoholic fatty liver disease. *Liver Int*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29359396>

Akhavan Rezaayat A, Dadgar Moghadam M, Ghasemi Nour M, Shirazinia M, Ghodsi H, et al. Association between smoking and non-alcoholic fatty liver disease: A systematic review and meta-analysis. *SAGE Open Med*, 2018; 6:2050312117745223. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29399359>

Munsterman ID, Smits MM, Andriessen R, van Nieuwkerk CMJ, Bloemena E, et al. Smoking is associated with severity of liver fibrosis but not with histological severity in nonalcoholic fatty liver disease. Results from a cross-sectional study. *Scand J Gastroenterol*, 2017; 52(8):881-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28446050>

Kim JW, Yun H, Choi SJ, Lee SH, Park S, et al. Evaluating the influence of side stream cigarette smoke at an early stage of non-alcoholic steatohepatitis progression in mice. *Toxicol Res*, 2017; 33(1):31-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28133511>

Hagstrom H. Alcohol, smoking and the liver disease patient. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):537-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195673>

Braillon A. What percentage of lean subjects with non-alcoholic fatty liver are smokers? *Am J Gastroenterol*, 2017; 112(3):512. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28270660>

Aune D, Vatten LJ, and Boffetta P. Tobacco smoking and the risk of gallbladder disease. *Eur J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26898907>

John U and Hanke M. Liver cirrhosis mortality, alcohol consumption and tobacco consumption over a 62 year period in a high alcohol consumption country: A trend analysis. *BMC Res Notes*, 2015; 8(1):822. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26708239>

Liang Y, Yang Z, and Zhong R. Smoking, family history and urinary tract infection are associated with primary biliary cirrhosis: A meta-analysis. *Hepatology Research*, 2011; 41(6):572–8. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1872-034X.2011.00806.x/full>

Zein C, Unalp A, Colvin R, Liu Y, and McCullough A. Smoking and severity of hepatic fibrosis in nonalcoholic fatty liver disease. *Journal of Hepatology*, 2010; 54(4):753–9. Available from: <http://www.ncbi.nlm.nih.gov/PubMed/21126792>

Prince M, Ducker S, and James O. Case-control studies of risk factors for primary biliary cirrhosis in two united kingdom populations. *Gut*, 2010; 59(4):508–12. Available from: <http://gut.bmj.com/content/59/4/508.long>

Liu B, Balkwill A, Roddam A, Brown A, and Beral V. Separate and joint effects of alcohol and smoking on the risks of cirrhosis and gallbladder disease in middle-aged women. *American Journal of Epidemiology*, 2008; 169(2):153–60. Available from: <http://aje.oxfordjournals.org/cgi/content/full/kwn280v2>

### 3.12.4 Disorders of the pancreas

**Yuan, S, Giovannucci, EL, & Larsson, SC. (2021). Gallstone disease, diabetes, calcium, triglycerides, smoking and alcohol consumption and pancreatitis risk: Mendelian randomization study. *NPJ Genom Med*, 6(1), 27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33782414>**

Bhatia, R., Thompson, C., Ganguly, K., Singh, S., Batra, S. K., & Kumar, S. (2020). Alcohol and Smoking Mediated Modulations in Adaptive Immunity in Pancreatitis. *Cells*, 9(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32796685>

Stuart, CE, Ko, J, Modesto, AE, Alarcon Ramos, GC, Bharmal, SH, Cho, J et al (2020). Implications of Tobacco Smoking and Alcohol Consumption on Ectopic Fat Deposition in Individuals After Pancreatitis. *Pancreas*, 49(7), 924-934. Retrieved from <https://www.amedeo.com/medicine/pan/pancreas.htm>

Tjora, E, Dimcevski, G, Haas, SL, Erchinger, F, Vujasinovic, M, Lohr, M et al (2020). Patient reported exposure to smoking and alcohol abuse are associated with pain and other complications in patients with chronic pancreatitis. *Pancreatology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32507681>

Sciskalska, M, Oldakowska, M, Marek, G, & Milnerowicz, H. (2020). Increased risk of acute pancreatitis occurrence in smokers with rs5751901 polymorphisms in GGT1 gene. *Int J Med Sci*, 17(2), 242-254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32038108>

Aune, D, Mahamat-Saleh, Y, Norat, T, & Riboli, E. (2019). Tobacco smoking and the risk of pancreatitis: A systematic review and meta-analysis of prospective studies. *Pancreatology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31668562>

Stuart, CEA, Singh, RG, Alarcon Ramos, GC, Priya, S, Ko, J, DeSouza, SV et al. (2019). Relationship of pancreas volume to tobacco smoking and alcohol consumption following pancreatitis. *Pancreatology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31708473>

Luaces-Regueira, M, Castineira-Alvarino, M, Castro-Manzanares, M, Campos-Toimil, M, & Dominguez-Munoz, JE. Pathophysiological Events Associated With Pancreatitis in Response to

Tobacco: An In Vitro Comparative Study With Ethanol in Primary Acinar Cell Culture. *Pancreas*, 2018. 47(10), 1304-1311. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30286014>

Sliwinska-Mosson M, Milnerowicz S, and Milnerowicz H. Diabetes mellitus secondary to pancreatic diseases (type 3c): The effect of smoking on the exocrine-endocrine interactions of the pancreas. *Diab Vasc Dis Res*, 2018;1479164118764062. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29558826>

Singhvi A and Yadav D. Myths and realities about alcohol and smoking in chronic pancreatitis. *Curr Opin Gastroenterol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29965868>

Xiang JX, Hu LS, Liu P, Tian BY, Su Q, et al. Impact of cigarette smoking on recurrence of hyperlipidemic acute pancreatitis. *World J Gastroenterol*, 2017; 23(47):8387-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29307998>

Sciskalska M, Marek G, Grzebieniak Z, and Milnerowicz H. Resistin as a prooxidant factor and predictor of endothelium damage in patients with mild acute pancreatitis exposed to tobacco smoke xenobiotics. *Mediators Inflamm*, 2017; 2017:3039765. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29081601>

Sahin-Toth M and Hegyi P. Smoking and drinking synergize in pancreatitis: Multiple hits on multiple targets. *Gastroenterology*, 2017; 153(6):1479-81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29100845>

Machicado JD, Amann ST, Anderson MA, Abberbock J, Sherman S, et al. Quality of life in chronic pancreatitis is determined by constant pain, disability/unemployment, current smoking, and associated co-morbidities. *Am J Gastroenterol*, 2017; 112(4):633-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28244497>

Setiawan VW, Pandol SJ, Porcel J, Wilkens LR, Le Marchand L, et al. Prospective study of alcohol drinking, smoking, and pancreatitis: The multiethnic cohort. *Pancreas*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27171516>

Ridler C. Pancreatitis: Cigarette smoke factor aggravates pancreatitis. *Nat Rev Gastroenterol Hepatol*, 2016; 13(12):683. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27807372>

Di Leo M, Leandro G, Singh SK, Mariani A, Bianco M, et al. Low alcohol and cigarette use is associated to the risk of developing chronic pancreatitis. *Pancreas*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27846144>

Ye X, Lu G, Huai J, and Ding J. Impact of smoking on the risk of pancreatitis: A systematic review and meta-analysis. *PLoS ONE*, 2015; 10(4):e0124075. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879541>

Thrower E. Pathologic cellular events in smoking-related pancreatitis. *Cancers (Basel)*, 2015; 7(2):723-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25938854>

Sun X, Huang X, Zhao R, Chen B, and Xie Q. Meta-analysis: Tobacco smoking may enhance the risk of acute pancreatitis. *Pancreatol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25804129>

Munigala S, Conwell DL, Gelrud A, and Agarwal B. Heavy smoking is associated with lower age at first episode of acute pancreatitis and a higher risk of recurrence. *Pancreas*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25906444>

Majumder S, Gierisch JM, and Bastian LA. The association of smoking and acute pancreatitis: A systematic review and meta-analysis. *Pancreas*, 2015; 44(4):540-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25872130>

Lee JW, Kim HG, Lee DW, Han J, Kwon HY, et al. Association between smoking and the progression of computed tomography findings in chronic pancreatitis. *Gut Liver*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26601825>

Lee AT, Xu Z, Pothula SP, Patel MB, Pirola RC, et al. Alcohol and cigarette smoke components activate human pancreatic stellate cells: Implications for the progression of chronic pancreatitis. *Alcohol Clin Exp Res*, 2015; 39(11):2123-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26463405>

Haritha J and Wilcox CM. Evaluation of patients' knowledge regarding smoking and chronic pancreatitis: A pilot study. *J Gastroenterol Pancreatol Liver Disord*, 2015; 1(2):1-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25685852>

Greer JB, Thrower E, and Yadav D. Epidemiologic and mechanistic associations between smoking and pancreatitis. *Curr Treat Options Gastroenterol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26109145>

Barreto SG. How does cigarette smoking cause acute pancreatitis? *Pancreatology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26419886>

Maire F, Rebours V, Vullierme MP, Couvelard A, Levy P, et al. Does tobacco influence the natural history of autoimmune pancreatitis? *Pancreatology*, 2014; 14(4):284-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25062878>

Luaces-Regueira M, Iglesias-Garcia J, Lindkvist B, Castineira-Alvarino M, Nieto-Garcia L, et al. Smoking as a risk factor for complications in chronic pancreatitis. *Pancreas*, 2014; 43(2):275-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24518508>

Lin HH, Chang HY, Chiang YT, Wu MS, Lin JT, et al. Smoking, drinking, and pancreatitis: A population-based cohort study in taiwan. *Pancreas*, 2014; 43(7):1117-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25083998>

Hirota M, Shimosegawa T, Masamune A, Kikuta K, Kume K, et al. The seventh nationwide epidemiological survey for chronic pancreatitis in japan: Clinical significance of smoking habit in japanese patients. *Pancreatology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25224249>

Edderkaoui M and Thrower E. Smoking and pancreatic disease. *J Cancer Ther*, 2013; 4(10A):34-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24660091>

### 3.12.5 Other gastrointestinal disorders

Gayam, V, Koirala, S, Garlapati, PR, & Mandal, AK. (2021). Outcomes of diverticulitis in patients with tobacco smoking: a propensity-matched analysis of nationwide inpatient sample. *Int J Colorectal Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33415450>

Kakaje, A, Alhalabi, MM, Alyousbashi, A, Hamid, A, & Mahmoud, Y. (2020). Laryngopharyngeal reflux in war-torn Syria and its association with smoking and other risks: an online cross-sectional population study. *BMJ Open*, 10(11), e041183. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33243809>

Kobayashi, K, Kamekura, R, Kato, J, Kamiya, S, Kamiya, T, Takano, K et al (2020). Cigarette smoke underlies the pathogenesis of palmoplantar pustulosis via an IL-17A-induced production of IL-36gamma in tonsillar epithelial cells. *J Invest Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33188781>

Yoon, H, Lee, DH, Lee, JH, Kwon, JE, Shin, CM, Yang, SJ et al (2020). Characteristics of the Gut Microbiome of Healthy Young Male Soldiers in South Korea: The Effects of Smoking. *Gut Liver*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32390407>

Al Momani, L, Balagoni, H, Alomari, M, Gaddam, S, Boonpherg, B, Aasen, T et al (2020). The association between smoking and both types of microscopic colitis: A systematic review and meta-analysis. *Arab J Gastroenterol*, 21(1), 9-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32241698>

Singh, R, Kumar, P, Mishra, DN, Singh, AK, Singh, RK, Mahdi, AA et al. (2019). Effect of Gender, Age, Diet and Smoking Status on the Circadian Rhythm of Serum Uric Acid of Healthy Indians of Different Age Groups. *Indian J Clin Biochem*, 34(2), 164-171. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31092989>

Huang, C, & Shi, G. (2019). Smoking and microbiome in oral, airway, gut and some systemic diseases. *J Transl Med*, 17(1), 225. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31307469>

Crockett, SD. Don't Smoke 'em if you got 'em-Tobacco Exposure Increases Risk of Serrated Polyps. *Clin Gastroenterol Hepatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30743008>

Kim, M, Gu, B, Madison, MC, Song, HW, Norwood, K, Hill, AA et al. Cigarette Smoke Induces Intestinal Inflammation via a Th17 Cell-Neutrophil Axis. *Front Immunol*, 2019. 10, 75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30761142>

Lee, SH, Yun, Y, Kim, SJ, Lee, EJ, Chang, Y, Ryu, S, et al. Association between Cigarette Smoking Status and Composition of Gut Microbiota: Population-Based Cross-Sectional Study. *J Clin Med*, 2018. 7(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30223529>

Shanahan, ER, Shah, A, Koloski, N, Walker, MM, Talley, N J, Morrison, M, Holtmann, GJ. Influence of cigarette smoking on the human duodenal mucosa-associated microbiota. *Microbiome*. 2018 Aug 29;6(1):150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30157953>

Burke KE, Ananthakrishnan AN, Lochhead P, Olen O, Ludvigsson JF, et al. Smoking is associated with an increased risk of microscopic colitis: Results from two large prospective cohort studies of us women. *J Crohns Colitis*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370359>

Aune D, Sen A, Leitzmann MF, Tonstad S, Norat T, et al. Tobacco smoking and the risk of diverticular disease - a systematic review and meta-analysis of prospective studies. *Colorectal Dis*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28556447>

Zainuddin N and Mohd Kornain NK. Glottic cancer in a non-smoking patient with laryngopharyngeal reflux. *Malays Fam Physician*, 2016; 11(2-3):35-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28461858>

Roth B, Gustafsson RJ, Jeppsson B, Manjer J, and Ohlsson B. Smoking- and alcohol habits in relation to the clinical picture of women with microscopic colitis compared to controls. *BMC Womens Health*, 2014; 14:16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24456904>

Devaraj B, Khabassi S, and Cosman B. Recent smoking is a risk factor for anal abscess and fistula. *Diseases of the Colon and Rectum*, 2011; 54(6):681–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21552051>

Tolstrup J, Kristiansen L, Becker U, and Grønbaek M. Smoking and risk of acute and chronic pancreatitis among women and men. *Archives of Internal Medicine*, 2009; 169(6):603–9. Available from: <http://archinte.ama-assn.org/cgi/content/full/169/6/603>

Oldmeadow C, Wood I, Mengersen K, Visscher P, Martin N, et al. Investigation of the relationship between smoking and appendicitis in australian twins. *Annals of Epidemiology*, 2008; 18(8):631–6. Available from: [http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6T44-4T1Y003-9-1&\\_cdi=4964&\\_user=10&\\_orig=search&\\_coverDate=08%2F31%2F2008&\\_sk=999819991&\\_view=c&\\_wchp=dGLbVzb-zSkWz&\\_md5=f9d22a460f86d293be2f83b0387d602c&\\_ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6T44-4T1Y003-9-1&_cdi=4964&_user=10&_orig=search&_coverDate=08%2F31%2F2008&_sk=999819991&_view=c&_wchp=dGLbVzb-zSkWz&_md5=f9d22a460f86d293be2f83b0387d602c&_ie=/sdarticle.pdf)