

Tobacco in Australia

Facts & Issues

Relevant news and research

3.11 Dental diseases

Last updated September 2019

Research:

Alahmari, F, Javed, F, Ahmed, ZU, Romanos, G E, & Al-Kheraif, AA. (2019). Soft tissue status and crestal bone loss around conventionally-loaded dental implants placed in cigarette- and waterpipe (narghile) smokers: 8-years' follow-up results. *Clin Implant Dent Relat Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30884091>

Vora, MV, & Chaffee, BW. (2019). Tobacco-use patterns and self-reported oral health outcomes: A cross-sectional assessment of the Population Assessment of Tobacco and Health study, 2013-2014. *J Am Dent Assoc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30922519>

Zeller, I, Malovichko, MV, Hurst, HE, Renaud, DE, & Scott, DA. (2019). Cigarette smoke reduces short chain fatty acid production by a *Porphyromonas gingivalis* clinical isolate. *J Periodontal Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30982987>

Adibi, SS, Alcorn, JL, Ono, K, & Lichtenberger, LM. Gender and Smoking Correlations of Surfactant Lipids and Proteins in the Saliva of Dental Patients. *J Dent Maxillofac Surg*, 2018. 1(1), 67-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30603738>

de Geus, JL, Wambier, LM, Bortoluzzi, MC, Loguercio, AD, & Reis, A. Letter to the Editor replying to Armen Nersesyan about the article published in *Clinical Oral Investigations* titled "Smoking increases the frequency of micronuclei in the oral mucosa of adults relative to non-smokers-a systematic review and meta-analysis". *Clin Oral Investig*, 2019. 23(1), 503-505. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30612245>

Burhanoglu, E, Aksoy, MC, Kosar, PA. TP53 polymorphisms in smokers' and nonsmokers' pericoronal follicles of asymptomatic impacted third molars. *Niger J Clin Pract*. 2018 Aug;21(8):967-973. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30073996>

Ordell S and Ekback G. Smoking cessation and associated dental factors in a cohort of smokers born in 1942: 5 year follow up. *Int Dent J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30009445>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Leite FRM, Nascimento GG, Scheutz F, and Lopez R. Effect of smoking on periodontitis: A systematic review and meta-regression. Am J Prev Med, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29656920>

Emanuel AS, Parish A, Logan HL, Dodd VJ, Zheng D, et al. Dental visits mediate the impact of smoking on oral health. Am J Health Behav, 2018; 42(1):59-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29320339>

de Oliveira-Neto OB, Barbosa FT, de Sousa-Rodrigues CF, and de Lima FJC. Risk of bias assessment of systematic reviews regarding dental implant placement in smokers: An umbrella systematic review. J Prosthet Dent, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29724548>

Barbosa GF and Santos S. Effects of cigarette smoke on color change of resin composites. Am J Dent, 2018; 31(1):3-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29630797>

Yu G, Phillips S, Gail MH, Goedert JJ, Humphrys MS, et al. The effect of cigarette smoking on the oral and nasal microbiota. Microbiome, 2017; 5(1):3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28095925>

Sayardoust S, Omar O, Norderyd O, and Thomsen P. Clinical, radiological, and gene expression analyses in smokers and non-smokers, part 2: Rct on the late healing phase of osseointegration. Clin Implant Dent Relat Res, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28744993>

Qiu F, Fan P, Nie GD, Liu H, Liang CL, et al. Effects of cigarette smoking on transplant survival: Extending or shortening it? Front Immunol, 2017; 8:127. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28239383>

Patel J, Siddiqui Z, Krishnan A, and Thyvalikakath T. Identifying patients' smoking status from electronic dental records data. Stud Health Technol Inform, 2017; 245:1281. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29295366>

Nobre MA and Malo P. Prevalence of periodontitis, dental caries, and peri-implant pathology and their relation with systemic status and smoking habits: Results of an open-cohort study with 22009 patients in a private rehabilitation center. J Dent, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28750777>

Nakoneczna-Rudnicka M and Bachanek T. Number of *streptococcus mutans* and *lactobacillus* in saliva versus the status of cigarette smoking, considering duration of smoking

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

and number of cigarettes smoked daily. *Ann Agric Environ Med*, 2017; 24(3):396-400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954478>

Mazurek-Mochol M, Majorczyk E, Banach J, Dembowska E, Kusnierczyk P, et al. The influence of kir gene presence/absence polymorphisms on the development of periodontal disease in smokers and non-smokers. *Cent Eur J Immunol*, 2017; 42(4):347-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29472811>

Johnson TM. Smoking and periodontal disease. *US Army Med Dep J*, 2017; (3-17):67-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29214622>

Joaquim CR, Miranda TS, Marins LM, Silva HDP, Feres M, et al. The combined and individual impact of diabetes and smoking on key subgingival periodontal pathogens in patients with chronic periodontitis. *J Periodontal Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29110296>

Hansen EO, Arendt-Nielsen L, and Boudreau SA. A comparison of oral sensory effects of three trpa1 agonists in young adult smokers and non-smokers. *Front Physiol*, 2017; 8:663. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28936178>

Ghattas Ayoub C, Aminoshariae A, Bakkar M, Ghosh S, Bonfield T, et al. Comparison of il-1beta, tnf-alpha, hbd-2, and hbd-3 expression in the dental pulp of smokers versus nonsmokers. *J Endod*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29033092>

de Geus JL, Wambier LM, Bortoluzzi MC, Loguercio AD, Kossatz S, et al. Does smoking habit increase the micronuclei frequency in the oral mucosa of adults compared to non-smokers? A systematic review and meta-analysis. *Clin Oral Investig*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29063385>

de Geus JL, Fernandez E, Kossatz S, Loguercio AD, and Reis A. Effects of at-home bleaching in smokers: 30-month follow-up. *Oper Dent*, 2017; 42(6):572-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29144876>

Brignardello-Petersen R. Insufficient evidence about benefits of antimicrobial photodynamic therapy as an adjunct to mechanic curettage in smokers with peri-implant mucositis. *J Am Dent Assoc*, 2017; 148(8):e114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28688512>

Assem NZ, Alves MLF, Lopes AB, Gualberto ECJ, Garcia VG, et al. Antibiotic therapy as an adjunct to scaling and root planing in smokers: A systematic review and meta-analysis. *Braz Oral Res*, 2017; 31:e67. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28678975>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Akram Z, Vohra F, Bukhari IA, Sheikh SA, and Javed F. Clinical and radiographic peri-implant parameters and proinflammatory cytokine levels among cigarette smokers, smokeless tobacco users, and nontobacco users. Clin Implant Dent Relat Res, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29243410>

Abduljabbar T, Al-Hamoudi N, Al-Sowygh ZH, Alajmi M, Javed F, et al. Comparison of peri-implant clinical and radiographic status around short (6 mm in length) dental implants placed in cigarette-smokers and never-smokers: Six-year follow-up results. Clin Implant Dent Relat Res, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29181892>

Abduljabbar T, Al-Hamoudi N, AlQunayan M, AlAhmari A, AlMalki A, et al. Peri-implant soft-tissue parameters and crestal bone levels among narghile smokers and nonsmokers. Inhal Toxicol, 2017; 29(10):457-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29124995>

Yiu AJ, Kalejaiye A, Amdur RL, Todd Hesham HN, and Bandyopadhyay BC. Association of serum electrolytes and smoking with salivary gland stone formation. Int J Oral Maxillofac Surg, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26969301>

Yaprak E, Yolcubal I, Sinanoglu A, Dogrul-Demiray A, Guzeldemir-Akcakanat E, et al. High levels of heavy metal accumulation in dental calculus of smokers: A pilot inductively coupled plasma mass spectrometry study. J Periodontal Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27016267>

Yadalam PK, Rajapandian K, Ravishankar PL, Vartharajan K, Subramaniam S, et al. Evaluation of anticardiolipin antibodies in tobacco users and non-tobacco users with severe chronic periodontal disease. J Int Soc Prev Community Dent, 2016; 6(3):256-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27382544>

Wu J, Peters BA, Dominianni C, Zhang Y, Pei Z, et al. Cigarette smoking and the oral microbiome in a large study of american adults. ISME J, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27015003>

Vogtmann E, Graubard B, Loftfield E, Chaturvedi A, Dye BA, et al. Contemporary impact of tobacco use on periodontal disease in the USA. Tob Control, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26880744>

Shetty P, Hegde S, Vinod KS, Kalra S, Goyal P, et al. Oral leukoplakia: Clinicopathological correlation and its relevance to regional tobacco-related habit index. J Contemp Dent Pract, 2016; 17(7):601-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27595730>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Preidt R. Smoking triggers big changes in mouth bacteria, study finds, in *Health Day* 2016. Available from: <http://consumer.healthday.com/cancer-information-5/misc-tobacco-health-news-666/smoking-triggers-big-changes-in-mouth-bacteria-709469.html>.

Peruzzo DC, Gimenes JH, Taiete T, Casarin RC, Feres M, et al. Impact of smoking on experimental gingivitis. A clinical, microbiological and immunological prospective study. *J Periodontal Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26936228>

Panta P and Yaga US. Oral lichenoid reaction to tobacco. *Pan Afr Med J*, 2016; 24:330. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28154685>

Marta GF and Lopez-Jornet P. Association between smoking, glycemia, blood lipoproteins, and risk of oral leukoplakia. *Aust Dent J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27219072>

Kim MS, Yun JW, Park JH, Park BW, Kang YH, et al. Autophagy has a beneficial role in relieving cigarette smoke-induced apoptotic death in human gingival fibroblasts. *Int J Med Sci*, 2016; 13(5):357-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27226776>

Grover N, Sharma J, Sengupta S, Singh S, Singh N, et al. Long-term effect of tobacco on unstimulated salivary pH. *J Oral Maxillofac Pathol*, 2016; 20(1):16-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27194856>

Csikar J, Kang J, Wyborn C, Dyer TA, Marshman Z, et al. The self-reported oral health status and dental attendance of smokers and non-smokers in England. *PLoS ONE*, 2016; 11(2):e0148700. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26863107>

Costa PP, Alves LB, Souza SL, Grisi MF, Palioto DB, et al. Root coverage in smokers with acellular dermal matrix graft and enamel matrix derivative: A 12-month randomized clinical trial. *Int J Periodontics Restorative Dent*, 2016; 36(4):525-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27333010>

Cheng LL. Limited evidence suggests higher risk of dental implant failures in smokers than in nonsmokers. *J Am Dent Assoc*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26851818>

Baeder AC, Napa K, Richardson ST, Taylor OJ, Andersen SG, et al. Oral gingival cell cigarette smoke exposure induces muscle cell metabolic disruption. *Int J Dent*, 2016; 2016:2763160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27034671>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Alharbi IA and Rouabhia M. Repeated exposure to whole cigarette smoke promotes primary human gingival epithelial cell growth and modulates keratin expression. J Periodontal Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26740170>

Wyganowska-Swiatkowska M and Nohawica MM. Effect of tobacco smoking on human gingival and periodontal fibroblasts. A systematic review of literature. Przegl Lek, 2015; 72(3):158-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26731876>

Varghese M, Hegde S, Kashyap R, and Maiya AK. Quantitative assessment of calcium profile in whole saliva from smokers and non-smokers with chronic generalized periodontitis. J Clin Diagn Res, 2015; 9(5):ZC54-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26155563>

Vacharaksa A, Kuptanon M, Sripitiroj R, and Serichetaphongse P. Periimplant bacteria associated with different transmucosal designs or smoking habits. Implant Dent, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25706261>

Ueno M, Ohara S, Sawada N, Inoue M, Tsugane S, et al. The association of active and secondhand smoking with oral health in adults: Japan public health center-based study. Tob Induc Dis, 2015; 13(1):19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26225132>

Tsigarida AA, Dabdoub SM, Nagaraja HN, and Kumar PS. The influence of smoking on the peri-implant microbiome. J Dent Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26124222>

Sharma G and Nagpal A. Tobacco based dentifrices: Still not squeezed out. J Family Med Prim Care, 2015; 4(2):287. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25949986>

Shah AH and ElHaddad SA. Oral hygiene behavior, smoking, and perceived oral health problems among university students. J Int Soc Prev Community Dent, 2015; 5(4):327-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26312233>

Petrusic N, Posavac M, Sabol I, and Mravak-Stipetic M. The effect of tobacco smoking on salivation. Acta Stomatol Croat, 2015; 49(4):309-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27688415>

Persic Bukmir R, Jurcevic Grgic M, Brumini G, Spalj S, Pezelj-Ribaric S, et al. Influence of tobacco smoking on dental periapical condition in a sample of croatian adults. Wien Klin Wochenschr, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26659908>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ozsezer Demiryurek E, Sakallioğlu EE, Kalyoncuoğlu E, Yılmaz Miroğlu Y, and Sakallioğlu U. The effects of smoking on the osmotic pressure of human dental pulp tissue. Med Princ Pract, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26111632>

Ozdemir B, Ozmeric N, Elgun S, and Baris E. Smoking and gingivitis: Focus on inducible nitric oxide synthase, nitric oxide and basic fibroblast growth factor. J Periodontal Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26667067>

Ng TK, Huang L, Cao D, Yip YW, Tsang WM, et al. Cigarette smoking hinders human periodontal ligament-derived stem cell proliferation, migration and differentiation potentials. Sci Rep, 2015; 5:7828. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25591783>

Mahross HZ, Mohamed MD, Hassan AM, and Baroudi K. Effect of cigarette smoke on surface roughness of different denture base materials. J Clin Diagn Res, 2015; 9(9):ZC39-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26501010>

Konic-Ristic A, Savikin K, Zdunic G, Besu I, Menkovic N, et al. Acute effects of black currant consumption on salivary flow rate and secretion rate of salivary immunoglobulin a in healthy smokers. J Med Food, 2015; 18(4):483-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25734687>

Jiun IL, Siddik SN, Malik SN, Tin-Oo MM, Alam MK, et al. Association between oral hygiene status and halitosis among smokers and nonsmokers. Oral Health Prev Dent, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25789356>

Javed F, Al-Kheraif AA, Al Amri MD, Alshehri M, Vohra F, et al. Periodontal status and whole salivary cytokine profile among smokers and never-smokers with and without prediabetes. J Periodontol, 2015;1-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25672658>

Jalayer Naderi N, Semyari H, and Elahinia Z. The impact of smoking on gingiva: A histopathological study. Iran J Pathol, 2015; 10(3):214-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26351487>

Imamura K, Kokubu E, Kita D, Ota K, Yoshikawa K, et al. Role of mitogen-activated protein kinase pathways in migration of gingival epithelial cells in response to stimulation by cigarette smoke condensate and infection by porphyromonas gingivalis. J Periodontal Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26667496>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ghasemi H, Khami MR, Virtanen JI, and Vehkalahti MM. Does smoking hamper oral self-care among dental professionals? J Dent (Tehran), 2015; 12(5):333-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26877728>

Farinha H and Martins V. Lingua villosa nigra associated with the use of electronic cigarette. Acta Med Port, 2015; 28(3):393. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26421795>

Dosunmu EB, Lawal FB, and Akinyemi OA. Smokers and non smokers: A comparison of oral health practices and effect of non surgical periodontal therapy on their periodontium. Niger Postgrad Med J, 2015; 22(2):110-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26259159>

Dietrich T, Walter C, Oluwagbemigun K, Bergmann M, Pischon T, et al. Smoking, smoking cessation, and risk of tooth loss: The epic-potsdam study. J Dent Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26243734>

de Geus JL, de Lara MB, Hanzen TA, Fernandez E, Loguercio AD, et al. One-year follow-up of at-home bleaching in smokers before and after dental prophylaxis. J Dent, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26303401>

Bezerra Ferreira JD, Rodrigues JA, Piattelli A, Iezzi G, Gehrke SA, et al. The effect of cigarette smoking on early osseointegration of dental implants: A prospective controlled study. Clin Oral Implants Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26408047>

Bakhtiari S, Azimi S, Mehdipour M, Amini S, Elmi Z, et al. Effect of cigarette smoke on salivary total antioxidant capacity. J Dent Res Dent Clin Dent Prospects, 2015; 9(4):281-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26889367>

Zeller I, Hutcherson JA, Lamont RJ, Demuth DR, Gumus P, et al. Altered antigenic profiling and infectivity of porphyromonas gingivalis in smokers and non-smokers with periodontitis. J Periodontol, 2014; 85(6):837-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24147843>

Visvanathan R, Mahendra J, N A, Pandisuba, and Chalini. Effect of smoking on periodontal health. J Clin Diagn Res, 2014; 8(7):ZC46-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25177637>

Victor DJ, Subramanian S, Gnana PP, and Kolagani SP. Assessment of matrix metalloproteinases-8 and -9 in gingival crevicular fluid of smokers and non-smokers with chronic periodontitis using elisa. J Int Oral Health, 2014; 6(6):67-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25628487>

Twito D and Sade P. The effect of cigarette smoking habits on the outcome of dental implant treatment. PeerJ, 2014; 2:e546. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25237600>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Sgolastra F, Petrucci A, Severino M, Gatto R, and Monaco A. Smoking and the risk of peri-implantitis. A systematic review and meta-analysis. Clin Oral Implants Res, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24438442>

Rosa EF, Corraini P, Inoue G, Gomes EF, Guglielmetti MR, et al. Effect of smoking cessation on non-surgical periodontal therapy: Results after 24 months. J Clin Periodontol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25265872>

Rech RS, Santos KW, Maahs MA, and Vidor DC. Masticatory changes as a result of oral disorders in smokers. Int Arch Otorhinolaryngol, 2014; 18(4):369-75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25992124>

Ollikainen E, Saxlin T, Tervonen T, Suominen AL, Knuuttila M, et al. Association between periodontal condition and hypertension in a non-smoking population aged 30-49 years: Results of the health 2000 survey in finland. J Clin Periodontol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25256004>

Nagaie M, Nishiura A, Honda Y, Fujiwara S, and Matsumoto N. A comprehensive mixture of tobacco smoke components retards orthodontic tooth movement via the inhibition of osteoclastogenesis in a rat model. Int J Mol Sci, 2014; 15(10):18610-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25322153>

Mohamed S and Janakiram C. Recurrent aphthous ulcers among tobacco users- hospital based study. J Clin Diagn Res, 2014; 8(11):ZC64-LC6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25584320>

Mathias TM, Silva JF, Sapata VM, Marson FC, Zanoni JN, et al. Evaluation of the effects of periodontal treatment on levels of ascorbic acid in smokers. J Int Acad Periodontol, 2014; 16(4):109-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25654964>

Mathias P, Santos SR, Aguiar TR, Santos PR, and Cavalcanti AN. Cigarette smoke: Effects on water sorption and solubility of restorative dental composites. Gen Dent, 2014; 62(2):54-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24598497>

Lallier TE, Maturin E, Brady M, Stoute D, and Ward T. Resistance to cigarette smoke is increased in pdl cells by attachment to collagen and fibronectin. J Periodontol, 2014:1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25119557>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kotsakis GA, Javed F, Hinrichs JE, Karoussis IK, and Romanos GE. Impact of cigarette smoking on clinical outcomes of periodontal flap surgical procedures: A systematic review and meta-analysis. J Periodontol, 2014;1-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25299388>

Joshi V, Matthews C, Aspiras M, de Jager M, Ward M, et al. Smoking decreases structural and functional resilience in the subgingival ecosystem. J Clin Periodontol, 2014; 41(11):1037-47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25139209>

Hendek MK, Erdemir EO, Kisa U, and Ozcan G. Effect of initial periodontal therapy on the oxidative stress markers in gingival crevicular fluid, saliva and serum in smokers and non-smokers with chronic periodontitis. J Periodontol, 2014;1-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25325515>

Gupta D, Nagar P, Karim B, Khan Kf IM, Naveen B, et al. Tobacco abuse amongst the school going students of 15 to 18 years of almora district, uttarakhand: A cross sectional study. Oral Health Dent Manag, 2014; 13(3):680-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25284536>

Gao H, Prasad GL, and Zacharias W. Combusted but not smokeless tobacco products cause DNA damage in oral cavity cells. Environ Toxicol Pharmacol, 2014; 37(3):1079-89. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24780532>

Feres M, Teacher H, Bernal MA, Matarazzo F, Faveri M, et al. Subgingival bacterial re-colonization after scaling and root planing in smokers with chronic periodontitis. Aust Dent J, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25283721>

Duane B. Further evidence that periodontal bone loss increases with smoking and age. Evid Based Dent, 2014; 15(3):72-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25343388>

Coleman RA. Smoking and implants. J Am Dent Assoc, 2014; 145(7):696. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24982267>

Branco P, Weidlich P, Oppermann RV, and Rosing CK. Early supra- and subgingival plaque formation in experimental gingivitis in smokers and never-smokers. Oral Health Prev Dent, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25197729>

Ardais R, Mario Tde G, Boligon J, Kantorski KZ, and Moreira CH. The effect of smoking on bleeding on probing after nonsurgical periodontal therapy: A quasi-experimental study. Braz Oral Res, 2014; 28(1):1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25337935>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Alamri A, Semlali A, Jacques E, Alanazi M, Zakrzewski A, et al. Long-term exposure of human gingival fibroblasts to cigarette smoke condensate reduces cell growth by modulating bax, caspase-3 and p53 expression. *J Periodontal Res*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25139560>

Publio JC, D'Arce MB, Brunharo NM, Ambrosano GM, Aguiar FH, et al. Influence of surface treatments on enamel susceptibility to staining by cigarette smoke. *J Clin Exp Dent*, 2013; 5(4):e163-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24455074>

Al-Bayaty FH, Baharuddin N, Abdulla MA, Ali HM, Arkilla MB, et al. The influence of cigarette smoking on gingival bleeding and serum concentrations of haptoglobin and alpha 1-antitrypsin. *Biomed Res Int*, 2013; 2013:684154. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24286083>

Snider T, Cottrell D, and Batal H. Summary of current consensus on the effect of smoking on implant therapy. *Journal of the Massachusetts Dental Society*, 2011; 59(4):20–2. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21446616

3.11.1 Periodontitis

Grine, G, Royer, A, Terrer, E, Diallo, OO, Drancourt, M, & Aboudharam, G. (2019). Tobacco Smoking Affects the Salivary Gram-Positive Bacterial Population. *Front Public Health*, 7, 196. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31380336>

Kanmaz, B, Lappin, DF, Nile, CJ, & Buduneli, N. (2019). Effects of Smoking on Non-surgical Periodontal Therapy in Patients with Periodontitis Stage III or IV, and Grade C. *J Periodontol*.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31448829>

Han, SJ, Yi, YJ, & Bae, KH. (2019). The association between periodontitis and dyslipidemia according to smoking and harmful alcohol use in a representative sample of Korean adults. *Clin Oral Investig*.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31270667>

Patel, RP, Amirisetty, R, Kalakonda, B, Penumatsa, NV, & Koppolu, P. (2018). Influence of Smoking on Gingival Crevicular Fluid Interleukin 1beta and Interleukin-8 in Patients with Severe Chronic Periodontitis among a Rural Population in India. *Niger Med J*, 59(4), 33-38. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31303689>

de, JHMC, Villafuerte, KRV, Luchiari, HR, de, OCJ, Sales, M, Palioto, DB et al (2019). Effect of smoking on the DNA methylation pattern of the SOCS1 promoter in epithelial cells from the saliva of patients

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

with chronic periodontitis. *J Periodontol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31169909>

Raut, CP, Sethi, KS, Kohale, B, Mamajiwala, A, & Warang, A. (2019). Subgingivally delivered coenzyme Q10 in the treatment of chronic periodontitis among smokers: A randomized, controlled clinical study. *J Oral Biol Craniofac Res*, 9(2), 204-208. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31211037>

Sheokand, V, Chadha, VS, & Palwankar, P. (2019). The comparative evaluation of 1% alendronate gel as local drug delivery system in chronic periodontitis in smokers and non smokers: Randomized clinical trial. *J Oral Biol Craniofac Res*, 9(2), 198-203. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31211036>

Hanioka, T, Morita, M, Yamamoto, T, Inagaki, K, Wang, PL, Ito, H et al (2019). Smoking and periodontal microorganisms. *Jpn Dent Sci Rev*, 55(1), 88-94. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31049117>

Muniandy, S. (2019). Knowledge on smoking and periodontal disease: A cross-sectional survey among targeted respondents. *J Indian Soc Periodontol*, 23(3), 275-280. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31143010>

Theodoro, LH, Claudio, MM, Nuernberg, MAA, Miessi, DMJ, Batista, JA, Duque, C, & Garcia, VG. (2019). Effects of *Lactobacillus reuteri* as an adjunct to the treatment of periodontitis in smokers: randomised clinical trial. *Benef Microbes*, 10(4), 375-384. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30931588>

Balto, HA, Alabdulaaly, L, Bahammam, S, & Al-Ekrish, AA. Comparative analysis of prevalence of apical periodontitis in smokers and non-smokers using cone-beam computed tomography. *Saudi Dent J*, 2019. 31(1), 52-57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30705569>

Costa, FO, & Cota, LOM. Cumulative smoking exposure and cessation associated with the recurrence of periodontitis in periodontal maintenance therapy: A 6-year follow-Up. *J Periodontol*, 2019.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30801706>

Munther, S. The effects of cigarette smoking and exercise on total salivary antioxidant activity. *Saudi Dent J*, 2019. 31(1), 31-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30705566>

Zolotukhin, OLA, Romanova, IG, Gerasimova, IV, Kravchenko, LS, & Tkachenko, IM. Efficiency of local therapy with the use of a new preparation for oral care at periodontitis in the course of hyperpeptic

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

gastritis after tobacco smoke intoxication. *Wiad Lek*, 2018. 71(9), 1695-1700. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30737925>

Majumder, P, Ray, PP, Ghosh, S, & Dey, SK. Potential Effect of Tobacco Consumption Through Smoking and Chewing Tobacco on IL1beta Protein Expression in Chronic Periodontitis Patients: In Silico Molecular Docking Study. *IEEE/ACM Trans Comput Biol Bioinform*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30676974>

Arias-Bujanda, N, Regueira-Iglesias, A, Alonso-Sampedro, M, Gonzalez-Peteiro, MM, Mira, A, Balsa-Castro, C, & Tomas, I. Cytokine Thresholds in Gingival Crevicular Fluid with Potential Diagnosis of Chronic Periodontitis Differentiating by Smoking Status. *Sci Rep*, 2018. 8(1), 18003. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30573746>

Lahdentausta, L, Paju, S, Mantyla, P, Buhlin, K, Pietiainen, M, Tervahartiala, T et al. Smoking confounds the periodontal diagnostics using saliva biomarkers. *J Periodontol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30447005>

Senturk, RA, Sezgin, Y, Bulut, S, & Ozdemir, BH. The effects of smoking on the expression of gelatinases in chronic periodontitis: a cross-sectional study. *Braz Oral Res*, 2018. 32, e114. Available from: <http://www.scielo.br/pdf/bor/v32/1807-3107-bor-32-e114.pdf>

N Guruprasad C, R Pradeep A. Influence of Smoking on Interleukin-34 Levels in Gingival Crevicular Fluid and Plasma in Periodontal Health and Disease: A Clinico-biochemical Study. *Bull Tokyo Dent Coll*, 2018. Available from: https://www.istage.jst.go.jp/article/tdcpublish/advpub/0/advpub_2017-0051/_pdf

Gopalakrishnan, D, Miller, PD, Mahuli, AV, Sangamithra, S, Phantumvanit, P, Buranawat, B. Prospective evaluation of periodontally diseased molars in smokers using the Miller-McEntire Periodontal Prognostic Index. *J Indian Soc Periodontol*. 2018 Jul-Aug;22(4):304-309. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131621>

Yu YH, Doucette-Stamm L, Rogus J, Moss K, Zee RYL, et al. Family history of mi, smoking, and risk of periodontal disease. *J Dent Res*, 2018;22034518782189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29928831>

White PC, Hirschfeld J, Milward MR, Cooper PR, Wright HJ, et al. Cigarette smoke modifies neutrophil chemotaxis, neutrophil extracellular trap formation and inflammatory response-related gene expression. *J Periodontal Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29574730>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Trombelli L, Farina R, Minenna L, Toselli L, and Simonelli A. Regenerative periodontal treatment with the single flap approach in smokers and nonsmokers. *Int J Periodontics Restorative Dent*, 2018; 38(4):e59-e67. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29889915>

Miranda TS, Heluy SL, Cruz DF, da Silva HDP, Feres M, et al. The ratios of pro-inflammatory to anti-inflammatory cytokines in the serum of chronic periodontitis patients with and without type 2 diabetes and/or smoking habit. *Clin Oral Investig*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29737428>

Leite FRM, Nascimento GG, Baake S, Pedersen LD, Scheutz F, et al. Impact of smoking cessation on periodontitis: A systematic review and meta-analysis of prospective longitudinal observational and interventional studies. *Nicotine & Tobacco Research*, 2018:nty147-nty. Available from: <http://dx.doi.org/10.1093/ntr/nty147>

Jauhiainen L, Suominen AL, Mannisto S, Knuuttila M, and Ylostalo P. Periodontal condition in relation to the adherence to nutrient recommendations in daily smokers. *J Clin Periodontol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29418017>

Harland J, Furuta M, Takeuchi K, Tanaka S, and Yamashita Y. Periodontitis modifies the association between smoking and chronic obstructive pulmonary disease in Japanese men. *J Oral Sci*, 2018; 60(2):226-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29925707>

Ferreira CL, Nunes CMM, Bernardo DV, Pedroso JF, Longo M, et al. Effect of orthodontic force associated with cigarette smoke inhalation in healthy and diseased periodontium. A histometric and immunohistochemistry analysis in rats. *J Periodontal Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30043971>

Eshghipour B, Tofighi H, Nehal F, Vohra F, Javed F, et al. Effect of scaling and root planing on gingival crevicular fluid cytokine/chemokine levels in smokers with chronic periodontitis: A systematic review. *J Investig Clin Dent*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29450974>

Chang CH, Han ML, Teng NC, Lee CY, Huang WT, et al. Cigarette smoking aggravates the activity of periodontal disease by disrupting redox homeostasis- an observational study. *Sci Rep*, 2018; 8(1):11055. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30038248>

Buduneli N and Scott DA. Tobacco-induced suppression of the vascular response to dental plaque. *Mol Oral Microbiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29768735>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Brignardello-Petersen R. Low-quality evidence in quantifying the increased risk of developing periodontitis when comparing smokers with nonsmokers. J Am Dent Assoc, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30029763>

Bawankar PV, Kolte AP, and Kolte RA. Evaluation of stress, serum and salivary cortisol and interleukin-1beta levels in smokers and non-smokers with chronic periodontitis. J Periodontol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29752711>

Antal M, Battancs E, Bocskai M, Braunitzer G, and Kovacs L. An observation on the severity of periodontal disease in past cigarette smokers suffering from rheumatoid arthritis- evidence for a long-term effect of cigarette smoke exposure? BMC Oral Health, 2018; 18(1):82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747598>

Vogtmann E, Graubard B, Loftfield E, Chaturvedi A, Dye BA, et al. Contemporary impact of tobacco use on periodontal disease in the USA. Tobacco Control, 2017; 26(2):237-8. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/2/237.full.pdf>

Schwendicke F, Dorfer CE, and Meier T. Global smoking-attributable burden of periodontal disease in 186 countries in the year 2015. J Clin Periodontol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28965352>

Ribeiro FV, Pino DS, Franck FC, Benatti BB, Tenenbaum H, et al. Resveratrol inhibits periodontitis-related bone loss in rats submitted to cigarette smoke inhalation. J Periodontol, 2017;1-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28492360>

Raval RD, Sharma P, Chandran S, Vasavada D, Nadig P, et al. To evaluate and compare periodontal disease and smoking as a parallel risk factor for systemic health by gauging the serum c-reactive protein levels. J Clin Diagn Res, 2017; 11(3):ZC79-ZC82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511516>

Radvar M, Shafae H, Mohtasham N, Shiezadeh F, and Zamanpour M. The effect of smoking on inflammatory cell infiltrate subtypes in gingival tissue of patients with chronic periodontitis. Electron Physician, 2017; 9(8):4961-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28979729>

Pamuk F, Lutfioglu M, Aydogdu A, Koyuncuoglu CZ, Cifcibasi E, et al. The effect of low-level laser therapy as an adjunct to non-surgical periodontal treatment on gingival crevicular fluid levels of transforming growth factor-beta 1, tissue plasminogen activator and plasminogen activator inhibitor 1 in smoking and non-smoking chronic periodontitis patients: A split-mouth, randomized control study. J Periodontal Res, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28394081>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Moeintaghavi A, Arab HR, Rahim Rezaee SA, Naderi H, Shiezadeh F, et al. The effects of smoking on expression of il-12 and il-1beta in gingival tissues of patients with chronic periodontitis. Open Dent J, 2017; 11:595-602. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29299075>

Lin YC, Wu CY, Chang LY, Chen CC, Chen HH, et al. Levels of high-mobility group box-1 in gingival crevicular fluid in nonsmokers and smokers with chronic periodontitis. J Formos Med Assoc, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209360>

Lanza A, Di Francesco F, De Marco G, Scognamiglio F, Aruta V, et al. Multidisciplinary approach in the management of a complex case: Implant-prosthetic rehabilitation of a periodontal smoking patient with partial edentulism, malocclusion, and aesthetic diseases. Case Rep Dent, 2017; 2017:6348570. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28421148>

Koregol AC, Kalburgi NB, Wagh AUK, and Warad S. Gamma glutamyl transpeptidase, smokeless tobacco, chronic periodontitis: Exploring the link. J Clin Diagn Res, 2017; 11(3):ZC17-ZC20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511501>

Karasneh JA, Al Habashneh RA, Marzouka NA, and Thornhill MH. Effect of cigarette smoking on subgingival bacteria in healthy subjects and patients with chronic periodontitis. BMC Oral Health, 2017; 17(1):64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28327165>

Jalayer Naderi N, Semyari H, and Hemmati R. The effect of smoking on mast cells density and angiogenesis in chronic periodontitis. Iran J Pathol, 2017; 12(4):384-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29563935>

Geisinger ML, Geurs NC, Ogdon D, and Reddy MS. Targeting underlying biologic mechanisms in selecting adjunctive therapies to improve periodontal treatment in smokers. A commentary. J Periodontol, 2017;1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28440743>

Duque A, Martinez PJ, Giraldo A, Gualtero DF, Ardila CM, et al. Accuracy of cotinine serum test to detect the smoking habit and its association with periodontal disease in a multicenter study. Med Oral Patol Oral Cir Bucal, 2017; 22(4):e425-e31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28578367>

Coretti L, Cuomo M, Florio E, Palumbo D, Keller S, et al. Subgingival dysbiosis in smoker and nonsmoker patients with chronic periodontitis. Mol Med Rep, 2017; 15(4):2007-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260061>

Bunaes DF, Mustafa M, Mohamed HG, Lie SA, and Leknes KN. The effect of smoking on inflammatory and bone remodeling markers in gingival crevicular fluid and subgingival microbiota following

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

periodontal therapy. J Periodontal Res, 2017; 52(4):713-24. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28306142>

Ziukaite L, Slot DE, Loos BG, Coucke W, and Van der Weijden GA. Family history of periodontal disease and prevalence of smoking status among adult periodontitis patients: A cross-sectional study. Int J Dent Hyg, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27160833>

Wattamwar PP, Kolte RA, Kolte AP, and Shah KK. Influence of interventional nonsurgical periodontal treatment on levels of salivary and serum nitric oxide in smokers and nonsmokers with chronic periodontitis. J Indian Soc Periodontol, 2016; 20(6):592-6. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29238138>

Velosa-Porras J, Escobar-Arregoces F, Latorre-Uriza C, Ferro-Camargo MB, Ruiz AJ, et al. Association between periodontal disease and endothelial dysfunction in smoking patients. Acta Odontol Latinoam, 2016; 29(1):29-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27701495>

Stacchi C, Berton F, Perinetti G, Frassetto A, Lombardi T, et al. Risk factors for peri-implantitis: Effect of history of periodontal disease and smoking habits. A systematic review and meta-analysis. J Oral Maxillofac Res, 2016; 7(3):e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27833728>

Singh V, Tanwar AS, Hungund AS, Hungund SA, and Nagaraja C. Comparison of serum erythropoietin levels in smokers and nonsmokers with periodontitis: A biochemical study. J Indian Soc Periodontol, 2016; 20(3):249-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27563196>

Ribeiro MS, Pacheco RB, Fischer RG, and Macedo JM. Interaction of il1b and il1rn polymorphisms, smoking habit, gender, and ethnicity with aggressive and chronic periodontitis susceptibility. Contemp Clin Dent, 2016; 7(3):349-56. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27630500>

Pitchika V, Thiering E, Metz I, Rothmaier K, Willenberg A, et al. Gingivitis and lifestyle influences on hs-crp and il6 in adolescents. J Clin Periodontol, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28036117>

Paraskevas KI. Smoking, periodontitis, and buerger disease. Ann Vasc Surg, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26965810>

Nagarajan R, Miller CS, Dawson D, 3rd, Al-Sabbagh M, and Ebersole JL. Cross-talk between clinical and host-response parameters of periodontitis in smokers. J Periodontal Res, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27431617>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nagarajan R, Al-Sabbagh M, Dawson D, 3rd, and Ebersole J. Integrated biomarker profiling of smokers with periodontitis. J Clin Periodontol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27925695>

Lee M, Choi YH, Sagong J, Yu S, Kim Y, et al. The interactive association of smoking and drinking levels with presence of periodontitis in south korean adults. BMC Oral Health, 2016; 16(1):80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27557802>

Lauritano D, Lo Muzio L, Gaudio RM, Lo Russo L, Mucchi D, et al. Why should patients with systemic disease and tobacco smokers go to the dentist? J Biol Regul Homeost Agents, 2016; 30(2 Suppl 1):135-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27469560>

Koss MA, Castro CE, Gramajo AM, and Lopez ME. Siga, peroxidase and collagenase in saliva of smokers aggressive periodontal patients. J Oral Biol Craniofac Res, 2016; 6(Suppl 1):S24-S8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27900246>

Khemiss M and Ben Saad H. Letter to the editor: Re: Comparison of clinical and radiographic periodontal status between habitual water-pipe smokers and cigarette smokers. J Periodontol, 2016; 87(11):1249-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27775496>

Khemiss M, Ben Khelifa M, Ben Rejeb M, and Ben Saad H. Periodontal bone height of exclusive narghile smokers compared with exclusive cigarette smokers. Libyan J Med, 2016; 11:31689. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27370513>

Khan S, Khalid T, and Awan KH. Chronic periodontitis and smoking. Prevalence and dose-response relationship. Saudi Med J, 2016; 37(8):889-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27464867>

Katuri KK, Alluri JK, Chintagunta C, Tadiboina N, Borugadda R, et al. Assessment of periodontal health status in smokers and smokeless tobacco users: A cross-sectional study. J Clin Diagn Res, 2016; 10(10):ZC143-ZC6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891477>

Jawzali JI. Association between salivary sialic acid and periodontal health status among smokers. Saudi Dent J, 2016; 28(3):124-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27656079>

Jang AY, Lee JK, Shin JY, and Lee HY. Association between smoking and periodontal disease in korean adults: The fifth korea national health and nutrition examination survey (2010 and 2012). Korean J Fam Med, 2016; 37(2):117-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27073611>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hegde S, Chatterjee E, Rajesh KS, and Arun Kumar MS. Estimation and correlation of salivary thiocyanate levels in periodontally healthy subjects, smokers, nonsmokers, and gutka-chewers with chronic periodontitis. Indian J Dent Res, 2016; 27(1):12-4. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27054854>

He CY, Gao XQ, and Jiang LP. The impact of smoking on levels of chronic periodontitis-associated biomarkers. Exp Mol Pathol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27450647>

Gupta N, Gupta ND, Garg S, Goyal L, Gupta A, et al. The effect of type 2 diabetes mellitus and smoking on periodontal parameters and salivary matrix metalloproteinase-8 levels. J Oral Sci, 2016; 58(1):1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27021533>

Ertugrul AS and Sahin H. The effect of smoking on myeloid-related protein-8 and myeloid-related protein-14. Braz Oral Res, 2016; 30(1). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27223132>

Dwarakanath CD, Divya B, Sruthima GN, and Penmetsa GS. Sub-epithelial connective tissue graft for root coverage in nonsmokers and smokers: A pilot comparative clinical study. J Indian Soc Periodontol, 2016; 20(4):435-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28298827>

De Genaro Modanese D, Tiosso-Tamburi R, Furletti de Goes VF, de Cassia Bergamaschi C, Martinez EF, et al. Clinical and immunoinflammatory evaluation of one stage full-mouth ultrasonic debridement as a therapeutic approach for smokers with generalized aggressive periodontitis: A short-term follow-up study. J Periodontol, 2016:1-16. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27177288>

Chatzopoulos G. Smoking, smokeless tobacco, and alcohol consumption as contributing factors to periodontal disease. Northwest Dent, 2016; 95(1):37-41. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26983344>

Chantarangsu S, Sura T, Mongkornkarn S, Donsakul K, and Torrungruang K. Vitamin d receptor gene polymorphism and smoking in the risk of chronic periodontitis. J Periodontol, 2016; 87(11):1343-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27491013>

Chambrone L, Vargas M, Arboleda S, Serna M, Guerrero M, et al. Efficacy of local and systemic antimicrobials in the non-surgical treatment of smokers with chronic periodontitis: A systematic review. J Periodontol, 2016:1-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27498712>

Chambrone L, Vargas M, Arboleda S, Serna M, Guerrero M, et al. Efficacy of local and systemic antimicrobials in the non-surgical treatment of smokers with chronic periodontitis: A systematic

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

review. J Periodontol, 2016; 87(11):1320-32. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27498712>

Camargo GA, Abreu MG, Cordeiro Rdos S, Wenderosky Lde F, and Duque C. Prevalence of periodontopathogens and candida spp. In smokers after nonsurgical periodontal therapy - a pilot study. Braz Oral Res, 2016; 30(1):e92. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27556680>

Bunaes DF, Lie SA, Astrom AN, Mustafa K, and Leknes KN. Site-specific treatment outcome in smokers following 12 months of supportive periodontal therapy. J Clin Periodontol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27554463>

Brennan DS, Spencer AJ, and Roberts-Thomson KF. Work-family conflict modifies the association of smoking and periodontal disease. Int J Behav Med, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27432442>

Behfarnia P, Saied-Moallemi Z, Javanmard SH, and Naseri R. Serum, saliva, and gcf concentration of rankl and osteoprotegerin in smokers versus nonsmokers with chronic periodontitis. Adv Biomed Res, 2016; 5:80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27195253>

Agarwal C, Baron TK, and Mehta DS. Hidden truth of circulating neutrophils (polymorphonuclear neutrophil) function in periodontally healthy smoker subjects. J Indian Soc Periodontol, 2016; 20(2):157-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27143827>

Zia A, Mukhtar-Un-Nisar Andrabi S, Qadri S, and Bey A. Necrotizing periodontitis in a heavy smoker and tobacco chewer - a case report. Singapore Dent J, 2015; 36:35-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26684494>

Turkoglu O, Eren G, Emingil G, Azarsiz E, Kutukculer N, et al. Does smoking affect gingival crevicular fluid IL-37 levels following non-surgical periodontal treatment in chronic periodontitis? Arch Oral Biol, 2015; 61:98-105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547698>

Santos A, Pascual A, Llopis J, Giner L, D MK, et al. Self-reported oral hygiene habits in smokers and nonsmokers diagnosed with periodontal disease. Oral Health Prev Dent, 2015; 13(3):245-51.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26082949>

Pullishery F, Panchmal GS, and Siddique S. Salivary thiocyanate, uric acid and ph as biomarkers of periodontal disease in tobacco users and non-users- an in-vitro study. J Clin Diagn Res, 2015; 9(7):ZC47-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26393205>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nociti FH, Jr., Casati MZ, and Duarte PM. Current perspective of the impact of smoking on the progression and treatment of periodontitis. *Periodontol 2000*, 2015; 67(1):187-210. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25494601>

Meenawat A, Govila V, Goel S, Verma S, Pun K, et al. Evaluation of the effect of nicotine and metabolites on the periodontal status and the mrna expression of interleukin-1beta in smokers with chronic periodontitis. *J Indian Soc Periodontol*, 2015; 19(4):381-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26392684>

Lutfioglu M, Aydogdu A, Sakallioglu EE, Alacam H, and Pamuk F. Gingival crevicular fluid interleukin-8 and lipoxin a levels of smokers and nonsmokers with different periodontal status: A cross-sectional study. *J Periodontal Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26446985>

Lee HJ, Je DI, Won SJ, Paik DI, and Bae KH. Association between vitamin d deficiency and periodontal status in current smokers. *Community Dent Oral Epidemiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26031896>

Kanakdande V, Patil KP, and Nayyar AS. Comparative evaluation of clinical, hematological and systemic inflammatory markers in smokers and non-smokers with chronic periodontitis. *Contemp Clin Dent*, 2015; 6(3):348-57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26321834>

Kambalyal P, Kambalyal P, and Hungund S. Comparison of salivary calcium level in smokers and non-smokers with chronic periodontitis, aggressive periodontitis, and healthy controls. *J Int Soc Prev Community Dent*, 2015; 5(Suppl 2):S68-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26942120>

Jenifer HD, Bhola S, Kalburgi V, Warad S, and Kokatnur VM. The influence of cigarette smoking on blood and salivary super oxide dismutase enzyme levels among smokers and nonsmokers-a cross sectional study. *J Tradit Complement Med*, 2015; 5(2):100-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26151019>

Javed F, Al-Kheraif AA, Salazar-Lazo K, Yanez-Fontenla V, Aldosary KM, et al. Periodontal inflammatory conditions among smokers and never-smokers with and without type 2 diabetes mellitus. *J Periodontol*, 2015:1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879874>

Camelo-Castillo AJ, Mira A, Pico A, Nibali L, Henderson B, et al. Subgingival microbiota in health compared to periodontitis and the influence of smoking. *Front Microbiol*, 2015; 6:119. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25814980>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bunaes DF, Lie SA, Enersen M, Aastrom AN, Mustafa K, et al. Site specific treatment outcome in smokers following non-surgical and surgical periodontal therapy. J Clin Periodontol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26407817>

Bergamaschi CC, Santamaria MP, Berto LA, Cogo-Muller K, Motta RH, et al. Full mouth periodontal debridement with or without adjunctive metronidazole gel in smoking patients with chronic periodontitis: A pilot study. J Periodontal Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25900347>

Azizi A, Sarlati F, Bidi M, Mansouri L, Azaminejad SM, et al. Effects of smoking severity and moderate and severe periodontitis on serum c-reactive protein levels: An age- and gender-matched retrospective cohort study. Biomarkers, 2015; 20(5):306-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26329527>

Alhasmi AM, Gondal MA, Nasr MM, Shafik S, and Habibullah YB. Detection of toxic elements using laser-induced breakdown spectroscopy in smokers' and nonsmokers' teeth and investigation of periodontal parameters. Appl Opt, 2015; 54(24):7342-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26368771>

Akbari G, Prabhuji ML, Karthikeyan BV, Raghunatha K, and Narayanan R. Analysis of matrix metalloproteinase-8 levels in gingival crevicular fluid and whole mouth fluid among smokers and nonsmokers using enzyme-linked immune-sorbent assay and a novel chair-side test. J Indian Soc Periodontol, 2015; 19(5):525-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26644719>

Souto GR, Queiroz-Junior CM, Costa FO, and Mesquita RA. Smoking effect on chemokines of the human chronic periodontitis. Immunobiology, 2014; 219(8):633-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24780137>

Souto GR, Queiroz-Junior CM, Costa FO, and Mesquita RA. Effect of smoking on immunity in human chronic periodontitis. Immunobiology, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25172546>

Sakalliglu E, Sakalliglu U, Lutfioglu M, Pamuk F, and Kantarci A. Vascular endothelial cadherin and vascular endothelial growth factor in periodontitis and smoking. Oral Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24853861>

Ramseier CA, Kobrehel S, Staub P, Sculean A, Lang NP, et al. Compliance of cigarette smokers with scheduled visits for supportive periodontal therapy. J Clin Periodontol, 2014; 41(5):473-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24527779>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Queiroz AC, Suaid FA, de Andrade PF, Novaes AB, Jr., Taba M, Jr., et al. Antimicrobial photodynamic therapy associated to nonsurgical periodontal treatment in smokers: Microbiological results. J Photochem Photobiol B, 2014; 141C:170-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25463664>

Preus HR, Sandvik L, Gjermo P, and Baelum V. Baseline adjustment and change revisited: Effect of smoking on change in periodontal status following periodontal therapy. Eur J Oral Sci, 2014; 122(2):89-99. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24460799>

Liu KZ, Duarte PM, Santos VR, Xiang X, Xu M, et al. Assessment of tissue oxygenation of periodontal inflammation in smokers using optical spectroscopy. J Clin Periodontol, 2014; 41(4):340-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24387623>

Kormos W. On call. Do any of the smoking cessation aids, like gum or patches, work better than the others? Harv Mens Health Watch, 2014; 18(6):2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24683605>

Kim HS, Son JH, Yi HY, Hong HK, Suh HJ, et al. Association between harmful alcohol use and periodontal status according to gender and smoking. BMC Oral Health, 2014; 14:73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24950716>

Johannsen A, Susin C, and Gustafsson A. Smoking and inflammation: Evidence for a synergistic role in chronic disease. Periodontol 2000, 2014; 64(1):111-26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24320959>

Javed F, Bashir Ahmed H, and Romanos GE. Association between environmental tobacco smoke and periodontal disease: A systematic review. Environ Res, 2014; 133:117-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24926917>

Haytural O, Yaman D, Ural EC, Kantarci A, and Demirel K. Impact of periodontitis on chemokines in smokers. Clin Oral Investig, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25193410>

Guglielmetti MR, Rosa EF, Lourencao DS, Inoue G, Gomes EF, et al. Detection and quantification of periodontal pathogens in smokers and never-smokers with chronic periodontitis by real-time polymerase chain reaction. J Periodontol, 2014; 85(10):1450-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24794687>

Giuca MR, Pasini M, Tecco S, Giuca G, and Marzo G. Levels of salivary immunoglobulins and periodontal evaluation in smoking patients. BMC Immunol, 2014; 15:5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24502245>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ebersole JL, Steffen MJ, Thomas MV, and Al-Sabbagh M. Smoking-related cotinine levels and host responses in chronic periodontitis. J Periodontal Res, 2014; 49(5):642-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24283398>

Chambrone L. Smoking cessation may positively improve clinical periodontal parameters. J Evid Based Dent Pract, 2014; 14(2):76-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24913533>

Bergstrom J. Smoking rate and periodontal disease prevalence: 40-year trends in sweden 1970-2010. J Clin Periodontol, 2014; 41(10):952-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25039432>

Anil S, Vellappally S, Preethanath RS, Mokeem SA, AlMoharib HS, et al. Hepatocyte growth factor levels in the saliva and gingival crevicular fluid in smokers with periodontitis. Dis Markers, 2014; 2014:146974. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25389376>

Waszkiewicz N, Zalewska-Szajda B, Chojnowska S, Szajda SD, Zalewska A, et al. The salivary beta-hex a% index as an excellent marker of periodontitis in smoking alcohol-dependent persons. Dis Markers, 2013; 35(5):457-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24288426>

Walter C and Friedmann A. Evidence supports the impact of smoking cessation protocols in periodontal therapy. J Evid Based Dent Pract, 2013; 13(4):142-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24237733>

Sherwin GB, Nguyen D, Friedman Y, and Wolff MS. The relationship between smoking and periodontal disease. Review of literature and case report. N Y State Dent J, 2013; 79(6):52-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24600766>

Petrovic M, Kesic L, Obradovic R, Savic Z, Mihailovic D, et al. Comparative analysis of smoking influence on periodontal tissue in subjects with periodontal disease. Mater Sociomed, 2013; 25(3):196-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24167435>

Multani S. Interrelationship of smoking, lip and gingival melanin pigmentation, and periodontal status. Addict Health, 2013; 5(1-2):57-65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24494159>

Meulman T, Giorgetti AP, Gimenes J, Casarin RC, Peruzzo DC, et al. One stage, full-mouth, ultrasonic debridement in the treatment of severe chronic periodontitis in smokers: A preliminary, blind and randomized clinical trial. J Int Acad Periodontol, 2013; 15(3):83-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24079100>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Patel R, Wilson R, and Palmer R. The effect of smoking on periodontal bone regeneration: A systematic review and meta-analysis. *Journal of Periodontology*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21627463>

Goncalves R, Coletta R, Silverio K, Benevides L, Casati M, et al. Impact of smoking on inflammation: Overview of molecular mechanisms. *Inflammation Research*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21298317>

Iida H, Kumar JV, Kopycka-Kedzierawski DT, and Billings RJ. Effect of tobacco smoke on the oral health of us women of childbearing age. *Journal of Public Health Dentistry*, 2009; 69(4):231–41. Available from: http://www.ncbi.nlm.nih.gov/pubmed/19453866?ordinalpos=15&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief

Chambrone L, Chambrone D, Pustiglioni F, Chambrone L, and Lima L. The influence of tobacco smoking on the outcomes achieved by root-coverage procedures: A systematic review. *Journal of the American Dental Association*, 2009; 140(3):294–306. Available from: <http://jada.ada.org/cgi/reprint/140/3/294.pdf>

Al-Habashneh R, Al-Omari M, and Taani D. Smoking and caries experience in subjects with various form of periodontal diseases from a teaching hospital clinic. *International Journal of Dental Hygiene*, 2009; 7(1):55–61. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1601-5037.2008.00349.x/abstract>

Vered Y, Livny A, Zini A, and Sgan-Cohen H. Periodontal health status and smoking among young adults. *Journal of Clinical Periodontology*, 2008; 35(9):768–72. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1600-051X.2008.01294.x/abstract>

Do LG, Slade GD, Roberts-Thomson KF, and Sanders AE. Smoking-attributable periodontal disease in the Australian adult population. *Journal of Clinical Periodontology*, 2008; 35(5):398–404. Available from: <http://dx.doi.org/10.1111/j.1600-051X.2008.01223.x>

3.11.2 Dental caries

Petersson, GH, & Twetman, S. (2019). Tobacco use and caries increment in young adults: a prospective observational study. *BMC Res Notes*, 12(1), 218. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30971314>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nazir MA and Almas K. Awareness about the effects of tobacco consumption on oral health and the possibility of smoking behavior among male Saudi schoolchildren. *Eur J Dent*, 2017; 11(1):29-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28435362>

Polk DE. Smoking tobacco products daily may increase adults' caries increment over 4 years. *J Evid Based Dent Pract*, 2015; 15(1):37-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666582>

Tanner T, Kamppi A, Pakkila J, Jarvelin MR, Patinen P, et al. Association of smoking and snuffing with dental caries occurrence in a young male population in Finland: A cross-sectional study. *Acta Odontol Scand*, 2014; 72(8):1017-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25141188>

Hanioka T, Ojima M, and Tanaka K. Daily smoking may independently predict caries development in adults. *J Evid Based Dent Pract*, 2014; 14(3):151-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25234221>

3.11.3 Tooth loss

Hach, M, Christensen, LB, Lange, T, Hvidtfeldt, UA, Danielsen, B, Diderichsen, F et al. (2019). Social inequality in tooth loss, the mediating role of smoking and alcohol consumption. *Community Dent Oral Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31111525>

Vieira, TR, Martins, CC, Cyrino, RM, Azevedo, AMO, Cota, LOM, & Costa, FO. Effects of smoking on tooth loss among individuals under periodontal maintenance therapy: a systematic review and meta-analysis. *Cad Saude Publica*, 2018. 34(9), e00024918. Available from: <http://www.scielo.br/pdf/csp/v34n9/1678-4464-csp-34-09-e00024918.pdf>

Yanagisawa T, Marugame T, Ohara S, Inoue M, Tsugane S, et al. Relationship of smoking and smoking cessation with number of teeth present: Jphc oral health study. *Oral Diseases*, 2009; 15(1):69. Available from: <http://onlinelibrary.wiley.com/store/10.1111/j.1601-0825.2008.01472.x/asset/j.1601-0825.2008.01472.x.pdf?v=1&t=ghzos013&s=b4b8ac23f7fe9512cdc8dfe6c9b59e989b1b6ee1>

Hanioka T, Ojima M, Tanaka K, Matsuo K, Sato F, et al. Causal assessment of smoking and tooth loss: A systematic review of observational studies. *BMC Public Health*, 2011; 11(1):221. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-11-221.pdf>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Qureshi FH, Hamid S, Khan SM, and Qureshi AH. Effect of tobacco use on tooth loss among patients visiting the out-patient dental department of a tertiary care hospital in pakistan. J Pak Med Assoc, 2018; 68(6):841-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29887612>

Graetz C, Plaumann A, Schlattmann P, Kahl M, Springer C, et al. Long-term tooth retention in chronic periodontitis - results after 18 years of a conservative periodontal treatment regimen in a university setting. J Clin Periodontol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28028838>

Carson SJ and Burns J. Impact of smoking on tooth loss in adults. Evid Based Dent, 2016; 17(3):73-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27767106>

Simila T, Auvinen J, Timonen M, and Virtanen JI. Long-term effects of smoking on tooth loss after cessation among middle-aged finnish adults: The northern finland birth cohort 1966 study. BMC Public Health, 2016; 16(1):867. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27557640>

ALHarthi S, Al-Motlag SK, and Wahi MM. Is trying to quit associated with tooth loss and delayed yearly dental visit among smokers? Results of the 2014 behavioral risk factor surveillance system (brfss). J Periodontol, 2016:1-19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27491012>

Simila T and Virtanen JI. Association between smoking intensity and duration and tooth loss among finnish middle-aged adults: The northern finland birth cohort 1966 project. BMC Public Health, 2015; 15(1):1141. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26576994>

Cunningham TJ, Eke PI, Ford ES, Agaku IT, Wheaton AG, et al. Cigarette smoking, tooth loss, and chronic obstructive pulmonary disease (copd): Findings from the behavioral risk factor surveillance system. J Periodontol, 2015:1-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26537367>

Study confirms smoking's link to increased risk of tooth loss. Dent Today, 2015; 34(10):50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26594688>

Suma S, Naito M, Wakai K, Sasakabe T, Hattori Y, et al. Effects of il6 c-634g polymorphism on tooth loss and their interaction with smoking habits. Oral Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26011111>

3.11.4 Complications and failure of dental procedures

Javed, F, Rahman, I, & Romanos, GE. (2019). Tobacco-product usage as a risk factor for dental implants. *Periodontol 2000*, 81(1), 48-56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31407428>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Mumcu, E., & Dayan, S. C. (2019). Effect of Smoking and Locations of Dental Implants on Peri-Implant Parameters: 3-Year Follow-Up. *Med Sci Monit*, 25, 6104-6109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31414668>

Alasqah, MN, Alfawaz, YF, Aldahiyan, N, Vohra, F, Alotaibi, BM, & Abduljabbar, T. (2019). Longitudinal assessment of clinical and radiographic periimplant status around narrow and regular diameter implants placed in cigarette-smokers and nonsmokers. *Clin Implant Dent Relat Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30895698>

Mohan, R, Varghese, J, Bhat, V, & Chianeh, YR. (2019). The effect of nonsurgical periodontal therapy on pentraxin 3 levels in smokers and nonsmokers with chronic periodontitis. *Gen Dent*, 67(2), e1-e6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30875312>

Singh, G, Agarwal, A, & Lahori, M. Effect of cigarette smoke on the surface roughness of two different denture base materials: An in vitro study. *J Indian Prosthodont Soc*, 2019. 19(1), 42-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745753>

Chatzopoulos, GS, & Wolff, LF. Patients' Socio-Economic Status, Tobacco and Medical History Associated with Implant Failure. *Acta Stomatol Croat*, 2018. 52(3), 175-183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30510293>

Al-Aali, KA, Alrabiah, M, Al-Hamdan, RS, Al-Hamoudi, N, Aldahian, N, & Abduljabbar, T. Impact of jaw location on clinical and radiological status of dental implants placed in cigarette-smokers and never-smokers: 5-year follow-up results. *Clin Implant Dent Relat Res*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cid.12679>

ArRejaie, AS, Al-Aali, KA, Alrabiah, M, Mokeem, SA, Vohra, F, & Abduljabbar, T. Peri-implant soft tissue status and crestal bone levels around adjacent implants placed in cigarette smokers and never-smokers: 5 years follow-up results. *J Periodontol*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1002/JPER.18-0117>

Pimentel, SP, Fontes, M, Ribeiro, FV, Correa, MG, Nishii, D, Cirano, FR et al. Smoking habit modulates peri-implant microbiome: A case-control study. *J Periodontal Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30259511>

Alzayer YM, Gomez GF, Eckert GJ, Levon JA, and Gregory RL. The impact of nicotine and cigarette smoke condensate on metabolic activity and biofilm formation of candida albicans on acrylic denture material. *J Prosthodont*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30028051>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Strietzel F, Reichart P, Kale A, Kulkarni M, Wegner B, et al. Smoking interferes with the prognosis of dental implant treatment: A systematic review and meta-analysis. *Journal of Clinical Periodontology*, 2007; 34(6):523–44. Available from:

<http://www3.interscience.wiley.com/journal/118533327/abstract>

Anner R, Grossmann Y, Anner Y, and Levin L. Smoking, diabetes mellitus, periodontitis, and supportive periodontal treatment as factors associated with dental implant survival: A long-term retrospective evaluation of patients followed for up to 10 years. *Implant Dentistry*, 2010; 19(1):57–64. Available from:

<http://journals.lww.com/implantdent/pages/articleviewer.aspx?year=2010&issue=02000&article=0009&type=abstract>

Sayardoust S, Omar O, and Thomsen P. Gene expression in peri-implant crevicular fluid of smokers and nonsmokers. 1. The early phase of osseointegration. *Clin Implant Dent Relat Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28470893>

F, BinShabaib MS, Alharthi SS, and Qadri T. Role of mechanical curettage with and without adjunct antimicrobial photodynamic therapy in the treatment of peri-implant mucositis in cigarette smokers: A randomized controlled clinical trial. *Photodiagnosis Photodyn Ther*, 2017; 18:331-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28457847>

Gangwar S, Pal US, Singh S, Singh RK, Singh V, et al. Immediately placed dental implants in smokers with plasma rich in growth factor versus without plasma rich in growth factor: A comparison. *Natl J Maxillofac Surg*, 2018; 9(1):39-47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29937657>

Alfadda S. Current evidence on dental implants outcomes in smokers and non-smokers: A systematic review and meta-analysis. *J Oral Implantol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29864381>

Malo PS, de Araujo Nobre MA, Ferro AS, and Parreira GG. Five-year outcome of a retrospective cohort study comparing smokers vs. Nonsmokers with full-arch mandibular implant-supported rehabilitation using the all-on-4 concept. *J Oral Sci*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29743383>

Zhao X, Zanetti F, Majeed S, Pan J, Malmstrom H, et al. Effects of cigarette smoking on color stability of dental resin composites. *Am J Dent*, 2017; 30(6):316-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29251454>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nishimoto K, Minoda R, Yoshida R, Hirai T, and Yumoto E. A case of periodontal necrosis following embolization of maxillary artery for epistaxis. Case Rep Otolaryngol, 2016; 2016:6467974. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27990309>

De Bruyn H, Christiaens V, Doornewaard R, Jacobsson M, Cosyn J, et al. Implant surface roughness and patient factors on long-term peri-implant bone loss. Periodontol 2000, 2017; 73(1):218-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28000269>

Ata-Ali J, Flichy-Fernandez AJ, Alegre-Domingo T, Ata-Ali F, and Penarrocha-Diago M. Impact of heavy smoking on the clinical, microbiological and immunological parameters of patients with dental implants: A prospective cross-sectional study. J Investig Clin Dent, 2016; 7(4):401-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26171870>

Al Amri MD, Kellesarian SV, Abduljabbar TS, Al-Rifaiy MQ, Al Baker AM, et al. Comparison of peri-implant soft tissue parameters and crestal bone loss around immediately-loaded and delayed loaded implants among smokers and nonsmokers: 5-year follow-up results. J Periodontol, 2016:1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27587369>

Sun C, Zhao J, Chen J, and Tao H. Effect of heavy smoking on dental implants placed in male patients posterior mandibles: A prospective clinical study. J Oral Implantol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27541691>

Negri BM, Pimentel SP, Casati MZ, Cirano FR, Casarin RC, et al. Impact of a chronic smoking habit on the osteo-immunoinflammatory mediators in the peri-implant fluid of clinically healthy dental implants. Arch Oral Biol, 2016; 70:55-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27328151>

Balaji SM. What is the evidence - based relationship of peri-implantitis and smoking: A different perspective. Indian J Dent Res, 2016; 27(1):3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27054852>

Veitz-Keenan A. Marginal bone loss and dental implant failure may be increased in smokers. Evid Based Dent, 2016; 17(1):6-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27012565>

Keenan JR and Veitz-Keenan A. The impact of smoking on failure rates, postoperative infection and marginal bone loss of dental implants. Evid Based Dent, 2016; 17(1):4-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27012564>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Turri A, Rossetti PH, Canullo L, Grusovin MG, and Dahlin C. Prevalence of peri-implantitis in medically compromised patients and smokers: A systematic review. *Int J Oral Maxillofac Implants*, 2016; 31(1):111-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26800167>

Theobaldo JD, Catelan A, Rodrigues-Filho U, Marchi GM, Lima D, et al. Effect of cigarette smoke on resin composite bond strength to enamel and dentin using different adhesive systems. *Oper Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26669502>

Moraschini V and Barboza ED. Success of dental implants in smokers and non-smokers: A systematic review and meta-analysis. *Int J Oral Maxillofac Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26385308>

Quaranta A, Assenza B, D'Isidoro O, Profili F, Polimeni A, et al. The impact of smoking and previous periodontal disease on peri-implant microbiota and health: A retrospective study up to 7-year follow-up. *Ann Stomatol (Roma)*, 2015; 6(1):21-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26161249>

Ata-Ali J, Flichy-Fernandez AJ, Alegre-Domingo T, Ata-Ali F, and Penarrocha-Diago M. Impact of heavy smoking on the clinical, microbiological and immunological parameters of patients with dental implants: A prospective cross-sectional study. *J Invest Clin Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26171870>

Romero A, Caceres M, Arancibia R, Silva D, Couve E, et al. Cigarette smoke condensate inhibits collagen gel contraction and prostaglandin e production in human gingival fibroblasts. *J Periodontal Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25073540>

Ozkan A, Bayar GR, Altug HA, Sencimen M, Dogan N, et al. The effect of cigarette smoking on the healing of extraction sockets: An immunohistochemical study. *J Craniofac Surg*, 2014; 25(4):e397-402. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24481166>

Mikkilineni H, Reddy DM, and Jayanth N. Effects of smoking on implant failure--a review. *J N J Dent Assoc*, 2013; 84(4):14-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24597176>

Levin L and Kessler-Baruch O. Cigarette smoking and the alveolar bone around teeth and dental implants. *N Y State Dent J*, 2013; 79(5):53-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24245464>

Ayaz EA, Altintas SH, and Turgut S. Effects of cigarette smoke and denture cleaners on the surface roughness and color stability of different denture teeth. *J Prosthet Dent*, 2014; 112(2):241-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24787128>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Murph JT, Jr., Jaques SH, Knoell AN, Archibald GD, and Yang S. A retrospective study on the use of a dental dressing to reduce dry socket incidence in smokers. *Gen Dent*, 2015; 63(3):17-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25945758>

Malo P, de Araujo Nobre M, Goncalves Y, and Lopes A. Long-term outcome of implant rehabilitations in patients with systemic disorders and smoking habits: A retrospective clinical study. *Clin Implant Dent Relat Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879920>

de Geus JL, Bersezio C, Urrutia J, Yamada T, Fernandez E, et al. Effectiveness of and tooth sensitivity with at-home bleaching in smokers: A multicenter clinical trial. *J Am Dent Assoc*, 2015; 146(4):233-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25819654>

Chrcanovic BR, Albrektsson T, and Wennerberg A. Smoking and dental implants: A systematic review and meta-analysis. *J Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25778741>

Levin L. Smoking may decrease the survival rate of dental implants placed in areas of maxillary sinus floor augmentation. *J Evid Based Dent Pract*, 2014; 14(4):183-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25488867>

News reports:

Bebbington T. Gum disease linked to cancer risk in older women, in *WebMD UK Health News* 2017. Available from: <http://www.webmd.boots.com/cancer/news/20170801/gum-disease-linked-to-cancer-risk-in-older-women>.

Preidt R. Smoking triggers big changes in mouth bacteria, study finds, in *Health Day* 2016. Available from: <http://consumer.healthday.com/cancer-information-5/misc-tobacco-health-news-666/smoking-triggers-big-changes-in-mouth-bacteria-709469.html>.

Brazier Y. Cigarette smoking alters the mouth microbiota, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/articles/308570.php>.

3.11.1 Periodontitis

No authors listed. Environmental tobacco smoke is associated with periodontitis in us non-smokers, in *Science Daily* 2015. Available from: <http://www.sciencedaily.com/releases/2015/03/150313083627.htm>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.11.3 Tooth loss

No authors listed. Smokers at higher risk of losing their teeth, research shows, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/299496.php?tw>

tobaccoinaustralia.org.au