

Tobacco in Australia

Facts & Issues

Relevant news and research

3.11 Dental diseases

Last updated December 2024

Research:	2
3.11.1 <i>Periodontitis</i>	14
3.11.2 <i>Dental caries</i>	36
3.11.3 <i>Tooth loss</i>	38
3.11.4 <i>Complications and failure of dental procedures</i>	40
3.11.5 <i>Other dental conditions; orofascial pain</i>	49
News reports:	52
3.11.1 <i>Periodontitis</i>	52
3.11.3 <i>Tooth loss</i>	53
3.11.4 <i>Complications and failure of dental procedures</i>	53
3.11.5 <i>Other dental conditions</i>	53

Research:

Rajput, A, Gupta, VK, Mishra, G, Kumar, S, Bhatia, S, Khot, AP et al. (2024). Comparative Analysis of Mouth Self-Examination Awareness Amongst Tobacco Users in Urban and Rural Populations. *Asian Pac J Cancer Prev*, 25(8), 2805-2812. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39205578>

Abbas, Y, Kanotra, S, Majeed, F, Anjum, A, & Zehra, M. (2024). Clinical Profile and Prevalence of Oral Mucosal Lesions in Tobacco Users-A Prospective Study from Jammu, India. *Indian J Otolaryngol Head Neck Surg*, 76(3), 2373-2380. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38883546>

Grewal, RK, Basu, P, Kaur, S, & Singh, A. (2024). Aberrant glycosylation of secretory mucin from the oral cavity in tobacco consumers: a pilot study. *Glycoconj J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38780715>

Singh, S, & Jain, M. (2024). Tobacco use and oral health related quality of life among Indian adolescents. *Int J Adolesc Med Health*, 36(1), 105-110. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38349076>

Liu, H, Yu, Z, Xu, Z, Liu, T, & Liu, W. (2023). A scientometric study of tobacco and alcohol use as risk factors for oral cavity health. *J Dent Sci*, 18(4), 1883-1888. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37799876>

Amaral, AL, da Costa Andrade, PA, Lwaleed, BA, & Andrade, SA. (2023). Impacts of smoking on oral health-what is the role of the dental team in smoking cessation? *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37679450>

Huang, F, Xie, R, Li, R, Liu, L, Zhao, M, Wang, Q et al. (2023). Attenuation of NLRP3 Inflammasome by Cigarette Smoke is Correlated with Decreased Defense Response of Oral Epithelial Cells to Candida albicans. *Curr Mol Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37723958>

Hardin, LT, Vang, D, Thor, D, Han, X, Mashkoor, F, Alpagot, T et al. (2023). Cigarette smoking exposure disrupts the regenerative potential of dental pulp stem cells. *Tob Induc Dis*, 21, 101. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37533959>

Kaur, A, Chauhan, NS, & Shivakumar, S. (2023). The Predominance of Tobacco Propensities and Tobacco-Related Oral Lesions in Textile Mill Workers of Bhopal: A Cross-Sectional Study. *Cureus*, 15(6), e41085. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37519575>

Altom, FM, Bedair, GY, Eysawi, EA, Hammoudah, DK, Khoja, LA, Yaseen, RA et al (2023). Evaluation of the Cytological Changes of the Oral Mucosa Among Smokers in Al Madinah Al Munawara Using Argyrophilic Nucleolar Organizer Region (AgNOR) Counts and Papanicolaus Stain. *Cureus*, 15(5), e39367. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37362451>

Patil, AP, & Yogeshkumar, S. (2023). Tobacco use and Oral Premalignant Lesions among Auto-Rickshaw Drivers in Belagavi, North Karnataka. *Indian J Occup Environ Med*, 27(1), 79-83. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37303986>

Minervini, G, Meto, A, Fiorillo, L, Franco, R, di Francesco, F, Cicciu, M, & Cervino, G. (2023). Salivary microRNAs as innovative biomarkers for early diagnosis of oral diseases: a comparison of conventional cigarette smokers and tobacco heating system 2.2 users. *Minerva Dent Oral Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37255307>

Ramalingam, K, Krishnan, M, Mullainathan, S, Sahuwala, A, Chawla, G, & S, G. (2023). Assessment of Oral Lesions With Tobacco Usage: A Cross-Sectional Clinicopathological Study in Sri Ganganagar, Rajasthan, India. *Cureus*, 15(1), e33428. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36751169>

Silveira, ML, Everard, CD, Sharma, E, Lauten, K, Alexandridis, AA, Duffy, K et al. (2022). Tobacco Use and Incidence of Adverse Oral Health Outcomes Among US Adults in the Population Assessment of Tobacco and Health Study. *JAMA Netw Open*, 5(12), e2245909. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36484986>

Alade, O, Folayan, MO, Adeniyi, A, Adeyemo, YI, Oyapero, A, Olatosi, OO et al. (2022). Differences in Oral Lesions Associated with Tobacco Smoking, E-Cigarette Use and COVID-19 Infection among Adolescents and Young People in Nigeria. *Int J Environ Res Public Health*, 19(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36078225>

Gabhane, MH, Hemagiriyyappa, MS, Sharma, VJ, Pardeshi, KV, Rai, BA, & Nahar, P. (2022). Clinicopathological Evaluation of Tobacco-related Oral Mucosal Lesions. *J Contemp Dent Pract*, 23(4), 399-404. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35945832>

Chido-Amajuoyi, OG, Omega-Njemnobi, O, Okoli, C, Ozigbu, C, Okoroafor, I, Anikpezie, N et al. (2022). Association of combustible and non-combustible tobacco use with clinically diagnosed adverse oral health outcomes among US adults, National Health and Nutrition Examination Survey (2009-2014). *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35894266>

Zhu, H, Zhou, H, Qin, Q, & Zhang, W. (2022). Association between Smoking and Sugar-Sweetened Beverage Consumption, Tooth Brushing among Adolescents in China. *Children (Basel)*, 9(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35883992>

Ahmed, N, Arshad, S, Basheer, SN, Karobari, MI, Marya, A, Marya, CM et al. (2021). Smoking a Dangerous Addiction: A Systematic Review on an Underrated Risk Factor for Oral Diseases. *Int J Environ Res Public Health*, 18(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34769523>

Suzuki, N, Nakano, Y, Yoneda, M, Hirofumi, T, & Hanioka, T. (2021). The effects of cigarette smoking on the salivary and tongue microbiome. *Clin Exp Dent Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34505401>

Agrawal, S, Jawade, R, Sharma, L, Mahajani, M, VT, VK, & Mahitha, MC. (2021). Awareness Regarding Impact of Tobacco on Oral Health: An Original Study. *J Pharm Bioallied Sci*, 13(Suppl 1), S395-S397. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34447118>

Pfeiffer, S, Herzmann, C, Gaede, KI, Kovacevic, D, Krauss-Etschmann, S, & Schloter, M. (2021). Different responses of the oral, nasal and lung microbiomes to cigarette smoke. *Thorax*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34389656>

Shajahan, A, Mathew, AC, Gangadharan, VP, & Chandrasekhar, D. (2021). Tobacco use and clinical leukoplakia lesions among south Indian tribes. *J Basic Clin Physiol Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34342396>

Worakhajit, P, Fuangtharnthip, P, Khovidhunkit, SP, Chiewwit, P, & Klongnoi, B. (2021). The Relationship of Tobacco, Alcohol, and Betel Quid with the Formation of Oral Potentially Malignant Disorders: A Community-Based Study from Northeastern Thailand. *Int J Environ Res Public Health*, 18(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34444487>

Zhu, Y, Zhang, S, Sun, J, Wang, T, Liu, Q, Wu, G et al. (2021). Cigarette smoke promotes oral leukoplakia via regulating glutamine metabolism and M2 polarization of macrophage. *Int J Oral Sci*, 13(1), 25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34373444>

Jia, YJ, Liao, Y, He, YQ Zheng, MQ Tong, XT Xue, WQ et al. (2021). Association Between Oral Microbiota and Cigarette Smoking in the Chinese Population. *Front Cell Infect Microbiol*, 11, 658203. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34123872>

Zhao, X, Zanetti, F, Wang, L, Malmstrom, H, Majeed, S, Peitsch, MC et al (2021). Effects of whitening toothpaste and bleaching treatment on resin composite discoloration caused by cigarette smoke and electronic vapor aerosol. *Am J Dent*, 34(2), 63-69. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33940661>

Bostanci, N, Krog, MC, Hugerth, LW, Bashir, Z, Fransson, E, Boulund, F et al. (2021). Dysbiosis of the Human Oral Microbiome During the Menstrual Cycle and Vulnerability to the External Exposures of Smoking and Dietary Sugar. *Front Cell Infect Microbiol*, 11, 625229. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33816334>

Ford, PJ, & Rich, AM. (2021). Tobacco Use and Oral Health. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33822437>

Kakoei, S Nekouei, AH, Kakoei, S, & Najafipour, H. (2021). The effect of demographic characteristics on the relationship between smoking and xerostomia: a cross sectional, case-control study. *Epidemiol Health*, e2021017. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33677858>

Nguyen, B, Alpagot, T, Oh, H, Ojcius, D, & Xiao, N. (2020). Comparison of the effect of cigarette smoke on mesenchymal stem cells and dental stem cells. *Am J Physiol Cell Physiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33175571>

Bhujade, R, Ibrahim, T, Wanjpe, AK, & Chouhan, DS. (2020). A comparative study to assess general health status and oral health score of tobacco users and nonusers in geriatric population in central India. *J Family Med Prim Care*, 9(7), 3387-3391. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33102301>

Chang, J, Meng, HW, Lalla, E, & Lee, CT. (2020). The Impact of Smoking on Non-Surgical Periodontal Therapy: A Systematic Review and Meta-Analysis. *J Clin Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33022758>

Avram, GE, Marcu, A, Moatar, A, Samoilă, C, Podariu, A, Seclaman, E, & Marian, C. (2020). Changes in global DNA methylation and hydroxymethylation in oral mucosa according to tobacco smoke exposure. *J Int Med Res*, 48(9), 300060520954677. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32938281>

Brignardello-Petersen, R. (2020). Smokers may have a higher prevalence of apical periodontitis and root canal treatment than nonsmokers, but this is not evidence that smoking is a risk factor for these outcomes. *J Am Dent Assoc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32977951>

Jiang, Y, Zhou, X, Cheng, L, & Li, M. (2020). The Impact of Smoking on Subgingival Microflora: From Periodontal Health to Disease. *Front Microbiol*, 11, 66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32063898>

Mahmood, AA, AbdulAzeez, AR, & Hussein, HM. (2019). The Effect of Smoking Habit on Apical Status of Adequate Endodontically Treated Teeth with and Without Periodontal Involvement. *Clin Cosmet Investig Dent*, 11, 419-428. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31920402>

Holde, GE, Jonsson, B, Oscarson, N, & Muller, HP. (2019). To what extent does smoking affect gingival bleeding response to supragingival plaque? Site-specific analyses in a population-based study. *J Periodontal Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31788806>

Santosh, ABR, Jones, T, Brache, M, Toro, M, Tumanyan, S et al. (2019). The SmoCar Study: A Caribbean-Based Multicenter Study on the Prevalence and Disparities Linked to Smoking and Gingival Health. *Int Q Community Health Educ*, 272684X19895901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31865854>

Verma, S, & Sharma, H. (2019). Prevalence of Oral mucosal lesions and their association with Pattern of tobacco use among patients visiting a dental institution. *Indian J Dent Res*, 30(5), 652-655. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31854351>

Singh, DK, & Kumar, G. (2019). Comparison of the subgingival temperature of smokers and nonsmokers in healthy and diseased sites of gingiva in association with sublingual body temperature. *J Family Med Prim Care*, 8(10), 3166-3172. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31742137>

Sopinska, K, & Boltacz-Rzepkowska, E. (2019). The influence of tobacco smoking on dental periapical condition in a sample of an adult population of the Lodz region, Poland. *Int J Occup Med Environ Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31729491g>

Ajiboye, AS, Gordon, JS Fox, CH, & Garcia, RI. (2019). Oral Health Effects of Tobacco Products: Science and Regulatory Policy. *J Dent Res*, 98(11), 1168-1172. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31538869>

Jalayer Naderi, N. (2019). A Concept Suggestion on the Effect of Cigarette Smoking in Inflammatory Destruction of Gingiva. *Iran J Pathol*, 14(2), 184-185. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31528177>

Rosing, CK, Gomes, SC Carvajal, P, Gomez, M, Costa, R, Toledo, A et al (2019). Impact of smoking on gingival inflammation in representative samples of three South American cities. *Braz Oral Res*, 33, e090. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31531553>

Tomar, SL. (2019). Oral Health Effects of Tobacco Products: Science and Regulatory Policy. *Adv Dent Res*, 30(1), 2-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31538807>

Tomar, SL, Hecht, SS, Jaspers, I, Gregory, RL, & Stepanov, I. (2019). Oral Health Effects of Combusted and Smokeless Tobacco Products. *Adv Dent Res*, 30(1), 4-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31538806>

Alahmari, F, Javed, F, Ahmed, ZU, Romanos, G E, & Al-Kheraif, AA. (2019). Soft tissue status and crestal bone loss around conventionally-loaded dental implants placed in cigarette- and waterpipe (narghile) smokers: 8-years' follow-up results. *Clin Implant Dent Relat Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30884091>

Vora, MV, & Chaffee, BW. (2019). Tobacco-use patterns and self-reported oral health outcomes: A cross-sectional assessment of the Population Assessment of Tobacco and Health study, 2013-2014. *J Am Dent Assoc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30922519>

Zeller, I, Malovichko, MV, Hurst, HE, Renaud, DE, & Scott, DA. (2019). Cigarette smoke reduces short chain fatty acid production by a *Porphyromonas gingivalis* clinical isolate. *J Periodontal Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30982987>

Adibi, SS, Alcorn, JL, Ono, K, & Lichtenberger, LM. Gender and Smoking Correlations of Surfactant Lipids and Proteins in the Saliva of Dental Patients. *J Dent Maxillofac Surg*, 2018. 1(1), 67-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30603738>

de Geus, JL, Wambier, LM, Bortoluzzi, MC, Loguercio, AD, & Reis, A. Letter to the Editor replying to Armen Nersesyan about the article published in Clinical Oral Investigations tilted "Smoking increases the frequency of micronuclei in the oral mucosa of adults relative to non-smokers-a systematic review and meta-analysis". *Clin Oral Investig*, 2019. 23(1), 503-505. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30612245>

Burhanoglu, E, Aksoy, MC, Kosar, PA. TP53 polymorphisms in smokers' and nonsmokers' pericoronal follicles of asymptomatic impacted third molars. *Niger J Clin Pract*. 2018 Aug;21(8):967-973. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30073996>

Ordell S and Ekback G. Smoking cessation and associated dental factors in a cohort of smokers born in 1942: 5 year follow up. *Int Dent J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30009445>

Leite FRM, Nascimento GG, Scheutz F, and Lopez R. Effect of smoking on periodontitis: A systematic review and meta-regression. *Am J Prev Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29656920>

Emanuel AS, Parish A, Logan HL, Dodd VJ, Zheng D, et al. Dental visits mediate the impact of smoking on oral health. *Am J Health Behav*, 2018; 42(1):59-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29320339>

de Oliveira-Neto OB, Barbosa FT, de Sousa-Rodrigues CF, and de Lima FJC. Risk of bias assessment of systematic reviews regarding dental implant placement in smokers: An umbrella systematic review. *J Prosthet Dent*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29724548>

Barbosa GF and Santos S. Effects of cigarette smoke on color change of resin composites. *Am J Dent*, 2018; 31(1):3-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29630797>

Yu G, Phillips S, Gail MH, Goedert JJ, Humphrys MS, et al. The effect of cigarette smoking on the oral and nasal microbiota. *Microbiome*, 2017; 5(1):3. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28095925>

Sayardoust S, Omar O, Norderyd O, and Thomsen P. Clinical, radiological, and gene expression analyses in smokers and non-smokers, part 2: Rct on the late healing phase of osseointegration. *Clin Implant Dent Relat Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28744993>

Qiu F, Fan P, Nie GD, Liu H, Liang CL, et al. Effects of cigarette smoking on transplant survival: Extending or shortening it? *Front Immunol*, 2017; 8:127. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28239383>

Patel J, Siddiqui Z, Krishnan A, and Thyvalikakath T. Identifying patients' smoking status from electronic dental records data. *Stud Health Technol Inform*, 2017; 245:1281. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29295366>

Nobre MA and Malo P. Prevalence of periodontitis, dental caries, and peri-implant pathology and their relation with systemic status and smoking habits: Results of an open-cohort study with 22009 patients in a private rehabilitation center. *J Dent*, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28750777>

Nakonieczna-Rudnicka M and Bachanek T. Number of *< i>streptococcus mutans</i>* and *< i>lactobacillus</i>* in saliva versus the status of cigarette smoking, considering duration of smoking and number of cigarettes smoked daily. *Ann Agric Environ Med*, 2017; 24(3):396-400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954478>

Mazurek-Mochol M, Majorczyk E, Banach J, Dembowska E, Kusnerczyk P, et al. The influence of kir gene presence/absence polymorphisms on the development of periodontal disease in smokers and non-smokers. *Cent Eur J Immunol*, 2017; 42(4):347-53. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29472811>

Johnson TM. Smoking and periodontal disease. *US Army Med Dep J*, 2017; (3-17):67-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29214622>

Joaquim CR, Miranda TS, Marins LM, Silva HDP, Feres M, et al. The combined and individual impact of diabetes and smoking on key subgingival periodontal pathogens in patients with chronic periodontitis. *J Periodontal Res*, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29110296>

Hansen EO, Arendt-Nielsen L, and Boudreau SA. A comparison of oral sensory effects of three trpa1 agonists in young adult smokers and non-smokers. *Front Physiol*, 2017; 8:663. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28936178>

Ghattas Ayoub C, Aminoshariae A, Bakkar M, Ghosh S, Bonfield T, et al. Comparison of il-1beta, tnf-alpha, hbd-2, and hbd-3 expression in the dental pulp of smokers versus nonsmokers. *J Endod*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29033092>

de Geus JL, Wambier LM, Bortoluzzi MC, Loguercio AD, Kossatz S, et al. Does smoking habit increase the micronuclei frequency in the oral mucosa of adults compared to non-smokers? A systematic review and meta-analysis. *Clin Oral Investig*, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29063385>

de Geus JL, Fernandez E, Kossatz S, Loguercio AD, and Reis A. Effects of at-home bleaching in smokers: 30-month follow-up. *Oper Dent*, 2017; 42(6):572-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29144876>

Brignardello-Petersen R. Insufficient evidence about benefits of antimicrobial photodynamic therapy as an adjunct to mechanic curettage in smokers with peri-implant mucositis. *J Am Dent Assoc*, 2017; 148(8):e114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28688512>

Assem NZ, Alves MLF, Lopes AB, Gualberto ECJ, Garcia VG, et al. Antibiotic therapy as an adjunct to scaling and root planing in smokers: A systematic review and meta-analysis. *Braz Oral Res*, 2017; 31:e67. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28678975>

Akram Z, Vohra F, Bukhari IA, Sheikh SA, and Javed F. Clinical and radiographic peri-implant parameters and proinflammatory cytokine levels among cigarette smokers, smokeless tobacco users, and nontobacco users. *Clin Implant Dent Relat Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29243410>

Abduljabbar T, Al-Hamoudi N, Al-Sowygh ZH, Alajmi M, Javed F, et al. Comparison of peri-implant clinical and radiographic status around short (6 mm in length) dental implants placed in cigarette-smokers and never-smokers: Six-year follow-up results. *Clin Implant Dent Relat Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29181892>

Abduljabbar T, Al-Hamoudi N, AlQunayan M, AlAhmari A, AlMalki A, et al. Peri-implant soft-tissue parameters and crestal bone levels among narghile smokers and nonsmokers. *Inhal Toxicol*, 2017; 29(10):457-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29124995>

Yiu AJ, Kalejaiye A, Amdur RL, Todd Hesham HN, and Bandyopadhyay BC. Association of serum electrolytes and smoking with salivary gland stone formation. *Int J Oral Maxillofac Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26969301>

Yaprak E, Yolcubal I, Sinanoglu A, Dogrul-Demiray A, Guzeldemir-Akcakanat E, et al. High levels of heavy metal accumulation in dental calculus of smokers: A pilot inductively coupled plasma mass spectrometry study. *J Periodontal Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27016267>

Yadalam PK, Rajapandian K, Ravishankar PL, Vartharajan K, Subramaniam S, et al. Evaluation of anticardiolipin antibodies in tobacco users and non-tobacco users with severe chronic periodontal disease. *J Int Soc Prev Community Dent*, 2016; 6(3):256-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27382544>

Wu J, Peters BA, Dominianni C, Zhang Y, Pei Z, et al. Cigarette smoking and the oral microbiome in a large study of american adults. *ISME J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27015003>

Vogtmann E, Graubard B, Loftfield E, Chaturvedi A, Dye BA, et al. Contemporary impact of tobacco use on periodontal disease in the USA. *Tob Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26880744>

Shetty P, Hegde S, Vinod KS, Kalra S, Goyal P, et al. Oral leukoplakia: Clinicopathological correlation and its relevance to regional tobacco-related habit index. *J Contemp Dent Pract*, 2016; 17(7):601-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27595730>

Preidt R. Smoking triggers big changes in mouth bacteria, study finds, in *Health Day* 2016. Available from: <http://consumer.healthday.com/cancer-information-5/misc-tobacco-health-news-666/smoking-triggers-big-changes-in-mouth-bacteria-709469.html>.

Peruzzo DC, Gimenes JH, Taiete T, Casarin RC, Feres M, et al. Impact of smoking on experimental gingivitis. A clinical, microbiological and immunological prospective study. *J Periodontal Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26936228>

Panta P and Yaga US. Oral lichenoid reaction to tobacco. *Pan Afr Med J*, 2016; 24:330. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28154685>

Marta GF and Lopez-Jornet P. Association between smoking, glycemia, blood lipoproteins, and risk of oral leukoplakia. *Aust Dent J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27219072>

Kim MS, Yun JW, Park JH, Park BW, Kang YH, et al. Autophagy has a beneficial role in relieving cigarette smoke-induced apoptotic death in human gingival fibroblasts. *Int J Med Sci*, 2016; 13(5):357-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27226776>

Grover N, Sharma J, Sengupta S, Singh S, Singh N, et al. Long-term effect of tobacco on unstimulated salivary ph. *J Oral Maxillofac Pathol*, 2016; 20(1):16-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27194856>

Csikar J, Kang J, Wyborn C, Dyer TA, Marshman Z, et al. The self-reported oral health status and dental attendance of smokers and non-smokers in england. *PLoS ONE*, 2016; 11(2):e0148700. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26863107>

Costa PP, Alves LB, Souza SL, Grisi MF, Palioto DB, et al. Root coverage in smokers with acellular dermal matrix graft and enamel matrix derivative: A 12-month randomized clinical trial. *Int J Periodontics Restorative Dent*, 2016; 36(4):525-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27333010>

Cheng LL. Limited evidence suggests higher risk of dental implant failures in smokers than in nonsmokers. *J Am Dent Assoc*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26851818>

Baeder AC, Napa K, Richardson ST, Taylor OJ, Andersen SG, et al. Oral gingival cell cigarette smoke exposure induces muscle cell metabolic disruption. *Int J Dent*, 2016; 2016:2763160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27034671>

Alharbi IA and Rouabchia M. Repeated exposure to whole cigarette smoke promotes primary human gingival epithelial cell growth and modulates keratin expression. *J Periodontal Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26740170>

Wyganowska-Swiatkowska M and Nohawica MM. Effect of tobacco smoking on human gingival and periodontal fibroblasts. A systematic review of literature. *Przegl Lek*, 2015; 72(3):158-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26731876>

Varghese M, Hegde S, Kashyap R, and Maiya AK. Quantitative assessment of calcium profile in whole saliva from smokers and non-smokers with chronic generalized periodontitis. *J Clin Diagn Res*, 2015; 9(5):ZC54-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26155563>

Vacharaksa A, Kuptanon M, Sripitiroj R, and Serichetaphongse P. Periimplant bacteria associated with different transmucosal designs or smoking habits. *Implant Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25706261>

Ueno M, Ohara S, Sawada N, Inoue M, Tsugane S, et al. The association of active and secondhand smoking with oral health in adults: Japan public health center-based study. *Tob Induc Dis*, 2015; 13(1):19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26225132>

Tsigarida AA, Dabdoub SM, Nagaraja HN, and Kumar PS. The influence of smoking on the peri-implant microbiome. *J Dent Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26124222>

Sharma G and Nagpal A. Tobacco based dentifrices: Still not squeezed out. *J Family Med Prim Care*, 2015; 4(2):287. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25949986>

Shah AH and ElHaddad SA. Oral hygiene behavior, smoking, and perceived oral health problems among university students. *J Int Soc Prev Community Dent*, 2015; 5(4):327-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26312233>

Petrusic N, Posavac M, Sabol I, and Mravak-Stipetic M. The effect of tobacco smoking on salivation. *Acta Stomatol Croat*, 2015; 49(4):309-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27688415>

Persic Bukmir R, Jurcevic Grgic M, Brumini G, Spalj S, Pezelj-Ribaric S, et al. Influence of tobacco smoking on dental periapical condition in a sample of croatian adults. *Wien Klin Wochenschr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26659908>

Ozsezer Demiryurek E, Sakallioglu EE, Kalyoncuoglu E, Yilmaz Miroglu Y, and Sakallioglu U. The effects of smoking on the osmotic pressure of human dental pulp tissue. *Med Princ Pract*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26111632>

Ozdemir B, Ozmeric N, Elgun S, and Baris E. Smoking and gingivitis: Focus on inducible nitric oxide synthase, nitric oxide and basic fibroblast growth factor. *J Periodontal Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26667067>

Ng TK, Huang L, Cao D, Yip YW, Tsang WM, et al. Cigarette smoking hinders human periodontal ligament-derived stem cell proliferation, migration and differentiation potentials. *Sci Rep*, 2015; 5:7828. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25591783>

Mahross HZ, Mohamed MD, Hassan AM, and Baroudi K. Effect of cigarette smoke on surface roughness of different denture base materials. *J Clin Diagn Res*, 2015; 9(9):ZC39-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26501010>

Konic-Ristic A, Savikin K, Zdunic G, Besu I, Menkovic N, et al. Acute effects of black currant consumption on salivary flow rate and secretion rate of salivary immunoglobulin a in healthy smokers. *J Med Food*, 2015; 18(4):483-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25734687>

Jiun IL, Siddik SN, Malik SN, Tin-Oo MM, Alam MK, et al. Association between oral hygiene status and halitosis among smokers and nonsmokers. *Oral Health Prev Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25789356>

Javed F, Al-Kheraif AA, Al Amri MD, Alshehri M, Vohra F, et al. Periodontal status and whole salivary cytokine profile among smokers and never-smokers with and without prediabetes. *J Periodontol*, 2015;1:1-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25672658>

Jalayer Naderi N, Semyari H, and Elahinia Z. The impact of smoking on gingiva: A histopathological study. *Iran J Pathol*, 2015; 10(3):214-20. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26351487>

Imamura K, Kokubu E, Kita D, Ota K, Yoshikawa K, et al. Role of mitogen-activated protein kinase pathways in migration of gingival epithelial cells in response to stimulation by cigarette smoke condensate and infection by porphyromonas gingivalis. *J Periodontal Res*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26667496>

Ghasemi H, Khami MR, Virtanen JI, and Vehkalahti MM. Does smoking hamper oral self-care among dental professionals? *J Dent (Tehran)*, 2015; 12(5):333-9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26877728>

Farinha H and Martins V. Lingua villosa nigra associated with the use of electronic cigarette. *Acta Med Port*, 2015; 28(3):393. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26421795>

Dosunmu EB, Lawal FB, and Akinyemi OA. Smokers and non smokers: A comparison of oral health practices and effect of non surgical periodontal therapy on their periodontium. *Niger Postgrad Med J*, 2015; 22(2):110-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26259159>

Dietrich T, Walter C, Oluwagbemigun K, Bergmann M, Pischon T, et al. Smoking, smoking cessation, and risk of tooth loss: The epic-potsdam study. *J Dent Res*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26243734>

de Geus JL, de Lara MB, Hanzen TA, Fernandez E, Loguercio AD, et al. One-year follow-up of at-home bleaching in smokers before and after dental prophylaxis. *J Dent*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26303401>

Bezerra Ferreira JD, Rodrigues JA, Piattelli A, Iezzi G, Gehrke SA, et al. The effect of cigarette smoking on early osseointegration of dental implants: A prospective controlled study. *Clin Oral Implants Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26408047>

Bakhtiari S, Azimi S, Mehdipour M, Amini S, Elmi Z, et al. Effect of cigarette smoke on salivary total antioxidant capacity. *J Dent Res Dent Clin Dent Prospects*, 2015; 9(4):281-4. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26889367>

Zeller I, Hutcherson JA, Lamont RJ, Demuth DR, Gumus P, et al. Altered antigenic profiling and infectivity of porphyromonas gingivalis in smokers and non-smokers with periodontitis. *J Periodontol*, 2014; 85(6):837-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24147843>

Visvanathan R, Mahendra J, N A, Pandisuba, and Chalini. Effect of smoking on periodontal health. *J Clin Diagn Res*, 2014; 8(7):ZC46-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25177637>

Victor DJ, Subramanian S, Gnana PP, and Kolagani SP. Assessment of matrix metalloproteinases-8 and -9 in gingival crevicular fluid of smokers and non-smokers with chronic periodontitis using elisa. *J Int Oral Health*, 2014; 6(6):67-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25628487>

Twito D and Sade P. The effect of cigarette smoking habits on the outcome of dental implant treatment. PeerJ, 2014; 2:e546. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25237600>

Sgolastra F, Petrucci A, Severino M, Gatto R, and Monaco A. Smoking and the risk of peri-implantitis. A systematic review and meta-analysis. Clin Oral Implants Res, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24438442>

Rosa EF, Corraini P, Inoue G, Gomes EF, Guglielmetti MR, et al. Effect of smoking cessation on non-surgical periodontal therapy: Results after 24 months. J Clin Periodontol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25265872>

Rech RS, Santos KW, Maahs MA, and Vidor DC. Masticatory changes as a result of oral disorders in smokers. Int Arch Otorhinolaryngol, 2014; 18(4):369-75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25992124>

Ollikainen E, Saxlin T, Tervonen T, Suominen AL, Knuutila M, et al. Association between periodontal condition and hypertension in a non-smoking population aged 30-49 years: Results of the health 2000 survey in finland. J Clin Periodontol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25256004>

Nagaie M, Nishiura A, Honda Y, Fujiwara S, and Matsumoto N. A comprehensive mixture of tobacco smoke components retards orthodontic tooth movement via the inhibition of osteoclastogenesis in a rat model. Int J Mol Sci, 2014; 15(10):18610-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25322153>

Mohamed S and Janakiram C. Recurrent aphthous ulcers among tobacco users- hospital based study. J Clin Diagn Res, 2014; 8(11):ZC64-LC6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25584320>

Mathias TM, Silva JF, Sapata VM, Marson FC, Zanoni JN, et al. Evaluation of the effects of periodontal treatment on levels of ascorbic acid in smokers. J Int Acad Periodontol, 2014; 16(4):109-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25654964>

Mathias P, Santos SR, Aguiar TR, Santos PR, and Cavalcanti AN. Cigarette smoke: Effects on water sorption and solubility of restorative dental composites. Gen Dent, 2014; 62(2):54-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24598497>

Lallier TE, Maturin E, Brady M, Stoute D, and Ward T. Resistance to cigarette smoke is increased in pdl cells by attachment to collagen and fibronectin. J Periodontol, 2014;1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25119557>

Kotsakis GA, Javed F, Hinrichs JE, Karoussis IK, and Romanos GE. Impact of cigarette smoking on clinical outcomes of periodontal flap surgical procedures: A systematic review and meta-analysis. J Periodontol, 2014;1-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25299388>

Joshi V, Matthews C, Aspiras M, de Jager M, Ward M, et al. Smoking decreases structural and functional resilience in the subgingival ecosystem. J Clin Periodontol, 2014; 41(11):1037-47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25139209>

Hendek MK, Erdemir EO, Kisa U, and Ozcan G. Effect of initial periodontal therapy on the oxidative stress markers in gingival crevicular fluid, saliva and serum in smokers and non-smokers with chronic

periodontitis. J Periodontol, 2014;1-17. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25325515>

Gupta D, Nagar P, Karim B, Khan Kf IM, Naveen B, et al. Tobacco abuse amongst the school going students of 15 to 18 years of almora district, uttarakhand: A cross sectional study. Oral Health Dent Manag, 2014; 13(3):680-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25284536>

Gao H, Prasad GL, and Zacharias W. Combusted but not smokeless tobacco products cause DNA damage in oral cavity cells. Environ Toxicol Pharmacol, 2014; 37(3):1079-89. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24780532>

Feres M, Teacher H, Bernal MA, Matarazzo F, Faveri M, et al. Subgingival bacterial re-colonization after scaling and root planing in smokers with chronic periodontitis. Aust Dent J, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25283721>

Duane B. Further evidence that periodontal bone loss increases with smoking and age. Evid Based Dent, 2014; 15(3):72-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25343388>

Coleman RA. Smoking and implants. J Am Dent Assoc, 2014; 145(7):696. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24982267>

Branco P, Weidlich P, Oppermann RV, and Rosing CK. Early supra- and subgingival plaque formation in experimental gingivitis in smokers and never-smokers. Oral Health Prev Dent, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25197729>

Ardais R, Mario Tde G, Boligon J, Kantorski KZ, and Moreira CH. The effect of smoking on bleeding on probing after nonsurgical periodontal therapy: A quasi-experimental study. Braz Oral Res, 2014; 28(1):1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25337935>

Alamri A, Semlali A, Jacques E, Alanazi M, Zakrzewski A, et al. Long-term exposure of human gingival fibroblasts to cigarette smoke condensate reduces cell growth by modulating bax, caspase-3 and p53 expression. J Periodontal Res, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25139560>

Publio JC, D'Arce MB, Brunharo NM, Ambrosano GM, Aguiar FH, et al. Influence of surface treatments on enamel susceptibility to staining by cigarette smoke. J Clin Exp Dent, 2013; 5(4):e163-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24455074>

Al-Bayaty FH, Baharuddin N, Abdulla MA, Ali HM, Arkilla MB, et al. The influence of cigarette smoking on gingival bleeding and serum concentrations of haptoglobin and alpha 1-antitrypsin. Biomed Res Int, 2013; 2013:684154. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24286083>

Snider T, Cottrell D, and Batal H. Summary of current consensus on the effect of smoking on implant therapy. Journal of the Massachusetts Dental Society, 2011; 59(4):20–2. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21446616

3.11.1 Periodontitis

Bozyel, B, Dogan, O, Elgun, S, & Ozdemir, B. (2024). Hypoxic Responses in Periodontal Tissues: Influence of Smoking and Periodontitis. *J Clin Periodontol.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39491490>

Casarini, RCV, Silva, R, Paz, HES, Stolf, CS, Carvalho, LM, Noronha, MF et al. (2024). Metatranscriptomic analysis shows functional alterations in subgingival biofilm in young smokers with periodontitis: a pilot study. *J Appl Oral Sci,* 32, e20240031. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39166556>

Almeslet, AS, Aljudaibi, SM, Alqhtani, MAZ, Aseri, AA, & Alanazi, SM. (2024). Evaluation of Periodontal Clinicoradiographic Status and Whole Salivary Prostaglandin E2 Levels among Users of Water Pipe and Cigarettes. *Oral Health Prev Dent,* 22, 341-348. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39057913>

Prince, Y, Davison, GM, Davids, SFG, Erasmus, RT, Kengne, AP, Raghubeer, S, & Matsha, TE. (2024). The effect of cigarette smoking on the oral microbiota in a South African population using subgingival plaque samples. *Helijon,* 10(10), e31559. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38831830>

Wiesmann-Imilowski, N, Becker, P, Gielisch, MW, Ziebolz, D, Vermehren, F, Bitschnau, M et al. (2024). Cytotoxic impact of nicotine products on periodontal ligament cells. *Clin Oral Investig,* 28(7), 399. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38922383>

Xie, G, Huang, C, Jiang, S, Li, H, Gao, Y, Zhang, T et al. (2024). Smoking and osteoimmunology: Understanding the interplay between bone metabolism and immune homeostasis. *J Orthop Translat,* 46, 33-45. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38765605>

Huang, YQ, Xu, JN, Huang, Y, Xu, YD, Wang, HL, Shi, WT et al (2024). Independent and combined effects of smoking, drinking and depression on periodontal disease. *BMC Oral Health,* 24(1), 535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38711116>

Knie, LV, Leknes, KN, Xue, Y, Lie, SA, & Bunaes, DF. (2024). Serum biomarker levels in smokers and non-smokers following periodontal therapy. A prospective cohort study. *BMC Oral Health,* 24(1), 463. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38627806>

Mohammed, LI, Zakaria, ZZ, Benslimane, FM, & Al-Asmakh, M. (2024). Exploring the role of oral microbiome dysbiosis in cardiometabolic syndrome and smoking. *Exp Lung Res,* 50(1), 65-84. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38544373>

Senaratne, NLM, Yung On, C, Shetty, NY, & Gopinath, D. (2024). Effect of different forms of tobacco on the oral microbiome in healthy adults: a systematic review. *Front Oral Health,* 5, 1310334. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38445094>

Yuvashri, P, Renuka Devi, R, Esther Nalini, H, & Arun Kumar Prasad, P. (2024). Estimating the salivary levels of IL-35 in smokers with periodontitis: A cross sectional study. *Saudi Dent J,* 36(1), 168-172. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38375376>

Tan, J, Lamont, GJ, & Scott, DA. (2024). Tobacco-enhanced biofilm formation by Porphyromonas gingivalis and other oral microbes. *Mol Oral Microbiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38229003>

Abduljalil, SMA, Hashim, NT, Rahman, MM, Chaitanya, NC, Mukhtar, MM, & Gismalla, B G. (2023). Soluble Receptor Activator of Nuclear Factor Ligand and Osteoprotegerin Levels in Gingival Crevicular Fluid among Cigarette Smokers and Non-smokers with and without Periodontitis. *J Contemp Dent Pract*, 24(10), 771-778. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38152910>

Majid, OW. (2023). Dose-response association of smoking with delayed healing of apical periodontitis after endodontic treatment. *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37957238>

Antonello, G, Blostein, F, Bhaumik, D, Davis, E, Gogele, M, Melotti, R et al. (2023). Smoking and salivary microbiota: a cross-sectional analysis of an Italian alpine population. *Sci Rep*, 13(1), 18904. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37919319>

Senaratne, NLM, Chong, CW, Yong, LS, Yoke, LF, & Gopinath, D. (2023). Impact of waterpipe smoking on the salivary microbiome. *Front Oral Health*, 4, 1275717. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38024144>

Galvin, S, Anishchuk, S, Healy, CM, & Moran, GP. (2023). Smoking, tooth loss and oral hygiene practices have significant and site-specific impacts on the microbiome of oral mucosal surfaces: a cross-sectional study. *J Oral Microbiol*, 15(1), 2263971. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37795170>

Gugnani, N, & Gugnani, S. (2023). Does smoking exposure alter the effect of non-surgical periodontal therapy? *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37857807>

Ikhar, AS, Kolte, RA, Kolte, AP, Rathi, PR, Ghoderao, DG, & Dahake, RN. (2023). Comparative evaluation of semaphorin-4D, peptidylarginine deiminase-2, and matrix metalloproteinase-8 levels of gingival crevicular fluid in periodontally healthy and Stage III periodontitis smoker and non-smoker patients before and after non-surgical periodontal therapy. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37846733>

Pasarin, L, Martu, MA, Ciurcanu, OE, Luca, EO, Salceanu, M, Anton, D et al. (2023). Influence of Diabetes Mellitus and Smoking on Pro- and Anti-Inflammatory Cytokine Profiles in Gingival Crevicular Fluid. *Diagnostics (Basel)*, 13(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37835794>

Yu, KM, Cho, HS, Lee, AM, Lee, JW, & Lim, SK. (2023). Analysis of the influence of host lifestyle (coffee consumption, drinking, and smoking) on Korean oral microbiome. *Forensic Sci Int Genet*, 68, 102942. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37862769>

Alwitheranani, N. (2023). Periodontal Disease and Smoking: Systematic Review. *J Pharm Bioallied Sci*, 15(Suppl 1), S64-S71 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37654319>

Amaranath, BJ, Gupta, S, Kumar, S, Das, N, Gupta, I, & Pratik, S. (2023). Assessment of Periodontal Health Status among the Male Adult Population with a Dual Habit of Smoking and Gutkha Chewing: A Cross-Sectional Study. *J Pharm Bioallied Sci*, 15(Suppl 2), S1020-S1022. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37693974>

Guney, Z, Kurgan, S, Onder, C, Serdar, MA, Gunhan, O, & Gunhan, M. (2023). Expression of tight junction proteins in smokers and non-smokers with generalized Stage III periodontitis. *J Periodontal Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37697913>

Arruda, CV, Guilardi, IJ, Pavan, LMC, & Greggianin, BF. (2023). Oral health-related quality of life and periodontal status according to smoking status. *Int J Dent Hyg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37602563>

Onder, C, Akdogan, N, Kurgan, S, Balci, N, Serdar, CC, Serdar, MA, & Gunhan, M. (2023). Does smoking influence tryptophan metabolism in periodontal inflammation? A cross-sectional study. *J Periodontal Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37526075>

Schwarz, C, Hajdu, AI, Dumitrescu, R, Sava-Rosianu, R, Bolchis, V, Anusca, D et al. (2023). Link between Oral Health, Periodontal Disease, Smoking, and Systemic Diseases in Romanian Patients. *Healthcare (Basel)*, 11(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37628551>

Taskaldiran, ES, Tuter, G, Yucel, AA, & Yaman, M. (2023). Effects of smoking on the salivary and GCF levels of IL-17 and IL-35 in periodontitis. *Odontology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37566245>

Thiem, DGE, Donkiewicz, P, Rejaey, R, Wiesmann-Imilowski, N, Deschner, J, Al-Nawas, B, & Kammerer, PW. (2023). The impact of electronic and conventional cigarettes on periodontal health-a systematic review and meta-analysis. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37526741>

AlZamil, AF, & AlQutub, MN. (2023). The effect of different cigarette smoking levels on gingival crevicular fluid volume and periodontal clinical parameters in Saudi Arabia. *Saudi Dent J*, 35(5), 525-533. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37520605>

Yamaga, S, Tanigaki, K, Nakamura, E, Sasaki, N, Kato, Y, Kuboniwa, M et al. (2023). Cigarette smoke extract impairs gingival epithelial barrier function. *Sci Rep*, 13(1), 9228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37286570>

Do, HT, Nguyen, TT, Vo, TL, Huynh, NC, & Nguyen, ATK. (2023). The influence of smoking on oral neutrophils and matrix metalloproteinase-8 in periodontitis patients before and after nonsurgical treatment. *J Oral Biol Craniofac Res*, 13(3), 442-447. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37215391>

Cicchinelli, S, Rosa, F, Manca, F, Zanza, C, Ojetto, V, Covino, M et al. (2023). The Impact of Smoking on Microbiota: A Narrative Review. *Biomedicines*, 11(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37189762>

Chih, SM, Cheng, CD, Chen, S., Sung, CE, Huang, RY, & Cheng, WC. (2023). The impact of smoking on peri-implant microbiota: A systematic review. *J Dent*, 133, 104525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37088258>

Alqahtani, SM, Gokhale, ST, Elagib, MFA, Shrivastava, D, Nagate, RR, Alshmrani, BAM et al. (2023). Assessment and Correlation of Salivary Ca, Mg, and pH in Smokers and Non-Smokers with Generalized Chronic Periodontitis. *Medicina (Kaunas)*, 59(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37109723>

Madi, M, Smith, S, Alshehri, S, Zakaria, O, & Almas, K. (2023). Influence of Smoking on Periodontal and Implant Therapy: A Narrative Review. *Int J Environ Res Public Health*, 20(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37047982>

Sim, KY, Jang, YS, Jang, YS, Nerobkova, N, & Park, EC. (2023). Association between Smoking and Periodontal Disease in South Korean Adults. *Int J Environ Res Public Health*, 20(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36901429>

Tamashiro, R, Strange, L, Schnackenberg, K, Santos, J, Gadalla, H, Zhao, L et al. (2023). Smoking-induced subgingival dysbiosis precedes clinical signs of periodontal disease. *Sci Rep*, 13(1), 3755. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36882425>

Alkan, B, & Koroglu-Aydin, P. (2023). The effects of smoking on genotoxic and histopathologic damage in exfoliated oral epithelial cells and the periodontium: A cross-sectional study. *Medicine (Baltimore)*, 102(8), e33140. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36827003>

Hao, CP, Cao, NJ, Zhu, YH, & Wang, W. (2023). The impact of smoking on periodontitis patients' GCF/serum cytokine profile both before and after periodontal therapy: a meta-analysis. *BMC Oral Health*, 23(1), 60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36726081>

Leite, FRM, Lopez, R, Moller, HJ, & Nascimento, GG. (2023). Salivary cytokine expression after non-surgical periodontal therapy in smokers: 12-month follow-up. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36645176>

Han, JH, Jeong, SN, & Lee, JH. (2022). A retrospective epidemiological investigation of periodontitis risk and current smoking status based on the number of cigarettes per day and the Fagerstrom Test for Nicotine Dependence: a preliminary pilot study. *J Periodontal Implant Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36468481>

Wadia, R. (2022). Smoking and periodontal therapy. *Br Dent J*, 233(12), 1020. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36526772>

Janaphan, K, Hashem, I, Smith, C, Holmes, S, & Chatzopoulou, D. (2022). Periodontal disease as a primary cause of surgical site infection in fractures of the mandible: Is smoking a confounding variable? *Br J Oral Maxillofac Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36400684>

Noh, JW, Jang, JH, Yoon, HS, Kim, KB, Heo, MH, Jang, HE et al (2022). Evaluation of Salivary Biomarkers of Periodontal Disease Based on Smoking Status: A Systematic Review. *Int J Environ Res Public Health*, 19(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36361498>

Yilmaz, M, Yay, E, Atalay, N, Balci, N, Kurgan, S, Toygar, H, & Serdar, MA. (2022). Do arginine metabolites have a role in periodontitis due to smoking? A new perspective. *Oral Dis.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36401797>

Mikami, R, Mizutani, K, Aoyama, N, Matsuura, T, Suda, T, Takeda, K et al. (2022). Income-related inequalities in the association of smoking with periodontitis: a cross-sectional analysis in Tokyo Metropolitan Districts. *Clin Oral Investig.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36241924>

Beklen, A, Sali, N, & Yavuz, MB. (2022). The impact of smoking on periodontal status and dental caries. *Tob Induc Dis,* 20, 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36118559>

da Silva, RVC, Rangel, TP, Correa, MG, de Freitas Monteiro, M, Casati, MZ, Ruiz, KG et al. (2022). Smoking negatively impacts the clinical, microbiological, and immunological treatment response of young adults with Grade C periodontitis. *J Periodontal Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36050890>

Iskander, MMZ, Lamont, GJ, Tan, J, Pisano, MM, Uriarte, SM, & Scott, DA. (2022). Tobacco smoke exacerbates Filifactor alocis pathogenicity. *J Clin Periodontol.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36122937>

Soldati, KR, Gutierrez, LS, Anovazzi, G, Scarel-Caminaga, RM, & Zandim-Barcelos, DL. (2022). Impact of smoking on protein levels of beta-defensins in periodontal disease. *Braz Dent J,* 33(4), 79-86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36043572>

Salhi, L, Seidel, L, Lambert, F, & Albert, A. (2022). Predicting probing depth reduction after periodontal non-surgical treatment in smokers according to the nicotine dependence and the number of cigarette consumed. *Helijon,* 8(8), e10143. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36039129>

Dionigi, C, Larsson, L, Difloe-Geisert, JC, Zitzmann, NU, & Berglundh, T. (2022). Cellular expression of epigenetic markers and oxidative stress in periodontitis lesions of smokers and non-smokers. *J Periodontal Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35766184>

Show, S, Bagchi, S, Dey, AK, Boyapati, R, Pal, P C, & Tejaswi, KS. (2022). Effect of nonsurgical periodontal therapy and smoking status on hematological variables related to anemia of chronic disease in chronic periodontitis patient: a case-control study. *J Yeungnam Med Sci.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35570650>

Spuldar, TR, Wagner, VP, Nor, F, Gaio, EJ, Squarize, CH, Carrard, VC et al. (2022). Periodontal disease affects oral cancer progression in a surrogate animal model for tobacco exposure. *Int J Oncol,* 60(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35514311>

Chaffee, BW, Lauten, K, Sharma, E, Everard, CD, Duffy, K, Park-Lee, E et al. (2022). Oral Health in the Population Assessment of Tobacco and Health Study. *J Dent Res,* 220345221086272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35403466>

Yoshihara, A, Nakashima, K, Suwama, K, Odajima, A, Yamaga, T, & Ogawa, H. (2022). Interaction between serum vitamin C levels and smoking on the periodontal condition in older adults. *J Periodontal Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35415888>

Al-Marzooq, F, Al Kawas, S, Rahman, B, Shearston, JA, Saad, H, Benzina, D, & Weitzman, M. (2022). Supragingival microbiome alternations as a consequence of smoking different tobacco types and its relation to dental caries. *Sci Rep*, 12(1), 2861. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35190583>

Ollikainen, E, Saxlin, T, Tervonen, T, Suominen, AL, Knuutila, M, Jula, A, & Ylostalo, P. (2022). Association between periodontal condition and blood pressure is confounded by smoking. *Acta Odontol Scand*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35120431>

Ke, L, Nogueira, G, & Thomson, WM. (2022). Influence of case definitions on epidemiological estimates of periodontitis prevalence and its associations with smoking and OHRQoL. *Community Dent Oral Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35076110>

Popa, GV, Mogoanta, L, & Badea, O. (2021). Macroscopic Changes in Oral Mucosa and Hygiene Indicators in Smokers. *Curr Health Sci J*, 47(3), 383-392. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35003770>

Sutej, I, Bozic, D, Peros, K, & Plancak, D. (2021). Cigarette smoking and its consequences on periodontal health in teenagers: a cross-sectional study. *Cent Eur J Public Health*, 29(4), 311-316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35026071>

Zhang, J, Yu, J, Dou, J, Hu, P, & Guo, Q. (2021). The Impact of Smoking on Subgingival Plaque and the Development of Periodontitis: A Literature Review. *Front Oral Health*, 2, 751099. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35048061>

Basic, K, Peros, K, Bosnjak, Z, & Sutej, I. (2021). Subgingival Microbiota Profile in Association with Cigarette Smoking in Young Adults: A Cross-Sectional Study. *Dent J (Basel)*, 9(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34940047>

Benn, AML, Heng, NCK, Thomson, WM, Sissons, CH, Gellen, LS, Gray, AR, & Broadbent, JM. (2021). Associations of sex, oral hygiene and smoking with oral species in distinct habitats at age 32 years. *Eur J Oral Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34874583>

Rahate, P. S., Kolte, R. A., Kolte, A. P., Lathiya, V. N., Gupta, M., & Chari, S. (2021). Evaluation of stress, serum and salivary ghrelin and cortisol levels in smokers and non-smokers with stage iii periodontitis - A cross-sectional study. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34859428>

Dutra, TP, Sacramento, CM, Nagay, BE, Magno, MB, Maranon-Vasquez, GA, Maia, LC et al (2021). Do smokers have a different gingival crevicular fluid cytokine/chemokine profile than nonsmokers in clinically healthy periodontal sites? A systematic review and meta-analysis. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34812957>

Wang, X, Luo, N, Mi, Q, Kong, W, Zhang, W, Li, X, & Gao, Q. (2021). Influence of cigarette smoking on oral microbiota in patients with recurrent aphthous stomatitis. *J Investig Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34824153>

Kanmaz, M, Kanmaz, B, & Buduneli, N. (2021). Periodontal treatment outcomes in smokers: A narrative review. *Tob Induc Dis*, 19, 77. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34707470>

Lalkota, H, Alluri, LSC, Da Silva, APB, Gummalla, S, & Kondareddy, KMR. (2021). Estimation and Correlation of Serum Albumin and Serum Alkaline Phosphatase Levels Between Smokers and Non-smokers With Generalized Chronic Periodontitis. *Cureus*, 13(8), e17474. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34603867>

Popa, GV, Costache, A, Badea, O, Cojocaru, MO, Mitroi, G, Lazar, AC et al. (2021). Histopathological and immunohistochemical study of periodontal changes in chronic smokers. *Rom J Morphol Embryol*, 62(1), 209-217. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34609423>

Baumeister, SE, Freuer, D, Nolde, M, Kocher, T, Baurecht, H, Khazaei, Y et al. (2021). Testing the association between tobacco smoking, alcohol consumption, and risk of periodontitis: A Mendelian randomization study. *J Clin Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34472130>

Chaffee, BW, Couch, ET, Vora, MV, & Holliday, RS. (2021). Oral and periodontal implications of tobacco and nicotine products. *Periodontol 2000*, 87(1), 241-253. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34463989>

Han, JH, Park, JW, Han, KD, Park, JB, Kim, M, & Lee, JH. (2021). Smoking and Periodontitis Can Play a Synergistic Role in the Development of Psoriasis: A Nationwide Cohort Study. *Dermatology*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34535604>

Li, Z, Liu, Y, Dou, L, Zhang, Y, He, S, Zhao, D et al. (2021). The effects of smoking and drinking on the oral and esophageal microbiota of healthy people. *Ann Transl Med*, 9(15), 1244. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34532381>

Frasher, I, Heym, R, Ern, C, Summer, B, Hennessen, TG, Hogg, C et al. (2021). Salivary and gingival CXCL8 correlation with periodontal status, periodontal pathogens and smoking. *Oral Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34388304>

Omer-Cihangir, R, Baser, U, Kucukgergin, C, Aykol-Sahin, G, Huck, O, & Yalcin, F. (2021). Impact of Smoking on Neutrophil Enzyme Levels in Gingivitis: A Case-Control Study. *Int J Environ Res Public Health*, 18(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34360367>

Zhang, H, Chen, B, Pan, C, & Zhang, A. (2021). To evaluate the serum cortisol, salivary cortisol, and serum interleukin-1 B level in patients of chronic periodontitis with smoking and stress and without smoking and stress. *Medicine (Baltimore)*, 100(31), e26757. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34397819>

Kumar, CN, Rao, SM, Jethlia, A, Linganna, CS, Bhargava, M, & Palve, DH. (2021). Assessment of salivary thiocyanate levels and pH in the saliva of smokers and nonsmokers with chronic periodontitis - A comparative study. *Indian J Dent Res*, 32(1), 74-78. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34269241>

Lee, KT, Guo, ZL, Teng, NC, Hsu, KC, Chen, IH, Lee, CY et al. (2021). Salivary Pro-Inflammatory Markers and Smoking Status Influences the Treatment Effectiveness of Periodontal Disease Patients with Hypertension. *Int J Environ Res Public Health*, 18(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34299815>

Moussa, HA, Wasfi, R, Abdeltawab, NF, & Megahed, SA. (2021). High Counts and Anthracene Degradation Ability of Streptococcus mutans and Veillonella parvula Isolated From the Oral Cavity of

Cigarette Smokers and Non-smokers. *Front Microbiol*, 12, 661509. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34262538>

Silva, H. (2021). Tobacco Use and Periodontal Disease-The Role of Microvascular Dysfunction. *Biology (Basel)*, 10(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34067557>

Tatsumi, M, Yanagita, M, Yamashita, M, Hasegawa, S, Ikegami, K, Kitamura, M, & Murakami, S. (2021). Long-term exposure to cigarette smoke influences characteristics in human gingival fibroblasts. *J Periodontal Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34057209>
Goswami, S, Ylostalo, P, Khan, S, Knuutila, M, Bernabe, E, & Suominen, AL. (2021). Effect of smoking on periodontal health and validation of self-reported smoking status with serum cotinine levels. *Acta Odontol Scand*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33966590>

Balaji, TM, & Rao, SR. (2020). Salivary, Plasma, and Gingival Levels of Melatonin and TNF-alpha in Nonsmokers and Current Smokers with and without Periodontal Disease. *J Contemp Dent Pract*, 21(8), 897-904. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33568612>

Goel, K, Sharma, S, Baral, DD, & Agrawal, SK. (2021). Current status of periodontitis and its association with tobacco use amongst adult population of Sunsari district, in Nepal. *BMC Oral Health*, 21(1), 66. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33579264>

Ozdemir, H, Gundogar, H, & Akpinar, A. (2021). Photobiomodulation Therapy by 820 nm Diode Laser on Nonsurgical Periodontal Treatment of Smoker and Nonsmoker Patients: A Single-Blind Parallel Randomized Clinical Trial. *Photochem Photobiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33547665>

Rimachi Hidalgo, MA, Cirelli, T, da Silva, BR, Nicchio, IG, Nepomuceno, R, Orrico, SRP et al. (2021). Polymorphisms and haplotypes in the Interleukin 17 Alfa gene: potential effect of smoking habits in the association with periodontitis and type 2 diabetes mellitus. *Mol Biol Rep*, 48(2), 1103-1114. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33559820>

Thuller, K, Armada, L, Valente, MI, Pires, FR, Vilaca, CMM, & Gomes, CC. (2021). Immunoexpression Of IL-17, IL-6 And IL-1beta In Primary Chronic Apical Periodontitis In Smokers And Non-Smokers. *J Endod*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33548327>

Zolotukhina, OL, Romanova, IG Pyndus, TO, Romanov, GO, & Tkachenko, IM. (2020). Evaluation of Effectiveness of Treatment-and-Prophylactic Complex in Tobacco-Addicted Patients with Chronic Generalized Periodontitis on the Background of Chronic Hyperacid Gastritis. *Wiad Lek*, 73(12 cz 1), 2607-2611. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33577476>

Al Kawas, S, Al-Marzooq, F, Rahman, B, Shearston, JA, Saad, H, Benzina, D, & Weitzman, M. (2021). The impact of smoking different tobacco types on the subgingival microbiome and periodontal health: a pilot study. *Sci Rep*, 11(1), 1113. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33441919>

Lutfioglu, M, Sakallioglu, U, Sakallioglu, EE, Ozden, FO, Urkmez, SS, & Bilgici, B. (2021). Effects of smoking on the gingival crevicular fluid levels of interleukin-17A, interleukin-17E, and oxidative stress following periodontal treatment process. *J Periodontal Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33458831>

Silva, E, Pinto, KP, Ferreira, CM Maia, LC Sassone, LM, & Fidalgo, TKS. (2020). Methodologic concerns regarding the evidence of a higher prevalence of apical periodontitis and endodontic treatment need in tobacco smokers. *Int Endod J*, 53(12), 1744-1747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33448421>

Nazaryan, R, Kryvenko, L, Zakut, Y, Karnaukh, O, & Gargin, V. (2020). Application of estimated oral health indices in adolescents with tobacco addiction. *Pol Merkur Lekarski*, 48(287), 327-330. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33130792>

Vijayakumar, S, Koshi, E, Sadasivan, A Indhuja, RS, & Vallabhan, CG. (2020). Effect of Nonsurgical Periodontal Therapy on Serum Levels of Interleukin-1beta and Interleukin-8 in Smokers and Nonsmokers with Chronic Periodontitis. *J Pharm Bioallied Sci*, 12(Suppl 1), S313-S318. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33149478>

Yadav, VS, Mir, RA, Bhatia, A, Yadav, R, Shadang, M, Chauhan, SS et al (2020). Metallothionein levels in gingival crevicular fluid, saliva and serum of smokers and non-smokers with chronic periodontitis. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33107036>

Boulaamaim, T, Tenenbaum, H, Davideau, JL, & Huck, O. (2020). Selective Influence of Smoking on Periodontal Treatment Outcomes after 3 Years of Follow-up. *Oral Health Prev Dent*, 18(4), 823-831. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32895667>

Hamdi, Z, Detzen, L, Fessi, S, Julia, C, Hercberg, S, Czernichow, S et al. (2020). Alcoholic beverage consumption, smoking habits, and periodontitis: A cross-sectional investigation of the NutriNet-Sante study. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32895953>

Rifai, M, Aoun, G, & Majzoub, Z. (2020). Evaluation of the Papillary Gingival Vasculature in Smokers and Nonsmokers with Chronic Periodontitis: A Clinical In Vivo Study. *J Int Soc Prev Community Dent*, 10(3), 368-375. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32802785>

Salhi, L, Albert, A, Seidel, L, & Lambert, F. (2020). Respective Effects of Oral Hygiene Instructions and Periodontal Nonsurgical Treatment (Debridement) on Clinical Parameters and Patient-Reported Outcome Measures with Respect to Smoking. *J Clin Med*, 9(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32756385>

Singh, D, & Gangwar, A. (2020). To what extent does smoking affect gingival bleeding response to supragingival plaque? Site-specific analyses in a population-based study. *J Periodontal Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32761811>

Yaragani, A, Sushuma, K, Guduri, V, Thirumalasetty, S, Vishnubhotla, G, Kandikatla, P, & Chandu, VC. (2020). The influence of tobacco consumption on periodontal health: A stratified analysis based on type of tobacco use. *J Family Med Prim Care*, 9(4), 2061-2066. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32670966>

Yilmaz Sastim, C, Gursoy, M, Kononen, E, Kasurinen, A, Norvio, S, Gursoy, UK, & Dogan, B. (2020). Salivary and serum markers of angiogenesis in periodontitis in relation to smoking. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32643086>

Ameen, M Attia, AM, Felimban, A, Al-Dwaghri, T, Fattni, A, Azab, E et al (2020). Evaluation of cardiac biomarkers in smokers and non-smokers with chronic periodontitis. *Int J Health Sci (Qassim)*, 14(3), 26-32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32536846>

Hagenfeld, D, Matern, J, Prior, K, Harks, I, Eickholz, P, Lorenz, K et al (2020). Significant Short-Term Shifts in the Microbiomes of Smokers With Periodontitis After Periodontal Therapy With Amoxicillin & Metronidazole as Revealed by 16S rDNA Amplicon Next Generation Sequencing. *Front Cell Infect Microbiol*, 10, 167. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32477961>

Koregol, AC Kalburgi, N B, Pattanashetty, P, Warad, S, Shirigeri, NS, & Hunasikatti, VC. (2020). Effect of smokeless tobacco use on salivary glutathione levels among chronic periodontitis patients before and after non-surgical periodontal therapy. *Tob Prev Cessat*, 6, 15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548352>

Ravida, A, Troiano, G, Qazi, M, Saleh, MHA, Saleh, I, Borgnakke, WS, & Wang, HL. (2020). Dose-dependent effect of smoking and smoking cessation on periodontitis-related tooth loss during 10 - 47 years periodontal maintenance -- a retrospective study in compliant cohort. *J Clin Periodontol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32593185>

Torrungruang, K, Chantarangs, S, Sura, T, & Thienpramuk, L. (2020). Interplay between vitamin D receptor FokI polymorphism and smoking influences Porphyromonas gingivalis proportions in subgingival plaque. *J Clin Periodontol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32418218>

Bachtiar, EW, Putri, AC, & Bachtiar, BM. (2019). Salivary nitric oxide, Simplified Oral Hygiene Index, and salivary flow rate in smokers and non-smokers: a cross-sectional study. *F1000Res*, 8, 1744. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32269757>

Furdychko, AI, Ilchyshyn, MP, Fedun, IR, Barylak, AY, Slaba, OM, & Khoroz, LM. (2020). Periodontal status in patients with diseases of hepatobiliary system, burdened with tobacco and drug addiction. *Wiad Lek*, 73(3), 517-520. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32285825>

Padhye, N. M., Padhye, A. M., & Gupta, H. S. (2019). Quantification and Comparison of the Impact of the Smoking Status on Oral Polymorphonuclear Leukocyte and Malondialdehyde Levels in Individuals with Chronic Periodontitis: A Double-Blinded Longitudinal Interventional Study. *Contemp Clin Dent*, 10(3), 517-524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32308331>

Patil, AS, Ranganath, V, Kumar, CN, Naik, R, John, AA, & Pharande, SB. (2020). Evaluation of salivary biomarkers of periodontitis among smokers and nonsmokers: A novel study. *J Family Med Prim Care*, 9(2), 1136-1142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32318481>

Pinto, KP, Ferreira, CM, Maia, LC, Sassone, LM, Fidalgo, TKS, & Silva, E. (2020). Does tobacco smoking predispose to apical periodontitis and endodontic treatment need? A systematic review and meta-analysis. *Int Endod J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32344459>

Sato, N, Kakuta, M, Uchino, E, Hasegawa, T, Kojima, R, Kobayashi, W et al (2020). The relationship between cigarette smoking and the tongue microbiome in an East Asian population. *J Oral Microbiol*, 12(1), 1742527. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32341759>

Schmidt, JC, Jajoo, E, Berglundh, T, & Zitzmann, NU. (2020). Periodontitis lesions in smokers and non-smokers. *Eur J Oral Sci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32304269>

Arias-Bujanda, N, Regueira-Iglesias, A, Blanco-Pintos, T, Sampedro-Alonso, M, Relvas, M, Gonzalez-Peteiro, M et al. (2020). Diagnostic accuracy of IL1beta in saliva: the development of predictive

models for estimating the probability of the occurrence of periodontitis in non-smokers and smokers. *J Clin Periodontol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32198900>

Ercan, N, Olgun, E, Kisa, U, & Yalim, M. (2020). Effect of synbiotics in the treatment of smokers and non-smokers with gingivitis: randomized controlled trial. *Aust Dent J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32147827>

Joseph, B, Javali, MA, Khader, MA, AlQahtani, SM, & Amanullah, M. (2020). Salivary Osteocalcin as Potential Diagnostic Marker of Periodontal Bone Destruction among Smokers. *Biomolecules*, 10(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32121498>

Sato, N, Kakuta, M, Hasegawa, T, Yamaguchi, R, Uchino, E, Kobayashi, W et al (2020). Metagenomic analysis of bacterial species in tongue microbiome of current and never smokers. *NPJ Biofilms Microbiomes*, 6(1), 11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32170059>

Varghese, J, Bhat, V, Chianeh, YR, Kamath, V, Al-Haj Husain, N, & Ozcan, M. (2020). Salivary 8-hydroxyguanosine levels in smokers and non-smokers with chronic periodontitis. *Odontology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32065311>

Santhana Krishnan, G, Naik, D, Uppoor, A, Nayak, S, Baliga, S, & Maddi, A. (2020). Candidal carriage in saliva and subgingival plaque among smokers and non-smokers with chronic periodontitis-a cross-sectional study. *PeerJ*, 8, e8441. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32030324>

Amaranath, BJ, Das, N, Gupta, I, Gupta, R, John, B, & Devi, MP. (2020). Types of bone destruction and its severity in chronic periodontitis patients with tobacco smoking habit using periapical radiographs and transgingival probing: A cross-sectional study. *J Indian Soc Periodontol*, 24(1), 20-25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31983840>

Karatas, O, Balci Yuce, H, Tulu, F, Taskan, MM, Gevrek, F, & Toker, H. (2019). Evaluation of apoptosis and hypoxia-related factors in gingival tissues of smoker and non-smoker periodontitis patients. *J Periodontal Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31854460>

Naji, A, Edman, K, & Holmlund, A. (2019). Influence of smoking on periodontal healing one year after active treatment. *J Clin Periodontol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31797404>

Aminoshariae, A, Kulild, J, & Gutmann, J. (2019). The association between smoking and periapical periodontitis: a systematic review. *Clin Oral Investig*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31773370>

Cho, YD, Kim, PJ, Kim, HG, Seol, YJ, Lee, YM, Ryoo, HM, & Ku, Y. (2019). Transcriptome and methylome analysis of periodontitis and peri-implantitis with tobacco use. *Gene*, 144258. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31759984>

Naresh, CK, Rao, SM, Shetty, PR, Ranganath, V, Patil, AS, & Anu, AJ. (2019). Salivary antioxidant enzymes and lipid peroxidation product malondialdehyde and sialic acid levels among smokers and non-smokers with chronic periodontitis-A clinico-biochemical study. *J Family Med Prim Care*, 8(9), 2960-2964. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31681675>

Velidandla, S, Bodduru, R, Birra, V, Jain, Y, Valluri, R, & Ealla, KKR. (2019). Distribution of Periodontal Pockets Among Smokers and Nonsmokers in Patients with Chronic Periodontitis: A Cross-sectional Study. *Cureus*, 11(9), e5586. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31696005>

Chikte, U, Pontes, CC, Karangwa, I, Kimmie-Dhansay, F, Erasmus, RT, Kengne, AP, & Matsha, TE. (2019). Periodontal Disease Status among Adults from South Africa-Prevalence and Effect of Smoking. *Int J Environ Res Public Health*, 16(19). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31569503>

Kanmaz, B, Lamont, G, Danaci, G, Gogeneni, H, Buduneli, N, & Scott, DA. (2019). Microbiological and biochemical findings in relation to clinical periodontal status in active smokers, non-smokers and passive smokers. *Tob Induc Dis*, 17, 20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582931>

Karsiyaka Hendek, M, Kisa, U, & Olgun, E. (2019). The effect of smoking on gingival crevicular fluid peptidoglycan recognition protein-1 level following initial periodontal therapy in chronic periodontitis. *Oral Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31587460>

Freitag-Wolf, S, Munz, M, Wiehe, R, Junge, O, Graetz, C, Jockel-Schneider, Y et al (2019). Smoking Modifies the Genetic Risk for Early-Onset Periodontitis. *J Dent Res*, 22034519875443. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31537151>

Ramesh, KSV, Swetha, P, Mohan Kumar, P, Sruthima, NVS, & Naresh Kumar, C. (2019). Estimation of superoxide dismutase levels in saliva and gingival crevicular fluid among smokers and non-smokers in periodontitis patients - An Observational Study. *Niger Med J*, 60(3), 133-137. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31543565>

Zhang, Y, He, J, He, B, Huang, R, & Li, M. (2019). Effect of tobacco on periodontal disease and oral cancer. *Tob Induc Dis*, 17, 40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516483>

Grine, G, Royer, A, Terrer, E, Diallo, OO, Drancourt, M, & Aboudharam, G. (2019). Tobacco Smoking Affects the Salivary Gram-Positive Bacterial Population. *Front Public Health*, 7, 196. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31380336>

Kanmaz, B, Lappin, DF, Nile, CJ, & Buduneli, N. (2019). Effects of Smoking on Non-surgical Periodontal Therapy in Patients with Periodontitis Stage III or IV, and Grade C. *J Periodontol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31448829>

Han, SJ, Yi, YJ, & Bae, KH. (2019). The association between periodontitis and dyslipidemia according to smoking and harmful alcohol use in a representative sample of Korean adults. *Clin Oral Investig*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31270667>

Patel, RP, Amirisetty, R, Kalakonda, B, Penumatsa, NV, & Koppolu, P. (2018). Influence of Smoking on Gingival Crevicular Fluid Interleukin 1beta and Interleukin-8 in Patients with Severe Chronic Periodontitis among a Rural Population in India. *Niger Med J*, 59(4), 33-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31303689>

de, JHMC, Villafuerte, KRV, Luchiari, HR, de, OCJ, Sales, M, Palioto, DB et al (2019). Effect of smoking on the DNA methylation pattern of the SOCS1 promoter in epithelial cells from the saliva of patients with chronic periodontitis. *J Periodontol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31169909>

Raut, CP, Sethi, KS, Kohale, B, Mamajiwala, A, & Warang, A. (2019). Subgingivally delivered coenzyme Q10 in the treatment of chronic periodontitis among smokers: A randomized, controlled clinical study. *J Oral Biol Craniofac Res*, 9(2), 204-208. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31211037>

Sheokand, V, Chadha, VS, & Palwankar, P. (2019). The comparative evaluation of 1% alendronate gel as local drug delivery system in chronic periodontitis in smokers and non smokers: Randomized clinical trial. *J Oral Biol Craniofac Res*, 9(2), 198-203. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31211036>

Hanioka, T, Morita, M, Yamamoto, T, Inagaki, K, Wang, PL, Ito, H et al (2019). Smoking and periodontal microorganisms. *Jpn Dent Sci Rev*, 55(1), 88-94. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31049117>

Muniandy, S. (2019). Knowledge on smoking and periodontal disease: A cross-sectional survey among targeted respondents. *J Indian Soc Periodontol*, 23(3), 275-280. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31143010>

Theodoro, LH, Claudio, MM, Nuernberg, MAA, Miessi, DMJ, Batista, JA, Duque, C, & Garcia, VG. (2019). Effects of Lactobacillus reuteri as an adjunct to the treatment of periodontitis in smokers: randomised clinical trial. *Benef Microbes*, 10(4), 375-384. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30931588>

Balto, HA, Alabdulaaly, L, Bahammam, S, & Al-Ekris, AA. Comparative analysis of prevalence of apical periodontitis in smokers and non-smokers using cone-beam computed tomography. *Saudi Dent J*, 2019. 31(1), 52-57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30705569>

Costa, FO, & Cota, LOM. Cumulative smoking exposure and cessation associated with the recurrence of periodontitis in periodontal maintenance therapy: A 6-year follow-Up. *J Periodontol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30801706>

Munther, S. The effects of cigarette smoking and exercise on total salivary antioxidant activity. *Saudi Dent J*, 2019. 31(1), 31-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30705566>

Zolotukhin, OLA, Romanova, IG, Gerasimova, IV, Kravchenko, LS, & Tkachenko, IM. Efficiency of local therapy with the use of a new preparation for oral care at periodontitis in the course of hyperpeptic gastritis after tobacco smoke intoxication. *Wiad Lek*, 2018. 71(9), 1695-1700. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30737925>

Majumder, P, Ray, PP, Ghosh, S, & Dey, SK. Potential Effect of Tobacco Consumption Through Smoking and Chewing Tobacco on IL1beta Protein Expression in Chronic Periodontitis Patients: In Silico Molecular Docking Study. *IEEE/ACM Trans Comput Biol Bioinform*, 2019. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30676974>

Arias-Bujanda, N, Regueira-Iglesias, A, Alonso-Sampedro, M, Gonzalez-Peteiro, MM, Mira, A, Balsa-Castro, C, & Tomas, I. Cytokine Thresholds in Gingival Crevicular Fluid with Potential Diagnosis of Chronic Periodontitis Differentiating by Smoking Status. *Sci Rep*, 2018. 8(1), 18003. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30573746>

Lahdentausta, L, Paju, S, Mantyla, P, Buhlin, K, Pietiainen, M, Tervahartiala, T et al. Smoking confounds the periodontal diagnostics using saliva biomarkers. *J Periodontol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30447005>

Senturk, RA, Sezgin, Y, Bulut, S, & Ozdemir, BH. The effects of smoking on the expression of gelatinases in chronic periodontitis: a cross-sectional study. *Braz Oral Res*, 2018. 32, e114. Available from: <http://www.scielo.br/pdf/bor/v32/1807-3107-bor-32-e114.pdf>

N Guruprasad C, R Pradeep A. Influence of Smoking on Interleukin-34 Levels in Gingival Crevicular Fluid and Plasma in Periodontal Health and Disease: A Clinico-biochemical Study. *Bull Tokyo Dent Coll*, 2018. Available from:

https://www.jstage.jst.go.jp/article/tdcpublication/advpub/0/advpub_2017-0051/_pdf

Gopalakrishnan, D, Miller, PD, Mahuli, AV, Sangamithra, S, Phantumvanit, P, Buranawat, B. Prospective evaluation of periodontally diseased molars in smokers using the Miller-McEntire Periodontal Prognostic Index. *J Indian Soc Periodontol*. 2018 Jul-Aug;22(4):304-309. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131621>

Yu YH, Doucette-Stamm L, Rogus J, Moss K, Zee RYL, et al. Family history of mi, smoking, and risk of periodontal disease. *J Dent Res*, 2018;22034518782189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29928831>

White PC, Hirschfeld J, Milward MR, Cooper PR, Wright HJ, et al. Cigarette smoke modifies neutrophil chemotaxis, neutrophil extracellular trap formation and inflammatory response-related gene expression. *J Periodontal Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29574730>

Trombelli L, Farina R, Minenna L, Toselli L, and Simonelli A. Regenerative periodontal treatment with the single flap approach in smokers and nonsmokers. *Int J Periodontics Restorative Dent*, 2018; 38(4):e59-e67. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29889915>

Miranda TS, Heluy SL, Cruz DF, da Silva HDP, Feres M, et al. The ratios of pro-inflammatory to anti-inflammatory cytokines in the serum of chronic periodontitis patients with and without type 2 diabetes and/or smoking habit. *Clin Oral Investig*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29737428>

Leite FRM, Nascimento GG, Baake S, Pedersen LD, Scheutz F, et al. Impact of smoking cessation on periodontitis: A systematic review and meta-analysis of prospective longitudinal observational and interventional studies. *Nicotine & Tobacco Research*, 2018:nty147-nty. Available from: <http://dx.doi.org/10.1093/ntr/nty147>

Jauhainen L, Suominen AL, Mannisto S, Knuutila M, and Ylostalo P. Periodontal condition in relation to the adherence to nutrient recommendations in daily smokers. *J Clin Periodontol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29418017>

Harland J, Furuta M, Takeuchi K, Tanaka S, and Yamashita Y. Periodontitis modifies the association between smoking and chronic obstructive pulmonary disease in Japanese men. *J Oral Sci*, 2018; 60(2):226-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29925707>

Ferreira CL, Nunes CMM, Bernardo DV, Pedroso JF, Longo M, et al. Effect of orthodontic force associated with cigarette smoke inhalation in healthy and diseased periodontium. A histometric and

immunohistochemistry analysis in rats. J Periodontal Res, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30043971>

Eshghipour B, Tofighi H, Nehal F, Vohra F, Javed F, et al. Effect of scaling and root planing on gingival crevicular fluid cytokine/chemokine levels in smokers with chronic periodontitis: A systematic review. J Investig Clin Dent, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29450974>

Chang CH, Han ML, Teng NC, Lee CY, Huang WT, et al. Cigarette smoking aggravates the activity of periodontal disease by disrupting redox homeostasis- an observational study. Sci Rep, 2018; 8(1):11055. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30038248>

Buduneli N and Scott DA. Tobacco-induced suppression of the vascular response to dental plaque. Mol Oral Microbiol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29768735>

Brignardello-Petersen R. Low-quality evidence in quantifying the increased risk of developing periodontitis when comparing smokers with nonsmokers. J Am Dent Assoc, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30029763>

Bawankar PV, Kolte AP, and Kolte RA. Evaluation of stress, serum and salivary cortisol and interleukin-1beta levels in smokers and non-smokers with chronic periodontitis. J Periodontol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29752711>

Antal M, Battancs E, Bocskai M, Braunitzer G, and Kovacs L. An observation on the severity of periodontal disease in past cigarette smokers suffering from rheumatoid arthritis- evidence for a long-term effect of cigarette smoke exposure? BMC Oral Health, 2018; 18(1):82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747598>

Vogtmann E, Graubard B, Loftfield E, Chaturvedi A, Dye BA, et al. Contemporary impact of tobacco use on periodontal disease in the USA. Tobacco Control, 2017; 26(2):237-8. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/2/237.full.pdf>

Schwendicke F, Dorfer CE, and Meier T. Global smoking-attributable burden of periodontal disease in 186 countries in the year 2015. J Clin Periodontol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28965352>

Ribeiro FV, Pino DS, Franck FC, Benatti BB, Tenenbaum H, et al. Resveratrol inhibits periodontitis-related bone loss in rats submitted to cigarette smoke inhalation. J Periodontol, 2017;1-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28492360>

Raval RD, Sharma P, Chandran S, Vasavada D, Nadig P, et al. To evaluate and compare periodontal disease and smoking as a parallel risk factor for systemic health by gauging the serum c-reactive protein levels. J Clin Diagn Res, 2017; 11(3):ZC79-ZC82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511516>

Radvar M, Shafaei H, Mohtasham N, Shiezadeh F, and Zamanpour M. The effect of smoking on inflammatory cell infiltrate subtypes in gingival tissue of patients with chronic periodontitis. Electron Physician, 2017; 9(8):4961-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28979729>

Pamuk F, Lutfioglu M, Aydogdu A, Koyuncuoglu CZ, Cifcibasi E, et al. The effect of low-level laser therapy as an adjunct to non-surgical periodontal treatment on gingival crevicular fluid levels of transforming growth factor-beta 1, tissue plasminogen activator and plasminogen activator inhibitor

1 in smoking and non-smoking chronic periodontitis patients: A split-mouth, randomized control study. *J Periodontal Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28394081>

Moeintaghavi A, Arab HR, Rahim Rezaee SA, Naderi H, Shiezadeh F, et al. The effects of smoking on expression of il-12 and il-1beta in gingival tissues of patients with chronic periodontitis. *Open Dent J*, 2017; 11:595-602. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29299075>

Lin YC, Wu CY, Chang LY, Chen CC, Chen HH, et al. Levels of high-mobility group box-1 in gingival crevicular fluid in nonsmokers and smokers with chronic periodontitis. *J Formos Med Assoc*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209360>

Lanza A, Di Francesco F, De Marco G, Scognamiglio F, Aruta V, et al. Multidisciplinary approach in the management of a complex case: Implant-prosthetic rehabilitation of a periodontal smoking patient with partial edentulism, malocclusion, and aesthetic diseases. *Case Rep Dent*, 2017; 2017:6348570. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28421148>

Koregol AC, Kalburgi NB, Wagh AUK, and Warad S. Gamma glutamyl transpeptidase, smokeless tobacco, chronic periodontitis: Exploring the link. *J Clin Diagn Res*, 2017; 11(3):ZC17-ZC20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511501>

Karasneh JA, Al Habashneh RA, Marzouka NA, and Thornhill MH. Effect of cigarette smoking on subgingival bacteria in healthy subjects and patients with chronic periodontitis. *BMC Oral Health*, 2017; 17(1):64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28327165>

Jalayer Naderi N, Semyari H, and Hemmati R. The effect of smoking on mast cells density and angiogenesis in chronic periodontitis. *Iran J Pathol*, 2017; 12(4):384-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29563935>

Geisinger ML, Geurs NC, Ogdon D, and Reddy MS. Targeting underlying biologic mechanisms in selecting adjunctive therapies to improve periodontal treatment in smokers. A commentary. *J Periodontol*, 2017;1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28440743>

Duque A, Martinez PJ, Giraldo A, Gualtero DF, Ardila CM, et al. Accuracy of cotinine serum test to detect the smoking habit and its association with periodontal disease in a multicenter study. *Med Oral Patol Oral Cir Bucal*, 2017; 22(4):e425-e31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28578367>

Coretti L, Cuomo M, Florio E, Palumbo D, Keller S, et al. Subgingival dysbiosis in smoker and nonsmoker patients with chronic periodontitis. *Mol Med Rep*, 2017; 15(4):2007-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260061>

Bunaes DF, Mustafa M, Mohamed HG, Lie SA, and Leknes KN. The effect of smoking on inflammatory and bone remodeling markers in gingival crevicular fluid and subgingival microbiota following periodontal therapy. *J Periodontal Res*, 2017; 52(4):713-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28306142>

Ziukaite L, Slot DE, Loos BG, Coucke W, and Van der Weijden GA. Family history of periodontal disease and prevalence of smoking status among adult periodontitis patients: A cross-sectional study. *Int J Dent Hyg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27160833>

Wattamwar PP, Kolte RA, Kolte AP, and Shah KK. Influence of interventional nonsurgical periodontal treatment on levels of salivary and serum nitric oxide in smokers and nonsmokers with chronic periodontitis. *J Indian Soc Periodontol*, 2016; 20(6):592-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29238138>

Velosa-Porras J, Escobar-Arregoces F, Latorre-Uriz C, Ferro-Camargo MB, Ruiz AJ, et al. Association between periodontal disease and endothelial dysfunction in smoking patients. *Acta Odontol Latinoam*, 2016; 29(1):29-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27701495>

Stacchi C, Berton F, Perinetti G, Frassetto A, Lombardi T, et al. Risk factors for peri-implantitis: Effect of history of periodontal disease and smoking habits. A systematic review and meta-analysis. *J Oral Maxillofac Res*, 2016; 7(3):e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27833728>

Singh V, Tanwar AS, Hungund AS, Hungund SA, and Nagaraja C. Comparison of serum erythropoietin levels in smokers and nonsmokers with periodontitis: A biochemical study. *J Indian Soc Periodontol*, 2016; 20(3):249-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27563196>

Ribeiro MS, Pacheco RB, Fischer RG, and Macedo JM. Interaction of IL1b and IL1RN polymorphisms, smoking habit, gender, and ethnicity with aggressive and chronic periodontitis susceptibility. *Contemp Clin Dent*, 2016; 7(3):349-56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27630500>

Pitchika V, Thiering E, Metz I, Rothmaier K, Willenberg A, et al. Gingivitis and lifestyle influences on hs-crp and IL6 in adolescents. *J Clin Periodontol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28036117>

Paraskevas KI. Smoking, periodontitis, and buerger disease. *Ann Vasc Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26965810>

Nagarajan R, Miller CS, Dawson D, 3rd, Al-Sabbagh M, and Ebersole JL. Cross-talk between clinical and host-response parameters of periodontitis in smokers. *J Periodontal Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27431617>

Nagarajan R, Al-Sabbagh M, Dawson D, 3rd, and Ebersole J. Integrated biomarker profiling of smokers with periodontitis. *J Clin Periodontol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27925695>

Lee M, Choi YH, Sagong J, Yu S, Kim Y, et al. The interactive association of smoking and drinking levels with presence of periodontitis in south korean adults. *BMC Oral Health*, 2016; 16(1):80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27557802>

Lauritano D, Lo Muzio L, Gaudio RM, Lo Russo L, Mucchi D, et al. Why should patients with systemic disease and tobacco smokers go to the dentist? *J Biol Regul Homeost Agents*, 2016; 30(2 Suppl 1):135-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27469560>

Koss MA, Castro CE, Gramajo AM, and Lopez ME. Siga, peroxidase and collagenase in saliva of smokers aggressive periodontal patients. *J Oral Biol Craniofac Res*, 2016; 6(Suppl 1):S24-S8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27900246>

Khemiss M and Ben Saad H. Letter to the editor: Re: Comparison of clinical and radiographic periodontal status between habitual water-pipe smokers and cigarette smokers. *J Periodontol*, 2016; 87(11):1249-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27775496>

Khemiss M, Ben Khelifa M, Ben Rejeb M, and Ben Saad H. Periodontal bone height of exclusive narghile smokers compared with exclusive cigarette smokers. *Libyan J Med*, 2016; 11:31689. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27370513>

Khan S, Khalid T, and Awan KH. Chronic periodontitis and smoking. Prevalence and dose-response relationship. *Saudi Med J*, 2016; 37(8):889-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27464867>

Katuri KK, Alluri JK, Chintagunta C, Tadiboina N, Borugadda R, et al. Assessment of periodontal health status in smokers and smokeless tobacco users: A cross-sectional study. *J Clin Diagn Res*, 2016; 10(10):ZC143-ZC6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891477>

Jawzali JI. Association between salivary sialic acid and periodontal health status among smokers. *Saudi Dent J*, 2016; 28(3):124-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27656079>

Jang AY, Lee JK, Shin JY, and Lee HY. Association between smoking and periodontal disease in korean adults: The fifth korea national health and nutrition examination survey (2010 and 2012). *Korean J Fam Med*, 2016; 37(2):117-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27073611>

Hegde S, Chatterjee E, Rajesh KS, and Arun Kumar MS. Estimation and correlation of salivary thiocyanate levels in periodontally healthy subjects, smokers, nonsmokers, and gutka-chewers with chronic periodontitis. *Indian J Dent Res*, 2016; 27(1):12-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27054854>

He CY, Gao XQ, and Jiang LP. The impact of smoking on levels of chronic periodontitis-associated biomarkers. *Exp Mol Pathol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27450647>

Gupta N, Gupta ND, Garg S, Goyal L, Gupta A, et al. The effect of type 2 diabetes mellitus and smoking on periodontal parameters and salivary matrix metalloproteinase-8 levels. *J Oral Sci*, 2016; 58(1):1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27021533>

Ertugrul AS and Sahin H. The effect of smoking on myeloid-related protein-8 and myeloid-related protein-14. *Braz Oral Res*, 2016; 30(1). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27223132>

Dwarakanath CD, Divya B, Sruthima GN, and Penmetsa GS. Sub-epithelial connective tissue graft for root coverage in nonsmokers and smokers: A pilot comparative clinical study. *J Indian Soc Periodontol*, 2016; 20(4):435-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28298827>

De Genaro Modanese D, Tiosso-Tamburi R, Furletti de Goes VF, de Cassia Bergamaschi C, Martinez EF, et al. Clinical and immunoinflammatory evaluation of one stage full-mouth ultrasonic debridement as a therapeutic approach for smokers with generalized aggressive periodontitis: A short-term follow-up study. *J Periodontol*, 2016;1-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27177288>

Chatzopoulos G. Smoking, smokeless tobacco, and alcohol consumption as contributing factors to periodontal disease. Northwest Dent, 2016; 95(1):37-41. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26983344>

Chantarangsu S, Sura T, Mongkornkarn S, Donsakul K, and Torrungruang K. Vitamin d receptor gene polymorphism and smoking in the risk of chronic periodontitis. J Periodontol, 2016; 87(11):1343-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27491013>

Chambrone L, Vargas M, Arboleda S, Serna M, Guerrero M, et al. Efficacy of local and systemic antimicrobials in the non-surgical treatment of smokers with chronic periodontitis: A systematic review. J Periodontol, 2016;1-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27498712>

Chambrone L, Vargas M, Arboleda S, Serna M, Guerrero M, et al. Efficacy of local and systemic antimicrobials in the non-surgical treatment of smokers with chronic periodontitis: A systematic review. J Periodontol, 2016; 87(11):1320-32. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27498712>

Camargo GA, Abreu MG, Cordeiro Rdos S, Wenderosky Lde F, and Duque C. Prevalence of periodontopathogens and candida spp. In smokers after nonsurgical periodontal therapy - a pilot study. Braz Oral Res, 2016; 30(1):e92. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27556680>

Bunaes DF, Lie SA, Astrom AN, Mustafa K, and Leknes KN. Site-specific treatment outcome in smokers following 12 months of supportive periodontal therapy. J Clin Periodontol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27554463>

Brennan DS, Spencer AJ, and Roberts-Thomson KF. Work-family conflict modifies the association of smoking and periodontal disease. Int J Behav Med, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27432442>

Behfarnia P, Saied-Moallemi Z, Javanmard SH, and Naseri R. Serum, saliva, and gcf concentration of rankl and osteoprotegerin in smokers versus nonsmokers with chronic periodontitis. Adv Biomed Res, 2016; 5:80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27195253>

Agarwal C, Baron TK, and Mehta DS. Hidden truth of circulating neutrophils (polymorphonuclear neutrophil) function in periodontally healthy smoker subjects. J Indian Soc Periodontol, 2016; 20(2):157-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27143827>

Zia A, Mukhtar-Un-Nisar Andrabi S, Qadri S, and Bey A. Necrotizing periodontitis in a heavy smoker and tobacco chewer - a case report. Singapore Dent J, 2015; 36:35-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26684494>

Turkoglu O, Eren G, Emingil G, Azarsiz E, Kutukculer N, et al. Does smoking affect gingival crevicular fluid II-37 levels following non-surgical periodontal treatment in chronic periodontitis? Arch Oral Biol, 2015; 61:98-105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547698>

Santos A, Pascual A, Llopis J, Giner L, D MK, et al. Self-reported oral hygiene habits in smokers and nonsmokers diagnosed with periodontal disease. Oral Health Prev Dent, 2015; 13(3):245-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26082949>

Pullishery F, Panchmal GS, and Siddique S. Salivary thiocyanate, uric acid and ph as biomarkers of periodontal disease in tobacco users and non-users- an in-vitro study. J Clin Diagn Res, 2015; 9(7):ZC47-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26393205>

Nociti FH, Jr., Casati MZ, and Duarte PM. Current perspective of the impact of smoking on the progression and treatment of periodontitis. Periodontol 2000, 2015; 67(1):187-210. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25494601>

Meenawat A, Govila V, Goel S, Verma S, Punn K, et al. Evaluation of the effect of nicotine and metabolites on the periodontal status and the mrna expression of interleukin-1beta in smokers with chronic periodontitis. J Indian Soc Periodontol, 2015; 19(4):381-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26392684>

Lutfioglu M, Aydogdu A, Sakalliooglu EE, Alacam H, and Pamuk F. Gingival crevicular fluid interleukin-8 and lipoxin a levels of smokers and nonsmokers with different periodontal status: A cross-sectional study. J Periodontal Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26446985>

Lee HJ, Je DI, Won SJ, Paik DI, and Bae KH. Association between vitamin d deficiency and periodontal status in current smokers. Community Dent Oral Epidemiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26031896>

Kanakdande V, Patil KP, and Nayyar AS. Comparative evaluation of clinical, hematological and systemic inflammatory markers in smokers and non-smokers with chronic periodontitis. Contemp Clin Dent, 2015; 6(3):348-57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26321834>

Kambalyal P, Kambalyal P, and Hungund S. Comparison of salivary calcium level in smokers and non-smokers with chronic periodontitis, aggressive periodontitis, and healthy controls. J Int Soc Prev Community Dent, 2015; 5(Suppl 2):S68-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26942120>

Jenifer HD, Bhola S, Kalburgi V, Warad S, and Kokatnur VM. The influence of cigarette smoking on blood and salivary super oxide dismutase enzyme levels among smokers and nonsmokers-a cross sectional study. J Tradit Complement Med, 2015; 5(2):100-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26151019>

Javed F, Al-Kheraif AA, Salazar-Lazo K, Yanez-Fontenla V, Aldosary KM, et al. Periodontal inflammatory conditions among smokers and never-smokers with and without type 2 diabetes mellitus. J Periodontol, 2015;1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879874>

Camelo-Castillo AJ, Mira A, Pico A, Nibali L, Henderson B, et al. Subgingival microbiota in health compared to periodontitis and the influence of smoking. Front Microbiol, 2015; 6:119. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25814980>

Bunaes DF, Lie SA, Enersen M, Aastrom AN, Mustafa K, et al. Site specific treatment outcome in smokers following non-surgical and surgical periodontal therapy. J Clin Periodontol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26407817>

Bergamaschi CC, Santamaria MP, Berto LA, Cogo-Muller K, Motta RH, et al. Full mouth periodontal debridement with or without adjunctive metronidazole gel in smoking patients with chronic periodontitis: A pilot study. J Periodontal Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25900347>

Azizi A, Sarlati F, Bidi M, Mansouri L, Azaminejad SM, et al. Effects of smoking severity and moderate and severe periodontitis on serum c-reactive protein levels: An age- and gender-matched retrospective cohort study. *Biomarkers*, 2015; 20(5):306-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26329527>

Alhasmi AM, Gondal MA, Nasr MM, Shafik S, and Habibullah YB. Detection of toxic elements using laser-induced breakdown spectroscopy in smokers' and nonsmokers' teeth and investigation of periodontal parameters. *Appl Opt*, 2015; 54(24):7342-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26368771>

Akbari G, Prabhuji ML, Karthikeyan BV, Raghunatha K, and Narayanan R. Analysis of matrix metalloproteinase-8 levels in gingival crevicular fluid and whole mouth fluid among smokers and nonsmokers using enzyme-linked immune-sorbent assay and a novel chair-side test. *J Indian Soc Periodontol*, 2015; 19(5):525-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26644719>

Souto GR, Queiroz-Junior CM, Costa FO, and Mesquita RA. Smoking effect on chemokines of the human chronic periodontitis. *Immunobiology*, 2014; 219(8):633-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24780137>

Souto GR, Queiroz-Junior CM, Costa FO, and Mesquita RA. Effect of smoking on immunity in human chronic periodontitis. *Immunobiology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25172546>

Sakallioglu E, Sakallioglu U, Lutfioglu M, Pamuk F, and Kantarci A. Vascular endothelial cadherin and vascular endothelial growth factor in periodontitis and smoking. *Oral Dis*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24853861>

Ramseier CA, Kobrehel S, Staub P, Sculean A, Lang NP, et al. Compliance of cigarette smokers with scheduled visits for supportive periodontal therapy. *J Clin Periodontol*, 2014; 41(5):473-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24527779>

Queiroz AC, Suaid FA, de Andrade PF, Novaes AB, Jr., Taba M, Jr., et al. Antimicrobial photodynamic therapy associated to nonsurgical periodontal treatment in smokers: Microbiological results. *J Photochem Photobiol B*, 2014; 141C:170-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25463664>

Preus HR, Sandvik L, Gjermo P, and Baelum V. Baseline adjustment and change revisited: Effect of smoking on change in periodontal status following periodontal therapy. *Eur J Oral Sci*, 2014; 122(2):89-99. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24460799>

Liu KZ, Duarte PM, Santos VR, Xiang X, Xu M, et al. Assessment of tissue oxygenation of periodontal inflammation in smokers using optical spectroscopy. *J Clin Periodontol*, 2014; 41(4):340-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24387623>

Kormos W. On call. Do any of the smoking cessation aids, like gum or patches, work better than the others? *Harv Mens Health Watch*, 2014; 18(6):2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24683605>

Kim HS, Son JH, Yi HY, Hong HK, Suh HJ, et al. Association between harmful alcohol use and periodontal status according to gender and smoking. *BMC Oral Health*, 2014; 14:73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24950716>

Johannsen A, Susin C, and Gustafsson A. Smoking and inflammation: Evidence for a synergistic role in chronic disease. *Periodontol* 2000, 2014; 64(1):111-26. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24320959>

Javed F, Bashir Ahmed H, and Romanos GE. Association between environmental tobacco smoke and periodontal disease: A systematic review. *Environ Res*, 2014; 133:117-22. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24926917>

Haytural O, Yaman D, Ural EC, Kantarci A, and Demirel K. Impact of periodontitis on chemokines in smokers. *Clin Oral Investig*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25193410>

Guglielmetti MR, Rosa EF, Lourencao DS, Inoue G, Gomes EF, et al. Detection and quantification of periodontal pathogens in smokers and never-smokers with chronic periodontitis by real-time polymerase chain reaction. *J Periodontol*, 2014; 85(10):1450-7. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24794687>

Giua MR, Pasini M, Tecco S, Giuca G, and Marzo G. Levels of salivary immunoglobulins and periodontal evaluation in smoking patients. *BMC Immunol*, 2014; 15:5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24502245>

Ebersole JL, Steffen MJ, Thomas MV, and Al-Sabbagh M. Smoking-related cotinine levels and host responses in chronic periodontitis. *J Periodontal Res*, 2014; 49(5):642-51. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24283398>

Chambrone L. Smoking cessation may positively improve clinical periodontal parameters. *J Evid Based Dent Pract*, 2014; 14(2):76-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24913533>

Bergstrom J. Smoking rate and periodontal disease prevalence: 40-year trends in sweden 1970-2010. *J Clin Periodontol*, 2014; 41(10):952-7. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25039432>

Anil S, Vellappally S, Preethanath RS, Mokeem SA, AlMoharib HS, et al. Hepatocyte growth factor levels in the saliva and gingival crevicular fluid in smokers with periodontitis. *Dis Markers*, 2014; 2014:146974. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25389376>

Waszkiewicz N, Zalewska-Szajda B, Chojnowska S, Szajda SD, Zalewska A, et al. The salivary beta-hex a% index as an excellent marker of periodontitis in smoking alcohol-dependent persons. *Dis Markers*, 2013; 35(5):457-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24288426>

Walter C and Friedmann A. Evidence supports the impact of smoking cessation protocols in periodontal therapy. *J Evid Based Dent Pract*, 2013; 13(4):142-4. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24237733>

Sherwin GB, Nguyen D, Friedman Y, and Wolff MS. The relationship between smoking and periodontal disease. Review of literature and case report. *N Y State Dent J*, 2013; 79(6):52-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24600766>

Petrovic M, Kesic L, Obradovic R, Savic Z, Mihailovic D, et al. Comparative analysis of smoking influence on periodontal tissue in subjects with periodontal disease. *Mater Sociomed*, 2013; 25(3):196-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24167435>

Multani S. Interrelationship of smoking, lip and gingival melanin pigmentation, and periodontal status. *Addict Health*, 2013; 5(1-2):57-65. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24494159>

Meulman T, Giorgetti AP, Gimenes J, Casarin RC, Peruzzo DC, et al. One stage, full-mouth, ultrasonic debridement in the treatment of severe chronic periodontitis in smokers: A preliminary, blind and randomized clinical trial. *J Int Acad Periodontol*, 2013; 15(3):83-90. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24079100>

Patel R, Wilson R, and Palmer R. The effect of smoking on periodontal bone regeneration: A systematic review and meta-analysis. *Journal of Periodontology*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21627463>

Goncalves R, Coletta R, Silverio K, Benevides L, Casati M, et al. Impact of smoking on inflammation: Overview of molecular mechanisms. *Inflammation Research*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21298317>

Iida H, Kumar JV, Kopycka-Kedzierawski DT, and Billings RJ. Effect of tobacco smoke on the oral health of us women of childbearing age. *Journal of Public Health Dentistry*, 2009; 69(4):231–41. Available from:

http://www.ncbi.nlm.nih.gov/pubmed/19453866?ordinalpos=15&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief

Chambrone L, Chambrone D, Pustiglioni F, Chambrone L, and Lima L. The influence of tobacco smoking on the outcomes achieved by root-coverage procedures: A systematic review. *Journal of the American Dental Association*, 2009; 140(3):294–306. Available from:
<http://jada.ada.org/cgi/reprint/140/3/294.pdf>

Al-Habashneh R, Al-Omari M, and Taani D. Smoking and caries experience in subjects with various form of periodontal diseases from a teaching hospital clinic. *International Journal of Dental Hygiene*, 2009; 7(1):55–61. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1601-5037.2008.00349.x/abstract>

Vered Y, Livny A, Zini A, and Sgan-Cohen H. Periodontal health status and smoking among young adults. *Journal of Clinical Periodontology*, 2008; 35(9):768–72. Available from:
<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-051X.2008.01294.x/abstract>

Do LG, Slade GD, Roberts-Thomson KF, and Sanders AE. Smoking-attributable periodontal disease in the australian adult population. *Journal of Clinical Periodontology*, 2008; 35(5):398-404. Available from: <http://dx.doi.org/10.1111/j.1600-051X.2008.01223.x>

3.11.2 Dental caries

Niu, X, Rong, X, & Sun, H. (2024). Potential interaction of sugar intake and tobacco exposure on dental caries in adults-A cross-sectional study from the National Health and Nutrition Examination Survey. *J Dent Sci*, 19(3), 1792-1800. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39035310>

Samani, D, Ziae, S, Musaie, F, Mokhtari, H, Valipour, R, Etemadi, M et al. (2024). Maternal smoking during pregnancy and early childhood dental caries in children: a systematic review and meta-

analysis. *BMC Oral Health*, 24(1), 781. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39035310>

Khan, MA, Vichayanrat, T, & Ngoenwiwatkul, Y. (2024). The association between smoking and smokeless tobacco use with dental caries among Pakistani patients. *BMC Oral Health*, 24(1), 723. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38915022>

Alamer, NI, Alsaleh, A, & Alkhaldi, S. (2024). Tobacco products and oral conditions among US adults: NHANES 2017-2020. *J Public Health Dent*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38548675>

Subedi, K, Sigdel, B, Khanal, PP, Sharma, D, Chaudhary, G, Singh, AK, & Paneru, S. (2024). Dental caries, tobacco usage and associated risk factor of dental caries in patients visiting a government hospital in Western, Nepal. *BMC Oral Health*, 24(1), 219. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38342887>

Andayasaki, L, Mubasyiroh, R, Nurlinawati, I & Sufiawati, I. (2023). Association Between Tobacco Smoking and Dental Caries in the Indonesian Population: Results of a National Study in 2018. *J Prev Med Public Health*, 56(4), 357-367. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37551074>

Conte, G, Amaliya, A, Gupta, S, Emma, R, Gospodaru, S, Bordeniu, G et al. (2023). Repeatability of dental plaque quantitation by light induced fluorescence technology in current, former, and never smokers. *BMC Oral Health*, 23(1), 480. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37443061>

Doddawad, VG, Shivananda, S, Paul, NJ & Chandrakala, J. (2022). Dental caries: Impact of tobacco product among tobacco chewers and tobacco smokers. *J Oral Biol Craniofac Res*, 12(3), 401-404. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35615340>

Bachtiar, EW, Gusliana, DS, & Bachtiar, BM. (2021). Correlation between the extent of smoking, salivary protein profiles, and dental caries in young adult smokers. *Saudi Dent J*, 33(7), 533-537. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34803297>

Nobre, MAA, Sezinando, AM, Fernandes, IC, & Araujo, AC. (2021). Influence of Smoking Habits on the Prevalence of Dental Caries: A Register-Based Cohort Study. *Eur J Dent*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/34303317>

Akinkugbe, AA. (2021). Does the Trimester of Smoking Matter in the Association between Prenatal Smoking and the Risk of Early Childhood Caries? *Caries Res*, 1-8. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33508853>

Ibrahim, HF, & Hassan, GS. (2020). Qualitative and quantitative assessment of the potential effect of cigarette smoking on enamel of human smokers' teeth. *Arch Oral Biol*, 121, 104953. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33152593>

Akinkugbe, AA, Brickhouse, TH, Nascimento, MM, & Slade, GD. (2020). Prenatal smoking and the risk of early childhood caries: A prospective cohort study. *Prev Med Rep*, 20, 101201. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33083206>

Mittal, N, Singh, N, & Naveen Kumar, PG. (2020). Prevalence of Dental Caries among Smoking and Smokeless Tobacco Users Attending Dental Hospital in Eastern Region of Uttar Pradesh. Indian J Community Med, 45(2), 209-214. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32905180>

Brignardello-Petersen, R. (2020). Smokers seem to have more caries than nonsmokers, but no causal link can be assumed. J Am Dent Assoc. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32081300>

Jiang, X, Jiang, X, Wang, Y, & Huang, R. (2019). Correlation between tobacco smoking and dental caries: A systematic review and meta-analysis. Tob Induc Dis, 17, 34. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31516477>

Wu, J, Li, M, & Huang, R. (2019). The effect of smoking on caries-related microorganisms. Tob Induc Dis, 17, 32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516475>

Petersson, GH, & Twetman, S. (2019). Tobacco use and caries increment in young adults: a prospective observational study. BMC Res Notes, 12(1), 218. Available from
<https://www.ncbi.nlm.nih.gov/pubmed/30971314>

Nazir MA and Almas K. Awareness about the effects of tobacco consumption on oral health and the possibility of smoking behavior among male saudi schoolchildren. Eur J Dent, 2017; 11(1):29-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28435362>

Polk DE. Smoking tobacco products daily may increase adults' caries increment over 4 years. J Evid Based Dent Pract, 2015; 15(1):37-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25666582>

Tanner T, Kamppi A, Pakkila J, Jarvelin MR, Patinen P, et al. Association of smoking and snuffing with dental caries occurrence in a young male population in finland: A cross-sectional study. Acta Odontol Scand, 2014; 72(8):1017-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25141188>

Hanioka T, Ojima M, and Tanaka K. Daily smoking may independently predict caries development in adults. J Evid Based Dent Pract, 2014; 14(3):151-3. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25234221>

3.11.3 Tooth loss

Queiroz, AC, Herkrath, FJ, Araujo, AR, Smith, CV, & Herkrath, A. (2024). Tobacco smoking and tooth loss in adults and elderly in Brazil: a populational-based cross-sectional study. *Community Dent Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39038185>

Alamer, NI, Alsaleh, A, & Alkhaldi, S. (2024). Tobacco products and oral conditions among US adults: NHANES 2017-2020. *J Public Health Dent*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38548675>

Kusama, T, Takeuchi, K, Kiuchi, S, Tamada, Y, Tabuchi, T, & Osaka, K. (2024). Tooth loss mediates the association between smoking and an increased risk of dementia among older adults: The JAGES

prospective cohort study. *J Clin Periodontol*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38323671>

Mochizuki, T, Hoshi, K, Yano, K, Koyama, J, Kukidome, H, Ikari, K, & Okazaki, K. (2023). Smoking, Serum Albumin and 25-hydroxy Vitamin D Levels, and Bone Mineral Density are Associated with Tooth Loss in Patients with Rheumatoid Arthritis. *Intern Med*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36823087>

Iyer, S, Dhaded, S, Kaur, M, & Hegde, P. (2023). Exploratory analysis of demographic data, tobacco habits, and oral health-related quality of life among complete denture patients. *J Indian Prosthodont Soc*, 23(1), 90-95. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36588381>

Ayaz, EA, & Aladag, SU. (2022). Effect of cigarette smoke and denture cleansers on the surface properties and color stability of CAD-CAM and conventional denture base resins. *Dent Mater J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36476683>

Calzada, MT, Posada-Lopez, A, Gutierrez-Quiceno, B, & Botero, JE. (2021). Association Between Tobacco Smoking, Dental Status and Self-perceived Oral Health in Elderly Adults in Colombia. *J Cross Cult Gerontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33990901>

Nagao, T, Fukuta, J, Sugai, T, Kawana, H, Matsuo, A, Hamada, S et al (2021). Prevalence of early and late oral implant loss among smokers: a nationwide survey in Japan. *Int J Oral Maxillofac Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33579625>

Shah, FA, Sayardoust, S, Omar, O, Thomsen, P, & Palmquist, A. (2019). Does Smoking Impair Bone Regeneration in the Dental Alveolar Socket? *Calcif Tissue Int*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31535164>

Hach, M, Christensen, LB, Lange, T, Hvilstedt, UA, Danielsen, B, Diderichsen, F et al. (2019). Social inequality in tooth loss, the mediating role of smoking and alcohol consumption. *Community Dent Oral Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31111525>

Vieira, TR, Martins, CC, Cyrino, RM, Azevedo, AMO, Cota, LOM, & Costa, FO. Effects of smoking on tooth loss among individuals under periodontal maintenance therapy: a systematic review and meta-analysis. Cad Saude Publica, 2018. 34(9), e00024918. Available from:
<http://www.scielo.br/pdf/csp/v34n9/1678-4464-csp-34-09-e00024918.pdf>

Yanagisawa T, Marugame T, Ohara S, Inoue M, Tsugane S, et al. Relationship of smoking and smoking cessation with number of teeth present: Jphc oral health study. *Oral Diseases*, 2009; 15(1):69. Available from: <http://onlinelibrary.wiley.com/store/10.1111/j.1601-0825.2008.01472.x/asset/j.1601-0825.2008.01472.x.pdf?v=1&t=ghzos013&s=b4b8ac23f7fe9512cdc8dfe6c9b59e989b1b6ee1>

Hanioka T, Ojima M, Tanaka K, Matsuo K, Sato F, et al. Causal assessment of smoking and tooth loss: A systematic review of observational studies. *BMC Public Health*, 2011; 11(1):221. Available from:
<http://www.biomedcentral.com/content/pdf/1471-2458-11-221.pdf>

Qureshi FH, Hamid S, Khan SM, and Qureshi AH. Effect of tobacco use on tooth loss among patients visiting the out-patient dental department of a tertiary care hospital in pakistan. *J Pak Med Assoc*, 2018; 68(6):841-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29887612>

Graetz C, Plaumann A, Schlattmann P, Kahl M, Springer C, et al. Long-term tooth retention in chronic periodontitis - results after 18 years of a conservative periodontal treatment regimen in a university setting. *J Clin Periodontol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28028838>

Carson SJ and Burns J. Impact of smoking on tooth loss in adults. *Evid Based Dent*, 2016; 17(3):73-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27767106>

Simila T, Auvinen J, Timonen M, and Virtanen JI. Long-term effects of smoking on tooth loss after cessation among middle-aged finnish adults: The northern finland birth cohort 1966 study. *BMC Public Health*, 2016; 16(1):867. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27557640>

ALHarthi S, Al-Motlag SK, and Wahi MM. Is trying to quit associated with tooth loss and delayed yearly dental visit among smokers? Results of the 2014 behavioral risk factor surveillance system (brfss). *J Periodontol*, 2016;1-19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27491012>

Simila T and Virtanen JI. Association between smoking intensity and duration and tooth loss among finnish middle-aged adults: The northern finland birth cohort 1966 project. *BMC Public Health*, 2015; 15(1):1141. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26576994>

Cunningham TJ, Eke PI, Ford ES, Agaku IT, Wheaton AG, et al. Cigarette smoking, tooth loss, and chronic obstructive pulmonary disease (copd): Findings from the behavioral risk factor surveillance system. *J Periodontol*, 2015;1-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26537367>

Study confirms smoking's link to increased risk of tooth loss. *Dent Today*, 2015; 34(10):50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26594688>

Suma S, Naito M, Wakai K, Sasakabe T, Hattori Y, et al. Effects of il6 c-634g polymorphism on tooth loss and their interaction with smoking habits. *Oral Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26011111>

3.11.4 Complications and failure of dental procedures

Chambrone, L, Coccaro, M, Montano, AJ, & Lafaurie, GI. (2024). The influence of tobacco smoking on the outcomes achieved by root coverage procedures: An updated systematic review. *J Esthet Restor Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39138953>

Yilmaz, M, Ujanen, A, Suominen, A, Demir, E, & Gursoy, UK. (2024). Smoking's impact on pocket closure after nonsurgical periodontal treatment in relation to bleeding on probing. *Quintessence Int*, 0(0), 0. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39193935>

Alonazi, M. (2024). Impact of smoking on resin bonded restorations: A narrative review. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38813584>

Alharethi, NA. (2024). The Outcome of Smoking on Healing of Bone Around Dental Implants. *J Pharm Bioallied Sci*, 16(Suppl 1), S751-S752. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38595582>

Vamos, O, Komora, P, Gede, N, Hegyi, P, Kelemen, K, Varga, G et al. (2024). The effect of nicotine-containing products on peri-implant tissues: A systematic review and network meta-analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38618685>

da Silva, AM, da Silva, AP, Vieira, MS, Canabarro, A, Goncalves, LS, & Ferreira, DC. (2023). Short Implant and Heavy Smokers as Predictors for Failure of Immediate Implants: a Retrospective Study. *J Clin Exp Dent*, 15(11), e874-e881. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38074166>

Majid, OW. (2023). Dose-response association of smoking with delayed healing of apical periodontitis after endodontic treatment. *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37957238>

Sahin, T. (2023). Evaluation of implants in smoking and non-smoking patients with peri-implant disease risk analysis and esthetic scores: an observational study. *BMC Oral Health*, 23(1), 925. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38007513>

Alshahrani, A, Albasahr, S, Alhamdan, EM, Rubay, A, Vohra, F, & Abduljabbar, T. (2023). Comparison of implant-supported rehabilitation in smokers and non-smokers with conventional and short tuberosity implants: an evaluation of prosthetic, peri-implant, and cytokine profiles. *Eur Rev Med Pharmacol Sci*, 27(19), 9152-9159. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37843329>

Majid, OW. (2023). Further evidence confirms the association between smoking and dry socket: a motivational opportunity for tobacco cessation. *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37814003>

Singh, A, Bhoi, S, Parmar, PM, Deepak, TS, Almutairi, AK, Parihar, AS, & Ramaiah, VV. (2023). Assessment of Bone Loss Around Dental Implant in Smokers. *J Pharm Bioallied Sci*, 15(Suppl 2), S1208-S1210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37694070>

Moscowchi, A, Moradian-Lotfi, S, Koohi, H, & Sarrafan Sadeghi, T. (2023). Levels of smoking and outcome measures of root coverage procedures: a systematic review and meta-analysis. *Oral Maxillofac Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37528316>

Wach, T, Hadrowicz, P, Trybek, G, Michcik, A, & Kozakiewicz, M. (2023). Is Corticalization in Radiographs Related to a Higher Risk of Bone Loss around Dental Implants in Smoking Patients? A 5-Year Observation of Radiograph Bone-Texture Changes. *J Clin Med*, 12(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37629393>

Mahayni, M, Kujan, O, & Hamadah, O. (2023). Aesthetic Gingival Melanin Pigmentation Treatment in Smokers and Non-Smokers: A Comparison Study Using Nd:YAG Laser and Ceramic Bur. *J Pers Med*, 13(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37511647>

Martinez-Amargant, J, de Tapia, B, Pascual, A, Takamoli, J, Esquinas, C, Nart, J, & Valles, C. (2023). Association between smoking and peri-implant diseases: A retrospective study. *Clin Oral Implants Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37523460>

Morishita, Y, Hasegawa, S, Koie, S, Nakaya, S, Goto, M, Miyachi, H et al. (2023). Effects of heated tobacco products and conventional cigarettes on dental implant wound healing: experimental research. *Ann Med Surg (Lond)*, 85(5), 1366-1370. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37228907>

Ali, D, Al-Yahya, QM, & Baskaradoss, JK. (2023). Peri-Implant Inflammation in Waterpipe Users and Cigarette Smokers: An Observational Study. *Int Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37037698>

Alvim, GC, Paiva, GR, Alandia-Roman, CC, Lepri, CP, & De Castro, DT. (2022). Effect of conventional and rolled cigarette smoke on the colour of artificial teeth and effectiveness of hygiene protocols in removing pigmentation - An in vitro study. *Indian J Dent Res*, 33(4), 419-424. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37006008>

Chih, SM, Cheng, CD, Chen, S., Sung, CE, Huang, RY, & Cheng, WC. (2023). The impact of smoking on peri-implant microbiota: A systematic review. *J Dent*, 133, 104525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37088258>

Paljevic, E, Brekalo Prso., Hrstic, JV, Pezelj-Ribaric, S, & Persic Bukmir, R. (2023). Impact of Smoking on the Healing of Apical Periodontitis after Nonsurgical Endodontic Treatment. *Eur J Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36977477>

Reis, I, do Amaral, G, Hassan, MA, Villar, CC, Romito, GA, Spin-Neto, R, & Pannuti, CM. (2023). The influence of smoking on the incidence of peri-implantitis: A systematic review and meta-analysis. *Clin Oral Implants Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36939434>

Silva, RR, de Carli, JP, Della Bona, A, Collares, KF, Pecho, OE, Meireles, SS et al. (2023). The influence of smoking on the effectiveness of at-home bleaching: A prospective clinical study. *J Esthet Restor Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36960913>

Abuljadayel, R, Hashem, N, Almaddah, Y, & Bakhsh, TA. (2023). Effect of cigarettes smoke on bonded polymeric restorations: OCT study. *Helijon*, 9(2), e13240. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36798757>

Ali, A, Al Attar, A, & Chrcanovic, BR. (2023). Frequency of Smoking and Marginal Bone Loss around Dental Implants: A Retrospective Matched-Control Study. *J Clin Med*, 12(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36835922>

Radi, IA, & Elsayyad, AA. (2022). Smoking Might Increase the Failure Rate and Marginal Bone Loss around Dental Implants. *J Evid Based Dent Pract*, 22(4), 101804. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36494108>

Takeuchi, EV, de Melo Silva Souza, C, de Figueiredo Barros, TA, Silva, AM, de Melo Alencar, C, & Silva, CM. (2022). Influence of smoking on the effectiveness of tooth whitening: a systematic review. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36512116>

Leite, FRM, Lopez, R, Pajaniaye, JB, & Nascimento, GG. (2022). Effect of Smoking Exposure on Nonsurgical Periodontal Therapy: 1-Year Follow-up. *J Dent Res*, 220345221135100. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36333874>

Sahtout, GF, Burhan, AS, & Nawaya, FR. (2022). Effect of cigarette smoking on alveolar bone thickness and density in patients undergoing leveling and alignment of crowded lower anterior teeth: a controlled clinical trial. *J Int Med Res*, 50(11), 3000605221138461. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36418930>

Alrayyes, Y, Aloraini, S, Alkhalaif, A, & Aljasser, R. (2022). Soft-Tissue Healing Assessment after Extraction and Socket Preservation Using Platelet-Rich Fibrin (PRF) in Smokers: A Single-Blinded, Randomized, Controlled Clinical Trial. *Diagnostics (Basel)*, 12(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36292091>

Farronato, D, Azzi, L, Giboli, L, Maurino, V, Tartaglia, GM, & Farronato, M. (2022). Impact of Smoking Habit on Peri-Implant Indicators following Different Therapies: A Systematic Review. *Bioengineering (Basel)*, 9(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36290537>

Wang, X, Ma, S, Lin, L, & Yao, Q. (2022). Association between smoking and Schneiderian membrane perforation during maxillary sinus floor augmentation: A systematic review and meta-analysis. *Clin Implant Dent Relat Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36239295>

Afshari, Z, Yaghini, J, & Naseri, R. (2022). Levels of Smoking and Periimplant Marginal Bone Loss: A Systematic Review and Meta-Analysis. *J Evid Based Dent Pract*, 22(3), 101721. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36162899>

Borges, L, Castro, ACR, Elias, CN, & Souza, MMG. (2022). Effect of cigarette smoke on aesthetic brackets: an in vitro study. *Dental Press J Orthod*, 27(4), e2220365. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36074431>

De Ry, SP, Pagnamenta, M, Ramseier, CA, Roccuzzo, A, Salvi, GE, & Sculean, A. (2022). Five-year results following regenerative periodontal surgery with an enamel matrix derivative in patients with different smoking status. *Quintessence Int*, 0(0), 832-838. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36169272>

Rios-Osorio, N, Munoz-Alvear, HD, Jimenez-Castellanos, FA, Quijano-Guauque, S, Jimenez-Pena, O, Garcia-Perdomo, HA, & Caviedes-Bucheli, J. (2022). Association between cigarette smoking and the prevalence of post-endodontic periapical pathology: a systematic review and meta-analysis. *Restor Dent Endod*, 47(3), e27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36090507>

Al-Kheraif, AA, Alshahrani, OA, Al-Shehri, AM, & Khan, AA. (2022). Antimicrobial photodynamic therapy using chloro-aluminum phthalocyanine for treating advanced stage-III periodontitis in smoking patients. *Photodermatol Photoimmunol Photomed*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35811336>

Kusnierek, W, Brzezinska, K, Nijakowski, K, & Surdacka, A. (2022). Smoking as a Risk Factor for Dry Socket: A Systematic Review. *Dent J (Basel)*, 10(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35877395>

Zhao, Y, Yan, Q, Wu, X, Hua, F, & Shi, B. (2022). The benefit of antimicrobial photodynamic therapy to mechanical debridement in the treatment of smokers with peri-implant diseases: a systematic review and meta-analysis. *Lasers Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35896900>

Amerio, E, Blasi, G, Valles, C, Blanc, V, Alvarez, G, Arredondo, A. (2022). Impact of smoking on peri-implant bleeding on probing. *Clin Implant Dent Relat Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35313069>

Costa, FO, Lages, EJP, Cortelli, SC, Cortelli, JR, Mattos-Pereira, GH, Lima, RPE, & Cota, LOM. (2022). Association between cumulative smoking exposure, span since smoking cessation, and peri-implantitis: a cross-sectional study. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35316410>

Smew, AAM, Yildirim, G, & Guven, MC. (2022). Effect of cigarette smoking on the color stability and surface roughness of two different denture base materials. *Am J Dent*, 35(1), 25-29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35316589>

Mustapha, AD, Salame, Z, & Chrcanovic, BR. (2021). Smoking and Dental Implants: A Systematic Review and Meta-Analysis. *Medicina (Kaunas)*, 58(1) Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35056347>

Tuter, G, Yildirim, AZ, Duman, AN, Aliyev, B, Atak-Yucel, A, Oruklu, N, & Kivrak, E. (2022). Effects of smoking on the bone alkaline phosphatase in peri-implant crevicular fluid and implant stability quotient around implants before loading. *Odontology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34993689>

Al-Noori, NM, Ibraheem, NS, & Abdulmunem, MM. (2021). The impact of cigarette smoking on the efficiency of local anesthesia during simple tooth extraction. *Saudi Dent J*, 33(7), 674-678. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34803318>

Alqahtani, M. (2021). Influence of Soft Tissue and Crestal Bone Resorption in Moderate Cigarette-Smokers and Nonsmokers: A 5-Year Study. *Int J Periodontics Restorative Dent*, 41(6), 895-900. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34818397>

Miranda, AM, Copello, FM, Castro, ACR, & Sant'Anna, EF. (2021). Does the exposure to cigarette smoke influence the colour stability and mechanical properties of different orthodontic elastic ligatures? - in vitro study. *Int Orthod*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34627741>

Hadadi, AA, & Mezied, MS. (2021). Evidence-based analysis of the effect of smoking on osseointegrated implant outcome. *Natl J Maxillofac Surg*, 12(2), 133-138. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34483570>

Kumar, A, Nasreen, S, Bandgar, S, Bhowmick, D, Vatsa, R, & Priyadarshni, P. (2021). Comparative Evaluation of Marginal Bone Loss and Implant Failure Rate in Smokers and Nonsmokers. *J Pharm Bioallied Sci*, 13(Suppl 1), S203-S206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34447076>

Silva, RR, De Carli, JP, Collares, K, Vanini, J Presotto, JS, Vargas, JE et al. (2021). Influence of smoking on oral cells genotoxicity after at-home bleaching using 22% carbamide peroxide: a cohort study. *Clin Oral Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34405310>

Alhenaki, AM, Alrawi, FK, Mohamed, A, Alshahrani, A, Alrabiah, M, Mokeem, SA et al. (2021). Clinical, radiographic and restorative parameters for short tuberosity implants placed in smokers: a retrospective study with 5 year follow-up. *Odontology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34240298>

Manilia, C, Mancini, L, Giffi, R, Bisegna, V, & Marcattili, D. (2021). Comparative analysis of the peri-implant tissue response of standard versus short implants in smoker, non-smoker and former smoker patients: a one-year retrospective study. *J Biol Regul Homeost Agents*, 35(3 Suppl. 1), 205-212. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34289680>

Devlin, AC, & Fee, PA. (2021). How do different levels of smoking affect dental implants? *Evid Based Dent*, 22(1), 28-29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33772129>

Cabanillas-Balsera, D, Segura-Egea, JJ, Bermudo-Fuenmayor, M, Martin-Gonzalez, J, Jimenez-Sanchez, MC, Areal-Quecuty, V et al (2020). Smoking and Radiolucent Periapical Lesions in Root Filled Teeth: Systematic Review and Meta-Analysis. *J Clin Med*, 9(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33138302>

Cabanillas-Balsera, D, Segura-Egea, JJ, Jimenez-Sanchez, MC, Areal-Quecuty, V, Sanchez-Dominguez, B, Montero-Miralles, P et al (2020). Cigarette Smoking and Root Filled Teeth Extraction: Systematic Review and Meta-Analysis. *J Clin Med*, 9(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33008023>

Seyhun, N, Dizdar, SK, Coktur, A, Bektas, ME, Albuz, O, Erol, ZN, & Turgut, S. (2020). Response to letter to editor regarding "Risk factors for post-tonsillectomy hemorrhage in adult population: Does smoking history have an impact?". *Am J Otolaryngol*, 102711. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32943273>

Hussein, MO, & Alrutheia, MS. (2020). Marginal Bone Level Changes and Oral Health Impact Profile (14) Score of Smokers Treated by Mandibular Mini Implant Overdentures: A 5-Year Follow-up Study. *Eur J Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32777837>

Badenes, J, & Pallares, A. (2020). Influence of smoking upon dental implant osseointegration: a radiofrequency analysis of 194 implants. *J Oral Implantol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32699886>

Geisinger, ML, Holmes, CM, Geurs, NC, Vassilopoulos, PJ, & Reddy, M S. (2011). Host Modulation for Smokers Undergoing Periodontal Maintenance: A Review of Current Evidence. *Clin Adv Periodontics*, 1(1), 54-60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32698548>

Copello, FM, Nojima, LI, Souza, MMG, Python, MM, Ruellas, ACO, Castro, ACR, & Nojima, MCG. (2020). The influence of cigarette smoke on colour stability and friction property of aesthetic orthodontic wires-In vitro study. *Int Orthod*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32534994>

AlDeeb, M, Alresayes, S, S, AM, Alhenaki, AM, AlHelal, A, Vohra, F, & Abduljabbar, T. (2020). Clinical peri-implant health and biological bone marker levels in tobacco users treated with photodynamic therapy. *Photodiagnosis Photodyn Ther*, 101821. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32422214>

Alghamdi, O, Alrabiah, M, Al-Hamoudi, N, AlKindi, M, Vohra, F, & Abduljabbar, T. (2020). Peri-implant soft tissue status and crestal bone loss around immediately-loaded narrow-diameter implants placed in cigarette-smokers: 6-year follow-up results. *Clin Implant Dent Relat Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32157803>

Srirangarajan, S, Sindhu, V, Rao, RJ, Prabhu, S, & Rudresh, V. (2020). Effect of Cigarette Smoking on Morphologic Characteristics of Two Different Platelet-Rich Fibrin Membranes: A Scanning Electron Microscopic Study. *Int J Oral Maxillofac Implants*, 35(2), 275-280. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32142563>

Naseri, R, Yaghini, J, & Feizi, A. (2020). Levels of smoking and dental implants failure: a systematic review and meta-analysis. *Journal of Clinical Periodontology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31955453>

Alsaahhaf, A, Alshagroud, RS, Al-Aali, KA, Alofi, RS, Vohra, F, & Abduljabbar, T. (2019). Survival of Titanium-Zirconium and Titanium Dental Implants in Cigarette-smokers and Never-smokers: A 5-Year Follow-up. *Chin J Dent Res*, 22(4), 265-272. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31859286>

Omar, H, Haggag, S, & Ghoneima, A. (2019). The effect of cigarette smoke on the shear bond strength of metallic and ceramic orthodontic brackets: An in vitro study. *Int Orthod*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31477528>

Javed, F, Rahman, I, & Romanos, GE. (2019). Tobacco-product usage as a risk factor for dental implants. *Periodontol 2000*, 81(1), 48-56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31407428>

Mumcu, E., & Dayan, S. C. (2019). Effect of Smoking and Locations of Dental Implants on Peri-Implant Parameters: 3-Year Follow-Up. *Med Sci Monit*, 25, 6104-6109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31414668>

Alasqah, MN, Alfawaz, YF, Aldahiyan, N, Vohra, F, Alotaibi, BM, & Abduljabbar, T. (2019). Longitudinal assessment of clinical and radiographic periimplant status around narrow and regular diameter implants placed in cigarette-smokers and nonsmokers. *Clin Implant Dent Relat Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30895698>

Mohan, R, Varghese, J, Bhat, V, & Chianeh, YR. (2019). The effect of nonsurgical periodontal therapy on pentraxin 3 levels in smokers and nonsmokers with chronic periodontitis. *Gen Dent*, 67(2), e1-e6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30875312>

Singh, G, Agarwal, A, & Lahori, M. Effect of cigarette smoke on the surface roughness of two different denture base materials: An in vitro study. *J Indian Prosthodont Soc*, 2019. 19(1), 42-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30745753>

Chatzopoulos, GS, & Wolff, LF. Patients' Socio-Economic Status, Tobacco and Medical History Associated with Implant Failure. *Acta Stomatol Croat*, 2018. 52(3), 175-183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30510293>

Al-Aali, KA, Alrabiah, M, Al-Hamdan, RS, Al-Hamoudi, N, Aldahian, N, & Abduljabbar, T. Impact of jaw location on clinical and radiological status of dental implants placed in cigarette-smokers and never-smokers: 5-year follow-up results. *Clin Implant Dent Relat Res*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/cid.12679>

ArRejaie, AS, Al-Aali, KA, Alrabiah, M, Mokeem, SA, Vohra, F, & Abduljabbar, T. Peri-implant soft tissue status and crestal bone levels around adjacent implants placed in cigarette smokers and never-smokers: 5 years follow-up results. *J Periodontol*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1002/JPER.18-0117>

Pimentel, SP, Fontes, M, Ribeiro, FV, Correa, MG, Nishii, D, Cirano, FR et al. Smoking habit modulates peri-implant microbiome: A case-control study. *J Periodontal Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30259511>

Alzayer YM, Gomez GF, Eckert GJ, Levon JA, and Gregory RL. The impact of nicotine and cigarette smoke condensate on metabolic activity and biofilm formation of candida albicans on acrylic denture material. *J Prosthodont*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30028051>

Strietzel F, Reichart P, Kale A, Kulkarni M, Wegner B, et al. Smoking interferes with the prognosis of dental implant treatment: A systematic review and meta-analysis. *Journal of Clinical Periodontology*, 2007; 34(6):523–44. Available from:

<http://www3.interscience.wiley.com/journal/118533327/abstract>

Anner R, Grossmann Y, Anner Y, and Levin L. Smoking, diabetes mellitus, periodontitis, and supportive periodontal treatment as factors associated with dental implant survival: A long-term retrospective evaluation of patients followed for up to 10 years. *Implant Dentistry*, 2010; 19(1):57–64. Available from:

<http://journals.lww.com/implantdent/pages/articleviewer.aspx?year=2010&issue=02000&article=00009&type=abstract>

Sayardoust S, Omar O, and Thomsen P. Gene expression in peri-implant crevicular fluid of smokers and nonsmokers. 1. The early phase of osseointegration. *Clin Implant Dent Relat Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28470893>

F, BinShabaib MS, Alharthi SS, and Qadri T. Role of mechanical curettage with and without adjunct antimicrobial photodynamic therapy in the treatment of peri-implant mucositis in cigarette smokers: A randomized controlled clinical trial. *Photodiagnosis Photodyn Ther*, 2017; 18:331-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28457847>

Gangwar S, Pal US, Singh S, Singh RK, Singh V, et al. Immediately placed dental implants in smokers with plasma rich in growth factor versus without plasma rich in growth factor: A comparison. *Natl J Maxillofac Surg*, 2018; 9(1):39-47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29937657>

Alfadda S. Current evidence on dental implants outcomes in smokers and non-smokers: A systematic review and meta-analysis. *J Oral Implantol*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29864381>

Malo PS, de Araujo Nobre MA, Ferro AS, and Parreira GG. Five-year outcome of a retrospective cohort study comparing smokers vs. Nonsmokers with full-arch mandibular implant-supported rehabilitation using the all-on-4 concept. *J Oral Sci*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29743383>

Zhao X, Zanetti F, Majeed S, Pan J, Malmstrom H, et al. Effects of cigarette smoking on color stability of dental resin composites. *Am J Dent*, 2017; 30(6):316-22. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29251454>

Nishimoto K, Minoda R, Yoshida R, Hirai T, and Yumoto E. A case of periodontal necrosis following embolization of maxillary artery for epistaxis. *Case Rep Otolaryngol*, 2016; 2016:6467974. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27990309>

De Bruyn H, Christiaens V, Doornewaard R, Jacobsson M, Cosyn J, et al. Implant surface roughness and patient factors on long-term peri-implant bone loss. *Periodontol 2000*, 2017; 73(1):218-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28000269>

Ata-Ali J, Flichy-Fernandez AJ, Alegre-Domingo T, Ata-Ali F, and Penarrocha-Diago M. Impact of heavy smoking on the clinical, microbiological and immunological parameters of patients with dental implants: A prospective cross-sectional study. *J Investig Clin Dent*, 2016; 7(4):401-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26171870>

Al Amri MD, Kellesarian SV, Abduljabbar TS, Al-Rifaiy MQ, Al Baker AM, et al. Comparison of peri-implant soft tissue parameters and crestal bone loss around immediately-loaded and delayed loaded implants among smokers and nonsmokers: 5-year follow-up results. *J Periodontol*, 2016;1-12.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27587369>

Sun C, Zhao J, Chen J, and Tao H. Effect of heavy smoking on dental implants placed in male patients posterior mandibles: A prospective clinical study. *J Oral Implantol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27541691>

Negri BM, Pimentel SP, Casati MZ, Cirano FR, Casarin RC, et al. Impact of a chronic smoking habit on the osteo-immunoinflammatory mediators in the peri-implant fluid of clinically healthy dental implants. *Arch Oral Biol*, 2016; 70:55-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27328151>

Balaji SM. What is the evidence - based relationship of peri-implantitis and smoking: A different perspective. *Indian J Dent Res*, 2016; 27(1):3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27054852>

Veitz-Keenan A. Marginal bone loss and dental implant failure may be increased in smokers. *Evid Based Dent*, 2016; 17(1):6-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27012565>

Keenan JR and Veitz-Keenan A. The impact of smoking on failure rates, postoperative infection and marginal bone loss of dental implants. *Evid Based Dent*, 2016; 17(1):4-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27012564>

Turri A, Rossetti PH, Canullo L, Grusovin MG, and Dahlin C. Prevalence of peri-implantitis in medically compromised patients and smokers: A systematic review. *Int J Oral Maxillofac Implants*, 2016; 31(1):111-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26800167>

Theobaldo JD, Catelan A, Rodrigues-Filho U, Marchi GM, Lima D, et al. Effect of cigarette smoke on resin composite bond strength to enamel and dentin using different adhesive systems. *Oper Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26669502>

Moraschini V and Barboza ED. Success of dental implants in smokers and non-smokers: A systematic review and meta-analysis. *Int J Oral Maxillofac Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26385308>

Quaranta A, Assenza B, D'Isidoro O, Profili F, Polimeni A, et al. The impact of smoking and previous periodontal disease on peri-implant microbiota and health: A retrospective study up to 7-year follow-up. *Ann Stomatol (Roma)*, 2015; 6(1):21-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26161249>

Ata-Ali J, Flichy-Fernandez AJ, Alegre-Domingo T, Ata-Ali F, and Penarrocha-Diago M. Impact of heavy smoking on the clinical, microbiological and immunological parameters of patients with dental implants: A prospective cross-sectional study. *J Investig Clin Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26171870>

Romero A, Caceres M, Arancibia R, Silva D, Couve E, et al. Cigarette smoke condensate inhibits collagen gel contraction and prostaglandin e production in human gingival fibroblasts. *J Periodontal Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25073540>

Ozkan A, Bayar GR, Altug HA, Sencimen M, Dogan N, et al. The effect of cigarette smoking on the healing of extraction sockets: An immunohistochemical study. *J Craniofac Surg*, 2014; 25(4):e397-402. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24481166>

Mikkilineni H, Reddy DM, and Jayanth N. Effects of smoking on implant failure--a review. *J N J Dent Assoc*, 2013; 84(4):14-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24597176>

Levin L and Kessler-Baruch O. Cigarette smoking and the alveolar bone around teeth and dental implants. *N Y State Dent J*, 2013; 79(5):53-9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24245464>

Ayaz EA, Altintas SH, and Turgut S. Effects of cigarette smoke and denture cleaners on the surface roughness and color stability of different denture teeth. *J Prosthet Dent*, 2014; 112(2):241-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24787128>

Murph JT, Jr., Jaques SH, Knoell AN, Archibald GD, and Yang S. A retrospective study on the use of a dental dressing to reduce dry socket incidence in smokers. *Gen Dent*, 2015; 63(3):17-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25945758>

Malo P, de Araujo Nobre M, Goncalves Y, and Lopes A. Long-term outcome of implant rehabilitations in patients with systemic disorders and smoking habits: A retrospective clinical study. *Clin Implant Dent Relat Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879920>

de Geus JL, Bersezio C, Urrutia J, Yamada T, Fernandez E, et al. Effectiveness of and tooth sensitivity with at-home bleaching in smokers: A multicenter clinical trial. *J Am Dent Assoc*, 2015; 146(4):233-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25819654>

Chrcanovic BR, Albrektsson T, and Wennerberg A. Smoking and dental implants: A systematic review and meta-analysis. *J Dent*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25778741>

Levin L. Smoking may decrease the survival rate of dental implants placed in areas of maxillary sinus floor augmentation. *J Evid Based Dent Pract*, 2014; 14(4):183-4. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25488867>

3.11.5 Other dental conditions; orofacial pain

Almeslet, AS. (2024). Oral Yeasts Carriage in Prediabetic Smokers and Nonsmokers. *Int Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39370339>

Moroka, R, Povaliaiev, V, Tkachenko, I, Fomenko, Y, Babai, O, Mikulinska-Rudich, Y et al (2024). The Relationship between the Condition of the Oral Cavity and the Use of Tobacco Products in Different Age Groups. *Georgian Med News*(350), 25-30. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39089266>

Al Ankily, M, Makkeyah, F, Bakr, MM, & Shamel, M. (2024). Evaluating the Effects of Cigarette Smoking and Heated Tobacco Products on Hard Dental Tissues: A Comparative Histological and Colorimetric Analysis. *Clin Exp Dent Res*, 10(4), e941. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39089266>

- Dolatabadi, A, Noori, F, & Raee, A. (2024). Effect of conventional cigarettes and e-cigarettes on salivary biomarkers: A systematic review. *J Adv Periodontol Implant Dent*, 16(1), 44-48. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39027213>
- Dashti, H, & Sundaram, D. (2024). The association between nicotine stomatitis and waterpipe smoking. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38883901>
- Harrandah, A, Bahatheq, J, Mandourah, M, Kaki, W, Alandonisi, A, Subahi, M et al. (2024). Effect of different types of smoking on oral health and on cellular changes in oral mucosa. *Saudi Dent J*, 36(6), 880-886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38933523>
- Mohammed, LI, Razali, R, Zakaria, ZZ, Benslimane, FM, Cyprian, F, & Al-Asmakh, M. (2024). Smoking induced salivary microbiome dysbiosis and is correlated with lipid biomarkers. *BMC Oral Health*, 24(1), 608. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38796419>
- Alkharobi, HE. (2024). Oral symptoms potentially associated with mild-to-moderate COVID-19 in tobacco users. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38742218>
- Shiyan, D, Trach, O, Sosonna, L, Yurevych, N, Chekhovska, G, Malieiev, D et al. (2023). Pedagogical Aspects of the Impact of Smoking on the Human Body Based on Radiographic Density Indicators of Maxillary Sinus Bone Walls. *Georgian Med News*(343), 18-22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38096509>
- John, HAS, Dakhale, R, Sedani, S, & Ahuja, KP. (2023). Smoker's Palate: An Often Misunderstood Benign Lesion of the Oral Cavity. *Cureus*, 15(11), e48868. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38106782>
- Guo, X, Hou, L, Peng, X, & Tang, F. (2023). The prevalence of xerostomia among e-cigarette or combustible tobacco users: A systematic review and meta-analysis. *Tob Induc Dis*, 21, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36777290>
- Aghila Rani, KG, Soares, NC, Rahman, B, Al-Hroub, HM, Semreen, MH, & Al Kawas, S. (2023). Effects of medwakh smoking on salivary metabolomics and its association with altered oral redox homeostasis among youth. *Sci Rep*, 13(1), 1870. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36725974>
- Balasubramaniam, A, & Arumugham, MI. (2022). Salivary oxidative stress level among tobacco chewers and smokers: A comparative Study. *J Adv Pharm Technol Res*, 13(Suppl 1), S21-S25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36643152>
- Adyalkar, N, & Shetty, N. (2022). Tobacco-induced melanosis on the dorsal surface of the tongue: a rare clinical image. *Pan Afr Med J*, 43, 49. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36523282>
- Karanjkar, RR, Preshaw, PM, Ellis, JS, & Holliday, R. (2022). Effect of tobacco and nicotine in causing staining of dental hard tissues and dental materials: A systematic review and meta-analysis. *Clin Exp Dent Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36372903>

Choudhary, A, Kesarwani, P, Chakrabarty, S, Yadav, VK., & Srivastava, P. (2022). Prevalence of tobacco-associated oral mucosal lesion in Hazaribagh population: A cross-sectional study. *J Family Med Prim Care*, 11(8), 4705-4710. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36352979>

Sarwar, S, Tanveer, R, Mulla, M, Mulla, M, Sabir, M, Sultan, A, & Malik, SA. (2022). Human papillomavirus, tobacco, and poor oral hygiene can act synergistically, modulate the expression of the nuclear factor kappa B signaling pathway for the development and progression of head and neck cancer in the Pakistani population. *Chin Med J (Engl)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35838554>

Ali, D, AlAhmari, F, Mikami, T, & Baskaradoss, JK. (2022). Increased expression of advanced glycation endproducts in the gingival crevicular fluid compromises periodontal status in cigarette-smokers and waterpipe users. *BMC Oral Health*, 22(1), 206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35614406>

Quabius, ES, Heinrichs, A, Kuhnel, A, Laudien, M, Hoppe, F, Mlynski, R et al. (2022). Tonsillar swabs and sputum predict SLPI- and AnxA2 expression in tonsils: A prospective study on smoking dependent SLPI- and AnxA2-expression, and tonsillar HPV infection. *Oncol Lett*, 23(5), 164. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35414827>

Conte, G, Pacino, SA, Urso, S, Emma, R, Pedulla, E, Cibella, F et al. (2022). Repeatability of dental shade by digital spectrophotometry in current, former, and never smokers. *Odontology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35266059>

Kauss, AR, Antunes, M, Zanetti, F, Hankins, M, Hoeng, J, Heremans, A& van der Plas, A. (2022). Influence of tobacco smoking on the development of halitosis. *Toxicol Rep*, 9, 316-322. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35284240>

Zieba, S, Maciejczyk, M, & Zalewska, A. (2021). Ethanol- and Cigarette Smoke-Related Alterations in Oral Redox Homeostasis. *Front Physiol*, 12, 793028. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35153810>

Zanetti, F, Zivkovic Semren, T, Battey, JND, Guy, PA, Ivanov, NV, van der Plas, A, & Hoeng, J. (2021). A Literature Review and Framework Proposal for Halitosis Assessment in Cigarette Smokers and Alternative Nicotine-Delivery Products Users. *Front Oral Health*, 2, 777442. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35048075>

Tjahajawati, S, Rafisa, A, & Lestari, EA. (2021). The Effect of Smoking on Salivary Calcium Levels, Calcium Intake, and Bleeding on Probing in Female. *Int J Dent*, 2021, 2221112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34961818>

Sagawa, Y, Ogawa, T, Matsuyama, Y, Nakagawa Kang, J, Yoshizawa Araki, M, Unnai Yasuda, Y et al. (2021). Association between Smoking during Pregnancy and Short Root Anomaly in Offspring. *Int J Environ Res Public Health*, 18(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34770175>

Wang, X, Luo, N, Mi, Q, Kong, W, Zhang, W, Li, X, & Gao, Q. (2021). Influence of cigarette smoking on oral microbiota in patients with recurrent aphthous stomatitis. *J Investigig Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34824153>

Nigar, S, Hassan, S, Maqsood, A, Ahmed, N, Al-Askar, M, Mokeem, SA et al. (2021). An assessment of unstimulated salivary flow rate, IgA and clinical oral dryness among active and passive smokers. *Int J Occup Med Environ Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34569554>

Osman, M, & Papon, N. (2021). Smoking-aggravated oral candidiasis: Nrf2 pathway dampens NLRP3 inflamasome. *J Cell Mol Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34486221>

Barzideh, N, Alaee, A, & Azizi, A. (2021). The Relationship between Smoking and Sublingual Varices in the Elderly. *Oman Med J*, 36(4), e288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34405056>

Kusiak, A, Maj, A, Cichonska, D, Kochanska, B, Cydejko, A, & Swietlik, D. (2020). The Analysis of the Frequency of Leukoplakia in Reference of Tobacco Smoking among Northern Polish Population. *Int J Environ Res Public Health*, 17(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32971842>

Wirth, R, Maroti, G, Mihok, R, Simon-Fiala, D, Antal, M, Pap, B et al. (2020). A case study of salivary microbiome in smokers and non-smokers in Hungary: analysis by shotgun metagenome sequencing. *J Oral Microbiol*, 12(1), 1773067. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32971842>

Talmac, AC, & Calisir, M. (2020). Efficacy of gaseous ozone in smoking and non-smoking gingivitis patients. *Ir J Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32613563>

Alamir, AH, & Quadri, MFA. (2020). Tobacco Use and Orofacial Pain: A Meta-analysis. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32374841>

Ferraz, LN, Pini, NIP, Ambrosano, GMB, Aguiar, FHB, & Lima, D. (2019). Influence of cigarette smoke combined with different toothpastes on enamel erosion. *Braz Oral Res*, 33, e114. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31800865>

News reports:

Bebbington T. Gum disease linked to cancer risk in older women, in WebMD UK Health News2017. Available from: <http://www.webmd.boots.com/cancer/news/20170801/gum-disease-linked-to-cancer>

Preidt R. Smoking triggers big changes in mouth bacteria, study finds, in Health Day2016. Available from <http://consumer.healthday.com/cancer-information-5/misc-tobacco-health-news-666/smoking-triggers-big-changes-in-mouth-bacteria-709469.html>.

Brazier Y. Cigarette smoking alters the mouth microbiota, in *Medical News Today*2016. Available from: <http://www.medicalnewstoday.com/articles/308570.php>.

3.11.1 Periodontitis

No authors listed. Environmental tobacco smoke is associated with periodontitis in us nonsmokers, in *Science Daily* 2015. Available from:
<http://www.sciencedaily.com/releases/2015/03/150313083627.htm>.

3.11.3 Tooth loss

No authors listed. Smokers at higher risk of losing their teeth, research shows, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/299496.php?tw>

3.11.4 Complications and failure of dental procedures

Nazeer, J, Singh, R, Suri, P, Mouneshkumar, CD, Bhardwaj, S, Iqubal, MA, & Dinesh. (2020). Evaluation of marginal bone loss around dental implants in cigarette smokers and nonsmokers. A comparative study. *J Family Med Prim Care*, 9(2), 729-734. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32318410>

Windael, S , Vervaeke, S, De Buyser, S, De Bruyn, H, & Collaert, B. (2020). The Long-Term Effect of Smoking on 10 Years' Survival and Success of Dental Implants: A Prospective Analysis of 453 Implants in a Non-University Setting. *J Clin Med*, 9(4). Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32276371>

3.11.5 Other dental conditions

Jin, YJ, Han, YE, & Choi, HG. (2020). The association between sialolithiasis and smoking, alcohol drinking and obesity in Korea: a nested case-control study. *BMC Public Health*, 20(1), 516. Available from <https://www.ncbi.nlm.nih.gov/pubmed/32303215>

K, MV, Selvakumar, D, Seenivasan, MK, Natarajan, S, Natarajan, P, & Saravanakumar, P. (2020). Evaluation and Comparison of the Effects of Persulfate Containing and Persulfate-free Denture Cleansers on Acrylic Resin Teeth Stained with Cigarette Smoke: An In Vitro Study. *Cureus*, 12(3), e7318. Available from <https://www.ncbi.nlm.nih.gov/pubmed/32313759>