

Tobacco in Australia

Facts & Issues

Relevant news and research

3.14 Skin

Last updated December 2024

Research:	2
3.14.1 <i>Facial appearance and premature skin ageing</i>	3
3.14.2 <i>Acne and other sebaceous conditions</i>	6
3.14.3 <i>Dermatitis</i>	7
3.14.4 <i>Psoriasis</i>	9
3.14.5 <i>Lupus erythematosus</i>	13
3.14.6 <i>Other skin conditions; Rosacea</i>	16
News reports:	20
3.14.1 <i>Facial appearance and premature skin ageing</i>	20
3.14.2 <i>Acne and other sebaceous conditions</i>	21

Research:

Grenier, A, Morissette, MC, Rochette, PJ, & Pouliot, R. (2023). The combination of cigarette smoke and solar rays causes effects similar to skin aging in a bilayer skin model. *Sci Rep*, 13(1), 17969. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37863977>

Hergesell, K, Paraskevopoulou, A, Opalka, L, Velebny, V, Vavrova, K, & Doleckova, I. (2023). The effect of long-term cigarette smoking on selected skin barrier proteins and lipids. *Sci Rep*, 13(1), 11572. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37463939>

Pontes-Lopez, S, Gonzalvez, A, Esteve-Turrillas, FA & Armenta, S. (2021). Skin Permeation of Hazardous Compounds of Tobacco Smoke in Presence of Antipollution Cosmetics. *J Cosmet Sci*, 72(4), 379-398. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35262480>

Lipa, K, Zajac, N, Owczarek, W, Ciechanowicz, P, Szymanska, E, & Walecka, I. (2021). Does smoking affect your skin? *Postepy Dermatol Alergol*, 38(3), 371-376. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34377115>

Percoco, G, Patatian, A, Eudier, F, Grisel, M, Bader, T, Lati, E et al. (2020). Impact of cigarette smoke on physical-chemical and molecular proprieties of human skin in an ex vivo model. *Exp Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32939877>

Langton, AK, Tsourelis-Nikita, E, Merrick, H, Zhao, X, Antoniou, C et al (2020). The systemic influence of chronic smoking on skin structure and mechanical function. *J Pathol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32472631>

Amer, M, Farag, F, Amer, A, ElKot, R, & Mahmoud, R. Dermapen in the treatment of wrinkles in cigarette smokers and skin aging effectively. *J Cosmet Dermatol*, 2018. 17(6), 1200-1204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30549208>

Drago F, Ciccarese G, Herzum A, Drago F, Rebora A, et al. The association between cigarettes smoke, small intestine bacterial overgrowth and rosacea. *G Ital Dermatol Venereol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29485256>

Alinia H, Tuchayi SM, Patel NU, Patel N, Awosika O, et al. Rosacea triggers: Alcohol and smoking. *Dermatol Clin*, 2018; 36(2):123-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29499795>

Wollina U. Smoking and the skin. *Skinmed*, 2017; 15(3):197-202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28705280>

Strunk A and Garg A. Hidradenitis and smoking - reply from authors. *Br J Dermatol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29206282>

Saleem MD, Arnold DL, and Feldman SR. Hidradenitis and smoking. *Br J Dermatol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29205268>

Sagan D, Stepniak J, Gesing A, Lewinski A, and Karbownik-Lewinska M. Melatonin reverses the enhanced oxidative damage to membrane lipids and improves skin biophysical characteristics in

former-smokers - a study in postmenopausal women. Ann Agric Environ Med, 2017; 24(4):659-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29284244>

Lee YH and Song GG. Smoking paradox in the development of psoriatic arthritis among patients with psoriasis. Ann Rheum Dis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29217622>

Garg A, Papagermanos V, Midura M, and Strunk A. Incidence of hidradenitis suppurativa among tobacco smokers: A population based retrospective analysis in the united states. Br J Dermatol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28960235>

Xin S, Ye L, Man G, Lv C, Elias PM, et al. Heavy cigarette smokers in a chinese population display a compromised permeability barrier. Biomed Res Int, 2016; 2016:9704598. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437403>

Rajagopalan P, Nanjappa V, Raja R, Jain AP, Mangalaparthi KK, et al. How does chronic cigarette smoke exposure affect human skin? A global proteomics study in primary human keratinocytes. OMICS, 2016; 20(11):615-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27828771>

Trueb RM. Effect of ultraviolet radiation, smoking and nutrition on hair. Curr Probl Dermatol, 2015; 47:107-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26370649>

Lonnberg AS, Skov L, Skytthe A, Kyvik KO, Pedersen OB, et al. Smoking and risk for psoriasis: A population-based twin study. Int J Dermatol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26275356>

John G, Louis C, Berner A, and Genne D. Tobacco stained fingers and its association with death and hospital admission: A retrospective cohort study. PLoS ONE, 2015; 10(9):e0138211. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26375287>

Henderson MT, Kubo JT, Desai M, David SP, Tindle H, et al. Smoking behavior and association of melanoma and nonmelanoma skin cancer in the women's health initiative. J Am Acad Dermatol, 2015; 72(1):190-1 e3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25497923>

Silverberg JI and Ratner D. Associations of non-melanoma skin cancer and melanoma, extra-cutaneous cancers and smoking in adults: A us population-based study. J Eur Acad Dermatol Venereol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25491569>

Molin S, Ruzicka T, and Herzinger T. Smoking is associated with combined allergic and irritant hand eczema, contact allergies and hyperhidrosis. J Eur Acad Dermatol Venereol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25405274>

Metelitsa A and Lauzon G. Tobacco and the skin. Clinics in Dermatology, 2010; 28(4):384–90. Available from: <http://www.cidjournal.com/article/PIIS0738081X10000453/fulltext>

Freiman A, Bird G, Metelitsa A, Barankin B, and Lauzon G. Cutaneous effects of smoking. Journal of Cutaneous Medical Surgery, 2004; 8(6):415–23. Available from: <http://www.springerlink.com/content/p172v6547r1p3231/>

3.14.1 Facial appearance and premature skin ageing

Chen, T, Zhao, M, & Mao, Z. (2023). Lipidomic Analysis of Hand Skin Surface Lipids Reveals Smoking-Related Skin Changes. *Metabolites*, 13(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36837873>

Grenier, A, Morissette, MC, Rochette, PJ, & Pouliot, R. (2022). Toxic Interaction Between Solar Radiation and Cigarette Smoke on Primary Human Keratinocytes. *Photochem Photobiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36537030>

Dalrymple, A, McEwan, M, Brandt, M, Bielfeldt, S, Bean, EJ, Moga, A et al. (2021). A novel clinical method to measure skin staining reveals activation of skin damage pathways by cigarette smoke. *Skin Res Technol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34758171>

Laborada, J, & Cohen, PR. (2021). Smoker's Mustache Revisited: Upper Lip Hair Yellow Discoloration Associated With Tobacco. *Cureus*, 13(10), e18988. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34820243>

Ozkoca, D, Askin, O, & Engin, B. (2021). Treatment of periorbital and perioral wrinkles with fractional Er:YAG laser: What are the effects of age, smoking, and Glogau stage? *J Cosmet Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33550718>

Millard, LAC, Munafo, MR, Tilling, K, Wootton, RE, & Davey Smith, G. (2019). MR-pheWAS with stratification and interaction: Searching for the causal effects of smoking heaviness identified an effect on facial aging. *PLoS Genet*, 15(10), e1008353. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31671092>

Goodman, GD, Kaufman, J Day, D, Weiss, R, Kawata, AK, Garcia, JK et al(2019). Impact of Smoking and Alcohol Use on Facial Aging in Women: Results of a Large Multinational, Multiracial, Cross-sectional Survey. *The Journal of Clinical and Aesthetic Dermatology*, 12(8), 28-39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31531169>

O'Brien, ME, Chandra, D, Wilson, RC, Karoleski, CM, Fuhrman, CR, Leader, JK et al. (2019). Loss of skin elasticity is associated with pulmonary emphysema, biomarkers of inflammation, and matrix metalloproteinase activity in smokers. *Respir Res*, 20(1), 128. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31234847>

Skinner AL, Woods A, Stone CJ, Penton-Voak I, and Munafo MR. Correction to 'smoking status and attractiveness among exemplar and prototypical identical twins discordant for smoking'. *R Soc Open Sci*, 2018; 5(2):172231. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29517075>

Skinner AL, Woods A, Stone CJ, Penton-Voak I, and Munafo MR. Smoking status and attractiveness among exemplar and prototypical identical twins discordant for smoking. *R Soc Open Sci*, 2017; 4(12):161076. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29308214>

Schou AL, Molbak ML, Schnor P, Gronbaek M, and Tolstrup JS. Alcohol consumption, smoking and development of visible age-related signs: A prospective cohort study. *J Epidemiol Community Health*, 2017; 71(12):1177-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29114032>

Langton AK, Tsourelis-Nikita E, Griffiths CE, Antoniou C, Stratigos A, et al. Lysyl oxidase activity in human skin is increased by chronic UV-exposure and smoking. *Br J Dermatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27514484>

Chien AL, Qi J, Cheng N, Do TT, Mesfin M, et al. Perioral wrinkles are associated with female gender, aging, and smoking: Development of a gender-specific photonumeric scale. *J Am Acad Dermatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26803346>

Beutler BD and Cohen PR. Tobacco-associated yellow discoloration of upper lip hair: Smoker's mustache. *Dermatol Online J*, 2015; 21(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26295850>

Shin H, Ryu HH, Yoon J, Jo S, Jang S, et al. Association of premature hair graying with family history, smoking, and obesity: A cross-sectional study. *J Am Acad Dermatol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25484268>

Segal NL. Facial changes caused by smoking: A comparison between smoking and nonsmoking identical twins. *Plast Reconstr Surg*, 2014; 133(5):718e-9e. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24776581>

Rossi M, Pistelli F, Pesce M, Aquilini F, Franzoni F, et al. Impact of long-term exposure to cigarette smoking on skin microvascular function. *Microvasc Res*, 2014; 93:46-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24631205>

Kaukinen A, Fitzgibbon A, Oikarinen A, Hinkkanen L, Viinikanoja M, et al. Increased numbers of tryptase-positive mast cells in the healthy and sun-protected skin of tobacco smokers. *Dermatology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25376107>

Guyuron B. Reply: Facial changes caused by smoking: A comparison between smoking and nonsmoking identical twins. *Plast Reconstr Surg*, 2014; 133(5):719e. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24776582>

Kolanko E and Czekaj P. Skin and dermal appendages stem cells exposure to tobacco smoke. *Przegl Lek*, 2013; 70(10):858-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24501812>

Martires K, Fu P, Polster A, Cooper K, and Baron E. Factors that affect skin aging: A cohort-based survey on twins. *Archives of Dermatology*, 2009; 145(12):1375-9. Available from: <http://archderm.ama-assn.org/cgi/content/full/145/12/1375>

Guyuron B, Rowe D, Weinfeld A, Eshraghi Y, Fathi A, et al. Factors contributing to the facial aging of identical twins. *Plastic And Reconstructive Surgery*, 2009; 123(4):1321-31. Available from: <http://journals.lww.com/plasreconsurg/pages/articleviewer.aspx?year=2009&issue=04000&article=00019&type=abstract>

Helfrich Y, Yu L, Ofori A, Hamilton T, Lambert J, et al. Effect of smoking on ageing of photoprotected skin. *Archives of Dermatology*, 2007; 143:397-402. Available from: <http://archderm.ama-assn.org/cgi/content/full/143/3/397>

Raitio A, Kontinen J, Rasi M, Bloigu R, Röning J, et al. Comparison of clinical and computerised image analyses in the assessment of skin ageing in smokers and non-smokers. *Acta Dermato Venereologica*, 2004; 84:422-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15844630>

Placzek M, Kerkmann U, Bell S, Koepke P, and Przybilla B. Tobacco smoke is phototoxic. British Journal of Dermatology, 2004; 150:991-3. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/15149514>

Kennedy C, Bastiaens M, Bajdik C, Willemze R, Westerndorp R, et al. Effect of smoking and sun on the aging skin. Journal of Investigative Dermatology, 2003; 120:548-54. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/12648216>

Leung W and Harvey I. Is skin ageing in the elderly caused by sun exposure or smoking? . British Journal of Dermatology, 2002; 147:1187-91. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/12452869>

Koh JS, Kang H, Choi SW, and Kim HO. Cigarette smoking associated with premature facial wrinkling: Image analysis of facial skin replicas. International Journal of Dermatology, 2002; 41(1):21–7. Available from:
<http://www3.interscience.wiley.com/journal/118906869/abstract?CRETRY=1&SRETRY=0>

Yin L, Morita A, and Tsuji T. Skin ageing induced by ultraviolet exposure and tobacco smoking: Evidence from epidemiological and molecular studies. Photodermatology Photoimmunology Photomedicine, 2001; 17:178-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11499540>

Ernster V, Grady D, Miike R, Black D, Selby J, et al. Facial wrinkling in men and women, by smoking status. American Journal of Public Health, 1995; 85:78-82. Available from:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/>

Kadunce D, Burr R, Gress R, Kanner R, Lyon J, et al. Cigarette smoking: Risk factor for premature facial wrinkling. Annals of Internal Medicine, 1991; 114:840-4. Available from:
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/>

Model D. Smoker's face: An underrated clinical sign? British Medical Journal, 1985; 291:1760-2. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/>

3.14.2 Acne and other sebaceous conditions

Hrvatin Stancic, B, Falabella, P, & Dolenc Voljc, M. (2023). The influence of body mass index and smoking on the severity of hidradenitis suppurativa in the Slovenian population. *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/>

Chu, CB, Yang, CC, & Tsai, SJ. (2021). Global data analysis supports smoking as the fundamental element associated with geographic gender disparities in hidradenitis suppurativa. *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/>

Zhang, JZ, Xiang, F, Yu, SR, Luo, D, Li, TT, & Kang, XJ. (2021). Association between acne and smoking: systematic review and meta-analysis of observational studies. *Chin Med J (Engl), Publish Ahead of Print*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/>

Denny G and Anadkat MJ. The effect of smoking and age on the response to first-line therapy of hidradenitis suppurativa: An institutional retrospective cohort study. *J Am Acad Dermatol*, 2016. Available from: [http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1344773/)

Sorg O. Tobacco smoke and chloracne: An old story comes to light. *Dermatology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26382236>

Wolkenstein P, Misery L, Amici JM, Maghia R, Branchoux S, et al. Smoking and dietary factors associated with moderate-to-severe acne in french adolescents and young adults: Results of a survey using a representative sample. *Dermatology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25413494>

Simonart T. Hidradenitis suppurativa and smoking. *Journal of the American Academy of Dermatology*, 2010; 62(1):149–50. Available from: <http://www.eblue.org/article/S0190-9622%2809%2900239-4/fulltext>

Lin S, Yang Y, Chen W, and Wu W. Facial epidermal inclusion cysts are associated with smoking in men: A hospital-based case-control study. *Dermatologic Surgery*, 2010; 36(6):894–8. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=123429583&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123429583/HTMLSTART>

Capitanio B, Sinagra J, Bordignon V, Fei P, Picardo M, et al. Underestimated clinical features of postadolescent acne. *Journal of the American Academy of Dermatology*, 2010; 63(5):782–8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20619486

Canoui-Poitrine F, Revuz J, Wolkenstein P, Viallette C, Gabison G, et al. Clinical characteristics of a series of 302 french patients with hidradenitis suppurativa, with an analysis of factors associated with disease severity. *Journal of the American Academy of Dermatology*, 2009; 61(1):51–7. Available from: <http://www.eblue.org/article/PIIS0190962209002394/fulltext>

3.14.3 Dermatitis

Alturki, BA, Almutairi, R, Al-Mutairi, AG, Alrajhi, D, Binyousef, FH, & Alzamil, F. (2023). The Effects of Smoking on the Severity of Atopic Dermatitis in Saudi Arabia. *Cureus*, 15(12), e50315. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38205469>

Wang, Z, & Zhang, M. (2023). Smoking and the risk of atopic dermatitis: A two-sample mendelian randomization study. *Medicine (Baltimore)*, 102(45), e36050. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37916410>

Xiao, Y, Huang, S, Hong, Z, & Tan, D. (2023). No Causal Association Between Genetic Markers of Smoking Behaviors and Genetic Markers of Atopic Dermatitis: Evidence From a Mendelian Randomization Study. *Dermatitis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37585614>

Lim, SH, & Lee, S. (2023). Maternal Ever-smoking is Associated with an Increased Risk of Atopic Dermatitis in the Offspring in a Dose-response Relationship. *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37113028>

Alotaibi, GF, Alsalmán, HH, Alhallaf, RA, Ahmad, RA, Alshareef, HA, Muammar, JM et al. (2023). The Association of Smoking with Contact Dermatitis: A Cross-Sectional Study. *Healthcare (Basel)*, 11(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36767002>

Loman, L, Politiek, K, & Schuttelaar, MLA. (2022). Smoking and obesity are associated with chronic hand eczema and severity of hand eczema: data from the Dutch general population. *Contact Dermatitis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35292987>

Loman, L, & Schuttelaar, MLA. (2021). Hand eczema and lifestyle factors in the Dutch general population: evidence for smoking, chronic stress, and obesity. *Contact Dermatitis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34766356>

Pilz, AC, Schielein, MC, Schuster, B, Heinrich, L, Haufe, E, Abraham, S et al. (2021). Atopic dermatitis: disease characteristics and comorbidities in smoking and non-smoking patients from the TREATgermany registry. *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34743344>

Morra, DE, Cho, E, Li, T, Camargo, CA, Qureshi, AA, & Drucker, AM. (2020). Smoking and risk of adult-onset atopic dermatitis in US women. *J Am Acad Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32711091>

Miyakawa, M, Inomata, N, Endo, M, Kage, Y, Sato, M, & Aihara, M. (2019). A case of allergic finger and facial contact dermatitis induced by cigarette smoking. *Contact Dermatitis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31385315>

Jachiet, M, Nosbaum, A, Staumont-Salle, D, Seneschal, J, Viguier, M, Soria, A, Study in Atopic Dermatitis from the French Society of, D. (2019). Low cardiovascular risk and poor quality of life associated with tobacco use and skin infections in adult atopic dermatitis: result of a French multicenter study. *J Eur Acad Dermatol Venereol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31273834>

Moon, HM, Kim, Y, Kwak, Y, & Kim, K. Association between smoking type and prevalence of atopic dermatitis and asthma in men and women. *Int J Nurs Pract*, 2018. e12680. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30397983>

Zimmer KA, Armbrecht ES, and Burkemper NM. The association of smoking with contact dermatitis and hand eczema - a review. *Int J Dermatol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28960277>

Lai YC and Yew YW. Smoking and hand dermatitis in the united states adult population. *Ann Dermatol*, 2016; 28(2):164-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27081262>

Kantor R, Kim A, Thyssen J, and Silverberg JI. Association of atopic dermatitis with smoking: A systematic review and meta-analysis. *J Am Acad Dermatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27542586>

Bonamonte D, Vestita M, Filoni A, Mastrolonardo M, Angelini G, et al. Tobacco-induced contact dermatitis. *Eur J Dermatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27020490>

Lukacs J, Schliemann S, and Elsner P. Association between smoking and hand dermatitis - a systematic review and meta-analysis. *J Eur Acad Dermatol Venereol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25650777>

Saulyte J, Regueira C, Montes-Martinez A, Khudyakov P, and Takkouche B. Active or passive exposure to tobacco smoking and allergic rhinitis, allergic dermatitis, and food allergy in adults and children: A systematic review and meta-analysis. *PLoS Med*, 2014; 11(3):e1001611. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24618794>

Ka D, Marignac G, Desquibet L, Freyburger L, Hubert B, et al. Association between passive smoking and atopic dermatitis in dogs. *Food Chem Toxicol*, 2014; 66:329-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24491262>

Lee C, Chuang H, Hong C, Huang S, Chang Y, et al. Lifetime exposure to cigarette smoking and the development of adult-onset atopic dermatitis. *British Journal of Dermatology*, 2010; 164(3):483–9. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2133.2010.10116.x/pdf>

Miot H, Miot L, Lopes P, Haddad G, and Marques S. Association between palmoplantar pustulosis and cigarette smoking in brazil: A case-control study. *Journal of the European Academy of Dermatology and Venereology*, 2009; 23(10):1173–7. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122372044&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122372044/HTMLSTART>

Glick ZR, Saedi N, and Ehrlich A. Allergic contact dermatitis from cigarettes. *Dermatitis*, 2009; 20(1):6–13. Available from: <http://www.bcddecker.com/pubMedLinkOut.aspx?pub=AJCDO&vol=20&iss=1&page=6>

3.14.4 Psoriasis

Shen, F, Song, Y, Qiang, Y, Gao, X, Li, S, Zhang, R et al. (2024). Tobacco Smoking Interacted with Alcohol Drinking Could Increase the Failure of PASI(75) Achievement at Week 8 Among Patients with Psoriasis: Findings Based on a Psoriasis Cohort. *Psoriasis (Auckl)*, 14, 103-114. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39347516>

Kim, SR, Choi, YG, & Jo, SJ. (2024). Duration of smoking cessation for the prevention of psoriasis vulgaris and palmoplantar pustulosis. *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39107263>

Laguardia, F, Owczarczyk-Saczek, A, & Maggi, P. (2024). The role of smoking in psoriasis. *Postepy Dermatol Alergol*, 41(2), 143-148. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38784922>

Qiang, Y, Kuai, L, Liu, S, Xu, Q, Shenfan, L, Zhang, R et al. (2024). Tobacco smoking negatively influences the achievement of greater than three-quarters reduction in psoriasis area and severity index after eight weeks of treatment among patients with psoriasis: Findings from a prospective study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38605857>

Michalski, P, Palazzo-Michalska, V, Buda, P, Michalska-Bankowska, A, Bankowski, M, Strojny, D, & Grabarek, BO. (2023). A crossroads between dietary habits, alcohol consumption, and smoking in the clinical course of psoriasis: a narrative review. *Postepy Dermatol Alergol*, 40(5), 599-605. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38028418>

Michalski, P, Palazzo-Michalska, V, Michalska-Bankowska, A, Bankowski, M, & Grabarek, BO. (2023). Impact of Alcohol Consumption, Smoking, and Diet on the Severity of Plaque Psoriasis: A Comprehensive Assessment using Clinical Scales and Quality of Life Measures. *Med Sci Monit*, 29, e941255. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37528577>

Efanova, E, Bushueva, O, Saranyuk, R, Surovtseva, A, Churnosov, M, Solodilova, M, & Polonikov, A. (2023). Polymorphisms of the GCLC Gene Are Novel Genetic Markers for Susceptibility to Psoriasis Associated with Alcohol Abuse and Cigarette Smoking. *Life (Basel)*, 13(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37374099>

Kobayashi, K, Kamekura, R, Kamiya, S, Ikegami, I, Takano, K, Uhara, H, & Ichimiya, S. (2023). Effect of cigarette smoke on interleukin-17A- and interleukin-17F-driven skin inflammation: An in vitro study. *J Dermatol Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37179145>

Naslund-Koch, C, Vedel-Krogh, S, Bojesen, SE, & Skov, L. (2023). Smoking is an independent but not a causal risk factor for moderate to severe psoriasis: A Mendelian randomization study of 105,912 individuals. *Front Immunol*, 14, 1119144. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36911745>

Naldi, L, & Cazzaniga, S. (2022). The chicken or the egg: disentangling the relationship between smoking, alcohol consumption and psoriasis using Mendelian randomization. *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35989480>

Wei, J, Zhu, J, Xu, H, Zhou, D, Elder, JT, Tsoi, LC et al. (2022). Alcohol consumption and smoking in relation to psoriasis: a Mendelian randomization study. *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35764530>

Wei, L, Chen, S, Zhang, Z, Kuai, L, Zhang, R, Yu, N et al. (2022). Prevalence of Tobacco Smoking and Its Association With Disease Severity Among Patients With Psoriasis in China: A Cross-Sectional Study. *Front Med (Lausanne)*, 9, 883458. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35646971>

Yang, M, Liu, W, Deng, Q, Liang, Z, & Wang, Q. (2021). The incidence of psoriasis among smokers and/or former smokers inflammatory bowel diseases patients treated with tumor necrosis factor antagonist: A systematic review and meta-analysis. *Medicine (Baltimore)*, 100(42), e27510. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34678884>

Constantin, MM Bucur, S., Mutu, CC, Poenaru, E, Olteanu, R Ionescu, RA et al. (2021). The Impact of Smoking on Psoriasis Patients with Biological Therapies in a Bucharest Hospital. *J Pers Med*, 11(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34442396>

Liu, J, Martin, A, Thatiparthi, A, & Wu, JJ. (2021). Effect Modification by Smoking Status on the Association Between Psoriasis and Chronic Obstructive Pulmonary Disease among Adults in the USA. *Acta Derm Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34219177>

Salihbegovic, EM, Kurtalic, N, & Omerkic, E. (2021). Smoking Cigarettes and Consuming Alcohol in Patients with Psoriasis. *Mater Sociomed*, 33(1), 30-33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34012347>

Dey, M, Hughes, DM, & Zhao, S S. (2020). Comment on: The impact of smoking on prevalence of psoriasis and psoriatic arthritis. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995877>

Gazel, U, Ayan, G, Solmaz, D, Akar, S, & Aydin, SZ. (2020). Comment on: The impact of smoking on prevalence of psoriasis and psoriatic arthritis: reply. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995878>

Hayran, Y, & Yalcin, B. (2020). Smoking Habits among Patients with Psoriasis and the Effect of Smoking on Clinical and Treatment-associated Characteristics: A Cross Sectional Study. *Int J Clin Pract*, e13751. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33090605>

Zhou, H, Wu, R, Kong, Y, Zhao, M, & Su, Y. (2020). Impact of smoking on psoriasis risk and treatment efficacy: a meta-analysis. *J Int Med Res*, 48(10), 300060520964024. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33121308>

Temiz, SA, Ozer, I, Ataseven, A, Dursun, R, & Uyar, M. (2020). The effect of smoking on the psoriasis: Is it related to nail involvement? *Dermatol Ther*, e13960. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32621631>

Gazel, U, Ayan, G, Solmaz, D, Akar, S, & Aydin, SZ. (2020). The impact of smoking on prevalence of psoriasis and psoriatic arthritis. *Rheumatology (Oxford)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32500136>

Ya, J, Hu, JZ, Nowacki, AS, Khanna, U, Mazloom, S, Kabbur, G et al (2020). Family history of psoriasis, psychological stressors, and tobacco use are associated with the development of tumor necrosis factor-alpha inhibitor-induced psoriasis: A case-control study. *J Am Acad Dermatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32592879>

Svedbom, A, Nikamo, P, & Stahle, M. (2020). Interaction between Smoking and HLA-C*06:02 on the Response to Ustekinumab in Psoriasis. *J Invest Dermatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32014510>

Samejo, S, Kazi, AG, Afridi, HI, & Kazi, TG. (2019). Evaluate the effect of cadmium on levels of zinc in scalp hair and blood samples of smoker and nonsmoker psoriatic patients at different stage. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31485944>

Dai, YX, Wang, SC, Chou, YJ, Chang, YT, Chen, TJ, Li, CP, & Wu, CY. Smoking, but not alcohol, is associated with risk of psoriasis in a Taiwanese population-based cohort study. *J Am Acad Dermatol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30528570>

Pezzolo, E, & Naldi, L. The relationship between smoking, psoriasis and psoriatic arthritis. *Expert Rev Clin Immunol*, 2018. 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30380949>

Luo, Q, Zeng, J, Li, W, Lin, L, Zhou, X, Tian, X, Liu, W, Zhang, L, Zhang, X. Interaction of MTHFR gene with smoking and alcohol use and haplotype combination susceptibility to psoriasis in Chinese population. *Immunol Res*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30084051>

Nguyen UDT, Zhang Y, and Choi HK. Response to: 'Smoking paradox in the development of psoriatic arthritis among patients with psoriasis' by lee and song. *Ann Rheum Dis*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29358282>

Adisen E, Uzun S, Erduran F, and Gurer MA. Prevalence of smoking, alcohol consumption and metabolic syndrome in patients with psoriasis. *An Bras Dermatol*, 2018; 93(2):205-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29723384>

Wunderle KB and McCulley C. Smoke and mirrors: Moyamoya syndrome. Am J Med, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28601543>

Nguyen UDT, Zhang Y, Lu N, Louie-Gao Q, Niu J, et al. Smoking paradox in the development of psoriatic arthritis among patients with psoriasis: A population-based study. Ann Rheum Dis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29102956>

Emre S, Demirseren DD, Alisik M, Aktas A, Neselioglu S, et al. Dynamic thiol/disulfide homeostasis and effects of smoking on homeostasis parameters in patients with psoriasis. Cutan Ocul Toxicol, 2017;1-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28397526>

Sarkar R, Chugh S, and Bansal S. General measures and quality of life issues in psoriasis. Indian Dermatol Online J, 2016; 7(6):481-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27990382>

Richer V, Roubille C, Fleming P, Starnino T, McCourt C, et al. Psoriasis and smoking: A systematic literature review and meta-analysis with qualitative analysis of effect of smoking on psoriasis severity. J Cutan Med Surg, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26553732>

Owczarczyk-Saczonek AB and Nowicki R. The association between smoking and the prevalence of metabolic syndrome and its components in patients with psoriasis aged 30 to 49 years. Postepy Dermatol Alergol, 2015; 32(5):331-6. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26759540>

Zhu KJ, Liu Z, Liu H, Li SJ, Zhu CY, et al. An association study on the chrna5/a3/b4 gene cluster, smoking and psoriasis vulgaris. Arch Dermatol Res, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25297392>

Kinahan CE, Mazloom S, and Fernandez AP. Impact of smoking on response to systemic treatment in patients with psoriasis: A retrospective case-control study. Br J Dermatol, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25142556>

Ho J and Antrum JH. Severity of psoriasis among adult males is associated with smoking, not with alcohol use. Indian J Dermatol, 2014; 59(5):516. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25284866>

Gonzaga HF, Chaves MD, Gonzaga LH, Picciani BL, Jorge MA, et al. Environmental factors in benign migratory glossitis and psoriasis: Retrospective study of the association of emotional stress and alcohol and tobacco consumption with benign migratory glossitis and cutaneous psoriasis. J Eur Acad Dermatol Venereol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25073550>

Asokan N, Prathap P, and Rejani P. Severity of psoriasis among adult males is associated with smoking, not with alcohol use. Indian J Dermatol, 2014; 59(3):237-40. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24891652>

Armstrong AW, Harskamp CT, Dhillon JS, and Armstrong EJ. Psoriasis and smoking: A systematic review and meta-analysis. Br J Dermatol, 2014; 170(2):304-14. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24117435>

Antal M, Braunitzer G, Mattheos N, Gyulai R, and Nagy K. Smoking as a permissive factor of periodontal disease in psoriasis. PLoS ONE, 2014; 9(3):e92333. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24651659>

Armstrong A, Armstrong E, Fuller E, Sockolov M, and Voyles S. Smoking and pathogenesis of psoriasis: A review of oxidative, inflammatory, and genetic mechanisms. The British Journal of Dermatology, 2011; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2133.2011.10526.x/pdf>

Gerdes S, Zahl V, Weichenthal M, and Mrowietz U. Smoking and alcohol intake in severely affected patients with psoriasis in germany. Dermatology, 2010; 220(1):38–43. Available from: <http://content.karger.com/produktedb/produkte.asp?typ=fulltext&file=000265557>

Attwa E and Swelam E. Relationship between smoking-induced oxidative stress and the clinical severity of psoriasis. Journal of the European Academy of Dermatology and Venereology, 2010; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1468-3083.2010.03860.x/full>

Wolk K, Mallbris L, Larsson P, Rosenblad A, Vingard E, et al. Excessive body weight and smoking associates with a high risk of onset of plaque psoriasis. Acta Dermato-venereologica, 2009; 89(5):492–7. Available from: <http://adv.medicaljournals.se/article/pdf/10.2340/00015555-0711>

3.14.5 Lupus erythematosus

Cosatti, MA, Munoz, SA, Tamborenea, MT, Garcia, M, Curti, A, Cappuccio, A et al . (2024). Current smoking is related to severe damage in systemic lupus erythematosus patients. *Lupus*, 9612033241301182. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39556029>

El Hasbani, G, Madi, M, Zoghbi, M, Srour, L, Uthman, I, & Jawad, AS. (2024). The Impact of Tobacco Smoking on Systemic Sclerosis, Idiopathic Inflammatory Myositis, and Systemic Lupus Erythematosus. *Clin Med Insights Arthritis Musculoskelet Disord*, 17, 11795441241290522. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39430769>

Gomez, A, Parodis, I, & Sjowall, C. (2024). Obesity and tobacco smoking are independently associated with poor patient-reported outcomes in SLE: a cross-sectional study. *Rheumatol Int*, 44(5), 851-861. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38451301>

Chen, HW, Sprow, G, Feng, R, Werth, VP, & Chong, BF. (2023). Cigarette smoking is associated with decreased long-term treatment cessation of mycophenolate mofetil and methotrexate in cutaneous lupus erythematosus. *Lupus*, 9612033231183500. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37328162>

Zhang, WT, Liu, Z, Zhu, BC, Cui, ZY, Huang, C, Wang, XJ et al. (2022). Effects of tobacco smoking on cardiovascular disease in patients with systemic lupus erythematosus: A systematic review and meta-analysis. *Front Immunol*, 13, 967506. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35967334>

Florez-Pollack, S, Rizvi, SK, Hynan, LS, & Chong, BF. (2022). Discoid lesions and smoking history are negative predictors of disease activity remission in cutaneous lupus erythematosus. *J Am Acad Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35151758>

Raymond, WD, Hamdorf, M, Furfaro, M, Eilertsen, GO, & Nossent, JC. (2021). Smoking associates with increased BAFF and decreased interferon-gamma levels in patients with systemic lupus erythematosus. *Lupus Sci Med*, 8(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34725185>

Saghaeian Jazi, M, Mohammadi, S, Zare Ebrahimabad, M, Sedighi, S, Abdolahi, N, Tabarraei, A, & Yazdani, Y. (2021). Genetic variation in CYP1A1 and AHRR genes increase the risk of systemic lupus erythematosus and exacerbate disease severity in smoker patients. *J Biochem Mol Toxicol*, e22916. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34580959>

Wang, P, Dan, YL, Wu, Q, Tao, SS, Yang, XK, Wang, DG et al. (2021). Non-causal effects of smoking and alcohol use on the risk of systemic lupus erythematosus. *Autoimmun Rev*, 20(9), 102890. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34237421>

Leffers, HCB, Troldborg, A, Voss, A, Kristensen, S, Lindhardsen, J, Kumar, P et al . (2021). Smoking associates with distinct clinical phenotypes in patients with systemic lupus erythematosus: a nationwide Danish cross-sectional study. *Lupus Sci Med*, 8(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33811110>

Reid, S, Hagberg, N, Sandling, JK, Alexsson, A, Pucholt, P, Sjowall, C et al (2021). Interaction between the STAT4 rs11889341(T) risk allele and smoking confers increased risk of myocardial infarction and nephritis in patients with systemic lupus erythematosus. *Ann Rheum Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33766895>

Ezeh, N, McKown, T, Garg, S, & Bartels, CM. (2021). Smoking exposure in pack-years predicts cutaneous manifestations and damage in systemic lupus erythematosus. *Lupus*, 961203321995257. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33626970>

Zhang, JZ, Xiang, F, Yu, SR, Luo, D, Li, TT, & Kang, XJ. (2021). Association between acne and smoking: systematic review and meta-analysis of observational studies. *Chin Med J (Engl), Publish Ahead of Print*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33410614>

Cui, J, Raychaudhuri, S, Karlson, EW, Speyer, C, Malspeis, S, Guan, H et al. (2020). Interactions Between Genome-Wide Genetic Factors and Smoking Influencing Risk of Systemic Lupus Erythematosus. *Arthritis Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32969204>

Bernatsky, S, Ramsey-Goldman, R, Urowitz, MB, Hanly, JG, Gordon, C, Petri, MA et al. (2020). Cancer risk in a large inception SLE cohort: Effects of demographics, smoking, and medications. *Arthritis Care Res (Hoboken)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32813314>

Hahn, J, Leatherwood, C, Malspeis, S, Liu, X, Lu, B, Roberts, AL et al (2020). Associations between Smoking and Systemic Lupus Erythematosus (SLE)-Related Cytokines and Chemokines among US Female Nurses. *Arthritis Care Res (Hoboken)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32619290>

Chua, MHY, Ng, IAT, Cheung, MWL, & Mak, A. (2019). Association Between Cigarette Smoking and Systemic Lupus Erythematosus - an Updated Multivariate Bayesian Metaanalysis. *J Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31787611>

Kallas, R, Li, J, & Petri, M. (2019). Association of African-American ethnicity and smoking status with total and individual damage index in systemic lupus erythematosus. *Clin Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31705325>

Rua-Figueroa, I, Erausquin, C, Rua-Figueroa, C, Gonzalez-Martin, J, Naranjo, A, Ojeda, S et al. (2019). Tobacco smoking is an independent factor associated with retinal damage in systemic lupus erythematosus: a cross-sectional and retrospective study. *Rheumatol Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31773393>

Parisis, D, Bernier, C, Chasset, F, & Arnaud, L. (2019). Impact of tobacco smoking upon disease risk, activity and therapeutic response in systemic lupus erythematosus: A systematic review and meta-analysis. *Autoimmun Rev*, 102393. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31520802>

Zhu, X, Xie, L, Qin, H, Liang, J, Yang, Y, Xu, J, & Zhang, T. (2019). Interaction between IL-33 Gene Polymorphisms and Current Smoking with Susceptibility to Systemic Lupus Erythematosus. *J Immunol Res*, 2019, 1547578. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30984790>

Cozier, YC, Barbour, M, Castro-Webb, N, Conte, C, Tedeschi, SK, Leatherwood, C, Costenbader, KH, Rosenberg, L. Relationship of cigarette smoking and alcohol consumption to incidence of systemic lupus erythematosus in the Black Women's Health Study. *Arthritis Care Res (Hoboken)*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30091287>

Parodis I, Gomez A, Frodlund M, Jonsen A, Zickert A, et al. Smoking reduces the efficacy of belimumab in mucocutaneous lupus. *Expert Opin Biol Ther*, 2018; 18(8):911-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29958508>

Zhou A, Liu X, Xia T, Li F, Wang J, et al. Estrogen receptor alpha gene (esr1) polymorphism and its interaction with smoking and drinking contribute to susceptibility of systemic lupus erythematosus. *Immunol Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28707126>

Zhang YJ, Zhang L, Huang XL, Duan Y, Yang LJ, et al. Association between cigarette smoking and impaired clinical symptoms in systemic sclerosis: A review. *Cell Immunol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28651741>

Versini M, Tiosano S, Comaneshter D, Shoenfeld Y, Cohen AD, et al. Smoking and obesity in systemic lupus erythematosus: A cross-sectional study. *Eur J Clin Invest*, 2017; 47(6):422-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28382625>

Kim SK, Lee SS, Choe JY, Park SH, and Lee H. Effect of alcohol consumption and smoking on disease damage in systemic lupus erythematosus: Data from the korean lupus network (kornet) registry. *Lupus*, 2017:961203317709346. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28478697>

Barbour M, Tedeschi SK, Lu B, Malspeis S, Kreps D, et al. Cigarette smoking and the risk of systemic lupus erythematosus, overall and by anti-double stranded DNA antibody subtype, in the nurses' health study cohorts. *Ann Rheum Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28988206>

Reygaerts T, Arnaud L, and Devilliers H. Tobacco exposure in systemic lupus erythematosus: Survival analysis should be preferred to a count of events. *Arthritis Rheumatol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26713539>

Young KA, Terrell DR, Guthridge JM, Kamen DL, Gilkeson GS, et al. Smoking is not associated with autoantibody production in systemic lupus erythematosus patients, unaffected first-degree relatives, nor healthy controls. *Lupus*, 2014; 23(4):360-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24449338>

Takvorian SU, Merola JF, and Costenbader KH. Cigarette smoking, alcohol consumption and risk of systemic lupus erythematosus. *Lupus*, 2014; 23(6):537-44. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24763538>

Pastushenko I and Martin-Gorgojo A. Should we advise patients with lupus to quit smoking? *Actas Dermosifiliogr*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25128365>

Gustafsson JT, Gunnarsson I, Kallberg H, Pettersson S, Zickert A, et al. Cigarette smoking, antiphospholipid antibodies and vascular events in systemic lupus erythematosus. *Ann Rheum Dis*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24692586>

3.14.6 Other skin conditions; Rosacea

Chen, GF, Shipman, WD, Hodelin, C, Hsia, HC, Cohen, JM, & Eisenstein, A. (2024). The association of hidradenitis suppurativa with cigarette smoking and cannabis use: a cross-sectional study in the All of Us Research Program. *Clin Exp Dermatol*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39573984>

El Hasbani, G, Madi, M, Zoghbi, M, Srour, L, Uthman, I, & Jawad, AS. (2024). The Impact of Tobacco Smoking on Systemic Sclerosis, Idiopathic Inflammatory Myositis, and Systemic Lupus Erythematosus. *Clin Med Insights Arthritis Musculoskelet Disord*, 17, 11795441241290522. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39430769>

Khalil, N, & Patel, NP. (2024). A survey of smoking habits and perspectives in patients with hidradenitis suppurativa. *Clin Exp Dermatol*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39445616>

Elzawawi, KE, Elmakaty, I, Habibullah, M, Ahmed, MB, Al Lahham, S, Al Harami, S et al. (2024). Hidradenitis suppurativa and its association with obesity, smoking, and diabetes mellitus: A systematic review and meta-analysis. *Int Wound J*, 21(9), e70035. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39267324>

Cai, Y, Zeng, H, & Tao, M. (2024). The relationship between smoking and rosacea: A Mendelian randomization study. *J Cosmet Dermatol*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39136194>

Charrow, A, & Barnes, LA. (2024). Smoking Cessation and Hidradenitis Suppurativa: Advances and Treatment Gaps. *JAMA Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39167369>

Kim, SR, Choi, YG, & Jo, SJ. (2024). Smoking Cessation and Risk of Hidradenitis Suppurativa Development. *JAMA Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39167402>

Wang, J, & Zhang, L. (2024). Correlation between cigarette smoking and alcohol consumption and Rosacea: A two-sample Mendelian randomization study. *Skin Res Technol*, 30(6), e13765. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38881049>

Hernandez-Cordero, A, Thomas, L, Smail, A, Lim, ZQ, Saklatvala, JR, Chung, R et al. (2024). A genome-wide meta-analysis of palmoplantar pustulosis implicates Th2 responses and cigarette smoking in disease pathogenesis. *J Allergy Clin Immunol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38815935>

Chu, Z, Yi, M, Yan, C, Li, B, Zhang, H, Guo, K, & Geng, S. (2024). The impact of smoking and alcohol consumption on rosacea: a multivariable Mendelian randomization study. *Front Public Health*, 12, 1320932. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38439759>

Curtis, KL, & Lipner, SR. (2024). Fingernail Discoloration Secondary to Cigarette Smoking. *J Cutan Med Surg*, 12034754241229085. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38269749>

Enomoto, Y, Kanayama, Y, Ikumi, K, Sakurai, M, Yamamoto, A, & Morita, A. (2024). Cigarette smoking is an independent risk factor for developing vitiligo on the hands. *Photodermatol Photoimmunol Photomed*, 40(1) Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38288764>

Gupta, AK, Bamimore, MA, & Talukder, M. (2024). A meta-analysis study on the association between smoking and male pattern hair loss. *J Cosmet Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38174368>

Taniguchi, C, Narisada, A, Ohshima, Y, Inagaki, K, Ito, M, Ohashi, W et al. (2024). Interactive Effects of Sex and Smoking on Palmoplantar Pustulosis: Japanese Healthcare Claim Database Study. *J Invest Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38185414>

Bouchard, KV, & Costin, GE. (2023). Promoting New Approach Methodologies (NAMs) for research on skin color changes in response to environmental stress factors: tobacco and air pollution. *Front Toxicol*, 5, 1256399. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37886123>

Vazquez-Lopez, F, Carrero, J, Reyes, S, Galache, C, Diaz-Louzao, C, & Gonzalez-Lopez, MA. (2023). Association between premature onset of chondrodermatitis nodularis helicis and tobacco smoking (in adults <61 years): results of a multicentric, case-control retrospective study. *Eur J Dermatol*, 33(4), 432-433. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37823497>

Wang, X, Bi, Y, Liu, G, Wang, W, & Cui, H. (2023). Smoking and alcohol consumption with the risk of 11 common otolaryngological diseases: a bidirectional Mendelian randomization. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37679690>

Silva, C, Solanki, KK, & White, DHN. (2022). The Relationship between Smoking, Raynaud's Phenomenon, Digital Ulcers, and Skin Thickness in the Waikato Systemic Sclerosis Cohort. *Rheumatol Immunol Res*, 3(2), 84-89. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36465326>

Garcias-Ladaria, J, Gracia-Darder, I, Llull-Ramos, A, & Martin-Santiago, A. (2022). The age of onset of hidradenitis suppurativa correlates with the age of onset of smoking. Comment on "cigarette smoking precedes the onset of hidradenitis suppurativa". *Int J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35933682>

Kavadya, Y, & Mysore, V. (2022). Role of Smoking in Androgenetic Alopecia: A Systematic Review. *Int J Trichology*, 14(2), 41-48. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35531482>

Chang, HC, & Tsai, TY. (2022). Is smoking associated with mycosis fungoides and Sezary syndrome? *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35023221>

O'Keeffe, C, & Kirby, B. (2022). Cigarette smoking precedes the onset of hidradenitis suppurativa. *Int J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35090045>

Prens, LM, Bouwman, K, Troelstra, LD, Prens, EP, Alizadeh, BZ, & Horvath, B. (2021). New Insights in Hidradenitis Suppurativa from a Population-based Dutch Cohort: Prevalence, Smoking Behaviour, Socioeconomic Status and Comorbidities. *Br J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34921556>

Zhang, Q, Tang, S, Huang, G, & Liu, H. (2021). Cigarettes, a skin killer! Cigarette smoke may cause ferroptosis in female skin. *J Cosmet Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34704348>

Khanimov, I. (2021). Association between smoking and alopecia areata: a systematic review and meta-analysis. *Int J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34468022>

Zhang, L, Wang, L, & Jiang, X. (2021). The relationship between rosacea and smoking: A systematic review and meta-analysis. *Australas J Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34490894>

Babadjouni, A, Poulsar Foulad, D, Hedayati, B, Evron, E, & Mesinkovska, N. (2021). The Effects of Smoking on Hair Health: A Systematic Review. *Skin Appendage Disord*, 7(4), 251-264. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34307472>

Liakou, AI, Kontochristopoulos, G, Marnelakis, I, Tsantes, AG, Papadakis, M, Alevizou, A et al. (2020). Thyroid Disease and Active Smoking May Be Associated with More Severe Hidradenitis Suppurativa: Data from a Prospective Cross Sectional Single-Center Study. *Dermatology*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32966979>

Bukvic Mokos, Z, Mise, J, Balic, A, & Marinovic, B. (2020). Understanding the Relationship Between Smoking and Hidradenitis Suppurativa. *Acta Dermatovenerol Croat*, 28(1), 9-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32650845>

Dai, YX, Yeh, FY, Chou, YJ, Chang, YT, Chen, TJ, Li, CP, & Wu, CY. (2020). Cigarette smoking and risk of rosacea: A nationwide population-based cohort study. *J Eur Acad Dermatol Venereol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32401404>

Wang, Y, Zhao, Z, Liu, F, Xie, H, Li, J, & Wang, B. (2020). Relationship between the incidence of rosacea and drinking or smoking in China. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*, 45(2), 165-168. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32386042>

Ciaffi, J, van Leeuwen, NM, Huizinga, TWJ, & de Vries-Bouwstra, JK. (2020). Smoking and systemic sclerosis: influence on microangiopathy and expression of anti-topoisomerase I antibodies in a monocentric cohort. *Clin Exp Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32242801>

Lee, YB, Lee, JH, Lee, SY, Yu, DS, Han, KD, & Park, YG. (2020). Association between vitiligo and smoking: A nationwide population-based study in Korea. *Sci Rep*, 10(1), 6231. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32277157>

Thompson, KG, Shuster, M, Ly, BC, Antonescu, C, Florea, L, Chien, AL, & Kang, S. (2020). Variability in skin microbiota between smokers, former smokers, and nonsmokers. *J Am Acad Dermatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32004647>

Acharya, P, & Mathur, M. (2019). Hidradenitis suppurativa and smoking: a systematic review and meta-analysis. *J Am Acad Dermatol*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31678467>

Pesqueira, M, Gruber, J, & Pesqueira, J. (2019). Foot Blisters in a 30-Pack-Year Smoker. *Am Fam Physician*, 100(9), 579-580. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31674743>

Prieux, R, Eeman, M, Rothen-Rutishauser, B, & Valacchi, G. (2020). Mimicking cigarette smoke exposure to assess cutaneous toxicity. *Toxicol In Vitro*, 62, 104664. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31669394>

Sauvageau, AP, Mojeski, J, Fiorica, TW, & Miller, CC. (2019). Erythema Gyratum Repens in Long-Term Smoker. *Case Rep Dermatol*, 11(3), 268-272. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31762739>

Akdogan, N, Alli, N, Uysal, PI, Topcuoglu, C, Candar, T, & Turhan, T. Visfatin and insulin levels and cigarette smoking are independent risk factors for hidradenitis suppurativa: a case-control study. *Arch Dermatol Res*, 2018. Available from: <https://link.springer.com/article/10.1007/s00403-018-1867-z>

Micheletti R. Tobacco smoking and hidradenitis suppurativa: Associated disease and an important modifiable risk factor. *Br J Dermatol*, 2018; 178(3):587-8. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29595225>

Lai O, Recke A, Zillikens D, and Kasperkiewicz M. Influence of cigarette smoking on pemphigus: A systematic review and pooled analysis of the literature. *J Eur Acad Dermatol Venereol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29478302>

Kridin K, Comaneshter D, Batat E, and Cohen AD. Pemphigus and smoking- insights from a big data analysis. *J Eur Acad Dermatol Venereol*, 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29704278>

Li S, Cho E, Drucker AM, Qureshi AA, and Li WQ. Cigarette smoking and risk of incident rosacea in women. *Am J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472217>

Fortes C, Mastroeni S, Manooranparampil TJ, and Ribuffo M. The combination of overweight and smoking increases the severity of androgenetic alopecia. *Int J Dermatol*, 2017. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28555720>

Dessinioti C, Zisimou C, Tzanetakou V, Ntritsos G, Kontochristopoulos G, et al. A retrospective institutional study of the association of smoking with the severity of hidradenitis suppurativa. *J Dermatol Sci*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28442193>

Sorensen JA, Fisker MH, Agner T, Clemmensen KK, and Ebbehoj NE. Associations between lifestyle factors and hand eczema severity: Are tobacco smoking, obesity and stress significantly linked to

eczema severity? Contact Dermatitis, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27709631>

Bencini PL, Guida S, Cazzaniga S, Pellacani G, Galimberti MG, et al. Risk factors for recurrence after successful treatment of warts: The role of smoking habits. J Eur Acad Dermatol Venereol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27987326>

Sorensen JA, Clemmensen KK, Nixon RL, Diepgen TL, and Agner T. Tobacco smoking and hand eczema - is there an association? Contact Dermatitis, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26140658>

Kucukunal A, Altunay I, Arici JE, and Cerman AA. Is the effect of smoking on rosacea still somewhat of a mystery? Cutan Ocul Toxicol, 2015;1-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26122087>

Lotfi RA, El Zawahry KM, Kamar ZA, and Hashem Z. Effects of smoking on human telomerase reverse transcriptase expression in the skin. Int J Dermatol, 2014; 53(10):1205-12. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24601896>

Agner T. Hand eczema and tobacco: Lifting the smoke screen. Br J Dermatol, 2014; 171(5):933-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25409996>

Hansen B, Hagerup-Jenssen M, Kjaer S, Munk C, Tryggvadottir L, et al. Association between smoking and genital warts: Longitudinal analysis. Sexually Transmitted Infections, 2010; 86(4):258–62. Available from: <http://sti.bmjjournals.org/content/86/4/258.long>

Goldan O, Garbov-Nardini G, Regev E, Orenstein A, and Winkler E. Late-onset infections and granuloma formation after facial polylactic acid (new-fill) injections in women who are heavy smokers. Plastic & Reconstructive Surgery, 2008; 121(5):e336–8. Available from:
<http://www.plasreconsurg.com/pt/re/prs/abstract.00006534-200805000-00082.htm;jsessionid=LX1JQZT7pbk10S2NC3pTHHDRQd2L1dFTMMrSQTgZbV1czpKJK1QH!982088527!181195629!8091!-1>

News reports:

3.14.1 Facial appearance and premature skin ageing

Rahhal N. Heavy drinking and smoking does make you look visibly older far sooner, groundbreaking study of 11,500 people over 40 years finds. The Daily Mail and Mail on Sunday 2017. Available from: <http://www.dailymail.co.uk/health/article-5087237/Heavy-drinkers-smokers-visible-signs-ageing.html>

Allen V. Proof cigarettes really do take a toll on your looks: Survey of 500 twins found the one who smoked is less attractive to the opposite sex. Daily Mail 2017. Available from:
<http://www.dailymail.co.uk/health/article-5173503/Smokers-attractive-opposite-sex-study-finds.html>

listed Na. A key to clarifying the mechanism which accelerates aging in smokers in *Medical News Today* 2015. Available from: http://www.medicalnewstoday.com/releases/300952.php?tw_

listed Na. Smoking and heavy alcohol use are associated with epigenetic signs of aging in *Medical News Today* 2015. Available from: http://www.medicalnewstoday.com/releases/300749.php?tw_.

3.14.2 Acne and other sebaceous conditions

Morris M. Does smoking cause acne? , in *Metro US* 2018. Available from:
<https://www.metro.us/body-and-mind/health/does-smoking-cause-acne>.

No authors listed. Acne scars 'worse in smokers', in *Yahoo! News/PA* 2015. Available from:
<https://uk.news.yahoo.com/acne-scars-worse-smokers-230210596.html#n6vUdVc>.