

Tobacco in Australia

Facts & Issues

Relevant news and research

3.15 The impact of smoking on treatment of disease

Last updated December 2024

Research:	2
3.15.1 Surgery	7
3.15.1.1 Anaesthesia	42
3.15.1.2 Postoperative complications	43
3.15.1.3 Impact of smoking cessation	55
3.15.2 Drug interactions and treatment efficacy	56
3.15.3 Cardiovascular disease	63
3.15.4 Cancer	69
3.15.5 Treatment of infertility including assisted reproduction	82
3.15.6 Other conditions	84
News reports:	86
3.15.1 Surgery	87
3.15.1.1 Anaesthesia	87
3.15.1.2 Postoperative complications	87
3.15.2 Drug interactions and treatment efficacy	87
3.15.3 Cardiovascular disease	87

Research:

Marcolin, P, Oliveira Trindade, B, Bueno Motter, S, Brandao, GR, Messer, N, & Mazzola Poli de Figueiredo, S. (2024). The impact of smoking on inguinal hernia repair outcomes: a meta-analysis of multivariable-adjusted studies. Author's reply. *Hernia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39023810>

Khoo, KH, Yoon, JS, Carrese, JA, Lerman, SF, Hultman, CS, & Caffrey, JA. (2024). Ethical Considerations for Acutely Injured and Future Burn Patients Who Smoke While on Home Oxygen Therapy. *J Burn Care Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38659311>

Wang, J, Wang, Y, Zhou, W, Huang, Y, & Yang, J. (2023). Impacts of cigarette smoking on blood circulation: do we need a new approach to blood donor selection? *J Health Popul Nutr*, 42(1), 62. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37408051>

Bek, SG, Marschner, S, Sud, K, Johnson, DW, Chow, CK, Hawley, C et al. (2022). Cigarette smoking and adverse health outcomes in patients treated with maintenance dialysis. *Nephrology (Carlton)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36222366>

Clark, C, Santarelli, A, Merrill, S, & Ashurst, J. (2022). Analysis of Smoking Behavior in Patients With Peritonsillar Abscess: A Rural Community Hospital's Experience. *Cureus*, 14(3), e23300. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35464569>

Iglesias-Rey, R, Custodia, A, Alonso-Alonso, ML, Lopez-Dequidt, I, Rodriguez-Yanez, M, Pumar, J et al. (2022). The Smoking Paradox in Stroke Patients Under Reperfusion Treatment Is Associated With Endothelial Dysfunction. *Front Neurol*, 13, 841484. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35401421>

Toci, GR, Karamian, BA, Lambrechts, MJ, Mao, J, Reiter, D, Alfonsi, S et al. (2022). What Is the Impact of Smoking on Patient-Reported Outcomes Following Posterior Cervical Decompression and Fusion? *World Neurosurg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35259508>

Xu, B, Anderson, DB, Park, ES, Chen, L, & Lee, JH. (2021). The influence of smoking and alcohol on bone healing: Systematic review and meta-analysis of non-pathological fractures. *EClinicalMedicine*, 42, 101179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34765953>

Hussain, Z, Yu, M, Wozniak, A, Kim, D, Krepostman, N, Liebo, M et al (2020). Impact of Donor Smoking History on Post Heart Transplant Outcomes: A Propensity Matched Analysis of ISHLT registry. *Clin Transplant*, e14127. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33098160>

Plage, H, Pielka, P, Liefeldt, L, Budde, K, Ebbing, J, Sugunes, N et al. (2020). Extended Criteria Donors in Living Kidney Transplantation Including Donor Age, Smoking, Hypertension and BMI. *Ther Clin Risk Manag*, 16, 787-793. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32922016>

Carender, CN, DeMik, DE, Bedard, NA, Glass, NA, & Brown, TS. (2020). Increased Risk of Short-Term Complications in Smokers Undergoing Primary Unicompartmental Knee Arthroplasty. *J Knee Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32898899>

Samaan, JS, Mohan, S, Toubat, O, Qian, E, Lee, N, Subramanyam, C et al (2020). Effects of smoking on bariatric surgery postoperative weight loss and patient satisfaction. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32700150>

Sharma SP, Dahal K, Rijal J, and Fonarow GC. Meta-analysis comparing outcomes of smokers versus nonsmokers with acute coronary syndrome underwent percutaneous coronary intervention. *Am J Cardiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30057236>

Li NC, Thadhani RI, Reviriego-Mendoza M, Larkin JW, Maddux FW, et al. Association of smoking status with mortality and hospitalization in hemodialysis patients. *Am J Kidney Dis*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29909936>

Li B, Huang X, and Fu L. Impact of smoking on efficacy of pd-1/pd-l1 inhibitors in non-small cell lung cancer patients: A meta-analysis. *Onco Targets Ther*, 2018; 11:3691-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29983577>

Ellis P. The impact of smoking on wound healing: The role of the nurse. *Br J Nurs*, 2018; 27(6):S10-S4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29561678>

Barbato L, Baldi N, Gonnelli A, Duvina M, Nieri M, et al. Association of smoking habits and height of residual bone on implant survival rate in lateral sinus lift: A retrospective study. *J Oral Implantol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30011240>

Andersen SB, Smith EC, Stotstrup C, Carreon LY, and Andersen MO. Smoking is an independent risk factor of reoperation due to recurrent lumbar disc herniation. *Global Spine J*, 2018; 8(4):378-81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29977723>

Alvarez M, Chavez MN, Miranda M, Aedo G, Allende ML, et al. A novel in vivo model to study impaired tissue regeneration mediated by cigarette smoke. *Sci Rep*, 2018; 8(1):10926. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30026555>

Younas M, Carrat F, Desaint C, Launay O, Corbeau P, et al. Immune activation, smoking, and vaccine response. *AIDS*, 2017; 31(1):171-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27835620>

Yokomichi H, Nagai A, Hirata M, Kiyohara Y, Muto K, et al. Survival of macrovascular disease, chronic kidney disease, chronic respiratory disease, cancer and smoking in patients with type 2 diabetes: Biobank japan cohort. *J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209242>

Greenberg JM, Carballosa CM, and Cheung HS. Concise review: The deleterious effects of cigarette smoking and nicotine usage and mesenchymal stem cell function and implications for cell-based therapies. *Stem Cells Transl Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28696009>

Afshar M, Netzer G, Mosier MJ, Cooper RS, Adams W, et al. The contributing risk of tobacco use for ards development in burn-injured adults with inhalation injury. *Respir Care*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900039>

Wahl EA, Schenck TL, Machens HG, and Egana JT. Acute stimulation of mesenchymal stem cells with cigarette smoke extract affects their migration, differentiation, and paracrine potential. *Sci Rep*, 2016; 6:22957. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26976359>

Steenkamp R and Caskey F. Uk renal registry 18th annual report: Chapter 6 comorbidities and current smoking status amongst patients starting renal replacement therapy in england, wales and northern ireland from 2013 to 2014. *Nephron*, 2016; 132 Suppl 1:145-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27115503>

Smedley J, Michael GM, and Tamire YG. Wound closure in smoking peripheral arterial disease patients with treatment-refractory ulcerations: A 12-month follow-up case series. *Int J Low Extrem Wounds*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27852883>

Rezaei S, Akbari Sari A, Arab M, Majdzadeh R, Shaahmadi F, et al. The association between smoking status and hospital length of stay: Evidence from a hospital-based cohort. *Hosp Pract (1995)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27122384>

Lane CA, Selleck C, Chen Y, and Tang Y. The impact of smoking and smoking cessation on wound healing in spinal cord-injured patients with pressure injuries: A retrospective comparison cohort study. *J Wound Ostomy Continence Nurs*, 2016; 43(5):483-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27607744>

Kubasiak JC, Landin M, Schimpke S, Poirier J, Myers JA, et al. The effect of tobacco use on outcomes of laparoscopic and open ventral hernia repairs: A review of the nsqip dataset. *Surg Endosc*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27752819>

Knowlin L, Stanford L, Cairns B, and Charles A. The effect of smoking status on burn inhalation injury mortality. *Burns*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27707642>

Zheng Y, Cao X, Wen J, Yang H, Luo K, et al. Smoking affects treatment outcome in patients with resected esophageal squamous cell carcinoma who received chemotherapy. *PLoS ONE*, 2015; 10(4):e0123246. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25874561>

Pera J and Ruigrok YM. More evidence against alcohol or smoking in patients with unruptured intracranial aneurysm. *Neurology*, 2015; 84(5):442-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25568290>

Ji Q, Zhao H, Mei Y, Shi Y, Ma R, et al. Impact of smoking on early clinical outcomes in patients undergoing coronary artery bypass grafting surgery. *J Cardiothorac Surg*, 2015; 10(1):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25654995>

Hellemons ME, Sanders JS, Seelen MA, Gans RO, Muller Kobold AC, et al. Assessment of cotinine reveals a dose-dependent effect of smoking exposure on long-term outcomes after renal transplantation. *Transplantation*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25710609>

Hayes CE, Nuss HJ, Tseng TS, and Moody-Thomas S. Use of asthma control indicators in measuring inhaled corticosteroid effectiveness in asthmatic smokers: A systematic review. *J Asthma*, 2015;1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26418843>

Hasegawa Y, Ando M, Maemondo M, Yamamoto S, Isa SI, et al. The role of smoking status on the progression-free survival of non-small-cell lung cancer patients harboring activating epidermal growth factor receptor (egfr) mutations receiving first-line egfr tyrosine kinase inhibitor versus platinum double chemotherapy: A meta-analysis of prospective randomized trials. *Oncologist*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25657199>

Hanci V, Kiraz HA, Omur D, Ekin S, Uyan B, et al. Effects of smoking on venous cannulation pain: A randomized prospective trial. *Braz J Anesthesiol*, 2015; 65(1):47-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25499784>

Gao L, Park SJ, Jang Y, Lee S, Tian J, et al. Optical coherence tomographic evaluation of the effect of cigarette smoking on vascular healing after sirolimus-eluting stent implantation. *Am J Cardiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25620038>

de Oliveira JC, de Almeida RS, Faverani LP, Bassi AP, Sonoda CK, et al. Oro nasal communication closure in smoker patient. *J Craniofac Surg*, 2015; 26(1):318-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25502713>

Ciurea A, Scherer A, Weber U, Exer P, Bernhard J, et al. Impaired response to treatment with tumour necrosis factor alpha inhibitors in smokers with axial spondyloarthritis. *Ann Rheum Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25667205>

Chasset F, Frances C, Barete S, Amoura Z, and Arnaud L. Influence of smoking on the efficacy of antimalarials in cutaneous lupus: A meta-analysis of the literature. *J Am Acad Dermatol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25648824>

Bydon M, Macki M, De la Garza-Ramos R, Sciubba DM, Wolinsky JP, et al. Smoking as an independent predictor of reoperation after lumbar laminectomy: A study of 500 cases. *J Neurosurg Spine*, 2015;1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25555058>

Adamo M, Costa F, Vranckx P, Leonardi S, Navarese EP, et al. Does smoking habit affect the randomized comparison of 6 versus 24-month dual antiplatelet therapy duration? Insights from the prodigy trial. *Int J Cardiol*, 2015; 190:242-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25935615>

Vallabhaneni R, Kalbaugh CA, Farber MA, Tonnessen BH, Brothers TE, et al. Active smoking is associated with increased odds of limb loss among claudicants undergoing infrainguinal bypass. *J Vasc Surg*, 2014; 60(6):1715. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25479655>

Stuyt EB. Enforced abstinence from tobacco during in-patient dual-diagnosis treatment improves substance abuse treatment outcomes in smokers. *Am J Addict*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25469714>

Sochor O, Lennon RJ, Rodriguez-Escudero JP, Bresnahan JF, Croghan I, et al. Trends and predictors of smoking cessation after percutaneous coronary intervention (from olmsted county, minnesota, 1999 to 2010). *Am J Cardiol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25541324>

Schroter S, Freude T, Kopp MM, Konstantinidis L, Dobele S, et al. Smoking and unstable hinge fractures cause delayed gap filling irrespective of early weight bearing after open wedge osteotomy. *Arthroscopy*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25442655>

Resnick S, Inaba K, Okoye O, Nosanov L, Grabo D, et al. Impact of smoking on trauma patients. Ulus Travma Acil Cerrahi Derg, 2014; 20(4):248-52. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25135018>

McDaniel JC and Browning KK. Smoking, chronic wound healing, and implications for evidence-based practice. J Wound Ostomy Continence Nurs, 2014; 41(5):415-23. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25188797>

Maruyama H, Fukuoka T, Deguchi I, Ohe Y, Horiuchi Y, et al. Relationship between smoking and responsiveness to clopidogrel in non-cardiogenic ischemic stroke patients. Intern Med, 2014; 53(22):2575-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25400177>

Leung CC, Yew WW, Chan CK, Chang KC, Law WS, et al. Smoking adversely affects treatment response, outcome and relapse in tuberculosis. Eur Respir J, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25359352>

Haskins IN, Amdur R, and Vaziri K. The effect of smoking on bariatric surgical outcomes. Surg Endosc, 2014; 28(11):3074-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24902816>

Gupta T, Kolte D, Khera S, Aronow WS, Palaniswamy C, et al. Relation of smoking status to outcomes after cardiopulmonary resuscitation for in-hospital cardiac arrest. Am J Cardiol, 2014; 114(2):169-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24878124>

Guo SS, Huang PY, Chen QY, Liu H, Tang LQ, et al. The impact of smoking on the clinical outcome of locoregionally advanced nasopharyngeal carcinoma after chemoradiotherapy. Radiat Oncol, 2014; 9(1):246. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25424191>

Ferreiro JL, Bhatt DL, Ueno M, Bauer D, and Angiolillo DJ. Impact of smoking on long-term outcomes in patients with atherosclerotic vascular disease treated with aspirin or clopidogrel: Insights from the caprie trial (clopidogrel versus aspirin in patients at risk of ischemic events). J Am Coll Cardiol, 2014; 63(8):769-77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24239662>

Dahl RM, Wetterslev J, Jorgensen LN, Rasmussen LS, Moller AM, et al. The association of perioperative dexamethasone, smoking and alcohol abuse with wound complications after laparotomy. Acta Anaesthesiol Scand, 2014; 58(3):352-61. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24471786>

Brinjikji W, Lingineni RK, Gu CN, Lanzino G, Cloft HJ, et al. Smoking is not associated with recurrence and retreatment of intracranial aneurysms after endovascular coiling. J Neurosurg, 2014; 111(1):1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25380112>

Berania I, Endam LM, Filali-Mouhim A, Boisvert P, Boulet LP, et al. Active smoking status in chronic rhinosinusitis is associated with higher serum markers of inflammation and lower serum eosinophilia. Int Forum Allergy Rhinol, 2014; 4(5):347-52. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24431239>

Bauldoff GS, Holloman CH, Carter S, Pope-Harman AL, and Nunley DR. Cigarette smoking following lung transplantation: Effects on allograft function and recipient functional performance. J Cardiopulm Rehabil Prev, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25412223>

Alvarez-Jimenez J and Cordoba-Fernandez A. Influence of smoking on wound healing in patients undergoing nail matrix phenolization: A prospective randomized clinical study. *Adv Skin Wound Care*, 2014; 27(5):229-36; quiz 37-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24732127>

Statement on the effects of tobacco use on surgical complications and the utility of smoking cessation counseling. *Bull Am Coll Surg*, 2014; 99(8):55-6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25145050>

Smoking, chronic wound healing, and implications for evidence-based practice. *J Wound Ostomy Continence Nurs*, 2014; 41(5):E1-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25188806>

Liebman S, Lamontagne S, Huang L, Messing S, and Bushinsky D. Smoking in dialysis patients: A systematic review and meta-analysis of mortality and cardiovascular morbidity. *American Journal of Kidney Diseases*, 2011; 58(2):257–65. Available from: <http://www.ajkd.org/article/S0272-6386%2811%2900810-9/fulltext>

3.15.1 Surgery

Cecil, CR, Moutchia, J, Krowka, MJ, Dubrock, HM, Forde, KA, Krok, KL et al . (2024). Smoking and outcomes in candidates for Liver Transplantation: Analysis of the pulmonary vascular complications of liver disease 2 (PVCLD2). *Liver Transpl*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39560494>

Amador, IE, Hao, KA, Buchanan, TR, Damrow, DS, Hones, KM, Simcox, T et al . (2024). The effect of smoking on functional outcomes and implant survival of anatomical total shoulder arthroplasty. *Bone Joint J*, 106-B(11), 1263-1272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39481428>

Gaudiani, MA, Castle, JP, Jiang, EX, Wager, SG, Brown, SR, Kasto, JK et al . (2024). Worse postoperative outcomes and higher reoperation in smokers compared to nonsmokers for arthroscopic rotator cuff repair. *Shoulder Elbow*, 17585732241263834. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39552673>

Kim, W. (2024). New Insights on Mechanisms of Nicotine in Neointimal Hyperplasia. *Korean Circ J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39601400>

Saleeb, MS, Wang, R, & Sappenfield, EC. (2024). The Impact of Smoking on Sacrocolpopexy Perioperative Outcomes: An Observational Study. *Urogynecology (Phila)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39514281>

Djurasic, M, Owens, RK, Carreon, LY, Gum, JL, Bisson, EF, Bydon, M, & Glassman, SD. (2024). The impact of smoking on patient-reported outcomes following lumbar decompression: an analysis of the Quality Outcomes Database. *J Neurosurg Spine*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39423426>

Konigsberg, IR, Vu, T, Liu, W, Litkowski, EM, Pratte, KA, Vargas, LB et al. (2024). Proteomic networks and related genetic variants associated with smoking and chronic obstructive pulmonary disease. *BMC Genomics*, 25(1), 825. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39223457>

Shepherd, J, Li, S, Herring, E, Labak, CM, & Miller, JP. (2024). Tobacco Use and Trigeminal Neuralgia: Clinical Features and Outcome After Microvascular Decompression. *Neurosurgery*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39324787>

Damrow, DS, Buchanan, TR, Hao, KA, Amador, IE, Hones, KM, Simcox, T et al. (2024). The Effect of Smoking on Outcomes of Reverse Total Shoulder Arthroplasty. *J Shoulder Elbow Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39332471>

Lawand, JJ, Obias, IB, Tansey, PJ, & Faillace, JJ. (2024). Assessing the Impact of Nicotine Dependence on 90-Day Major Complications and 2-Year Hardware Outcomes in Open Reduction and Internal Fixation of the Distal Radius Fracture. *Hand (N Y)*, 15589447241279936. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39340149>

Tumen, L, Pollmann-Schweckhorst, L, Breinbauer, R, Hammour, MM, Aspera-Werz, RH et al. (2024). Smoking increases risk of complication after musculoskeletal surgery: analysis of single immune parameter to predict complication risk. *EXCLI J*, 23, 967-990. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39253528>

Abdel Khalik, H, Shanmugaraj, A, Ekhtiari, S, Horner, NS, Gazendam, A, Simunovic, N et al. (2024). Self-defined former smokers consume the highest opioid quantities following knee and shoulder arthroscopy. *Knee Surg Sports Traumatol Arthrosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39105443>

da Silveira, CAB, Rasador, AC, Lima, DL, Kasmirski, J, Kasakewitch, JPG, Nogueira, R et al. (2024). The impact of smoking on ventral and inguinal hernia repair: a systematic review and meta-analysis. *Hernia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39085514>

Ford, BT Kong, R, Wellington, IJ, Segreto, FA, Mai, DH, Zhou, J, & Urban, W. (2024). Impact of Obesity, Smoking, and Age on 30-Day Postoperative Outcomes of Patients Undergoing Arthroscopic Meniscus Surgery. *Orthopedics*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39208398>

Gilbert, A, Xie, R, Bonnell, LN, Habib, RH, Worrell, SG, David, EA et al. (2024). Minimally invasive versus open esophagectomy; comparing the combined effects of smoking burden and operative approach on outcomes in esophagectomy. *J Thorac Cardiovasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39208927>

Tran, DNA, Nguyen, BTT, Nguyen, TT, Chen, YP, & Kuo, YJ. (2024). Adverse effect of smoking on surgical site infection following ankle and calcaneal fracture fixation: a meta-analysis. *EFORT Open Rev*, 9(8), 817-826. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39087505>

Bedard, A, Valji, RH, Jogiat, U, Verhoeff, K, Turner, SR, Karmali, S et al. (2024). Smoking status predicts anastomotic leak after esophagectomy: a systematic review & meta-analysis. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38902404>

Han, D, Wang, X, Sun, X, Cao, Y, Li, C, Guo, W et al. (2024). Ultra-short-period perioperative pulmonary rehabilitation on short-term outcomes after surgery in smoking patients with lung cancer: A randomized clinical trial. *Int J Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38905498>

Tekin, M, Ceylan, KB, & Ozturk, M. (2024). The effects of smoking on pain scores, vital signs, and analgesic consumption in patients undergoing tympanomastoidectomy surgery. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38887600>

Thone, P, Kropfmuller, R, Gompelmann, D, Lamprecht, B, & Lang, D. (2024). Smoking-Associated Endotracheal Hair Growth: A Case Report on Tracheal Complications. *Am J Case Rep*, 25, e943909. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38889103>

Cahill, E, Islam, R, Chua, K, Balraj, V, Boyle, J, Patel, H et al. (2024). Smoking is not associated with wound complications in augmented urethroplasty: a NSQIP analysis. *Int Urol Nephrol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38811450>

Cheng, X, Su, T, Li, J, Parekh, SG, Hu, Y, Jiao, C et al (2024). Effect of Cigarette Smoking on Postoperative Outcomes After Arthroscopic Bone Marrow Stimulation for Osteochondral Lesions of the Talus. *Foot Ankle Int*, 10711007241250007. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38770767>

Choi, J, Lee, J, Hwang, YB, Jeong, BC, Lee, S, Ku, JH et al (2024). Preoperative smoking and robot-assisted radical cystectomy outcomes & complications in multicenter KORARC database. *Sci Rep*, 14(1), 10550. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38719836>

Marcolin, P, Oliveira Trindade, B, Bueno Motter, S, Brandao, GR, Messer, N, & Mazzola Poli de Figueiredo, S. (2024). The impact of smoking on inguinal hernia repair outcomes: a meta-analysis of multivariable-adjusted studies. *Hernia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38717561>

Belousova, N, Cheng, A, Matelski, J, Vasileva, A, Wu, JKY, Ghany, R et al (2024). Effects of donor smoking history on early post-transplant lung function measured by oscillometry. *Front Med (Lausanne)*, 11, 1328395. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38654829>

Kruk, MD, Soliman, MAR, Aguirre, AO, Kuo, CC, Ruggiero, N, Quiceno, E et al. (2024). Pack Years of Tobacco Cigarette Smoking as a Predictor of Bony Fusion After Anterior Cervical Discectomy and Fusion. *World Neurosurg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38636629>

Kumar, KD, Choudhry, HS, Shah, VP, Desai, AD, Sibala, DR, Patel, AM et al. (2024). Smoking impacts outcomes in transcervical Zenker's diverticulectomy. *Am J Otolaryngol*, 45(4), 104288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38640811>

Rampersad, C, Bau, J, Orchanian-Cheff, A, & Kim, SJ. (2024). Impact of donor smoking history on kidney transplant recipient outcomes: A systematic review and meta-analysis. *Transplant Rev (Orlando)*, 38(3), 100854. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38608414>

Bouhadana, G, ElHawary, H, Alam, P, & Gilardino, MS. (2024). A Procedure and Complication-Specific Assessment of Smoking in Aesthetic Surgery: A Systematic Review and Meta-Analysis. *Plast Surg (Oakv)*, 32(1), 115-126. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38433792>

Lim, WH, Lee, JH, Park, H, Park, CM, & Yoon, SH. (2024). Effect of smoking on the diagnostic results and complication rates of percutaneous transthoracic needle biopsy. *Eur Radiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38528137>

Wong, KHF, Mouton, R, & Hinchliffe, RJ. (2024). Epidemiology of tobacco smoking in patients undergoing elective vascular surgery in the UK. *Anaesthesia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38444098>

Bongers, J, Belt, M, Spekenbrink-Spooren, A, Smulders, K, Schreurs, BW, & Koeter, S. (2024). Smoking is associated with higher short-term risk of revision and mortality following primary hip or knee arthroplasty: a cohort study of 272,640 patients from the Dutch Arthroplasty Registry. *Acta Orthop*, 95, 114-120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38353549>

Gomez-Rice, A, Capdevila-Bayo, M, Nunez-Pereira, S, Haddad, S, Perez-Grueso, F, Kleinstuck, F et al. (2024). Influence of smoking on patient-reported outcome measures (PROMs) in patients undergoing surgery for adult spinal deformity: a propensity score-matched analysis. *Spine Deform*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38329602>

Li, R, & Ranganath, B. (2024). Higher 30-day pulmonary and wound complications among current smokers in bottom gender affirmation surgery. *J Plast Reconstr Aesthet Surg*, 90, 70-72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38364670>

Yau, WP. (2024). Smokers Achieved Minimal Clinically Important Difference for Visual Analog Scale and American Shoulder and Elbow Surgeons Scores at a Lower Rate Than Nonsmokers Even When Repaired Supraspinatus Tendons Were Intact on Postoperative Magnetic Resonance Imaging. *Arthrosc Sports Med Rehabil*, 6(2), 100877. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38379600>

Rayman, S, Ross, S, Sucandy, I, Mikhail, K, Christodoulou, M, Pattilachan, T, & Rosemurgy, A. (2024). The effects of smoking history on robotic transhiatal esophagectomy patient outcomes. *J Robot Surg*, 18(1), 76. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38353887>

Arena, G, Cumming, C, Lizama, N, Mace, H, & Preen, DB. (2024). Hospital length of stay and readmission after elective surgery: a comparison of current and former smokers with non-smokers. *BMC Health Serv Res*, 24(1), 85. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38233897>

Yang, L, & Liao, Z. (2023). [Effect of Smoking on Cancer Surgery Outcomes and Recommendations for Perioperative Smoking Cessation Intervention]. *Sichuan Da Xue Xue Bao Yi Xue Ban*, 54(6), 1312-1316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38162073>

Allen, JG, Harder, J, Hernandez, E, Bourland, B, & MacKay, B. (2023). The effect of smoking on open carpal tunnel release recovery. *Hand Surg Rehabil*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38103597>

Doorenbos, CSE, Jonker, J, Hao, J, Gore, EJ, Kremer, D, Knobbe, TJ et al. (2023). Smoking, Alcohol Intake and Torque Teno Virus in Stable Kidney Transplant Recipients. *Viruses*, 15(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38140628>

Choi, JH, Chun, YM, & Yoon, TH. (2023). Effect of cigarette smoking on the maintenance of reduction after treatment of acute acromioclavicular joint dislocation with hook plate fixation. *Clin Shoulder Elb*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37957882>

Ling, K, Smolev, E, Tantone, RP, Komatsu, DE, & Wang, ED. (2023). Smoking is an independent risk factor for complications in outpatient total shoulder arthroplasty. *JSES Int*, 7(6), 2461-2466.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37969530>

Rachunek-Medved, K, Illg, C, Einzmann, A, Kolbenschlag, J, Daigeler, A, & Medved, F. (2023). Postoperative scaphoid alignment, smoking, and avascular necrosis mostly influence union rate after scaphoid reconstruction: Results from a retrospective single center study involving 370 patients. *J Plast Reconstr Aesthet Surg*, 87, 430-439. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37944453>

Aksakalli, T, Utlu, A, Demirdogen, SO, Cinislioglu, AE, & Karabulut, I. (2023). Effects of smoking on varicocelectomy outcomes: a retrospective cohort study. *Int Urol Nephrol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37812377>

Haskins, IN, Tamer, R, Phillips, SE, Thorson, FC, Kothari, VM, & Perez, AJ. (2023). Association of active smoking on 30-day wound events and additional morbidity and mortality following inguinal hernia repair with mesh: an analysis of the ACHQC database. *Hernia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37776406>

Muheilan, M, Sharif, A, MacCraith, E, Alhajahjeh, R, Power, D, Hennessey, D, & Sweeney, P. (2023). Smoking is an independent risk factor for skin flap complications following inguinal lymph node dissection for penile cancer. *Ir Med J*, 116(8), 835. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37791702>

Rodriguez-Materon, S, Trynz, S, Ahmed, MA, SanGiovanni, TP, Chapman, C, & Hodgkins, CW. (2022). First 30 Days Wound-Related Complications in Young Smokers Following Primary Achilles Repair. *J Foot Ankle Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37855794>

Zhu, J, Si, M, & Huang, Z. (2023). Effect of tobacco usage on surgical site wound problems after primary total hip and total knee arthroplasty: A meta-analysis. *Int Wound J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37675771>

Dhodapkar, MM, Oghenesume, OP, Halperin, SJ, Modrak, M, Yoo, BJ, & Grauer, JN. (2023). Adverse Events After Ankle Fracture Open Reduction Internal Fixation Among Patients With and Without Documented Cannabis and Tobacco Use. *Foot Ankle Int*, 10711007231189698. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37698277>

Ahmed-Issap, A, Mantio, K, Jain, S, Habib, A, Brazier, A, Raseta, M, & Abah, U. (2023). Smoking status and outcomes following lung resection. *Thorac Cardiovasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37625455>

Barnes, EL, Esckilsen, S, Ashburn, J, Barto, A, Bloomfeld, R, Cairns, A et al (2023). Extensive Colitis and Smoking Are Associated With Postoperative Complications Within 30 Days of Ileal Pouch-Anal Anastomosis. *Inflamm Bowel Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37607334>

Choo, S, Yen, T C, Phillips, R, Parola, R, & Evenski, A. (2023). Substantial improvement in short-term pain following carpal tunnel surgery for patients with moderate preoperative electromyography

findings is diminished with diabetes and smoking. *J Orthop*, 43, 57-63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37555204>

Terada, Y, Li, W, Shepherd, HM, Takahashi, T, Yokoyama, Y, Bery, AI et al. (2023). Smoking exposure-induced bronchus-associated lymphoid tissue in donor lungs does not prevent tolerance induction after transplantation. *Am J Transplant*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37619922>

Al-Musabi, M, Tahir, M, Seraj, S, Wasim, A, Khadabadi, N, Thakrar, R, & Hossain, F. (2023). The effect of smoking on union rates following corrective osteotomies around the knee: A systematic review and meta-analysis. *Knee*, 44, 11-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37480616>

Dietrich, G, Terrier, A, Favre, M, Elmers, J, Stockton, L, Soppelsa, D et al. (2023). Influence of smoking on the healing of conservatively treated displaced midshaft clavicle fractures. *Bone Joint J*, 105-B(7), 801-807. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37391206>

Sinoglu, B, & Ersoy, A. (2023). Effects of smoking on controlled hypotension with nitroglycerin during ear-nose-throat surgery. *Niger J Clin Pract*, 26(6), 657-665. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37470636>

Tas, D, Kurgan, S, Guney, Z, Serdar, MA, & Tatakis, DN. (2023). The effect of smoking on clinical and biochemical early healing outcomes of coronally advanced flap with connective tissue graft: Prospective cohort study. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37436705>

Visscher, J, Hiwase, M, Bonevski, B, & O'Callaghan, M. (2023). The association of smoking with urinary and sexual function recovery following radical prostatectomy for localized prostate cancer: a systematic review and meta-analysis. *Prostate Cancer Prostatic Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37500786>

Wang, TN, An, BW, Wang, TX, Tamer, R, Yuce, TK, Hassanein, RT et al. (2023). Assessing the effects of smoking status on outcomes of elective minimally invasive paraesophageal hernia repair. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37400691>

Yoon, Y, Lee, N, Lee, AD, Gehring, MB, Constantine, R, Mathes, DW et al. (2023). Analysis of postoperative complications related to cannabis and tobacco usage in patients undergoing mandible facial fracture surgeries. *J Plast Reconstr Aesthet Surg*, 85, 127-133. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37482026>

Chen, JR, Chen, JQ, Hu, JC, Huang, RS, Shen, L, Gu, H et al. (2023). Cigarette smoking is linked to an increased risk of delirium following arthroplasty in patients suffering from osteoarthritic pain. *CNS Neurosci Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37334739>

Sucandy, I, Ross, S, Patel, N, App, S, Ignatius, J, Syblis, C et al. (2023). The Impact of Smoking History on Outcomes and Morbidity After Robotic Hepatectomy. *Am Surg*, 31348231173934. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37222271>

Grasbeck, HL, Reito, ARP, Ekroos, HJ, Aakko, JA, Holsa, O, & Vasankari, TM. (2023). Smoking is a predictor of complications in all types of surgery: a machine learning-based big data study. *BJS Open*, 7(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37086402>

Yergin, CG, Ding, DD, Phillips, S, Read, TE, & Al-Mansour, MR. (2023). The effect of smoking status on inguinal hernia repair outcomes: An ACHQC analysis. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37043005>

Rappaport, JM, Siddiqui, HU, Thuita, L, Budev, M, McCurry, KR, Blackstone, EH et al. (2023). Effect of donor smoking and substance use on post-lung transplant outcomes. *J Thorac Cardiovasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36967372>

Reece, MK, Langenfeld, TL, Pak, KY, Wax, MK, Tan, K, Slijepcevic, A et al. (2023). Impact of smoking on donor site following rectus flap harvest for head and neck reconstruction. *Am J Otolaryngol*, 44(4), 103847. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36989752>

Lim, S, Schultz, L, Zakko, P, Macki, M, Hamilton, T, Pawloski, J et al (2023). The Potential Negative Effects of Smoking on Cervical and Lumbar Surgery beyond Pseudoarthrosis: A Michigan Spine Surgery Improvement Collaborative (MSSIC) Study. *World Neurosurg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36791883>

Phillips, C, Pasqualini, I, Barros, H, Menendez, ME, Horinek, JL, Ardebol, J, & Denard, PJ. (2023). Lesser Tuberosity Osteotomy Healing in Stemmed and Stemless Anatomic Shoulder Arthroplasty Is Higher with a Tensionable Construct and Affected by Body Mass Index and Tobacco Use. *J Clin Med*, 12(3).Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36769482>

Piloni, D, Bertuccio, FR, Primiceri, C, Rinaldi, P, Chino, V, Abbott, DM et al. (2023). Smoking Habit and Respiratory Function Predict Patients' Outcome after Surgery for Lung Cancer, Irrespective of Histotype and Disease Stage. *J Clin Med*, 12(4).Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36836096>

Sterling, J, Policastro, C, Elyaguov, J, Simhan, J, & Nikolavsky, D. (2023). How and why tobacco use affects reconstructive surgical practice: a contemporary narrative review. *Transl Androl Urol*, 12(1), 112-127. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36760864>

Podsiadlo, M, Blasiak, A, Borkowski, L, & Brzoska, R. (2022). Smoking as an Additional Risk Factor in Arthroscopic Rotator Cuff Repair among Type 2 Diabetics. *Ortop Traumatol Rehabil*, 24(6), 375-384. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36734663>

Beech, BB, Doudt, AD, Sjoberg, DD, Clements, MB, Tin, AL, Atkinson, TM et al. (2023). Association of smoking history on health-related quality of life in patients undergoing radical cystectomy. *Urol Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36631370>

Devlin, CA, Smeltzer, SC, & Yost, J. (2023). Patient Smoking Status and Postoperative Outcomes: An Integrative Literature Review of Studies Using the ACS NSQIP Data Set. *AORN J*, 117(2), 109-120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36705450>

Starzer, M, Smolle, MA, Vielgut, I, Hauer, G, Leitner, L, Radl, R et al. (2023). Smokers have increased risk of soft-tissue complications following primary elective TKA. *Arch Orthop Trauma Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36637492>

White, CA, Patel, AV, Wang, KC, Cirino, CM, Parsons, BO, Flatow, EL, & Cagle, PJ. (2023). The impact of tobacco use on clinical outcomes and long-term survivorship after anatomic total shoulder arthroplasty. *J Orthop*, 36, 99-105. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36659901>

Shahin, Y, Gofus, J, Harrer, J, Sorm, Z, Vobornik, M, Cermakova, E et al. (2023). Impact of smoking on the outcomes of minimally invasive direct coronary artery bypass. *J Cardiothorac Surg*, 18(1), 43. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36670443>

Lawson, O, Nicholson, JA, Clement, ND, Rudge, W, MacDonald, DJ, & McBirnie, J. (2022). Tear size, general health status and smoking influence functional outcome at 5 years following arthroscopic rotator cuff repair. *Shoulder Elbow*, 14(6), 625-634. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36479013>

Ma, YC, Lin, L, Luo, Z, & Jin, T. (2023). Smoking is an independent risk factor for stricture recurrence after the urethroplasty: a systematic review and meta-analysis. *Int Braz J Urol*, 49(1), 8-23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36512452>

Peng, SH, Lai, YJ, Lai, WJ, Li, AH, Yen, HH, Huang, LW, & Tang, CW. (2022). Impact of smoking on one year functional outcomes after thrombectomy for young stroke patients. *J Neurointerv Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36572522>

Puyana, S., Puyana, C., Hajebian, H. H., Jansen, D. A., & Chaffin, A. E. (2022). Smoking as a Risk Factor for Forehead Flap Wound Outcomes: An Analysis of 1030 Patients. *Eplasty*, 22, e55. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36448052>

Zhang, N., Liu, Y. J., Yang, C., Zeng, P., Gong, T., Tao, L., & Li, X. A. (2022). Association between cigarette smoking and mortality in patients with hip fracture: A systematic review and meta-analysis. *Tob Induc Dis*, 20, 110. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36561424>

Moon, TJ, Furdock, R, Blackburn, C, & Ahn, N. (2022). Effect of Smoking on Motor Recovery After Cervical American Spinal Injury Association Grade D Traumatic Spinal Cord Injury. *Int J Spine Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36414379>

Nunna, RS, Ansari, D, Ostrov, PB, Dettori, JR, Godolias, P, Ortiz-Torres, M et al. (2022). The Risk of Adverse Events in Smokers Undergoing Spinal Fusion: A Systematic Review and Meta-Analysis. *Global Spine J*, 21925682221110127. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36367824>

Yue, C, Cui, G, Ma, M, Tang, Y, Li, H, Liu, Y, & Zhang, X. (2022). Associations between smoking and clinical outcomes after total hip and knee arthroplasty: A systematic review and meta-analysis. *Front Surg*, 9, 970537. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36406352>

Chan, YC, & Yau, WP. (2022). Association of Smoking With Graft Rupture After Anterior Cruciate Ligament Reconstruction. *Orthop J Sports Med*, 10(10), 23259671221127244. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36263312>

Fernandez, AC, Bohnert, KM, Bicket, MC, Weng, W, Singh, K, & Englesbe, M. (2022). Adverse Surgical Outcomes Linked to co-occurring Smoking and Risky Alcohol Use Among General Surgery Patients. *Ann Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36268706>

Acosta, NR, Bali, S, Rahman, J, Gdih, G, & Gould, L. (2022). Effect of tobacco smoking on outcomes of trabeculectomy. *Arq Bras Oftalmol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36169426>

Soppe, S, Slieker, S, Keerl, A, Muller, MK, Wirsching, A, & Nocito, A. (2022). Emergency repair and smoking predict recurrence in a large cohort of ventral hernia patients. *Hernia*, 26(5), 1337-1345. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36138268>

Bhatti, DS, Bokhari, MHT, & Khan, MAA. (2022). Smoking and Fibrocystic Changes in the Breast: A Case Report of a Lifelong Smoker and Changes in Breast Parenchyma. *Cureus*, 14(6), e26384. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35911296>

Choe, SI, & Finley, C. (2022). Confronting the Negative Impact of Cigarette Smoking on Cancer Surgery. *Curr Oncol*, 29(8), 5869-5874. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36005201>

Ekmann, JR, Christoffersen, MW, & Jensen, KK. (2022). Short-term complications after minimally invasive retromuscular ventral hernia repair: no need for preoperative weight loss or smoking cessation? *Hernia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35995885>

Foster, BK, Barreto Rocha, DF, Hayes, DS, Ozdag, Y, Udoeyo, IF, & Grandizio, LC. (2022). The Impact of Smoking on Delayed Osseous Union After Arthrodesis Procedures in the Hand and Wrist. *J Hand Surg Am*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35933253>

Konstantinidis, I, Christidis, P, Konstantinou, P, Kostretzis, L, Pinto, I, Papadopoulos, P et al. (2022). The Influence of Smoking on Healing of Scaphoid Non-union after a Vascularized Pedicle Bone Flap Operation: A Review and Meta-analysis. *Orthop Rev (Pavia)*, 14(3), 35446. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35936802>

Meltzer-Bruhn, AT, Esper, GW, Herbosa, CG, Ganta, A, Egol, KA, & Konda, SR. (2022). The Role of Smoking and Body Mass Index in Mortality Risk Assessment for Geriatric Hip Fracture Patients. *Cureus*, 14(7), e26666. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35949773>

Ooms, M, Puladi, B, Houshyar, KS, Heitzer, M, Rashad, A, Bickenbach, J et al. (2022). Smoking and microvascular free flap perfusion in head and neck reconstruction: radial free forearm flaps and anterolateral thigh flaps. *Sci Rep*, 12(1), 13902. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35974131>

Sagherian, BH, Hoballah, JJ, & Tamim, H. (2022). Comparing the 30-Day Complications Between Smokers and Nonsmokers Undergoing Surgical Fixation of Ankle Fractures. *Foot Ankle Orthop*, 7(3), 24730114221115677. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35959141>

Badiani, S, Diab, J, Woodford, E, Natarajan, P, & Berney, CR. (2022). Correction to: Impact of preoperative smoking on patients undergoing right hemicolectomies for colon cancer. *Langenbecks Arch Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35895110>

Fan Chiang, YH, Lee, YW, Lam, F, Liao, CC, Chang, CC, & Lin, CS. (2022). Smoking increases the risk of postoperative wound complications: A propensity score-matched cohort study. *Int Wound J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35808947>

Jin, MF, Campbell, EH, & Soman, AK. (2022). Is There a Smoking Gun for Nicotine? A Review of the Role of Nicotine in Dermatologic Surgery. *Dermatol Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35862721>

Konstantinidis, I, Christidis, P, Konstantinou, P, Kostretzis, L, Pinto, I, Papadopoulos, P et al. (2022). The Influence of Smoking on Healing of Scaphoid Non-union after a Vascularized Pedicle Bone Flap Operation: A Review and Meta-analysis. *Orthop Rev (Pavia)*, 14(4), 35446. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35769661>

Oeding, JF., Alrabaa, R, Wong, SE, Zhang, A, Feeley, B, Ma, CB, & Lansdown, DA. (2022). Complications and re-operations after extensor mechanism repair surgery in a large cross-sectional cohort: females and tobacco-users at highest risk for adverse outcomes. *Knee Surg Sports Traumatol Arthrosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35841396>

Simmons, HL, Grits, D, Orr, M, Murray, T, Klika, AK, & Piuzzi, NS. (2022). Trends in the Prevalence and Postoperative Surgical Complications for Smokers Who Underwent a Total Knee Arthroplasty from 2011 to 2019: An Analysis of 406,553 Patients. *J Knee Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35798346>

Khalid, SI, Eldridge, C, Singh, R, Shanker, RM, MacDonald, AM, Chilakapati, S et al. (2022). The impact of smoking and smoking cessation interventions on outcomes following single-level anterior cervical discectomy and fusion procedures. *Clin Neurol Neurosurg*, 219, 107319. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35777181>

Jimenez, AE, Lee, MS, Owens, JS, Maldonado, DR, Saks, BR, Lall, AC, & Domb, BG. (2022). Effect of Cigarette Smoking on Midterm Outcomes After Arthroscopic Surgery for Femoroacetabular Impingement Syndrome: A Propensity-Matched Controlled Study With Minimum 5-Year Follow-up. *Orthop J Sports Med*, 10(5), 23259671221090905. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35571968>

Ohashi, T, Aoki, J, Ando, T, Ishiyama, Y, Ishii, Y, Miyashita, K et al. (2022). Clinical impact of cigarette smoking on the outcomes of allogeneic hematopoietic stem cell transplantation: a multicenter retrospective study. *Bone Marrow Transplant*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35505096>

Salottolo, K, Meinig, R, Fine, L, Kelly, M, Madayag, R, Ekengren, F et al. (2022). Associations of Smoking With Delirium and Opioid Use in Older Adults With Traumatic Hip Fracture. *J Am Acad Orthop Surg Glob Res Rev*, 6(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35576240>

Policastro, CG, Sterling, J, Porter, B, Zaccarini, DJ, Li, G, Bratslavsky, G, & Nikolavsky, D. (2022). Evaluation of the Effect of Tobacco Use on Buccal Mucosa Graft Histology: Tobacco use does not cause histological changes in buccal mucosal grafts. *Urology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35469807>

Sanjay, N, & Shanthappa, AH. (2022). Effect of Smoking on the Healing of Tibial Shaft Fractures in a Rural Indian Population. *Cureus*, 14(3), e23018. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35464511>

Badiani, S, Diab, J, Woodford, E, Natarajan, P, & Berney, CR. (2022). Impact of preoperative smoking on patients undergoing right hemicolectomies for colon cancer. *Langenbecks Arch Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35288787>

Jimenez, AE, Lee, MS, George, T, Owens, JS, Maldonado, D R, Saks, BR et al. (2022). Effect of Cigarette Smoking on Outcomes in Patients Undergoing Primary Hip Arthroscopy and Labral Reconstruction: A Propensity-Matched Controlled Study With Minimum 2-Year Follow-up. *Orthop J Sports Med*, 10(2), 23259671221075642. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35237697>

Jeganathan, V, Knight, S, Bricknell, M, Ridgers, A, Wong, R, Brazzale, DJ et al. (2022). Impact of smoking status and chronic obstructive pulmonary disease on pulmonary complications post lung cancer surgery. *PLoS One*, 17(3), e0266052. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35236337>

O'Connor, MI, Burney, D, 3rd, & Jones, LC. (2022). Movement is Life-Optimizing Patient Access to Total Joint Arthroplasty: Smoking Cessation Disparities. *J Am Acad Orthop Surg*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35297802>

Kucirek, NK, Anigwe, C, Zhang, AL, Ma, CB, Feeley, BT, & Lansdown, DA. (2022). Complications after high tibial osteotomy and distal femoral osteotomy are associated with increasing medical comorbidities and tobacco use. *Knee Surg Sports Traumatol Arthrosc*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35112179>

Audet, MA, Benedick, A, & Vallier, HA. (2022). Tobacco smoking is associated with more pain and worse functional outcomes after torsional ankle fracture. *OTA Int*, 5(1), e175. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35059563>

Erol, O, & Koçyu, A. (2022). The Effect of Smoking on Septoplasty and Septorhinoplasty Outcomes. *Aesthetic Plast Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34988636>

Malham, GM, Johnson, N, & Claydon, MH. (2021). Modic Changes on Magnetic Resonance Imaging and Smoking History Predict Vascular Adherence During Anterior Lumbar Exposure. *Int J Spine Surg*, 15(6), 1054-1059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35078876>

Siccoli, A, Staartjes, VE, Klukowska, AM, Muizelaar, JP, & Schroder, ML. (2022). Overweight and smoking promote recurrent lumbar disk herniation after discectomy. *Eur Spine J*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35072795>

Arabi, Z, Hamad, A, Bukhari, M, Altheaby, A, & Kaysi, S. (2021). Practice Patterns for the Acceptance of Medically Complex Living Kidney Donors with Hematuria, Sickle Cell Trait, Smoking, Illegal Drug Use, or Urological Issues: A Multinational Survey. *Avicenna J Med*, 11(4), 185-195. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/34881201>

Heiden, BT, Eaton, DB, Jr, Chang, SH, Yan, Y, Schoen, MW, Chen, LS et al. (2021). The impact of persistent smoking after surgery on long-term outcomes following stage I non-small cell lung cancer resection. *Chest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34919892>

Liu, G, Tan, JH, Tan, J, Ng, JH, Chua, J, Chan, YH, & Riew, KD. (2021). Does Cigarette Smoking Affect Cervical Laminoplasty Clinical and Radiologic Outcomes? *Clin Spine Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34907932>

Smolle, MA, Leitner, L, Bohler, N, Seibert, FJ, Glehr, M, & Leithner, A. (2021). Fracture, nonunion and postoperative infection risk in the smoking orthopaedic patient: a systematic review and meta-analysis. *EORT Open Rev*, 6(11), 1006-1019. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34909221>

Ayuso, SA, Robinson, JN, Colavita, PD, & Heniford, BT. (2021). Smoking, Obesity, and the Elective Operation. *Surg Clin North Am*, 101(6), 981-993. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34774276>

Barrault-Couchouron, M, Beracochea, M, Dorval, M, Allafort, V, Barthelemy, V, Garguil, V et al. (2021). [Tobacco and alcohol consumption in women treated for breast cancer in a department of surgical oncology: Frequent behaviours to consider]. *Bull Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34756596>

Fan, N, Yuan, S, Du, P, Wu, Q, Li, J, Kong, X et al. (2021). The Effects of Smoking on Clinical and Structural Outcomes After Rotator Cuff Repair: A Systematic Review and Meta-Analysis. *J Shoulder Elbow Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34813890>

Kler, A, Khambalia, H, Pondor, Z, Donne, R, Giuffrida, G, Augustine, T et al. (2021). Smoking is associated with a higher complication and failure rate in arteriovenous grafts for haemodialysis: A multi-centre experience. *J Vasc Access*, 11297298211054634. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34727765>

Zucker, I, Bouz, A, Castro, G, Rodriguez de la Vega, P, & Barengo, NC. (2021). Smoking as a Risk Factor for Surgical Site Complications in Implant-Based Breast Surgery. *Cureus*, 13(10), e18876. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34804725>

Carretta, A. (2021). Is Smoking Status an Issue in the Current Surgical Approach to Non-small Cell Lung Cancer? *World J Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34709432>

Greenberg, JA, Zwiep, TM, Sadek, J, Malcolm, JC, Mullen, KA, McIsaac, DI et al. (2021). Clinical practice guideline: evidence, recommendations and algorithm for the preoperative optimization of anemia, hyperglycemia and smoking. *Can J Surg*, 64(5), E491-E509. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34598927>

Jung, HY, Jeon, Y, Huh, KH, Park, JB, Jung, CW, Lee, S et al. (2021). The Impact of Recipient and Donor Smoking in Living-Donor Kidney Transplantation: A Prospective Multicenter Cohort Study. *Transpl Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34637573>

Mahajan, A, Kumar, N, & Gupta, B. (2021). Delayed Tibial Shaft Fracture Healing Associated with Smoking: A Systematic Review and Meta-Analysis of Observational Studies Conducted Worldwide. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639529>

Myoga, Y, Manabe, H, & Osaki, Y. (2021). The effects of preoperative alcohol, tobacco, and psychological stress on postoperative complications: a prospective observational study. *BMC Anesthesiol*, 21(1), 245. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34645400>

Nicastri, D, Chan, H, You, N, Yip, R, Ray, K, Taioli, E et al. (2021). Effects of Smoking, Obesity, and Pulmonary Function on Home Oxygen Use after Curative Lung Cancer Surgery. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34699344>

Reitz, KM, Althouse, AD, Meyer, J, Arya, S, Goodney, PP, Shireman, PK et al. (2021). Association of Smoking With Postprocedural Complications Following Open and Endovascular Interventions for Intermittent Claudication. *JAMA Cardiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34613348>

Ren, BO, O'Donnell, JA, Anderson, JT, Haas, AR, Percy, R, Woods, ST et al. (2021). The Impact of Smoking in Workers' Compensation Patients Receiving Spinal Cord Stimulation. *J Surg Orthop Adv*, 30(3), 185-189. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34591011>

Ribeiro, LM, Meireles, RP, Brito, IM, Costa, PM, Rebelo, MA, Barbosa, RF et al. (2021). Impact of Body Mass Index, Age and Tobacco Use on the Outcomes of Immediate Breast Reconstruction with Implants and Acellular Dermal Matrix. *Indian J Plast Surg*, 54(3), 350-357. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34667523>

Wang, J, Guo, W, Cui, X, Shen, Y, Guo, Y, Cai, Y et al. (2021). Smoking is a risk factor for postoperative ileus after radical resection in male patients. *Medicine (Baltimore)*, 100(42), e27465. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34678877>

Gatot, C, Liow, MHL, Goh, GS, Mohan, N, Yongqiang, CJ, Ling, ZM et al. (2021). Smoking Is Associated With Lower Satisfaction in Nondiabetic Patients Undergoing Minimally Invasive Single-level Transforaminal Lumbar Interbody Fusion. *Clin Spine Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34516439>

Matin, T, Seyffert, J, Katz, B, & Rivlin, D. (2021). Tadalafil to improve cutaneous flap perfusion in smokers: A case series and literature review. *JAAD Case Rep*, 15, 126-128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34471664>

Nunna, RS, Ostrov, PB, Ansari, D, Dettori, JR, Godolias, P, Elias, E et al. (2021). The Risk of Nonunion in Smokers Revisited: A Systematic Review and Meta-Analysis. *Global Spine J*, 21925682211046899. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34583570>

Roecker, Z, Kamalapathy, P, & Werner, BC. (2021). Male Sex, Cartilage Surgery, Tobacco Use, and Opioid Disorders are Associated with an Increased Risk of Infection after ACL Reconstruction. *Arthroscopy*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34332054>

Silva, CMM, Mourao, NM, da Rocha, LN, Landim, J, Rocha, HAL, Lacerda, MAA et al. (2021). Surgical outcome following rotator cuff tear repair in a low-income population. Impact of obesity and smoking. *BMC Musculoskelet Disord*, 22(1), 714. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34419023>

Mohan, S, Samaan, JS, & Samakar, K. (2021). Impact of smoking on weight loss outcomes after bariatric surgery: a literature review. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34319440>

Watkins, EL, Schellack, N, Abraham, V, & Bebington, B. (2021). Men and Those With a History of Smoking Are Associated With the Development of Postoperative Ileus Following Elective Colorectal Cancer Resection at a Private Academic Hospital in Johannesburg, South Africa: A Retrospective Cohort Study. *Front Surg*, 8, 667124. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34211999>

Brajcich, BC, Yuce, TK Merkow, RP, Bilimoria, KY, McGee, MF, Zhan, T, & Odell, DD. (2021). Association of preoperative smoking with complications following major gastrointestinal surgery. *Am J Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34119328>

Cribb, B, Kollias, V, Hawkins, R, Ganguly, T., Edwards, S, & Hewett, P. (2021). Increased risk of complications in smokers undergoing reversal of diverting ileostomy. *ANZ J Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34056818>

Domzalski, M, Muszynski, K, Mostowy, M, Wojtowicz, J, & Garlinska, A. (2021). Smoking is associated with prolonged time of the return to daily and sport activities and decreased knee function after meniscus repair with outside-in technique: Retrospective cohort study. *J Orthop Surg (Hong Kong)*, 29(2), 23094990211012287. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34105415>

Kraus, NR, Lowenstein, NA, Garvey, KD, & Matzkin, EG. (2021). Smoking Negatively Effects Patient-Reported Outcomes Following Arthroscopic Partial Meniscectomy. *Arthrosc Sports Med Rehabil*, 3(2), e323-e328. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34027438>

Kunkel, ST, Moschetti, WE, Werth, P, Fillingham, Y Jevsevar, D, VanCitters, D et al (2021). Tobacco Exposure Is Associated With Extremely Low Polyethylene Oxidation in Total Knee Arthroplasty Components. *Arthroplast Today*, 8, 243-246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33948459>

Kauffman-Ortega, C, Martinez-Delgado, GH, Garza-Gangemi, AM, Oropeza-Aguilar, M, Gabilondo-Pliego, B, Gabilondo-Navarro, F, & Rodriguez-Covarrubias, F. (2021). Short- and Mid-Term Impact of Tobacco Smoking on Donor Renal Function Following Living Kidney Donation at a Tertiary Referral Hospital. *Revista de Investigación Clínica*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33845485>

Khurana, VG. (2021). Adverse impact of smoking on the spine and spinal surgery. *Surgical Neurology International*, 12, 118. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33880223>

Sato, T, Takegami, Y, Sugino, T, Bando, K, Fujita, T, & Imagama, S. (2021). Smoking and trimalleolar fractures are risk factors for infection after open reduction and internal fixation of closed ankle fractures: A multicenter retrospective study of 1,201 fractures. *Injury*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33896610>

Beck, EC, Gowd, AK, White, JC, Knio, ZO, & O'Gara, TJ. (2021). The Effect of Smoking on Achieving Meaningful Clinical Outcomes 1-Year After Lumbar Tubular Microdecompression: A Matched-Pair Cohort Analysis. *Spine J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33774211>

Kamarajah, SK, Madhavan, A, Chmelo, J, Navidi, M, Wahed, S, Immanuel, A et al (2021). Impact of Smoking Status on Perioperative Morbidity, Mortality, and Long-Term Survival Following Transthoracic Esophagectomy for Esophageal Cancer. *Ann Surg Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33660129>

Kamarajah, SK, & Phillips, AW. (2021). ASO Author Reflections: Smoking Status Impact on Perioperative Morbidity and Long-Term Survival of Patients Undergoing Esophagectomy for Cancer. *Ann Surg Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33666813>

Koszela, K, & Woldanska-Okonska, M. (2021). The effect of smoking on back pain intensity in rehabilitated patients treated conservatively and surgically for discopathy. *Ann Agric Environ Med*, 28(1), 179-182. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33775085>

Yamamichi, T, Ichinose, J, Iwamoto, N, Omura, K, Ozawa, H, Kondo, Y et al (2021). Correlation between smoking status and short-term outcome of thoracoscopic surgery for lung cancer. *Ann Thorac Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33667462>

Zabrzynski, J, Gagat, M, Lapaj, L, Paczesny, L, Yataganbaba, A, Szwedowski, D, & Huri, G. (2021). Relationship between long head of the biceps tendon histopathology and long-term functional results in smokers. A time to reevaluate the Bonar score? *Ther Adv Chronic Dis*, 12, 2040622321990262. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33708369>

Badiee, RK, Chan, AK, Rivera, J, Molinaro, A, Chou, D, Mummaneni, PV, & Tan, LA. (2021). Smoking Is an Independent Risk Factor for 90-Day Readmission and Reoperation Following Posterior Cervical Decompression and Fusion. *Neurosurgery*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33575788>

Garip, M, Van Dessel, J, Grosjean, L, Politis, C, & Bila, M. (2020). The impact of smoking on surgical complications after head and neck reconstructive surgery with a free vascularised tissue flap: a systematic review and meta-analysis. *Br J Oral Maxillofac Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33546845>

Kim, CS, Sim, JH, Kim, Y, Choi, SS, Kim, DH, & Leem, JG. (2021). Association between Postoperative Opioid Requirements and the Duration of Smoking Cessation in Male Smokers after Laparoscopic Distal Gastrectomy with Gastroduodenostomy. *Pain Res Manag*, 2021, 1541748. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33574973>

Senker, W, Stefanits, H, Gmeiner, M, Trutschnig, W, Radl, C, & Gruber, A. (2021). The influence of smoking in minimally invasive spinal fusion surgery. *Open Med (Wars)*, 16(1), 198-206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33585696>

Wen-Shen, L, Sheng, MLW, Yeo, W, Beng, TS, Mun, YW, Ming, GC, & Siddiqui, MMA. (2020). No Difference in Functional Outcome but Higher Revision Rate Among Smokers Undergoing Cervical Artificial Disc Replacement: Analysis of a Spine Registry. *Int J Spine Surg*, 14(6), 916-923. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33560251>

Xiao, W, Chen, Y, Chu, C, Dard, MM, & Man, Y. (2021). Influence of implant location on titanium-zirconium alloy narrow-diameter implants: A 1-year prospective study in smoking and nonsmoking populations. *J Prosthet Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33551139>

Zabrzynski, J, Huri, G, Gagat, M, Lapaj, L, Yataganbaba, A, Szwedowski, D et al (2021). The Impact of Smoking on Clinical Results Following the Rotator Cuff and Biceps Tendon Complex Arthroscopic Surgery. *J Clin Med*, 10(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33562734>

Zeller, MH, Kidwell, KM, Reiter-Purtill, J, Jenkins, TM, Michalsky, MP, Mitchell, JE et al (2021). Cigarette Use and Adolescent Metabolic and Bariatric Surgery. *Obesity (Silver Spring)*, 29(3), 579-586. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33528876>

Morris, TM, Marlborough, FJ, Montgomery, RJ, Allison, KP & Eardley, WGP. (2021). Smoking and the patient with a complex lower limb injury. *Injury*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33495022>

Steliga, MA. (2020). Commentary: Preoperative tobacco burden-a risk factor, but not a roadblock for safe resection. *J Thorac Cardiovasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33454106>

Takenaka, T, Shoji, F, Tagawa, T, Kinoshita, F, Haratake, N, Edagawa, M et al (2020). Does short-term cessation of smoking before lung resections reduce the risk of complications? *J Thorac Dis*, 12(12), 7127-7134. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33447401>

Heyes, G, Weigelt, L, Molloy, A, & Mason, L. (2020). The influence of smoking on foot and ankle surgery: a review of the literature. *Foot (Edinb)*, 101735. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33168350>

Napolitano, MA Rosenfeld, ES Chen, SW, Sparks, AD, Antevil, JL, & Trachiotis, GD. (2020). Impact of Timing of Smoking Cessation on 30-day Outcomes in Veterans Undergoing Lobectomy for Cancer. *Semin Thorac Cardiovasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33207278>

Schwartz, AM, Farley, KX, Boden, SH, Wilson, JM Daly, CA, Gottschalk, MB, & Wagner, ER. (2020). The use of tobacco is a modifiable risk factor for poor outcomes and readmissions after shoulder arthroplasty. *Bone Joint J*, 102-B(11), 1549-1554. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33135438>

Shima, T, Kinoshita, T, Uematsu, M, Sasaki, N, Sugita, Y, Shimizu, R et al (2020). How long is cessation of preoperative smoking required to improve postoperative survival of patients with pathological stage I non-small cell lung cancer? *Transl Lung Cancer Res*, 9(5), 1924-1939. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33209613>

Nagoshi, N, Kono, H, Tsuji, O, Aoyama, R, Fujiyoshi, K, Shiono, Y et al (2020). Impact of Tobacco Smoking on Outcomes After Posterior Decompression Surgery in Patients With Cervical Spondylotic Myelopathy: A Retrospective Multicenter Study. *Clin Spine Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33000929>

Cho, BH, Aziz, KT, & Giladi, AM. (2020). The Impact of Smoking on Early Postoperative Complications in Hand Surgery. *J Hand Surg Am*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32868099>

Goyal, DKC, Divi, SN, Bowles, DR, Mujica, VE, Kaye, ID, Kurd, MF et al. (2020). Does Smoking Affect Short-Term Patient-Reported Outcomes After Lumbar Decompression? *Global Spine J*, 2192568220925791. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32875911>

Wang, VL, Jalilvand, AD, Gupta, A, Chen, J, Vadlamudi, C, & Perry, KA. (2020). Tobacco use is not associated with increased risk of recurrent reflux 5 years after laparoscopic anti-reflux surgery. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32914359>

Messner, MK, Chong, ACM, & Piatt, BE. (2020). Impact of Cigarette Smoking on Re-operation and Revision Surgery after Femoral Neck Fracture Treatment. *Kans J Med*, 13, 195-201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32843923>

Smith, EJ, Inkrott, BP, Du, JY, Ahn, UM, & Ahn, NU. (2020). Effect of Nicotine Dependence and Smoking on Revision Discectomy After Single-Level Lumbar Discectomy. *Orthopedics*, 1-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32602915>

Henriksen, NA, Bisgaard, T, Helgstrand, F, & Danish Hernia, D. (2020). Smoking and obesity are associated with increased readmission after elective repair of small primary ventral hernias: A nationwide database study. *Surgery*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32460998>

Kokkinidis, DG, Giannopoulos, S, Haider, M, Jordan, T, Sarkar, A, Singh, GD et al (2020). Active smoking is associated with higher rates of incomplete wound healing after endovascular treatment of critical limb ischemia. *Vasc Med*, 1358863X20916526. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32460647>

Kuo, YH, Kuo, CH, Chang, HK, Tu, TH, Fay, LY, Chang, CC et al (2020). Effects of smoking on pedicle screw-based dynamic stabilization: radiological and clinical evaluations of screw loosening in 306 patients. *J Neurosurg Spine*, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32357328>

Nordestgaard, AT, Rasmussen, LS, Sillesen, M, Steinmetz, J, King, DR, Saillant, N et al (2020). Smoking and risk of surgical bleeding: nationwide analysis of 5,452,411 surgical cases. *Transfusion*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32441364>

Baumgarten, KM, Schweinle, WE, 3rd, & Chang, PS. (2020). Do patients who smoke tobacco have success with primary arthroscopic rotator cuff repair? A comparison with nonsmokers. *J Shoulder Elbow Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32245726>

Best, MJ, Aziz, KT, Nayar, SK, Patten, IS, Bansal, A, Huish, E, & Srikumaran, U. (2020). Smoking is an independent risk factor for complications following open rotator cuff repair. *Phys Sportsmed*, 1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32266846>

Park, H, de Virgilio, C, Kim, DY, Shover, AL, & Moazzez, A. (2020). Effects of smoking and different BMI cutoff points on surgical site infection after elective open ventral hernia repair. *Hernia*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32318887>

Makwana, M, Taylor, PN, Stew, BT, Shone, G, & Hayhurst, C. (2020). Smoking and Obesity are Risk Factors for Thirty-Day Readmissions Following Skull Base Surgery. *J Neurol Surg B Skull Base*, 81(2), 206-212. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32206541>

Al-Nasser, B. (2020). Influence of Tobacco Smoking on Perioperative Risk of Venous Thromboembolism. *Turk J Anaesthesiol Reanim*, 48(1), 11-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32076674>

Blau, EK, Adelstein, SA, Amin, KA, Durfy, SJ, Lucioni, A, Kobashi, KC, & Lee, UJ. (2020). Tobacco use, immunosuppressive, chronic pain, and psychiatric conditions are prevalent in women with symptomatic mesh complications undergoing mesh removal surgery. *Investig Clin Urol*, 61(Suppl 1), S57-S63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32055755>

Gallo, J, Kriegova, E, Kudelka, M, Lostak, J, & Radvansky, M. (2020). Gender Differences in Contribution of Smoking, Low Physical Activity, and High BMI to Increased Risk of Early Reoperation After TKA. *J Arthroplasty*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32067896>

Dittrich, L, Schwenninger, MV, Dittrich, K, Pratschke, J, Aigner, F, & Raakow, J. (2019). Marginal ulcers after laparoscopic Roux-en-Y gastric bypass: analysis of the amount of daily and lifetime smoking on postoperative risk. *Surgery for Obesity and Related Diseases*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31956065>

Du, JY, Weinberg, DS, Moore, TA, & Vallier, HA. (2020). Smoking is Associated with Longer Intensive Care Unit Stays in Spine Trauma Patients. *Journal of Orthopaedic Trauma*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31972710>

Gao, HQ, Ren, CW, Yang, S, Huang, LJ, Sun, LZ, & Xu, SD. (2020). Smoking history increases the risk of long-term mortality after thoracic endovascular aortic repair in patients with an uncomplicated type B dissection. *Chinese Medical Journal*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977549>

Yuce, TK, Khorfan, R, Soper, NJ, Hungness, ES, Nagle, AP, Teitelbaum, EN et al. (2019). Post-Operative Complications and Readmissions Associated with Smoking Following Bariatric Surgery. *J Gastrointest Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31886763>

Johnson, DJ, Castle, JP, Hartwell, MH, Baker, H, Selley, RS, Nicolay, RW, & Tjong, VK. (2019). Smoking as a Risk Factor for Readmission in Arthroscopic Surgery: A Propensity Matched Analysis. *J Surg Orthop Adv*, 28(4), 272-276. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31886763>

Pachter, CS, Garfinkel, JH, Cochrane, NH, Romness, DW, & Gladnick, BP. (2020). Smoking Is a Risk Factor for Wound Complications after Direct Anterior Hip Arthroplasty with Mesh Tape Closure. *Adv Skin Wound Care*, 33(1), 43-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31856030>

Desai, VS, Pareek, A, DeDeugd, CM, Sabbag, OD, Krych, AJ, Cummings, NM, & Dahm, DL. (2019). Smoking, unemployment, female sex, obesity, and medication use yield worse outcomes in patellofemoral arthroplasty. *Knee Surg Sports Traumatol Arthrosc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31754729>

Hall, MJ, Ostergaard, PJ, Dowlatshahi, AS, Harper, CM, Earp, BE, & Rozental, TD. (2019). The Impact of Obesity and Smoking on Outcomes After Volar Plate Fixation of Distal Radius Fractures. *J Hand Surg Am*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31677908>

Kay-Rivest, E, Mascarella, M, Sewitch, MJ, Cloutier, F, & Mijovic, T. (2019). Association between Smoking and 30-Day Outcomes in Otolologic Surgery. *Otolaryngol Head Neck Surg*, 194599819889622. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31743082>

Seyhun, N, Dizdar, SK, Coktur, A, Bektas, ME, Albu, O, Erol, ZN, & Turgut, S. (2020). Risk factors for post-tonsillectomy hemorrhage in adult population: Does smoking history have an impact? *Am J Otolaryngol*, 41(1), 102341. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31732315>

Wong, J, An, D, Urman, RD, Warner, DO, Tonnesen, H, Raveendran, R et al. (2019). Society for Perioperative Assessment and Quality Improvement (SPAQI) Consensus Statement on Perioperative Smoking Cessation. *Anesth Analg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31764157>

Heyer, JH, Perim, DA, Amdur, RL, & Pandarinath, R. (2019). Impact of smoking on outcomes following knee and shoulder arthroscopy. *Eur J Orthop Surg Traumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31606795>

Yoshikawa, R, & Katada, J. (2019). Effects of active smoking on postoperative outcomes in hospitalised patients undergoing elective surgery: a retrospective analysis of an administrative claims database in Japan. *BMJ Open*, 9(10), e029913. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31575535>

Althoff, AD Reeves, RA, Traven, SA, Wilson, JM, Woolf, SK, & Slone, HS. (2019). Smoking is associated with increased surgical complications following total shoulder arthroplasty: an analysis of 14,465 patients. *J Shoulder Elbow Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31519425>

Beahrs, TR, Reagan, J, Bettin, CC, Gear, BJ, Murphy, GA, & Richardson, DR. (2019). Smoking Effects in Foot and Ankle Surgery: An Evidence-Based Review. *Foot Ankle Int*, 1071100719867942. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31423824>

Farrokhi, FR, Marsans, MT, Sikora, M, Monsell, SE, Wright, AK, Palmer, M et al. (2019). Pre-operative smoking history increases risk of infection in deep brain stimulation surgery. *J Clin Neurosci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31445813>

Han, X, Wu, C, Yan, X, Keel, S, Shang, X, Zhang, L, & He, M. (2019). Are smoking intensity and cessation related to cataract surgical risk in diabetic patients? Findings from the 45 and Up Study. *Eye (Lond)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31399704>

Matharu, GS, Mouchti, S, Twigg, S, Delmestri, A, Murray, DW, Judge, A, & Pandit, HG. (2019). The effect of smoking on outcomes following primary total hip and knee arthroplasty: a population-based cohort study of 117,024 patients. *Acta Orthop*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31370730>

Walters, JD, George, LW, Walsh, RN, Wan, JY, Brolin, TJ, Azar, FM, & Throckmorton, TW. (2019). The effect of current and former tobacco use on outcomes after primary reverse total shoulder arthroplasty. *J Shoulder Elbow Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31427230>

Wilson, JRF, Jiang, F, Badhiwala, JH, Shaffrey, CL, Carreon, LY, Cheung, KMC et al. (2019). The Effect of Tobacco Smoking on Adverse Events Following Adult Complex Deformity Surgery: Analysis of 270 Patients from The Prospective, Multi-center Scoli-RISK-1 study. *Spine (Phila Pa 1976)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31415459>

Finger, MA, Cipullo, R, Rossi Neto, JM, Dos Santos, CC, Contreras, CA, Chacur, P et al. (2019). Donor hypernatremia and smoking addiction contribute to primary graft failure in heart transplantation. *Clin Transplant*, e13693. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31403724>

Rasmussen-Torvik, LJ, Reges, O, Greenland, P, Dicker, D, Leibowitz, M, Senderey, AB et al. (2019). All-Cause Mortality Following Bariatric Surgery in Smokers and Non-smokers. *Obes Surg*. Available from: Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31403724>

Burn, E, Edwards, CJ, Murray, DW, Silman, A, Cooper, C, Arden, NK. (2019). The impact of BMI and smoking on risk of revision following knee and hip replacement surgery: evidence from routinely

collected data. *Osteoarthritis Cartilage*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31153986>

Deliaert, AEK, Mermans, JF, Schop, SJ, Dormaar, TS, Heerdt, EM, Xanthoulea, SA et al. (2019). The Effect of Smoking on Sternal Scar Healing: A Prospective Cohort Study. *Wounds*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31184995>

MacGowan, GA, Dark, JH, Corris, PA, & Nair, AR. (2019). Effects of drug abuse, smoking and alcohol on donor hearts and lungs. *Transpl Int*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31172575>

Padevit, L, Sarnthein, J, Stienen, MN, Krayenbuhl, N, Bozinov, O, Regli, L, & Neidert, MC. (2019). Smoking status and perioperative adverse events in patients undergoing cranial tumor surgery. *J Neurooncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31183602>

Shin, YS, & Lee, Y. (2019). Associations between smoking and postoperative complications following elective craniotomy. *J Neurosurg Sci*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31220912>

Wang, CY, Dudzinski, J, Nguyen, D, Armbrecht, E, & Maher, IA. (2019). Association of Smoking and Other Factors With the Outcome of Mohs Reconstruction Using Flaps or Grafts. *JAMA Facial Plast Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31194217>

Arinze, N, Farber, A, Levin, SR, Cheng, TW, Jones, DW, Siracuse, CG et al. (2019). The effect of the duration of preoperative smoking cessation timing on outcomes after elective open abdominal aortic aneurysm repair and lower extremity bypass. *J Vasc Surg*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31147124>

Beeken, R J, Haviland, JS, Taylor, C, Campbell, A, Fisher, A, Grimmett, C et al. (2019). Smoking, alcohol consumption, diet and physical activity following stoma formation surgery, stoma-related concerns, and desire for lifestyle advice: a United Kingdom survey. *BMC Public Health*, 19(1), 574. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31092219>

Coffman, CR, Howard, SK, Mariano, ER, Kou, A, Pollard, J, Boselli, R et al. (2019). A short, sustainable intervention to help reduce day of surgery smoking rates among patients undergoing elective surgery. *J Clin Anesth*, 58, 35-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31059909>

De Nunzio, C, Tema, G, Lombardo, R, Cicione, A, Nacchia, A, D'Annunzio, S et al. (2019). Metabolic syndrome and smoking are associated with persistence of nocturia after transurethral resection of the prostate. *Neurourol Urodyn*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31107572>

Likhitsup, A, Hassan, A, Mellinger, J, Askari, F, Winder, GS, Saeed, N et al. (2019). A Prohibitive Tobacco Use Policy does not reduce the Proportion of Smokers Listed for Liver Transplantation. *Liver Transpl*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31116906>

Patel, DV, Yoo, JS, Lamoutte, EH, Karmarkar, SS, & Singh, K. (2019). The Effect of Tobacco Use on Postoperative Pain Following Anterior Cervical Discectomy and Fusion. *Clin Spine Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31145151>

Xu, H, Yu, L, Li, Y, & Gong, Z. (2019). Prolonged surgical duration, higher body mass index and current smoking increases risk of surgical site infection after intra-articular fracture of distal femur. *ANZ J Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31087540>

Abufarhaneh, M, Ehlers, SL, Burns, LJ, & Hashmi, SK. Effects of smoking on outcomes of hematopoietic cell transplantation: a systemic review and future directions. *Bone Marrow Transplant*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30809034>

Cottom, JM, Douthett, SM, McConnell, KK, & Plemmons, BS. The Effect of Tobacco Use on Incision Healing in Total Ankle Arthroplasty: A Review of 114 Patients. *Foot Ankle Spec*, 2019. 1938640019826675. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30720341>

Hofmann, P, Kohler, M, Benden, C, & Schuurmans, MM. Tobacco use after Lung Transplantation: A retrospective analysis of patient characteristics, smoking cessation interventions and cessation success rates. *Transplantation*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30747844>

Lall, AC, Hammarstedt, JE, Gupta, AG, Laseter, JR, Mohr, MR, Perets, I, & Domb, BG. Effect of Cigarette Smoking on Patient-Reported Outcomes in Hip Arthroscopic Surgery: A Matched-Pair Controlled Study With a Minimum 2-Year Follow-up. *Orthop J Sports Med*, 2019. 7(1), 2325967118822837. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30729147>

Petro, CC, Tastaldi, L, Rosen, MJ, & Prabhu, AS. Response to: Active smoking really matters before ventral hernia repair. *Surgery*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30739751>

Sadok, N, Krabbe-Timmerman, IS, de Bock, GH, Werker, PMN, & Jansen, L. The Effect of Smoking and Body Mass Index on The Complication Rate of Alloplastic Breast Reconstruction. *Scand J Surg*, 2019. 1457496919826711. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30712467>

Althoff, AD, Reeves, RA, Traven, SA, Byrd, M, Leddy, L R, & Slone, HS. Smoking is associated with increased complications and readmission following extensor mechanism repair. *Knee Surg Sports Traumatol Arthrosc*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30612164>

Cerier, E, Jain, N, Lenobel, S, Niedermeier, SR, Stammen, K, & Yu, E. Smoking is Associated With 1-year Suboptimal Patient-reported Outcomes After 2-level Anterior Cervical Fusion. *Clin Spine Surg*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30608236>

Knezevic, NN, & Candido, KD. Should spinal cord stimulation be abandoned in smoking patients with chronic pain? *Reg Anesth Pain Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30635498>

Michaels, BM, Craft, P, Michaels, JA, & Csank, GA. Is Nicotine Replacement a Safe Alternative to Smoking in Plastic Surgery Patients? *Plast Reconstr Surg Glob Open*, 2018. 6(12), e2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30656110>

Sun, Z, Wang, W, & Fan, C. Tobacco use predicts poorer clinical outcomes and higher post-operative complication rates after open elbow arthrolysis. *Arch Orthop Trauma Surg*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30610418>

Durand, WM, DePasse, JM, Bokshan, SL, Eltorai, AEM, & Daniels, AH. Tobacco Use and Complications Following Spinal Fusion: A Comparison of the National Surgical Quality Improvement Program and National Inpatient Sample Datasets. *World Neurosurg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30500580>

Lopez-Cano, M, Pereira, JA, & Armengol-Carrasco, M. Active smoking really matters before ventral hernia repair. *Surgery*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30528111>

Naimark, M, Robbins, CB, Gagnier, J J, Landfair, G, Carpenter, J, Bedi, A, & Miller, BS. Impact of smoking on patient outcomes after arthroscopic rotator cuff repair. *BMJ Open Sport Exerc Med*, 2018. 4(1), e000416. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30555715>

Rozich, NS, Landmann, A, Butler, CS, Bonds, MM, Fischer, LE, Postier, RG, & Morris, KT. Tobacco Smoking Associated With Increased Anastomotic Disruption Following Pancreaticoduodenectomy. *J Surg Res*, 2019; 233, 199-206. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30502248>

Zhao, X, Zhu, B, Duan, Y, Wang, X, & Li, D. The Effect of Smoking Behavior on Alveolar Bone Marrow Mesenchymal Stem Cells of Clinical Implant Patient. *Biomed Res Int*, 2018, 7672695. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30584539>

Anis, KH, Weinrauch, LA, & D'Elia, JA. Smoking and Solid Organ Transplantation: A review article highlighting the effects of smoking on solid organ transplantation outcomes. *Am J Med*, 2018. Available from: [https://www.amjmed.com/article/S0002-9343\(18\)31068-4/fulltext](https://www.amjmed.com/article/S0002-9343(18)31068-4/fulltext)

Bayfield, NGR, Pannekoek, A, & Tian, DH. Preoperative cigarette smoking and short-term morbidity and mortality after cardiac surgery: a meta-analysis. *Heart Asia*, 2018. 10(2), e011069. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6203009/pdf/heartasia-2018-011069.pdf>

Fu, RH, Toyoda, Y, Li, L, Baser, O, Rohde, CH, & Otterburn, DM. Smoking and Postoperative Complications in Plastic and General Surgical Procedures: A Propensity Score-Matched Analysis of 294,903 Patients from the National Surgical Quality Improvement Program Database from 2005 to 2014. *Plast Reconstr Surg*, 2018. 142(6), 1633-1643. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30489536>

Bedard, NA, DeMik, DE, Owens, JM, Glass, NA, DeBerg, J, & Callaghan, JJ. Tobacco Use and Risk of Wound Complications and Periprosthetic Joint Infection: A Systematic Review and Meta-Analysis of Primary Total Joint Arthroplasty Procedures. *J Arthroplasty*, 2018. Available from: [https://www.arthroplastyjournal.org/article/S0883-5403\(18\)30872-6/pdf](https://www.arthroplastyjournal.org/article/S0883-5403(18)30872-6/pdf)

Halawi, MJ, Allen, DA, Baron, S, Savoy, L, Williams, VJ, & Cote, MP. Tobacco Smoking Independently Predicts Lower Patient-Reported Outcomes: New Insights on a Forgotten Epidemic. *J Arthroplasty*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30482415>

Hess, DE, Carstensen, SE, Moore, S, & Dacus, AR. Smoking Increases Postoperative Complications After Distal Radius Fracture Fixation: A Review of 417 Patients From a Level 1 Trauma Center. *Hand* 2018. (N Y), 1558944718810882. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30463450>

Hwang, K, Son, JS, & Ryu, WK. Smoking and Flap Survival. *Plast Surg (Oakv)*, 2018. 26(4), 280-285. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30450347>

Sathianathan, NJ, Weight, C J, Jarosek, SL, & Konety, BR. Increased Surgical Complications in Smokers Undergoing Radical Cystectomy. *Bladder Cancer*, 2018. 4(4), 403-409. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6218107/pdf/blc-4-blc180185.pdf>

Wang, R, Wang, G, Liu, Y, & Zhang, M. Preoperative smoking history is associated with decreased risk of early postoperative cognitive dysfunction in patients of advanced age after noncardiac surgery: a prospective observational cohort study. *J Int Med Res*, 2018. 300060518808162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30417719>

Crippen, MM, Patel, N, Filimonov, A, Brady, JS, Merchant, A, Baredes, S, & Park, RCW. Association of Smoking Tobacco With Complications in Head and Neck Microvascular Reconstructive Surgery. *JAMA Facial Plast Surg*, 2018. Available from:

<https://jamanetwork.com/journals/jamafacialplasticsurgery/article-abstract/2705715>

Visvanathan, V, Vallamkondu, V, & Bhimrao, SK. What Effect Does Smoking Have on the Surgical Closure of Tympanic Membrane Perforations? A Review. *Otol Neurotol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30289842>

Berglund, L, Stalman, A, Dungner, E, Qureshi, AR, Kumlin, M, & Fellander-Tsai, L. Younger patients and smokers report a higher level of pain after knee arthroscopy: a clinical and experimental study including synovial metabolism. *Knee Surg Sports Traumatol Arthrosc*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30194469>

Blankensteijn, LL, & Lin, SJ. Commentary on: The Impact on Mortality and Societal Costs From Smoking Cessation in Aesthetic Plastic Surgery in the United States. *Aesthet Surg J*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30212865>

Auzolle, C, Nancey, S, Tran-Minh, ML, Buisson, A, Pariente, B, Stefanescu, C, Fumery, M, Marteau, P, Treton, X, Hammoudi, N, Investigators, Remind Study Group, Jouven, X, Seksik, P, Allez, M. Male gender, active smoking and previous intestinal resection are risk factors of post-operative endoscopic recurrence in Crohn's disease: results from a prospective cohort study. *Aliment Pharmacol Ther*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30126030>

Chamberl, D, Blincoe, T. Smoking and surgery. *Br J Hosp Med (Lond)*. 2018 Aug 2;79(8):478. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30070949>

Ozkan, AS, Ucar, M, Akbas, S. The Effects of Secondhand Smoke Exposure on Postoperative Pain and Ventilation Values During One-Lung Ventilation: A Prospective Clinical Trial. *J Cardiothorac Vasc Anesth*. 2018 Jul 2. pii: S1053-0770(18)30491-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30093188>

Park, JH, Oh, KS, Kim, TM, Kim, J, Yoon, JP, Kim, JY, Chung, SW. Effect of Smoking on Healing Failure After Rotator Cuff Repair. *Am J Sports Med*. 2018 Aug 21:363546518789691. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30129777>

Yoshida N, Nakamura K, Kuroda D, Baba Y, Miyamoto Y, et al. Preoperative smoking cessation is integral to the prevention of postoperative morbidities in minimally invasive esophagectomy. *World J Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29532141>

Yoon YE, Lee HH, Na JC, Huh KH, Kim MS, et al. Impact of cigarette smoking on living kidney donors. *Transplant Proc*, 2018; 50(4):1029-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29731061>

Weinrauch LA, Claggett B, Liu J, Finn PV, Weir MR, et al. Smoking and outcomes in kidney transplant recipients: A post hoc survival analysis of the favorit trial. *Int J Nephrol Renovasc Dis*, 2018; 11:155-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29760559>

Toyoda Y, Fu RH, Li L, Otterburn DM, and Rohde CH. Smoking as an independent risk factor for postoperative complications in plastic surgical procedures: A propensity score-matched analysis of 36,454 patients from the nsqip database from 2005 to 2014. *Plast Reconstr Surg*, 2018; 141(1):226-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29280887>

Timmermans FW, Westland PB, Hummelink S, Schreurs J, Hameeteman M, et al. A retrospective investigation of abdominal visceral fat, body mass index (bmi), and active smoking as risk factors for donor site wound healing complications after free diep flap breast reconstructions. *J Plast Reconstr Aesthet Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29655664>

Theocharidis V, Katsaros I, Sgouromallis E, Serifis N, Boikou V, et al. Current evidence on the role of smoking in plastic surgery elective procedures: A systematic review and meta-analysis. *J Plast Reconstr Aesthet Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29426809>

Spaniolas K, Yang J, Crowley S, Yin D, Docimo S, et al. Association of long-term anastomotic ulceration after roux-en-y gastric bypass with tobacco smoking. *JAMA Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29926103>

Sieffert MR, Johnson RM, and Fox JP. Added healthcare charges conferred by smoking in outpatient plastic surgery. *Aesthet Surg J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29394312>

Rodriguez-Merchan EC. The importance of smoking in orthopaedic surgery. *Hosp Pract (1995)*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30052096>

Oh TK, Kim K, Jheon S, Do SH, Hwang JW, et al. Relationship between pain outcomes and smoking history following video-assisted thoracic surgery for lobectomy: A retrospective study. *J Pain Res*, 2018; 11:667-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29670393>

Oh TK, Jeon JH, Lee JM, Kim MS, Kim JH, et al. Chronic smoking is not associated with increased postoperative opioid use in patients with lung cancer or esophageal cancer. *Pain Physician*, 2018; 21(1):E49-E55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29357340>

Kim KW, Lee JI, and Son KH. Does smoking confound risk factor of video-assisted thoracoscopic lobectomy 90-day mortality? *Ann Thorac Surg*, 2018; 105(6):1859. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29784286>

Kendall MC and Castro-Alves LJ. Comments on "added healthcare charges conferred by smoking in outpatient plastic surgery". *Aesthet Surg J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800082>

Kaoutzanis C, Winocour J, Gupta V, Yeslev M, Ganesh Kumar N, et al. The effect of smoking in the cosmetic surgery population: Analysis of 129,007 patients. *Aesthet Surg J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29659716>

Kalbaugh CA, Gonzalez NJ, Luckett DJ, Fine J, Brothers TE, et al. The impact of current smoking on outcomes after infringuinal bypass for claudication. *J Vasc Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29506947>

Jones DW, Goodney PP, Eldrup-Jorgensen J, Schermerhorn ML, Siracuse JJ, et al. Active smoking in claudicants undergoing lower extremity bypass predicts decreased graft patency and worse overall survival. *J Vasc Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29523437>

Gonzalez AI, Luime JJ, Uckay I, Hannouche D, Hoffmeyer P, et al. Is there an association between smoking status and prosthetic joint infection after primary total joint arthroplasty? *J Arthroplasty*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29573917>

Gillott H, Jackson Spence F, Tahir S, Hodson J, Nath J, et al. Deceased-donor smoking history is associated with increased recipient mortality after kidney transplant: A population-cohort study. *Exp Clin Transplant*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29766775>

Ehrl D, Heidekrueger PI, Haas EM, Coenen M, Giunta R, et al. Does cigarette smoking harm microsurgical free flap reconstruction? *J Reconstr Microsurg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29605953>

Echt M, Garza Ramos R, Nakhla J, Gelfand Y, Cezayirli P, et al. The effect of cigarette smoking on wound complications after single-level posterolateral and interbody fusion for spondylolisthesis. *World Neurosurg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29803058>

DeLancey JO, Blay E, Jr., Hewitt DB, Engelhardt K, Bilimoria KY, et al. The effect of smoking on 30-day outcomes in elective hernia repair. *Am J Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29559083>

Cryar KA, Hereford T, Edwards PK, Siegel E, Barnes CL, et al. Preoperative smoking and narcotic, benzodiazepine, and tramadol use are risk factors for narcotic use after hip and knee arthroplasty. *J Arthroplasty*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29705679>

Bedard NA, Dowdle SB, Wilkinson BG, Duchman KR, Gao Y, et al. What is the impact of smoking on revision total knee arthroplasty? *J Arthroplasty*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29680584>

Bedard NA, Dowdle SB, Owens JM, Duchman KR, Gao Y, et al. What is the impact of smoking on revision total hip arthroplasty? *J Arthroplasty*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29463436>

Agarwal M, Agrawal S, Garg L, Reed GL, Khouzam RN, et al. Impact of smoking in patients undergoing transcatheter aortic valve replacement. *Ann Transl Med*, 2018; 6(1):2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29404348>

Zoghbi Y, Borsting EA, Chim JH, and Panthaki ZJ. Smoking as a risk factor for wound dehiscence in nipple reconstruction: An analysis of 1683 cases. *Breast J*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28608605>

Veldheer S, Yingst J, Rogers AM, and Foulds J. Completion rates in a preoperative surgical weight loss program by tobacco use status. *Surg Obes Relat Dis*, 2017; 13(5):842-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28392255>

Ursic-Bedoya J, Donnadieu-Rigole H, Faure S, and Pageaux GP. Alcohol use and smoking after liver transplantation; complications and prevention. *Best Pract Res Clin Gastroenterol*, 2017; 31(2):181-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28624106>

Tischler EH, Matsen Ko L, Chen AF, Maltenfort MG, Schroeder J, et al. Smoking increases the rate of reoperation for infection within 90 days after primary total joint arthroplasty. *J Bone Joint Surg Am*, 2017; 99(4):295-304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28196031>

Shen L, Wei K, Chen Q, Qiu H, Tao Y, et al. Decreased pain tolerance before surgery and increased postoperative narcotic requirements in abstinent tobacco smokers. *Addict Behav*, 2017; 78:9-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29121531>

Schultz HH, Moller CH, Zemtsovski M, Ravn J, Perch M, et al. Donor smoking and older age increases morbidity and mortality after lung transplantation. *Transplant Proc*, 2017; 49(9):2161-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29149977>

Sahota S, Lovecchio F, Harold RE, Beal MD, and Manning DW. The effect of smoking on thirty-day postoperative complications after total joint arthroplasty: A propensity score-matched analysis. *J Arthroplasty*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28870742>

Phan K, Fadhl M, Chang N, Giang G, Gragnaniello C, et al. Effect of smoking status on successful arthrodesis, clinical outcome, and complications after anterior lumbar interbody fusion (alif). *World Neurosurg*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29223523>

Mehta R and Sharma H. Does smoking affect the outcomes of lumbar decompression surgery? *SICOT J*, 2017; 3:65. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29165239>

Mehdi A, Rybicki L, Mossad S, Yurch M, Sekeres M, et al. Impact of cigarette smoking on survival after myeloablative allogeneic hematopoietic stem cell transplantation and contribution of invasive fungal infection. *Bone Marrow Transplant*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28869614>

Matsumura Y, Owada Y, Inoue T, Watanabe Y, Yamaura T, et al. Epidermal growth factor receptor mutation status is strongly associated with smoking status in patients undergoing surgical resection for lung adenocarcinoma. *Interact Cardiovasc Thorac Surg*, 2017; 25(5):690-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29049789>

Madsbu MA, Salvesen O, Werner DAT, Franssen E, Weber C, et al. Surgery for herniated lumbar disc in daily tobacco smokers: A multicenter observational study. *World Neurosurg*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29045852>

Lewis PC, Camou E, and Wofford K. The impact of cigarette smoking on the formation of heterotopic ossification among service members with a traumatic amputation. *Mil Med*, 2017; 182(5):e1742-e8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29087919>

Lee DO, Eom JS, and Jung HG. The effect of smoking on the outcomes of lateral ankle ligament reconstruction. *J Orthop Sci*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28947241>

Knutsson B, Mukka S, Wahlstrom J, Jarvholm B, and Sayed-Noor AS. The association between tobacco smoking and surgical intervention for lumbar spinal stenosis cohort study of 331,941 workers. *Spine J*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29246850>

Inadomi M, Iyengar R, Fischer I, Chen X, Flagler E, et al. Effect of patient-reported smoking status on short-term bariatric surgery outcomes. *Surg Endosc*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28730276>

Gillott H, Jackson Spence F, Tahir S, Mytton J, Evison F, et al. Smoking history is associated with adverse outcomes for kidney allograft recipients. *Exp Clin Transplant*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29108509>

Brady JS, Crippen MM, Filimonov A, Eloy JA, Baredes S, et al. Laryngectomy and smoking: An analysis of postoperative risk. *Laryngoscope*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28671270>

Borad NP and Merchant AM. The effect of smoking on surgical outcomes in ventral hernia repair: A propensity score matched analysis of the national surgical quality improvement program data. *Hernia*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864961>

Berman D, Oren JH, Bendo J, and Spivak J. The effect of smoking on spinal fusion. *Int J Spine Surg*, 2017; 11:29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29372133>

Barcha CP and Ranzer MJ. Smoking as a risk factor for panniculectomy: An analysis of 7650 cases. *J Plast Reconstr Aesthet Surg*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29307617>

Xu H, Liu C, Gu M, Chen Y, Cai Z, et al. Prostatic vascular damage induced by cigarette smoking as a risk factor for recovery after holmium laser enucleation of the prostate (holep). *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27732940>

Wright E, Tzeng TH, Ginnetti M, El-Othmani MM, Saleh JK, et al. Effect of smoking on joint replacement outcomes: Opportunities for improvement through preoperative smoking cessation. *Instr Course Lect*, 2016; 65:509-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27049216>

Vosoughi AR, Emami MJ, Pourabbas B, and Mahdaviazad H. Factors increasing mortality of the elderly following hip fracture surgery: Role of body mass index, age, and smoking. *Musculoskeletal Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27766497>

Vasquez RA, Chotai S, Wick JB, Stonko DP, Cheng JS, et al. The profile of a smoker and its impact on outcomes after cervical spine surgery. *Neurosurgery*, 2016; 63 Suppl 1:96-101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27399373>

Van Laecke S, Nagler EV, Peeters P, Verbeke F, and Van Biesen W. Former smoking and early and long-term graft outcome in renal transplant recipients: A retrospective cohort study. *Transpl Int*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27896857>

Stienen MN, Joswig H, Smoll NR, Tessitore E, Schaller K, et al. Short- and long-term effects of smoking on pain and health-related quality of life after non-instrumented lumbar spine surgery. *Clin Neurol Neurosurg*, 2016; 142:87-92. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26820687>

Stambough JL. Corr insights: Smoking is associated with increased blood loss and transfusion use after lumbar spinal surgery. *Clin Orthop Relat Res*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26769620>

Stack AG, Yermak D, Roche DG, Ferguson JP, Elsayed M, et al. Differential impact of smoking on mortality and kidney transplantation among adult men and women undergoing dialysis. *BMC Nephrol*, 2016; 17:95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27456350>

Sozen F, Aydemir S, Erdal R, and Haberal M. Smoking behaviors of renal transplant recipients: An analysis of 113 patients. *Exp Clin Transplant*, 2016; 14(Suppl 3):95-9. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/27805523>

Smith TO, Penny F, and Fleetcroft R. Smoking and alcohol behaviours in people following hip and knee arthroplasty: Data from the osteoarthritis initiative. *Orthop Traumatol Surg Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26867709>

Shaw D. Delaying surgery for obese patients or smokers is a bad idea. *British Medical Journal*, 2016; 355:i5594. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27760731>

Novikov DA, Swensen SJ, Buza Iii JA, Gidumal RH, and Strauss EJ. The effect of smoking on acl reconstruction: A systematic review. *Phys Sportsmed*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27456300>

Nishijima A, Yamamoto N, Yanagibayashi S, Yoshida R, Takikawa M, et al. The effect of smoking on necrosis rate in digital replantation and revascularization with prostaglandin e1 therapy: A retrospective study. *Plast Reconstr Surg*, 2016; 138(4):848-53. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27673518>

Martin CT, Gao Y, Duchman KR, and Pugely AJ. The impact of current smoking and smoking cessation on short-term morbidity risk after lumbar spine surgery. *Spine (Phila Pa 1976)*, 2016; 41(7):577-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27018898>

Marino KA, Little MA, Bursac Z, Sullivan JL, Klesges R, et al. Operating on patients who smoke: A survey of thoracic surgeons in the united states. *Ann Thorac Surg*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27474514>

Macki M, Syeda S, Rajjoub K, Kerezoudis P, Bydon A, et al. The effect of smoking status on successful arthrodesis after lumbar instrumentation supplemented with rhbmp-2. *World Neurosurg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756663>

Landin M, Kubasiak JC, Schimpke S, Poirier J, Myers JA, et al. The effect of tobacco use on outcomes of laparoscopic and open inguinal hernia repairs: A review of the nsqip dataset. *Surg Endosc*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27351659>

Lampley A, Gross CE, Green CL, DeOrio JK, Easley M, et al. Association of cigarette use and complication rates and outcomes following total ankle arthroplasty. *Foot Ankle Int*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27344053>

Kusin DJ, Li SQ, Ahn UM, and Ahn NU. Does tobacco use attenuate benefits of early decompression in patients with cervical myelopathy? *Spine (Phila Pa 1976)*, 2016; 41(20):1565-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27043195>

Klasson S, Nyman J, Svensson H, and Velander P. Smoking increases donor site complications in breast reconstruction with diep flap. *J Plast Surg Hand Surg*, 2016;1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27125256>

Iacobucci G. Smokers and overweight patients are denied surgery, royal college finds. *British Medical Journal*, 2016; 353:i2335. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27106805>

Hermann PC, Webler M, Bornemann R, Jansen TR, Rommelspacher Y, et al. Influence of smoking on spinal fusion after spondylodesis surgery: A comparative clinical study. *Technol Health Care*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27129031>

Guan Z, Lv Y, Liu J, Liu L, Yuan H, et al. Smoking cessation can reduce the incidence of postoperative hypoxemia after on-pump coronary artery bypass grafting surgery. *J Cardiothorac Vasc Anesth*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27554230>

Godwin CA, Linder BJ, Rivera ME, Ziegelmann MJ, and Elliott DS. Effects of smoking status on device survival among individuals undergoing artificial urinary sphincter placement. *Am J Mens Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27241681>

Gali K, Spaderna H, Smits JM, Bramstedt KA, and Weidner G. Smoking status at time of listing for a heart transplant predicts mortality on the waiting list: A multicenter prospective observational study. *Prog Transplant*, 2016; 26(2):117-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27207399>

Er Dede karginoglu B, Ulubay G, Kupeli E, Kirnap M, Oner Eyuboglu F, et al. Smoking is related to postoperative pulmonary complications and graft outcomes in renal transplant patients. *Exp Clin Transplant*, 2016; 14(Suppl 3):87-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27805521>

Eichler M, Keszte J, Meyer A, Danker H, Guntinas-Lichius O, et al. Tobacco and alcohol consumption after total laryngectomy and survival: A german multicenter prospective cohort study. *Head Neck*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27043145>

Duerinckx N, Burkhalter H, Engberg SJ, Kirsch M, Klem ML, et al. Correlates and outcomes of posttransplant smoking in solid organ transplant recipients: A systematic literature review and meta-analysis. *Transplantation*, 2016; 100(11):2252-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27479162>

Dornhoffer JR, Cox MD, and Dornhoffer JL. The association of valsalva status with smoking and its impact on ossiculoplasty outcomes and complications. *Otol Neurotol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27273400>

De la Garza Ramos R, Goodwin CR, Qadi M, Abu-Bonsrah N, Passias PG, et al. The impact of smoking on 30-day morbidity and mortality in adult spinal deformity surgery. *Spine (Phila Pa 1976)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27434180>

Cox MD, Anderson SR, Russell JS, and Dornhoffer JL. The impact of smoking on ossiculoplasty outcomes. *Otol Neurotol*, 2016; 37(6):721-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27273393>

Chiang HL, Chia YY, Lin HS, and Chen CH. The implications of tobacco smoking on acute postoperative pain: A prospective observational study. *Pain Res Manag*, 2016; 2016:9432493. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27445634>

Cancienne JM, Brockmeier SF, and Werner BC. Tobacco use is associated with increased rates of infection and revision surgery after primary superior labrum anterior and posterior repair. *J Shoulder Elbow Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27262413>

Byun DJ, Cohn MR, Patel SN, Donin NM, Sosnowski R, et al. The effect of smoking on 30-day complications following radical prostatectomy. *Clin Genitourin Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27601276>

Arnold PM, Kopjar B, Tetreault L, Nakashima H, and Fehlings MG. 162 tobacco smoking and outcomes of surgical decompression in patients with symptomatic degenerative cervical spondylotic myelopathy. *Neurosurgery*, 2016; 63 Suppl 1:165. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27399441>

Yoshida N, Baba Y, Hiyoshi Y, Shigaki H, Kurashige J, et al. Duration of smoking cessation and postoperative morbidity after esophagectomy for esophageal cancer: How long should patients stop smoking before surgery? *World J Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26330238>

Yazici ZM, Sayin I, Erdim I, Gunes S, and Kayhan FT. The effect of tobacco smoking on septoplasty outcomes: A prospective controlled study. *Hippokratia*, 2015; 19(3):219-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27418780>

White LC, Kazi AA, Jang DW, Gurrola J, and Kountakis SE. The effect of smoking on quality of life following sinus surgery: 10-year follow-up. *ORL J Otorhinolaryngol Relat Spec*, 2015; 77(1):39-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25661573>

Vasquez-Castellanos RA, Chotai S, Wick J, Stonko DP, Cheng JS, et al. 109 the profile of a smoker and its impact on outcomes after cervical spine surgery. *Neurosurgery*, 2015; 62 Suppl 1:199-200. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26181955>

Teng S, Yi C, Krettek C, and Jagodzinski M. Smoking and risk of prosthesis-related complications after total hip arthroplasty: A meta-analysis of cohort studies. *PLoS ONE*, 2015; 10(4):e0125294. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25909602>

Singh JA, Schleck C, Harmsen WS, Jacob AK, Warner DO, et al. Current tobacco use is associated with higher rates of implant revision and deep infection after total hip or knee arthroplasty: A prospective cohort study. *BMC Med*, 2015; 13(1):283. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26586019>

Sheyn D, James RL, Taylor AK, Sammarco AG, Benchek P, et al. Tobacco use as a risk factor for reoperation in patients with stress urinary incontinence: A multi-institutional electronic medical record database analysis. *Int Urogynecol J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26071281>

Sharif-Kashani B, Shahabi P, Mandegar MH, Saliminejad L, Bikdeli B, et al. Smoking and wound complications after coronary artery bypass grafting. *J Surg Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26541686>

Schmid M, Sood A, Campbell L, Kapoor V, Dalela D, et al. Impact of smoking on perioperative outcomes after major surgery. *Am J Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25980408>

Opelz G and Dohler B. Influence of current and previous smoking on cancer and mortality after kidney transplantation. *Transplantation*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26102616>

Mizuno Y, Iwata H, Yamamoto H, Miyamoto Y, Mitta S, et al. Influence of smoking on perioperative oxidative stress after pulmonary resection. *Surg Today*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25700843>

Mendelsohn C. Smoking and preoperative assessment. *Aust Prescr*, 2015; 38(2):40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26648613>

McCunniff PT, Young ES, Ahmadinia K, Ahn UM, and Ahn NU. Smoking is associated with increased blood loss and transfusion use after lumbar spinal surgery. *Clin Orthop Relat Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26642788>

Maniscalco M, Carratu P, Faraone S, Cerbone MR, Cristiano S, et al. Smoking habit in severe obese after bariatric procedures. *Tob Induc Dis*, 2015; 13(1):20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26225133>

Mangus RS, Fridell JA, Kubal CA, Loeffler AL, Krause AA, et al. Worse long-term patient survival and higher cancer rates in liver transplant recipients with a history of smoking. *Transplantation*, 2015; 99(9):1862-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26308417>

Lazaar S, Boselli E, Chassard D, Allaouchiche B, and Bouvet L. Effect of acute cigarette smoking on gastric contents in regular smoker volunteers. A prospective randomized cross-over study. *Br J Anaesth*, 2015; 115(4):590-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26323291>

Kusin DJ, Ahn UM, and Ahn NU. The effect of smoking on spinal cord healing following surgical treatment of cervical myelopathy. *Spine (Phila Pa 1976)*, 2015; 40(18):1391-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26426709>

Kulaylat AN, Hollenbeck CS, Sangster W, and Stewart DB, Sr. Impact of smoking on the surgical outcome of crohn's disease: A propensity-score matched nsqip analysis. *Colorectal Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25808234>

Kopp BT, Groner J, Tobias JD, Whitson BA, Kirkby S, et al. Cigarette smoking effect on survival after lung transplant in cystic fibrosis. *Exp Clin Transplant*, 2015; 13(6):529-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26643672>

Kern P, Zarth F, Kimmig R, and Rezai M. Impact of age, obesity and smoking on patient satisfaction with breast implant surgery - a unicentric analysis of 318 implant reconstructions after mastectomy. Geburtshilfe Frauenheilkd, 2015; 75(6):597-604. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26166841>

Keles M, Avsar U, Avsar Z, Emre H, Cankaya E, et al. Effect of kidney transplantation on smoking habits of kidney donors. Transplant Proc, 2015; 47(5):1302-5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26093704>

Kehlet M, Heeseman S, Tonnesen H, and Schroeder TV. Perioperative smoking cessation in vascular surgery: Challenges with a randomized controlled trial. Trials, 2015; 16(1):441. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26438129>

Hanajiri R, Kakihana K, Kobayashi T, Doki N, Sakamaki H, et al. Tobacco smoking is associated with infectious pulmonary complications after allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplant, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25985052>

Hakim SG, Jacobsen HC, Trenkle T, Sieg P, and Wieker H. Impact of body mass index, gender, and smoking on thickness of free soft tissue flaps used for orofacial reconstruction. J Craniomaxillofac Surg, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26211724>

Gulati S, Nordseth T, Nerland US, Gulati M, Weber C, et al. Does daily tobacco smoking affect outcomes after microdecompression for degenerative central lumbar spinal stenosis? - a multicenter observational registry-based study. Acta Neurochir (Wien), 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25943982>

Golub JS and Samy RN. Preventing or reducing smoking-related complications in otologic and neurotologic surgery. Curr Opin Otolaryngol Head Neck Surg, 2015; 23(5):334-40. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26339963>

Fleetwood VA, Hertl M, and Chan EY. Liver transplantation to the active smoker: Transplant provider opinions and how they have changed : Transplantation in smokers: A survey. J Gastrointest Surg, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26358276>

Duchman KR, Gao Y, Pugely AJ, Martin CT, Noiseux NO, et al. The effect of smoking on short-term complications following total hip and knee arthroplasty. J Bone Joint Surg Am, 2015; 97(13):1049-58. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26135071>

Celik E, Yurekli I, Yetkin U, Cakir H, Donmez K, et al. Effects of smoking habit and diagnosed copd on intensive care unit stay length of surgically treated coronary artery and obstructive peripheral arterial disease patients. J Cardiothorac Surg, 2015; 10 Suppl 1:A227. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26738523>

Cancienne JM, Gwathmey FW, Miller MD, and Werner BC. Tobacco use is associated with increased complications after anterior cruciate ligament reconstruction. Am J Sports Med, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26526974>

Bottorff JL, Seaton CL, Viney N, Stolp S, Krueckl S, et al. The stop smoking before surgery program: Impact on awareness of smoking-related perioperative complications and smoking behavior in northern canadian communities. J Prim Care Community Health, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26385995>

Bottorff JL, Seaton CL, and Lamont S. Patients' awareness of the surgical risks of smoking: Implications for supporting smoking cessation. *Can Fam Physician*, 2015; 61(12):e562-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27035005>

Bohlin KS, Ankardal M, Stjerndahl JH, Lindkvist H, and Milsom I. Influence of the modifiable life-style factors body mass index and smoking on the outcome of hysterectomy. *Acta Obstet Gynecol Scand*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26459279>

Bisson EF, Bowers CA, Hohmann SF, and Schmidt MH. Smoking is associated with poorer quality-based outcomes in patients hospitalized with spinal disease. *Front Surg*, 2015; 2:20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26075207>

Bettin CC, Gower K, McCormick K, Wan JY, Ishikawa SN, et al. Cigarette smoking increases complication rate in forefoot surgery. *Foot Ankle Int*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25583954>

Berlin NL, Cutter C, and Battaglia C. Will preoperative smoking cessation programs generate long-term cessation? A systematic review and meta-analysis. *Am J Manag Care*, 2015; 21(11):e623-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26735296>

Baucom RB, Poulose BK, Herline AJ, Muldoon RL, Cone MM, et al. Smoking as dominant risk factor for anastomotic leak after left colon resection. *Am J Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25910885>

Acarturk TO. "Maras powder" a form of smokeless tobacco as a perioperative risk factor in microsurgery. *J Hand Microsurg*, 2015; 7(1):146-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26078529>

Underwood PW, Sheetz KH, Cron DC, Terjimanian MN, Englesbe MJ, et al. Cigarette smoking in living kidney donors: Donor and recipient outcomes. *Clin Transplant*, 2014; 28(4):419-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24617506>

Stienen MN, Smoll NR, Hildebrandt G, Schaller K, and Gautschi OP. Influence of smoking status at time of surgery for herniated lumbar disk on postoperative pain and health-related quality of life. *Clin Neurol Neurosurg*, 2014; 122:12-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24908210>

Selvarajah S, Black JH, 3rd, Malas MB, Lum YW, Propper BW, et al. Preoperative smoking is associated with early graft failure after infringuinal bypass surgery. *J Vasc Surg*, 2014; 59(5):1308-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24502815>

Selvarajah S, Ahmed AA, Schneider EB, Canner JK, Pawlik TM, et al. Cholecystectomy and wound complications: Smoking worsens risk. *J Surg Res*, 2014; 192(1):41-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25015752>

Santiago-Torres J, Flanigan DC, Butler RB, and Bishop JY. The effect of smoking on rotator cuff and glenoid labrum surgery: A systematic review. *Am J Sports Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24859982>

Potgieter DJ, dos Passos G, Price CE, and Rogers AD. Reducing the surgical complications of smoking by cotinine testing. *S Afr Med J*, 2014; 104(3):154-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24897807>

Pluvy I, Panouilleres M, Garrido I, Pauchot J, Saboye J, et al. Smoking and plastic surgery, part ii. Clinical implications: A systematic review with meta-analysis. *Ann Chir Plast Esthet*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25447218>

Pluvy I, Garrido I, Pauchot J, Saboye J, Chavoin JP, et al. Smoking and plastic surgery, part i. Pathophysiological aspects: Update and proposed recommendations. *Ann Chir Plast Esthet*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25447216>

Pfaff M, Shah A, and Steinbacher D. Does phosphodiesterase inhibition lessen facial flap necrosis in tobacco cigarette users? *Facial Plast Surg*, 2014; 30(1):84-90. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24488644>

Merli GJ and Weitz HH. The consult guys - clearing the air: When to stop smoking before surgery. *Ann Intern Med*, 2014; 161(12):CG12. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25506869>

Lubbeke A, Rothman KJ, Garavaglia G, Barea C, Christofilopoulos P, et al. Strong association between smoking and the risk of revision in a cohort study of patients with metal-on-metal total hip arthroplasty. *J Orthop Res*, 2014; 32(6):762-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24615914>

Lee A, Chui PT, Chiu CH, Tan PE, Tam TP, et al. Risk of perioperative respiratory complications and postoperative morbidity in a cohort of adults exposed to passive smoking. *Ann Surg*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24509208>

Lau D, Chou D, Ziewacz JE, and Mummaneni PV. The effects of smoking on perioperative outcomes and pseudarthrosis following anterior cervical corpectomy. *J Neurosurg Spine*, 2014; 21(4):547-58. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25014499>

Kim SJ, Lee SK, Kim SH, Kim SH, Ryu SW, et al. Effect of cigarette smoking on the clinical outcomes of acl reconstruction. *J Bone Joint Surg Am*, 2014; 96(12):1007-13. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24951736>

Kim SJ, Lee SK, Choi CH, Kim SH, Kim SH, et al. Graft selection in anterior cruciate ligament reconstruction for smoking patients. *Am J Sports Med*, 2014; 42(1):166-72. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24114749>

Kayaalp C. Do smoking and obesity really do not have any negative influence on wound healing after surgery of pilonidal disease? *Int J Colorectal Dis*, 2014; 29(10):1303-4. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24802815>

Katotomichelakis M, Simopoulos E, Tripsianis G, Zhang N, Danielides G, et al. The effects of smoking on quality of life recovery after surgery for chronic rhinosinusitis. *Rhinology*, 2014; 52(4):341-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25479212>

Karamanos E, Wei B, Siddiqui A, and Rubinfeld I. Tobacco use and body mass index as predictors of outcomes in patients undergoing breast reduction mammoplasty. Ann Plast Surg, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24667885>

Kapadia BH, Issa K, Pivec R, Bonutti PM, and Mont MA. Tobacco use may be associated with increased revision and complication rates following total hip arthroplasty. J Arthroplasty, 2014; 29(4):777-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24090663>

Jung KH, Kim SM, Choi MG, Lee JH, Noh JH, et al. Preoperative smoking cessation can reduce postoperative complications in gastric cancer surgery. Gastric Cancer, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25139298>

Hatcher JL, Sterba KR, Tooze JA, Day TA, Carpenter MJ, et al. Tobacco use and surgical outcomes in head and neck cancer patients. Head Neck, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25521527>

Fiorini FR, Deganello A, Larotonda G, Mannelli G, and Gallo O. Tobacco exposure and complications in conservative laryngeal surgery. Cancers (Basel), 2014; 6(3):1727-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25256829>

Bydon M, De la Garza-Ramos R, Abt NB, Gokaslan ZL, Wolinsky JP, et al. Impact of smoking on complication and pseudarthrosis rates after single- and 2-level posterolateral fusion of the lumbar spine. Spine (Phila Pa 1976), 2014; 39(21):1765-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25054650>

Babayan RK. Re: Smoking and the risk of mortality and vascular and respiratory events in patients undergoing major surgery. J Urol, 2014; 192(2):451. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25035013>

Alan N, Seicean A, Seicean S, Schiltz NK, Neuhauser D, et al. Smoking and postoperative outcomes in elective cranial surgery. J Neurosurg, 2014; 120(4):811-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24527818>

Lent MR, Hayes SM, Wood GC, Napolitano MA, Argyropoulos G, et al. Smoking and alcohol use in gastric bypass patients. Eat Behav, 2013; 14(4):460-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24183136>

Coon D, Tuffaha S, Christensen J, and Bonawitz S. Reply: Plastic surgery and smoking: A prospective analysis of incidence, compliance, and complications. Plast Reconstr Surg, 2013; 132(4):687e. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24076734>

Barone M, Cogliandro A, and Persichetti P. Plastic surgery and smoking: A prospective analysis of incidence, compliance, and complications. Plast Reconstr Surg, 2013; 132(4):686e-7e. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24076733>

Australian and New Zealand College of Anaesthetists (ANZCA). Guidelines on smoking as related to the perioperative period. 2013. Available from: <http://www.anzca.edu.au/resources/professional-documents/pdfs/ps12-2013-guidelines-on-smoking-as-related-to-the-perioperative-period.pdf>

Al-Delayme RM. The effect of cigarette smoking on the severity of pain, swelling and trismus after the surgical extraction of impacted mandibular third molar. *J Clin Exp Dent*, 2013; 5(3):e117-21.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24455065>

Wong J, Lam DP, Abrishami A, Chan MT, and Chung F. Short-term preoperative smoking cessation and postoperative complications: A systematic review and meta-analysis. *Canadian Journal of Anesthesia/Journal canadien d'anesthésie*, 2012; 59(3):268-79. Available from:
<http://link.springer.com/article/10.1007/s12630-011-9652-x#page-1>

Turan A, Mascha E, Roberman D, Turner P, You J, et al. Smoking and perioperative outcomes. *Anesthesiology*, 2011; [Epub ahead of print][Available from:
http://journals.lww.com/anesthesiology/Abstract/publishahead/Smoking_and_Perioperative_Outcomes.99256.aspx

Myers K, Hajek P, Hinds C, and McRobbie H. Stopping smoking shortly before surgery and postoperative complications: A systematic review and meta-analysis. *Archives of Internal Medicine*, 2011; [Epub ahead of print]. Available from: <http://archinte.ama-assn.org/cgi/content/full/archinternmed.2011.97v1>

Katznelson R and Beattie W. Perioperative smoking risk. *Anesthesiology*, 2011; [Epub ahead of print]. Available from:
http://journals.lww.com/anesthesiology/Citation/publishahead/Perioperative_Smoking_Risk.99257.aspx

Sharkey K and Gillam L. Should patients with self-inflicted illness receive lower priority in access to healthcare resources? Mapping out the debate. *Journal of Medical Ethics*, 2010; 36(11):661-5.
Available from: <http://jme.bmjjournals.org/content/early/2010/09/03/jme.2009.032102.long>

Bright R. Denial of hepatic transplantation on the basis of smoking: Is it ethical? *Current Opinion in Organ Transplantation*, 2010; 15(2):49-53. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/20154621>

Ehlers S. Ethical analysis and consideration of health behaviors in organ allocation: Focus on tobacco use. *Transplantation Reviews*, 2008; 22(3):171–7. Available from:
http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B75B4-4SBRTJV-2-3&_cdi=12972&_user=10&_orig=browse&_coverDate=07%2F31%2F2008&_sk=999779996&view=c&wchp=dGLbVtz-zSkzV&md5=4e4b3ce5b52ef1f96c0d94f1f8b44ce4&ie=/sdarticle.pdf

Bikhchandani J, Varma S, and Henderson H. Is it justified to refuse breast reduction to smokers? *Journal of Plastic, Reconstructive & Aesthetic Surgery*, 2007; 60(9):1050–4. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B7XNJ-4NSPW85-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=8ae7d4d8802e2027d266e6dab42a8a0e

3.15.1.1 Anaesthesia

Machiyama, Y, Ogawa, T, Matsuo, T, Sim, J, Takeda, J, Kameda, S et al (2024). Association between smoking and duration of regional anesthesia - A propensity score matching study. *J Orthop Sci.*
Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39003184>

Groff, D, Freedman, Z, Gilles, A, Bone, C, & Johnson, TS. (2024). Development of Opioid Use Disorder After Breast Reconstruction: Effects of Nicotine Exposure. *Ann Plast Surg*, 92(4S Suppl 2), S241-S244. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38556681>

Gunes, HY, Caliskan, DK, Sakar, HA, & Yuzkat, N. (2022). Does smoking affect the onset time of sensory blocks or the duration of motor blocks in parturient women? A randomized controlled trial. *Niger J Clin Pract*, 25(12), 2039-2045. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36537463>

Charvet, A, Bouchier, B, Dailler, F, & Ritzenhaler, T. (2022). Nicotine Replacement Therapy Does Not Reduce Headaches Following Subarachnoid Hemorrhage: A Propensity Score-Matched Study. *Neurocrit Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36050538>

Liu, N, Wang, F, Zhou, Q, Shen, M, Shi, J, & Zou, X. (2021). The Effects of Cigarette Smoking on Steroidal Muscular Relaxants and Antibiotics Used: A Prospective Cohort Study. *Front Pharmacol*, 12, 573832. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33981212>

Kim, HY, Choi, JB, Lee, EA, Kwon, SH, Kim, JE, & Lee, SY. (2021). Effects of smoking on the optimal effect-site concentration of remifentanil required for preventing cough during anesthetic emergence in male patients undergoing laparoscopic or robotic cholecystectomy. *Medicine (Baltimore)*, 100(13), e25288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33787614>

Lynn, RSR, & Galinkin, JL. (2020). Cannabis, e-cigarettes and anesthesia. *Curr Opin Anaesthesiol*, 33(3), 318-326. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32371642>

Karim, HMR. (2019). Smoked for Years but Stopped a Few Months Back: Dilemma Regarding the American Society of Anesthesiologists Physical Status. *Turk J Anaesthesiol Reanim*, 47(6), 515-516. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31828252>

Ozturk, E, Aydogan, MS, Karaaslan, K, Dogan, Z, & Topuz, U. (2019). Does smoking increase the anesthetic requirement? *Turk J Med Sci*, 49(5), 1271-1276. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31648428>

Schwil B, Bothner U, Schraag S, and Georgieff M. Perioperative respiratory events in smokers and nonsmokers undergoing general anaesthesia. *Acta Anaesthesiologica Scandinavica*, 1997; 41(3):348-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9113178>

3.15.1.2 Postoperative complications

Rienas, W, Li, R, Ryan, L, Lee, S, & Frenkel, R. (2024). Higher Risk of Wound Complications but No Clinically Significant Increase in Operative Time for Smokers Receiving Myomectomy for Uterine Fibroids. *J Obstet Gynaecol Can*, 46(12), 102706. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39486516>

Koeller, E, Liu, Y, Ortega-Goddard, E, Giorgi, M, & Luhrs, A. (2024). Active smoking increases risk of wound complications in robotic enhanced-view totally extraperitoneal (eTEP) retro-rectus ventral hernia repairs. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39340656>

Le, YTT, Tran, DNA, Nguyen, BTT, Nguyen, TT, Chen, YP, & Kuo, YJ. (2024). Is smoking a risk factor for complications following total ankle arthroplasty? A meta-analysis. *Foot Ankle Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38987122>

Ling, K, VanHelmond, T, Mehta, N, Barry, A, Wang, E, Komatsu, DE, & Wang, ED. (2024). Smoking Is Markedly Associated With 30-Day Readmission and Revision Surgery After Surgical Treatment of Clavicle Fracture. *J Am Acad Orthop Surg Glob Res Rev*, 8(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38996220>

Lindqvist Bueneman, S, Sernert, N, Kvist, J, & Kartus, JT. (2024). Analysis of the Swedish Knee Ligament Register: Concomitant injuries, revision surgery and smoking render worse results. *Knee Surg Sports Traumatol Arthrosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38869078>

Bossen, MF, Gormsen, J, Kristensen, SD, & Helgstrand, F. (2024). Smoking Is Correlated to Internal Hernia After Gastric Bypass Surgery: a Post hoc Analysis of Data from a Randomized Clinical Trial. *Obes Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38376637>

Hadad, MJ, Grits, D, Emara, AK, Orr, MN, Murray, TG, & Piuzzi, NS. (2024). Trends in prevalence and complications for smokers who underwent total hip arthroplasty from 2011 to 2019: an analysis of 243,163 patients. *Hip Int*, 11207000241230272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38372159>

Gross, EG, Mohammed, Z, Carter, KJ, Benson, EM, McGwin, G, Mihas, A et al. (2024). The impact of smoking on hospital course and postoperative outcomes in patients with fracture-related infections. *J Orthop Trauma*(0). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38259060>

DeShazo, S, Pescatore, SM, & Panchbhavi, VK. (2023). Nicotine Dependence and Rates of Postoperative Complications in Achilles Tendon Repair. *Foot Ankle Int*, 10711007231205293. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37902225>

Garoosi, K, Lee, N, Tuano, KR, Le, ELH, Cohen, J, Winocour, J et al. (2023). Analysis of Complications in Patients With a History of Cannabis Use and Tobacco Use Undergoing Implant-Based Breast Reconstruction. *Aesthet Surg J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37706275>

Diamond, JM, Cantu, E, Calfee, CS, Anderson, MR, Clausen, ES, Shashaty, MGS et al. (2023). The Impact of Donor Smoking Retrieved from on Primary Graft Dysfunction and Mortality after Lung Transplantation. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37734031>

Ifarraguerri, AM, Quan, T, Farley, B, Kuyl, EV, Koch, J, Parel, PM et al. (2023). The effect of smoking on 30-day complications following primary repair of Achilles tendon ruptures. *Eur J Orthop Surg Traumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37750974>

White, CA, Dominy, CL, Tang, JE, Pitaro, NL, Patel, AV, Wang, KC et al. (2023). Impact of tobacco usage on readmission and complication rates following shoulder replacement surgery: A study of 164,527 patients. *Shoulder Elbow*, 15(1 Suppl), 71-79. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37692876>

Patel, RJ, Zarrintan, S, Jagadeesh, V, Vootukuru, NR, Gaffey, A, & Malas, MB. (2023). Long-term outcomes after lower extremity bypass in the actively smoking claudicant. *J Vasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37327952>

Maye, H Balogun, J, Waqar, M, Heal, C, McSorley, N, D'Urso, P et al. (2023). Do the indices of deprivation or smoking affect post-operative 1-year mortality in patients undergoing a craniotomy for a brain tumour in a public healthcare system? *Acta Neurochir (Wien)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37162609>

Liu, XM, Zhao, Y, Zhang, LY, Li, B, Wang, SC, Zhu, HP et al (2023). Effects of preoperative current smoking on chronic postsurgical pain in thoracic surgery: a retrospective cohort study. *Am J Transl Res*, 15(3), 2256-2267. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37056802>

Sardzinski, EE, Roberts, AP, Malat, JP, King, NE, Oulton, ZW, Janta-Lipinska, J et al. (2023). Smoking History and the Development of Incisional Umbilical Hernia After Laparoscopic and Laparoendoscopic Single-Site Cholecystectomy. *Am Surg*, 31348231161708. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36880854>

Wang, YC, Wang, CW, Wu, HL, Cata, JP, Huang, SY, Wu, YM et al. (2023). Cigarette smoking, opioid consumption, and pain intensity after major surgery: An observational study. *J Chin Med Assoc*, 86(4), 440-448. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36897797>

Bortz, CA, Pierce, KE, Krol, O, Kummer, N, Passfall, L, Egers, M et al. (2023). Predictors of Complication Severity Following Adult Spinal Deformity Surgery: Smoking Rate, Diabetes, and Osteotomy Increase Risk of Severe Adverse Events. *Int J Spine Surg*, 17(1), 103-111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36750312>

Fuentes, N, Reyes, JA, Souferi, B, Khan, A, Kuo, YH, Bates, AT et al. (2023). Effect of Smoking History on 30-Day Morbidity Following Bariatric Surgery. *Am Surg*, 31348231156766. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36786230>

Goto, H, Oshikiri, T, Kato, T, Sawada, R, Harada, H, Urakawa, N et al. (2023). ASO Visual Abstract: The Influence of Preoperative Smoking Status on Postoperative Complications and Long-Term Outcome Following Thoracoscopic Esophagectomy in Prone Position for Esophageal Carcinoma. *Ann Surg Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36765005>

Patel, SK, Dilley, JE, Carbone, A, Deckard, ER, Meneghini, RM, & Sonn, KA. (2023). Effect of Tobacco Use on Radiolucent Lines in Modern Cementless Total Knee Arthroplasty Tibial Components. *Arthroplast Today*, 19, 101082. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36691460>

Aspera-Werz, RH, Muck, J, Linnemann, C, Herbst, M, Ihle, C, Histing, T et al. (2022). Nicotine and Cotinine Induce Neutrophil Extracellular Trap Formation-Potential Risk for Impaired Wound Healing in Smokers. *Antioxidants (Basel)*, 11(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36552632>

Goto, H, Oshikiri, T, Kato, T, Sawada, R, Harada, H, Urakawa, N et al. (2022). The Influence of Preoperative Smoking Status on Postoperative Complications and Long-Term Outcome Following Thoracoscopic Esophagectomy in Prone Position for Esophageal Carcinoma. *Ann Surg Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36539581>

Gill, AS, Meeks, H, Curtin, K, Kelly, K, & Alt, JA. (2022). Tobacco use increases the risk of chronic rhinosinusitis among patients undergoing endoscopic sinus surgery. *Clin Otolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36461170>

R, KB, P, Z P, Joyce, W, L, MS, Paolo, G, Jennifer, H et al . (2022). Male gender, smoking, younger age, and preoperative pain found to increase postoperative opioid requirements in 592 elective colorectal resections. *Int J Colorectal Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35796873>

Sharfman, ZT, Gelfand, Y, Hoang, H, Ramos, RG, Gomez, J A, Krystal, J et al. (2022). Cigarette smoking and complications in elective thoracolumbar fusions surgery: An analysis of 58,304 procedures. *J Craniovertebr Junction Spine*, 13(2), 169-174. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35796873>

Lababidi, S, Andrews, B, Igeh, A, & Melero, GH. (2022). The association between smoking status and post-operative complications in pelvic organ prolapse corrective surgeries. *Int Urogynecol J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35674812>

Zheng, LM, Zhang, ZW, Wang, W, Li, Y, & Wen, F. (2022). Relationship between smoking and postoperative complications of cervical spine surgery: a systematic review and meta-analysis. *Sci Rep*, 12(1), 9172. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35654928>

Zhou, S, Shi, S, Xie, C, & Chen, G. (2022). Association between smoking and postoperative delirium in surgical patients with pulmonary hypertension: a secondary analysis of a cohort study. *BMC Psychiatry*, 22(1), 371. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35650551>

He, Y, Omar, M, Feng, X, Neunaber, C, & Jagodzinski, M. (2021). Impact of Smoking on the Incidence and Postoperative Complications of Total Knee Arthroplasty: A Systematic Review and Meta-Analysis of Cohort Studies. *Bosn J Basic Med Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34923952>

Heckmann, ND, Katebian, B, Chung, BCH, & Lieberman, JR. (2021). Smoking as a Risk Factor for Complications Following Total Joint Arthroplasty. *Orthopedics*, 44(5), e639-e644. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34590942>

Enderes, J, Teschke, J, von Websky, M, Manekeller, S, Kalff, JC, & Glowka, TR. (2021). Active smokers show ameliorated delayed gastric emptying after pancreaticoduodenectomy. *BMC Surg*, 21(1), 316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34330242>

Jang, WY, Lee, SN, Her, SH, Moon, D, Moon, KW, Yoo, KD et al. (2021). Effect of smoking on clinical outcomes in patients receiving rotational atherectomy in calcified coronary lesions: from the ROCK Registry, South Korea. *Ann Saudi Med*, 41(4), 191-197. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34420394>

Karamanos, E, Saad, N, Smith, KE, Patnaik, R, Wang, HT, & Cromack, D. (2021). Not all flaps are created equal: Assessing the impact of active smoking in muscle-only versus perforator flaps for patients undergoing nonelective extremity-free tissue transfer-A case control study. *Microsurgery*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34390277>

- Caughey, WJ, Maher, A, Leigh, WB, Brick, MJ, Young, SW, Walker, CG, & Caughey, MA. (2021). Impact of smoking on pain and function in rotator cuff repair: A prospective 5-year cohort follow-up of 1383 patients. *ANZ J Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34268853>
- Garip, M, Croonenborghs, TM, Bila, M, Vranckx, JJ, & Politis, C. (2021). The Effect of Smoking on the Postoperative Course After Head and Neck Reconstruction With a Vascularized Free Flap: A Retrospective Study. *J Craniofac Surg*, 32(5), 1810-1812. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34319682>
- Gongola, A, Bradshaw, JC, Jin, J, Jensen, HK, Bhavaraju, A, Margolick, J et al. (2021). Retrospective study on rib fractures: smoking and alcohol matter for mortality and complications. *Trauma Surg Acute Care Open*, 6(1), e000732. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34212116>
- Hagerty, MP, Walker-Santiago, R, Tegethoff, JD, Stronach, BM, & Keeney, JA. (2021). Tobacco Use Is Associated with More Severe Adverse Outcomes Than Morbid Obesity after Aseptic Revision TKA. *J Knee Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34225364>
- Li, Y, Zheng, LM, Zhang, ZW, & He, CJ. (2021). The Effect of Smoking on the Fusion Rate of Spinal Fusion Surgery: A Systematic Review and Meta-Analysis. *World Neurosurg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34252631>
- Wang, H, Meng, Y, Liu, H, Wang, X, & Hong, Y. (2021). The impact of smoking on outcomes following anterior cervical fusion-nonfusion hybrid surgery: a retrospective single-center cohort study. *BMJ Musculoskelet Disord*, 22(1), 612. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34243728>
- Cefalu, CA, Lowenstein, NA, Garvey, KD, Collins, JE, & Matzkin, EG. (2021). Impact of smoking on patient-reported outcome measures after arthroscopic rotator cuff repair: a 2-year comparative cohort study. *JSES Int*, 5(3), 454-458. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34136853>
- Schiavon, M, Lloret Madrid, A, Lunardi, F, Faccioli, E, Lorenzoni, G, Comacchio, GM et al. (2021). Short- and Long-Term Impact of Smoking Donors in Lung Transplantation: Clinical and Pathological Analysis. *J Clin Med*, 10(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34071675>
- Wan, Q, Li, S, & Hu, J. (2021). Association of smoking with postoperative atrial fibrillation in patients with cardiac surgery: A PRISMA-compliant article. *Medicine (Baltimore)*, 100(23), e26179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34115000>
- Wasilewska, E, Woloszyk, P, Malgorzewicz, S, Chamienia, A, Jassem, E, & Debska-Slizien, A. (2021). Impact of tobacco smoking on pulmonary and kidney function after successful kidney transplantation - A single-centre pilot study. *Acta Biochim Pol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34165946>
- Gardiner, L, Lavallee, M, Sima, A, & Coelho, DH. (2021). Tobacco Use and Skin Reactivity in Patients With Percutaneous Auditory Osseointegrated Implants. *Otol Neurotol*, 42(5), 740-745. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33967249>
- Arnold, PM, Webb, A , & Iyer, R. (2021). Commentary: Smoking Is an Independent Risk Factor for 90-Day Readmission and Reoperation Following Posterior Cervical Decompression and Fusion. *Neurosurgery*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33886961>

Agrawal, S, Ingrande, J, Said, ET, & Gabriel, RA. (2021). The Association of Preoperative Smoking With Postoperative Outcomes in Patients Undergoing Total Hip Arthroplasty. *J Arthroplasty*, 36(3), 1029-1034. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33616063>

Al Natour, RH, He, C, Clark, MJ, Welsh, R, Chang, AC, & Adams, KN. (2020). The influence of tobacco load versus smoking status on outcomes following lobectomy for lung cancer in a statewide quality collaborative. *J Thorac Cardiovasc Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33558118>

Kashanchi, KI, Nazemi, AK, Komatsu, DE, & Wang, ED. (2021). Smoking as a risk factor for complications following arthroscopic rotator cuff repair. *JSES Int*, 5(1), 83-87. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33554170>

Bojan, B, Perni, S & Prokopovich, P. (2020). Systematic Review and Meta-Analysis of Tobacco Use as a Risk Factor for Prosthetic Joint Infection After Total Hip Replacement. *Arthroplast Today*, 6(4), 959-971. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33385034>

Galivanche, AR, FitzPatrick, S, Dussik, C, Malpani, R, Nduaguba, A, Varthi, AG, & Grauer, JN. (2021). A Matched Comparison of Postoperative Complications Between Smokers and Nonsmokers Following Open Reduction Internal Fixation of Distal Radius Fractures. *J Hand Surg Am*, 46(1), 1-9 e4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33390240>

Sanari, AA Alsolami, BA, Abdel-Alim, HM, Al-Ghamdi, MY, & Meisha, DE. (2020). Effect of smoking on patient-reported postoperative complications following minor oral surgical procedures. *Saudi Dent J*, 32(7), 357-363. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33132664>

Schwartz, AM, Farley, KX, Boden, SH, Wilson, JM, Daly, CA, Gottschalk, MB, & Wagner, ER. (2020). The use of tobacco is a modifiable risk factor for poor outcomes and readmissions after shoulder arthroplasty. *Bone Joint J*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32921147>

Tirumala, V, Bounajem, G, Klemt, C, Barghi, A, & Kwon, YM. (2020). Impact of Smoking and Drinking on Complications After Revision Total Joint Arthroplasty: A Matched Cohort Analysis. *J Am Acad Orthop Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32947345>

Xu, S. (2020). The smoking history couldn't be risk factors for post-tonsillectomy hemorrhage in adult population. *Am J Otolaryngol*, 102713. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32933771>

Andrews, JE, Jones, NN, Moody, MP, Vincent, AG, Teixeira, JC, Thomas, RF, & Hohman, MH. (2020). Nasoseptal Surgery Outcomes in Smokers and Nonsmokers. *Facial Plast Surg Aesthet Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32856954>

Teitelbaum, JI, Grasse, C, Quan, D, Abi Hachem, R, Goldstein, BJ, Hua, X, & Jang, DW. (2020). General Complications after Endoscopic Sinus Surgery in Smokers: A 2005-2016 NSQIP Analysis. *Ann Otol Rhinol Laryngol*, 3489420952481. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32819161>

Barik, AK, Kumar, A, Dhar, M, & Ranjan, P. (2020). A prospective comparative study of arterial blood gas parameters in smoker versus non-smoker patients undergoing laparoscopic cholecystectomy. *Indian J Anaesth*, 64(5), 397-402. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32724248>

Emara, AK, Grits, D, Samuel, LT, Acuna, AJ, Rosneck, JT, & Kamath, AF. (2020). Hip Arthroscopy in Smokers: A Systematic Review of Patient-Reported Outcomes and Complications in 18,585 Cases. *Am J Sports Med*, 363546520922854. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32628512>

Itoda, Y, Niikawa, H, Okamoto, T, Ayyat, KS, Yabuki, H, Farver, CF et al (2020). Hyperinflation With Pulmonary Dysfunction in Donor Lungs With Smoking History During Lung Perfusion. *J Surg Res*, 255, 502-509. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32622165>

Janik, MR, & Aryaei, AH. (2020). The effect of smoking on bariatric surgical 30-day outcomes: propensity-score-matched analysis of the MBSAQIP. *Surg Endosc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32728767>

Prantl, L, Moellhoff, N, Fritschen, UV, Germann, G, Giunta, RE, Zeman, F et al (2020). Impact of Smoking Status in Free Deep Inferior Epigastric Artery Perforator Flap Breast Reconstruction: A Multicenter Study. *J Reconstr Microsurg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32726819>

Chow, A, Neville, A, & Kolozsvari, N. (2020). Smoking in bariatric surgery: a systematic review. *Surg Endosc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32524412>

Del Core, MA, Ahn, J, Golden, AS, Bass, RL, Sammer, D, & Koehler, DM. (2020). Effect of Smoking on Short-term Postoperative Complications After Elective Upper Extremity Surgery. *Hand (N Y)*, 1558944720926638. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32486862>

Inoue, Y, Katoh, T, Masuda, S, Lu, X, Koga, T, Sadohara, T et al (2020). Perioperative complications of abdominal surgery in smokers. *J Anesth*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32577911>

Rajaee, SS, Debbi, EM, Paiement, GD, & Spitzer, AI. (2020). Increased Prevalence, Complications, and Costs of Smokers Undergoing Total Knee Arthroplasty. *J Knee Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32583398>

Shay, A, Sturgis, M, Ritz, EM, Beer-Furlan, A, Munoz, L, Byrne, R et al. (2020). Prior smoking and nasoseptal flap usage adversely impact quality of life and healing after endoscopic pituitary surgery. *Neurosurg Focus*, 48(6), E17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32480369>

Shahim, B, Redfors, B, Chen, S, Morice, MC, Gersh, BJ, Puskas, JD et al (2020). Outcomes After Left Main Coronary Artery Revascularization by Percutaneous Coronary Intervention or Coronary Artery Bypass Grafting According to Smoking Status. *Am J Cardiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32360038>

Goyal, DKC, Divi, SN, Bowles, DR, Nicholson, KJ, Mujica, VE, Kaye, ID et al (2020). How Does Smoking Influence Patient-reported Outcomes in Patients After Lumbar Fusion? *Clin Spine Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32453166>

Combs, P, Cohen, W, Siddiqi, U, Spiller, R, Ota, T, Song, TH et al (2020). Tobacco Cessation in VAD Patients: The Power of Incentive. *J Heart Lung Transplant*, 39(4S), S497. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32465916>

Okahara, S, Levvey, B, McDonald, M, D'Costa, R, Opdam, H, Pilcher, D, & Snell, GI. (2020). The Impact of Donor Tobacco and Marijuana Smoking History on Early and Intermediate-Term Lung Transplant Outcomes. *J Heart Lung Transplant*, 39(4S), S377. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32465564>

Hussain, Z, Yu, MD, Wozniak, A, Kim, D, Krepostman, N, Liebo, M et al (2020). Impact of Donor Smoking History on Post Heart Transplant Outcomes: A Propensity Matched Analysis of the ISHLT Registry. *J Heart Lung Transplant*, 39(4S), S44. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32465742>

Liu, G, Wolfson, AM, Nattiv, J, Genyk, P, Vucicevic, D, Nuno, SB et al (2020). Post-Transplant Outcomes for Patients Based on Their Duration of Smoking Cessation at the Time of Heart Transplant (HT) Listing. *J Heart Lung Transplant*, 39(4S), S263. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32465235>

Schiffner, E, Latz, D, Karbowski, A, Grassmann, JP, Thelen, S, Gehrman, S et al. (2020). Possible risk factors for acute and chronic deep periprosthetic joint infections in primary total knee arthroplasty. Do BMI, smoking, urinary tract infections, gender, and ASA classification have an impact? *J Orthop*, 19, 111-113. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32025115>

Ercan, A, Baghaki, S, Suleymanov, S, Aydin, O, Konukoglu, D, & Cetinkale, O. (2019). Effects of Cigarette Smoke on Fat Graft Survival in an Experimental Rat Model. *Aesthetic Plast Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30820611>

Lugg, ST, Alridge, KA, Howells, PA, Parekh, D, Scott, A, Mahida, RY et al (2019). Dysregulated alveolar function and complications in smokers following oesophagectomy. *ERJ Open Res*, 5(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30847351>

Cancienne, J, Kunze, KN, Beck, EC, Chahla, J, Suppaucksorn, S, & Nho, SJ. (2019). Influence of Cigarette Smoking at the Time of Surgery on Postoperative Outcomes in Patients With Femoroacetabular Impingement: A Matched-Pair Cohort Analysis. *Am J Sports Med*, 47(5), 1138-1144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30943076>

Debbi, EM, Rajaee, SS, Spitzer, AI, & Paiement, GD. (2019). Smoking and Total Hip Arthroplasty: Increased Inpatient Complications, Costs, and Length of Stay. *J Arthroplasty*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31027857>

Schiffner, E, Latz, D, Thelen, S, Grassmann, JP, Karbowski, A, Windolf, J et al. (2019). Aseptic Loosening after THA and TKA - Do gender, tobacco use and BMI have an impact on implant survival time? *J Orthop*, 16(3), 269-272. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31011244>

Petro, CC, Haskins, IN, Tastaldi, L, Tu, C, Krpata, DM, Rosen, MJ, & Prabhu, AS. Does active smoking really matter before ventral hernia repair? An AHSQC analysis. *Surgery*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30220485>

Zoghbi Y, Borsting EA, Chim JH, and Panthaki ZJ. Smoking as a risk factor for wound dehiscence in nipple reconstruction: An analysis of 1683 cases. *Breast J*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28608605>

Veldheer S, Yingst J, Rogers AM, and Foulds J. Completion rates in a preoperative surgical weight loss program by tobacco use status. *Surg Obes Relat Dis*, 2017; 13(5):842-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28392255>

Ursic-Bedoya J, Donnadieu-Rigole H, Faure S, and Pageaux GP. Alcohol use and smoking after liver transplantation; complications and prevention. *Best Pract Res Clin Gastroenterol*, 2017; 31(2):181-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28624106>

Tischler EH, Matsen Ko L, Chen AF, Maltenfort MG, Schroeder J, et al. Smoking increases the rate of reoperation for infection within 90 days after primary total joint arthroplasty. *J Bone Joint Surg Am*, 2017; 99(4):295-304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28196031>

Rosvall A and Carlson E. Registered nurses' perception of self-efficacy and competence in smoking cessation after participating in a web-based learning activity. *J Clin Nurs*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28370516>

Qiu F, Fan P, Nie GD, Liu H, Liang CL, et al. Effects of cigarette smoking on transplant survival: Extending or shortening it? *Front Immunol*, 2017; 8:127. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28239383>

Nolan MB, Martin DP, Thompson R, Schroeder DR, Hanson AC, et al. Association between smoking status, preoperative exhaled carbon monoxide levels, and postoperative surgical site infection in patients undergoing elective surgery. *JAMA Surg*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199450>

Matusiak C, De Runz A, Maschino H, Brix M, Simon E, et al. [tobacco and plastic surgery: An absolute contraindication?]. *Ann Chir Plast Esthet*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28532576>

Lou X and Lou ZH. Serum cotinine levels should optimally be measured when evaluating the outcomes of cartilage tympanoplasty in smokers. *Eur Arch Otorhinolaryngol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260209>

Liang MK, Holihan JL, Itani K, Alawadi ZM, Gonzalez JR, et al. Ventral hernia management: Expert consensus guided by systematic review. *Ann Surg*, 2017; 265(1):80-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28009730>

Li Q, Wang Y, Ma T, Liu X, Wang B, et al. Impact of cigarette smoking on early complications after liver transplantation: A single-center experience and a meta-analysis. *PLoS ONE*, 2017; 12(5):e0178570. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28558038>

LaMasters T. Comment on: Should recent smoking be a contraindication for sleeve gastrectomy? *Surg Obes Relat Dis*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28483352>

Hillam JS, Borsting EA, Chim JH, and Thaller SR. Smoking as a risk factor for breast reduction: An analysis of 13,503 cases. *J Plast Reconstr Aesthet Surg*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28237520>

Hemberg A, Holmberg H, Norberg M, and Nordin P. Tobacco use is not associated with groin hernia repair, a population-based study. *Hernia*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28497407>

Haskins IN, Nowacki AS, Khorgami Z, Schulz K, Heinberg LJ, et al. Should recent smoking be a contraindication for sleeve gastrectomy? *Surg Obes Relat Dis*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28420587>

Hamilton WG. No smoking allowed: Is the operating room the next place that smoking patients undergoing total joint arthroplasty will be banned?: Commentary on an article by eric h. Tischler, ba, et al.: "Smoking increases the rate of reoperation for infection within 90 days after primary total joint arthroplasty". *J Bone Joint Surg Am*, 2017; 99(4):e17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28196045>

Goldfarb CA, Bansal A, and Brophy RH. Ambulatory surgical centers: A review of complications and adverse events. *J Am Acad Orthop Surg*, 2017; 25(1):12-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28002212>

Ghasemi S, Fotouhi A, Moslemi N, Chinipardaz Z, Kolahi J, et al. Intra- and postoperative complications of lateral maxillary sinus augmentation in smokers vs nonsmokers: A systematic review and meta-analysis. *Int J Oral Maxillofac Implants*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28334056>

Darragh L, Robb A, Hardie CM, McDonald S, Valand P, et al. Reducing implant loss rates in immediate breast reconstructions. *Breast*, 2017; 31:208-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27914261>

Cinamon U, Goldfarb A, and Marom T. The impact of tobacco smoking upon chronic/recurrent tonsillitis and post tonsillectomy bleeding. *Int Arch Otorhinolaryngol*, 2017; 21(2):165-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28382125>

Chapin L, Ward K, and Ryken T. Preoperative depression, smoking, and employment status are significant factors in patient satisfaction after lumbar spine surgery. *Clin Spine Surg*, 2017; 30(6):E725-E32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28632560>

Cetiner H, Cavusoglu I, and Duzer S. The effect of smoking on perforation development and healing after septoplasty. *Am J Rhinol Allergy*, 2017; 31(1):63-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28234157>

Bertheuil N, Chaput B, De Runz A, Girard P, Carloni R, et al. The lipo-body lift: A new circumferential body-contouring technique useful after bariatric surgery. *Plast Reconstr Surg*, 2017; 139(1):38e-49e. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28027231>

Alverdy JC and Prachand V. Smoking and postoperative surgical site infection: Where there's smoke, there's fire. *JAMA Surg*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199452>

Zhang MX, Chen CY, Fang QQ, Xu JH, Wang XF, et al. Risk factors for complications after reduction mammoplasty: A meta-analysis. *PLoS ONE*, 2016; 11(12):e0167746. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27936188>

Wang T, Yang SD, Huang WZ, Liu FY, Wang H, et al. Factors predicting venous thromboembolism after spine surgery. *Medicine (Baltimore)*, 2016; 95(52):e5776. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28033299>

Szakmany T, Lundin RM, Sharif B, Ellis G, Morgan P, et al. Sepsis prevalence and outcome on the general wards and emergency departments in wales: Results of a multi-centre, observational, point prevalence study. PLoS ONE, 2016; 11(12):e0167230. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27907062>

Sikora-Klak J, Gupta A, Bergum C, Zarling B, and Markel DC. The evaluation of comorbidities relative to length of stay for total joint arthroplasty patients. J Arthroplasty, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28012724>

Sanati-Mehrizy P, Massenburg BB, Rozehnal JM, Ingargiola MJ, Hernandez Rosa J, et al. Risk factors leading to free flap failure: Analysis from the national surgical quality improvement program database. J Craniofac Surg, 2016; 27(8):1956-64. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28005734>

Puvanesarajah V, Kirby DJ, Jain A, Werner BC, and Hassanzadeh H. Cost variation of anterior cervical fusions in elderly medicare beneficiaries. Spine (Phila Pa 1976), 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27997508>

Lalys F, Durrmann V, Dumenil A, Goksu C, Cardon A, et al. Systematic review and meta-analysis of preoperative risk factors of type ii endoleaks after endovascular aneurysm repair. Ann Vasc Surg, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27903482>

Kusnezov N, Bader J, and Blair J, Jr. Predictors of inpatient mortality and systemic complications in acetabular fractures requiring operative treatment. Orthopedics, 2016:1-6. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27942739>

Krause F, Younger AS, Baumhauer JF, Daniels TR, Glazebrook M, et al. Clinical outcomes of nonunions of hindfoot and ankle fusions. J Bone Joint Surg Am, 2016; 98(23):2006-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27926682>

Kong L, Liu Z, Meng F, and Shen Y. Smoking and risk of surgical site infection after spinal surgery: A systematic review and meta-analysis. Surg Infect (Larchmt), 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28004986>

Feldhammer M and Ritchie JC. Anabasine is a poor marker for determining smoking status of transplant patients. Clin Chem, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27986784>

Dahlin E, Zimmerman M, Bjorkman A, Thomsen NO, Andersson GS, et al. Impact of smoking and preoperative electrophysiology on outcome after open carpal tunnel release. J Plast Surg Hand Surg, 2016:1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27957868>

Courtney PM, Boniello AJ, and Berger RA. Complications following outpatient total joint arthroplasty: An analysis of a national database. J Arthroplasty, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28034481>

Cosnes J. Postoperative thiopurines in smokers with crohn's disease. Lancet Gastroenterol Hepatol, 2016; 1(4):262-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28404188>

Collett D, Friend PJ, and Watson CJ. Factors associated with short and long term liver graft survival in the united kingdom: Development of a uk donor liver index. *Transplantation*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27906826>

Cannady SB, Hatten KM, Bur AM, Brant J, Fischer JP, et al. Use of free tissue transfer in head and neck cancer surgery and risk of overall and serious complication(s): An american college of surgeons-national surgical quality improvement project analysis of free tissue transfer to the head and neck. *Head Neck*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28000297>

Calway T, Rubin DS, Moss HE, Joslin CE, Beckmann K, et al. Perioperative retinal artery occlusion: Risk factors in cardiac surgery from the united states national inpatient sample 1998-2013. *Ophthalmology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27914836>

Alomari AI, Alzoubi FQ, and Khatatbeh A. A case report of unusual pneumomediastinum after endoscopic sinus surgery. *Int J Surg Case Rep*, 2016; 29:249-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27931007>

Sloan A, Hussain I, Maqsood M, Eremin O, and El-Sheemy M. The effects of smoking on fracture healing. *Surgeon*, 2010; 8(2):111-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20303894

Sinha R, Singh V, and Sankhwar S. Does tobacco consumption influence outcome of oral mucosa graft urethroplasty? *Urology Journal*, 2010; 7(1):45-50. Available from: <http://www.urologyjournal.org/index.php/uj/article/view/574/430>

Nogueira J, Haririan A, Jacobs S, Cooper M, and Weir M. Cigarette smoking, kidney function, and mortality after live donor kidney transplant. *American Journal of Kidney Diseases*, 2010; 55(5):907-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20176427>

Kaylie D, Bennett M, Davis B, and Jackson C. Effects of smoking on otologic surgery outcomes. *Laryngoscope*, 2009; 119(7):1384-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19418530>

Arora S, Aukrust P, Andreassen A, Simonsen S, Gude E, et al. The prognostic importance of modifiable risk factors after heart transplantation. *American Heart Journal*, 2009; 158(3):431-6. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19699867

Araco F, Gravante G, Sorge R, Overton J, De Vita D, et al. The influence of bmi, smoking, and age on vaginal erosions after synthetic mesh repair of pelvic organ prolapses. A multicenter study. *Acta Obstetricia et Gynecologica Scandinavica*, 2009; 88(7):772-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19452293>

Abbas SM and Hill AG. Smoking is a major risk factor for wound dehiscence after midline abdominal incision; case-control study. *Australian and New Zealand Journal of Surgery*, 2009; 79(4):247-50. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122364626&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122364626/HTMLSTART>

Tsao C, Chen R, Chou N, Ko W, Chi N, et al. The influence of donor characteristics on survival after heart transplantation. *Transplantation Proceedings*, 2008; 40(8):2636–7. Available from: [http://linkinghub.elsevier.com/retrieve/pii/S0041-1345\(08\)01076-2](http://linkinghub.elsevier.com/retrieve/pii/S0041-1345(08)01076-2)

McCarthy C, Mehrara B, Riedel E, Davidge K, Hinson A, et al. Predicting complications following expander/implant breast reconstruction: An outcomes analysis based on preoperative clinical risk. *Plastic & Reconstructive Surgery*, 2008; 121(6):1886–92. Available from: <http://www.plasreconsurg.com/pt/re/prs/abstract.00006534-200806000-00002.htm;jsessionid=LVLGDPPrp2BnPy2Mmj4GQLXggJRI2pPDFcLRVFbh2JMn43x1vTY27!982088527!181195629!8091!-1>

Lindström D, Sadr Azodi O, Adamo J, Bellocchio R, Linder S, et al. Impact of body mass index and tobacco smoking on outcome after open appendectomy. *British Journal of Surgery*, 2008; 95(6):751–7. Available from: <http://www3.interscience.wiley.com/cgi-bin/fulltext/118639075/PDFSTART>

Leithead J, Ferguson J, and Hayes P. Smoking-related morbidity and mortality following liver transplantation. *Liver Transplantation*, 2008; 14(8):1159–64. Available from: <http://www3.interscience.wiley.com/cgi-bin/fulltext/121358287/PDFSTART>

Cundiff G, Varner E, Visco A, Zyczynski H, Nager C, et al. Risk factors for mesh/suture erosion following sacral colpopexy. *American Journal of Obstetrics and Gynecology*, 2008; 199(6):688 e1–5. Available from: [http://linkinghub.elsevier.com/retrieve/pii/S0002-9378\(08\)00810-7](http://linkinghub.elsevier.com/retrieve/pii/S0002-9378(08)00810-7)

Araco A, Gravante G, Sorge R, Araco F, Delogu D, et al. Wound infections in aesthetic abdominoplasties: The role of smoking. *Plastic And Reconstructive Surgery*, 2008; 121(5):e305–10. Available from: <http://www.plasreconsurg.com/pt/re/prs/abstract.00006534-200805000-00045.htm;jsessionid=LX1cvKLdqrlv69R8HILPKkJXJJRQvmJGznxLQJYYGvzQFvbZy1W!932896411!181195628!8091!-1>

Bartsch R, Weiss G, Kästenbauer T, Patocka K, Deutinger M, et al. Crucial aspects of smoking in wound healing after breast reduction surgery. *Journal of Plastic, Reconstructive & Aesthetic Surgery*, 2007; 60(9):1045–9. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B7XNJ-4N74JF2-8&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=a7fa0121f8317e38ffca36d80b1d2ae7

Padubidri A, Yetman R, Browne E, Lucas A, Papay F, et al. Complications of postmastectomy breast reconstructions in smokers, ex-smokers, and nonsmokers. *Plastic & Reconstructive Surgery*, 2001; 107(2):342–9. Available from: <http://lib.bioinfo.pl/pmid:11214048>

Moller AM, Maaloe R, and Pedersen T. Postoperative intensive care admittance: The role of tobacco smoking. *Acta Anaesthesiologica Scandinavica*, 2001; 45(3):345–8. Available from: <http://www3.interscience.wiley.com/journal/118965538/abstract>

3.15.1.3 Impact of smoking cessation

Herrero, C, Tang, A, Wasterlain, A, Sherman, S, Bosco, J, Lajam, C et al. (2020). Smoking cessation correlates with a decrease in infection rates following total joint arthroplasty. *J Orthop*, 21, 390-394. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32921947>

Phillips, JD, Fay, KA, Ramkumar, N, Hasson, RM, Fannin, AV, Millington, TM, & Finley, DJ. (2020). Long-term Outcomes of a Preoperative Lung Resection Smoking Cessation Program. *J Surg Res*, 254, 110-117. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428728>

Bohlin, KS, Lofgren, M, Lindkvist, H, & Milsom, I. (2020). Smoking cessation prior to gynecological surgery - a registry-based randomized trial. *Acta Obstet Gynecol Scand*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32170727>

Masoudkabir, F, Yavari, N, Pashang, M, Sadeghian, S, Jalali, A, Karimi, A et al. (2019). Smoking Cessation after Surgery and Mid-Term Outcomes of Surgical Revascularization. *Ann Thorac Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31706875>

Lee, SM. (2019). Perioperative smoking cessation programs should be standard-of-care. *Can J Anaesth*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30977101>

Benedetto U, Albanese A, Kattach H, Ruggiero D, De Robertis F, et al. Smoking cessation before coronary artery bypass grafting improves operative outcomes. *J Thorac Cardiovasc Surg*, 2014; 148(2):468-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24189314>

3.15.2 Drug interactions and treatment efficacy

Dayan-Schwartz, A, Elgani, SA, Abdul-Ghani, T, Zilberlicht, A, Kogan, L, Reiss, A, & Tal, A. (2024). The influence of smoking on the efficacy of a single-dose methotrexate treatment for ectopic pregnancy. *Int J Gynaecol Obstet*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39475443>

Baker, E, Harris, WT, Guimbellot, JS, Bliton, K, Rowe, SM, Raju, SV, & Oates, GR. (2024). Association between biomarkers of tobacco smoke exposure and clinical efficacy of ivacaftor in the G551D observational trial (GOAL). *J Cyst Fibros*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39033068>

Becker, F, Pollmann, NS, Funke-Kaiser, R, Gorlich, D, Katou, S, Morgul, H et al (2024). Effect of Donor Cigarette Smoking in Kidney Transplantation: Re-Evaluation of Long-Term Outcomes. *Transpl Int*, 37, 12955. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38979119>

Bellanca, CM, Augello, E, Di Benedetto, G, Burgaletto, C, Cantone, AF, Cantarella, G et al . (2024). A web-based scoping review assessing the influence of smoking and smoking cessation on antidiabetic drug metabolism: implications for medication efficacy. *Front Pharmacol*, 15, 1406860. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38957391>

Gaither, KA, Singh, DK, Yue, G, Trudeau, J, Ponraj, K, Davydova, NY et al. (2024). Effects of alcohol consumption and tobacco smoking on the composition of the ensemble of drug metabolizing enzymes and transporters in human liver. *bioRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38798409>

Plakogiannis, FA, Weidmann, J, Fraser, B, Kwong, J, Asi, D, Kumar, P et al. (2024). Investigation of smoking on the antiplatelet response to clopidogrel: Unravelling the smoker's paradox. *Pathol Res Pract*, 257, 155290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38640781>

So, R, Tsukahara, M, Nakajima, S, & Takeuchi, H. (2023). Restarting Smoking After Discharge from Clozapine In-Patient Initiation: Elevated Rehospitalization Rates. *Psychiatry Clin Neurosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38105641>

Bastrup Soendergaard, M, Hansen, S, Bjerrum, AS, von Bulow, A, Haakansson, KEJ, Hilberg, O et al. (2023). Tobacco Exposure and Efficacy of Biologic Therapy in Patients With Severe Asthma: A Nationwide Study From the Danish Severe Asthma Register. *J Allergy Clin Immunol Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37832820>

Yelehe-Okouma, M, Charrois-Sciaudeau, S, Tyvaert, L, Bertoni, N, & Gambier, N. (2023). Therapeutic drug monitoring as an essential tool to ensure clozapine efficacy and prevent its toxicity in smokers: a case report. *Eur J Clin Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37740750>

Campbell, JR, Chan, ED, Anderson, LF, Bonnet, M, Brode, SK, Cegielski, JP et al (2023). Association of smoking and alcohol use with rifampin-resistant TB treatment outcomes. *Int J Tuberc Lung Dis*, 27(4), 338-340. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37035974>

Tan, Q, Moller, AMJ, Qiu, C, Madsen, JS, Shen, H, Bechmann, T et al. (2023). A variability in response of osteoclasts to zoledronic acid is mediated by smoking-associated modification in the DNA methylome. *Clin Epigenetics*, 15(1), 42. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36915112>

Al-Attrache, H, Halloum, I, Hammoud, L, El Ghoz, K, & Abdel-Razzak, Z. (2022). Cigarette smoke interacts with amiodarone toxicity in *Saccharomyces cerevisiae*. *J Appl Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36343010>

Nam, B, Koo, BS, Choi, N, Shin, JH, Lee, S, Joo, KB, & Kim, TH. (2022). The impact of smoking status on radiographic progression in patients with ankylosing spondylitis on anti-tumor necrosis factor treatment. *Front Med (Lausanne)*, 9, 994797. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36325390>

Lenk, HC, Lovsletten Smith, R, O'Connell, KS, Jukic, MM, Kringen, MK, Andreassen, OA et al. (2022). Impact of NFIB and CYP1A variants on clozapine serum concentration - a retrospective naturalistic cohort study on 526 patients with known smoking habits. *Clin Transl Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36152308>

Michelsen, B, Berget, KT, Kavanaugh, A, & Haugeberg, G. (2022). Association between TNFi anti-drug antibodies, smoking, and disease activity in patients with inflammatory arthritis: Results from a Norwegian cross-sectional observational study. *Rheumatol Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35594016>

Bilal, R, Ahmad, NS, Zaffar, S, Mazhar, MU, Siddiqui, WA, & Tariq, S. (2022). Rasagiline Pharmacokinetics in CYP1A2 Variant Healthy Smokers & Non-smokers in Different Doses. *Pak J Med Sci*, 38(3Part-I), 589-594. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35480532>

Hasselblad Lundstrom, N, Holgersen, NK, & Haastrup, MB. (2021). The effect of smoking on the plasma concentration of tricyclic antidepressants - a systematic review. *Acta Neuropsychiatr*, 1-24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34497000>

Cho, SS, Jo, SH, Kim, HJ, Lee, MH, Seo, WW, Kim, HL et al(2021). Smoking may be more harmful to vasospastic angina patients who take antiplatelet agents due to the interaction: Results of Korean prospective multi-center cohort. *PloS One*, 16(4), e0248386. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33798225>

Reddy, RT, & Nyunoya, T. (2021). Identification of novel pregnane X receptor (PXR) agonists by In silico and biological activity analyses and reversal of cigarette smoke-induced PXR downregulation. *Biochem Biophys Res Commun*, 555, 1-6. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33812052>

Zang, YN, Dong, F, Li, AN, Wang, CY, Guo, GX, Wang, Q et al(2021). The Impact of Smoking, Sex, Infection, and Comedication Administration on Oral Olanzapine: A Population Pharmacokinetic Model in Chinese Psychiatric Patients. *Eur J Drug Metab Pharmacokinet*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33677821>

Iannone, M, Janowska, A, Bartolomei, G, Puntoni, M, Oranges, T, Romanelli, M, & Dini, V. (2021). Systemic antibiotics in hidradenitis suppurativa: efficacy and effects of body mass index and smoking pack-year on the response to therapy. *Dermatol Ther*, e14919. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33634552>

Jogiraju, VK, Heimbach, T, Toderika, Y, & Taft, DR. (2020). Physiologically based pharmacokinetic modeling of altered tizanidine systemic exposure by CYP1A2 modulation: Impact of drug-drug interactions and cigarette consumption. *Drug Metab Pharmacokinet*, 37, 100375. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33561738>

Safy-Khan, M, de Hair, MJH, Welsing, PMJ, van Laar, JM, Jacobs, JWG, & Society for Rheumatology research, U. (2021). Current smoking negatively affects the response to methotrexate in RA in a dose-responsive way, independently of concomitant prednisone use. *J Rheumatol*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33526623>

Welty, TE, Gidal, BE, Duan, J, Privitera, MD, Berg, MJ, Krebill, R et al (2021). Coffee and cigarette smoking interactions with lamotrigine. *Epilepsy Behav*, 116, 107741. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33493803>

Baker, E Harris, WT Rowe, SM Rutland, SB & Oates, GR. (2020). Tobacco smoke exposure limits the therapeutic benefit of tezacaftor/ivacaftor in pediatric patients with cystic fibrosis. *J Cyst Fibros*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33023836>

Wagner, E, McMahon, L, Falkai, P, Hasan, A, & Siskind, D. (2020). Impact of smoking behavior on clozapine blood levels - a systematic review and meta-analysis. *Acta Psychiatr Scand*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/32869278>

Lorenzo-Gomez, MF, Santos-Antunes, MT, Nieto-Huertos, A, Lorenzo-Gomez, A, Marquez-Sanchez, MT, Flores-Fraile, MC et al (2020). The influence of smoking on bacterial resistance after vaccine or antibiotic prophylaxis against recurrent urinary tract infections. *Actas Urol Esp*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/32595091>

Ramotowski, B, Gurbel, PA, Tantry, U, Bracha, JS, Karazniewicz-Lada, M, Lewandowski, Z, & Budaj, A. (2020). Effect of Smoking Cessation on the Pharmacokinetics and Pharmacodynamics of Clopidogrel after PCI: The Smoking Cessation Paradox Study. *Thrombosis and Haemostasis*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31940672>

Romantowski, J, Specjalski, K, Jakub, L, Wasilewska, E, Chelminska, M, Jassem, E, & Niedoszytko, M. (2019). Smoking history is negatively associated with allergen specific immunotherapy efficacy: a retrospective analysis. *Postepy Dermatol Alergol*, 36(6), 673-676. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31997993>

Harrison, K, Petersen, A, Tosun, N, Crist, K, Allen, AM, & Allene, S. (2019). Effect of exogenous progesterone administration on cigarette smoking-related symptomology in oral contraceptive users who smoke. *Addict Behav*, 102, 106148. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31706140>

Matapa, KG, Dix-Peek, T, Cockeran, R, Anderson, R, Steel, HC, & Feldman, C. (2019). Cigarette smoke exposure induces expression of the pneumococcal erm(B) macrolide resistance gene. *Tob Induc Dis*, 17, 82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31772560>

Zhao, H, Wang, P, Ma, C, & Wang, C. (2019). Smoking Attenuates Efficacy of Penicillamine Hydrochloride in Acute Respiratory Distress Syndrome Induced by Lipopolysaccharide in Rats. *Med Sci Monit*, 25, 7295-7305. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31562811>

Tashkin, DP, Goodin, T, Bowling, A, Price, B, Ozol-Godfrey, A, Sharma, S, & Sanjar, S. (2019). Effect of smoking status on lung function, patient-reported outcomes, and safety among COPD patients treated with glycopyrrolate inhalation powder: pooled analysis of GEM1 and GEM2 studies. *Respir Res*, 20(1), 135. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31344660>

Tashkin, DP, Goodin, T, Bowling, A, Price, B, Ozol-Godfrey, A, Sharma, S, & Sanjar, S. (2019). Effect of smoking status on lung function, patient-reported outcomes, and safety among patients with COPD treated with indacaterol/glycopyrrolate: Pooled analysis of the FLIGHT1 and FLIGHT2 studies. *Respir Med*, 155, 113-120. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31266489>

Augustin, M, Schoretsanitis, G, Pfeifer, P, Grunder, G, Liebe, C, & Paulzen, M. (2019). Effect of fluvoxamine augmentation and smoking on clozapine serum concentrations. *Schizophr Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31182321>

Ennezat, PV, Guerbaai, RA, & Marechaux, S. (2019). Studies Evaluating Statin Adherence and Outcome Should Adjust for Smoking Persistence and Antiplatelet Treatment Discontinuation. *JAMA Cardiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31241731>

Rodriguez, F, Maron, DJ, & Heidenreich, PA. (2019). Studies Evaluating Statin Adherence and Outcome Should Adjust for Smoking Persistence and Antiplatelet Treatment Discontinuation-Reply. *JAMA Cardiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31241723>

Chui, CY, Taylor, SE, Thomas, D, & George, J. (2019). Prevalence and recognition of highly significant medication-smoking cessation interactions in a smoke-free hospital. *Drug and Alcohol Dependence*, 200, 78-81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31108404>

Szakanecz, Z, Koncz, A, Dunkel, J, Vencovsky, J, & collaborators, C. (2019). Cigarette smoking and clinical response to certolizumab pegol treatment in Hungarian, Czech, and Slovak patients with rheumatoid arthritis: 104-week data from the CIMDORA prospective, non-interventional study. *Clin Exp Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30963993>

Papi, A, Zheng, J, Criner, GJ, Fabbri, LM, & Calverley, PMA. Impact of smoking status and concomitant medications on the effect of high-dose N-acetylcysteine on chronic obstructive

pulmonary disease exacerbations: A post-hoc analysis of the PANTHEON study. *Respir Med*, 2019. 147, 37-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30704697>

Beckett, RD, Stump, CD, & Dyer, MA. Evaluation of drug information resources for drug-ethanol and drug-tobacco interactions. *J Med Libr Assoc*, 2019. 107(1), 62-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30598650>

Etcheson, JI, Gwam, CU, George, NE, Walia, N, Jerjian, C, Han, GR et al. Opiate Pain Medication Consumption in Cigarette Smokers following Total Hip Arthroplasty. *Joints*, 2018. 6(3), 157-160. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30582103>

Gafar, F, Boudewijn, IM, Cox, CA, Vonk, JM, Schokker, S., Lexmond, AJ et al. Predictors of clinical response to extrafine and non-extrafine particle inhaled corticosteroids in smokers and ex-smokers with asthma. *Respir Res*, 2018; 19(1), 256. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30563522>

Augustin, M, Schoretsanitis, G, Hiemke, C, Grunder, G, Haen, E, & Paulzen, M. Differences in Duloxetine Dosing Strategies in Smoking and Nonsmoking Patients: Therapeutic Drug Monitoring Uncovers the Impact on Drug Metabolism. *J Clin Psychiatry*, 2018. 79(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30192450>

Parodis I, Sjowall C, Jonsen A, Ramskold D, Zickert A, et al. Smoking and pre-existing organ damage reduce the efficacy of belimumab in systemic lupus erythematosus. *Autoimmun Rev*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28216072>

Masjedi MR, Hosseini M, Aryapur M, Mortaz E, Tabarsi P, et al. The effects of smoking on treatment outcome in patients newly diagnosed with pulmonary tuberculosis. *Int J Tuberc Lung Dis*, 2017; 21(3):351-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28225348>

Itskoviz D, Boltin D, Leibovitz H, Tsadok Perets T, Comaneshter D, et al. Smoking increases the likelihood of helicobacter pylori treatment failure. *Dig Liver Dis*, 2017; 49(7):764-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28427781>

Bossard M, Granger CB, Tanguay JF, Montalescot G, Faxon DP, et al. Double-dose versus standard-dose clopidogrel according to smoking status among patients with acute coronary syndromes undergoing percutaneous coronary intervention. *J Am Heart Assoc*, 2017; 6(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29101117>

Barker AK, Van Galen A, Sethi AK, Shirley D, and Safdar N. Tobacco use as a screener for clostridium difficile infection outcomes. *J Hosp Infect*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28655511>

Zimmermann T, Hueppe D, Mauss S, Buggisch P, Pfeiffer-Vornkahl H, et al. Effects of smoking on pegylated interferon alpha 2a and first generation protease inhibitor-based antiviral therapy in naive patients infected with hepatitis c virus genotype 1. *J Gastrointestin Liver Dis*, 2016; 25(1):15-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27014750>

Young-Wolff KC, Klebaner D, Weisner C, Von Korff M, and Campbell CI. Smoking status and opioid related problems and concerns among men and women on chronic opioid therapy. *Clin J Pain*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27898458>

Verplaetse TL and McKee SA. An overview of alcohol and tobacco/nicotine interactions in the human laboratory. *Am J Drug Alcohol Abuse*, 2016;1-11. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27439453>

Sayyed K, Vee ML, Abdel-Razzak Z, Jouan E, Stieger B, et al. Alteration of human hepatic drug transporter activity and expression by cigarette smoke condensate. *Toxicology*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27450509>

Lau SL, Muir C, Assur Y, Beach R, Tran B, et al. Predicting weight gain in patients treated with clozapine: The role of sex, body mass index, and smoking. *J Clin Psychopharmacol*, 2016; 36(2):120-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26872115>

Gurbel PA, Bliden KP, Baker BA, Dahlen J, and Tantry US. Cigarette smoking, clopidogrel responsiveness, and hemoglobin level. *JACC Cardiovasc Interv*, 2016; 9(22):2364. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/27884365>

Guerbaai RA and Ennezat PV. Benefit of statin therapy in current smokers: Need for stronger evidence? *Arch Cardiovasc Dis*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26988838>

Garrett M, Taylor T, Mould DR, Amantea MA, Chen Y, et al. Lack of effect of smoking status on axitinib pharmacokinetics in patients with non-small-cell lung cancer. *Cancer Chemother Pharmacol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27783139>

Frey R, Becker C, Unger S, Schmidt A, Wensing G, et al. Assessment of the effects of renal impairment and smoking on the pharmacokinetics of a single oral dose of the soluble guanylate cyclase stimulator riociguat (bay 63-2521). *Pulm Circ*, 2016; 6(Suppl 1):S15-26. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27162624>

Frey R, Becker C, Unger S, Schmidt A, Wensing G, et al. Assessment of the effects of hepatic impairment and smoking on the pharmacokinetics of a single oral dose of the soluble guanylate cyclase stimulator riociguat (bay 63-2521). *Pulm Circ*, 2016; 6(Suppl 1):S5-S14. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27162628>

Anderson GD and Chan LN. Pharmacokinetic drug interactions with tobacco, cannabinoids and smoking cessation products. *Clin Pharmacokinet*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27106177>

Yoon JH, Lane SD, and Weaver MF. Opioid analgesics and nicotine: More than blowing smoke. *J Pain Palliat Care Pharmacother*, 2015;1-9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26375198>

Xing L, Ye L, Zhu W, Shen L, Huang F, et al. Smoking was associated with poor response to intravenous steroids therapy in graves' ophthalmopathy. *Br J Ophthalmol*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26061160>

Ten Bokum EM, van de Oever HL, Radstake DW, and Arbouw ME. Clozapine intoxication due to cessation of smoking and infection. *Neth J Med*, 2015; 73(7):345-7. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26314718>

Steinberg MB, Akincigil A, Kim EJ, Shallis R, and Delnevo CD. Tobacco smoking as a risk factor for increased antibiotic prescription. *Am J Prev Med*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26702478>

Sohn HS, Kim H, Song IS, Lim E, Kwon M, et al. Evidence supporting the need for considering the effects of smoking on drug disposition and effectiveness in medication practices: A systematic narrative review. *Int J Clin Pharmacol Ther*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26104035>

Oh HY, Kim MK, Seo SS, and Lee JK. Association of combined tobacco smoking and oral contraceptive use with cervical intraepithelial neoplasia 2 or 3 in korean women. *J Epidemiol*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26441210>

Mendelsohn C. Antiplatelet drugs and the smokers' paradox. *Aust Prescr*, 2015; 38(4):111-3.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26648634>

Mahmud A, Wadi H, Feely J, and Silke B. 7b.07: Cigarette smoking reduces blood pressure response to antihypertensive treatment in newly diagnosed hypertensive patients. *J Hypertens*, 2015; 33 Suppl 1:e94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26102975>

Li H and Shi Q. Drugs and diseases interacting with cigarette smoking in us prescription drug labelling. *Clin Pharmacokinet*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25701380>

Gressier F, Rotenberg S, Ait Tayeb AE, Colle R, Hardy P, et al. Tobacco consumption concerns with the use of cyp1a2 metabolized antidepressants. *Am J Psychiatry*, 2015; 172(9):909-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26324305>

Kreuz J, Skowasch D, Kamrath P, Lorenzen H, Tiyerili V, et al. Influence of smoking dosage and chronic obstructive lung disease on the incidence of appropriate therapies and mortality in patients with structural heart disease and an implantable cardioverter defibrillator. *Pacing Clin Electrophysiol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25196490>

Hirschl MM. Smoking status and the effects of antiplatelet drugs. *British Medical Journal*, 2013; 347:f5909. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24473451>

Nathisuwan S, Dilokthornsakul P, Chaiyakunapruk N, Morarai T, Yodting T, et al. Assessing evidence of interaction between smoking and warfarin: A systematic review and meta-analysis. *Chest*, 2011; 139(5):1130–9. Available from: <http://chestjournal.chestpubs.org/content/139/5/1130.long>

van Dijk W, Heijdra Y, Scheepers P, Lenders J, van Weel C, et al. Interaction in copd experiment (ice): A hazardous combination of cigarette smoking and bronchodilation in chronic obstructive pulmonary disease. *Medical Hypotheses*, 2010; 74(2):277–80. Available from:
<http://www.ncbi.nlm.nih.gov/19800175>

Sweeney B and Grayling M. Smoking and anaesthesia: The pharmacological implications. *Anaesthesia*, 2009; 64(2):179–86. Available from:
<http://www3.interscience.wiley.com/journal/121575043/abstract>

Schaffer SD, Yoon S, and Zadezensky I. A review of smoking cessation: Potentially risky effects on prescribed medications. *Journal of Clinical Nursing*, 2009; 18(11):1533–40. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2702.2008.02724.x/abstract>

Braganza G, Chaudhuri R, and Thomson N. Treating patients with respiratory disease who smoke. *Therapeutic Advances in Respiratory Disease*, 2008; 2(2):95–107. Available from: <http://tar.sagepub.com/cgi/reprint/2/2/95>

Ahmad T, Barnes PJ, and Adcock IM. Overcoming steroid insensitivity in smoking asthmatics. *Current Opinion in Investigational Drugs*, 2008; 9(5):470–7. Available from: <http://www.biomedcentral.com/1472-4472/9/470>

Gritz ER, Dresler C, and Sarna L. Smoking, the missing drug interaction in clinical trials: Ignoring the obvious. *Cancer Epidemiology Biomarkers & Prevention*, 2005; 14:2287–93. Available from: <http://cebp.aacrjournals.org/content/14/10/2287.full.pdf>

Benowitz N. Drug therapy: Pharmacologic aspects of cigarette smoking and nicotine addiction. *New England Journal of Medicine*, 1988; 319(20):1318–30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/3054551>

3.15.3 Cardiovascular disease

Lin, MJ, Lin, HD, Cai, CZ, Chuang, MJ, Yang, FC, Chiang, KF, & Wu, HP. (2024). Effect of statin on long-term outcomes in persistent tobacco users receiving percutaneous coronary intervention: A longitudinal, retrospective cohort study. *Medicine (Baltimore)*, 103(45), e40463. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39533600>

Kinlay, S, Young, MM, & Gagnon, DR. (2024). Smoking and 10-year risk of cardiovascular and non-cardiovascular events after contemporary coronary stenting. *Am J Prev Cardiol*, 19, 100718. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39247537>

Nikolic, A, Sousa-Uva, M, Arora, RC, & Milojevic, M. (2024). Raising awareness of risks associated with smoking in cardiac surgery patients: a call to action. *Eur J Cardiothorac Surg*, 65(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38889279>

Abreu, A Maximo, J & Leite-Moreira, A. (2024). Preoperative smoking status and long-term survival after coronary artery bypass grafting: a competing risk analysis. *Eur J Cardiothorac Surg*, 65(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38688560>

Irie, F, Matsuo, R, Mezuki, S, Wakisaka, Y, Kamouchi, M, Kitazono, T et al. (2024). Effect of smoking status on clinical outcomes after reperfusion therapy for acute ischemic stroke. *Sci Rep*, 14(1), 9290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38654009>

Lai, YL, Gan, CCR, Nfor, ON, Lu, WY, Lee, SS, & Liaw, YP. (2023). The association between smoking cessation and lifestyle/genetic variant rs6265 among the adult population in Taiwan. *Sci Rep*, 13(1), 22622. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38088539>

Gaalema, DE, Khadanga, S, & Pack, QR. (2023). Clinical challenges facing patient participation in cardiac rehabilitation: cigarette smoking. *Expert Rev Cardiovasc Ther*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37938825>

Roosendaal, LC, van Os, TEK, van Es, N, Hoebink, M, Wiersema, AM, Blankensteijn, JD, & Jongkind, V. (2023). The Effect of Smoking on the Activated Clotting Time and the Incidence of Complications in Noncardiac Arterial Procedures. *J Endovasc Ther*, 15266028231207027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37887702>

Garcia-Moll, X. (2023). Where there is smoke there is risk: is there an irreversible threshold? *Eur Heart J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37850511>

Byeon, J. Y., Cho, C. K., Kang, P., Kim, S. H., Jang, C. G., Lee, S. Y., & Lee, Y. J. (2023). Effects of CYP2D6 and CYP2C19 genetic polymorphisms and cigarette smoking on the pharmacokinetics of tolperisone. *Arch Pharm Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37728834>

Zhou, H, Pan, Y, Chen, W, Suo, Y, Yan, H, Meng, X et al. (2023). Smokers with Elevated Glycated Albumin Could Not Benefit from Dual Antiplatelet Therapy After Minor Stroke or Transient Ischemic Attack. *Cerebrovasc Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37263240>

Al-Attrache, H, Halloum, I, Hammoud, L, El Ghaz, K, & Abdel-Razzak, Z. (2022). Cigarette smoke interacts with amiodarone toxicity in *Saccharomyces cerevisiae*. *J Appl Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36343010>

Mohammadi, SS, Zibaeenezhad, MJ, Sayadi, M, Khorshidi, S, Hadiyan, E, & Razeghian-Jahromi, I. (2021). The Impact of Smoking on Clinical Outcomes after Percutaneous Coronary Intervention in Women Compared to Men. *Journal of Interventional Cardiology*, 2021, 6619503. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33815003>

Zhang, X, Peng, X, Li, L, Yu, H, & Yu, B. (2021). Persistent Cigarette Smoking Attenuates Plaque Stabilization in Response to Lipid-Lowering Therapy: A Serial Optical Coherence Tomography Study. *Front Cardiovasc Med*, 8, 616568. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33859999>

Parasuraman, S, Zaman, AG, Egred, M, Bagnall, A, Broadhurst, PA, Ahmed, J et al (2020). Smoking status and mortality outcomes following percutaneous coronary intervention. *Eur J Prev Cardiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33611373>

Bolivar, HA, Elliott, RJ, Middleton, W, Yoon, JH, Okoli, CTC, Haliwa, I et al. (2020). Social Smoking Environment and Associations With Cardiac Rehabilitation Attendance. *J Cardiopulm Rehabil Prev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32925296>

Xu, HB, Wang, J, Chen, JL, Guo, C, Yuan, JS, Duan, X et al. (2020). Impacts of smoking status on the clinical outcomes of coronary non-target lesions in patients with coronary heart disease: a single-center angiographic study. *Chin Med J (Engl)*, 133(19), 2295-2301. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32925280>

Imamura, T, Combs, P, Siddiqi, U, Besser, S, Juricek, C, Mirzai, S, & Jeevanandam, V. (2020). Sex difference in the impact of smoking on left ventricular assist device outcomes. *J Card Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32741008>

Kufner, A, Ebinger, M, Luijckx, GJ, Endres, M, & Siegerink, B. (2020). Smoking Does Not Alter Treatment Effect of Intravenous Thrombolysis in Mild to Moderate Acute Ischemic Stroke-A Dutch String-of-Pearls Institute (PSI) Stroke Study. *Front Neurol*, 11, 786. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32849233>

Nemukula, M, Mogale, MA, Mkhondo, HB, & Bekker, L. (2020). Association of Carboxyhemoglobin Levels with Peripheral Arterial Disease in Chronic Smokers Managed at Dr George Mukhari Academic Hospital. *Int J Environ Res Public Health*, 17(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32748882>

Noguchi, KS, Pryzbek, M, Moncion, K, McQuarrie, A, MacDonald, MJ, & Tang, A. (2020). A history of smoking does not reduce long-term benefits of cardiac rehabilitation on cardiorespiratory fitness in men and women with cardiovascular disease. *Appl Physiol Nutr Metab*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32813977>

Ohiomoba, RO, Youmans, QR, Akanyirige, PW, Ezema, AU, Anderson, AS, Bryant, A et al. (2020). History of cigarette smoking and heart transplant outcomes. *Int J Cardiol Heart Vasc*, 30, 100599. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32775604>

Nicolas, D, El Mouhayyar, C, Nicolas, S, Talj, J, Hattar, L, & Alhudairy, M. (2020). Subtherapeutic INR due to warfarin interaction with smokeless tobacco. *J Thromb Haemost*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32794311>

Youmans, QR, Zhou, A, Harap, R, Eskender, MH, Anderson, AS, Ezema, AU et al. (2020). Association of cigarette smoking and adverse events in left ventricular assist device patients. *Int J Artif Organs*, 391398820948874. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32794429>

Bonhorst, D. (2020). Atrial fibrillation: Relationship with smoking and risk identification on the electrocardiogram. *Rev Port Cardiol*, 39(7), 415-416. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32690228>

Li, Y, Nieuwenhuis, LM, Werner, MJM, Voskuil, MD, Gacesa, R, Blokzijl, H et al (2020). Donor tobacco smoking is associated with postoperative thrombosis after primary liver transplantation. *J Thromb Haemost*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32614986>

Rotimi, OR, Ajani, IF, Penwell, A, Lari, S, Walker, B, & Nathaniel, TI. (2020). In acute ischemic stroke patients with smoking incidence, are more women than men more likely to be included or excluded from thrombolysis therapy? *Womens Health (Lond)*, 16, 1745506520922760. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32459136>

Kim, TI, Zhang, Y, Amin, HP, & Ochoa Chaar, CI. (2020). Presentation and outcomes of carotid endarterectomy in active smokers. *J Vasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32249043>

Kouvelos, G, Spanos, K, Giannoukas, AD, & Mavroforou, A. (2020). Can we refuse revascularization in current smokers suffering from chronic limb threatening ischemia? *Ann Vasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32339683>

Li, M, Feng, L, Li, X, Gao, R, & Wu, Y. (2020). Influences of Smoking Status on Effectiveness of Cytochrome P450 Enzyme System Metabolized Medications in Reducing In-Hospital Death in 14 658 Patients With Acute Myocardial Infarction: Data From CPACS-3 Study. *J Cardiovasc Pharmacol Ther*, 1074248420921304. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32338045>

Tamaki, M, Nakasone, H, Kawamura, M, Kawamura, S, Takeshita, J, Yoshino, N et al. (2020). Effect of smoking on outcomes of allogeneic transplantation: a single center analysis. *Biol Blood Marrow Transplant*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32200122>

Combs, P, Immamura, T, Siddiqi, U, Spiller, RE, Williamson, R, Mirzai, S et al. (2020). Effect of tobacco smoking on outcomes after left ventricular assist device implantation. *Artificial Organs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32017136>

Flather, M, & Ayton, S. (2020). Smoking and antiplatelet therapy after acute coronary syndromes. *Eur Heart J Cardiovasc Pharmacother*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32097455>

Orban, M, Trenk, D, Geisler, T, Rieber, J, Hadamitzky, M, Gross, L et al. (2019). Smoking and Outcomes Following Guided De-escalation of Antiplatelet Treatment in Acute Coronary Syndrome Patients: A Substudy from the Randomized TROPICAL-ACS Trial. *Eur Heart J Cardiovasc Pharmacother*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855244>

Schlemm, L, Kufner, A, Boutitie, F, Nave, AH, Gerloff, C, Thomalla, G et al. (2019). Current Smoking Does Not Modify the Treatment Effect of Intravenous Thrombolysis in Acute Ischemic Stroke Patients-A Post-hoc Analysis of the WAKE-UP Trial. *Front Neurol*, 10, 1239. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31824412>

Gupta, R, Kirtane, AJ, Liu, Y, Crowley, A, Witzenbichler, B, Rinaldi, MJ et al. (2019). Impact of Smoking on Platelet Reactivity and Clinical Outcomes After Percutaneous Coronary Intervention: Findings From the ADAPT-DES Study. *Circ Cardiovasc Interv*, 12(11), e007982. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31672031>

Qintar, M, Li, Z, Vemulapalli, S, Chhatriwalla, AK, Baron, SJ, Kosinski, AS et al. (2019). Association of Smoking Status With Long-Term Mortality and Health Status After Transcatheter Aortic Valve Replacement: Insights From the Society of Thoracic Surgeons/American College of Cardiology Transcatheter Valve Therapy Registry. *J Am Heart Assoc*, 8(16), e011766. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31423877>

Kirkpatrick, AC, Vincent, AS, Dale, GL, & Prodan, CI. (2019). Clopidogrel use and smoking cessation result in lower coated-platelet levels after stroke. *Platelets*, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31043107>

Schlieder, I, Richard, M, Nacar, A, Rieger, R, Bethge, A, Vijayakumar, S, & Dietzek, A. (2019). Active Tobacco Use in Patients with Claudication Does Not Affect Outcomes Following Endovascular Interventions. *Ann Vasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31103674>

Scarpa, J, Bruzelius, E, Doupe, P, Le, M, Faghmous, J, & Baum, A. (2019). Assessment of Risk of Harm Associated With Intensive Blood Pressure Management Among Patients With Hypertension Who Smoke: A Secondary Analysis of the Systolic Blood Pressure Intervention Trial. *JAMA Netw Open*, 2(3), e190005. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30848803>

Chen, CJ, Ding, D, Ironside, N, Buell, TJ, Southerland, AM, Koch, S et al. Cigarette Smoking History and Functional Outcomes After Spontaneous Intracerebral Hemorrhage. *Stroke*, 2019. 50(3), 588-594. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30732556>

Ma, WQ, Wang, Y, Sun, XJ, Han, XQ, Zhu, Y, Yang, R, & Liu, NF. Impact of smoking on all-cause mortality and cardiovascular events in patients after coronary revascularization with a percutaneous coronary intervention or coronary artery bypass graft: a systematic review and meta-analysis. *Coron Artery Dis*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30629001>

Steele, L, Palmer, J, Lloyd, A, Fotheringham, J, Iqbal, J, & Grech, ED. The impact of smoking on mortality after acute ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: a retrospective cohort outcome study at 3 years. *J Thromb Thrombolysis*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30666553>

Kurmann R, Engelter ST, Michel P, Luft AR, Wegener S, et al. Impact of smoking on clinical outcome and recanalization after intravenous thrombolysis for stroke: Multicenter cohort study. *Stroke*, 2018; 49(5):1170-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29636423>

Ursoniu S, Mikhailidis DP, Serban MC, Penson P, Toth PP, et al. The effect of statins on cardiovascular outcomes by smoking status: A systematic review and meta-analysis of randomized controlled trials. *Pharmacol Res*, 2017; 122:105-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28602797>

Lotan K, Goldbourt U, and Gerber Y. Smoking status and incidence of cancer after myocardial infarction: A follow-up study of over 20 years. *Am J Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28396231>

Gabel J, Jabo B, Patel S, Kiang S, Bianchi C, et al. Smoking habits of patients undergoing treatment for intermittent claudication in the vascular quality initiative. *Ann Vasc Surg*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28522329>

Venkatason P, Salleh NM, Zubairi Y, Hafidz I, Ahmad WA, et al. The bizarre phenomenon of smokers' paradox in the immediate outcome post acute myocardial infarction: An insight into the malaysian national cardiovascular database-acute coronary syndrome (ncvd-acrs) registry year 2006-2013. *Springerplus*, 2016; 5:534. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27186498>

Rouchaud A, Brinjikji W, Cloft HJ, Lanzino G, Becske T, et al. Smoking does not affect occlusion rates and morbidity-mortality after pipeline embolization for intracranial aneurysms. *AJNR Am J Neuroradiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26797135>

Patti G, Polacco M, Taurino E, Gaudio C, and Greco C. Effects of cigarette smoking on platelet reactivity during p2y12 inhibition in patients with myocardial infarction undergoing drug-eluting stent implantation: Results from the prospective cigarette smoking on platelet reactivity (copter) study. *J Thromb Thrombolysis*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26849144>

Pasin L, Nardelli P, Belletti A, Greco M, Landoni G, et al. Pulmonary complications after open abdominal aortic surgery: A systematic review and meta-analysis. *J Cardiothorac Vasc Anesth*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27988091>

Najafi M, Jahangiry L, Mortazavi SH, Jalali A, Karimi A, et al. Outcomes and long-term survival of coronary artery surgery: The controversial role of opium as risk marker. *World J Cardiol*, 2016; 8(11):676-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27957254>

Huseyin S, Yuksel V, Guclu O, Turan FN, Canbaz S, et al. Comparison of early period results of blood use in open heart surgery. *J Res Med Sci*, 2016; 21:28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27904574>

Hosaka A, Nemoto M, and Miyata T. Outcomes of conservative management of spontaneous celiac artery dissection. *J Vasc Surg*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28017582>

Arsenault BJ, Perrot N, and Couture P. Does lifestyle contribute to disease severity in patients with inherited lipid disorders? *Curr Opin Lipidol*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28030378>

Jang JS, Buchanan DM, Gosch KL, Jones PG, Sharma PK, et al. Association of smoking status with health-related outcomes after percutaneous coronary intervention. *Circ Cardiovasc Interv*, 2015; 8(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25969546>

Gaalema DE, Cutler AY, Higgins ST, and Ades PA. Smoking and cardiac rehabilitation participation: Associations with referral, attendance and adherence. *Prev Med*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25900804>

Weinberger AH, Mazure CM, McKee SA, and Caulin-Glaser T. The association of tobacco use and gender to cardiac rehabilitation outcomes: A preliminary investigation. *J Subst Use*, 2014; 19(1-2):171-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24817825>

Saxena A, Shan L, Dinh DT, Reid CM, Smith JA, et al. Impact of smoking status on outcomes after concomitant aortic valve replacement and coronary artery bypass graft surgery. *Thorac Cardiovasc Surg*, 2014; 62(1):52-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24163261>

Sawyer KN and Lundbye JB. History of smoking: A form of ischemic preconditioning? Implications for surviving cardiac arrest. *Resuscitation*, 2014; 85(1):13-4. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24387873>

Rollini F, Franchi F, Cho JR, Degroat C, Bhatti M, et al. Cigarette smoking and antiplatelet effects of aspirin monotherapy versus clopidogrel monotherapy in patients with atherosclerotic disease: Results of a prospective pharmacodynamic study. *J Cardiovasc Transl Res*, 2014; 7(1):53-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24395495>

Roberts A. Cardiac resuscitation: The 'smoker's paradox' after in-hospital cardiac arrest. *Nat Rev Cardiol*, 2014; 11(7):374. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24839976>

Mlakar P, Salobir B, Cobo N, Prezelj M, Tercelj M, et al. Influence of short-term cardiac rehabilitation on oxidative stress in men after myocardial infarction depends upon smoking status. *J Cardiopulm Rehabil Prev*, 2013; 33(6):401-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24189214>

Al-Sarraf N, Thalib L, Hughes A, Tolan M, Young V, et al. Effect of smoking on short-term outcome of patients undergoing coronary artery bypass surgery. *Annals of Thoracic Surgery*, 2008; 86(2):517-23. Available from: http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6T11-4T14Y6K-16-1&_cdi=4877&_user=10&_orig=search&_coverDate=08%2F31%2F2008&_sk=999139997&view=c&wchp=dGLbVlW-zSkWW&md5=2599b7362e9bd6f024ef9edd3feab3f8&ie=/sdarticle.pdf

Woodside JJ. Female smokers have increased postoperative narcotic requirements. *Journal of Addictive Diseases*, 2000; 19(4):1-10. Available from: http://www.haworthpress.com/store/E-Text/View_EText.asp?a=4&fn=J069v19n04_01&i=4&s=J069&v=19

3.15.4 Cancer

Luo, D, Yang, D, Cao, D, Gong, Z, He, F, Hou, Y, & Lin, S. (2024). Effect of smoking status on immunotherapy for lung cancer: a systematic review and meta-analysis. *Front Oncol*, 14, 1422160.
Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39439965>

Li, K, Lu, S, Li, C, He, W, Du, K, Liu, K et al. (2024). Long-term outcomes of smoker and drinker with oesophageal squamous cell carcinoma after oesophagectomy: a large-scale propensity score matching analysis. *BMJ Open Gastroenterol*, 11(1). Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39209333>

Haghparast, M, Evazi, MR, & Darvish, L. (2024). Tobacco smoking influences the side effects of radiation therapy-managed patients with various malignancies: A systematic review. *J Med Imaging Radiat Sci*, 55(4), 101430. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38870612>

Perevalova, AM, Kononchuk, VV, Kalinina, TS, Kozlov, VV, Gulyaeva, LF, & Pustylnyak, VO. (2024). Smoking-Mediated miR-301a/IRF1 Axis Controlling Immunotherapy Response in Lung Squamous Cell Carcinoma Revealed by Bioinformatic Analysis. *Cancers (Basel)*, 16(12). Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38927914>

Akumuo, RC, Reddy, SP, Westwood, C, Devarajan, K, Barrak, D, Reddy, SS, & Villano, AM. (2024). Smoking history is associated with reduced efficacy of neoadjuvant therapy in pancreatic adenocarcinoma. *J Gastrointest Surg*, 28(5), 605-610. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38704197>

Warren, GW, & Presant, CA. (2024). Overcoming Delays in the Progress against Cancer: Identifying Tobacco Use among Cancer Patients Enrolled in Clinical Trials. *Cancer Epidemiol Biomarkers Prev*, 33(5), 643-645. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38689573>

Saad, E, Gebrael, G, Semaan, K, Eid, M, Saliby, RM, Labaki, C et al. (2024). Impact of smoking status on clinical outcomes in patients with metastatic renal cell carcinoma treated with first-line immune checkpoint inhibitor-based regimens. *Oncologist*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38630540>

Austin, HK, Gamboa, GM, & Waters-Hollingsworth, C. (2024). Excision of Invasive Squamous Cell Carcinoma Complicated by Osteomyelitis and Tobacco Use: A Case Report. *Cureus*, 16(2), e54629. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38524043>

Mo, Z, Ye, M, He, H, Huang, X, Guo, W, Zhao, Z et al. (2023). Influence of Smoking Habits on the Efficacy of EGFR-TKI Therapy in Patients with Advanced NSCLC: A Systematic Review and Meta-Analysis. *Clin Med Insights Oncol*, 17, 11795549231215968. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38107371>

Furlow, B. (2023). IASLC calls for clinical trials to use tobacco use data. *Lancet Oncol*, 24(12), 1309. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37926102>

Nolazco, JI, Tang, Y, Alkhateeb, KY, King, AJ, Mossanen, M, & Chang, SL. (2023). Smoking status among cancer patients by specialty: A U.S. nationwide representative analysis. *Cancer Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37986671>

Kobat, H, Elkonaissi, I, Foreman, E, Davidson, M, Idaikkadar, P, O'Brien, M, & Nabhani-Gebara, S. (2023). Smoking, Diabetes Mellitus, and Previous Cardiovascular Disease as Predictors of Anticancer Treatment-Induced Cardiotoxicity in Non-Small-Cell Lung Cancer: A Real-World Study. *Clin Lung Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37880075>

Islam, MO, Thangaretnam, K, Lu, H, Peng, D, Soutto, M, El-Rifai, W et al. (2023). Smoking induces WEE1 expression to promote docetaxel resistance in esophageal adenocarcinoma. *Mol Ther Oncolytics*, 30, 286-300. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37732296>

Twyner, C, Ward, LM, Pennington, E, & Eriator, I. (2023). Association Between Smoking Status and Opioid Dose in Prescriptions Written for Breast Cancer-related Pain. *Pain Physician*, 26(5), E567-E573. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37774194>

Leonhardt, CS, Pils, D, Qadan, M, Gustorff, C, Sahora, K, Klaiber, U et al (2023). Smoking impairs the effect of neoadjuvant FOLFIRINOX on postresection survival in pancreatic cancer. *Eur J Cancer*, 193, 113293. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37713740>

Halms, T, Strasser, M, Hasan, A, Ruther, T, Trepel, M, Raab, S, & Gertzen, M. (2023). Smoking and quality of life in lung cancer patients: systematic review. *BMJ Support Palliat Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37607808>

Doran, S, Mysore, M, Kassaian, SE, Kotloff, E, Kamangar, F, Emadi, A et al. (2023). Hypertension, smoking, and preexistence of multiple cardiac risk factors correlate with carfilzomib-induced cardiovascular adverse events in a racially diverse population. *Front Cardiovasc Med*, 10, 1129943. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37363095>

Pala, M, Novakova, P, Drbohlavova, T, Vrana, A, Pechacova, Z, Votavova, K et al. (2023). Negative Prognostic Impact of Smoking on Long-term Survival in Patients With Nasopharyngeal Carcinoma Treated With Curative (Chemo)radiotherapy. *In Vivo*, 37(4), 1775-1785. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37369456>

Zheng, ZR, Ku, HY, Chen, KC, Chiang, CJ, Wang, CL, Chen, CY et al. (2023). Association of smoking and ALK tyrosine-kinase inhibitors on overall survival in treatment-naive ALK-positive advanced lung adenocarcinoma. *Front Oncol*, 13, 1063695. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37007097>

Mohammadi, F, Rostami, G, Hamid, M, Shafiei, M, Azizi, M, & Bahmani, H. (2023). Association of ABCB1, ABCG2 drug transporter polymorphisms and smoking with disease risk and cytogenetic response to imatinib in chronic myeloid leukemia patients. *Leuk Res*, 126, 107021. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36696828>

Rades, D, Zwaan, I, Janssen, S, Yu, NY, Schild, SE, Idel, C et al. (2023). Evaluation of the Impact of Smoking and Alcohol Consumption on Toxicity and Outcomes of Chemoradiation for Head and Neck Cancer. *Anticancer Res*, 43(2), 823-830. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36697089>

Takada, K, Kashiwagi, S, Iimori, N, Kouhashi, R, Yabumoto, A, Goto, W et al. (2023). Prognostic Impact of Smoking on Bevacizumab Combination Chemotherapy for Advanced Breast Cancer. *Anticancer Res*, 43(2), 849-856. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36697094>

Hughes, RT, Ip, EH, Urbanic, JJ, Hu, JJ, Weaver, KE, Lively, MO et al. (2022). Smoking and Radiation-induced Skin Injury: Analysis of a Multiracial, Multiethnic Prospective Clinical Trial. *Clin Breast Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36216768>

Bergman, M, Fountoukidis, G, Smith, D, Ahlgren, J, Lambe, M, & Valachis, A. (2022). Effect of Smoking on Treatment Efficacy and Toxicity in Patients with Cancer: A Systematic Review and Meta-Analysis. *Cancers (Basel)*, 14(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36077654>

Corke, LK, Li, JJN, Leighl, NB, & Eng, L. (2022). Tobacco Use and Response to Immune Checkpoint Inhibitor Therapy in Non-Small Cell Lung Cancer. *Curr Oncol*, 29(9), 6260-6276. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36135061>

Bodor, J N, Bauman, JR, Handorf, EA, Ross, EA, Clapper, ML, & Treat, J. (2022). Real-world progression-free survival (rwPFS) and the impact of PD-L1 and smoking in driver-mutated non-small cell lung cancer (NSCLC) treated with immunotherapy. *J Cancer Res Clin Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35708776>

Dafni, U, Soo, RA, Peters, S, Tsourtzi, Z, Zygoura, P, Vervita, K et al. (2022). Impact of smoking status on the relative efficacy of the EGFR TKI/angiogenesis inhibitor combination therapy in advanced NSCLC-a systematic review and meta-analysis. *ESMO Open*, 7(3), 100507. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35696746>

Lin, K, Lin, J, Huang, Z, Fu, J, Yi, Q, Cai, J et al. (2022). Impact of Smoking on Response to the First-Line Treatment of Advanced ALK-Positive Non-Small Cell Lung Cancer: A Bayesian Network Meta-Analysis. *Front Pharmacol*, 13, 881493. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35645829>

Sakurai, E, Ishizawa, H, Kiriyma, Y, Michiba, A, Hoshikawa, Y, & Tsukamoto, T. (2022). gammaH2AX, a DNA Double-Strand Break Marker, Correlates with PD-L1 Expression in Smoking-Related Lung Adenocarcinoma. *Int J Mol Sci*, 23(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35743122>

Schaefers, C, Seidel, C, Bokemeyer, F, & Bokemeyer, C. (2022). The prognostic impact of the smoking status of cancer patients receiving systemic treatment, radiation therapy, and surgery: A systematic review and meta-analysis. *Eur J Cancer*, 172, 130-137. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35763872>

Perdyan, A, & Jassem, J. (2022). Impact of Tobacco Smoking on Outcomes of Radiotherapy: A Narrative Review. *Curr Oncol*, 29(4), 2284-2300. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35448160>

Hong, JH, Tong, ZJ, Wei, TE, Lu, YC, Huang, CY, Huang, CY et al (2022). Cigarette smoke containing acrolein contributes to cisplatin resistance in human bladder cancers through the regulation of HER2 pathway or FGFR3 pathway. *Mol Cancer Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35312783>

Kim, J, Ha, H, Park, J, Cho, J, Lim, JH, & Lee, MH. (2022). Association of Smoking Status with Efficacy of First-line Immune Checkpoint Inhibitors in Advanced Non-small Cell Lung Cancers: A Systematic Review and Meta-analysis. *J Cancer*, 13(2), 364-372. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35069886>

Shimoda, Y, Yoshida, T, Shirasawa, M, Mizuno, T, Jo, H, Matsumoto, Y et al. (2021). Smoking History Predicts High Presence of TILs and Efficacy of PD-1 Blockade in PD-L1 Expression-negative Non-small Cell Lung Cancer Patients. *Anticancer Res*, 41(11), 5739-5747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34732447>

Yang, H, Ma, W, Sun, B, Fan, L, Xu, K, Hall, SRR et al. (2021). Smoking signature is superior to programmed death-ligand 1 expression in predicting pathological response to neoadjuvant immunotherapy in lung cancer patients. *Transl Lung Cancer Res*, 10(9), 3807-3822. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34733630>

Gu, Q, Chen, F, Chen, N, Wang, J, Li, Z, & Deng, X. (2021). Effect of EGCG on bronchial epithelial cell premalignant lesions induced by cigarette smoke and on its CYP1A1 expression. *Int J Mol Med*, 48(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34676878>

Sun, Y, Yang, Q, Shen, J, Wei, T, Shen, W, Zhang, N et al. (2021). The Effect of Smoking on the Immune Microenvironment and Immunogenicity and Its Relationship With the Prognosis of Immune Checkpoint Inhibitors in Non-small Cell Lung Cancer. *Front Cell Dev Biol*, 9, 745859. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34660603>

Dai, L, Jin, B, Liu, T, Chen, J, Li, G, & Dang, J. (2021). The effect of smoking status on efficacy of immune checkpoint inhibitors in metastatic non-small cell lung cancer: A systematic review and meta-analysis. *EClinicalMedicine*, 38, 100990. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34505024>

Sun, LY, Cen, WJ, Tang, WT, Long, YK, Yang, XH, Ji, XM et al. (2021). Smoking status combined with tumor mutational burden as a prognosis predictor for combination immune checkpoint inhibitor therapy in non-small cell lung cancer. *Cancer Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34469045>

Wang, L, Liu, F, Li, J, Ma, L, Feng, H, Liu, Q et al. (2021). From Anti-PD-1/PD-L1 to CTLA-4 and to MUC1-Is the Better Response to Treatment in Smokers of Cancer Patients Drug Specific? *J Pers Med*, 11(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34575691>

Zhao, W, Jiang, W, Wang, H, He, J, Su, C, & Yu, Q. (2021). Impact of Smoking History on Response to Immunotherapy in Non-Small-Cell Lung Cancer: A Systematic Review and Meta-Analysis. *Front Oncol*, 11, 703143. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34497760>

Zaleskis, G, Pasukoniene, V, Characiejus, D , & Urbonas, V. (2021). Do the benefits of being a smoker hint at the existence of PD-1/PD-L1 sensitizers for patients on single-agent immunotherapy? *J Immunother Cancer*, 9(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34413168>

Scheidl, S, Avian, A, Flick, H, Gaal, S, Greinix, H, & Olschewski, H. (2021). Impact of smoking behavior on survival following allogeneic hematopoietic stem cell transplantation - smoking cessation matters. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33837775>

Chen, DL, Li, QY, & Tan, QY. (2021). Smoking history and the efficacy of immune checkpoint inhibitors in patients with advanced non-small cell lung cancer: a systematic review and meta-analysis. *J Thorac Dis*, 13(1), 220-231. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33569202>

Cortellini, A, De Giglio, A, Cannita, K, Cortinovis, DL, Cornelissen, R, Baldessari, C et al (2021). Smoking status during first-line immunotherapy and chemotherapy in NSCLC patients: A case-control matched analysis from a large multicenter study. *Thorac Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33527756>

Croese, A, Gartrell, R, Hiscock, R, Lee, M, Gibbs, P, Faragher, I, & Yeung, J. (2021). The effect of smoking, obesity and diabetes on recurrence-free and overall survival in patients with stage III colon cancer receiving adjuvant chemotherapy. *Cancer Rep (Hoboken)*, e1346. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33554476>

Fukuokaya, W, Kimura, T, Yanagisawa, T, Kimura, S, Tsuzuki, S, Koike, Y et al (2021). Impact of Dose-Effect in Smoking on the Effectiveness of Pembrolizumab in Patients with Metastatic Urothelial Carcinoma. *Target Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33400096>

Lerman, J, Hennequin, C, Etienney, I, Abramowitz, L, Goujon, G, Gornet, JM et al (2020). Impact of tobacco smoking on the patient's outcome after (chemo)radiotherapy for anal cancer. *Eur J Cancer*, 141, 143-151. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33137590>

Mohammadi, F, Shafiei, M, Assad, D, Rostami, G, Hamid, M, & Foroughmand, AM. (2021). Impact of ABCB1 Gene Polymorphisms and Smoking on the Susceptibility Risk of Chronic Myeloid Leukemia and Cytogenetic Response. *Iran Biomed J*, 25(1), 54-61. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33129240>

Park, D, Jain, S, Quay-De La Vallee, Z, Huber, K, O'Leary, M, & Farag, AM. (2020). Influence of smoking history on the perception of radiation-induced dysgeusia/hypogeusia in patients with head and neck cancer. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33128589>

Sorensen, AL, Knudsen, TA, Skov, V, Kjaer, L, Holm, N, Ellervik, C, & Hasselbalch, HC. (2020). Smoking impairs molecular response, and reduces overall survival in patients with chronic myeloproliferative neoplasms: A retrospective cohort study. *Br J Haematol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33169852>

Stang, A, Knowlton, R, Rekowski, J, Gershman, ST, & Galea, S. (2020). Smoking cessation potential among newly diagnosed cancer patients: a population-based study of the ten most common cancers in Massachusetts, USA, 2008-2013. *Ann Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33189878>

Nie, RC, Duan, SY, Liang, Y Chen, XJ Chen, YM, Luo, TQ et al (2020). Smoking status-based efficacy difference in anti-PD-1/PD-L1 immunotherapy: a systematic review and meta-analysis. *Immunotherapy*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33012209>

Wang, L, Feng, H, Li, J, Liu, F, Liu, Q, Ji, J et al. (2020). Responses of smoking and nonsmoking cancer patients to drug treatment: A protocol for systematic review and meta-analysis. *Medicine (Baltimore)*, 99(38), e22104. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32957330>

Xiao, J, Zhou, L, He, B, & Chen, Q. (2020). Impact of Sex and Smoking on the Efficacy of EGFR-TKIs in Terms of Overall Survival in Non-small-Cell Lung Cancer: A Meta-Analysis. *Front Oncol*, 10, 1531. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32984005>

Chang, SS. (2020). Re: Cigarette Smoking is Associated with Adverse Pathological Response and Increased Disease Recurrence amongst Patients with Muscle-Invasive Bladder Cancer Treated with Cisplatin-Based Neoadjuvant Chemotherapy and Radical Cystectomy: A Single-Centre Experience. *J Urol*, 101097JU000000000000126002. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32821004>

Costa, EFD, Lima, TRP, Lopes-Aguiar, L, Nogueira, GAS, Visacri, MB, Quintanilha, JCF et al. (2020). FAS and FASL variations in outcomes of tobacco- and alcohol-related head and neck squamous cell carcinoma patients. *Tumour Biol*, 42(7), 1010428320938494. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32628088>

Wong, G, Lam, E, Karam, I, Yee, C, Drost, L, Tam, S (2020). The impact of smoking on adjuvant breast cancer radiation treatment: A systematic review. *Cancer Treat Res Commun*, 24, 100185. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32593846>

Fazel, A, Quabius, ES, Fabian, A, Schleicher, T, Kress, K, Laudien, M et al (2020). The Influence of Smoking and Co-morbidity on Dose Achievement in Primary or Adjuvant Radio(Chemo)Therapy in Head and Neck Squamous Cell Carcinoma (HNSCC). *Front Oncol*, 10, 398. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32266158>

Kristensen, D, Nielsen, LB, Roug, AS, Kristensen, TC, El-Galaly, TC, Norgaard, JM et al. (2020). The prognostic effect of smoking status on intensively treated acute myeloid leukaemia - A Danish nationwide cohort study. *Br J Haematol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32316076>

Perlik, F. (2020). Impact of smoking on metabolic changes and effectiveness of drugs used for lung cancer. *Cent Eur J Public Health*, 28(1), 53-58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32228818>

No authors listed. Smoking can hamper common treatment for breast cancer, in Medical Xpress2016. Available from: <http://medicalxpress.com/news/2016-06-hamper-common-treatment-breast-cancer.html>.

Cacciamani, GE, Ghodoussipour, S, Mari, A, Gill, KS, Desai, M, Artibani, W et al. (2020). Association Between Smoking Exposure, Neoadjuvant Chemotherapy Response and Survival Outcomes Following Radical Cystectomy: Systematic Review and Meta-Analysis. *J Urol*, 101097JU0000000000000813. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32105187>

Liu, L, Huang, C, Liao, W, Chen, S, & Cai, S. (2020). Smoking behavior and smoking index as prognostic indicators for patients with esophageal squamous cell carcinoma who underwent surgery: A large cohort study in Guangzhou, China. *Tob Induc Dis*, 18, 9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32071596>

Mo, J, Hu, X, Gu, L, Chen, B, Khadaroo, PA, Shen, Z et al. (2020). Smokers or non-smokers: who benefits more from immune checkpoint inhibitors in treatment of malignancies? An up-to-date meta-analysis. *World Journal of Surgical Oncology*, 18(1), 15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31959178>

Matsuoka, K, Yamada, T, Matsuoka, T, Nagai, S, Ueda, M, & Miyamoto, Y. (2019). Preoperative Smoking Cessation Period Is Not Related to Postoperative Respiratory Complications in Patients

Undergoing Lung Cancer Surgery. *Ann Thorac Cardiovasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31270298>

Oliva, M, Huang, SH, Xu, W, Su, J, Hansen, AR, Bratman, SV et al. (2019). Impact of cisplatin dose and smoking pack-years in human papillomavirus-positive oropharyngeal squamous cell carcinoma treated with chemoradiotherapy. *Eur J Cancer*, 118, 112-120. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31330486>

Wallis, CJD, Satkunasivam, R, Butaney, M, Khan, UA, Goldberg, HA, Freedland, SJ et al (2019). Association Between Smoking and Survival Benefit of Immunotherapy in Advanced Malignancies: A Systematic Review and Meta-Analysis. *Am J Clin Oncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31335350>

Abdel-Rahman, O. (2019). Impact of current versus former smoking status on the outcomes of non-metastatic non-small cell lung cancer treated with upfront surgery; findings from the National Lung Screening Trial. *Expert Rev Respir Med*, 13(6), 585-591. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31055993>

Chen, JL, Shen, CW, Wang, CC, Huang, YS, Chen, JP, Chiang, CH et al. (2019). Impact of smoking cessation on clinical outcomes in patients with head and neck squamous cell carcinoma receiving curative chemoradiotherapy: A prospective study. *Head Neck*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31116482>

De Nunzio, C, Tema, G, Trucchi, A, Cicione, A, Sica, A, Lombardo, R, & Tubaro, A. (2019). Smoking reduces PSA accuracy for detection of prostate cancer: results from an Italian cross-sectional study. *Minerva Urol Nefrol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31144489>

Gallaway, MS, Huang, B, Chen, Q, Tucker, T, McDowell, J, Durbin, E. (2019). Identifying Smoking Status and Smoking Cessation Using a Data Linkage Between the Kentucky Cancer Registry and Health Claims Data. *JCO Clin Cancer Inform*, 3, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31095418>

Kozub, M, Gachewicz, B, Kasprzyk, M, Roszak, M, Gasiorowski, L, & Dyszkiewicz, W. (2019). Impact of smoking history on postoperative complications after lung cancer surgery - a study based on 286 cases. *Kardiochir Torakochirurgia Pol*, 16(1), 13-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31043970>

Shiota, M, Ushijima, M, Imada, K, Kashiwagi, E, Takeuchi, A, Inokuchi, J et al. (2019). Cigarette smoking augments androgen receptor activity and promotes resistance to antiandrogen therapy. *Prostate*, 79(10), 1147-1155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31077419>

Iriyama, N, Tokuhira, M, Sato, E, Sugimoto, KJ, Takaku, T, Ishikawa, M et al. (2019). Smoking influences the outcomes of patients receiving tyrosine kinase inhibitors for chronic myeloid leukemia in the chronic phase: A retrospective analysis. *Hematol Oncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30950076>

ThekkePurakkal, AS, Nicolau, B, Burk, RD, Franco, EL, & Schlecht, NF. (2019). Genetic variants in CYP and GST genes, smoking and risk for head and neck cancers: a gene-environment interaction hospital-based case-control study among Canadian Caucasians. *Carcinogenesis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30938417>

No authors listed. Cigarette Smoking: Health Risks and How to Quit (PDQ(R)): Health Professional Version. (2002-2019) *PDQ Cancer Information Summaries*. Bethesda (MD). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26389444>

Fukui, M, Suzuki, K, Matsunaga, T, Oh, S, & Takamochi, K. The Importance of Smoking Cessation on Surgical Outcome in Primary Lung Cancer. *Ann Thorac Surg*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30610851>

Grannis, FW. The Importance of Smoking Cessation on Surgical Outcome in Primary Lung Cancer (Commentary). *Ann Thorac Surg*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30641071>

Harvey, G, Pontefract, D, Hughes, BR, Brinkmann, D, & Christie, C. Impact of smoking on imiquimod response in patients with vulval intraepithelial neoplasia. *Clin Exp Dermatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30628104>

Okuda, K, Haneda, H, Yokota, K, Tatematsu, T, & Nakanishi, R. The effect of smoking and TP53 mutations on molecular-targeted therapy in lung adenocarcinoma patients. *J Thorac Dis*, 2018. 10(Suppl 33), S4013-S4016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30631542>

Ng, TL, Liu, Y, Dimou, A, Patil, T, Aisner, DL, Dong, Z et al. Predictive value of oncogenic driver subtype, programmed death-1 ligand (PD-L1) score, and smoking status on the efficacy of PD-1/PD-L1 inhibitors in patients with oncogene-driven non-small cell lung cancer. *Cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548240>

Vawda, N, Banerjee, RN, & Debenham, BJ. Impact of Smoking on Outcomes of HPV-related Oropharyngeal Cancer Treated with Primary Radiation or Surgery. *Int J Radiat Oncol Biol Phys*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30513378>

Romaszko-Wojtowicz A, Bucinski A, and Doboszynska A. Impact of smoking on multiple primary cancers survival: A retrospective analysis. *Clin Exp Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29550986>

Lin L, Zhao J, Hu J, Zou G, Huang F, et al. Current smoking has a detrimental effect on survival for epidermal growth factor receptor (egfr) and anaplastic lymphoma kinase (alk) negative advanced non-squamous non-small cell lung cancer (nsclc) patients treated with pemetrexed continuation maintenance. *J Cancer*, 2018; 9(12):2140-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29937933>

Kai K, Komukai S, Koga H, Yamaji K, Ide T, et al. Correlation between smoking habit and surgical outcomes on viral-associated hepatocellular carcinomas. *World J Gastroenterol*, 2018; 24(1):58-68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29358882>

Yao S, Zhang Y, Tang L, Roh JM, Laurent CA, et al. Bone remodeling and regulating biomarkers in women at the time of breast cancer diagnosis. *Breast Cancer Res Treat*, 2017; 161(3):501-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27915435>

Sutton E, Miyagaki H, Bellini G, Shantha Kumara HM, Yan X, et al. Risk factors for superficial surgical site infection after elective rectal cancer resection: A multivariate analysis of 8880 patients from the american college of surgeons national surgical quality improvement program database. *J Surg Res*, 2017; 207:205-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27979478>

Steineck G, Sjoberg F, Skokic V, Bull C, Wilderang U, et al. Late radiation-induced bowel syndromes, tobacco smoking, age at treatment and time since treatment - gynecological cancer survivors. *Acta Oncol*, 2017; 56(5):682-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28366105>

Shaitelman SF, Howell RM, and Smith BD. Effects of smoking on late toxicity from breast radiation. *J Clin Oncol*, 2017; 35(15):1633-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28319432>

Ordonez-Me JM, Walter V, Schottker B, Jenab M, O'Doherty MG, et al. Impact of prediagnostic smoking and smoking cessation on colorectal cancer prognosis: A meta-analysis of individual patient data from cohorts within the Chances consortium. *Ann Oncol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29244072>

Nayan M, Hamilton RJ, Finelli A, Austin PC, Kulkarni GS, et al. The value of complementing administrative data with abstracted information on smoking and obesity: A study in kidney cancer. *Can Urol Assoc J*, 2017; 11(6):167-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28652873>

Mercadante S, Adile C, Ferrera P, and Casuccio A. The effects of alcoholism and smoking on advanced cancer patients admitted to an acute supportive/palliative care unit. *Support Care Cancer*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28210861>

Mari A, Abufaraj M, Foerster B, Ozsoy M, Briganti A, et al. Oncologic effect of cumulative smoking exposure in patients treated with salvage radical prostatectomy for radiation-recurrent prostate cancer. *Clin Genitourin Cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29239845>

Mantziari S, Allemann P, Winiker M, Demartines N, and Schafer M. Locoregional tumor extension and preoperative smoking are significant risk factors for early recurrence after esophagectomy for cancer. *World J Surg*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29282511>

Lassen P, Lacas B, Pignon JP, Trott A, Zackrisson B, et al. Prognostic impact of hpv-associated p16-expression and smoking status on outcomes following radiotherapy for oropharyngeal cancer: The march-hpv project. *Radiother Oncol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29100700>

Lachmann G, von Haefen C, Kurth J, Yuerek F, Wernecke KD, et al. Smoking, gender, and overweight are important influencing factors on monocytic hla-dr before and after major cancer surgery. *Biomed Res Int*, 2017; 2017:5216562. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29104871>

Kai K, Koga H, Aishima S, Kawaguchi A, Yamaji K, et al. Impact of smoking habit on surgical outcomes in non-b non-c patients with curative resection for hepatocellular carcinoma. *World J Gastroenterol*, 2017; 23(8):1397-405. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28293086>

Van Raemdonck D, Vos R, Yserbyt J, Decaluwe H, De Leyn P, et al. Lung cancer: A rare indication for, but frequent complication after lung transplantation. *J Thorac Dis*, 2016; 8(Suppl 11):S915-S24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27942415>

Szczyrek M, Mlak R, Krawczyk P, Wojas-Krawczyk K, Powrozek T, et al. Polymorphisms of genes encoding multidrug resistance proteins as a predictive factor for second-line docetaxel therapy in

advanced non-small cell lung cancer. *Pathol Oncol Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27988838>

Shao M, Osborn V, Lederman AJ, Lee A, Schwartz D, et al. Impact of current or prior smoking use for men receiving external beam radiation for prostate cancer. *Int J Radiat Oncol Biol Phys*, 2016; 96(2S):E283. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27674265>

Schnarrs RH, Carman CM, Tobin C, Chase SA, and Rossmeier KA. Complication rates with human acellular dermal matrices: Retrospective review of 211 consecutive breast reconstructions. *Plast Reconstr Surg Glob Open*, 2016; 4(11):e1118. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27975023>

Salibian AA, Frey JD, Choi M, and Karp NS. Subcutaneous implant-based breast reconstruction with acellular dermal matrix/mesh: A systematic review. *Plast Reconstr Surg Glob Open*, 2016; 4(11):e1139. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27975034>

Platek AJ, Jayaprakash V, Merzianu M, Platek ME, Cohan DM, et al. Smoking cessation is associated with improved survival in oropharynx cancer treated by chemoradiation. *Laryngoscope*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27346612>

Oh HJ, Lim CH, Yoon BH, Yoon SB, Baeg MK, et al. Fracture after gastrectomy for gastric cancer: A long-term follow-up observational study. *Eur J Cancer*, 2016; 72:28-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28024264>

Liu J, Chadder J, Fung S, Lockwood G, Rahal R, et al. Smoking behaviours of current cancer patients in canada. *Curr Oncol*, 2016; 23(3):201-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27330349>

Land SR, Toll BA, Moinpour CM, Mitchell SA, Ostroff JS, et al. Research priorities, measures, and recommendations for assessment of tobacco use in clinical cancer research. *Clin Cancer Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26888828>

Joshi M, Vasekar M, Grivas P, Emamekhoo H, Hsu J, et al. Relationship of smoking status to genomic profile, chemotherapy response and clinical outcome in patients with advanced urothelial carcinoma. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27213592>

Ilionzo N, Tsang A, Tsantes S, Estabrook A, and Thu Ma AM. Breast reconstruction after mastectomy: A ten-year analysis of trends and immediate postoperative outcomes. *Breast*, 2016; 32:7-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27988412>

Helman SN, Brant JA, Moubayed SP, Newman JG, Cannady SB, et al. Predictors of length of stay, reoperation, and readmission following total laryngectomy. *Laryngoscope*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28000237>

De Flora S, Ganchev G, Ilcheva M, La Maestra S, Micale RT, et al. Pharmacological modulation of lung carcinogenesis in smokers: Preclinical and clinical evidence. *Trends Pharmacol Sci*, 2016; 37(2):120-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26726119>

(s008) the effect of simulation and treatment delays for patients with oropharyngeal cancer receiving definitive radiation therapy in the era of risk stratification using smoking and human

papilloma virus status. Oncology (Williston Park), 2016; 30(4 Suppl 1). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27083677>

Zapata DF, Howard LE, Aronson WJ, Kane CJ, Terris MK, et al. Smoking is a predictor of adverse pathological features at radical prostatectomy: Results from the shared equal access regional cancer hospital database. Int J Urol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25872110>

Taneja SS. Re: Association of cigarette smoking and smoking cessation with biochemical recurrence of prostate cancer in patients treated with radical prostatectomy. J Urol, 2015; 194(5):1285-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26478030>

Szeszko B, Osowiecka K, Rucinska M, Wasilewska-Tesluk E, Glinski K, et al. Smoking during radiotherapy for head and neck cancer and acute mucosal reaction. Rep Pract Oncol Radiother, 2015; 20(4):299-304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26109918>

Sun WQ, Pan DB, Zhou AG, and Mo H. Does cisatracurium at a clinical dose attenuate the immunosuppression after surgery in smoking patients with non-small cell lung cancer? Middle East J Anaesthesiol, 2015; 23(3):375-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26860034>

O'Shea R, Byrne H, Tuckett J, O'Leary G, and Sheahan P. Impact of current smoking and alcohol consumption on gastrostomy duration in patients with head and neck cancer undergoing definitive chemoradiotherapy. JAMA Otolaryngol Head Neck Surg, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25790225>

Moller PK, Tolstrup JS, Olsen MH, Dalton SO, Overgaard J, et al. Predictors of continuous tobacco smoking in a clinical cohort study of danish laryngeal cancer patients smoking before treated with radiotherapy. Acta Oncol, 2015:1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25765594>

Kim YJ, Dev R, Reddy A, Hui D, Tanco K, et al. Association between tobacco use, symptom expression, alcohol and illicit drug use in advanced cancer patients. J Pain Symptom Manage, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26703372>

Kelemen LE, Warren GW, Koziak JM, Kobel M, and Steed H. Smoking may modify the association between neoadjuvant chemotherapy and survival from ovarian cancer. Gynecol Oncol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26549109>

Kawaguchi C, Sho M, Tanaka T, Akahori T, Kinoshita S, et al. Impact of smoking on pancreatic cancer patients receiving current chemotherapy. Pancreas, 2015; 44(7):1155-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26355552>

Igawa S, Sasaki J, Otani S, Ishihara M, Takakura A, et al. Impact of smoking history on the efficacy of gefitinib in patients with non-small cell lung cancer harboring activating epidermal growth factor receptor mutations. Oncology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26335629>

Hackshaw-McGeagh LE, Penfold CM, Walsh E, Donovan JL, Hamdy FC, et al. Physical activity, alcohol consumption, bmi and smoking status before and after prostate cancer diagnosis in the protect trial: Opportunities for lifestyle modification. Journal international du cancer, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25761662>

Glintborg B, Hojgaard P, Lund Hetland M, Steen Krogh N, Kollerup G, et al. Impact of tobacco smoking on response to tumour necrosis factor-alpha inhibitor treatment in patients with ankylosing spondylitis: Results from the danish nationwide danbio registry. *Rheumatology (Oxford)*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26628579>

Furberg H and Schoenberg M. The effect of smoking and timing of smoking cessation on clinical outcome in non-muscle-invasive bladder cancer. *Urol Oncol*, 2015; 33(1):49. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25443266>

Fukuhara T, Maemondo M, Inoue A, Kobayashi K, Sugawara S, et al. Factors associated with a poor response to gefitinib in the nej002 study: Smoking and the I858R mutation. *Lung Cancer*, 2015; 88(2):181-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25726043>

Warren GW, Sobus S, and Gritz ER. The biological and clinical effects of smoking by patients with cancer and strategies to implement evidence-based tobacco cessation support. *Lancet Oncol*, 2014; 15(12):e568-e80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25439699>

Wang Z, McLoone P, and Morrison DS. Diet, exercise, obesity, smoking and alcohol consumption in cancer survivors and the general population: A comparative study of 16 282 individuals. *Br J Cancer*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25429527>

Vatca M, Lucas JT, Jr., Laudadio J, D'Agostino RB, Waltonen JD, et al. Retrospective analysis of the impact of hpv status and smoking on mucositis in patients with oropharyngeal squamous cell carcinoma treated with concurrent chemotherapy and radiotherapy. *Oral Oncol*, 2014; 50(9):869-76. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24998139>

Simonis K, Shariat SF, Rink M, and Urothelial Cancer Working Group of the Young Academic Urologists Working Party of the European Association of U. Smoking and smoking cessation effects on oncological outcomes in nonmuscle invasive bladder cancer. *Curr Opin Urol*, 2014; 24(5):492-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24887046>

Reuther WJ and Brennan PA. Is nicotine still the bad guy? Summary of the effects of smoking on patients with head and neck cancer in the postoperative period and the uses of nicotine replacement therapy in these patients. *Br J Oral Maxillofac Surg*, 2014; 52(2):102-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24315200>

Keizman D, Gottfried M, Ish-Shalom M, Maimon N, Peer A, et al. Active smoking may negatively affect response rate, progression-free survival, and overall survival of patients with metastatic renal cell carcinoma treated with sunitinib. *Oncologist*, 2014; 19(1):51-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24309979>

Florou AN, Gkioxas IC, Tsagouli SK, Souliotis KN, and Syrigos KN. Clinical significance of smoking cessation in patients with cancer: A 30-year review. *Respir Care*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25185148>

Dwivedi S, Goel A, Khattri S, Mandhani A, Sharma P, et al. Tobacco exposure by various modes may alter proinflammatory (IL-12) and anti-inflammatory (IL-10) levels and affects the survival of prostate carcinoma patients: An explorative study in north Indian population. *Biomed Res Int*, 2014; 2014:158530. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25177683>

Davis KS, Vargo JA, Ferris RL, Burton SA, Ohr JP, et al. Stereotactic body radiotherapy for recurrent oropharyngeal cancer - influence of hpv status and smoking history. *Oral Oncol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25175942>

Laguna MP. Re: Impact of smoking on oncologic outcomes of upper tract urothelial carcinoma after radical nephroureterectomy. *J Urol*, 2013; 190(6):2017-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24209514>

Frey P, Waters D, Demicco D, Breazna A, Samuels L, et al. Impact of smoking on cardiovascular events in patients with coronary disease receiving contemporary medical therapy (from the treating to new targets [tnt] and the incremental decrease in end points through aggressive lipid lowering [ideal] trials). *American Journal of Cardiology*, 2011; 107(2):145–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21129718>

Bastian L. Pain and smoking among cancer patients: The relationship is complex but the clinical implication is clear. *Pain*, 2011; 152(1):10–1. Available from: <http://www.painjournalonline.com/article/PIIS0304395910006500/fulltext>

Logan H, Fillingim R, Bartoshuk L, Sandow P, Tomar S, et al. Smoking status and pain level among head and neck cancer patients. *The Journal of Pain*, 2010; 11(6):528-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20015696>

Zevallos J, Mallen M, Lam C, Karam-Hage M, Blalock J, et al. Complications of radiotherapy in laryngopharyngeal cancer: Effects of a prospective smoking cessation program. *Cancer*, 2009; 115(19):4636-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19569250>

Lindsay GM, Tolmie EP, Martin WM, Hutton IM, and Belcher PR. Smoking after coronary artery bypass: High three-year mortality. *Thoracic and Cardiovascular Surgeon*, 2009; 57(3):135–40. Available from: <http://www.thieme-connect.com/ejournals/html/thoracic/doi/10.1055/s-2008-1039271>

De Luca L, De Angelis C, Fagoonee S, Di Bella S, Rizzetto M, et al. Is smoking a prognostic factor in patients with chronic hepatitis c? *Minerva Gastroenterologica e Dietologica*, 2009; 55(2):139–43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19305373>

Daniel M, Keefe F, Lyra P, Peterson B, Garst J, et al. Persistent smoking after a diagnosis of lung cancer is associated with higher reported pain levels. *Journal of Pain*, 2009; 10(3):323–8. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WKH-4VR3PHJ-4&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=023816b4442c522df6d19faa5fc0671b

Conard M, Haddock C, Poston W, and Spertus J. The impact of smoking status on the health status of heart failure patients. *Congestive Heart Failure*, 2009; 15(2):82–6. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122324641&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122324641/HTMLSTART>

Sauter E, Westgate S, and Templemire J. Skin necrosis in cigarette smokers receiving partial breast irradiation: Two case reports. *Cases Journal*, 2008; 1(1):230. Available from: <http://www.casesjournal.com/content/pdf/1757-1626-1-230.pdf>

3.15.5 Treatment of infertility including assisted reproduction

Ortiz-Vallecillo, A, Santamaria-Lopez, E, Garcia-Ruiz, D, Martin-Lozano, D, Canden, L, Pinto, FM. (2024). Influence of BMI, Cigarette Smoking and Cryopreservation on Tyrosine Phosphorylation during Sperm Capacitation. *Int J Mol Sci*, 25(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39062825>

Tang, Z, Gaskins, AJ, Hood, RB, Ford, JB, Hauser, R, Smith, AK, & Everson, TM. (2024). Former smoking associated with epigenetic modifications in human granulosa cells among women undergoing assisted reproduction. *Sci Rep*, 14(1), 5009. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38424222>

Budani, MC, Gallorini, M, Elsallabi, O, Pino, V, La Fratta, I, Pesce, M et al. (2022). Cigarette smoke is associated with up-regulation of inducible NOS and COX-2 protein expression and activity in granulosa cells of women undergoing in vitro fertilization. *Reprod Toxicol*, 113, 128-135. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36049621>

Konstantinidou, F, Budani, MC, Marconi, GD, Gonnella, F, Sarra, A, Trubiani, O et al. (2022). The Aftermath of Long-Term Cigarette Smoking on Telomere Length and Mitochondrial DNA Copy Number in Human Cumulus Cells Prior to In Vitro Fertilization-A Pilot Study. *Antioxidants (Basel)*, 11(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36139914>

Bourdon, M, Ferreux, L, Maignien, C, Patrat, C, Marcellin, L, Pocate-Cheriet, K et al. (2020). Tobacco consumption is associated with slow-growing day-6 blastocysts. *F S Rep*, 1(1), 30-36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34223209>

Zhan, S, & Huang, J. (2021). Effects of Cigarette Smoking on Preimplantation Embryo Development. *Adv Exp Med Biol*, 1300, 137-150. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33523432>

Lyngso, J, Kesmodel, US, Bay, B, Ingerslev, HJ, Pisinger, CH, & Ramlau-Hansen, CH. (2020). Female cigarette smoking and successful fertility treatment: A Danish cohort study. *Acta Obstet Gynecol Scand*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32865819>

Petanovska Kostova, E. (2020). The Interaction of Female Age and Active Male Smoking has Negative Influence on Success Rates of the in Vitro Fertilization Treatments. *Balkan J Med Genet*, 23(1), 57-62. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32953410>

Minguez-Alarcon, L, Chavarro, JE, & Gaskins, AJ. Caffeine, alcohol, smoking, and reproductive outcomes among couples undergoing assisted reproductive technology treatments. *Fertil Steril*, 2018.110(4), 587-592. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30196942>

Zhang, RP, Zhao, WZ, Chai, BB, Wang, QY, Yu, CH, Wang, HY, Liu, L, Yang, LQ, Zhao, SH. The effects of maternal cigarette smoking on pregnancy outcomes using assisted reproduction technologies: An updated meta-analysis. *J Gynecol Obstet Hum Reprod*. 2018 Aug 22. pii: S2468-7847(18)30078-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30142473>

Heger A, Sator M, Walch K, and Pietrowski D. Smoking decreases endometrial thickness in ivf/icsi patients. *Geburtshilfe Frauenheilkd*, 2018; 78(1):78-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29375149>

Vanegas JC, Chavarro JE, Williams PL, Ford JB, Toth TL, et al. Discrete survival model analysis of a couple's smoking pattern and outcomes of assisted reproduction. *Fertil Res Pract*, 2017; 3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28480049>

Drakopoulos P, van de Vijver A, Schutyser V, Milatovic S, Anckaert E, et al. The effect of serum vitamin d levels on ovarian reserve markers: A prospective cross-sectional study. *Hum Reprod*, 2017; 32(1):208-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27927849>

Budani MC and Tiboni GM. Ovotoxicity of cigarette smoke: A systematic review of the literature. *Reprod Toxicol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28684319>

Budani MC, Carletti E, and Tiboni GM. Cigarette smoke is associated with altered expression of antioxidant enzymes in granulosa cells from women undergoing in vitro fertilization. *Zygote*, 2017;1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28635583>

Tong VT, Kissin DM, Bernson D, Copeland G, Boulet SL, et al. Maternal smoking among women with and without use of assisted reproductive technologies. *J Womens Health (Larchmt)*, 2016; 25(10):1066-72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27243366>

Ashtary-Larky D, Ghaffari MA, Noorbehbahani M, and Alipour M. Association of smoking with semen quality and micro-calpain level in normospermia: A case-control study. *J Family Reprod Health*, 2016; 10(1):15-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27385969>

Kim H, Kim SK, Yu EJ, Lee JR, Jee BC, et al. The prevalence of positive urinary cotinine tests in korean infertile couples and the effect of smoking on assisted conception outcomes. *Clin Exp Reprod Med*, 2015; 42(4):136-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26816872>

Firns S, Cruzat VF, Keane KN, Joesbury KA, Lee AH, et al. The effect of cigarette smoking, alcohol consumption and fruit and vegetable consumption on ivf outcomes: A review and presentation of original data. *Reprod Biol Endocrinol*, 2015; 13:134. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26669322>

Legro RS, Chen G, Kunselman AR, Schlaff WD, Diamond MP, et al. Smoking in infertile women with polycystic ovary syndrome: Baseline validation of self-report and effects on phenotype. *Hum Reprod*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25324541>

Fuentes A, Munoz A, Barnhart K, Midwife B, Diaz M, et al. Recent cigarette smoking and assisted reproductive technologies outcome. *Fertility and Sterility*, 2010; 93:189-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18973890>

Dondorp W, de Wert G, Pennings G, Shenfield F, Devroey P, et al. Lifestyle-related factors and access to medically assisted reproduction. *Human Reproduction*, 2010; 25(3):578–83. Available from: <http://humrep.oxfordjournals.org/content/25/3/578.full.pdf>

Weigert M, Gruber D, Pernicka E, Bauer P, and Feichtinger W. Previous tubal ectopic pregnancy raises the incidence of repeated ectopic pregnancies in in vitro fertilization-embryo transfer patients. *Journal of Assisted Reproduction and Genetics*, 2009; 26(1):13-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19020971>

3.15.6 Other conditions

Fadili, W, Lahlou, L, & Laouad, I. (2023). [Smoking in chronic hemodialysis patients: prevalence and cardiovascular morbidity]. *Nephrol Ther*, 19(7), 575-584. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38073242>

Murzi, V, Locci, E, Carta, A, Pilia, T, Frongia, F, Gessa, E et al. (2023). Tobacco Smoking Is a Strong Predictor of Failure of Conservative Treatment in Hinchey IIa and IIb Acute Diverticulitis-A Retrospective Single-Center Cohort Study. *Medicina (Kaunas)*, 59(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37512048>

Milad, N, Pineault, M, Tremblay, F, Routhier, J, Lechasseur, A, Beaulieu, MJ et al. (2022). Smoking status impacts treatment efficacy in smoke-induced lung inflammation: A pre-clinical study. *Front Pharmacol*, 13, 971238. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36160400>

Zakynthinos, GE, Stavrou, VT, Malli, F, Papathanasiou, IV, Zakynthinos, E, Gourgoulianis, KI et al. (2021). The Effect of Whole-Body Cryostimulation in Healthy Adults : Whole-Body Cryostimulation According to Gender and Smoking Status. *Adv Exp Med Biol*, 1337, 315-321. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34972919>

Harrell, CR, Djonov, V, & Volarevic, V. (2021). The effects of cigarette smoking and nicotine on the therapeutic potential of mesenchymal stem cells. *Histol Histopathol*, 18400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34845711>

Chang, CJ, Jou, IM, Wu, TT Su, F.C, & Tai, TW. (2020). Cigarette smoke inhalation impairs angiogenesis in early bone healing processes and delays fracture union. *Bone Joint Res*, 9(3), 99-107. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32435462>

DeSimone, RA, Plimier, C, Lee, C, Kanas, T, Cushing, MM, Sachais, BS et al (2020). Additive effects of blood donor smoking and gamma irradiation on outcome measures of red blood cell transfusion. *Transfusion*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32358816>

Ference, R, Liao, D, Gao, Q, & Mehta, V. (2020). Impact of Smoking on Survival Outcomes in HPV-Related Oropharyngeal Carcinoma: A Meta-analysis. *Otolaryngology–Head and Neck Surgery*, 194599820931803. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32452741>

Belousova, N, Ma, J, Wu, J, deHaas, E, Vasileva, A, Huang, QW et al(2020). Effects of Donor Smoking History on Early Post-Transplant Lung Function Measured by Oscillometry. *J Heart Lung Transplant*, 39(4S), S309-S310. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32465368>

Tapolyai, M, Forro, M, Lengvarszky, Z, & Fulop, T. (2020). Dialysis patients who smoke are more hypertensive, more fluid overloaded and take more antihypertensive medications than nonsmokers. *Ren Fail*, 42(1), 413-418. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32349634>

Sivandzade, F, Alqahtani, F, Sifat, A, & Cucullo, L. (2020). The cerebrovascular and neurological impact of chronic smoking on post-traumatic brain injury outcome and recovery: an in vivo study. *J Neuroinflammation*, 17(1), 133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32340626>

Sonnex, K, Alleemudder, H, & Knaggs, R. (2020). Impact of smoking status on the efficacy of inhaled corticosteroids in chronic obstructive pulmonary disease: a systematic review. *BMJ Open*, 10(4), e037509. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32300001>

Wang, EY, Arrazola, RA, Mathema, B, Ahluwalia, IB, & Mase, SR. (2020). The impact of smoking on tuberculosis treatment outcomes: a meta-analysis. *Int J Tuberc Lung Dis*, 24(2), 170-175. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32127100>

Zhang, F, Ma, C, Zhang, B, & Bi, L. (2020). Dynamic changes in gut microbiota under the influence of smoking and TNF-alpha-blocker in patients with ankylosing spondylitis. *Clin Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32219620>

Trajceska, L, Selim, G, Zdraveska, M, Dimitrievska, D, Mladenovska, D, & Sikole, A. (2019). Active Smoking is Associated with Lower Dialysis Adequacy in Prevalent Dialysis Patients. *Open Access Maced J Med Sci*, 7(21), 3615-3618. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32010386>

Boehm, RE, Do Nascimento, SN, Cohen, CR, Bandiera, S, Pulcinelli, RR, Balsan, AM et al. (2019). Cigarette smoking and antioxidant defences in packed red blood cells prior to storage. *Blood Transfus*, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855151>

Klifto, KM, Shetty, PN, Slavin, BR, Gurno, CF, Seal, SM, Asif, M, & Hultman, CS. (2019). Impact of nicotine/smoking, alcohol, and illicit substance use on outcomes and complications of burn patients requiring hospital admission: systematic review and meta-analysis. *Burns*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31818513>

Meuli, M, Yue, AJ, Swerdloff, M, Feustel, PJ, Hanakova, M, & Ehlers, MA. (2019). Influence of the cigarette smoking trend on carboxyhemoglobin levels in banked blood - An update fourteen years later. *J Clin Anesth*, 109677. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31787495>

Hashim, A, Fathima, H, Muhammed, RCS, & Neevan, DRD. (2019). Analysis of Lead, Cadmium, and Nickel in Blood Donors in Relation to Smoking-A Comparative Study. *J Environ Pathol Toxicol Oncol*, 38(2), 165-172. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31679279>

Zhen, C, Fang, X, Ding, M, Wang, X, Yuan, D, Sui, X et al. (2019). Smoking is an important factor that affects peripheral blood progenitor cells yield in healthy male donors. *J Clin Apher*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31693224>

Lawrence, DW, Foster, E, Comper, P, Langer, L, Hutchison, MG, Chandra, T, & Bayley, M. (2019). Cannabis, alcohol and cigarette use during the acute post-concussion period. *Brain Inj*, 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31621424>

Roubinian, NH, Westlake, M, St Lezin, EM, Edgren, G, Brambilla, DJ, Lee, C et al (2019). Association of donor age, body mass index, hemoglobin, and smoking status with in-hospital mortality and length of stay among red blood cell-transfused recipients. *Transfusion*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31602669>

Carubbi, C, Masselli, E, Calabro, E, Bonati, E, Galeone, C, Andreoli, R et al. (2019). Sulphurous thermal water inhalation impacts respiratory metabolic parameters in heavy smokers. *Int J Biometeorol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31227888>

Xiong, M, Li, J, Yang, S, Zeng, F, Ji, Y, Liu, J et al (2019). Impacts of cigarette smoking on liver fibrosis and its regression under therapy in male patients with chronic hepatitis B. *Liver Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30920714>

Alvaro-Afonso, FJ, Lazaro-Martinez, JL, & Papanas, N. To Smoke or Not To Smoke: Cigarettes Have a Negative Effect on Wound Healing of Diabetic Foot Ulcers. *Int J Low Extrem Wounds*, 2018. 17(4), 258-260. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30760072>

Barrueco-Otero, E, Bartol Sanchez, M, Perez Rodriguez, J, Gonzalez Ruiz, JM, & Barrueco Ferrero, M. Adherence to Long-Term Oxygen Therapy. Influence of Tobacco Use. *Arch Bronconeumol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30713013>

Mekhail, N. Where does the balance lie between doing what's right for our patients and patients' rights? Spinal cord stimulation in chronic pain smokers. *Reg Anesth Pain Med*, 2019. 44(3), 421-422. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30777907>

Sakai, A, Zenke, Y, Menuki, K, Yamanaka, Y, Tajima, T, & Uchida, S. Current Smoking Is Associated with Delayed Wound Healing But Not with Improvement of Contracture after the Open Palm Technique for Dupuytren's Disease. *J Hand Surg Asian Pac Vol*, 2019. 24(1), 65-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30760148>

El-Taweel, AE, Salem, RM, & Allam, AH. Cigarette smoking reduces the efficacy of intralesional vitamin D in the treatment of warts. *Dermatol Ther*, 2019. e12816. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30623542>

Thomson, NC. Challenges in the management of asthma associated with smoking-induced airway diseases. *Expert Opin Pharmacother*, 2018. 1-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30196731>

Alroumi, F, Abdul Azim, A, Kergo, R, Lei, Y, Dargin, J. The impact of smoking on patient outcomes in severe sepsis and septic shock. *J Intensive Care*. 2018 Jul 28;6:42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30065844>

Al-Hamoudi N. Is antimicrobial photodynamic therapy an effective treatment for chronic periodontitis in diabetes mellitus and cigarette smokers: A systematic review and meta-analysis. *Photodiagnosis Photodyn Ther*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28559203>

Zhang L, Badve SV, Pascoe EM, Beller E, Cass A, et al. Representativeness of honeypot trial participants to australasian pd patients. *Perit Dial Int*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27935534>

Stolyar AG and Tomilina NA. [impact of smoking on kidney transplantation outcomes]. *Ter Arkh*, 2016; 88(12):45-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28139559>

Behrend CJ, Schonbach EM, Vaccaro AR, Coyne E, Prasarn ML, et al. Maximum pain on visual analog scales in spinal disorders. *Spine J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27939747>

News reports:

3.15.1 Surgery

No authors listed. Smoking greatly increases risk of complications after surgery - WHO. *World Health Organization*, 2020. Jan 20, 2020. Retrieved from <https://www.who.int/news-room/detail/20-01-2020-smoking-greatly-increases-risk-of-complications-after-surgery>

Scott E. Surgeon says that smoking a month before or after a boob job could make your nipples fall off, in *Metro*2017. Available from: <http://metro.co.uk/2017/12/09/surgeon-says-smoking-month-boob-job-make-nipples-fall-off-7145190/>.

Doyle K. Transplant recipients who resume smoking have shorter survival, in *Reuters*2016. Available from: <http://uk.reuters.com/article/us-health-transplantation-smoking-idUKKCN1141UA>.

Harrison P. Smokers face higher risk for revision after knee replacement, in *MedPage Today*2015. Available from: <http://www.medpagetoday.com/Orthopedics/Orthopedics/53773>.

Australian and New Zealand College of Anaesthetists. Statement on smoking as related to the perioperative period. Review ps12 (2007). Melbourne: Australian and New Zealand College of Anaesthetists, 2007. Available from: <http://www.anzca.edu.au/resources/professional-documents/documents/professional-standards/professional-standards-12.html>.

3.15.1.1 Anaesthesia

No authors listed. Smokers and those exposed to passive smoke require more anesthetic and painkiller during operations, in *Science Daily* 2015. Available from: <http://www.sciencedaily.com/releases/2015/05/150529193641.htm>.

3.15.1.2 Postoperative complications

Hughes C. After joint replacement surgery, smokers at increased risk of reoperation for infection in *EurekAlert!*2017. Available from: https://www.eurekalert.org/pub_releases/2017-02/wkh-air021517.php.

3.15.2 Drug interactions and treatment efficacy

No authors listed. Exposure to cigarette smoke and flu virus may prevent lung medications working properly, in *Medical News Today*2016. Available from: <http://www.medicalnewstoday.com/releases/308882.php>.

Seaman AA. Smokers more likely to get antibiotics prescriptions than others, in *Reuters*2015. Available from: <http://www.reuters.com/article/us-health-antibiotics-smoking-idUSKBN0UE1BN20151231>

3.15.3 Cardiovascular disease

Australian institute of Health and Welfare. Medicines for cardiovascular disease. Cat. no. CVD 80. Canberra: AIHW, 2017. Available from: <https://www.aihw.gov.au/reports/heart-stroke-vascular-diseases/medicines-for-cardiovascular-disease/contents/table-of-contents>.

Whiteman H. Quitting smoking may improve angioplasty outcomes, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/articles/293741.php?tw>.

No authors listed. Smokers at twice risk of prostate cancer recurring after surgery, in *Medical News Today* 2015. Available from <http://www.medicalnewstoday.com/releases/291306.php?tw>.