

Tobacco in Australia

Facts & Issues

Relevant news and research

3.16 Smoking and diabetes

Last updated July 2019

Research:

Khouja, T, Miller, RG, Moore, PA, Orchard, TJ, & Costacou, T. (2019). Periodontal disease, smoking, cardiovascular complications and mortality in type 1 diabetes. *J Diabetes Complications*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31235433>

McGihon, RE, Burns, RJ, Deschenes, SS, & Schmitz, N. (2019). Longitudinal associations between number of cigarettes per day and depressive symptoms in adult smokers with type 2 diabetes: A path analysis approach. *J Psychosom Res*, 109737. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31229241>

Roderick, P, Turner, V, Readshaw, A, Dogar, O, & Siddiqi, K. (2019). The global prevalence of tobacco use in type 2 diabetes mellitus patients: A systematic review and meta-analysis. *Diabetes Res Clin Pract*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31202865>

Gupta, S, Maharjan, A, Dhami, B, Amgain, P, Katwal, S, Adhikari, B, & Shukla, A. (2018). Status of Tobacco Smoking and Diabetes with Periodontal Disease. *JNMA J Nepal Med Assoc*, 56(213), 818-824. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065114>

Carlsson, S, Kuja-Halkola, R, Magnusson, C, Lagerros, YT, & Andersson, T. Tobacco and type 2 diabetes: is the association explained by genetic factors? *Int J Epidemiol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30726916>

Dinardo, MM, Sereika, SM, Korytkowski, M, Baniak, LM, Weinzierl, VA, Hoenstine, AL, & Chasens, ER. Current Smoking: An Independent Predictor of Elevated A1C in Persons With Type 2 Diabetes. *Diabetes Educ*, 2019. 145721719829068. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30755104>

Kar, D, Gillies, C, Nath, M, Khunti, K, Davies, MJ, & Seidu, S. Association of smoking and cardiometabolic parameters with albuminuria in people with type 2 diabetes mellitus: a systematic review and meta-analysis. *Acta Diabetol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30799525>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Liao, D, Ma, L, Liu, J, & Fu, P. Cigarette smoking as a risk factor for diabetic nephropathy: A systematic review and meta-analysis of prospective cohort studies. PLoS One, 2019. 14(2), e0210213. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30716100>

Braffett, BH, Rice, MM, Young, HA, & Lachin, JM. Mediation of the association of smoking and microvascular complications by glycemic control in type 1 diabetes. PLoS One, 2019. 14(1), e0210367. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30615671>

Noubiap, JJ, Nansseu, JR, Endomba, FT, Ngouo, A, Nkeck, JR, Nyaga, UF et al. Active smoking among people with diabetes mellitus or hypertension in Africa: a systematic review and meta-analysis. Sci Rep, 9(1), 588. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30679752>

Anker, MS, Kalantar-Zadeh, K, & Doehner, W. Smoking and Other Risk Factors in Type 2 Diabetes. N Engl J Med, 2018; 379(26), 2572-2573. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30586511>

Fan, T, Yang, S, & Geng, Q. Smoking and Other Risk Factors in Type 2 Diabetes. N Engl J Med, 2018; 379(26), 2573. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30586512>

Hu, Y, Hu, FB, & Sun, Q. Smoking and Other Risk Factors in Type 2 Diabetes. N Engl J Med, 2018; 379(26), 2574-2575. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30586515>

Kannt, A. Smoking and Other Risk Factors in Type 2 Diabetes. N Engl J Med, 2018; 379(26), 2574. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30586514>

Mansi, IA. Smoking and Other Risk Factors in Type 2 Diabetes. N Engl J Med, 2018; 379(26), 2573-2574. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30586513>

Fu, XL, Ding, H, Miao, WW, & Chen, HL. Association Between Cigarette Smoking and Diabetic Foot Healing: A Systematic Review and Meta-Analysis. Int J Low Extrem Wounds, 2018. 1534734618809583. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30461329>

Choi, DW, Jeon, J, Lee, SA, Han, KT, Park, EC, & Jang, SI. Association between Smoking Behavior Patterns and Glycated Hemoglobin Levels in a General Population. Int J Environ Res Public Health, 2018. 15(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30332732>

Xia, N, Morteza, A, Yang, F, Cao, H, & Wang, A. A Review of the Role of Cigarette Smoking in the Diabetic Foot. J Diabetes Investig, 2018. Available from: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/jdi.12952>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Feodoroff, M, Harjutsalo, V, Forsblom, C, Groop, PH, & FinnDiane Study, G. Dose-dependent effect of smoking on risk of coronary heart disease, heart failure and stroke in individuals with type 1 diabetes. *Diabetologia*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30229273>

Sifat, AE, Vaidya, B, Villalba, H, Albekairi, TH, & Abbruscato, TJ. Neurovascular unit transport responses to ischemia and common coexisting conditions: smoking and diabetes. *Am J Physiol Cell Physiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30207783>

Cai, X, Chen, Y, Yang, W, Gao, X, Han, X, Ji, L. The association of smoking and risk of diabetic retinopathy in patients with type 1 and type 2 diabetes: a meta-analysis. *Endocrine*. 2018 Aug 20. pii: 10.1007/s12020-018-1697-y. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30128962>

Chen, C, Tu, YQ, Yang, P, Yu, QL, Zhang, S, Xiong, F, Wang, CY. Assessing the impact of cigarette smoking on beta-cell function and risk for type 2 diabetes in a non-diabetic Chinese cohort. *Am J Transl Res*. 2018 Jul 15;10(7):2164-2174. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30093953>

Sari, MI, Sari, N, Darlan, DM, Prasetya, RJ. Cigarette Smoking and Hyperglycaemia in Diabetic Patients. *Open Access Maced J Med Sci*. 2018 Apr 5;6(4):634-637. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29731929>

Han, Q, Wang, S, Zhang, J, Zhang, R, Guo, R, Wang, Y, Li, H, Xu, H, Liu, F. The association between cigarette smoking and diabetic nephropathy in Chinese male patients. *Acta Diabetol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30066043>

Tarnowski, M, Duda-Sobczak, A, Lipski, J, Zozulinska-Ziolkiewicz, D, Wyganowska-Swiatkowska, M. Tobacco smoking decreases clinical symptoms of gingivitis in patients with type 1 diabetes-a cross-sectional study. *Oral Dis*, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29757485>

Kim, JH, Kim, BJ, Kang, JG, Kim, BS, Kang, JH. Association between cigarette smoking and diabetes mellitus using two different smoking stratifications in 145,040 Korean individuals; self-reported questionnaire and urine cotinine level. *J Diabetes*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30091285>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. The serious disease that awaits some ex-smokers. *Nature*. 2018 Aug;560(7719):413. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131537>

Jenkins, DA, Bowden, J, Robinson, HA, Sattar, N, Loos, RJF, Rutter, MK, Sperrin, M. Adiposity-Mortality Relationships in Type 2 Diabetes, Coronary Heart Disease and Cancer Subgroups in the UK Biobank, and Their Modification by Smoking. *Diabetes Care*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29970414>

Montes-Santiago, J. Diabetes mellitus and tobacco: The perfect storm. *Rev Clin Esp*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30017332>

Luque-Ramirez, M, Sanz de Burgoa, V, and en nombre de los participantes del estudio, Diabetes. Impact of smoking cessation on estimated cardiovascular risk in Spanish type 2 diabetes mellitus patients: The DIABETES study. *Rev Clin Esp*. 2018 Jun 8. pii: S0014-2565(18)30153-X. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29891175>

Sun, Q, Xu, H, Xue, J, Yang, Q, Chen, C, Yang, P, Han, A, Tu, Q, Lu, J, Gao, X, Xiang, Q, Liu, Q. MALAT1 via microRNA-17 regulation of insulin transcription is involved in the dysfunction of pancreatic beta-cells induced by cigarette smoke extract. *J Cell Physiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29856480>

Yuan, S, Xue, HL, Yu, HJ, Huang, Y, Tang, BW, Yang, XH, Li, QX, He, QQ. Cigarette smoking as a risk factor for type 2 diabetes in women compared with men: a systematic review and meta-analysis of prospective cohort studies. *J Public Health (Oxf)*, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29901755>

Grondahl, MF, Bagger, JI, Lund, A, Faurschou, A, Rehfeld, JF, Holst, JJ, Vilsboll, T, Knop, FK. Effects of Smoking Versus Nonsmoking on Postprandial Glucose Metabolism in Heavy Smokers Compared With Nonsmokers. *Diabetes Care*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29602793>

Liu, X, Bragg, F, Yang, L, Kartsonaki, C, Guo, Y, Du, H, Bian, Z, Chen, Y, Yu, C, Lv, J, Wang, K, Zhang, H, Chen, J, Clarke, R, Collins, R, Peto, R, Li, L, Chen, Z, China Kadoorie Biobank Collaborative, Group. Smoking and smoking cessation in relation to risk of diabetes in Chinese men and women: a 9-year prospective study of 0.5 million people. *Lancet Public Health*. 2018 Mar 13. pii: S2468-2667(18)30026-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29548855>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Liu, M, Zhang, W, Yan, Z, Yuan, X. Smoking increases the risk of diabetic foot amputation: A meta-analysis. *Exp Ther Med*. 2018 Feb;15(2):1680-1685. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29434753>

Xu, H, Suo, J, Lian, J. Cigarette smoking and risk of albuminuria in patients with type 2 diabetes: a systematic review and meta-analysis of observational studies. *Int Urol Nephrol*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29476432>

White, WB, Cain, LR, Benjamin, EJ, DeFilippis, AP, Blaha, MJ, Wang, W, Okhomina, V, Keith, RJ, Al Rifai, M, Kianoush, S, Winniford, MD, Robertson, RM, Bhatnagar, A, Correa, A, Hall, ME. High-Intensity Cigarette Smoking Is Associated With Incident Diabetes Mellitus In Black Adults: The Jackson Heart Study. *J Am Heart Assoc*. 2018 Jan 12;7(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29330255>

Xu, H, Wang, Q, Sun, Q, Qin, Y, Han, A, Cao, Y, Yang, Q, Yang, P, Lu, J, Liu, Q, Xiang, Q. In type 2 diabetes induced by cigarette smoking, activation of p38 MAPK is involved in pancreatic beta-cell apoptosis. *Environ Sci Pollut Res Int*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29372523>

Jiang, N, Huang, F, Zhang, X. Smoking and the risk of diabetic nephropathy in patients with type 1 and type 2 diabetes: a meta-analysis of observational studies. *Oncotarget*. 2017 Oct 4;8(54):93209-93218. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29190990>

Rezaei-Adl, S Ghahroudi Tali, A, Saffar, H, Rajabiani, A, Abdollahi, A. Comparing the Levels of Acute-Phase Reactants Between Smoker and Nonsmoker Diabetic Patients: More Predicted Risk for Cardiovascular Diseases in Smoker Compared to Nonsmoker Diabetics. *Acta Med Iran*. 2017 Sep;55(9):563-567. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29202548>

Peng, K, Chen, G, Liu, C, Mu, Y, Ye, Z, Shi, L, Zhao, J, Chen, L, Li, Q, Yang, T, Yan, L, Wan, Q et al. Association between Smoking and Glycemic Control in Diabetic Patients: Results from the REACTION study. *J Diabetes*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29144059>

Yang, Q, Cui, Y, Luo, F, Liu, X, Wang, Q, Bai, J, Dong, F, Sun, Q, Lu, L, Xu, H, Xue, J, Chen, C, Xiang, Q, Liu, Q, Zhang, Q. MicroRNA-191, acting via the IRS-1/Akt signaling pathway, is involved in the hepatic insulin resistance induced by cigarette smoke extract. *Environ Sci Pollut Res Int*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28963693>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kawada, T. Smoking and coronary heart disease in patients with type 2 diabetes mellitus. *Diabetes Res Clin Pract.* 2017 Sep 20. pii: S0168-8227(17)31407-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28951339>

Kawada, T. Occupational metal exposures, smoking and diabetes. *Occup Med (Lond).* 2017 Aug 1;67(6):493. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28898970>

Khan, AA, Chung, MJ, Novak, E, Brown, DL. Increased Hazard of Myocardial Infarction With Insulin-Provision Therapy in Actively Smoking Patients With Diabetes Mellitus and Stable Ischemic Heart Disease: The BARI 2D (Bypass Angioplasty Revascularization Investigation 2 Diabetes) Trial. *J Am Heart Assoc.* 2017 Sep 13;6(9). pii: e005946. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28903941>

Li, L, Xu, C, Wang, KS. Response to the letter to the editor regarding "Smoking and coronary heart disease in patients with type 2 diabetes mellitus". *Diabetes Res Clin Pract.* 2017 Sep 21. pii: S0168-8227(17)31490-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28951340>

Tyrberg, M, Nystrom, L, Arnqvist, HJ, Bolinder, J, Gudbjornsdottir, S, Landin-Olsson, M, Eriksson, JW, Svensson, M K. Overweight, hyperglycemia and tobacco use are modifiable risk factors for onset of retinopathy 9 and 17 years after the diagnosis of diabetes - A retrospective observational nationwide cohort study. *Diabetes Res Clin Pract.* 2017 Aug 24;133:21-29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28888147>

Wilson, R, Willis, J, Gearry, R, Skidmore, P, Fleming, E, Frampton, C, Carr, A. Inadequate Vitamin C Status in Prediabetes and Type 2 Diabetes Mellitus: Associations with Glycaemic Control, Obesity, and Smoking. *Nutrients.* 2017 Sep 9;9(9). pii: E997. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28891932>

Akter, S, Goto, A, Mizoue, T. Smoking and the risk of type 2 diabetes in Japan: A systematic review and meta-analysis. *J Epidemiol.* 2017 Jul 14. pii: S0917-5040(17)30139-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28716381>

Kim, KW, Kang, SG, Song, SW, Kim, NR, Rho, JS, Lee, YA. Association between the Time of Length since Smoking Cessation and Insulin Resistance in Asymptomatic Korean Male Ex-Smokers. *J Diabetes Res.* 2017;2017:6074760. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28706954>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bertoglia, MP, Gormaz, JG, Libuy, M, Sanhueza, D, Gajardo, A, Srur, A, Wallbaum, M, Erazo, M. The population impact of obesity, sedentary lifestyle, and tobacco and alcohol consumption on the prevalence of type 2 diabetes: Analysis of a health population survey in Chile, 2010. PLoS One. 2017 May 25;12(5):e0178092. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28542472>

Ganesan, SM, Joshi, V, Fellows, M, Dabdoub, SM, Nagaraja, HN, O'Donnell, B, Deshpande, NR, Kumar, PS. A tale of two risks: smoking, diabetes and the subgingival microbiome. ISME J. 2017 May 23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28534880>

Hogendorf, AM, Fendler, W, Sieroslawski, J, Bobeff, K, Wegrewicz, K, Malewska, KI, Przudzik, MW, Szmigiero-Kawko, M, Sztangierska, B, Mysliwiec, M, Szadkowska, A, Mlynarski, WM. Alcohol and cigarette use among adolescents with type 1 diabetes. Eur J Pediatr. 2017 Jun;176(6):713-722. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28382540>

Khan, AA, Chung, MJ, Novak, E, Mori Brooks, M, Brown, DL. The long-term risk of smoking in diabetic patients with stable ischemic heart disease treated with intensive medical therapy and lifestyle modification. Eur J Prev Cardiol. 2017 Jan 1:2047487317711046. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28517955>

Kim, JH, Noh, J, Choi, JW, Park, EC. Association of Education and Smoking Status on Risk of Diabetes Mellitus: A Population-Based Nationwide Cross-Sectional Study. Int J Environ Res Public Health. 2017 Jun 19;14(6). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28629199>

Lopez Zubizarreta, M, Hernandez Mezquita, MA, Miralles Garcia, JM, Barrueco Ferrero, M. Tobacco and diabetes: clinical relevance and approach to smoking cessation in diabetic smokers. Endocrinol Diabetes Nutr. 2017 Apr;64(4):221-231. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28417877>

Australian Institute of Health and Welfare. Diabetes compendium, Jan 2017. Available from: <https://www.aihw.gov.au/reports/diabetes/diabetes-compendium/contents/how-many-australians-have-diabetes>

Maddatu, J, Anderson-Baucum, E, Evans-Molina, C. Smoking and the risk of type 2 diabetes. Transl Res. 2017 Jun;184:101-107. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28336465>

Sliwinska-Mosson, M, Milnerowicz, H. The impact of smoking on the development of diabetes and its complications. Diab Vasc Dis Res. 2017 Jul;14(4):265-276. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28393534>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Sorensen, AS, Kjaer, LK, Petersen, KM, Henriksen, T, Cejvanovic, V, Pedersen, O, Hansen, T, Christensen, CK, Brandslund, I, Poulsen, HE. The effect of smoking on the urinary excretion of 8-oxodG and 8-oxoGuo in patients with type 2 diabetes. Scand J Clin Lab Invest. 2017 Jul;77(4):253-258. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28287274>

Ganesan, SM, Joshi, V, Fellows, M, Dabdoub, SM, Nagaraja, HN, O'Donnell, B, Deshpande, NR, Kumar, PS. A tale of two risks: smoking, diabetes and the subgingival microbiome. ISME J, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28534880>

Su, S, Wang, W, Sun, T, Ma, F, Wang, Y, Li, J, Xu, Z. Smoking as a risk factor for diabetic nephropathy: a meta-analysis. Int Urol Nephrol. 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28631246>

Skropanic, D, Fufaa, G, Cai, B. The Association Between Changes in Insulin Sensitivity and Consumption of Tobacco and Alcohol in Young Adults: Ordinal Logistic Regression Approach. Cureus. 2016 Dec 24;8(12):e942. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28123923>

Hofer, SE, Miller, K, Hermann, JM, DeSalvo, DJ, Riedl, M, Hirsch, IB, Karges, W, Beck, RW, Holl, RW, Maahs, DM. Response to Comment on Hofer et al. International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. Diabetes Care 2016;39:e177-e178. Diabetes Care. 2017 Mar;40(3):e37. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28223449>

Barengo, NC, Teuschl, Y, Moltchanov, V, Laatikainen, T, Jousilahti, P, Tuomilehto, J. Coronary heart disease incidence and mortality, and all-cause mortality among diabetic and non-diabetic people according to their smoking behavior in Finland. Tob Induc Dis. 2017 Feb 2;15:12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28184182>

Balkau, B, Soulimane, S, Simon, D, Herman, WH. Comment on Hofer et al. International Comparison of Smoking and Metabolic Control in Patients With Type 1 Diabetes. Diabetes Care 2016;39:e177-e178. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28223448>

Kar, D, Gillies, C, Zaccardi, F, Webb, D, Seidu, S, Tesfaye, S, Davies, M, Khunti, K. Relationship of cardiometabolic parameters in non-smokers, current smokers, and quitters in diabetes: a systematic review and meta-analysis. Cardiovasc Diabetol. 2016 Nov 24;15(1):158. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27881170>

Kinney, GL, Baker, EH, Klein, OL, Black-Shinn, JL, Wan, ES, Make, B, Regan, E, Bowler, RP, Lutz, SM, Young, KA, Duca, LM, Washko, GR, Silverman, EK, Crapo, JD, Hokanson, JE. Pulmonary predictors of

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

incident diabetes in smokers. *Chronic Obstr Pulm Dis*. 2016;3(4):739-747. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27795984>

Bucheli, JR, Manshad, A, Ehrhart, MD, Camacho, J, Burge, MR. Association of passive and active smoking with pre-diabetes risk in a predominantly Hispanic population. *J Investig Med*, Oct 2016.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756803>

Hadaegh, F, Derakhshan, A, Mozaffary, A, Hasheminia, M, Khalili, D, Azizi, F. Twelve-Year Cardiovascular and Mortality Risk in Relation to Smoking Habits in Type 2 Diabetic and Non-Diabetic Men: Tehran Lipid and Glucose Study. *PLoS One*. 2016 Mar 1;11(3):e0149780. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26930192>

Dwivedi, S, Malik, PK, Khan, S. Long standing diabetes, hypertension and recurrent stroke associated with smoking. *J Assoc Physicians India*. 2016 Jan;64(1):76. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27727985>

Jose, MJ, Varkey, V, Chandni, R, Zubaida, PA, Maliekkal, J. The role of smoking as a modifiable risk factor in diabetic nephropathy. *J Assoc Physicians India*. 2016 Jul;64(7):34-38. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27759340>

Liu, Y, Wang, K, Maisonet, M, Wang, L, Zheng, S. Associations of lifestyle factors: smoking, alcohol consumption, diet and physical activity with type 2 diabetes among American adults from NHANES 2005-2014. *J Diabetes*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27753238>

Furukawa, S, Sakai, T, Niiya, T, Miyaoka, H, Miyake, T, Yamamoto, S, Kanzaki, S, Maruyama, K et al. Smoking and prevalence of nocturia in Japanese patients with type 2 diabetes mellitus: a post-hoc analysis of The Dogo Study. *Neurourol Urodyn*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27564779>

Hofer, SE, Miller, K, Hermann, JM, DeSalvo, DJ, Riedl, M, Hirsch, IB, Karges, W, Beck, RW, Holl, R. International comparison of smoking and metabolic control in patients with type 1 diabetes.

Diabetes Care, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27531951>

Yang, A, Cheng, N, Pu, H, Liu, S, Dai, M, Zheng, T, Bai, Y. Occupational metal exposures, smoking and risk of diabetes and prediabetes. *Occup Med (Lond)*. 2016 Jul 14. pii: kqw078. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27418044>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bai, KJ, Lee, JJ, Chien, ST, Suk, CW, Chiang, CY. The influence of smoking on pulmonary tuberculosis in diabetic and non-diabetic patients. PLoS One. 2016 Jun 7;11(6):e0156677. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27270725>

Gottsater, M, Balkau, B, Hiatnic, M, Gabriel, R, Anderwald, CH, Dekker, J, Lalic, N, Nilsson, PM. Insulin resistance and beta-cell function in smokers: results from the EGIR-RISC European multicentre study. Diabet Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27334352>

Keith, RJ, Al Rifai, M, Carruba, C, De Jarnett, N, McEvoy, JW, Bhatnagar, A, Blaha, MJ, Defilippis, AP. Tobacco use, insulin resistance, and risk of Type 2 Diabetes: results from the multi-ethnic study of Atherosclerosis. PLoS One. 2016 Jun 20;11(6):e0157592. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27322410>

Lauhio, A, Farkkila, E, Pietilainen, KH, Astrom, P, Winkelmann, A, Tervahartiala, T, Pirila, E, Rissanen, A, Kaprio, J, Sorsa, TA, Salo, T. Association of MMP-8 with obesity, smoking and insulin resistance. Eur J Clin Invest, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27296149>

Ohkuma, T, Nakamura, U, Iwase, M, Ide, H, Fujii, H, Jodai, T, Kaizu, S, Kikuchi, Y, Idewaki, Y, Sumi, A, Hirakawa, Y, Kitazono, T. Effects of smoking and its cessation on creatinine- and cystatin C-based estimated glomerular filtration rates and albuminuria in male patients with type 2 diabetes mellitus: the Fukuoka Diabetes Registry. Hypertens Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27250568>

Rasouli, B, Andersson, T, Carlsson, PO, Grill, V, Groop, L, Martinell, M, Storm, P, Tuomi, T, Carlsson, S. Smoking and the Risk of LADA: Results From a Swedish Population-Based Case-Control Study. Diabetes Care. 2016 May;39(5):794-800. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27208379>

Venkatasubramanian, S, Noh, RM, Daga, S, Langrish, JP, Mills, NL, Waterhouse, BR, Hoffmann, E, Jacobson, EW, Lang, NN, Frier, BM, Newby, DE. Effects of the small molecule SIRT1 activator, SRT2104 on arterial stiffness in otherwise healthy cigarette smokers and subjects with type 2 diabetes mellitus. Open Heart. 2016 May 17;3(1):e000402. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27239324>

Yeom, H, Lee, JH, Kim, HC, Suh, IJ. The association between smoking tobacco after a diagnosis of diabetes and the prevalence of diabetic nephropathy in the Korean male population. Prev Med

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Public Health. 2016 Mar;49(2):108-17. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27055547>

Hou, X, Qiu, J, Chen, P, Lu, J, Ma, X, Lu, J, Weng, J, Ji, L, Shan, Z, Liu, J, Tian, H, Ji, Q, Zhu, D, Ge, J, Lin, L et al. Cigarette smoking is associated with a lower prevalence of newly diagnosed diabetes screened by OGTT than non-smoking in Chinese men with normal weight. PLoS One. 2016 Mar 8;11(3):e0149234. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26954355>

Omae, T, Nagaoka, T, Yoshida, A. Effects of habitual cigarette smoking on retinal circulation in patients with type 2 diabetes. Invest Ophthalmol Vis Sci. 2016 ;57(3):1345-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27002294>

Ligthart, S et al. Tobacco smoking is associated with DNA methylation of diabetes susceptibility genes. Diabetologia, 2016 May; 59(5):998-1006. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26825526>

Kawada, T. Smoking and risk of cardiovascular disease in patients with type 2 diabetes. Clin Exp Pharmacol Physiol, 2016 Feb;43 (2):280. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26667166>

Le Boudec, J et al. Smoking cessation and the incidence of pre-diabetes and type 2 diabetes: a cohort study. J Diabetes Complications, 2016 Jan-Feb; 30(1):43-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547408>

Ahmad, A et al. Study of electrophysiological changes in sensory nerves among diabetic smokers. J Clin Diagn Res, 2016 Jan; 10(1):CC09-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26894060>

Brownrigg, JR, Hughes, CO, Burleigh, D, Karthikesalingam, A, Patterson, BO, Holt, PJ, Thompson, MM, de Lusignan, S, Ray, KK, Hinchliffe, RJ. Diabetic microvascular triopathy, smoking, and risk of cardiovascular events - Author's reply. Lancet Diabetes Endocrinol. 2016 Nov;4(11):888-889. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27793319>

Blomster, JI et al. The harms of smoking and benefits of smoking cessation in women compared with men with type 2 diabetes: an observational analysis of the ADVANCE (Action in Diabetes and Vascular Disease: Preterax and Diamicon modified release Controlled Evaluation) trial. BMJ Open, 2016 Jan 8; 6(1):e009668. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26747037>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Afridi, HI, Kazi, TG, Talpur, FN, Brabazon, D. Evaluation of trace and toxic elements in the samples of different cigarettes and their impact on human health of Irish diabetes mellitus patients. Clin Lab. 2015;61(1-2):123-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25807646>

Feodoroff, M et al. Smoking and progression of diabetic nephropathy in patients with type 1 diabetes. Acta Diabetol, 2015. Dec 14 [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26668013>

Pham, NM et al. Non-linear association between smoking cessation and incident type 2 diabetes. Lancet Diabetes Endocrinol, 2015 Dec; 3(12):932. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26590683>

Pan, A. et al. Relation of active, passive, and quitting smoking with incident type 2 diabetes: a systematic review and meta-analysis. Lancet Diabetes Endocrinol, 2015 Dec;3(12):958-67. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26388413>

Pan, A et al. Relation of smoking with total mortality and cardiovascular events among patients with diabetes: a meta-analysis and systematic review. Circulation, 2015 Nov 10;132(19):1795-804. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26311724>

Yang, M et al. Comparison of diabetes risk following smoking cessation treatment using Varenicline versus Bupropion among obese smokers. Subst Use Misuse, 2015; 50(13):1628-37. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26595661>

Meral, I et al. Smoking-related alterations in serum levels of thyroid hormones and insulin in female and male students. Altern Ther Health Med, 2015 Sep-Oct; 21(5):24-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26393988>

Sattar, N et al. Smoking and diabetes risk: building a causal case with clinical implications. Lancet Diabetes Endocrinol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26388412>

Akter, S et al. Correction: smoking, smoking cessation, and the risk of type 2 diabetes among Japanese adults: Japan Epidemiology Collaboration on Occupational Health Study. PLoS One, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26305358>

Akter, S et al. Smoking, smoking cessation, and the risk of type 2 diabetes among Japanese adults: Japan Epidemiology Collaboration on Occupational Health Study. PLoS One, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26200457>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

O'Dell, LE, Nazarian, A. Enhanced vulnerability to tobacco use in persons with diabetes: A behavioral and neurobiological framework. Progress in Neuro-psychopharmacology & Biological Psychiatry, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26092247>

Chau, TK et al. Misconceptions about smoking in patients with type 2 diabetes mellitus: a qualitative analysis. Journal of Clinical Nursing, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25950711>

Clair, C et al. The effect of cigarette smoking on diabetic peripheral neuropathy: a systematic review and meta-analysis. Journal of General Internal Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25947882>

Mummadi, S. Capsule Commentary on Clair et al. The effect of cigarette smoking on diabetic peripheral neuropathy: a systematic review and meta-analysis. Journal of General Internal Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26014892>

Paul, SK et al. Association of smoking and concomitant use of metformin with cardiovascular events and mortality in people newly diagnosed with type 2 diabetes. Journal of diabetes, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25929583>

Sugiyama, T et al. Current smoking is an independent risk factor for new-onset diabetes mellitus during highdose glucocorticoid treatment. International Journal of Clinical Pharmacology and Therapeutics, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25997545>

Taylor, AE et al. Smoking and diabetes: strengthening causal inference. The Lancet. Diabetes & Endocrinology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25935881>

Ohkuma, T et al. Dose- and time-dependent association of smoking and its cessation with glycemic control and insulin resistance in male patients with type 2 diabetes mellitus: the fukuoka diabetes registry. PLoS One, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25822499>

Jiang, F et al. Effects of active and passive smoking on the development of cardiovascular disease as assessed by a carotid intima-media thickness examination in patients with type 2 diabetes mellitus. Clinical and Experimental Pharmacology & Physiology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25708055>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Salvatore, SP et al. Smoking-related glomerulopathy: expanding the morphologic spectrum.

American Journal of Nephrology, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25659349>

Tsai, JS et al. Plasma zinc alpha2-glycoprotein levels are elevated in smokers and correlated with metabolic syndrome. European Journal of Clinical Investigation, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25708842>

Vazquez-Benitez, G et al. Preventable major cardiovascular events associated with uncontrolled glucose, blood pressure, and lipids and active smoking in adults with diabetes with and without cardiovascular disease: a contemporary analysis. Diabetes Care, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25710922>

Atik, D, Atik, C, Paker, S, Islek, M. The significance of gender in patients administered coronary angiography with respect to smoking, peripheral arterial disease, diabetes mellitus and the procedure used. J Eval Clin Pract, Jun 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24976144>

Uruska, A, Araszkievicz, A, Uruski, P, Zozulinska-Ziolkiewicz, D. Higher risk of microvascular complications in smokers with type 1 diabetes despite intensive insulin therapy. Microvasc Res. 2014 Mar;92:79-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24423616>

Shah, AS, Dabelea, D, Talton, JW, Urbina, EM, Agostino RB, Wadwa, RP, Marcovina, S, Hamman, RF, Daniels, SR Dolan, LM. Smoking and arterial stiffness in youth with type 1 diabetes: the SEARCH Cardiovascular Disease Study. J Pediatr. 2014 Jul;165(1):110-6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24681182>

Haglin, LM, Tornkvist, B, Backman, LO. High serum phosphate and triglyceride levels in smoking women and men with CVD risk and type 2 diabetes. Diabetol Metab Syndr. 2014 Mar 17;6(1):39.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24636522>

Haynes, A, Cooper, MN, Bower, C, Jones, TW, Davis, EA. Maternal smoking during pregnancy and the risk of childhood type 1 diabetes in Western Australia. Diabetologia. 2014 Mar;57(3):469-72.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24297601>

Jaddoe, VW, de Jonge, LL, van Dam, RM, Willett, WC, Harris, H, Stampfer, MJ, Hu, FB, Michels, KB. Fetal exposure to parental smoking and the risk of type 2 diabetes in adult women. Diabetes Care.

2014 Nov;37(11):2966-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25092685>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Cibickova L, Karasek D, Langova K, Vaverkova H, Orsag J, et al. Correlation of lipid parameters and markers of insulin resistance: does smoking make a difference? *Physiol Res*, 2014; 63 Suppl 3:S387-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25428744>

Hilawe EH, Yatsuya H, Li Y, Uemura M, Wang C, et al. Smoking and Diabetes: Is the Association Mediated by Adiponectin, Leptin, or C-reactive Protein? *J Epidemiol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25400076>

Aeschbacher S, Schoen T, Clair C, Schillinger P, Schonenberger S, et al. Association of smoking and nicotine dependence with pre-diabetes in young and healthy adults. *Swiss Med Wkly*, 2014; 144:w14019. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25295968>

Aggarwal J and Kumar M. Prevalence of Microalbuminuria among Rural North Indian Population with Diabetes Mellitus and its Correlation with Glycosylated Haemoglobin and Smoking. *J Clin Diagn Res*, 2014; 8(7):CC11-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25177561>

Chang, LC, Wu, MS, Tu, CH, Lee, YC, Shun, CT, Chiu, HM. Metabolic syndrome and smoking may justify earlier colorectal cancer screening in men. *Gastrointest Endosc*. 2014 Jun;79(6):961-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24472766>

Clyde, M, Smith, KJ, Garipey, G, Schmitz, N. Assessing the longitudinal associations and stability of smoking and depression syndrome over a 4-year period in a community sample with type 2 diabetes. *J Diabetes*, Feb 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24612542>

Ellepola, AN, Joseph, BK, Khan, ZU. The postantifungal effect and phospholipase production of oral *Candida albicans* from smokers, diabetics, asthmatics, denture wearers and healthy individuals following brief exposure to subtherapeutic concentrations of chlorhexidine gluconate. *Mycoses*. 2014 Sep;57(9):553-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24655219>

Kim, SJ, Jee, SH, Nam, JM, Cho, WH, Kim, JH, Park, EC. Do early onset and pack-years of smoking increase risk of type II diabetes? *BMC Public Health*. 2014 Feb 19;14:178. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24548553>

La Torre, G, Sferrazza, A, Gualano, MR, de Waure, C, Clemente, G, De Rose, AM, Nicolotti, N, Nuzzo, G, Siliquini, R, Boccia, A, Ricciardi, W. Investigating the synergistic interaction of diabetes, tobacco smoking, alcohol consumption, and hypercholesterolemia on the risk of pancreatic cancer: a case-control study in Italy. *Biomed Res Int*. 2014;2014:481019. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24877100>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Labuz-Roszak, B, Pierzchala, K, Tyrpien, K. Resistance to acetylsalicylic acid in patients with type 2 diabetes mellitus is associated with lipid disorders and history of current smoking. J Endocrinol Invest. 2014 Apr;37(4):331-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24682908>

Odeberg, J, Freitag, M, Forssell, H, Vaara, I, Persson, ML, Odeberg, H, Halling, A, Rastam, L, Lindblad, U. The influence of smoking and impaired glucose homoeostasis on the outcome in patients presenting with an acute coronary syndrome: a cross-sectional study. BMJ Open. 2014 Jul 3;4(7):e005077. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24993762>

Patra, J, Jha, P, Rehm, J, Suraweera, W. Tobacco smoking, alcohol drinking, diabetes, low body mass index and the risk of self-reported symptoms of active tuberculosis: individual participant data (IPD) meta-analyses of 72,684 individuals in 14 high tuberculosis burden countries. PLoS One. 2014 May 2;9(5):e96433. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24789311>

Magee, MJ, Kempker, RR, Kipiani, M, Tukvadze, N, Howards, PP, Narayan, KM, Blumberg, HM. Diabetes mellitus, smoking status, and rate of sputum culture conversion in patients with multidrug-resistant tuberculosis: a cohort study from the country of Georgia. PLoS One. 2014 Apr 15;9(4):e94890. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24736471>

Molsted, S, Johnsen, NF, Snorgaard, O. Trends in leisure time physical activity, smoking, body mass index and alcohol consumption in Danish adults with and without diabetes: a repeat cross-sectional national survey covering the years 2000 to 2010. Diabetes Res Clin Pract. 2014 Aug;105(2):217-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24928339>

Monti, M, Monti, A, Murdolo, G, Di Renzi, P, Pirro, MR, Borgognoni, F, Vincentelli, GM. Correlation between epicardial fat and cigarette smoking: CT imaging in patients with metabolic syndrome. Scand Cardiovasc J. 2014 Oct;48(5):317-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25022871>

Folan, P, Savrin, C, McDonald, PE. Characteristics of smokers with type 2 diabetes. Appl Nurs Res. 2014 Feb;27(1):72-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24342457>

Caffrey MK. OSH officials discuss how 50th anniversary report highlights link between smoking, diabetes. Am J Manag Care, 2014; 20(4 Spec No.):SP98-SP100. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25618513>

Harmer JA, Keech AC, Veillard AS, Skilton MR, Marwick TH, et al. Cigarette smoking and albuminuria are associated with impaired arterial smooth muscle function in patients with type 2 diabetes

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

mellitus: a FIELD substudy. Diabetes Res Clin Pract, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25301035>

Wakabayashi, I. Smoking and lipid-related indices in patients with diabetes mellitus. Diabet Med. 2014 Jul;31(7):868-78. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24606550>

Wakabayashi, I. Relationship between smoking and metabolic syndrome in men with diabetes mellitus. Metab Syndr Relat Disord. 2014 Feb;12(1):70-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24266721>

Nagrebetsky, A, Brettell, R, Roberts, N, Farmer, A. Smoking cessation in adults with diabetes: a systematic review and meta-analysis of data from randomised controlled trials. BMJ Open. 2014 Mar 6;4(3):e004107. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24604481>

Ponciano-Rodriguez, G, Paez-Martinez, N, Villa-Romero, A, Gutierrez-Grobe, Y, Mendez-Sanchez, N. Early changes in the components of the metabolic syndrome in a group of smokers after tobacco cessation. Metab Syndr Relat Disord. 2014 May;12(4):242-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24689988>

Stein, JH, Asthana, A, Smith, SS, Piper, ME, Loh, WY, Fiore, MC, Baker, TB. Smoking cessation and the risk of diabetes mellitus and impaired fasting glucose: three-year outcomes after a quit attempt. PLoS One. 2014 Jun 3;9(6):e98278. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24893290>

The InterAct C, Spijkerman AM, van der AD, Nilsson PM, Ardanaz E, et al. Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25336749>

Wei X, E M, and Yu S. A meta-analysis of passive smoking and risk of developing Type 2 Diabetes Mellitus. Diabetes Res Clin Pract, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25488377>

Melin EO, Thunander M, Landin-Olsson M, Hillman M, and Thulesius HO. Depression, smoking, physical inactivity and season independently associated with midnight salivary cortisol in type 1 diabetes. BMC Endocr Disord, 2014; 14(1):75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25224993>

Slagter, SN, van Vliet-Ostaptchouk, JV, Vonk, JM, Boezen, HM, Dullaart, RP, Kobold, AC, Feskens, EJ, van Beek, AP, van der Klauw, MM, Wolffenbuttel, BH. Combined effects of smoking and alcohol on

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

metabolic syndrome: the LifeLines cohort study. PLoS One. 2014 Apr 29;9(4):e96406. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24781037>

Jia, WP. The impact of cigarette smoking on metabolic syndrome. Biomed Environ Sci. 2013 Dec;26(12):947-52. Available from : <http://www.ncbi.nlm.nih.gov/pubmed/24393503>

Rabaeus, M, Salen, P, de Lorgeril, M. Is it smoking or related lifestyle variables that increase metabolic syndrome risk? BMC Med. 2013 Sep 3;11:196. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24139143>

Bae, J. Differences in cigarette use behaviors by age at the time of diagnosis with diabetes from young adulthood to adulthood: results from the National Longitudinal Study of Adolescent Health. J Prev Med Public Health. 2013 Sep;46(5):249-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24137527>

Shi, L, Shu, XO, Li, H, Cai, H, Liu, Q, Zheng, W, Xiang, YB, Villegas, R. Physical activity, smoking, and alcohol consumption in association with incidence of type 2 diabetes among middle-aged and elderly Chinese men. PLoS One. 2013 Nov 4;8(11):e77919. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24223743>

Slagter, SN, van Vliet-Ostaptchouk, JV, Vonk, JM, Boezen, HM, Dullaart, RP, Kobold, AC, Feskens, EJ, van Beek, AP, van der Klauw, MM, Wolffenbuttel, BH. Associations between smoking, components of metabolic syndrome and lipoprotein particle size. BMC Med. 2013 Sep 3;11:195. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24228807>

Vlassopoulos, A, Lean, ME, Combet, E. Influence of smoking and diet on glycated haemoglobin and 'pre-diabetes' categorisation: a cross-sectional analysis. BMC Public Health. 2013 Oct 26;13:1013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24499114>

News reports:

No authors listed. Smoking linked with higher risk of type 2 diabetes. University of Oxford, 2018. Mar 19, 2018. Available from: <http://www.ox.ac.uk/news/2018-03-14-smoking-linked-higher-risk-type-2-diabetes>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Diabetes proves deadly for smokers. Medical News Today, 2016. Nov 24, 2016.
Available from: <http://www.medicalnewstoday.com/releases/314323.php>

Brazier, Yvette. Smoking, passive smoking linked to greater risk of type 2 diabetes. Medical News Today, 2015. Sept 18, 2015. Available from:
<http://www.medicalnewstoday.com/articles/299679.php?tw>

tobaccoinaustralia.org.au