

Tobacco in Australia

Facts & Issues

Relevant news and research

3.17 Inflammatory conditions and autoimmune disease

Last updated September 2019

Research:

Lee, YB, Lee, JH, Lee, SY, Lee, JH, Yu, DS, Han, KD, & Park, YG. (2019). Association between smoking and Behcet's disease: a nationwide population-based study in Korea. *J Eur Acad Dermatol Venereol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31121063>

Olsson, P, Bodewes, ILA, Nilsson, AM, Turesson, C, Jacobsson, LTH, Theander, E et al. (2019). Associations of cigarette smoking with disease phenotype and type I interferon expression in primary Sjogren's syndrome. *Rheumatol Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31139950>

Spiropoulou, A, Zareifopoulos, N, Bellou, A, Spiropoulos, K, & Tsalikis, L. (2019). Review of the association between periodontitis and chronic obstructive pulmonary disease in smokers. *Monaldi Arch Chest Dis*, 89(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30968666>

Choi, WJ, Lee, JW, Cho, AR, & Lee, YJ. Dose-Dependent Toxic Effect of Cotinine-Verified Tobacco Smoking on Systemic Inflammation in Apparently Healthy Men and Women: A Nationwide Population-Based Study. *Int J Environ Res Public Health*, 2019. 16(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30754720>

Meyer, P, Ally, M, Hodgkinson, B, Anderson, R, & Tikly, M. Diagnostic utility of, and influence of tobacco usage and genetic predisposition on, immunoglobulin A, rheumatoid factor and anti-citrullinated peptide auto-antibodies in South African rheumatoid arthritis patients. *Afr Health Sci*, 2018. 18(2), 295-303. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30602956>

Sparks, JA, O'Reilly, EJ, Barbhaiya, M, Tedeschi, SK, Malspeis, S, Lu, B et al. Association of fish intake and smoking with risk of rheumatoid arthritis and age of onset: a prospective cohort study. *BMC Musculoskelet Disord*, 2019. 20(1), 2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30611246>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zhao, S, Jones, GT, Macfarlane, GJ, Hughes, DM, Dean, LE, Moots, RJ, & Goodson, NJ. Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis: results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). *Rheumatology* (Oxford), 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30561738>

Attanzio, A, Frazzitta, A, Vasto, S, Tesoriere, L, Pintauro, AM, Livrea, MA et al. Increased eryptosis in smokers is associated with the antioxidant status and C-reactive protein levels. *Toxicology*, 2018. 411, 43-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30385265>

Alkhatabi, N, Todd, I, Negm, O, Tighe, PJ, & Fairclough, LC. Tobacco smoke and nicotine suppress expression of activating signaling molecules in human dendritic cells. *Toxicol Lett*, 2018.299, 40-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30227238>

Bennett, JM, Marino, JS, Peck, B, Roos, LG, Joseph, KM, Carter, LB, et al. Smokers Display Reduced Glucocorticoid Sensitivity Prior to Symptomatic Chronic Disease Development. *Ann Behav Med*, 2018.52(10), 830-841. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30212844>

Heyn, J, Luchting, B, & Azad, SC. Smoking associated T-Cell imbalance in patients with chronic pain. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30247701>

Speyer, CB, Costenbader, KH. Cigarette smoking and the pathogenesis of systemic lupus erythematosus. *Expert Rev Clin Immunol*. 2018 May 11:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29724134>

Tilson, MD. Autoimmunity in the Abdominal Aortic Aneurysm and its Association with Smoking. *Aorta* (Stamford). 2017 Dec 1;5(6):159-167. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29766007>

Schiffenbauer, A, Faghihi-Kashani, S, O'Hanlon, TP, Flegel, WA, Adams, SD, Targoff, IN, Oddis, CV, Ytterberg, SR, Aggarwal, R, Christopher-Stine, L, Shamim, EA, Dellaripa, PF, Danoff, SK, Mammen, AL, Miller, FW. The effect of cigarette smoking on the clinical and serological phenotypes of polymyositis and dermatomyositis. *Semin Arthritis Rheum*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29703532>

Yilmaz, M, Kayancicek, H. A New Inflammatory Marker: Elevated Monocyte to HDL Cholesterol Ratio Associated with Smoking. *J Clin Med*, 2018 Apr 10;7(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29642607>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hussain, MS, Tripathi, V. Smoking under hypoxic conditions: a potent environmental risk factor for inflammatory and autoimmune diseases. *Mil Med Res*. 2018 Mar 30;5(1):11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29598831>

Nakanishi, K, Nishida, M, Yamamoto, R, Koseki, M, Moriyama, T, Yamauchi-Takahara, K. An implication of Klotho-related molecules in different smoking-related health outcomes between men and women. *Clin Chim Acta*. 2017 Nov 10;476:44-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29132901>

Ueyama, C, Horibe, H, Yamase, Y, Fujimaki, T, Oguri, M, Kato, K, Yamada, Y. Association of smoking with prevalence of common diseases and metabolic abnormalities in community-dwelling Japanese individuals. *Biomed Rep*. 2017 Nov;7(5):429-438. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29109861>

Kaut, IK, Abourazzak, FE, Jamila, E, Senami, FA, Diketa, D, Taoufik, H. Axial Spondyloarthritis and Cigarette Smoking. *Open Rheumatol J*. 2017 May 31;11:53-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28659998>

Sokolove, J, Sayles, H, Mikuls, T. Comment on: Increased inflammation and disease activity among current cigarette smokers with rheumatoid arthritis: a cross-sectional analysis of US veterans: reply. *Rheumatology (Oxford)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28575469>

Fallahi, S. Relationship of smoking quantity with outcome measures in patients with ankylosing spondylitis: Comments on the article by Villaverde-Garcia V. et al. *Semin Arthritis Rheum*. 2017 Mar 22. pii: S0049-0172(17)30175-0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28434579>

Chai, W, Fan, JX, Wen, M. Association of individual and community factors with C-reactive protein and 25-hydroxyvitamin D: Evidence from the National Health and Nutrition Examination Survey (NHANES). *SSM Popul Health*. 2016 Dec;2:889-896. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27995178>

Czarnywojtek, A, Komar-Rychlicka, K, Zgorzalewicz-Stachowiak, M, Sawicka-Gutaj, N, Wolinski, K, Gut, P, Plazinska, M, Torlinska, B, Florek, E, Waligorska-Stachura, J, Ruchala, M. Efficacy and safety of radioiodine therapy for mild Graves' ophthalmopathy in dependence on cigarette consumption - a half year of follow-up. *Pol Arch Med Wewn*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27534827>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Binder, SR, Litwin, CM. Anti-phospholipid antibodies and smoking: an overview. Clin Rev Allergy Immunol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27377297>

Holownia, A, Wielgat, P, Rysiak, E, Braszko, JJ. Intracellular and extracellular cytokines in A549 cells and THP1 cells exposed to cigarette smoke. Adv Exp Med Biol, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26987337>

Kastelein, TE et al. Acute immune-inflammatory responses to a single bout of aerobic exercise in smokers; the effect of smoking history and status. Front Immunol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26779179>

Gratton, SM et al. Cigarette smoking and activities of daily living in ocular myasthenia gravis. J Neuroophthalmol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26457691>

Montes, RA et al. Smoking and its association with morbidity in systemic lupus erythematosus evaluated by the SLICC/ACR-DI: Preliminary data and systematic review. Arthritis Rheumatol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26359794>

Jiang, F et al. Smoking and the risk of systemic lupus erythematosus: an updated systematic review and cumulative meta-analysis. Clinical Rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26188616>

Karczewski, J et al. Different effect of smoking on genders in Crohn's disease. The Turkish Journal of Gastroenterology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25835111>

Bockle, BC, Sepp, NT. Smoking is highly associated with discoid lupus erythematosus and lupus erythematosus tumidus: analysis of 405 patients. Lupus, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25411260>

Cates, M, Hutchinson, D. Cadmium the missing link between smoking and increased rheumatoid disease activity? Ann Rheum Dis, Sep 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25249182>

Kydd, AS, Chen, JS, Makovey, J, Chand, V, Henderson, L, Buchbinder, R, Lassere, M, March, LM. Smoking did not modify the effects of anti-TNF treatment on health-related quality of life among Australian ankylosing spondylitis patients. Rheumatology (Oxford), 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25173348>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Roberts, H, Rai, SN, Shannon, KV, Galandiuk, S. Hospital discharges for Crohn's disease in States with high smoking prevalence. *J Clin Gastroenterol*. 2014 Aug;48(7):650-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24804987>

Sawicka-Gutaj, N, Gutaj, P, Sowinski, J, Wender-Ozegowska, E, Czarnywojtek, A, Brazert, J, Ruchala, M. Influence of cigarette smoking on thyroid gland--an update. *Endokrynol Pol*. 2014;65(1):54-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24549603>

Shiels, MS, Katki, HA, Freedman, ND, Purdue, MP, Wentzensen, N, Trabert, B, Kitahara, CM, Furr, M, Li, Y, Kemp, T J, Goedert, JJ, Chang, CM, Engels, EA, Caporaso, NE, Pinto, LA, Hildesheim, A, Chaturvedi, AK. Cigarette smoking and variations in systemic immune and inflammation markers. *J Natl Cancer Inst*. 2014 Oct 1;106(11). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25274579>

van Zanten, SV. Could population changes in smoking habits help explain the change in incidence and prevalence of celiac disease? *Am J Gastroenterol*. 2014 Dec;109(12):1953. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25470588>

Arnson, Y, Shoenfeld, Y, Amital, H. Effects of tobacco smoke on immunity, inflammation and autoimmunity. *Journal of Autoimmunity*, 2010. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20042314

3.17.1 Rheumatoid arthritis

Ishikawa, Y, Ikari, K, Hashimoto, M, Ohmura, K, Tanaka, M, Ito, H et al. (2019). Shared epitope defines distinct associations of cigarette smoking with levels of anticitrullinated protein antibody and rheumatoid factor. *Ann Rheum Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31427439>

Karlsson, ML, Elkan, AC, & Hafstrom, I. (2019). Widespread pain and pain intensity in patients with early rheumatoid arthritis. A cross-sectional comparison between smokers and non-smokers. *Nurs Open*, 6(3), 942-947. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31367417>

Zou, Q, Zhao, Y, Wang, Y, Fang, Y, & Liu, Y. (2019). Correlation of Polymorphisms of Natural Resistance-Associated Macrophage Protein 1 (NRAMP1) Gene and Smoking with the Risk of

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Rheumatoid Arthritis in Chinese Han People. *Med Sci Monit*, 25, 5321-5326. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31316048>

Hedstrom, AK, Hossjer, O, Klareskog, L, & Alfredsson, L. (2019). Interplay between alcohol, smoking and HLA genes in RA aetiology. *RMD Open*, 5(1), e000893. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31168412>

Hedstrom, AK, Klareskog, L, & Alfredsson, L. (2019). Interplay between obesity and smoking with regard to RA risk. *RMD Open*, 5(1), e000856. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31168404>

Liu, X, Tedeschi, SK, Barbhuiya, M, Leatherwood, CL, Speyer, CB, Lu, B et al. Impact and timing of smoking cessation on reducing risk for rheumatoid arthritis among women in the Nurses' Health Studies. *Arthritis Care Res (Hoboken)*, 2019. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30790475>

Hedstrom, AK, Ronnelid, J, Klareskog, L, & Alfredsson, L. Smoking, HLA-genes and serology in rheumatoid arthritis; complex relationships investigated in the Swedish EIRA case-control study. *Arthritis Rheumatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30742363>

Gianfrancesco, MA, Trupin, L, Shiboski, S, van der Laan, M, Graf, J, Imboden, J et al. Smoking Is Associated with Higher Disease Activity in Rheumatoid Arthritis: A Longitudinal Study Controlling for Time-varying Covariates. *J Rheumatol*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30504507>

Cheng, L, Qian, L, Xu, ZZ, Tan, Y, & Luo, CY. Aromatic hydrocarbon receptor provides a link between smoking and rheumatoid arthritis in peripheral blood mononuclear cells. *Clin Exp Rheumatol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30418118>

Chow, E, Williams, M, Giri, B, & Dalbeth, N. Strategies to reduce the impact of smoking on rheumatoid arthritis outcomes: Clinical experience of a brief outpatient clinic screening questionnaire. Comment on "The impact of smoking on rheumatoid arthritis outcomes." By Vittecoq et al. *Joint Bone Spine* 2018;85:135-138. Available from :
<https://www.ncbi.nlm.nih.gov/pubmed/30268815>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Chatzidionysiou, K, Lukina, G, Gabay, C, Hetland, ML, Hauge, EM, Pavelka, K et al. Smoking and response to rituximab in rheumatoid arthritis: results from an international European collaboration. *Scand J Rheumatol*, 2018. 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30260261>

Wasen, C, Erlandsson, MC, Bossios, A, Ekerljung, L, Malmhall, C, Toyra Silfversward, S, Pullerits, R, Lundback, B, Bokarewa, MI. Smoking Is Associated With Low Levels of Soluble PD-L1 in Rheumatoid Arthritis. *Front Immunol*. 2018 Jul 27;9:1677. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30140263>

Alouffi, S, Sherwani, S, Al-Mogbel, MS, Sherwani, MKA, Ali Khan, MW. Depression and Smoking Augment the Production of Circulating Autoantibodies against Glycated HSA in Rheumatoid Arthritis Patients. *Int Arch Allergy Immunol*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29961060>

Prado, C, Iruretagoyena, M, Burgos, PI, Pacheco, R. Smoking promotes exacerbated inflammatory features in dendritic cells of Chilean rheumatoid arthritis patients. *Rev Med Chil*. 2018 Feb;146(2):150-159. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29999150>

Sivas, F, Yurdakul, FG, Kilicarslan, A, Duran, S, Baskan, B, Bodur, H. Relationship Between Smoking and Structural Damage, Autoimmune Antibodies, and Disability in Rheumatoid Arthritis Patients. *Arch Rheumatol*. 2017 May 25;33(1):45-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29900983>

Jaeger, VK, Valentini, G, Hachulla, E, Cozzi, F, Distler, O, Airo, P, Czirjak, L, Allanore, Y, Siebert, E et al. Smoking in Systemic Sclerosis: a Longitudinal European Scleroderma Trials and Research Group Study. *Arthritis Rheumatol*, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29781588>

Rydell, E, Forslind, K, Nilsson, JA, Jacobsson, LTH, Turesson, C. Smoking, body mass index, disease activity, and the risk of rapid radiographic progression in patients with early rheumatoid arthritis. *Arthritis Res Ther*. 2018 May 2;20(1):82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29720260>

Torrente-Segarra, V, Bergstra, SA, Salomon-Escoto, K, Da Silva, J, Veale, DJ, Al-Emadi, S, Huizinga, T. Is current smoking status and its relationship to anti-cyclic citrullinated peptide antibodies a predictor of worse response to biological therapies in rheumatoid arthritis patients? *Scand J Rheumatol*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29683356>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Cappelli, LC, Konig, MF, Gelber, AC, Bingham, CO, Darrah, E. Smoking is not linked to the development of anti-peptidylarginine deiminase 4 autoantibodies in rheumatoid arthritis. *Arthritis Res Ther*. 2018 Mar 23;20(1):59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29566742>

Hedstrom, AK, Stawiarz, L, Klareskog, L, Alfredsson, L. Smoking and susceptibility to rheumatoid arthritis in a Swedish population-based case-control study. *Eur J Epidemiol*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29387991>

Baecklund, E, Backlin, C, Ronnelid, J, Toes, R, Huizinga, T, Ahlin, E, Askling, J, Hochberg, FH, Klareskog, L, Kay, J, Smedby, KE. Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. *Scand J Rheumatol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29336646>

Gianfrancesco, MA, Yazdany, J, Schmajuk, G. The impact of smoking on disease measures in rheumatoid arthritis: the need for appropriate adjustment of time-varying confounding. *Rheumatol Int*. 2017 Dec 5. pii: 10.1007/s00296-017-3902-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29209792>

Vittecoq, O, Richard, L, Banse, C, Lequerre, T. The impact of smoking on rheumatoid arthritis outcomes. *Joint Bone Spine*. 2017 Dec 12. pii: S1297-319X(17)30209-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29246527>

Garcia de Veas Silva, JL, Gonzalez Rodriguez, C, Hernandez Cruz, B. Association of the Shared Epitope, Smoking and the Interaction Between the Two With the Presence of Autoantibodies (Anti-CCP and FR) in Patients With Rheumatoid Arthritis in a Hospital in Seville, Spain. *Reumatol Clin*. 2017 Nov 1. pii: S1699-258X(17)30237-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29102586>

Joseph, RM, Movahedi, M, Dixon, WG, Symmons, DP. Risks of smoking and benefits of smoking cessation on hospitalisations for cardiovascular events and respiratory infection in patients with rheumatoid arthritis: a retrospective cohort study using the Clinical Practice Research Datalink. *RMD Open*. 2017 Sep 26;3(2):e000506. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29018566>

Quintana-Duque, MA, Rondon-Herrera, F, Calvo-Paramo, E, Yunis, JJ, Varela-Narino, A, Iglesias-Gamarra, A. The impact of smoking on disease activity, disability, and radiographic damage in rheumatoid arthritis: is cigarette protective? *Rheumatol Int*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29022134>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Eriksson, K, Nise, L, Alfredsson, L, Catrina, AI, Askling, J, Lundberg, K, Klareskog, L, Yucel-Lindberg, T. Seropositivity combined with smoking is associated with increased prevalence of periodontitis in patients with rheumatoid arthritis. *Ann Rheum Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28986364>

Onuora, S. Rheumatoid arthritis: Risk from silica exposure influenced by smoking. *Nat Rev Rheumatol*. 2017 Nov;13(11):632. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28978996>

Zeng, P, Chen, Z, Klareskog, L, Alfredsson, L, Bengtsson, C, Jiang, X. Amount of smoking, duration of smoking cessation and their interaction with silica exposure in the risk of rheumatoid arthritis among males: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) study. *Ann Rheum Dis*. 2017 Sep 15. pii: annrheumdis-2017-212145. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28916713>

Yin, J, He, D, Jiang, L, Cheng, F, Guo, Q, Huang, S, Zeng, X, Liu, Y, Brown, MA, Xu, H. Influence of Cigarette Smoking on Rheumatoid Arthritis Risk in the Han Chinese Population. *Front Med (Lausanne)*. 2017 Jun 15;4:76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28674691>

Meng, W, Zhu, Z, Jiang, X, Too, CL, Uebe, S, Jagodic, M, Kockum, I, Murad, S, Ferrucci, L, Alfredsson, L, Zou, H, Klareskog, L, Feinberg, AP, Ekstrom, TJ, Padyukov, L, Liu, Y. DNA methylation mediates genotype and smoking interaction in the development of anti-citrullinated peptide antibody-positive rheumatoid arthritis. *Arthritis Res Ther*. 2017 Mar 29;19(1):71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28356135>

Australian Institute of Health and Welfare. Rheumatoid arthritis. Australian Institute of Health and Welfare. , 2017. Available from: <https://www.aihw.gov.au/reports/arthritis-other-musculoskeletal-conditions/rheumatoid-arthritis/contents/what-is-rheumatoid-arthritis>

Sparks, JA, Chang, SC, Nguyen, UDT, Barbhuiya, M, Tedeschi, SK, Lu, B, Costenbader, KH, Zhang, Y, Choi, HK, Karlson, EW. Smoking behavior changes in the early rheumatoid arthritis period and risk of mortality during 36 years of prospective follow-up. *Arthritis Care Res (Hoboken)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28464477>

Wilke, WS. Comment on: Increased inflammation and disease activity among current cigarette smokers with rheumatoid arthritis: a cross-sectional analysis of US veterans. *Rheumatology (Oxford)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28575314>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ospelt, C, Bang, H, Feist, E, Camici, G, Keller, S, Detert, J, Kramer, A, Gay, S, Ghannam, K, Burmester, GR. Carbamylation of vimentin is inducible by smoking and represents an independent autoantigen in rheumatoid arthritis. Ann Rheum Dis, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28183721>

Falahee, M, Simons, G, Buckley, CD, Hansson, M, Stack, RJ, Raza, K. Patients' perceptions of their relatives' risk of developing rheumatoid arthritis and of the potential for risk communication, prediction and modulation. Arthritis Care Res (Hoboken), 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27998043>

van Wesemael, TJ, Ajeganova, S, Humphreys, J, Terao, C, Muhammad, A, Symmons, DP, MacGregor, AJ, Hafstrom, I, Trouw, LA, van der Helm-van Mil, AH, Huizinga, TW, Mimori, T, Toes, RE, Matsuda, F, Svensson, B, Verstappen, SM, van der Woude, D. Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. Arthritis Res Ther. 2016 Dec 1;18(1):285.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27906045>

Joseph, RM, Movahedi, M, Dixon, WG, Symmons, DP. Smoking-related mortality in patients with early rheumatoid arthritis - a retrospective cohort study using the Clinical Practice Research Datalink. Arthritis Care Res (Hoboken), 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26990778>

Ummarino, D. Relationships between smoking and sleep problems in black and white adolescents. Sleep, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27634813>

Sokolove, J, Wagner, CA, Lahey, LJ, Sayles, H, Duryee, MJ, Reimold, AM, Kerr, G, Robinson, WH, Cannon, GW, Thiele, GM, Mikuls, TR. Increased inflammation and disease activity among current cigarette smokers with rheumatoid arthritis: a cross-sectional analysis of US veterans. Rheumatology (Oxford), 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27477806>

Svendsen, AJ, Junker, P, Houen, G, Kyvik, KO, Nielsen, C, Skytthe, A, Holst, R. Incidence of chronic persistent rheumatoid arthritis and the impact of smoking. Arthritis Care Res (Hoboken), 2016.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27390149>

Karaahmet, OZ, Bal, A, Dulgeroglu, D, Gurcay, E, Gezer, HH, Cakci, A. Effect of exposure to tobacco smoke on response to anti-tumor necrosis factor-alpha treatment in patients with Rheumatoid

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Arthritis. Iran J Public Health. 2016 Mar;45(3):396-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27141507>

Roos, K, Martinsson, K, Ziegelsch, M, Sommarin, Y, Svard, A, Skogh, T, Kastbom, A. Circulating secretory IgA antibodies against cyclic citrullinated peptides in early rheumatoid arthritis associate with inflammatory activity and smoking. Arthritis Res Ther. 2016 May 23;18(1):119. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27215344>

Erlandsson, MC, Doria Medina, R, Toyra Silfversward, S, Bokarewa, MI. Smoking functions as a negative regulator of IGF1 and impairs adipokine network in patients with Rheumatoid Arthritis. Mediators Inflamm. 2016;2016:3082820. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27041823>

Sokai, R, Ito, S, Iwano, S, Uchida, A, Aso, H, Kondo, M, Ishiguro, N, Kojima, T, Hasegawa, Y. Respiratory mechanics measured by forced oscillation technique in rheumatoid arthritis-related pulmonary abnormalities: frequency-dependence, heterogeneity and effects of smoking. Springerplus. 2016 Mar 15;5:335. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27064652>

Anderson, R, Meyer, PW, Ally, MM, Tikly, M. Smoking and air pollution as pro-inflammatory triggers for the development of rheumatoid arthritis. Nicotine Tob Res, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26957528>

Sparks, JA, Karlson, EW. The roles of cigarette smoking and the lung in the transitions between phases of preclinical rheumatoid arthritis. Curr Rheumatol Rep. 2016;18(3):15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26951253>

Sparks, JA et al. Associations of smoking and age with inflammatory joint signs among first-degree relatives without rheumatoid arthritis: Results from the Studies of the Etiology of RA. Arthritis Rheumatol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26866831>

Sparks, JA et al. Authors' reply to the letter "Mortality due to respiratory causes in rheumatoid arthritis should be interpreted in the context of 'ever' smoking and may be due to ILD". Arthritis Care Res (Hoboken), 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26814444>

Twigg, S Dr. Excess mortality due to respiratory causes in patients with rheumatoid arthritis should be interpreted in the context of 'never' or 'ever' smoking and may be due to interstitial lung disease: Comment on the article by Sparks et al. Arthritis Care Res (Hoboken), 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26814614>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Leeb, BF, Mai, HT. Smoking - Does it affect rheumatoid arthritis activity? Does it matter? The Journal of Rheumatology, Jul 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26136547>

Kim, K. et al. Interactions between amino-acid-defined MHC class II variants and smoking for seropositive rheumatoid arthritis. Arthritis & Rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26098791>

Afridi, HI et al. Estimation of toxic elements in the samples of different cigarettes and their effect on the essential elemental status in the biological samples of Irish smoker rheumatoid arthritis consumers. Environmental monitoring and assessment, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25736830>

Inoue, Y et al. Effect of Smoking on Remission Proportions Differs Between Male and Female Patients with Rheumatoid Arthritis: A Study Based on the IORRA Survey. The Journal of rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25774060>

Seror, R et al. Anti-Porphyromonas gingivalis antibodies titres are associated with non-smoking status in early rheumatoid arthritis: Results from the ESPOIR cohort. Arthritis and rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25779552>

Afridi, HI et al. Relationship between toxic metals exposure via cigarette smoking and rheumatoid arthritis. Clinical Laboratory, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25651721>

Iwata, Y. Three cases of previous smokers with rheumatoid arthritis who did not respond to tumor necrosis factor inhibitors were treated successfully with an anti-interleukin-6 receptor antibody. Case Reports in Rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25648415>

Xiao Y and Zhao N. Current cigarette use in rheumatoid arthritis patients: associated factors and a limited mediating role of depression. Rheumatol Int, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25588372>

Lugli EB, Correia R, Fischer R, Lundberg K, Bracke KR, et al. Expression of citrulline and homocitrulline residues in the lungs of non-smokers and smokers: implications for autoimmunity in rheumatoid arthritis. Arthritis Res Ther, 2015; 17(1):9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25600626>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Chang K, Yang SM, Kim SH, Han KH, Park SJ, et al. Smoking and rheumatoid arthritis. *Int J Mol Sci*, 2014; 15(12):22279-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25479074>

Haye Salinas MJ, Retamozo S, Alvarez AC, Maldonado Ficco H, Dal Pra F, et al. Effects of cigarette smoking on early arthritis: a cross-sectional study-data from the Argentine Consortium for Early Arthritis (CONAART). *Rheumatol Int*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25510289>

Bernard, NJ. Rheumatoid arthritis: where there's smoke, there's altered transcription. *Nat Rev Rheumatol*. 2014 Apr;10(4):197. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24614591>

de Rooy, DP, van Nies, JA, Kapetanovic, MC, Kristjansdottir, H, Andersson, ML, Forslind, K, van der Heijde, DM, Gregersen, PK, Lindqvist, E, Huizinga, TW, Grondal, G, Svensson, B, van der Helm-van Mil, AH. Smoking as a risk factor for the radiological severity of rheumatoid arthritis: a study on six cohorts. *Ann Rheum Dis*. 2014 Jul;73(7):1384-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24389296>

Sigari, N, Moghimi, N, Shahraki, FS, Mohammadi, S, Roshani, D. Anti-cyclic citrullinated peptide (CCP) antibody in patients with wood-smoke-induced chronic obstructive pulmonary disease (COPD) without rheumatoid arthritis. *Rheumatol Int*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25009076>

Di Giuseppe, D, Discacciati, A, Orsini, N, Wolk, A. Cigarette smoking and risk of rheumatoid arthritis: a dose-response meta-analysis. *Arthritis Res Ther*. 2014 Mar 5;16(2):R61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24594022>

Jiang, X, Alfredsson, L, Klareskog, L, Bengtsson, C. Smokeless tobacco (moist snuff) use and the risk of developing rheumatoid arthritis: results from a case-control study. *Arthritis Care Res (Hoboken)*. 2014 Oct;66(10):1582-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24719251>

Lu, B, Rho, YH, Cui, J, Iannaccone, CK, Frits, ML, Karlson, EW, Shadick, NA. Associations of smoking and alcohol consumption with disease activity and functional status in rheumatoid arthritis. *J Rheumatol*. 2014 Jan;41(1):24-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24293566>

Major, G. Tobacco exposure and reduced radiographic progression of rheumatoid arthritis: a false protective effect? Comment on the article by Vesperini et al. *Arthritis Care Res (Hoboken)*. 2014 Sep;66(9):1431. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24838909>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Saevarsdottir, S, Rezaei, H, Geborek, P, Petersson, I, Ernestam, S, Albertsson, K, Forslind, K, van Vollenhoven, RF, Swefot study group. Current smoking status is a strong predictor of radiographic progression in early rheumatoid arthritis: results from the SWEFOT trial Ann Rheum Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24706006>

Sundstrom B, Johansson I, and Rantapaa-Dahlqvist S. Interaction between dietary sodium and smoking increases the risk for rheumatoid arthritis: results from a nested case-control study. Rheumatology (Oxford), 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25209067>

Krol A, Garred P, Heegaard N, Christensen A, Hetland M, et al. Interactions between smoking, increased serum levels of anti-CCP antibodies, rheumatoid factors, and erosive joint disease in patients with early, untreated rheumatoid arthritis. Scand J Rheumatol, 2014;1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25205362>

Ospelt C and Gay S. Response to: 'Cadmium the missing link between smoking and increased rheumatoid disease activity?' by Cates and Hutchinson. Ann Rheum Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25332359>

No authors listed. Connection between smoking and salt intake in development of rheumatoid arthritis. Nurs Stand. 2014 Sep 29;29(4):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25249095>

Svensson, B, Hafstrom, I, Erlandsson, MC, Forslind, K, Bokarewa, MI. Smoking in combination with antibodies to cyclic citrullinated peptides is associated with persistently high levels of survivin in early rheumatoid arthritis: a prospective cohort study. Arthritis Res Ther. 2014 Jan 16;16(1):R12 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24428870>

Wagner, CA, Sokolove, J, Lahey, LJ, Bengtsson, C, Saevarsdottir, S, Alfredsson, L, Delanoy, M, Lindstrom, TM, Walker, RP, Bromberg, R, Chandra, PE, Binder, SR, Klareskog, L, Robinson, WH. Identification of anticitrullinated protein antibody reactivities in a subset of anti-CCP-negative rheumatoid arthritis: association with cigarette smoking and HLA-DRB1 'shared epitope' alleles. Ann Rheum Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24297382>

Bang, SY, Lee, KH, Cho, SK, Lee, HS, Lee, KW, Bae, SC. Smoking increases rheumatoid arthritis susceptibility in individuals carrying the HLA-DRB1 shared epitope, regardless of rheumatoid factor or anti-cyclic citrullinated peptide antibody status. Arthritis & Rheumatism, 2010. Available from:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

<http://www3.interscience.wiley.com/user/accessdenied?ID=123235521&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123235521/HTMLSTART>

Barta, ZI, Harrison, MJ, Wangrangsimakul, T, Shelmerdine, J, Teh, LS, Pattrick, M, Edlin, H, Dale, N, Ahmad, Y, Bruce, IN. Health-related quality of life, smoking and carotid atherosclerosis in white British women with systemic lupus erythematosus. *Lupus*, 2010. Available from: <http://lup.sagepub.com/cgi/rapidpdf/0961203309351032v1>

Saevarsdottir, S, Wedren, S, Seddighzadeh, M, Bengtsson, C, Wesley, A, Lindblad, S, Askling, J, Alfredsson, L, Klareskog, L. Patients with early rheumatoid arthritis who smoke are less likely to respond to treatment with methotrexate and TNF inhibitors. Observations from the EIRA cohort and the Swedish Rheumatology Register. *Arthritis & Rheumatism*, 2010. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/art.27758/pdf>

Sugiyama, D, Nishimura, K, Tamaki, K, Tsuji, G, Nakazawa, T, Morinobu, A, Kumagai, S. Impact of smoking as a risk factor for developing rheumatoid arthritis: a meta-analysis of observational studies. *Annals of the Rheumatic Diseases*, 2010. Available from: <http://ard.bmj.com/cgi/rapidpdf/ard.2008.096487v2>

Boeckler, P, Cosnes, A, Frances, C, Hedelin, G, Lipsker, D. Association of cigarette smoking but not alcohol consumption with cutaneous lupus erythematosus. *Archives of dermatology*, 2009. Available from: <http://archderm.ama-assn.org/cgi/content/full/145/9/1012>

Goodson, Nicola J, Farragher, Tracey M, Symmons, Deborah PM. Rheumatoid factor, smoking, and disease severity: associations with mortality in rheumatoid arthritis. *Journal of Rheumatology*, 2008. Available from: <http://www.jrheum.com/subscribers/08/06/945.html>

3.17.2 Anal abscess and fistula

Zheng, LH, Zhang, AZ, Shi, YY, Li, X, Jia, LS, Zhi, CC, Yu, QX, Zhang, W, Liu, YJ, Wang, L, Xiao, D, Wang, C. Impact of Smoking on Anal Abscess and Anal Fistula Diseases. *Chin Med J (Engl)*. 2018 May 5;131(9):1034-1037. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29692373>

3.17.6 Other inflammatory conditions

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zhao, SS, Macfarlane, GJ, Jones, GT, Gaffney, K, Hughes, DM, Moots, RJ, & Goodson, N J. (2019). Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. Ann Rheum Dis. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31005901>

Zhao, S, Yoshida, K, Jones, GT, Hughes, DM, Tedeschi, SK, Lyu, H et al. The impact of smoking on response to TNF inhibitors in axial spondyloarthritis: methodological considerations for longitudinal observational studies. Arthritis Care Res (Hoboken). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30762311>

Olsson, P, Turesson, C, Mandl, T, Jacobsson, L, Theander, E. Cigarette smoking and the risk of primary Sjogren's syndrome: a nested case control study. Arthritis Res Ther. 2017 Mar 7;19(1):50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28270185>

News reports:

No authors listed. Environmental factors may trigger lupus onset and progression. Medical Xpress, 2017. Nov 16, 2017. Available from: <https://medicalxpress.com/news/2017-11-environmental-factors-trigger-lupus-onset.html>

Ammitzbøll, Cecilie, Börnsen, Lars , Christensen, Jeppe Romme , Ratzer, Rikke , Nielsen, Birgitte Romme , Søndergaard, Helle B, von Essen, Marina R and Sellebjerg, Finn. Smoking reduces circulating CD26hiCD161hi MAIT cells in healthy individuals and patients with multiple sclerosis . Journal of Leukocyte Biology, 2017. Feb 8, 2017. Available from: <http://www.jleukbio.org/content/101/5/1211>

No authors listed. Smoking decreases MAIT cells, implicated in the pathology of autoimmune diseases. Medical Xpress, 2017. May 2, 2017. Available from: <https://medicalxpress.com/news/2017-05-decreases-mait-cells-implicated-pathology.html>

Mooneyhan, Cody. Scientists identify missing link between smoking and inflammation. EurekAlert, 2016. Oct 31, 2016. Available from: https://www.eurekalert.org/pub_releases/2016-10/foas-sim103116.php

3.17.1 Rheumatoid arthritis

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Swift, Diana. Joint pain a major issue in chronic HCV infection - Smoking increases risk of arthralgias in hepatitis C. Med Page Today, 2015. Available from:

http://www.medpagetoday.com/Rheumatology/GeneralRheumatology/51314?xid=nl_mpt_DHE_2015-05-02&eun=g220600d0r&userid=220600&mu_id=5215953

No authors listed. Obesity and smoking reduces likelihood of treatment success in early rheumatoid arthritis. Medical News Today 2016. June 13, 2016. Available from:

<http://www.medicalnewstoday.com/releases/310913.php>

tobaccoinaustralia.org.au