

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 3.17 Inflammatory conditions and autoimmune disease

Last updated December 2024

Research:	2
3.17.1 <i>Rheumatoid arthritis</i>	8
3.17.2 <i>Anal abscess and fistula</i>	21
3.17.3 <i>Graves' disease</i>	21
3.17.6 <i>Other inflammatory conditions</i>	21
3.17.7 <i>Multiple Sclerosis</i>	22
3.17.10 <i>Other autoimmune diseases</i>	24
News reports:	26
3.17.1 <i>Rheumatoid arthritis</i>	26

## Research:

Ribou, AC, Riera, F, Durand, F, & Henry, L. (2024). Integrated multiscale analysis reveals complex gender-specific changes in lymphocytes of smokers. *Environ Toxicol Pharmacol*, 111, 104566. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39260712>

Kastratovic, N, Zdravkovic, N, Cekerevac, I, Sekerus, V, Harrell, CR, Mladenovic, V et al. (2024). Effects of Combustible Cigarettes and Heated Tobacco Products on Systemic Inflammatory Response in Patients with Chronic Inflammatory Diseases. *Diseases*, 12(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39057115>

Larsen, MGR, Overgaard, SH, Petersen, SR, Mollegaard, KM, Munk, HL, Nexoe, AB et al. (2024). Effects of smoking on clinical treatment outcomes amongst patients with chronic inflammatory diseases initiating biologics: secondary analyses of the prospective BELIEVE cohort study. *Scand J Immunol*, e13395. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38973149>

Miller, G, Pareek, O, Penman, SL, & Thanos, PK. (2024). The Effects of Nicotine and Cannabinoids on Cytokines. *Curr Pharm Des*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38859790>

Brembach, TC, Sabat, R, Witte, K, Schwerdtle, T, & Wolk, K. (2023). Molecular and functional changes in neutrophilic granulocytes induced by nicotine: a systematic review and critical evaluation. *Front Immunol*, 14, 1281685. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38077313>

Christofaro, DGD, Ritti-Dias, RM, Tebar, WR, Werneck, AO, Bittencourt, MS, Cucato, GG, & Santos, R D. (2023). Are C-reactive protein concentrations affected by smoking status and physical activity levels? A longitudinal study. *PLoS One*, 18(11), e0293453. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37943853>

Koh, DH, Choi, S, Park, JH, Lee, SG, Kim, HC, Kim, I, & Park, DU. (2023). Evaluation on the sex-specific association between cigarette smoke exposure and inflammation markers - C-reactive protein and white blood cell count. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37742212>

Nowak, JK, Dybska, E, Adams, AT, & Walkowiak, J. (2022). Immune cell-specific smoking-related expression characteristics are revealed by re-analysis of transcriptomes from the CEDAR cohort. *Cent Eur J Immunol*, 47(3), 246-259. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36817262>

Mahmoudzadeh, L, Abtahi Froushani, SM, Ajami, M, & Mahmoudzadeh, M. (2023). Effect of Nicotine on Immune System Function. *Adv Pharm Bull*, 13(1), 69-78. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36721811>

Tanaka, E, Watanabe, M, Fukumoto, S, Masaki, K, Yamasaki, R, Matsushita, T, & Isobe, N. (2023). Effect of smoking on disease activity in multiple sclerosis patients treated with dimethyl fumarate or fingolimod. *Mult Scler Relat Disord*, 70, 104513. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36689892>

Wiersma, VR, Hoonhorst, SJM, Ten Hacken, NHT, van den Berge, M, Slebos, DJ, & Pouwels, SD. (2022). The Decrease in Serum sRAGE Levels Upon Smoking is Associated with Activated Neutrophils. *Lung*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36282357>

Edstorp, J, Wei, Y, Ahlgqvist, E, Alfredsson, L, Grill, V, Groop, L et al. (2022). Smoking, use of smokeless tobacco, HLA genotypes and incidence of latent autoimmune diabetes in adults. *Diabetologia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35900371>

Guden, M, Karaman, ST, & Basat, O. (2022). Evaluation of the relationship between the level of addiction and exhaled carbon monoxide levels with neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios in smokers. *Tob Induc Dis*, 20, 52. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35799624>

Wang, H, Chen, H, Fu, Y, Liu, M, Zhang, J, Han, S et al. (2022). Effects of Smoking on Inflammatory-Related Cytokine Levels in Human Serum. *Molecules*, 27(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35744838>

Li, X, Jing, R, Feng, S, Zhang, H, Zhang, J, Li, J et al. (2022). Association between prenatal or postpartum exposure to tobacco smoking and allergic rhinitis in the offspring: An updated meta-analysis of nine cohort studies. *Tob Induc Dis*, 20, 37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35498955>

Ruscitti, P, Di Cola, I, Berardicurti, O, Conforti, A, Iacono, D, Pantano, I et al. (2021). Impact of smoking habit on adult-onset Still's disease prognosis, findings from a multicentre observational study. *Clin Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34636022>

Nikniaz, L, Ghojazadeh, M, Nateghian, H, Nikniaz, Z Farhangi, M A, & Pourmanaf, H. (2021). The interaction effect of aerobic exercise and vitamin D supplementation on inflammatory factors, anti-inflammatory proteins, and lung function in male smokers: a randomized controlled trial. *BMC Sports Sci Med Rehabil*, 13(1), 102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34461991>

Ma, Y, Luo, L, Liu, X, Li, H, Zeng, Z, He, X et al (2021). Pirfenidone mediates cigarette smoke extract induced inflammation and oxidative stress in vitro and in vivo. *International Immunopharmacology*, 96, 107593. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33819731>

Piaggeschi, G, Rolla, S, Rossi, N, Brusa, D, Naccarati, A, Couvreur, S et al (2021). Immune Trait Shifts in Association With Tobacco Smoking: A Study in Healthy Women. *Front Immunol*, 12, 637974. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33767708>

Wallwork, R, Perugino, CA, Fu, X, Harkness, T, Zhang, Y Choi, HK et al (2021). The Association of Smoking with IgG4-Related Disease: A Case-Control Study. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33751033>

Al Sbihi, AF, Manasrah, N, Al Qasem, S, Abdelhady, M, & Shi, D. (2020). Gross Hematuria in an Elderly Smoker Male Due to Eosinophilic Cystitis. *Cureus*, 12(12), e12400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33532159>

Messina, S, Mariano, R, Geraldes, R Kim, SH, Satukijcha, C, Vecchio, D et al (2021). The influence of smoking on the pattern of disability and relapse risk in AQP4-positive Neuromyelitis Optica Spectrum

Disorder, MOG-Ab Disease and Multiple Sclerosis. *Mult Scler Relat Disord*, 49, 102773. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33540279>

Wu, T, Shinde, R, Castro, R, & Pierce, JP. (2021). Interrelationship of Seasons with Inflammation, Red Meat, Fruit, and Vegetable Intakes, Cardio-Metabolic Health, and Smoking Status among Breast Cancer Survivors. *J Clin Med*, 10(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33562354>

Delgado, GE, Kramer, BK, Marz, W, Hellstern, P, Kleber, ME, & Leipe, J. (2021). Immune Status and Mortality in Smokers, ex-Smokers and never-Smokers: The Ludwigshafen Risk and Cardiovascular Health Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33460442>

Read, E, Zhu, J, & Yang, G. (2021). Disrupted H2S Signaling by Cigarette Smoking and Alcohol Drinking: Evidence from Cellular, Animal, and Clinical Studies. *Antioxidants (Basel)*, 10(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33401622>

Yuan, X., & Yin, D. (2021). Association between Rosacea and Smoking: A Systematic Review and Meta-Analysis. *Dermatol Ther*, e14747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33406295>

Elisia, I, Lam, V, Cho, B, Hay, M, Li, MY, Yeung, M et al (2020). The effect of smoking on chronic inflammation, immune function and blood cell composition. *Sci Rep*, 10(1), 19480. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33173057>

Martos, SN, Campbell, MR, Lozoya, OA, Wang, X, Bennett, BD Thompson, IJB et al (2020). Single-cell analyses identify dysfunctional CD16(+) CD8 T cells in smokers. *Cell Rep Med*, 1(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33163982>

Morales-Mantilla, DE, Huang, X, Erice, P, Porter, P, Zhang, Y, Figueroa, M et al. (2020). Cigarette Smoke Exposure in Mice using a Whole-Body Inhalation System. *J Vis Exp*(164). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33165327>

Kim, Y, & Kang, J. (2020). Association of urinary cotinine-verified smoking status with hyperuricemia: Analysis of population-based nationally representative data. *Tob Induc Dis*, 18, 84. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33093820>

Songnuy, T, Scholand, SJ, & Panprayoon, S. (2020). "Effects of Tobacco Smoke on Aeroallergen Sensitization and Clinical Severity among University Students and Staff with Allergic Rhinitis". *J Environ Public Health*, 2020, 1692930. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33101424>

Nishanth, K, Tariq, E, Nzvere, FP, Miqdad, M, & Cancarevic, I. (2020). Role of Smoking in the Pathogenesis of Multiple Sclerosis: A Review Article. *Cureus*, 12(8), e9564. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32905534>

Smith, CJ, Kluck, LA, Ruan, GJ, Ashrani, AA, Marshall, AL Pruthi, R K et al (2020). Leukocytosis and Tobacco Use: An Observational Study of Asymptomatic Leukocytosis. *Am J Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32682870>

Datar, GK, & Goodell, MA. (2020). Where There's Smoke, There's Fire: Inflammation Drives MDS. *Trends Immunol*, 41(7), 558-560. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32513619>

McDermott, G, Fu, X, Stone, JH, Wallwork, R, Zhang, Y, Choi, HK, & Wallace, ZS. (2020). Association of Cigarette Smoking With Antineutrophil Cytoplasmic Antibody-Associated Vasculitis. *JAMA Intern Med.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32282021>

Wang, T, Jiang, CQ, Xu, L, Zhang, WS, Zhu, F, Jin, YL et al. (2020). The mediating role of inflammation in the association between cigarette smoking and intima-media thickness: The Guangzhou biobank cohort study. *Medicine (Baltimore)*, 99(8), e19207. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32080108>

Liu, G, Arimilli, S, Savage, E, & Prasad, GL. (2019). Cigarette smoke preparations, not moist snuff, impair expression of genes involved in immune signaling and cytolytic functions. *Sci Rep*, 9(1), 13390. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31527707>

Roelsgaard, IK, Esbensen, BA, Ostergaard, M, Rollefstad, S, Semb, AG, Christensen, R, & Thomsen, T. (2019). Smoking cessation intervention for reducing disease activity in chronic autoimmune inflammatory joint diseases. *Cochrane Database Syst Rev*, 9, CD012958. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31476270>

Lee, YB, Lee, JH, Lee, SY, Lee, JH, Yu, DS, Han, KD, & Park, YG. (2019). Association between smoking and Behcet's disease: a nationwide population-based study in Korea. *J Eur Acad Dermatol Venereol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31121063>

Olsson, P, Bodewes, ILA, Nilsson, AM, Turesson, C, Jacobsson, LTH, Theander, E et al. (2019). Associations of cigarette smoking with disease phenotype and type I interferon expression in primary Sjogren's syndrome. *Rheumatol Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31139950>

Spiropoulou, A, Zareifopoulos, N, Bellou, A, Spiropoulos, K, & Tsakiris, L. (2019). Review of the association between periodontitis and chronic obstructive pulmonary disease in smokers. *Monaldi Arch Chest Dis*, 89(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30968666>

Choi, WJ, Lee, JW, Cho, AR, & Lee, YJ. Dose-Dependent Toxic Effect of Cotinine-Verified Tobacco Smoking on Systemic Inflammation in Apparently Healthy Men and Women: A Nationwide Population-Based Study. *Int J Environ Res Public Health*, 2019. 16(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30754720>

Meyer, P, Ally, M, Hodkinson, B, Anderson, R, & Tikly, M. Diagnostic utility of, and influence of tobacco usage and genetic predisposition on, immunoglobulin A, rheumatoid factor and anti-citrullinated peptide auto-antibodies in South African rheumatoid arthritis patients. *Afr Health Sci*, 2018. 18(2), 295-303. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30602956>

Sparks, JA, O'Reilly, EJ, Barbhaiya, M, Tedeschi, SK, Malspeis, S, Lu, B et al. Association of fish intake and smoking with risk of rheumatoid arthritis and age of onset: a prospective cohort study. *BMC Musculoskeletal Disorders*, 2019. 20(1), 2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30611246>

Zhao, S, Jones, GT, Macfarlane, GJ, Hughes, DM, Dean, LE, Moots, RJ, & Goodson, NJ. Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis:

results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). *Rheumatology (Oxford)*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30561738>

Attanzio, A, Fazzitta, A, Vasto, S, Tesoriere, L, Pintaudi, AM, Livrea, MA et al. Increased eryptosis in smokers is associated with the antioxidant status and C-reactive protein levels. *Toxicology*, 2018. 411, 43-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30385265>

Alkhattabi, N, Todd, I, Negm, O, Tighe, PJ, & Fairclough, LC. Tobacco smoke and nicotine suppress expression of activating signaling molecules in human dendritic cells. *Toxicol Lett*, 2018. 299, 40-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30227238>

Bennett, JM, Marino, JS, Peck, B, Roos, LG, Joseph, KM, Carter, LB, et al. Smokers Display Reduced Glucocorticoid Sensitivity Prior to Symptomatic Chronic Disease Development. *Ann Behav Med*, 2018. 52(10), 830-841. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30212844>

Heyn, J, Luchting, B, & Azad, SC. Smoking associated T-Cell imbalance in patients with chronic pain. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30247701>

Speyer, CB, Costenbader, KH. Cigarette smoking and the pathogenesis of systemic lupus erythematosus. *Expert Rev Clin Immunol*. 2018 May 11:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29724134>

Tilson, MD. Autoimmunity in the Abdominal Aortic Aneurysm and its Association with Smoking. *Aorta (Stamford)*. 2017 Dec 1;5(6):159-167. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29766007>

Schiffenbauer, A, Faghihi-Kashani, S, O'Hanlon, TP, Flegel, WA, Adams, SD, Targoff, IN, Oddis, CV, Ytterberg, SR, Aggarwal, R, Christopher-Stine, L, Shamim, EA, Dellaripa, PF, Danoff, SK, Mammen, AL, Miller, FW. The effect of cigarette smoking on the clinical and serological phenotypes of polymyositis and dermatomyositis. *Semin Arthritis Rheum*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29703532>

Yilmaz, M, Kayancicek, H. A New Inflammatory Marker: Elevated Monocyte to HDL Cholesterol Ratio Associated with Smoking. *J Clin Med*, 2018 Apr 10;7(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29642607>

Hussain, MS, Tripathi, V. Smoking under hypoxic conditions: a potent environmental risk factor for inflammatory and autoimmune diseases. *Mil Med Res*. 2018 Mar 30;5(1):11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29598831>

Nakanishi, K, Nishida, M, Yamamoto, R, Koseki, M, Moriyama, T, Yamauchi-Takahara, K. An implication of Klotho-related molecules in different smoking-related health outcomes between men and women. *Clin Chim Acta*. 2017 Nov 10;476:44-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29132901>

Ueyama, C, Horibe, H, Yamase, Y, Fujimaki, T, Oguri, M, Kato, K, Yamada, Y. Association of smoking with prevalence of common diseases and metabolic abnormalities in community-dwelling Japanese individuals. *Biomed Rep*. 2017 Nov;7(5):429-438. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29109861>

Kaut, IK, Abourazzak, FE, Jamila, E, Senami, FA, Diketa, D, Taoufik, H. Axial Spondyloarthritis and Cigarette Smoking. *Open Rheumatol J.* 2017 May 31;11:53-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28659998>

Sokolove, J, Sayles, H, Mikuls, T. Comment on: Increased inflammation and disease activity among current cigarette smokers with rheumatoid arthritis: a cross-sectional analysis of US veterans: reply. *Rheumatology (Oxford)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28575469>

Fallahi, S. Relationship of smoking quantity with outcome measures in patients with ankylosing spondylitis: Comments on the article by Villaverde-Garcia V. et al. *Semin Arthritis Rheum.* 2017 Mar 22. pii: S0049-0172(17)30175-0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28434579>

Chai, W, Fan, JX, Wen, M. Association of individual and community factors with C-reactive protein and 25-hydroxyvitamin D: Evidence from the National Health and Nutrition Examination Survey (NHANES). *SSM Popul Health.* 2016 Dec;2:889-896. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27995178>

Czarnywojtek, A, Komar-Rychlicka, K, Zgorzalewicz-Stachowiak, M, Sawicka-Gutaj, N, Wolinski, K, Gut, P, Plazinska, M, Torlinska, B, Florek, E, Waligorska-Stachura, J, Ruchala, M. Efficacy and safety of radioiodine therapy for mild Graves' ophthalmopathy in dependence on cigarette consumption - a half year of follow-up. *Pol Arch Med Wewn,* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27534827>

Binder, SR, Litwin, CM. Anti-phospholipid antibodies and smoking: an overview. *Clin Rev Allergy Immunol,* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27377297>

Holownia, A, Wielgat, P, Rysiak, E, Braszko, JJ. Intracellular and extracellular cytokines in A549 cells and THP1 cells exposed to cigarette smoke. *Adv Exp Med Biol,* 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26987337>

Kastelein, TE et al. Acute immune-inflammatory responses to a single bout of aerobic exercise in smokers; the effect of smoking history and status. *Front Immunol,* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26779179>

Gratton, SM et al. Cigarette smoking and activities of daily living in ocular myasthenia gravis. *J Neuroophthalmol,* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26457691>

Montes, RA et al. Smoking and its association with morbidity in systemic lupus erythematosus evaluated by the SLICC/ACR-DI: Preliminary data and systematic review. *Arthritis Rheumatol,* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26359794>

Jiang, F et al. Smoking and the risk of systemic lupus erythematosus: an updated systematic review and cumulative meta-analysis. *Clinical Rheumatology,* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26188616>

Karczewski, J et al. Different effect of smoking on genders in Crohn's disease. *The Turkish Journal of Gastroenterology,* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25835111>

Bockle, BC, Sepp, NT. Smoking is highly associated with discoid lupus erythematosus and lupus erythematosus tumidus: analysis of 405 patients. *Lupus*, 2014. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25411260>

Cates, M, Hutchinson, D. Cadmium the missing link between smoking and increased rheumatoid disease activity? *Ann Rheum Dis*, Sep 2014. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25249182>

Kydd, AS, Chen, JS, Makovey, J, Chand, V, Henderson, L, Buchbinder, R, Lassere, M, March, LM. Smoking did not modify the effects of anti-TNF treatment on health-related quality of life among Australian ankylosing spondylitis patients. *Rheumatology (Oxford)*, 2014. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25173348>

Roberts, H, Rai, SN, Shannon, KV, Galandiuk, S. Hospital discharges for Crohn's disease in States with high smoking prevalence. *J Clin Gastroenterol*. 2014 Aug;48(7):650-1. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/24804987>

Sawicka-Gutaj, N, Gutaj, P, Sowinski, J, Wender-Ozegowska, E, Czarnywojtek, A, Brazert, J, Ruchala, M. Influence of cigarette smoking on thyroid gland--an update. *Endokrynol Pol*. 2014;65(1):54-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24549603>

Shiels, MS, Katki, HA, Freedman, ND, Purdue, MP, Wentzensen, N, Trabert, B, Kitahara, CM, Furr, M, Li, Y, Kemp, T J, Goedert, JJ, Chang, CM, Engels, EA, Caporaso, NE, Pinto, LA, Hildesheim, A, Chaturvedi, AK. Cigarette smoking and variations in systemic immune and inflammation markers. *J Natl Cancer Inst*. 2014 Oct 1;106(11). Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25274579>

van Zanten, SV. Could population changes in smoking habits help explain the change in incidence and prevalence of celiac disease? *Am J Gastroenterol*. 2014 Dec;109(12):1953. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25470588>

Arnson, Y, Shoenfeld, Y, Amital, H. Effects of tobacco smoke on immunity, inflammation and autoimmunity. *Journal of Autoimmunity*, 2010. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20042314](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20042314)

### 3.17.1 *Rheumatoid arthritis*

Venken, K, Jarlborg, M, Stevenaert, F, Malfait, TLA, Vlieghe, C, Abraham, Y et al . (2024). Shared lung and joint T cell repertoire in early rheumatoid arthritis driven by cigarette smoking. *Ann Rheum Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39521450>

Ward, MM. (2024). Smoking-related bias of standardized mortality ratios in rheumatoid arthritis: A modeling study. *Semin Arthritis Rheum*, 70, 152599. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/39591755>

McDermott, GC, Hayashi, K, Juge, PA, Gill, R, Byrne, S, Gagne, S et al. (2024). Impact of sex, serostatus, and smoking on risk for rheumatoid arthritis-associated interstitial lung disease subtypes. *Arthritis Care Res (Hoboken)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39257341>

Hayashi, K, McDermott, GC, Juge, PA, Moll, M, Cho, MH, Wang, X et al. (2024). Rheumatoid arthritis and changes on spirometry by smoking status in two prospective longitudinal cohorts. *RMD Open*, 10(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38886003>

El Hasbani, G, J, EN, Elsayed Ali, AM, Uthman, I, & Jawad, A. (2024). The impact of nicotine smoking on spondyloarthritis and rheumatoid arthritis. *Reumatismo*, 76(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38916171>

Rossides, M. (2024). Rheumatoid Arthritis and COPD: Thinking Beyond Smoking. *Chest*, 165(6), 1278-1279. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38852958>

Ford, JA, Cho, MH, & Sparks, JA. (2024). Bi-directional association of rheumatoid arthritis and chronic obstructive pulmonary disease: Linking arthritis, inflammation, smoking, airways disease, and emphysema. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38450423>

McDermott, GC, Hayashi, K, Yoshida, K, Juge, PA, Moll, M, Cho, MH et al. (2023). Rheumatoid arthritis, quantitative parenchymal lung features, and mortality among smokers. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38048611>

Wang, J, Zhang, B, Peng, L, Wang, J, Xu, K, & Xu, P. (2023). The Causal Association between Alcohol, Smoking, Coffee Consumption, and the Risk of Arthritis: A Meta-Analysis of Mendelian Randomization Studies. *Nutrients*, 15(23). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38068867>

Chen, N, Fong, DYT, & Wong, JYH. (2023). Health and economic burden of low back pain and rheumatoid arthritis attributable to smoking in 192 countries and territories in 2019. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38105035>

Rahmanpour, D, Malek Mahdavi, A, Mahmoudi, M, Esalatmanesh, K, Akhgari, A, Hajialilo, M et al. (2023). Cigarette smoking and risk of adult-onset Still disease: a propensity score matching analysis. *Intern Med J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37496301>

Seet, D, Yeo, SI, Aw, MH, Dhanasekaran, P, Mui-San Lim, R, Koh, LW, & Lahiri, M. (2023). Smoking, but not use of complementary and alternative medicine predicts residual functional disability in patients with inflammatory arthritis on biologic disease-modifying anti-rheumatic drugs: Results from the Singapore National Biologics Register. *Int J Rheum Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36737417>

Mochizuki, T, Hoshi, K, Yano, K, Koyama, J, Kukidome, H, Ikari, K, & Okazaki, K. (2023). Smoking, Serum Albumin and 25-hydroxy Vitamin D Levels, and Bone Mineral Density are Associated with Tooth Loss in Patients with Rheumatoid Arthritis. *Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36823087>

Kim, HJ, Swan, H, Kazmi, SZ, Hong, G, Kim, YS, Choi, S et al. (2023). Familial risk of seropositive rheumatoid arthritis and interaction with smoking: a population-based cohort study. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36692153>

Nayebirad, S, Javinani, A, Javadi, M, Yousefi-Koma, H, Farahmand, K, Yekta, RA et al. (2023). The effect of smoking on response to methotrexate in rheumatoid arthritis patients: A systematic review and meta-analysis. *Mod Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36688574>

Tang, B, Liu, Q, Ilar, A, Wiebert, P, Hagg, S, Padyukov, L et al. (2022). Occupational inhalable agents constitute major risk factors for rheumatoid arthritis, particularly in the context of genetic predisposition and smoking. *Ann Rheum Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36600175>

Chatzidionysiou, K, di Giuseppe, D, Soderling, J, Catrina, A, & Askling, J. (2022). Risk of lung cancer in rheumatoid arthritis and in relation to autoantibody positivity and smoking. *RMD Open*, 8(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36270743>

Alfredsson, L, Klareskog, L, & Hedstrom, AK. (2022). Influence of smoking on disease activity and quality of life in patients with rheumatoid arthritis: results from a Swedish case-control study with longitudinal follow-up. *Arthritis Care Res (Hoboken)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36149365>

Ren, J, Ding, Y, Zhao, J, & Sun, Y. (2022). Impact of cigarette smoking on rheumatoid arthritis-associated lung diseases: a retrospective case control study on clinical and radiological features and prognosis. *Rheumatol Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36166058>

Malek Mahdavi, A, Rahmankour, D, Dehgan, M, Pahlavan, Y, Mahmoudi, M, & Khabbazi, A. (2021). Cigarette smoking and risk of palindromic rheumatism: A propensity score matching analysis. *Int Immunopharmacol*, 108378. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34810123>

Sanchez-Campama, J, Nagra, NS, Pineda-Moncusi, M, Prats-Uribe, A, & Prieto-Alhambra, D. (2021). The association between smoking and the development of rheumatoid arthritis: a population-based case-control study. *Reumatol Clin (Engl Ed)*, 17(10), 566-569. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34823822>

Heluany, CS, Scharf, P, Schneider, AH, Donate, PB, Dos Reis Pedreira Filho, W, de Oliveira, TF. (2021). Toxic mechanisms of cigarette smoke and heat-not-burn tobacco vapor inhalation on rheumatoid arthritis. *Sci Total Environ*, 151097. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34695477>

Zheng, B., Soares de Moura, C., Machado, M., Pineau, C. A., Curtis, J. R., Vinet, E., & Bernatsky, S. (2021). Association between chronic obstructive pulmonary disease, smoking, and interstitial lung disease onset in rheumatoid arthritis. *Clin Exp Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34494959>

Zhao, SS, Holmes, MV, Zheng, J, Sanderson, E, & Carter, AR. (2021). The impact of education inequality on rheumatoid arthritis risk is mediated by smoking and body mass index: mendelian

randomization study. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34436562>

Jansen, G, de Rotte, M, & de Jonge, R. (2021). Smoking and Methotrexate Inefficacy in Rheumatoid Arthritis: What About Underlying Molecular Mechanisms? *J Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34329189>

Wouters, F, Maurits, MP, van Boheemen, L, Verstappen, M, Mankia, K, Matthijssen, XME et al (2021). Determining in which pre-arthritis stage HLA-shared epitope alleles and smoking exert their effect on the development of rheumatoid arthritis. *Ann Rheum Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34285049>

McCoy, SS, Greenlee, RT, VanWormer, JJ, Schletzbaum, M, & Bartels, CM. (2021). Smoking associated with reduced odds of Sjogren's syndrome among rheumatoid arthritis patients. *Scand J Rheumatol*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34169792>

Albrecht, K, & Zink, A. (2021). [If smoking, then also drinking? : New aspects on the influence of alcohol and smoking on the risk for rheumatoid arthritis]. *Zeitschrift für Rheumatologie*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33880617>

Floris, A, Perra, D, Cangemi, I, Congia, M, Chessa, E, Angioni, MM et al (2021). Current smoking predicts inadequate response to methotrexate monotherapy in rheumatoid arthritis patients naive to DMARDs: Results from a retrospective cohort study. *Medicine (Baltimore)*, 100(17), e25481. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33907096>

Elzorkany, B, Mokbel, A, Gamal, SM, Hmamouchi, I, & Dougados, M. (2021). Does smoking affect level of seropositivity in RA? A post-HOC global and inter-country analysis of COMORA cohort. *Rheumatol Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33625544>

Donate, PB, Alves de Lima, K, Peres, RS, Almeida, F, Fukada, SY, Silva, TA et al(2021). Cigarette smoke induces miR-132 in Th17 cells that enhance osteoclastogenesis in inflammatory arthritis. *Proc Natl Acad Sci U S A*, 118(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33443169>

Gudelj Gracanin, A, Markovic, I, Golob, M, Lucijanic, M, Valetic, AM, & Morovic-Vergles, J. (2020). The effect of smoking on disease activity in rheumatoid arthritis - our experience. *Acta Clin Croat*, 59(2), 312-317. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33456119>

Hedenstierna, L, Bellocchio, R, Ye, W, Adami, HO, Akerstedt, T, Trolle Lagerros, Y, & Hedstrom, AK. (2021). Effects of alcohol consumption and smoking on risk for RA: results from a Swedish prospective cohort study. *RMD Open*, 7(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33414179>

Mong, N, Tarjanyi, Z, Tothfalusi, L, Bartykowszki, A, Nagy, AI, Szekely, A et al (2020). Largely Accelerated Arterial Aging in Rheumatoid Arthritis Is Associated With Inflammatory Activity and Smoking in the Early Stage of the Disease. *Front Pharmacol*, 11, 523962. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33390933>

Regueiro, C, Rodriguez-Rodriguez, L, Lopez-Mejias, R, Nuno, L, Triguero-Martinez, A, Perez-Pampin, E et al (2020). Publisher Correction: A predominant involvement of the triple seropositive patients and

others with rheumatoid factor in the association of smoking with rheumatoid arthritis. *Sci Rep*, 10(1), 18372. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33093527>

Sanchez-Campama, J, Nagra, NS, Pineda-Moncusi, M, Prats-Uribe, A, & Prieto-Alhambra, D. (2020). The Association Between Smoking and the Development of Rheumatoid Arthritis: A Population-Based Case-Control Study. *Reumatol Clin*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33060030>

Kronzer, VL, Westerlind, H, Alfredsson, L, Crowson, CS, Nyberg, F, Tornling, G et al. (2020). Respiratory diseases as risk factors for seropositive and seronegative rheumatoid arthritis and in relation to smoking. *Arthritis Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32799411>

Gwinnutt, JM, Verstappen, SM, & Humphreys, JH. (2020). The impact of lifestyle behaviours, physical activity and smoking on morbidity and mortality in patients with rheumatoid arthritis. *Best Pract Res Clin Rheumatol*, 101562. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32646673>

Rodriguez Portal, JA, Lopez Ramirez, C, & Aguilera Cros, C. (2020). Rheumatoid Arthritis and Tobacco. *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32564945>

Martinez, G, Feist, E, Martiatu, M, Garay, H, & Torres, B. (2020). Autoantibodies against a novel citrullinated fibrinogen peptide related to smoking status, disease activity and therapeutic response to methotrexate in cuban patients with early rheumatoid arthritis. *Rheumatol Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32472302>

Prisco, LC, Martin, LW, & Sparks, JA. (2020). Inhalants other than personal cigarette smoking and risk for developing rheumatoid arthritis. *Curr Opin Rheumatol*, 32(3), 279-288. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32141952>

Qian, Y, Zhang, L, Wu, DJH, Xie, Z, Wen, C, & Mao, Y. (2020). Genetic predisposition to smoking is associated with risk of rheumatoid arthritis: a Mendelian randomization study. *Arthritis Res Ther*, 22(1), 44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32143697>

Ishikawa, Y, Ikari, K, & Terao, C. (2020). Response to: 'Corresponence on 'Shared epitope defines distinct associations of cigarette smoking with levels of anticitrullinated protein antibody and rheumatoid factor' by Ishikawa et al' by Regueiro and Gonzalez. *Annals of the Rheumatic Diseases*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32060037>

Ishikawa, Y, & Terao, C. (2020). The Impact of Cigarette Smoking on Risk of Rheumatoid Arthritis: A Narrative Review. *Cells*, 9(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32092988>

Regueiro, C, Rodriguez-Rodriguez, L, Lopez-Mejias, R, Nuno, L, Triguero-Martinez, A, Perez-Pampin, E et al. (2020). A predominant involvement of the triple seropositive patients and others with rheumatoid factor in the association of smoking with rheumatoid arthritis. *Sci Rep*, 10(1), 3355. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32098994>

Solmaz, D, Kalyoncu, U, Tinazzi, I, Bakirci, S, Bayindir, O, Dogru, A et al. (2019). Current smoking is increased in axial psoriatic arthritis and radiographic sacroiliitis. *J Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31787608>

Meyer, PWA, Ally, M, Tikly, M, Tintinger, G, Winchow, LL, Steel, H, & Anderson, R. (2019). Tobacco-Derived Lipopolysaccharide, Not Microbial Translocation, as a Potential Contributor to the Pathogenesis of Rheumatoid Arthritis. *Mediators Inflamm*, 2019, 4693870. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31780859>

Sally, D, Romain, G, Philippe, G, & Athan, B. (2019). Smokers are less likely to implement recommendations made upon systematic screening of comorbidities in chronic inflammatory rheumatic diseases in daily practice. *Joint Bone Spine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31759156>

Cheng, L, & Qian, L. (2019). Reply to J. Gao's commentary on: Aromatic hydrocarbon receptor provides a link between smoking and rheumatoid arthritis in peripheral blood mononuclear cells. *Clin Exp Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31498075>

Zhou, L, Wang, J, & Gao, J. (2019). Aromatic hydrocarbon receptor provides a link between smoking and rheumatoid arthritis in peripheral blood mononuclear cells: a commentary. *Clin Exp Rheumatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31498078>

Ishikawa, Y, Ikari, K, Hashimoto, M, Ohmura, K, Tanaka, M, Ito, H et al. (2019). Shared epitope defines distinct associations of cigarette smoking with levels of anticitrullinated protein antibody and rheumatoid factor. *Ann Rheum Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31427439>

Karlsson, ML, Elkan, AC, & Hafstrom, I. (2019). Widespread pain and pain intensity in patients with early rheumatoid arthritis. A cross-sectional comparison between smokers and non-smokers. *Nurs Open*, 6(3), 942-947. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31367417>

Zou, Q, Zhao, Y, Wang, Y, Fang, Y, & Liu, Y. (2019). Correlation of Polymorphisms of Natural Resistance-Associated Macrophage Protein 1 (NRAMP1) Gene and Smoking with the Risk of Rheumatoid Arthritis in Chinese Han People. *Med Sci Monit*, 25, 5321-5326. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31316048>

Hedstrom, AK, Hossjer, O, Klareskog, L, & Alfredsson, L. (2019). Interplay between alcohol, smoking and HLA genes in RA aetiology. *RMD Open*, 5(1), e000893. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31168412>

Hedstrom, AK, Klareskog, L, & Alfredsson, L. (2019). Interplay between obesity and smoking with regard to RA risk. *RMD Open*, 5(1), e000856. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31168404>

Liu, X, Tedeschi, SK, Barbhaya, M, Leatherwood, CL, Speyer, CB, Lu, B et al. Impact and timing of smoking cessation on reducing risk for rheumatoid arthritis among women in the Nurses' Health

Studies. Arthritis Care Res (Hoboken), 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30790475>

Hedstrom, AK, Ronnelid, J, Klareskog, L, & Alfredsson, L. Smoking, HLA-genes and serology in rheumatoid arthritis; complex relationships investigated in the Swedish EIRA case-control study.

*Arthritis Rheumatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30742363>

Gianfrancesco, MA, Trupin, L, Shibuski, S, van der Laan, M, Graf, J, Imboden, J et al. Smoking Is Associated with Higher Disease Activity in Rheumatoid Arthritis: A Longitudinal Study Controlling for Time-varying Covariates. *J Rheumatol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30504507>

Cheng, L, Qian, L, Xu, ZZ, Tan, Y, & Luo, CY. Aromatic hydrocarbon receptor provides a link between smoking and rheumatoid arthritis in peripheral blood mononuclear cells. *Clin Exp Rheumatol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30418118>

Chow, E, Williams, M, Giri, B, & Dalbeth, N. Strategies to reduce the impact of smoking on rheumatoid arthritis outcomes: Clinical experience of a brief outpatient clinic screening questionnaire. Comment on "The impact of smoking on rheumatoid arthritis outcomes." By Vittecoq et al. *Joint Bone Spine* 2018;85:135-138. Available from :

<https://www.ncbi.nlm.nih.gov/pubmed/30268815>

Chatzidionysiou, K, Lukina, G, Gabay, C, Hetland, ML, Hauge, EM, Pavelka, K et al. Smoking and response to rituximab in rheumatoid arthritis: results from an international European collaboration. *Scand J Rheumatol*, 2018. 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30260261>

Wasen, C, Erlandsson, MC, Bossios, A, Ekerljung, L, Malmhall, C, Toyra Silfversward, S, Pullerits, R, Lundback, B, Bokarewa, MI. Smoking Is Associated With Low Levels of Soluble PD-L1 in Rheumatoid Arthritis. *Front Immunol*. 2018 Jul 27;9:1677. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30140263>

Alouffi, S, Sherwani, S, Al-Mogbel, MS, Sherwani, MKA, Ali Khan, MW. Depression and Smoking Augment the Production of Circulating Autoantibodies against Glycated HSA in Rheumatoid Arthritis Patients. *Int Arch Allergy Immunol*, Jul 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29961060>

Prado, C, Iruretagoyena, M, Burgos, PI, Pacheco, R. Smoking promotes exacerbated inflammatory features in dendritic cells of Chilean rheumatoid arthritis patients. *Rev Med Chil*. 2018 Feb;146(2):150-159. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29999150>

Sivas, F, Yurdakul, FG, Kilicarslan, A, Duran, S, Baskan, B, Bodur, H. Relationship Between Smoking and Structural Damage, Autoimmune Antibodies, and Disability in Rheumatoid Arthritis Patients. *Arch Rheumatol*. 2017 May 25;33(1):45-51. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29900983>

Jaeger, VK, Valentini, G, Hachulla, E, Cozzi, F, Distler, O, Airo, P, Czirjak, L, Allanore, Y, Siegert, E et al. Smoking in Systemic Sclerosis: a Longitudinal European Scleroderma Trials and Research Group

Study. Arthritis Rheumatol, May 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29781588>

Rydell, E, Forslind, K, Nilsson, JA, Jacobsson, LTH, Turesson, C. Smoking, body mass index, disease activity, and the risk of rapid radiographic progression in patients with early rheumatoid arthritis. Arthritis Res Ther. 2018 May 2;20(1):82. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29720260>

Torrente-Segarra, V, Bergstra, SA, Salomon-Escoto, K, Da Silva, J, Veale, DJ, Al-Emadi, S, Huizinga, T. Is current smoking status and its relationship to anti-cyclic citrullinated peptide antibodies a predictor of worse response to biological therapies in rheumatoid arthritis patients? Scand J Rheumatol, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29683356>

Cappelli, LC, Konig, MF, Gelber, AC, Bingham, CO, Darrah, E. Smoking is not linked to the development of anti-peptidylarginine deiminase 4 autoantibodies in rheumatoid arthritis. Arthritis Res Ther. 2018 Mar 23;20(1):59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29566742>

Hedstrom, AK, Stawiarz, L, Klareskog, L, Alfredsson, L. Smoking and susceptibility to rheumatoid arthritis in a Swedish population-based case-control study. Eur J Epidemiol. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29387991>

Baecklund, E, Backlin, C, Ronnelid, J, Toes, R, Huizinga, T, Ahlin, E, Askling, J, Hochberg, FH, Klareskog, L, Kay, J, Smedby, KE. Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. Scand J Rheumatol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29336646>

Gianfrancesco, MA, Yazdany, J, Schmajuk, G. The impact of smoking on disease measures in rheumatoid arthritis: the need for appropriate adjustment of time-varying confounding. Rheumatol Int. 2017 Dec 5. pii: 10.1007/s00296-017-3902-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29209792>

Vittecoq, O, Richard, L, Banse, C, Lequerre, T. The impact of smoking on rheumatoid arthritis outcomes. Joint Bone Spine. 2017 Dec 12. pii: S1297-319X(17)30209-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29246527>

Garcia de Veas Silva, JL, Gonzalez Rodriguez, C, Hernandez Cruz, B. Association of the Shared Epitope, Smoking and the Interaction Between the Two With the Presence of Autoantibodies (Anti-CCP and FR) in Patients With Rheumatoid Arthritis in a Hospital in Seville, Spain. Reumatol Clin. 2017 Nov 1. pii: S1699-258X(17)30237-1. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29102586>

Joseph, RM, Movahedi, M, Dixon, WG, Symmons, DP. Risks of smoking and benefits of smoking cessation on hospitalisations for cardiovascular events and respiratory infection in patients with rheumatoid arthritis: a retrospective cohort study using the Clinical Practice Research Datalink. RMD Open. 2017 Sep 26;3(2):e000506. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29018566>

Quintana-Duque, MA, Rondon-Herrera, F, Calvo-Paramo, E, Yunis, JJ, Varela-Narino, A, Iglesias-Gamarra, A. The impact of smoking on disease activity, disability, and radiographic damage in

rheumatoid arthritis: is cigarette protective? *Rheumatol Int*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29022134>

Eriksson, K, Nise, L, Alfredsson, L, Catrina, AI, Askling, J, Lundberg, K, Klareskog, L, Yucel-Lindberg, T. Seropositivity combined with smoking is associated with increased prevalence of periodontitis in patients with rheumatoid arthritis. *Ann Rheum Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28986364>

Onuora, S. Rheumatoid arthritis: Risk from silica exposure influenced by smoking. *Nat Rev Rheumatol*. 2017 Nov;13(11):632. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28978996>

Zeng, P, Chen, Z, Klareskog, L, Alfredsson, L, Bengtsson, C, Jiang, X. Amount of smoking, duration of smoking cessation and their interaction with silica exposure in the risk of rheumatoid arthritis among males: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) study. *Ann Rheum Dis*. 2017 Sep 15. pii: annrheumdis-2017-212145. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28916713>

Yin, J, He, D, Jiang, L, Cheng, F, Guo, Q, Huang, S, Zeng, X, Liu, Y, Brown, MA, Xu, H. Influence of Cigarette Smoking on Rheumatoid Arthritis Risk in the Han Chinese Population. *Front Med (Lausanne)*. 2017 Jun 15;4:76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28674691>

Meng, W, Zhu, Z, Jiang, X, Too, CL, Uebe, S, Jagodic, M, Kockum, I, Murad, S, Ferrucci, L, Alfredsson, L, Zou, H, Klareskog, L, Feinberg, AP, Ekstrom, TJ, Padyukov, L, Liu, Y. DNA methylation mediates genotype and smoking interaction in the development of anti-citrullinated peptide antibody-positive rheumatoid arthritis. *Arthritis Res Ther*. 2017 Mar 29;19(1):71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28356135>

Australian Institute of Health and Welfare. Rheumatoid arthritis. Australian Institute of Health and Welfare. , 2017. Available from: <https://www.aihw.gov.au/reports/arthritis-other-musculoskeletal-conditions/rheumatoid-arthritis/contents/what-is-rheumatoid-arthritis>

Sparks, JA, Chang, SC, Nguyen, UDT, Barbhaya, M, Tedeschi, SK, Lu, B, Costenbader, KH, Zhang, Y, Choi, HK, Karlson, EW. Smoking behavior changes in the early rheumatoid arthritis period and risk of mortality during 36 years of prospective follow-up. *Arthritis Care Res (Hoboken)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28464477>

Wilke, WS. Comment on: Increased inflammation and disease activity among current cigarette smokers with rheumatoid arthritis: a cross-sectional analysis of US veterans. *Rheumatology (Oxford)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28575314>

Ospelt, C, Bang, H, Feist, E, Camici, G, Keller, S, Detert, J, Kramer, A, Gay, S, Ghannam, K, Burmester, GR. Carbamylation of vimentin is inducible by smoking and represents an independent autoantigen in rheumatoid arthritis. *Ann Rheum Dis*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28183721>

Falahee, M, Simons, G, Buckley, CD, Hansson, M, Stack, RJ, Raza, K. Patients' perceptions of their relatives' risk of developing rheumatoid arthritis and of the potential for risk communication,

prediction and modulation. *Arthritis Care Res (Hoboken)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27998043>

van Wesemael, TJ, Ajeganova, S, Humphreys, J, Terao, C, Muhammad, A, Symmons, DP, MacGregor, AJ, Hafstrom, I, Trouw, LA, van der Helm-van Mil, AH, Huizinga, TW, Mimori, T, Toes, RE, Matsuda, F, Svensson, B, Verstappen, SM, van der Woude, D. Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. *Arthritis Res Ther*. 2016 Dec 1;18(1):285.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27906045>

Joseph, RM, Movahedi, M, Dixon, WG, Symmons, DP. Smoking-related mortality in patients with early rheumatoid arthritis - a retrospective cohort study using the Clinical Practice Research Datalink. *Arthritis Care Res (Hoboken)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26990778>

Ummarino, D. Relationships between smoking and sleep problems in black and white adolescents. *Sleep*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27634813>

Sokolove, J, Wagner, CA, Lahey, LJ, Sayles, H, Duryee, MJ, Reimold, AM, Kerr, G, Robinson, WH, Cannon, GW, Thiele, GM, Mikuls, TR. Increased inflammation and disease activity among current cigarette smokers with rheumatoid arthritis: a cross-sectional analysis of US veterans. *Rheumatology (Oxford)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27477806>

Svendsen, AJ, Junker, P, Houen, G, Kyvik, KO, Nielsen, C, Skytthe, A, Holst, R. Incidence of chronic persistent rheumatoid arthritis and the impact of smoking. *Arthritis Care Res (Hoboken)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27390149>

Karaahmet, OZ, Bal, A, Dulgeroglu, D, Gurcay, E, Gezer, HH, Cakci, A. Effect of exposure to tobacco smoke on response to anti-tumor necrosis factor-alpha treatment in patients with Rheumatoid Arthritis. *Iran J Public Health*. 2016 Mar;45(3):396-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27141507>

Roos, K, Martinsson, K, Ziegelasch, M, Sommarin, Y, Svard, A, Skogh, T, Kastbom, A. Circulating secretory IgA antibodies against cyclic citrullinated peptides in early rheumatoid arthritis associate with inflammatory activity and smoking. *Arthritis Res Ther*. 2016 May 23;18(1):119. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27215344>

Erlandsson, MC, Doria Medina, R, Toyra Silfversward, S, Bokarewa, MI. Smoking functions as a negative regulator of IGF1 and impairs adipokine network in patients with Rheumatoid Arthritis. *Mediators Inflamm*. 2016;2016:3082820. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27041823>

Sokai, R, Ito, S, Iwano, S, Uchida, A, Aso, H, Kondo, M, Ishiguro, N, Kojima, T, Hasegawa, Y. Respiratory mechanics measured by forced oscillation technique in rheumatoid arthritis-related pulmonary abnormalities: frequency-dependence, heterogeneity and effects of smoking. *Springerplus*. 2016 Mar 15;5:335. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27064652>

Anderson, R, Meyer, PW, Ally, MM, Tikly, M. Smoking and air pollution as pro-inflammatory triggers for the development of rheumatoid arthritis. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26957528>

Sparks, JA, Karlson, EW. The roles of cigarette smoking and the lung in the transitions between phases of preclinical rheumatoid arthritis. Curr Rheumatol Rep. 2016;18(3):15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26951253>

Sparks, JA et al. Associations of smoking and age with inflammatory joint signs among first-degree relatives without rheumatoid arthritis: Results from the Studies of the Etiology of RA. Arthritis Rheumatol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26866831>

Sparks, JA et al. Authors' reply to the letter "Mortality due to respiratory causes in rheumatoid arthritis should be interpreted in the context of 'ever' smoking and may be due to ILD". Arthritis Care Res (Hoboken), 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26814444>

Twigg, S Dr. Excess mortality due to respiratory causes in patients with rheumatoid arthritis should be interpreted in the context of 'never' or 'ever' smoking and may be due to interstitial lung disease: Comment on the article by Sparks et al. Arthritis Care Res (Hoboken), 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26814614>

Leeb, BF, Mai, HT. Smoking - Does it affect rheumatoid arthritis activity? Does it matter? The Journal of Rheumatology, Jul 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26136547>

Kim, K. et al. Interactions between amino-acid-defined MHC class II variants and smoking for seropositive rheumatoid arthritis. Arthritis & Rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26098791>

Afridi, HI et al. Estimation of toxic elements in the samples of different cigarettes and their effect on the essential elemental status in the biological samples of Irish smoker rheumatoid arthritis consumers. Environmental monitoring and assessment, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25736830>

Inoue, Y et al. Effect of Smoking on Remission Proportions Differs Between Male and Female Patients with Rheumatoid Arthritis: A Study Based on the IORRA Survey. The Journal of rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25774060>

Seror, R et al. Anti-Porphyromonas gingivalis antibodies titres are associated with non-smoking status in early rheumatoid arthritis: Results from the ESPOIR cohort. Arthritis and rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25779552>

Afridi, HI et al. Relationship between toxic metals exposure via cigarette smoking and rheumatoid arthritis. Clinical Laboratory, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25651721>

Iwata, Y. Three cases of previous smokers with rheumatoid arthritis who did not respond to tumor necrosis factor inhibitors were treated successfully with an anti-interleukin-6 receptor antibody. Case Reports in Rheumatology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25648415>

Xiao Y and Zhao N. Current cigarette use in rheumatoid arthritis patients: associated factors and a limited mediating role of depression. *Rheumatol Int*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25588372>

Lugli EB, Correia R, Fischer R, Lundberg K, Bracke KR, et al. Expression of citrulline and homocitrulline residues in the lungs of non-smokers and smokers: implications for autoimmunity in rheumatoid arthritis. *Arthritis Res Ther*, 2015; 17(1):9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25600626>

Chang K, Yang SM, Kim SH, Han KH, Park SJ, et al. Smoking and rheumatoid arthritis. *Int J Mol Sci*, 2014; 15(12):22279-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25479074>

Haye Salinas MJ, Retamozo S, Alvarez AC, Maldonado Ficco H, Dal Pra F, et al. Effects of cigarette smoking on early arthritis: a cross-sectional study-data from the Argentine Consortium for Early Arthritis (CONAART). *Rheumatol Int*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25510289>

Bernard, NJ. Rheumatoid arthritis: where there's smoke, there's altered transcription. *Nat Rev Rheumatol*. 2014 Apr;10(4):197. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24614591>

de Rooy, DP, van Nies, JA, Kapetanovic, MC, Kristjansdottir, H, Andersson, ML, Forslind, K, van der Heijde, DM, Gregersen, PK, Lindqvist, E, Huizinga, TW, Grondal, G, Svensson, B, van der Helm-van Mil, AH. Smoking as a risk factor for the radiological severity of rheumatoid arthritis: a study on six cohorts. *Ann Rheum Dis*. 2014 Jul;73(7):1384-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24389296>

Sigari, N, Moghimi, N, Shahraki, FS, Mohammadi, S, Roshani, D. Anti-cyclic citrullinated peptide (CCP) antibody in patients with wood-smoke-induced chronic obstructive pulmonary disease (COPD) without rheumatoid arthritis. *Rheumatol Int*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25009076>

Di Giuseppe, D, Discacciati, A, Orsini, N, Wolk, A. Cigarette smoking and risk of rheumatoid arthritis: a dose-response meta-analysis. *Arthritis Res Ther*. 2014 Mar 5;16(2):R61. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24594022>

Jiang, X, Alfredsson, L, Klareskog, L, Bengtsson, C. Smokeless tobacco (moist snuff) use and the risk of developing rheumatoid arthritis: results from a case-control study. *Arthritis Care Res (Hoboken)*. 2014 Oct;66(10):1582-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24719251>

Lu, B, Rho, YH, Cui, J, Iannaccone, CK, Frits, ML, Karlson, EW, Shadick, NA. Associations of smoking and alcohol consumption with disease activity and functional status in rheumatoid arthritis. *J Rheumatol*. 2014 Jan;41(1):24-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24293566>

Major, G. Tobacco exposure and reduced radiographic progression of rheumatoid arthritis: a false protective effect? Comment on the article by Vesperini et al. *Arthritis Care Res (Hoboken)*. 2014 Sep;66(9):1431. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24838909>

Saevarsdotter, S, Rezaei, H, Geborek, P, Petersson, I, Ernestam, S, Albertsson, K, Forslind, K, van Vollenhoven, RF, Swefot study group. Current smoking status is a strong predictor of radiographic

progression in early rheumatoid arthritis: results from the SWEFOT trial Ann Rheum Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24706006>

Sundstrom B, Johansson I, and Rantapaa-Dahlqvist S. Interaction between dietary sodium and smoking increases the risk for rheumatoid arthritis: results from a nested case-control study. Rheumatology (Oxford), 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25209067>

Krol A, Garred P, Heegaard N, Christensen A, Hetland M, et al. Interactions between smoking, increased serum levels of anti-CCP antibodies, rheumatoid factors, and erosive joint disease in patients with early, untreated rheumatoid arthritis. Scand J Rheumatol, 2014;1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25205362>

Ospelt C and Gay S. Response to: 'Cadmium the missing link between smoking and increased rheumatoid disease activity?' by Cates and Hutchinson. Ann Rheum Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25332359>

No authors listed. Connection between smoking and salt intake in development of rheumatoid arthritis. Nurs Stand. 2014 Sep 29;29(4):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25249095>

Svensson, B, Hafstrom, I, Erlandsson, MC, Forslind, K, Bokarewa, MI. Smoking in combination with antibodies to cyclic citrullinated peptides is associated with persistently high levels of survivin in early rheumatoid arthritis: a prospective cohort study. Arthritis Res Ther. 2014 Jan 16;16(1):R12 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24428870>

Wagner, CA, Sokolove, J, Lahey, LJ, Bengtsson, C, Saevarsdottir, S, Alfredsson, L, Delanoy, M, Lindstrom, TM, Walker, RP, Bromberg, R, Chandra, PE, Binder, SR, Klareskog, L, Robinson, WH. Identification of anticitrullinated protein antibody reactivities in a subset of anti-CCP-negative rheumatoid arthritis: association with cigarette smoking and HLA-DRB1 'shared epitope' alleles. Ann Rheum Dis, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24297382>

Bang, SY, Lee, KH, Cho, SK, Lee, HS, Lee, KW, Bae, SC. Smoking increases rheumatoid arthritis susceptibility in individuals carrying the HLA-DRB1 shared epitope, regardless of rheumatoid factor or anti-cyclic citrullinated peptide antibody status. Arthritis & Rheumatism, 2010. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=123235521&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123235521/HTMLSTART>

Barta, ZI, Harrison, MJ, Wangrangsimakul, T, Shelmordine, J, Teh, LS, Patrick, M, Edlin, H, Dale, N, Ahmad, Y, Bruce, IN. Health-related quality of life, smoking and carotid atherosclerosis in white British women with systemic lupus erythematosus. Lupus, 2010. Available from: <http://lup.sagepub.com/cgi/rapidpdf/0961203309351032v1>

Saevarsdottir, S, Wedren, S, Seddighzadeh, M, Bengtsson, C, Wesley, A, Lindblad, S, Askling, J, Alfredsson, L, Klareskog, L. Patients with early rheumatoid arthritis who smoke are less likely to respond to treatment with methotrexate and TNF inhibitors. Observations from the EIRA cohort and the Swedish Rheumatology Register. Arthritis & Rheumatism, 2010. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/art.27758/pdf>

Sugiyama, D, Nishimura, K, Tamaki, K, Tsuji, G, Nakazawa, T, Morinobu, A, Kumagai, S. Impact of smoking as a risk factor for developing rheumatoid arthritis: a meta-analysis of observational studies. *Annals of the Rheumatic Diseases*, 2010. Available from:

<http://ard.bmjjournals.org/cgi/rapidpdf/ard.2008.096487v2>

Boeckler, P, Cosnes, A, Frances, C, Hedelin, G, Lipsker, D. Association of cigarette smoking but not alcohol consumption with cutaneous lupus erythematosus. *Archives of dermatology*, 2009. Available from: <http://archderm.ama-assn.org/cgi/content/full/145/9/1012>

Goodson, Nicola J, Farragher, Tracey M, Symmons, Deborah PM. Rheumatoid factor, smoking, and disease severity: associations with mortality in rheumatoid arthritis. *Journal of Rheumatology*, 2008. Available from: <http://www.jrheum.com/subscribers/08/06/945.html>

### 3.17.2 Anal abscess and fistula

Sella, A, Ben-Zvi, Y, Gillman, L, Avishai, G, Chaushu, G, & Rosenfeld, E. (2020). Evaluation of Surgical Treatment of Oroantral Fistulæ in Smokers Versus Non-Smokers. *Medicina (Kaunas)*, 56(6).

Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7303000/>

Zheng, LH, Zhang, AZ, Shi, YY, Li, X, Jia, LS, Zhi, CC, Yu, QX, Zhang, W, Liu, YJ, Wang, L, Xiao, D, Wang, C. Impact of Smoking on Anal Abscess and Anal Fistula Diseases. *Chin Med J (Engl)*. 2018 May 5;131(9):1034-1037. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5960000/>

### 3.17.3 Graves' disease

Roveroni Zuntini, JV, Atala, YB, Ribeiro Parisi, MC, Camargo de Oliveira, D, & Zantut-Wittmann, DE. (2024). Cardiac autonomic neuropathy in Graves' disease: smoking and age as predictive factors.

*Endocr Pract* Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9333333/>

O'Dell, JM, Mussatto, CC, Chu, RL, Al-Sabbagh, MQ, Timoney, PJ, & Sokol, JA. (2023). Effects of Smoking on Outcomes of Thyroid Eye Disease Treated with Teprotumumab: A Retrospective Cohort Study. *Kans J Med*, 16, 62-64. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9470041/>

Kim, HJ, Hong, G, Hwang, J, Kazmi, SZ, Kim, KH, Kang, T et al. (2023). Familial Risk of Graves' Disease among First-Degree Relatives and Interaction with Smoking: A Population-Based Study. *J Clin Endocrinol Metab*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9470041/>

Szydelko, J, Litwinczuk, M, Szydelko, M, & Matyjaszek-Matuszek, B. (2020). Neutrophil-to-Lymphocyte, Monocyte-to-Lymphocyte and Platelet-to-Lymphocyte Ratios in Relation to Clinical Parameters and Smoking Status in Patients with Graves' Orbitopathy-Novel Insight into Old Tests. *J Clin Med*, 9(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9470041/>

### 3.17.6 Other inflammatory conditions

Miyazaki, Y, Sakushima, K, Niino, M, Takahashi, E, Oiwa, K, Naganuma, R et al. (2022). Smoking and younger age at onset in anti-acetylcholine receptor antibody-positive myasthenia gravis. *Immunol Med*, 1-7. Retrieved from Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36346077>

Briggs, FB. (2020). Nicotinic acetylcholine receptors alpha7 and alpha9 modifies tobacco smoke risk for multiple sclerosis. *Mult Scler*, 1352458520958361. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32924781>

Salem, AS, Ibrahim, HS, Abdelaziz, HH, & Elsaie, ML. (2020). Implications of Cigarette Smoking on Early Onset Androgenetic Alopecia: A Cross Sectional Study. *J Cosmet Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32946667>

Hedstrom, AK, Huang, J, Brenner, N, Butt, J, Hillert, J, Waterboer, T et al (2020). Smoking and Epstein-Barr virus infection in multiple sclerosis development. *Sci Rep*, 10(1), 10960. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32620875>

Zhao, SS, Macfarlane, GJ, Jones, GT, Gaffney, K, Hughes, DM, Moots, RJ, & Goodson, N J. (2019). Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. *Ann Rheum Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31005901>

Zhao, S, Yoshida, K, Jones, GT, Hughes, DM, Tedeschi, SK, Lyu, H et al. The impact of smoking on response to TNF inhibitors in axial spondyloarthritis: methodological considerations for longitudinal observational studies. *Arthritis Care Res (Hoboken)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30762311>

Olsson, P, Turesson, C, Mandl, T, Jacobsson, L, Theander, E. Cigarette smoking and the risk of primary Sjogren's syndrome: a nested case control study. *Arthritis Res Ther*. 2017 Mar 7;19(1):50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28270185>

### 3.17.7 Multiple Sclerosis

**Danitza, FL, Jose, MP, Robinson, RH, Olivia, LL, Miranda, MD, Moises Manuel, GP et al (2024). Association of Smoking with Disease Progression in Persons with Multiple Sclerosis Undergoing Autologous Hematopoietic Cell Transplantation: A Single-Center Experience. *Rev Invest Clin*, 76(5), 223-229. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39541948>**

Fararouei, M, Mobasher, F, Jaber, AR, & Hasanzadeh, J. (2024). Auto-Immune Diseases, Head and Neck Trauma, and Smoking Are Strong Predictors of Multiple Sclerosis. *Iran J Public Health*, 53(9), 2140-2149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39429659>

Meissner, J, Frahm, N, Hecker, M, Langhorst, SE, Mashhadiakbar, P, Streckenbach, B et al. (2024). Personality traits in patients with multiple sclerosis: their association with nicotine dependence and polypharmacy. *Ther Adv Neurol Disord*, 17, 17562864241279118. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39411724>

Abbasi Kasbi, N, Ghane Ezabadi, S, Kohandel, K, Khodaie, F, Sahraian, AH, Nikkhah Bahrami, S et al. (2024). Lifetime exposure to smoking and substance abuse may be associated with late-onset

multiple sclerosis: a population-based case-control study. *BMC Neurol*, 24(1), 327. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39243006>

Su, J, Liang, Y, & He, X. (2024). The overall and smoking-attributable burden of multiple sclerosis among older adults aged 65-89 years from 1990 to 2019 and predictions to 2040. *Front Med (Lausanne)*, 11, 1430741. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39238595>

Bazmi, E, Behnoush, AH, Talebian, MT, Afrooghe, A, & Sahraian, MA. (2024). Waterpipe tobacco smoking and multiple sclerosis: a systematic review and meta-analysis. *Neuroepidemiology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39053438>

Contentti, EC, Rojas, JI, Giachello, S, Henestrosa, P, & Lopez, PA. (2024). Smoking and Health-Related Quality of Life in Patients With Multiple Sclerosis From Latin America. *Int J MS Care*, 26(Q3), 187-193. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39072226>

Polick, CS, Dennis, P, Calhoun, PS, Braley, TJ, Lee, E, & Wilson, S. (2024). Investigating disparities in smoking cessation treatment for veterans with multiple sclerosis: A national analysis. *Brain Behav*, 14(5), e3513. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38698620>

Wahbeh, F, Restifo, D, Laws, S, Pawar, A, & Parikh, NS. (2024). Impact of tobacco smoking on disease-specific outcomes in common neurological disorders: A scoping review. *J Clin Neurosci*, 122, 10-18. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38428126>

Polick, CS, Darwish, H, de Olivera, LP, Watson, A, Vissoci, JRN, Calhoun, PS et al. (2024). Resilience, mental health, sleep, and smoking mediate pathways between lifetime stressors and Multiple Sclerosis severity. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38370736>

Portaccio, E, & Iaffaldano, P. (2024). Maternal smoking and multiple sclerosis risk in offspring: A further clue of prenatal environmental triggers. *Mult Scler*, 13524585231224667. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38205785>

Schoeps, VA, Cortese, M, Munger, KL, Mancuso, JD, Niebuhr, DW, Peng, X et al. (2023). Smoking and multiple sclerosis risk in black people: A nested case-control study. *Mult Scler Relat Disord*, 81, 105375. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38104478>

Mortazavi, SH, Moghadasi, AN, Almasi-Hashiani, A, Sahraian, MA, Goudarzi, H, & Eskandarieh, S. (2023). Waterpipe and cigarette smoking and drug and alcohol consumption, and the risk of primary progressive multiple sclerosis: A population-based case-control study. *Curr J Neurol*, 22(2), 72-81. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38011368>

Nielsen, NM, Frisch, M, Gortz, S, Stenager, E, Skogstrand, K, Hougaard, DM et al. (2023). Smoking during pregnancy and risk of multiple sclerosis in offspring and mother: A Danish nationwide register-based cohort study. *Mult Scler*, 13524585231208310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37981600>

Klose, D, Needhamson, M, Ringh, MV, Hagemann-Jensen, M, Jagodic, M, & Kular, L. (2023). Smoking affects epigenetic ageing of lung bronchoalveolar lavage cells in Multiple Sclerosis. *Mult Scler Relat Disord*, 79, 104991 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37708820>

Hosseini, M, Haghizadeh, M, Hassanpour, R, Asadollahzadeh, E, Rezaeimanesh, N, Eskandarieh, S et al. (2023). The effects of different types of smoking on recovery from attack in hospitalized multiple sclerosis patients. *Clin Neurol Neurosurg*, 232, 107846. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37467576>

Neyal, N, Atkinson, EJ, Smith, CY, Weis, DM, Gazzola Rocca, L, Rocca, WA et al. (2023). Smoking, early menopause and multiple sclerosis disease course. *Climacteric*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37387356>

Alshehri, E, Cohen, JA, Ontaneda, D, Nakamura, K, Husak, S, Love, TE et al. (2023). The impact of cigarette smoking on cognitive processing speed and brain atrophy in multiple sclerosis. *Mult Scler*, 13524585231172490. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37204214>

Wu, J, Olsson, T, Hillert, J, Alfredsson, L, & Hedstrom, AK. (2023). Influence of oral tobacco versus smoking on multiple sclerosis disease activity and progression. *J Neurol Neurosurg Psychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37001984>

Lie, IA, Wesnes, K, Kvistad, SS, Brouwer, I, Wergeland, S, Holmoy, T et al. (2022). The Effect of Smoking on Long-term Gray Matter Atrophy and Clinical Disability in Patients with Relapsing-Remitting Multiple Sclerosis. *Neurol Neuroimmunol Neuroinflamm*, 9(5).Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35738901>

Kleerekooper, I, Chua, S, Foster, PJ, Trip, SA, Plant, GT, Petzold, A et al. (2022). Associations of Alcohol Consumption and Smoking With Disease Risk and Neurodegeneration in Individuals With Multiple Sclerosis in the United Kingdom. *JAMA Netw Open*, 5(3), e220902. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35238934>

Manouchehrinia, A, Huang, J, Hillert, J, Alfredsson, L, Olsson, T, Kockum, I, & Constantinescu, CS. (2022). Smoking Attributable Risk in Multiple Sclerosis. *Front Immunol*, 13, 840158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35238934>

Hedstrom, AK, Olsson, T, & Alfredsson, L. (2020). Cotinine as a measure of smoking in observational studies of multiple sclerosis. *Mult Scler*, 1352458520968803. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33170069>

Hersh, CM, Harris, H, Ayers, M, & Conway, D. (2020). Effect of tobacco use on disease activity and DMT discontinuation in multiple sclerosis patients treated with dimethyl fumarate or fingolimod. *Mult Scler J Exp Transl Clin*, 6(4), 2055217320959815.Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33110616>

### 3.17.10 Other autoimmune diseases

Alikhani, M, Zaj, R, Faezi, T, Esalatmanesh, K, Farzaneh, R, Kolahi, S et al. (2024). The effect of cigarette smoking on Behcet's disease outcomes: A multicentre study. *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39428964>

Ciaffi, J, Liem, SIE, Cannegieter, S, Ahmed, S, Hoekstra, EM, Wiland, P et al. (2024). Untangling the relationship between smoking and systemic sclerosis: an analysis of the EUSTAR cohort. *RMD Open*, 10(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38772679>

Ciaffi, J, Liem, SIE, Cannegieter, SC, Ahmed, S, Hoekstra, E, Huizinga, T, & De Vries-Bouwstra, J. (2024). Does a history of smoking increase the risk of developing systemic sclerosis? Insights from the Leiden Combined Care in Systemic Sclerosis cohort. *Rheumatol Adv Pract*, 8(2), rkae055. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38736463>

Gronbaek, L, Omeife, H, Ban, L, Crooks, CJ, Card, TR, Jepsen, P, & West, J. (2024). Smoking is a Risk Factor for Autoimmune Hepatitis: An English Registry-Based Case-Control Study. *Clin Epidemiol*, 16, 23-30. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38313042>

Gentile, M, & Rossi, GM. (2023). The role of smoking in antineutrophil cytoplasmic antibody-associated vasculitis: time to highlight the importance of smoking cessation interventions. *Pol Arch Intern Med*, 133(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37880943>

Lugli, G, Peyronel, F, & Vaglio, A. (2023). Smoking in antineutrophil cytoplasmic antibody-associated vasculitis: from disease susceptibility to long-term prognosis. *Pol Arch Intern Med*, 133(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37880942>

Shayea, AMF, Alshatti, AA, Alfadhli, DH, Ibrahim, AF, Almutairi, MK, & Nadar, MS. (2023). Health-related factors and dysregulation of epigenetic related genes in metabolic syndrome trigger finger patients and smoker trigger finger patients: preliminary analysis of patient-derived sample. *J Orthop Surg Res*, 18(1), 785. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37853419>

Jiang, H, Huang, C, Shi, Y, Wang, CH, Chen, SY, Li, J et al. (2023). Effect of smoking on thrombotic antiphospholipid syndrome: a 10-year prospective cohort study. *Rheumatology (Oxford)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37738261>

Luebker, S, Frech, TM, Assassi, S, Gordon, JK, Bernstein, EJ, Steen, VD et al. (2023). The Collaborative National Quality and Efficacy Registry for Scleroderma: association of medication use on gastrointestinal tract symptoms in early disease and the importance of tobacco cessation. *Clin Exp Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37497718>

Miyazaki, Y, Niino, M, Sakushima, K, Takahashi, E, Naganuma, R, Amino, I et al. (2021). Association of Smoking and Generalized Manifestations of Myasthenia Gravis. *Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34744112>

Mofors, J, Bjork, A, Richardsdotter Andersson, E, Kvarnstrom, M, Forsblad d'Elia, H, Magnusson-Bucher, S et al (2020). Cigarette smoking patterns preceding primary Sjogren's syndrome. *RMD Open*, 6(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32994363>

Dai, YX, Yeh, FY, Shen, YJ, Tai, YH, Chou, YJ, Chang, YT et al. (2020). Cigarette Smoking, Alcohol Consumption, and Risk of Alopecia Areata: A Population-Based Cohort Study in Taiwan. *Am J Clin Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32761499>

Nikiphorou, E, Ramiro, S, Sepriano, A, Ruyssen Witrand, A, Landewe, RBM, & van der Heijde, D. (2020). Do smoking and socioeconomic factors influence imaging outcomes in axial

spondyloarthritis? Five-year data from the DESIR cohort. *Arthritis Rheumatol.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32562362>

## News reports:

No authors listed. Environmental factors may trigger lupus onset and progression. Medical Xpress, 2017. Nov 16, 2017. Available from: <https://medicalxpress.com/news/2017-11-environmental-factors-trigger-lupus-onset.html>

Ammitzbøll, Cecilie, Børnsen, Lars , Christensen, Jeppe Romme , Ratzer, Rikke , Nielsen, Birgitte Romme , Søndergaard, Helle B, von Essen, Marina R and Sellebjerg, Finn. Smoking reduces circulating CD26hiCD161hi MAIT cells in healthy individuals and patients with multiple sclerosis . Journal of Leukocyte Biology, 2017. Feb 8, 2017. Available from: <http://www.jleukbio.org/content/101/5/1211>

No authors listed. Smoking decreases MAIT cells, implicated in the pathology of autoimmune diseases. Medical Xpress, 2017. May 2, 2017. Available from: <https://medicalxpress.com/news/2017-05-decreases-mait-cells-implicated-pathology.html>

Mooneyhan, Cody. Scientists identify missing link between smoking and inflammation. EurekAlert, 2016. Oct 31, 2016. Available from: [https://www.eurekalert.org/pub\\_releases/2016-10/foas-sim103116.php](https://www.eurekalert.org/pub_releases/2016-10/foas-sim103116.php)

### 3.17.1 *Rheumatoid arthritis*

Swift, Diana. Joint pain a major issue in chronic HCV infection - Smoking increases risk of arthralgias in hepatitis C. Med Page Today, 2015. Available from: [http://www.medpagetoday.com/Rheumatology/GeneralRheumatology/51314?xid=nl\\_mpt\\_DHE\\_2015-05-02&eun=g220600d0r&userid=220600&mu\\_id=5215953](http://www.medpagetoday.com/Rheumatology/GeneralRheumatology/51314?xid=nl_mpt_DHE_2015-05-02&eun=g220600d0r&userid=220600&mu_id=5215953)

No authors listed. Obesity and smoking reduces likelihood of treatment success in early rheumatoid arthritis. Medical News Today2016. June 13, 2016. Available from: <http://www.medicalnewstoday.com/releases/310913.php>