Relevant news and research

3.18 Other conditions with possible links to smoking

Last updated September 2019

Research:

Johnsen, MB, Winsvold, BS, Borte, S, Vie, GA, Pedersen, LM, Storheim, K, Skorpen, F, Hagen, K, Bjorngaard, JH, Asvold, BO, Zwart, JA. The causal role of smoking on the risk of headache. A Mendelian randomization analysis in the HUNT Study. Eur J Neurol, May 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29747220

Olsson, P, Skogstrand, K, Nilsson, A, Turesson, C, Jacobsson, LTH, Theander, E, Houen, G, Mandl, T. Smoking, disease characteristics and serum cytokine levels in patients with primary Sjogren's syndrome. Rheumatol Int, May 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29846789

Hu, H, Sasaki, N, Ogasawara, T, Nagahama, S, Akter, S, Kuwahara, K, Kochi, T et al. Smoking, Smoking Cessation, and the Risk of Hearing Loss: Japan Epidemiology Collaboration on Occupational Health Study. Nicotine Tob Res. 2018 . Mar 14, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29547985

Veile, A, Zimmermann, H, Lorenz, E, Becher, H. Is smoking a risk factor for tinnitus? A systematic review, meta-analysis and estimation of the population attributable risk in Germany. BMJ Open. 2018 Feb 22;8(2):e016589. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29472253

Nelson, TM, Borgogna, JC, Michalek, RD, Roberts, DW, Rath, JM, Glover, ED, Ravel, J, Shardell, MD, Yeoman, CJ, Brotman, RM. Cigarette smoking is associated with an altered vaginal tract metabolomic profile. Sci Rep. 2018 Jan 16;8(1):852. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29339821

Karademirci, MM, Kutlu, R. Kilinc, I. Relationship between smoking and and total antioxidant status, total oxidant status, oxidative stress index, vit C, vit E. Clin Respir J, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29247592

Masuet-Aumatell, C, Sanchez-Mascunano, A, Santangelo, FA, Ramos, SM, Ramon-Torrell, JM. Relationship between Smoking and Acute Mountain Sickness: A Meta-Analysis of Observational Studies. Biomed Res Int. 2017;2017:1409656. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29259975

Glennon, SG, Huedo-Medina, T, Rawal, S, Hoffman, HJ, Litt, MD, Duffy, VB. Chronic Cigarette Smoking Associates Directly and Indirectly with Self-Reported Olfactory Alterations: Analysis of the 2011-2014 National Health and Nutrition Examination Survey (NHANES). Nicotine Tob Res, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29121272

Neves, CDC, Lacerda, ACR, Lima, LP, Lage, VKS, Balthazar, CH, Leite, HR, Mendonca, VA. Different levels of brain-derived neurotrophic factor and cortisol in healthy heavy smokers. Braz J Med Biol Res. 2017 Oct 19;50(12):e6424. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29069228

Sanchez-Mascunano, A, Masuet-Aumatell, C, Morchon-Ramos, S, Ramon, JM. Relationship of altitude mountain sickness and smoking: a Catalan traveller's cohort study. BMJ Open. 2017 Sep 24;7(9):e017058. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28947454

Tanash, HA, Ekstrom, M, Ronmark, E, Lindberg, A, Piitulainen, E. Survival in individuals with severe alpha 1-antitrypsin deficiency (PiZZ) in comparison to a general population with known smoking habits. Eur Respir J. 2017 Sep 9;50(3). pii: 1700198. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28889108

Tafiadis, D, Chronopoulos, SK, Kosma, EI, Voniati, L, Raptis, V, Siafaka, V, Ziavra, N. Using Receiver Operating Characteristic Curve to Define the Cutoff Points of Voice Handicap Index Applied to Young Adult Male Smokers. J Voice. 2017 Jul 11. pii: S0892-1997(17)30182-0. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28709764

Breyer, J, Denzinger, S, Hartmann, A, Otto, W. Downregulation of checkpoint protein kinase 2 in the urothelium of healthy male tobacco smokers. Urol Int, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27251560

Estanol, M. V., Crisp, C. C., Oakley, S. H., Kleeman, S. D., Fellner, A. N., & Pauls, R. N. Systemic markers of collagen metabolism and vitamin C in smokers and non-smokers with pelvic organ prolapse. Eur J Obstet Gynecol Reprod Biol, 2015. 184, 58-64. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25463637

Karama, S et al. Cigarette smoking and thinning of the brain's cortex. Molecular Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25666755

Filiberti, R, Fontana, V, De Ceglie, A, Blanchi, S, Grossi, E, Della Casa, D, et al. Smoking as an independent determinant of Barrett's esophagus and, to a lesser degree, of reflux esophagitis. Cancer Causes Control, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25555994

Kelsey, KT, Nelson, HH, Kim, S, Pawlita, M, Langevin, SM, Eliot et al. Human papillomavirus serology and tobacco smoking in a community control group. BMC Infect Dis, 2015. 15(1), 8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25572638

Franklin, TR, Wetherill, RR, Jagannathan, K, Johnson, B, Mumma, J, Hager, et al. The effects of chronic cigarette smoking on gray matter volume: influence of sex. PLoS ONE, 2014. 9(8), e104102. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25090480

Bokarewa, MI, Erlandsson, MC, Bjersing, J, Dehlin, M, Mannerkorpi, K. Smoking is associated with reduced leptin and neuropeptide Y levels and higher pain experience in patients with fibromyalgia. Mediators Inflamm, 2014, 627041. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25197167

Fritz, HC, Wittfeld, K, Schmidt, CO, Domin, M, Grabe, HJ, Hegenscheid, et al. Current smoking and reduced gray matter volume-a voxel-based morphometry study. Neuropsychopharmacology, 2014. 39(11), 2594-2600. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24832823

Turner, AP, Hartoonian, N, Maynard, C, Leipertz, SL, Haselkorn, JK. Smoking and Physical Activity: Examining Health Behaviors and 15-Year Mortality Among Individuals With Multiple Sclerosis. Arch Phys Med Rehabil. 2014 Nov 6. pii: S0003-9993(14)01215-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25448246

Haukioja, A, Asunta, M, Soderling, E, Syrjanen, S. Persistent oral human papillomavirus infection is associated with smoking and elevated salivary immunoglobulin G concentration. J Clin Virol, 2014. 61(1), 101-106. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25011603

Hedges, D, Bennett, DP. Cigarette smoking and p300 amplitude in adults: a systematic review. *Nicotine Tob Res, 2014. 16*(9), 1157-1166. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24847100

Savjani, RR, Velasquez, KM, Thompson-Lake, DG, Baldwin, PR, Eagleman, DM, De La Garza Ii, R, Salas, R. Characterizing white matter changes in cigarette smokers via diffusion tensor imaging. Drug

Alcohol Depend, 2014. *145*, 134-142. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25457737

Sung, JH, Sim, CS, Lee, CR, Yoo, CI, Lee, H, Kim, Y, Lee, J. Relationship of cigarette smoking and hearing loss in workers exposed to occupational noise. Ann Occup Environ Med, 2013. 25(1), 8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24472221

Ditre, JW, Zale, EL, Kosiba, JD, Zvolensky, MJ. A pilot study of pain-related anxiety and smoking-dependence motives among persons with chronic pain. Experimental and Clinical Psychopharmacology, *2013. 21*(6), 443-449. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24080021

3.18.1 Mental illnesses

Stramecki, F, Kotowicz, KD, Piotrowski, P, Frydecka, D, Rymaszewska, J, Beszlej, JA et al. Assessment of the Association Between Cigarette Smoking and Cognitive Performance in Patients With Schizophrenia-Spectrum Disorders: A Case-Control Study. Front Psychiatry, 2018; 9, 642. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30559684

Taylor, GMJ, & Munafo, MR. Does smoking cause poor mental health? Lancet Psychiatry, 2019; 6(1), 2-3. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30527762

Sanchez-Gutierrez, T, Garcia-Portilla, MP, Parellada, M, Bobes, J, Calvo, A, Moreno-Izco, L, Gonzalez-Pinto, A, Lobo, A, de la Serna, E, Cabrera, B, Torrent, C, Roldan, L, Sanjuan, J, Ibanez, A, Sanchez-Torres, A M, Corripio, I, Bernardo, M, Cuesta, MJ, PEPs group. Smoking does not impact social and non-social cognition in patients with first episode psychosis. Schizophr Res, Apr 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29606546

Hjarpe, J, Soderman, E, Andreou, D, Sedvall, GC, Agartz, I, Jonsson, EG. No major influence of regular tobacco smoking on cerebrospinal fluid monoamine metabolite concentrations in patients with psychotic disorder and healthy individuals. Psychiatry Res. 2018 Feb 17;263:30-34. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29482043

Mustonen, A, Ahokas, T, Nordstrom, T, Murray, GK, Maki, P, Jaaskelainen, E, Heiskala, A, McGrath, JJ, Scott, JG, Miettunen, J, Niemela, S. Smokin` hot: adolescent smoking and the risk of psychosis. Acta Psychiatr Scand. 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29457219

Liu, H, Luo, Q, Du, W, Li, X, Zhang, Z, Yu, R, Chen, X, Meng, H, Du, L. Cigarette smoking and schizophrenia independently and reversibly altered intrinsic brain activity. Brain Imaging Behav, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29297153

Australian Institute of Health and Welfare. (2018). Mental health services—in brief 2017. Available from: https://www.aihw.gov.au/reports/mental-health-services/mental-health-services-in-brief-2017/contents/table-of-contents

Australian institute of Health and Welfare. (2017). Mental health services in Australia. Available from: https://www.aihw.gov.au/reports/mental-health-services/mental-health-services-in-australia/report-contents/summary

Korhonen, T, Sihvola, E, Latvala, A, Dick, DM, Pulkkinen, L, Nurnberger, J, Rose, RJ, Kaprio, J. Early-onset tobacco use and suicide-related behavior - A prospective study from adolescence to young adulthood. Addict Behav. 2017 Dec 6;79:32-38. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29245024

Yokoyama, N, Sasaki, H, Mori, Y, Ono, M, Tsurumi, K, Kawada, R, Matsumoto, Y, Yoshihara, Y, Sugihara, G, Miyata, J, Murai, T, Takahashi, H. Additive Effect of Cigarette Smoking on Gray Matter Abnormalities in Schizophrenia. Schizophr Bull, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29036371

Weinberger, AH, Platt, J, Esan, H, Galea, S, Erlich, D, Goodwin, RD. Cigarette Smoking Is Associated With Increased Risk of Substance Use Disorder Relapse: A Nationally Representative, Prospective Longitudinal Investigation. J Clin Psychiatry, 78(2), e152-e160. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28234432

Evins, AE, Korhonen, T, Kinnunen, TH, Kaprio, J. Prospective association between tobacco smoking and death by suicide: a competing risks hazard analysis in a large twin cohort with 35-year follow-up. Psychol Med. 2017 Apr 12:1-12. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28399944

Kauffman, BY, Farris, SG, Alfano, CA, Zvolensky, MJ. Emotion dysregulation explains the relation between insomnia symptoms and negative reinforcement smoking cognitions among daily smokers. Addict Behav. 2017 Sep;72:33-40. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28359971

Plurphanswat, N, Kaestner, R, Rodu, B. The Effect of Smoking on Mental Health. Am J Health Behav. 2017 Jul 1;41(4):471-483. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28601107

Weinberger, AH, Platt, J, Esan, H, Galea, S, Erlich, D, Goodwin, RD. Cigarette Smoking Is Associated With Increased Risk of Substance Use Disorder Relapse: A Nationally Representative, Prospective Longitudinal Investigation. J Clin Psychiatry. 2017 Feb;78(2):e152-e160. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28234432

Landaas, ET, Aarsland, TI, Ulvik, A, Halmoy, A, Ueland, PM, Haavik, J. Vitamin levels in adults with ADHD. BJPsych Open. 2016 Dec 13;2(6):377-384. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27990293

Stepankova, L, Kralikova, E, Zvolska, K, Pankova, A, Ovesna, P, Blaha, M, Brose, LS. Depression and Smoking Cessation: Evidence from a Smoking Cessation Clinic with 1-Year Follow-Up. Ann Behav Med, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28035641

El-Mallakh, P, McPeak, D, Khara, M, Okoli, CT. Smoking behaviors and medical co-morbidities in patients with mental illnesses. Arch Psychiatr Nurs. 2016 Dec;30(6):740-746. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27888969

Colle, R, Trabado, S, Rotenberg, S, Brailly-Tabard, S, Benyamina, A, Aubin, HJ., Hardy, P, Falissard, B, Becquemont, L, Verstuyft, C, Feve, B, Corruble, E. Tobacco use is associated with increased plasma BDNF levels in depressed patients. Psychiatry Res. 2016 Oct 12;246:370-372. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27788454

Haibach, JP, Homish, GG, Collins, RL, Ambrosone, CB, Giovino, GA. Fruit and vegetable intake as a moderator of the association between depressive symptoms and cigarette smoking. Subst Abus, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27093192

Hickling, LM, Ortiz-Garcia de la Foz, V, Ayesa-Arriola, R, Crespo-Facorro, B, McGuire, P, Perez-Iglesias, R. The effects of tobacco smoking on age of onset of psychosis and psychotic symptoms in a first episode psychosis population. Addiction, Oct 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27741562

Korhonen, T, Ranjit, A, Tuulio-Henriksson, A, Kaprio, J. Smoking status as a predictor of antidepressant medication use. J Affect Disord. 2016 Sep 27;207:221-227. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27723547

Mathew, AR, Hogarth, L, Leventhal, AM, Cook, JW, Hitsman, B. Cigarette smoking and depression comorbidity: systematic review and proposed theoretical model. Addiction, Oct 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27628300

Oh, HY, Koyanagi, A, Singh, F, DeVylder, J. Is smoking tobacco associated with psychotic experiences across racial categories in the United States? Findings from the Collaborative Psychiatric Epidemiological Surveys. Psychiatry Res. 2016 Sep 15;246:58-61. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27662613

Reed, AC, Harris, JG, Olincy, A. Schizophrenia, smoking status, and performance on the matrics Cognitive Consensus Battery. Psychiatry Res. 2016 Sep 9;246:1-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27639816

Skov-Ettrup, LS, Nordestgaard, BG, Petersen, CB, Tolstrup, JS. Does high tobacco consumption cause psychological distress? A Mendelian randomization study. Nicotine Tob Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27613883

Wolfe, RM, Reeves, LE, Gibson, LE, Cooper, S, Ellman, LM. Attenuated positive psychotic symptoms in relation to cigarette smoking in a nonclinical population. Nicotine Tob Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27651478

Zorlu, N, Cropley, VL, Zorlu, PK, Delibas, DH, Adibelli, ZH, Baskin, EP, Esen, OS, Bora, E, Pantelis, C. Effects of cigarette smoking on cortical thickness in major depressive disorder. J Psychiatr Res. 2016 Sep 13;84:1-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27669406

da Silva, BS, Rovaris, DL, Schuch, JB, Mota, NR, Cupertino, RB, Aroche, AP, Bertuzzi, GP, Karam, RG, Vitola, ES, Tovo-Rodrigues, L, Grevet, EH, Bau, CH. Effects of corticotropin-releasing hormone receptor 1 SNPs on major depressive disorder are influenced by sex and smoking status. J Affect Disord. 2016 Aug 13;205:282-288. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27544317

Heelan, M, McAllister, J, Skinner, J. Stuttering, alcohol consumption and smoking. J Fluency Disord. 2016 Jun;48:27-34. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27498892

Laursen, TM, McGrath, JJ. The strange case of smoking and schizophrenia-the epidemiology detectives are on the trail. Am J Psychiatry. 2016 Aug 1;173(8):757-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27477133

Aubin, HJ, Luquiens, A, Berlin, I. Smoking and suicide mortality risk in alcohol-dependent individuals. J Clin Psychiatry. 2016 Jul;77(7):e906. Availability from: http://www.ncbi.nlm.nih.gov/pubmed/27464329

Bandiera, FC, Loukas, A, Wilkinson, AV, Perry, CL. Associations between tobacco and nicotine product use and depressive symptoms among college students in Texas. Addict Behav. 2016 Jun 29;63:19-22. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27393934

Devkota, B, Salas, J, Garfield, L. Increased risk of major depression with early age of exposure to cigarettes. Am J Prev Med. 2016 Jul 16. pii: S0749-3797(16)30194-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27436333

Fernandez Del Rio, E, Lopez-Duran, A, Martinez, U, Becona, E. Personality disorders and smoking in Spanish general and clinical population. Psicothema. 2016 Aug;28(3):278-83. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27448261

Poorolajal, J, Darvishi, N. Smoking and suicide: a meta-analysis. PLoS One. 2016 Jul 8;11(7):e0156348. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27391330

Weinberger, AH, Kashan, RS, Shpigel, DM, Esan, H, Taha, F, Lee, CJ, Funk, AP, Goodwin, RD. Am J Drug Alcohol Abuse, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27286288

Dimitriadis, DG, Mamplekou, E, Dimitriadis, PG, Dimitriadis, GD, Papageorgiou, C. The association between smoking and psychopathology adjusted for body mass index and gender. Australas Psychiatry., 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27206466

Fluharty, M, Taylor, AE, Grabski, M, Munafo, MR. The association of cigarette smoking with depression and anxiety: a systematic review. Nicotine Tob Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27199385

Han, B, Compton, WM, Blanco, C. Tobacco use and 12-month suicidality among adults in the United States. Nicotine Tob Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27190402

Solmi, M, Veronese, N, Sergi, G, Luchini, C, Favaro, A, Santonastaso, P, Vancampfort, D, Correll, CU, Ussher, M, Thapa-Chhetri, N, Fornaro, M, Stubbs, B. The association between smoking prevalence and eating disorders: a systematic review and meta-analysis. Addiction, 2016. Available from : http://www.ncbi.nlm.nih.gov/pubmed/27206671

Inoue, A, Kawakami, N, Eguchi, H, Tsutsumi, A. Modifying effect of cigarette smoking on the association of organizational justice with serious psychological distress in Japanese employees: a cross-sectional study. Int Arch Occup Environ Health, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27055543

Kim, SM, Jung, JW, Park, IW, Ahn, CM, Kim, YI, Yoo, KH, Chun, EM, Jung, JY, Park, YS, Park, JH, Kim, JY, Korean Smoking Cessation Study, Group. Gender differences in relations of smoking status, depression, and suicidality in Korea: findings from the Korea National Health and Nutrition Examination Survey 2008-2012. Psychiatry Investig. 2016 Mar;13(2):239-46. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27081387

Bach, H, Arango, V, Kassir, SA, Dwork, AJ, Mann, JJ, Underwood, MD. Cigarette smoking and tryptophan hydroxylase 2 mRNA in the dorsal raphe nucleus in suicides. Arch Suicide Res, 2016:1-12. Available from: https://www.ncbi.nlm.nih.gov/pubmed/26954509

Li, Y, Cao, XL, Zhong, BL, Ungvari, GS, Chiu, HF, Kelly, YC, Zheng, W, Correll, CU, Xiang, YT. Smoking in male patients with schizophrenia in China: A meta-analysis. Drug Alcohol Depend, 2016;162:146-53. Available from: https://www.ncbi.nlm.nih.gov/pubmed/26996743

Bakhshaie, J et al. Cigarette smoking and the onset and persistence of panic attacks during mid-adulthood in the United States: 1994-2005. J Clin Psychiatry, Jan 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26845274

Berlin, I et al. Smoking as a confounder of the association of suicidality with serum lipid levels. J Psychiatry Neurosci, Mar 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26898729

Cheng, HG et al. Prospective relationship of depressive symptoms, drinking, and tobacco smoking among middle-aged and elderly community-dwelling adults: Results from the China Health and Retirement Longitudinal Study (CHARLS). J Affect Disord, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26895091

Goldenson, NI et al. Associations between ADHD symptoms and smoking outcome expectancies in a non-clinical sample of daily cigarette smokers. Am J Addict, Mar 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26871681

Johnson, AL, McLeish, AC. Differences in panic psychopathology between smokers with and without asthma. Psychol Health Med, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26911387

Lopez-Castroman, J et al. Heavy tobacco dependence in suicide attempters making recurrent and medically serious attempts. Drug Alcohol Depend, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26832932

Wu, S et al. Smoking as a confounder of the association of suicidality with serum lipid levels - Author Response. J Psychiatry Neurosci, Mar 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26898730

Herbison, CE et al. Characterisation and novel analyses of acute stress response patterns in a population based cohort of young adults: influence of gender, smoking and BMI. Stress, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26809721

Ren, W et al. The effect of cigarette smoking on vitamin D level and depression in male patients with acute ischemic stroke. Compr Psychiatry, Feb 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26773985

Talati, A et al. Changing relationships between smoking and psychiatric disorders across twentieth century birth cohorts: clinical and research implications. Mol Psychiatry, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26809837

Machulska, A et al. Approach bias modification in inpatient psychiatric smokers. J Psychiatr Res, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26874269

Lewis, AS et al. Association of cigarette smoking with interpersonal and self-directed violence in a large community-based sample. Nicotine Tob Res, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26718905

Park, S, Kim, J. Association between smoking and suicidal behaviors among adolescents in the Republic of Korea. J Addict Nurs, Oct-Dec 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26669224

Akbarian, S, Kundakovic, M. CHRNA7 and CHRFAM7A: Psychosis and smoking? Blame the neighbors! Am J Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26575444

Dyal, SR, Valente, TW. A systematic review of loneliness and smoking: small effects, big implications. Subst Use Misuse, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26555089

Tan, O, Tas, C. Symptom dimensions, smoking and impulsiveness in Obsessive-Compulsive Disorder. Psychiatr Danub, Dec 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26609653

Wu, L et al. Emotion regulation in heavy smokers: experiential, expressive and physiological consequences of cognitive reappraisal. Front Psychol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26528213

Zvolensky, MJ et al. Posttraumatic stress symptoms and smoking among World Trade Center disaster responders: A longitudinal investigation. Compr Psychiatry, Nov 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26555491

An, R, Xiang, X. Smoking, heavy drinking, and depression among U.S. middle-aged and older adults. Prev Med, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26436684

Jauhar, S et al. Tobacco use and psychosis: missing the risk of bias assessment and other methodological considerations - Authors' reply. Lancet Psychiatry, Oct 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26462212

Kumar, A. Tobacco use and psychosis: missing the risk of bias assessment and other methodological considerations. Lancet Psychiatry, Oct 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26462213

Gage, SH, Munafo, MR. Rethinking the association between smoking and schizophrenia. Lancet Psychiatry, Feb 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26359739

Gart, R, Kelly, S. How illegal drug use, alcohol use, tobacco use, and depressive symptoms affect adolescent suicidal ideation: a secondary analysis of the 2011 Youth Risk Behavior survey. Issues Ment Health Nurs, Aug 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26379135

Sankaranarayanan, A et al. Smoking, suicidality and psychosis: a systematic meta-analysis. PLoS One, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26372218

Sankaranarayanan, A, Mancuso, S, Wilding, H, Ghuloum, S, Castle, D. Correction: Smoking, Suicidality and Psychosis: A Systematic Meta-Analysis. PLoS ONE, 2015. 10(10), e0141024. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24411712

Alderson, HL, Lawrie, SM. Does cigarette smoking cause psychosis? Lancet Psychiatry, Aug 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26249281

Gage, SH, Munafo, MR. Smoking as a causal risk factor for schizophrenia. Lancet Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26236007

Gurillo, P et al. Does tobacco use cause psychosis? Systematic review and meta-analysis. Lancet Psychiatry, 2015. Lancet Psychiatry, Aug 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26249303

Large, M, MacCabe, JH. Tobacco and psychosis: Not quite a smoking gun. Aust N Z J Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26228729

Amundson, EP et al. Extenuating circumstances: smoking and mental illness: closely aligned co-mordities. S D Med, Jul 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26267934

Chen, VC et al. Suicide and other-cause mortality after early exposure to smoking and second hand smoking: A 12-year population-based follow-up study. PLoS One, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26222448

Hawkes, N et al. Smoking cigarettes may increase risk of schizophrenia, study shows. BMJ, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26162606

Smith, RC et al. Effects of transcranial direct current stimulation (tDCS) on cognition, symptoms, and smoking in schizophrenia: A randomized controlled study. Schizophrenia Research, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26190299

Kendler, KS et al. Smoking and schizophrenia in population cohorts of Swedish women and men: A prospective co-relative control study. The American Journal of Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26046339

Wium-Andersen, MK et al. Tobacco smoking is causally associated with antipsychotic medication use and schizophrenia, but not with antidepressant medication use or depression. International Journal of Epidemiology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26054357

Brook, JS et al. Longitudinal smoking patterns: do they predict symptoms of ADHD in adults? Journal of Attention Disorders, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25939583

Ducasse, D et al. Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. Journal of Affective Disorders, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26001671

McGrath, JJ et al. Age at first tobacco use and risk of subsequent psychosis-related outcomes: A birth cohort study. The Australian and New Zealand Journal of Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25991762

Sankaranarayanan, A, Mancuso, S, Castle, D. Smoking and suicidality in patients with a psychotic disorder. Psychiatry Res, 2014. 215(3), 634-640. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24411712

Bakhshaie, J et al. Cigarette smoking and the onset and persistence of depression among adults in the United States: 1994-2005. Comprehensive Psychiatry, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25882595

Berlin, I et al. Tobacco use and suicide attempt: longitudinal analysis with retrospective reports. PLoS One, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25849514

Balbuena, L, Tempier, R. Why is there a link between smoking and suicide? In reply. Psychiatric Services, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25727128

Bandiera,, FC et al. Tobacco-related mortality among persons with mental health and substance abuse problems. PLoS One, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25807109

Davey Smith, G, Munafo, M. Why is there a link between smoking and suicide? Psychiatric Services, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25727127

Kuczmarski, AV et al. Depression and cognitive impairment are associated with low education and literacy status and smoking but not caffeine consumption in urban African Americans and white Adults. Journal of Caffeine Research, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25785235

Bakhshaie, J et al. Differential effects of anxiety sensitivity components in the relation between emotional non-acceptance and post-traumatic stress symptoms among trauma-exposed treatment-seeking smokers. Cognitive Behaviour Therapy, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25642748

Jorgensen, KN et al. Cigarette smoking is associated with thinner cingulate and insular cortices in patients with severe mental illness. Journal of Psychiatry & Neuroscience, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25672482

Rabin, RA, George, TP. A review of co-morbid tobacco and cannabis use disorders: Possible mechanisms to explain high rates of co-use. The American Journal on Addictions, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25662704

Reis, TC et al. Sex, age and smoking, but not genetic variation in LEPR (rs1137101), are associated with depressive symptoms. Psychiatric Genetics, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25714446

Depp CA, Bowie CR, Mausbach BT, Wolyniec P, Thornquist MH, et al. Current smoking is associated with worse cognitive and adaptive functioning in serious mental illness. Acta Psychiatr Scand, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25559296

Chitty, KM et al. A longitudinal proton magnetic resonance spectroscopy study investigating oxidative stress as a result of alcohol and tobacco use in youth with bipolar disorder. Journal of Affective Disorders, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25679204

Dahne J, Hise L, Brenner M, Lejuez CW, and MacPherson L. An experimental investigation of the functional relationship between social phobia and cigarette smoking. Addict Behav, 2015; 43:66-71. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25576952

Kawada T. Association between smoking and depression in patients with type 2 diabetes. J Diabetes, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25565650

Vulser, H, Wiernik, E, Tartour, E, Thomas, F, Pannier, B, Czernichow, S et al. Smoking and the Association Between Depressive Symptoms and Absolute Neutrophil Count in the Investigations Preventives et Cliniques Cohort Study. Psychosom Med, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26461856

Gregory, A. Quitting smoking improves mental health: Habit makes you 70% more susceptible to anxiety and depression. The Mirror, 2015. Available from: http://www.mirror.co.uk/news/uk-news/quitting-smoking-improves-mental-health-5219048

Jamal M, Van der Does W, and Penninx BW. Effect of variation in BDNF ValMet polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. Drug Alcohol Depend, 2015; 148C:150-157. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25618300

Clyde M, Smith KJ, Gariepy G, and Schmitz N. Association between smoking and depression in patients with type 2 diabetes: A Response. J Diabetes, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25619319

Aguocha CM, Aguocha JK, Igwe M, Uwakwe RU, and Onyeama GM. Prevalence and correlates of cigarette smoking among patients with schizophrenia in southeast Nigeria. Acta Psychiatr Scand, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25209175

Ameringer KJ, Chou CP, and Leventhal AM. Shared versus specific features of psychological symptoms and cigarettes per day: structural relations and mediation by negative- and positive-reinforcement smoking. J Behav Med, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25231408

Ameringer KJ and Leventhal AM. Psychological Symptoms, Smoking Lapse Behavior, and the Mediating Effects of Nicotine Withdrawal Symptoms: A Laboratory Study. Psychol Addict Behav, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25243836

Fu Q, Vaughn MG, Wu LT, and Heath AC. Psychiatric correlates of snuff and chewing tobacco use. PLoS One, 2014; 9(12):e113196. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25535739

Garey L, Bakhshaie J, Vujanovic AA, Leventhal AM, Schmidt NB, et al. Posttraumatic Stress Symptoms and Cognitive-Based Smoking Processes Among Trauma-Exposed, Treatment-Seeking Smokers: The Role of Dysphoria. J Addict Med, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25525942

Guillot CR, Zvolensky MJ, and Leventhal AM. Differential associations between components of anxiety sensitivity and smoking-related characteristics. Addict Behav, 2014; 40C:39-44. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25218070

He Q, Yang L, Shi S, Gao J, Tao M, et al. Smoking and major depressive disorder in chinese women. PLoS One, 2014; 9(9):e106287. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25180682

Baeza-Velasco, C, Stoebner-Delbarre, A, Cousson-Gelie, F, Pailhez, G, Bulbena, A, Baguet, F, Gely-Nargeot, MC. Increased tobacco and alcohol use among women with joint hypermobility: a way to cope with anxiety? Rheumatol Int, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24874121

Hirshbein LD. Politics, profit, and psychiatric diagnosis: a case study of tobacco use disorder. Am J Public Health, 2014; 104(11):2076-84. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25211741

Bohnert, KM, Ilgen, MA, McCarthy, JF, Ignacio, RV, Blow, FC, Katz, IR. Tobacco use disorder and the risk of suicide mortality. *Addiction, 2014. 109*(1), 155-162. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24134689

Bot, M, Vink, J, Milaneschi, Y, Smit, JH, Kluft, C, Neuteboom, J, Penninx, B. Plasma cotinine levels in cigarette smokers: impact of mental health and other correlates. Eur Addict Res, 2014. *20*(4), 183-191. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24481322

Brook, DW, Brook, JS, Zhang, C. Joint trajectories of smoking and depressive mood: associations with later low perceived self-control and low well-being. Journal of Addictive Diseases, 2014. 33(1), 53-64. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24471577

Brook, JS, Lee, JY, Rubenstone, E, Brook, DW, Finch, SJ. Triple comorbid trajectories of tobacco, alcohol, and marijuana use as predictors of antisocial personality disorder and generalized anxiety disorder among urban adults. American Journal of Public Health, 2014. 104(8), 1413-1420. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24922120

Jasek JP, Williams JM, Mandel-Ricci J, and Johns M. Trends in smoking among adults with serious psychological distress during comprehensive tobacco control in New York City, 2003-2012. Tob Control, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25550417

Farris, SG, Vujanovic, AA, Hogan, J, Schmidt, NB, & Zvolensky, MJ. Main and interactive effects of anxiety sensitivity and physical distress intolerance with regard to PTSD symptoms among trauma-exposed smokers. J Trauma Dissociation, 2014. 15(3), 254-270. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24803147

Farris, SG, Zvolensky, MJ, Blalock, JA, Schmidt, NB. Negative affect and smoking motives sequentially mediate the effect of panic attacks on tobacco-relevant processes. Am J Drug Alcohol Abuse, 2014. 40(3), 230-239. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24720260

Misiak B, Kiejna A, and Frydecka D. Assessment of cigarette smoking status with respect to symptomatic manifestation in first-episode schizophrenia patients. Compr Psychiatry, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25595518

Nunes SO, Piccoli de Melo LG, Pizzo de Castro MR, Barbosa DS, Vargas HO, et al. Atherogenic index of plasma and atherogenic coefficient are increased in major depression and bipolar disorder, especially when comorbid with tobacco use disorder. J Affect Disord, 2014; 172C:55-62. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25451396

Attwood, AS, Ataya, AF, Bailey, JE, Lightman, SL, Munafo, MR. Effects of 7.5% carbon dioxide inhalation on anxiety and mood in cigarette smokers. J Psychopharmacol, 2014. 28(8), 763-772. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24763184

Audrain-McGovern, J, Wileyto, EP, Ashare, R, Cuevas, J, Strasser, AA. Reward and affective regulation in depression-prone smokers. Biol Psychiatry, 2014. *76*(9), 689-697. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24947541

Gabert-Quillen, CA, Selya, A, Delahanty, DL. Post-traumatic Stress Disorder Symptoms Mediate the Relationship Between Trauma Exposure and Smoking Status in College Students. Stress Health, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24424717

Gage, SH, Hickman, M, Heron, J, Munafo, MR, Lewis, G, Macleod, J, Zammit, S. Associations of cannabis and cigarette use with psychotic experiences at age 18: findings from the Avon Longitudinal Study of Parents and Children. Psychol Med, 2014. 44(16), 3435-3444. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25066001

Hrywna, M, Bover Manderski, MT, Delnevo, CD. Sex differences in the association of psychological distress and tobacco use, 2014. Am J Health Behav, 38(4), 570-576. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24636119

Olvera H, Bakhshaie J, Garey L, Jardin C, Schmidt NB, et al. The Role of Anxiety Sensitivity in the Relation Between Trait Worry and Smoking Behavior. Nicotine Tob Res, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25367093

Liverant, GI, Sloan, DM, Pizzagalli, DA, Harte, CB, Kamholz, BW, Rosebrock, LE et al. Associations among smoking, anhedonia, and reward learning in depression. Behav Ther, 2014. 45(5), 651-663. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25022776

Lohner, S, Vagasi, J, Marosvolgyi, T, Tenyi, T, & Decsi, T. Inverse association between 18-carbon trans fatty acids and intelligence quotients in smoking schizophrenia patients. Psychiatry Res, 2014. 215(1), 9-13. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24210662

Loprinzi, PD, Walker, JF, Kane, C, Cardinal, BJ. Physical activity moderates the association between nicotine dependence and depression among U.S. smokers. *Am J Health Promot, 2014. 29*(1), 37-42. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24200248

Luger, TM, Suls, J, Vander Weg, MW. How robust is the association between smoking and depression in adults? A meta-analysis using linear mixed-effects models. Addict Behav, 2014. 39(10), 1418-1429. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25052789

Raines, AM, Unruh, AS, Zvolensky, MJ, Schmidt, NB. An initial investigation of the relationships between hoarding and smoking. Psychiatry Res, 2014. 215(3), 668-674. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24476678

van Hecke, O, Torrance, N, Cochrane, L, Cavanagh, J, Donnan, PT, Padmanabhan, S, Porteous, DJ, Hocking, L, Smith, BH. Does a history of depression actually mediate smoking-related pain? Findings from a cross-sectional general population-based study. Eur J Pain, 18(9), 1223-1230.Available from: http://www.ncbi.nlm.nih.gov/pubmed/24577799

Lyvers, M, Carlopio, C, Vicole Bothma, H, Edwards, MS. Mood, mood regulation, and frontal systems functioning in current smokers, long-term abstinent ex-smokers, and never-smokers. J Psychoactive Drugs, 2014. 46(2), 133-139. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24935795

Schneider, CE, White, T, Hass, J, Geisler, D, Wallace, SR, Roessner, V et al. Smoking status as a potential confounder in the study of brain structure in schizophrenia. J Psychiatr Res, 2014. 50, 84-91. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24373929

Young, SN. Elevated incidence of suicide in people living at altitude, smokers and patients with chronic obstructive pulmonary disease and asthma: possible role of hypoxia causing decreased serotonin synthesis. J Psychiatry Neurosci, 38(6), 423-426. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24148847

Hsieh, SJ, Shum, M, Lee, AN, Hasselmark, F, Gong, MN. Cigarette smoking as a risk factor for delirium in hospitalized and intensive care unit patients. A systematic review. Ann Am Thorac Soc, 2013. 10(5), 496-503. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24161052

Fullerton, CS, McKibben, JB, Reissman, DB, Scharf, T, Kowalski-Trakofler, KM, Shultz, JM, Ursano, RJ. Posttraumatic stress disorder, depression, and alcohol and tobacco use in public health workers after the 2004 Florida hurricanes. Disaster Med Public Health Prep, 2013. 7(1), 89-95. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24618140

Cosci, F, Knuts, I, Abrams, K, Griez, E, & Schruers, K. Cigarette smoking and panic: a critical review of the literature. Journal of Clinical Psychiatry, 2010. *71*(5), 606-615. Available from: http://article.psychiatrist.com/dao_1-login.asp?ID=10006601&RSID=73120138221212

Flensborg-Madsen, T, Bay von Scholten, M, Flachs, E, Mortensen, E, Prescott, E, Tolstrup, J. Tobacco smoking as a risk factor for depression: a 26-year population-based follow-up study. Journal of Psychiatric Research, 2010. *45*(2), 143–149. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20630542

Munafo, M, Araya, R. Cigarette smoking and depression: a question of causation. British Journal of Psychiatry, 2010. 196(6), 425–426. Available from: http://bjp.rcpsych.org/cgi/content/full/196/6/425

Boden, J, Fergusson, D, Horwood, L. Cigarette smoking and depression: tests of causal linkages using a longitudinal birth cohort. British Journal of Psychiatry, 2010. 196(6), 440–446. Available from: http://bjp.rcpsych.org/cgi/content/full/196/6/440

Rintakoski, K, Ahlberg, J, Hublin, C, Broms, U, Madden, P, Kononen, M et al. Bruxism is associated with nicotine dependence: a nationwide Finnish Twin Cohort study. Nicotine & Tobacco Research, 2010. 12(12), 1254-1260. Available from: http://ntr.oxfordjournals.org/content/early/2010/11/01/ntr.ntq190.full

Riala, K, Taanila, A, Hakko, H, Räsänen, P. Longitudinal smoking habits as risk factors for early-onset and repetitive suicide attempts: the Northern Finland 1966 Birth Cohort Study. Annals of Epidemiology, 2009. 19(5), 329-335. Available from: http://www.sciencedirect.com/science/journal/10472797

Abrams, K, Zvolensky, M J, Dorflinger, L, Galatis, A, Blank, M, Eissenberg, T. Fear reactivity to bodily sensations among heavy smokers and nonsmokers. Experimental and Clinical Psychopharmacology, 2008. *16(3),* 230–239. Available from: http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2008-06716-006

Pedersen, W, von Soest, T. Smoking, nicotine dependence and mental health among young adults: a 13-year population-based longitudinal study. Addiction, 2008. 104(1), 129–137. Available from: http://www3.interscience.wiley.com/cgi-bin/fulltext/121567015/HTMLSTART

Leonard, S, Alder, L, Benhammou, K, Berger, R, Breese, C, Drebing, C et al. Smoking and mental illness. Pharmacology, Biochemistry and Behavior, 2001. 70(4), 561–570. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0N-44W8G76-

D&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=7c178ac568c5182744dcceb7089a2dec

3.18.2 Neurological diseases

Ivashynka, A, Copetti, M, Naldi, P, D'Alfonso, S, & Leone, MA. (2019). The Impact of Lifetime Alcohol and Cigarette Smoking Loads on Multiple Sclerosis Severity. *Front Neurol, 10*, 866. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31456737

Peters, S, Visser, AE, D'Ovidio, F, Vlaanderen, J, Portengen, L, Beghi, E et al. (2019). Effect modification of the association between total cigarette smoking and ALS risk by intensity, duration and time-since-quitting: Euro-MOTOR. *J Neurol Neurosurg Psychiatry*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31434759

Ando, A, Mazzone, SB, & Farrell, MJ. (2019). Altered neural activity in brain cough suppression networks in cigarette smokers. *Eur Respir J*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31248952

Lin, D, Hutchison, KE, Portillo, S, Vegara, V, Ellingson, JM, Liu, J et al. (2019). Association between the oral microbiome and brain resting state connectivity in smokers. *Neuroimage, 200*, 121-131. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31201984

Marck, C. H., das Nair, R., Grech, L. B., Borland, R., & Constantinescu, C. S. (2019). Modifiable risk factors for poor health outcomes in multiple sclerosis: The urgent need for research to maximise smoking cessation success. *Mult Scler*, 1352458519858730. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31219393

Johnson, AL, McLeish, AC, Shear, PK, Sheth, A, & Privitera, M. (2019). The role of cigarette smoking in epilepsy severity and epilepsy-related quality of life. *Epilepsy Behav, 93*, 38-42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30831400

Battaglino, R, Nguyen, N, Summers, M, & Morse, L. (2019). BAFF is Associated with Testosterone and Smoking Status in Non-ambulatory Men with Chronic Spinal Cord Injury. J Neurotrauma. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31020912

Wang, Z, Xie, J, Wu, C, & Xiao, G. Correlation Between Smoking and Passive Smoking with Multiple Sclerosis and the Underlying Molecular Mechanisms. *Med Sci Monit, 2019. 25*, 893-902. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30703074

Zhan, Y, & Fang, F. Smoking and Amyotrophic Lateral Sclerosis: A Mendelian Randomization Study. *Ann Neurol*, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30786056

Alrouji, M, Manouchehrinia, A, Gran, B, & Constantinescu, CS. Effects of cigarette smoke on immunity, neuroinflammation and multiple sclerosis. J Neuroimmunol, 2018. Available from: https://www.jni-journal.com/article/S0165-5728(18)30130-9/fulltext

Brody, AL, Gehlbach, D, Garcia, LY, Enoki, R, Hoh, C, Vera, D et al. Effect of overnight smoking abstinence on a marker for microglial activation: a [(11)C]DAA1106 positron emission tomography study. Psychopharmacology (Berl), 2018. Available from: https://link.springer.com/article/10.1007%2Fs00213-018-5077-3

Durazzo, TC, Meyerhoff, DJ, & Yoder, KK. Cigarette smoking is associated with cortical thinning in anterior frontal regions, insula and regions showing atrophy in early Alzheimer's Disease. Drug Alcohol Depend, 192, 277-284. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30300802

Ammitzboll, C, von Essen, MR, Bornsen, L, Petersen, ER, McWilliam, O, Ratzer, R et al. GPR15(+) T cells are Th17 like, increased in smokers and associated with multiple sclerosis. J Autoimmun, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30245027

Hedstrom, AK. Smoking and its interaction with genetics in MS etiology. Mult Scler, 2018. 1352458518801727. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30251921

Aktan, R, Ozalevli, S, Ozakbas, S. Effects of cigarette smoking on respiratory problems and functional levels in multiple sclerosis patients. Mult Scler Relat Disord. 2018 Aug 17;25:271-275. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30153625

Petersen, ER, Sondergaard, HB, Laursen, JH, Olsson, AG, Bornsen, L, Soelberg Sorensen, P, Sellebjerg, F, Bang Oturai, A. Smoking is associated with increased disease activity during natalizumab treatment in multiple sclerosis. Mult Scler. 2018 Aug 2:1352458518791753. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30070595

Bell, JS, DeLuca, GC. Genes, smoking, and organic solvent exposure: An alarming cocktail for MS risk. Neurology. 2018 Jul 31;91(5):199-200. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29970400

Tao, C, Simpson, S, Taylor, BV, Blizzard, L, Lucas, RM, Ponsonby, AL, Broadley, S, AusLong/Ausimmune Investigators, Group and van der Mei, I. Onset Symptoms, Tobacco Smoking, and Progressive-Onset Phenotype Are Associated With a Delayed Onset of Multiple Sclerosis, and Marijuana Use With an Earlier Onset. Front Neurol. 2018 Jun 8;9:418. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29937751

Graetz, C, Groger, A, Luessi, F, Salmen, A, Zoller, D, Schultz, J, Siller, N et al. Association of smoking but not HLA-DRB1*15:01, APOE or body mass index with brain atrophy in early multiple sclerosis. Mult Scler. 2018 Mar 1:1352458518763541. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29532745

Heydarpour, P, Manouchehrinia, A, Beiki, O, Mousavi, SE, Abdolalizadeh, A, Lakeh, MM, Sahraian, MA. Smoking and worsening disability in multiple sclerosis: A meta-analysis. Acta Neurol Scand. 2018. Mar 15, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29542102

Marabita, F, Almgren, M, Sjoholm, LK, Kular, L, Liu, Y, James, T, Kiss, NB, Feinberg, AP, Olsson, T, Kockum, I, Alfredsson, L, Ekstrom, TJ, Jagodic, M. Author Correction: Smoking induces DNA methylation changes in Multiple Sclerosis patients with exposure-response relationship. Sci Rep. 2018 Mar 7;8(1):4340. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29515171

Auer, M, Bsteh, G, Hegen, H, Di Pauli, F, Wurth, S, Berger, T, Deisenhammer, F. Smoking is not associated with higher prevalence of JC virus in MS patients. Eur J Clin Microbiol Infect Dis. 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29423619

van der Vuurst de Vries, RM, Mescheriakova, JY, Runia, TF, Siepman, TAM, Wokke, BHA, Samijn, JPA, Hintzen, RQ. Smoking at time of CIS increases the risk of clinically definite multiple sclerosis. J Neurol. 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29464378

Petersen, ER, Oturai, AB, Koch-Henriksen, N, Magyari, M, Sorensen, PS, Sellebjerg, F, Sondergaard, HB. Smoking affects the interferon beta treatment response in multiple sclerosis. Neurology, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29343473

Marabita, F, Almgren, M, Sjoholm, LK, Kular, L, Liu, Y, James, T, Kiss, NB, Feinberg, AP, Olsson, T, Kockum, I, Alfredsson, L, Ekstrom, TJ, Jagodic, M. Smoking induces DNA methylation changes in

Multiple Sclerosis patients with exposure-response relationship. Sci Rep. 2017 Nov 6;7(1):14589. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29109506

Celik, SB, Can, H, Sozmen, MK, Sengezer, T, Kaplan, YC, Utlu, G, Sener, A, Aybek Yilmaz, A, Aygun, O. Evaluation of the neuropathic pain in the smokers. Agri. 2017 Jul;29(3):122-126. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29039152

Degelman, ML, Herman, KM. Smoking and multiple sclerosis: A systematic review and meta-analysis using the Bradford Hill criteria for causation. Mult Scler Relat Disord. 2017 Oct;17:207-216. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29055459

Hedstrom, AK, Katsoulis, M, Hossjer, O, Bomfim, IL, Oturai, A, Sondergaard, HB, Sellebjerg, F, Ullum, H et al. The interaction between smoking and HLA genes in multiple sclerosis: replication and refinement. Eur J Epidemiol, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28597127

Newland, P, Flick, L, Salter, A, Dixon, D, Jensen, MP. The link between smoking status and co-morbid conditions in individuals with multiple sclerosis (MS). Disabil Health J. 2017 Mar 23. pii: S1936-6574(17)30047-X. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28351749

Paz-Ballesteros, WC, Monterrubio-Flores, EA, de Jesus Flores-Rivera, J, Corona-Vazquez, T, Hernandez-Giron, C. Cigarette Smoking, Alcohol Consumption and Overweight in Multiple Sclerosis: Disability Progression. Arch Med Res. 2017 Jan;48(1):113-120. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28577864

Polimanti, R, Jensen, KP, Gelernter, J. Phenome-wide association study for CYP2A6 alleles: rs113288603 is associated with hearing loss symptoms in elderly smokers. Sci Rep. 2017 Apr 21;7(1):1034. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28432340

Prabhu, P, Varma, G, Dutta, KK, Kumar, P, Goyal, S. Influence of Smoking on Ultra-High-Frequency Auditory Sensitivity. J Int Adv Otol. 2017 Apr;13(1):110-112. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28555601

Tanasescu, R, Constantinescu, CS, Tench, CR, Manouchehrinia, A. Smoking cessation and the reduction of disability progression in Multiple Sclerosis: a cohort study. Nicotine Tob Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28402456

Javizian, O, Metz, LM, Deighton, S, Koch, MW. Smoking does not influence disability accumulation in primary progressive multiple sclerosis. *Eur J Neurol*, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28239937

Olsson, T, Barcellos, LF, Alfredsson, L. Interactions between genetic, lifestyle and environmental risk factors for multiple sclerosis. Nat Rev Neurol, 2017. 13(1), 25-36. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27934854

Umesawa, M, Kobashi, G, Kitoh, R, Nishio, SY, Ogawa, K, Hato, N, Sone, M, Fukuda, S, Hara, A., Relationships among drinking and smoking habits, history of diseases, body mass index and idiopathic sudden sensorineural hearing loss in Japanese patients. Acta Otolaryngol. 2017;137(sup565):S17-S23. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28366076

Mofateh, M, Karimi, Q, Hosseini, MH, Sharif-Zadeh, GR. Effect of smoking on hearing loss in refractory's factory male worker with occupational noise exposure in Iran. J Pak Med Assoc. 2017 Apr;67(4):605-608. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28420925

Lisowska, G, Jochem, J, Gierlotka, A, Misiolek, M, Scierski, W. Sex-Related Cochlear Impairment in Cigarette Smokers. Med Sci Monit. 2017 Jan 22;23:377-397. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28110343

Abbasi, M, Nabavi, SM, Fereshtehnejad, SM, Ansari, I, Zerafatjou, N, Shayegannejad, V, Mohammadianinejad, SE, Farhoudi, M, Noorian, A, Razazian, N, Abedini, M, Faraji, F. Risk factors of Multiple sclerosis and their Relation with Disease Severity: A Cross-sectional Study from Iran. Arch Iran Med. 2016 Dec;19(12):852-860. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27998160

Balto, JM, Ensari, I, Hubbard, EA, Khan, N, Barnes, JL, Motl, RW. Individual and Co-occurring SNAP Risk Factors: Smoking, Nutrition, Alcohol Consumption, and Physical Activity in People with Multiple Sclerosis. Int J MS Care. 2016 Nov-Dec;18(6):298-304. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27999524

Bu, L, Yu, D, Su, S, Ma, Y, von Deneen, KM, Luo, L, Zhai, J, Liu, B, Cheng, J, Guan, Y, Li, Y, Bi, Y, Xue, T, Lu, X, Yuan, K. Functional connectivity abnormalities of brain regions with structural deficits in young adult male smokers. Front Hum Neurosci. 2016 Oct 4;10:494. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27757078

O'Gorman, CM, Broadley, SA. Smoking increases the risk of progression in multiple sclerosis: A cohort study in Queensland, Australia. J Neurol Sci. 2016 Nov 15;370:219-223. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27772763

No authors listed. Smoking linked to shorter survival after diagnosis of motor neurone disease. Nurs Stand. 2016 Oct 12;31(7):16. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27762964

Wood, H. Motor neuron disease: Smoking adversely affects survival in patients with amyotrophic lateral sclerosis. Nat Rev Neurol. 2016 Nov;12(11):615. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27713491

Bjornevik, K, Riise, T, Bostrom, I, Casetta, L, Cortese, M, Granieri, E, Holmoy, T, Kampman, MT, Landtblom, AM, Magalhaes, S, Pugliatti, M, Wolfson, C, Myhr, KM. Negative interaction between smoking and EBV in the risk of multiple sclerosis: The EnvIMS study. Mult Scler, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27663872

Calvo, A, Canosa, A, Bertuzzo, D, Cugnasco, P, Solero, L, Clerico, M, De Mercanti, S, Bersano, E, Cammarosano, S, Ilardi, A, Manera, U, Moglia, C, Marinou, K, Bottacchi, E, Pisano, F, Mora, G, Mazzini, L, Chio, A. Influence of cigarette smoking on ALS outcome: a population-based study. J Neurol Neurosurg Psychiatry, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27656044

Newland, P, Flick, L, Xian, H, Thomas, FP. Symptom co-occurrences associated with smoking in individuals with relapsing-remitting multiple sclerosis. Int J MS Care. 2016 Jul-Aug;18(4):163-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27551240

Backhaus, I, Mannocci, A, Lemmens, PH, La Torre, G. Smoking as a risk factor for developing Multiple Sclerosis: A meta-analysis of observational studies. Clin Ter. 2016 May-Jun;167(3):82-92. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27424509

Torriani, O, Vuilleumier, F, Perneger, T, Despland, PA, Maeder, M, Heritier-Barras, AC, Vulliemoz, S, Seeck, M, Rossetti, AO, Picard, F. Epilepsy and tobacco smoking: a cross-sectional study. J Neurol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27416858

Durazzo, TC, Korecka, M, Trojanowski, JQ, Weiner, MW, R, O' Hara, Ashford, JW, Shaw, LM, Alzheimer's Disease Neuroimaging, Initiative. Active cigarette smoking in cognitively-normal elders and probable Alzheimer's Disease is associated with elevated cerebrospinal fluid oxidative stress

biomarkers. J Alzheimers Dis, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27472882

Schieffer, KM, Chuang, CH, Connor, J, Pawelczyk, JA, Sekhar, DL. Association of Iron Deficiency Anemia With Hearing Loss in US Adults. JAMA Otolaryngol Head Neck Surg, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28033450

Kvistad, S, Myhr, KM, Holmoy, T, Benth, JS, Loken-Amsrud, KI, Wergeland, S, Beiske, AG, Bjerve, KS, Hovdal, H, Lilleas, F, Midgard, R, Pedersen, T, Bakke, SJ, Torkildsen, O. No association of tobacco use and disease activity in multiple sclerosis. Neurol Neuroimmunol Neuroinflamm. 2016 Jul 14;3(4):e260. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27458599

Ockinger, J, Hagemann-Jensen, M, Kullberg, S, Engvall, B, Eklund, A, Grunewald, J, Piehl, F, Olsson, T, Wahlstrom, J. T-cell activation and HLA-regulated response to smoking in the deep airways of patients with multiple sclerosis. Clin Immunol. 2016 Jun 20. pii: S1521-6616(16)30099-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27339331

Poorolajal, J, Bahrami, M, Karami, M, Hooshmand, E. Effect of smoking on multiple sclerosis: a meta-analysis. J Public Health (Oxf), 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27160862

Sena, A, Capela, C, Ferret-Sena, V, Munger, KL, Ascherio, A, Suarez, G. No association of multiple sclerosis activity and progression with EBV or tobacco use in BENEFIT. Neurology. 2016 May 24;86(21):2026. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27217468

Breckenridge, CB, Berry, C, Chang, ET, Sielken, RL, Jr, Mandel, JS. PLoS One. 2016 Apr 7;11(4):e0151841. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27055126

Li, X, Li, W, Liu, G, Shen, X, Tang, Y. Corrigendum to "Association between cigarette smoking and parkinson's disease: A meta-analysis" [Archives of gerontology and geriatrics, 61 (2015) 510-516]. Arch Gerontol Geriatr, Apr 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27090565

Durhan, G, Diker, S, Has, AC, Karakaya, J, Tuncer Kurne, A, Oguz, KK. Influence of cigarette smoking on white matter in patients with clinically isolated syndrome as detected by diffusion tensor imaging. Diagn Interv Radiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27015443

Zhang, P, Wang, R, Li, Z, Wang, Y, Gao, C, Lv, X, Song, Y and Li, B. The risk of smoking on multiple sclerosis: a meta-analysis based on 20,626 cases from case-control and cohort studies. PeerJ. 2016 ;4:e1797. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27014514

Hedstrom, AK et al. Smoking is a major preventable risk factor for multiple sclerosis. Mult Scler, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26459151

Munger, KL et al. No association of multiple sclerosis activity and progression with EBV or tobacco use in BENEFIT. Neurology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26453645

Durhan, G et al. Assessment of the effect of cigarette smoking on regional brain volumes and lesion load in patients with clinically isolated syndrome. Int J Neurosci, Sep 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26335842

Goldman, MD, Stuve, O. Smoking beyond multiple sclerosis diagnosis: a risk factor still worth modifying. JAMA Neurol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26348489

Kaisar, MA et al. Protecting the BBB endothelium against cigarette smoke-induced oxidative stress using popular antioxidants: Are they really beneficial? Brain Res, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26410779

Peng, P et al. Brain-volume changes in young and middle-aged smokers: A DARTEL-based voxel-based morphometry study. Clin Respir J, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26404024

Ramanujam, R et al. Effect of smoking cessation on multiple sclerosis prognosis. JAMA Neurol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26348720

Wood, H. Multiple sclerosis: Smoking in patients with multiple sclerosis-is it ever too late to quit? Nat Rev Neurol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26416536

Cho, H et al. Impact of smoking on neurodegeneration and cerebrovascular disease markers in cognitively normal men. Eur J Neurol, 2015. Eur J Neurol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26264353

Fragoso, YD et al. Patients with multiple sclerosis do not necessarily consume more alcohol or tobacco than the general population. Arq Neuropsiquiatr, Aug 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26291989

Zanchi, D et al. Cigarette smoking leads to persistent and dose-dependent alterations of brain activity and connectivity in anterior insula and anterior cingulate. Addict Biol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26303184

Behrendt, S et al. Performance of smokers with DSM-5 tobacco use disorder in time-based complex prospective memory. Journal of Psychoactive Drugs, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26147993

Weston, M, Constantinescu, CS. What role does tobacco smoking play in multiple sclerosis disability and mortality? A review of the evidence. Neurodegener Dis Manag, 2015. 5(1), 19-25.Available from: http://www.ncbi.nlm.nih.gov/pubmed/25711451

Rass, O et al. Resting-state EEG, impulsiveness, and personality in daily and nondaily smokers. Clinical Neurophysiology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26051750

Correale, J, Farez, MF. Smoking worsens multiple sclerosis prognosis: Two different pathways are involved. Journal of Neuroimmunology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25867464

Ritz, B, Lee, PC, Lassen, CF, Arah, OA,. Parkinson disease and smoking revisited: Ease of quitting is an early sign of the disease. Neurology, 2014. Available from: http://www.neurology.org/content/early/2014/09/12/WNL.0000000000000879.short

Gao Z, Nissen JC, Ji K, and Tsirka SE. The experimental autoimmune encephalomyelitis disease course is modulated by nicotine and other cigarette smoke components. PLoS One, 2014; 9(9):e107979. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25250777

Manouchehrinia, A, Weston, M, Tench, CR, Britton, J, Constantinescu, CS. Tobacco smoking and excess mortality in multiple sclerosis: a cohort study. J Neurol Neurosurg Psychiatry, 2014. 85(10), 1091-1095. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24569687

O'Gorman, C, Bukhari, W, Todd, A, Freeman, S, Broadley, SA. Smoking increases the risk of multiple sclerosis in Queensland, Australia. *J Clin Neurosci, 2014. 21*(10), 1730-1733. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24932591

Salzer, J, Stenlund, H, Sundstrom, P. The interaction between smoking and Epstein-Barr virus as multiple sclerosis risk factors may depend on age. *Mult Scler, 2014. 20*(6), 747-750. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24107308

Jawahar, R, Oh, U, Eaton, C, Wright, N, Tindle, H, Lapane, KL. Association between Smoking and Health Outcomes in Postmenopausal Women Living with Multiple Sclerosis. Mult Scler Int, 2014, 686045. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24860668

Hershey LA and Perlmutter JS. Smoking and Parkinson disease: Where there is smoke there may not be fire. Neurology, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25217061

Lin, F, Wu, G, Zhu, L, Lei, H. Altered brain functional networks in heavy smokers. Addict Biol, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24962385

Weiland, TJ, Hadgkiss, EJ, Jelinek, GA, Pereira, NG, Marck, CH, van der Meer, DM. The association of alcohol consumption and smoking with quality of life, disability and disease activity in an international sample of people with multiple sclerosis. J Neurol Sci, 2014. 336(1-2), 211-219. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24290614

Hedstrom, A, Alfredsson, L, Lundkvist Ryner, M, Fogdell-Hahn, A, Hillert, J, Olsson, T. Smokers run increased risk of developing anti-natalizumab antibodies. Mult Scler, 2013. 20(8), 1081-1085. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24311118

Hedstrom, AK, Hillert, J, Olsson, T, Alfredsson, L. Smoking and multiple sclerosis susceptibility. Eur J Epidemiol, 2013. 28(11), 867-874. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24146047

Jafari, N, Hintzen, RQ. The association between cigarette smoking and multiple sclerosis. Journal of the neurological sciences, 2011. 311(1), 78-85. Available from: http://www.jns-journal.com/article/S0022-510X(11)00553-3/abstract

Handel, AE, Williamson, AJ, Disanto, G, Dobson, R, Giovannoni, G, Ramagopalan, SV. Smoking and multiple sclerosis: an updated meta-analysis. PLoS ONE, 2011. 6(1), e16149. Available from http://pubmedcentralcanada.ca/picrender.cgi?accid=PMC3020969&blobtype=pdf

Wang, H, O'Reilly, E, Weisskopf, M, Logroscino, G, McCullough, M, Thun, M et al. Smoking and risk of amyotrophic lateral sclerosis: a pooled analysis of 5 prospective cohorts. Archives of Neurology, 2011. 68(2), 207–213. Available from: http://archneur.ama-assn.org/cgi/content/full/68/2/207

Alonso, A, Logroscino, G, Hernan, M. Smoking and the risk of amyotrophic lateral sclerosis: a systematic review and meta-analysis. Journal of Neurology, Neurosurgery & Psychiatry, 2010. *81*(11), 1249–1245. Available from: http://jnnp.bmj.com.ezp.lib.unimelb.edu.au/content/81/11/1249.full.pdf

Alonso, A, Logroscino, G, Jick, S, Hernan, M. Association of smoking with amyotrophic lateral sclerosis risk and survival in men and women: a prospective study. BMC Neurology, 2010. 10(1), 6. Available from: http://www.biomedcentral.com/content/pdf/1471-2377-10-6.pdf

Dworetzky, B, Bromfield, E, Townsend, M, Kang, J. A prospective study of smoking, caffeine, and alcohol as risk factors for seizures or epilepsy in young adult women: data from the Nurses' Health Study II. Epilepsia, 2010. 51(2), 198-220.Available from: http://www3.interscience.wiley.com/cgi-bin/fulltext/122563552/HTMLSTART

Straube, A, Pfaffenrath, V, Ladwig, K, Meisinger, C, Hoffmann, W, Fendrich, K et al. Prevalence of chronic migraine and medication overuse headache in Germany-the German DMKG headache study. Cephalalgia, 2010. 30(2), 207-213. Available from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19489879

Hershey, A, Lipton, R. Lifestyles of the young and migrainous. Neurology, 2010. 75(8), 680–681. Available from http://www.neurology.org/cgi/content/full/75/8/680

Shargorodsky, J, Curhan, S, Eavey, R, Curhan, G. A prospective study of cardiovascular risk factors and incident hearing loss in men. Laryngoscope, 2010. 120(9), 1887–1891. Available from http://onlinelibrary.wiley.com/doi/10.1002/lary.21039/pdf

Lopez-Mesonero, L, Marquez, S, Parra, P, Gamez-Leyva, G, Munoz, P, Pascual, J. Smoking as a precipitating factor for migraine: a survey in medical students. Journal of Headache and Pain, 2009. 10(2), 101-103. Available from http://www.springerlink.com/content/m7321n0664672p45/

Healy, BC, Ali, EN, Guttmann, CR, Chitnis, T, Glanz, BI, Buckle, G et al. Smoking and disease progression in multiple sclerosis. Archives of Neurology, 2009. 66(7), 858–864. Available from http://archneur.ama-assn.org/cgi/content/full/66/7/858?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&fulltext=Smoking+and+disease+progression+in+multiple+sclerosis&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT

Pittas, F, Ponsonby, A, van der Mei, I, Taylor, B, Blizzard, L, Groom, P,et al. Smoking is associated with progressive disease course and increased progression in clinical disability in a prospective cohort of people with multiple sclerosis. Journal of Neurology, 2009. 256(4), 577-585. Available from https://commerce.metapress.com/content/7364256wg80p1770/resource-secured/?target=fulltext.pdf&sid=we5okf45o1fnvw55lwpg3bnc&sh=www.springerlink.com

Zivadinov, R, Weinstock-Guttman, B, Hashmi, K, Abdelrahman, N, Stosic, M, Dwyer, M et al. Smoking is associated with increased lesion volumes and brain atrophy in multiple sclerosis. Neurology, 73(7), 504–510. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19687451

Di Pauli, F, Reindl, M, Ehling, R, Schautzer, F, Gneiss, C, Lutterotti, A et al . Smoking is a risk factor for early conversion to clinically definite multiple sclerosis. Multiple Sclerosis, 2008. 14(8), 1026-1030. Available from http://msj.sagepub.com/cgi/rapidpdf/1352458508093679v1

3.18.3 Kidney disease

Mayyas, F, & Alzoubi, KH. (2019). Impact of cigarette smoking on kidney inflammation and fibrosis in diabetic rats. Inhal Toxicol, 1-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30947565

Santos, UP. Electronic cigarettes - the new playbook and revamping of the tobacco industry. J Bras Pneumol, 2018. 44(5), 345-346. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30534856

Bundy, JD, Bazzano, LA, Xie, D, Cohan, J, Dolata, J, Fink, JC, Hsu, CY, Jamerson, K, Lash, J, Makos, G, Steigerwalt, S, Wang, X, Mills, KT, Chen, J, He, J, Investigators, Cric Study. Self-Reported Tobacco, Alcohol, and Illicit Drug Use and Progression of Chronic Kidney Disease. Clin J Am Soc Nephrol, June 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29880471

Wang, J, Wang, B, Liang, M, Wang, G, Li, J, Zhang, Y, Huo, Y, Cui, Y, Xu, X, Qin, X. Independent and combined effect of bilirubin and smoking on the progression of chronic kidney disease. Clin Epidemiol. 2018 Jan 15;10:121-132. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29391834

Leonberg-Yoo, AK, Rudnick, MR. Tobacco Use: A Chronic Kidney Disease Accelerant. Am J Nephrol. 2017 Sep 21;46(4):257-259. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28930748

Roehm, B, Simoni, J, Pruszynski, J, Wesson, DE. Cigarette Smoking Attenuates Kidney Protection by Angiotensin-Converting Enzyme Inhibition in Nondiabetic Chronic Kidney Disease. Am J Nephrol. 2017 Sep 21;46(4):260-267. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28930715

Aref, A, Sharma, A, Halawa, A. Smoking in Renal Transplantation; Facts Beyond Myth. World J Transplant. 2017 Apr 24;7(2):129-133. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28507915

Drummond, CA, Brewster, PS, He, W, Ren, K, Xie, Y, Tuttle, KR, Haller, ST, Jamerson, K, Dworkin, LD, Cutlip, DE, Murphy, TP, D'Agostino, RB, Sr, Henrich, WL, Tian, J, Shapiro, JI, Cooper, CJ. Cigarette smoking and cardio-renal events in patients with atherosclerotic renal artery stenosis. PLoS One. 2017 Mar 17;12(3):e0173562. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28306749

Australian institute of Health and Welfare. (2017). Chronic kidney disease compendium. Available from: https://www.aihw.gov.au/reports/chronic-kidney-disease/chronic-kidney-disease-compendium/contents/how-many-australians-have-chronic-kidney-disease

Australian institute of Health and Welfare. (2017). Geographical variation in chronic kidney disease. Available from: https://www.aihw.gov.au/reports/chronic-kidney-disease/geographical-variation-ckd/contents/contents

Hammer, Y, Cohen, E, Levi, A, Krause, I. The Relationship between Cigarette Smoking and Renal Function: A Large Cohort Study. Isr Med Assoc J. 2016 Sep;18(9):553-556. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28471605

Matsumoto, A, Nagasawa, Y, Yamamoto, R, Shinzawa, M, Hasuike, Y, Kuragano, T, Isaka, Y, Nakanishi, T, Iseki, K, Yamagata, K, Tsuruya, K, Yoshida, H, Fujimoto, S, Asahi, K, Moriyama, T, Watanabe, T. The association of alcohol and smoking with CKD in a Japanese nationwide cross-sectional survey. Hypertens Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28275237

Nakagawa, N, Hasebe, N. Impact of mild-to-moderate alcohol consumption and smoking on kidney function. Hypertens Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28381872

Palatini, P, Fania, C, Mos, L, Mazzer, A, Saladini, F, Casiglia, E. Alcohol Intake More than Doubles the Risk of Early Cardiovascular Events in Young Hypertensive Smokers. Am J Med. 2017 Mar 31. pii: S0002-9343(17)30321-2. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28366424

Popa, SG, Mota, M, Mihaltan, FD, Popa, A, Munteanu, I, Mota, E, Serafinceanu, C, Guja, C, Hancu, N, Catrinoiu, D, Lichiardopol, R, Bala, C, Mihai, B, Radulian, G, Roman, G, Timar, R. Associations of smoking with cardiometabolic profile and renal function in a Romanian population-based sample from the PREDATORR cross-sectional study. Eur J Gen Pract. 2017 Dec;23(1):164-170. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28595498

Tamura, K, Dejima, T, Morita, Y, Hirade, S, Wakui, H. Possible combinatorial effects of current smoking and alcohol intake on chronic kidney disease in a Japanese nationwide cross-sectional survey. Hypertens Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28446808

Xia, J, Wang, L, Ma, Z, Zhong, L, Wang, Y, Gao, Y, He, L, Su, X. Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies. Nephrol Dial Transplant. 2017 Mar 1;32(3):475-487. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28339863

Van Laecke, S, Van Biesen, W. Smoking and chronic kidney disease: seeing the signs through the smoke? Nephrol Dial Transplant, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28206611

Andronesi, AG, Ismail, G, Fetecau, AC, Gherghiceanu, M, Mitroi, G, Harza, MC. Smoking-associated nodular glomerulosclerosis, a rare renal pathology resembling diabetic nephropathy: case report. Rom J Morphol Embryol. 2016;57(3):1125-1129. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28002533

Bansal, N, Katz, R, Robinson-Cohen, C, Odden, MC, Dalrymple, L, Shlipak, MG, Sarnak, MJ, Siscovick, DS, Zelnick, L, Psaty, BM, Kestenbaum, B, Correa, A, Afkarian, M, Young, B, de Boer, IH. Absolute Rates of Heart Failure, Coronary Heart Disease, and Stroke in Chronic Kidney Disease: An Analysis of 3 Community-Based Cohort Studies. JAMA Cardiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28002548

Chaker, L, Sedaghat, S, Hoorn, EJ, Elzen, WP, Gussekloo, J, Hofman, A, Ikram, MA, Franco, OH, Dehghan, A, Peeters, RP. The association of thyroid function and the risk of kidney function decline: a population-based cohort study. Eur J Endocrinol. 2016 Dec;175(6):653-660. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27926474

Lan, X, Lederman, R, Eng, JM, Shoshtari, SS, Saleem, MA, Malhotra, A, Singhal, PC. Nicotine Induces Podocyte Apoptosis through Increasing Oxidative Stress. PLoS One. 2016 Dec 1;11(12):e0167071. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27907022

Duvenci Birben, O, Akcay, S, Sezer, S, Sirvan, S, Haberal, M. Effect of smoking on peripheral blood lymphocyte subsets of patients with chronic renal failure. Exp Clin Transplant. 2016 Nov;14(Suppl 3):91-94. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27805522

Huang, F, Chen, J, Liu, X, Han, F, Cai, Q, Peng, G, Zhang, K, Chen, W, Wang, J, Huang, H. Cigarette smoking reduced renal function deterioration in hypertensive patients may be mediated by elevated homocysteine. Oncotarget, Nov 2016. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27852066

Franceschini, N, Deng, Y, Flessner, MF, Eckfeldt, JH, Kramer, HJ, Lash, JP, Lee, DJ, Melamed, ML, Moncrieft, AE, Ricardo, AC, Rosas, SE, Kaplan, RC, Raij, L, Cai, J. Smoking patterns and chronic kidney disease in US Hispanics: the Hispanics Community Health Study/the Study of Latinos. Nephrol Dial Transplant, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27257272

Hall, ME, Wang, W, Okhomina, V, Agarwal, M, Hall, JE, Dreisbach, AW, Juncos, LA, Winniford, MD, Payne, TJ, Robertson, RM, Bhatnagar, A, Young, BA. Cigarette Smoking and Chronic Kidney Disease in African Americans in the Jackson Heart Study. J Am Heart Assoc. 2016 May 25;5(6). Available from: http://www.ncbi.nlm.nih.gov/pubmed/27225196

Plantinga, L, Gander, JC. Intermittent smoking and chronic kidney disease. Nephrol Dial Transplant, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27235423

Staplin, N, Haynes, R, Herrington, WG, Reith, C, Cass, A, Fellstrom, B, Jiang, L, Kasiske, BL, Krane, V, Levin, A, Walker, R, Wanner, C, Wheeler, DC, Landray, MJ, Baigent, C, Emberson, J, Group, Sharp Collaborative. Smoking and adverse outcomes in patients with CKD: The study of Heart and Renal Protection (SHARP). Am J Kidney Dis, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27118687

Zammit, AR, Katz, MJ, Derby, C, Bitzer, M, Lipton, RB. Metabolic syndrome and smoking are associated with future development of advanced chronic kidney disease in older adults. Cardiorenal Med, 2016; 6(2):108-15. Available from: http://www.ncbi.nlm.nih.gov/pubmed/ 26989396

Cha, YJ et al. Smoking-related renal histologic injury in IgA nephropathy patients. Yonsei Med J, Jan 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26632403

Feodoroff, M et al. The impact of smoking on the effect of the rs4972593 genetic variant on end-stage renal disease. Diabet Med, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26535560

Alba, MM et al. Tobacco and end stage renal disease: a multicenter, cross-sectional study in Argentinian Northern Patagonia. Tob Induc Dis, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26327820

Chew, B. Correlating stone disease and smoking. Can Urol Assoc J, Jul-Aug, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26316910

Soueidan, M et al. Leisure time physical activity, smoking and risk of recent symptomatic urolithiasis: Survey of stone clinic patients. Can Urol Assoc J, Jul-Aug, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26316909

Raschenberger, J et al. Association of relative telomere length with progression of chronic kidney disease in two cohorts: effect modification by smoking and diabetes. Scientific reports, Jul 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26149682

Regan, T et al. Prevalence and correlates of current smoking among medical oncology outpatients. Psycho-oncology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26179570

Tervo, L. et al. Smoking is associated with aggravated kidney injury in Puumala hantavirus-induced haemorrhagic fever with renal syndrome. Nephrology, Dialysis, Transplantation, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26150428

Nakamura, K et al. Smoking increases the risk of all-cause and cardiovascular mortality in patients with chronic kidney disease. Kidney International, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26200944

Noborisaka, Y, Ishizaki, M, Yamazaki, M, Honda, R, Yamada, Y. Elevated Blood Pressure and Serum gamma -Glutamyltransferase as Significant Characteristics of Smokers With Chronic Kidney Disease. Nephrourol Mon, 2014. 6(4), e20746.Available from: http://www.ncbi.nlm.nih.gov/pubmed/25695028

Elihimas Junior, UF, Elihimas, HC, Lemos, VM, Leao, MD, Sa, MP, Franca, EE et al. Smoking as risk factor for chronic kidney disease: systematic review. J Bras Nefrol, 2014. 36(4), 519-528. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25517282

Halmai, R, Andras Szijarto, I, Feher, E, Fesus, G, Molnar, G, Brasnyo, P et al. Cigarette smoke elicits relaxation of renal arteries. European Journal of Clinical Investigation, 2010. 41(2), 195–202. Available from: http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2362.2010.02386.x/full

Yacoub, R, Habib, H, Lahdo, A, Al Ali, R, Varjabedian, L, Atalla, G, et al. Association between smoking and chronic kidney disease: a case control study. *BMC Public Health, 2010. 10*(1), 731. Available from: http://www.biomedcentral.com/content/pdf/1471-2458-10-731.pdf

Yoon, H, Park, M, Yoon, H, Son, K, Cho, B, Kim, S. The differential effect of cigarette smoking on glomerular filtration rate and proteinuria in an apparently healthy population. Hypertension Research, 2009. 32(3), 214–219. Available from: http://www.nature.com/hr/journal/v32/n3/full/hr200837a.html

3.18.4 Other conditions

Lee, MJ, Kuehne, N, Hueniken, K, Liang, S, Rai, S, Sorotsky, H et al. (2019). Association of two BRM promoter polymorphisms and smoking status with malignant pleural mesothelioma risk and prognosis. *Mol Carcinog*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31355511

Agarwal, P, Bagewadi, A, Keluskar, V, & Vinuth, DP. (2019). Superoxide dismutase, glutathione peroxidase, and catalase antioxidant enzymes in chronic tobacco smokers and chewers: A case-control study. *Indian J Dent Res, 30*(2), 219-225. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31169153

DeSimone, RA, Hayden, JA, Mazur, CA, Vasovic, LV, Sachais, BS, Zhao, Z et al. (2019). Red blood cells donated by smokers: A pilot investigation of recipient transfusion outcomes. *Transfusion*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31074905

Langsted, A, & Nordestgaard, BG. Smoking is Associated with Increased Risk of Major Bleeding: A Prospective Cohort Study. Thromb Haemost, 2019. 119(1), 39-47. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30597498

Mousavi, SM, Schmid, S, Cerny, T, & Fruh, M. Lung cancer and smoking trends in the young in Switzerland: a study based on data of the National Institute for Cancer Epidemiology and Registration and of the Swiss Health Surveys. Swiss Med Wkly, 2018; 148, w14708. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30509511

Fishman, J, Fisher, E, & Hussain, M. Does smoking increase the risk of peritonsillar abscess formation? J Laryngol Otol, 2018. 132(10), 857. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30387411

Huang W, Li D, and Liu Y. Mitochondrial electron transport chain is involved in microcystin-RR induced tobacco BY-2 cells apoptosis. J Environ Sci (China), 2014; 26(9):1930-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25193844

Prom-Wormley, E et al. Genetic and environmental contributions to the relationships between brain structure and average lifetime cigarette use. Behavior genetics, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25690561

Song, P et al. Smoking is associated with the incidence of AMS: a large-sample cohort study. Military Medical Research, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25722873

Lee, YH. Assessing the causal association between smoking behavior and risk of gout using a Mendelian randomization study. Clin Rheumatol, Jul 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30003442

Ayoub, MR, Larrouy-Maestri, P, Morsomme, D. The Effect of Smoking on the Fundamental Frequency of the Speaking Voice. J Voice. 2018 May 7. pii: S0892-1997(17)30592-1. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29748027

Ditre, JW, Zale, EL, LaRowe, LR, Kosiba, JD, De Vita, MJ. Nicotine deprivation increases pain intensity, neurogenic inflammation, and mechanical hyperalgesia among daily tobacco smokers. J Abnorm Psychol, May 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29781659

Inan, M, Salturk, Z, Ayaz, G, Ozdemir, E, Kumral, TL, Berkiten, G, Tutar, B, Sari, H, Uyar, Y. Comparison of the Effects of Cigarette Smoking on Male and Female Vocal Folds. J Craniofac Surg. 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29485564

Pezzoli, M, Lofaro, D, Oliva, A, Orione, M, Cupi, D, Albera, A, Bongioannini, G, Albera, R. Effects of Smoking on Eustachian Tube and Hearing. Int Tinnitus J. 2017 Dec 1;21(2):98-103. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29336126

Wijarnpreecha, K, Boonpheng, B, Thongprayoon, C, Jaruvongvanich, V, Ungprasert, P. Smoking and risk of colonic diverticulosis: A meta-analysis. J Postgrad Med, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29067919

Wang, D, Wang, Z, Zhou, M, Li, W, He, M, Zhang, X, Guo, H, Yuan, J, Zhan, Y, Zhang, K, Zhou, T, Kong, W Chen, W. The combined effect of cigarette smoking and occupational noise exposure on hearing loss: evidence from the Dongfeng-Tongji Cohort Study. Sci Rep. 2017 Sep 11;7(1):11142. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28894203

Cohen, O, Tzelnick, S, Galitz, YS, Shoffel-Havakuk, H, Hain, M, Halperin, D, Lahav, Y. Potential Causative Factors for Saccular Disorders: Association with Smoking and Other Laryngeal Pathologies.

J Voice. 2017 May 2. pii: S0892-1997(16)30507-0. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28476216

Kullmann, FA. A new player in interstitial cystitis/bladder pain syndrome: platelet-activating factor - PAF and its connection to smoking. Physiol Rep. 2017 Apr;5(7). pii: e13235. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28408637

Ban, J, Takao, Y, Okuno, Y, Mori, Y, Asada, H, Yamanishi, K, Iso, H. Association of cigarette smoking with a past history and incidence of herpes zoster in the general Japanese population: the SHEZ Study. Epidemiol Infect, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28091339

Byeon, H, Lee, D, Cho, S. Relationship between women's smoking and laryngeal disorders based on the urine cotinine test: results of a national population-based survey. BMJ Open. 2016 Nov 21;6(11):e012169. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27872114

Byeon, H, Lee, D, Cho, S. Association between second-hand smoking and laryngopathy in the general population of South Korea. PLoS One. 2016 Nov 18;11(11):e0165337. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27861497

Yang, T, Zhang, Y, Wei, J, Zeng, C, Li, LJ, Xie, X, Wang, YL, Xie, DX, Li, H, Yang, C, Lei, GH. Relationship between cigarette smoking and hyperuricemia in middle-aged and elderly population: a cross-sectional study. Rheumatol Int, Oct 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27704161

de la Monte, SM, Tong, M, Agarwal, AR, Cadenas, E. Tobacco smoke-induced hepatic injury with steatosis, inflammation, and impairments in insulin and insulin-like growth factor signalling. J Clin Exp Pathol. 2016 Apr;6(2). Available from: http://www.ncbi.nlm.nih.gov/pubmed/27525191

Xu, H, Fu, S, Chen, Y, Chen, Q, Gu, M, Wang, Z. Smoking habits and benign prostatic hyperplasia: A systematic review and meta-analysis of observational studies. Medicine (Baltimore). 2016 Aug;95(32):e4565. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27512883

Khan, AM, Narayanan, VS, Puttabuddi, JH, Chengappa, R, Ambaldhage, VK, Naik, P, Raheel, SA. Comparison of taste threshold in smokers and non-smokers using electrogustometry and fungiform papillae count: a case control study. J Clin Diagn Res. 2016 May;10(5):ZC101-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27437340

Martins, RH, Tavares, EL, Pessin, AB. Are vocal alterations caused by smoking in Reinke's edema in women entirely reversible after microsurgery and smoking cessation? J Voice. 2016 Jul 21. pii: S0892-1997(16)30115-1. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27452718

Masilamani, V et al. Smoking induced hemolysis: spectral and microscopic investigations. Sci Rep, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26891995

Chang, J et al. Effect of cigarette smoking and passive smoking on hearing impairment: data from a population-based study. PLoS One, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26756932

Madhu, C et al. The functional effects of cigarette smoking in women on the lower urinary tract. Urol Int, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26452108

Vinnikov, D et al. Is smoking a predictor for acute mountain sickness? Findings from a meta-analysis. Nicotine Tob Res, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26419295

Rogha, M et al. Cigarette smoking effect on human cochlea responses. Adv Biomed Res, 2015 Available from: http://www.ncbi.nlm.nih.gov/pubmed/26380233

Janot, AC et al. Cigarette smoking and male sex are independent and age concomitant risk factors for the development of ocular sarcoidosis in a New Orleans sarcoidosis population. Sarcoidosis Vasc Diffuse Lung Dis, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26278693

Davis, MC et al. The clinical significance and reliability of self-reported smoking status in patients with intracranial aneurysms: A review. Clinical Neurology and Neurosurgery, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26143128

Durazzo, TC et al. Comparison of regional brain perfusion levels in chronically smoking and non-smoking adults. International Journal of Environmental Research and Public Health, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26193290

Taylor, FR et al. Tobacco, nicotine, and headache. Headache, Jul 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26140522

Byeon, H. The association between lifetime cigarette smoking and dysphonia in the Korean general population: findings from a national survey. Peer J, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25945309

Cruickshanks, KJ et al. Smoking, central adiposity, and poor glycemic control increase risk of hearing impairment. Journal of the American Geriatrics Society, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25953199

Durazzo, TC et al. Chronic cigarette smoking in healthy middle-aged individuals is associated with decreased regional brain N-acetylaspartate and glutamate level. Biological Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25979621

Mishra, A et al. Impact of tobacco usage on disease outcome in myelodysplastic syndromes. Leukemia Research, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25934048

Moyen, NE et al. Forearm cutaneous vascular and sudomotor responses to whole-body passive heat stress in young smokers. American journal of physiology. Regulatory, Integrative and Comparative Physiology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25924880

Wong, JA, Leventhal, AM. Smoking-related correlates of psychomotor restlessness and agitation in a community sample of daily cigarette smokers. The American Journal on Addictions , 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25864606

Gegenava, K et al. Influence of smoking on audiological characteristics of hearing function. Georgian Medical News, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25802444

Goesling,, J et al. Associations between pain, current tobacco smoking, depression, and fibromyalgia status among treatment-seeking chronic pain patients. Pain Medicine, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25801019

Simberg, S, Udd, H, Santtila, P. Gender differences in the prevalence of vocal symptoms in smokers. Journal of Voice, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25737476

Sumit, Af et al. Cigarette smoking causes hearing impairment among Bangladeshi population. PLoS One, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25781179

Vinnikov, D et al. Smoking increases the risk of acute mountain sickness. Wilderness & environmental medicine, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25747540

Vida, S, Richardson, L, Cardis, E, Krewski, D, McBride, M, Parent, ME, et al. Brain tumours and cigarette smoking: analysis of the INTERPHONE Canada case-control study. Environ Health, 2014.13, 55. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24972852

Mulligan, JK, Nagel, W, O'Connell, BP, Wentzel, J, Atkinson, C, Schlosser, RJ. Cigarette smoke exposure is associated with vitamin D3 deficiencies in patients with chronic rhinosinusitis. J Allergy Clin Immunol, 2014. 134(2), 342-349. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24698317

Parkerson, HA, Zvolensky, MJ, Asmundson, GJ. Understanding the relationship between smoking and pain. Expert Rev Neurother, 2013. 13(12), 1407-1414.Available from: http://www.ncbi.nlm.nih.gov/pubmed/24236905

Shantakumari, N, Gopakumar, A, Sreedharan, J. The effects of smoking on the hearing status - a hospital based study. J Clin Diagn Res, 2013. 7(10), 2416. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24298548

News reports:

3.18.1 Mental illnesses

Mandal, A. Smokers at greater risk of schizophrenia and psychotic disorders. *News Medical, 2018*. Nov 21, 2018. Available from: https://www.news-medical.net/news/20181121/Smokers-at-greater-risk-of-schizophrenia-and-psychotic-disorders.aspx#commentblock

Railton, David. Smoking every day can increase psychosis risk, study finds. Medical News Today, 2018. Mar 20, 2018. Available from: https://www.medicalnewstoday.com/articles/321222.php

No authors listed. You're twice as likely to develop mental health problems if you smoke, HSE says. The Journal, Jan 2018. Available from: http://www.thejournal.ie/smoking-mental-health-3778944-Jan2018/

Jones, HJ, Gage, SH, Heron, J, et al. Association of combined patterns of tobacco and cannabis use in adolescence with psychotic experiences. JAMA Psychiatry, Jan 2018. Available from: http://dx.doi.org/10.1001/jamapsychiatry.2017.4271

Scutti, Susan. Cigarettes and pot linked to teen psychosis. CNN, Jan 18, 2018. Available from: http://edition.cnn.com/2018/01/17/health/cannabis-cigarettes-teens-psychosis-study/index.html

Haaker, J, Lonsdorf, TB, Schümann, D, Bunzeck, N, Peters, J, Sommer, T and Kalisch, R. Where There is Smoke There is Fear—Impaired Contextual Inhibition of Conditioned Fear in Smokers. Neuropsychopharmacology, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28120933

Miyauchi, M, Kishida, I, Suda, A, Shiraishi, Y, Fujibayashi, M, Taguri, M, Ishii, C, Ishii, N, Moritani, T and Hirayasu, Y. Long term effects of smoking cessation in hospitalized schizophrenia patients. BMC Psychiatry. 2017 Mar 7;17(1):87. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28270120

No authors listed. Aggression disorder linked to greater risk of substance abuse. Medical News Today, 2017. Mar 2, 2017. Available from: http://www.medicalnewstoday.com/releases/316150.php

Kelland, Kate. New analysis of smoking and schizophrenia suggests causal link. Reuters, 2015. July 10, 2015. Available from: http://uk.reuters.com/article/2015/07/09/us-healthcare-smoking-schizophrenia-idUKKCN0PJ2XV20150709

3.18.2 Neurological diseases

Shrourou, A. Tobacco smokers may have reduced neuroimmune function compared to nonsmokers. News Medical, 2019. June 26, 2019. Available from: https://www.news-medical.net/news/20190626/Tobacco-smokers-may-have-reduced-neuroimmune-function-compared-to-nonsmokers.aspx

Multiple Sclerosis Society. (2018). Briefing on smoking in the UK and specifically in people with MS. Available from London: UK: https://www.mssociety.org.uk/what-we-do/our-work/our-evidence/smoking-and-ms

No authors listed. Warning on link between MS and smoking. Evening Express, 2018. Sept 24, 2018. Available from https://www.eveningexpress.co.uk/news/uk/warning-on-link-between-ms-and-smoking/

No authors listed. Continued smoking after MS diagnosis associated with accelerated disease progression. Medical News Today, 2015. Available from: http://www.medicalnewstoday.com/releases/299293.php?tw

No authors listed. Why does smoking increase your risk of MS? Multiple Sclerosis Research blog, 2017. Nov 16, 2017. Available from: http://multiple-sclerosis-research.blogspot.com/2017/11/why-does-smoking-increase-your-risk-of.html

No authors listed. Smoking linked to shorter survival after motor neurone disease diagnosis. Medical News Today, 2016. Sept 22, 2016. Available from: http://www.medicalnewstoday.com/releases/313047.php

No authors listed. Continued smoking after MS diagnosis associated with accelerated disease progression. Medical News Today, 2015. Sept 10, 2015. Available from: http://www.medicalnewstoday.com/releases/299293.php?tw

No authors listed. Continued smoking after MS diagnosis associated with accelerated disease progression. Medical News Today, 2015. Sept 10, 2015. Available from: http://www.medicalnewstoday.com/releases/299293.php?tw

3.18.4 Other conditions

No authors listed. Hearing Loss Joins Long List of Smoking Harms. HealthDay18. Mar 19, 2018. Available from: https://consumer.healthday.com/disabilities-information-11/hearing-loss-news-352/hearing-loss-joins-long-list-of-smoking-harms-731933.html

No authors listed. Chronic nicotine exposure could change the structure of the stomach. Medical News Today, 2015. June 16, 2015. Available from: http://www.medicalnewstoday.com/releases/295441.php?tw