

Tobacco in Australia

Facts & Issues

Relevant news and research

3.18 Other conditions with possible links to smoking

Last updated January 2021

Research:	2
3.18.1 Mental illnesses.....	4
3.18.2 Neurological diseases.....	17
3.18.3 Kidney disease.....	27
3.18.4 Other conditions.....	32
News reports:.....	37
3.18.1 Mental illnesses.....	37
3.18.2 Neurological diseases.....	38
3.18.4 Other conditions.....	38

Research:

Johnsen, MB, Winsvold, BS, Borte, S, Vie, GA, Pedersen, LM, Storheim, K, Skorpen, F, Hagen, K, Bjorngaard, JH, Asvold, BO, Zwart, JA. The causal role of smoking on the risk of headache. A Mendelian randomization analysis in the HUNT Study. *Eur J Neurol*, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747220>

Olsson, P, Skogstrand, K, Nilsson, A, Turesson, C, Jacobsson, LTH, Theander, E, Houen, G, Mandl, T. Smoking, disease characteristics and serum cytokine levels in patients with primary Sjogren's syndrome. *Rheumatol Int*, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29846789>

Hu, H, Sasaki, N, Ogasawara, T, Nagahama, S, Akter, S, Kuwahara, K, Kochi, T et al. Smoking, Smoking Cessation, and the Risk of Hearing Loss: Japan Epidemiology Collaboration on Occupational Health Study. *Nicotine Tob Res*. 2018 . Mar 14, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29547985>

Veile, A, Zimmermann, H, Lorenz, E, Becher, H. Is smoking a risk factor for tinnitus? A systematic review, meta-analysis and estimation of the population attributable risk in Germany. *BMJ Open*. 2018 Feb 22;8(2):e016589. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29472253>

Nelson, TM, Borgogna, JC, Michalek, RD, Roberts, DW, Rath, JM, Glover, ED, Ravel, J, Shardell, MD, Yeoman, CJ, Brotman, RM. Cigarette smoking is associated with an altered vaginal tract metabolomic profile. *Sci Rep*. 2018 Jan 16;8(1):852. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29339821>

Karademirci, MM, Kutlu, R, Kilinc, I. Relationship between smoking and and total antioxidant status, total oxidant status, oxidative stress index, vit C, vit E. *Clin Respir J*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29247592>

Masuet-Aumatell, C, Sanchez-Mascunano, A, Santangelo, FA, Ramos, SM, Ramon-Torrell, JM. Relationship between Smoking and Acute Mountain Sickness: A Meta-Analysis of Observational Studies. *Biomed Res Int*. 2017;2017:1409656. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29259975>

Glennon, SG, Huedo-Medina, T, Rawal, S, Hoffman, HJ, Litt, MD, Duffy, VB. Chronic Cigarette Smoking Associates Directly and Indirectly with Self-Reported Olfactory Alterations: Analysis of the 2011-2014 National Health and Nutrition Examination Survey (NHANES). *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29121272>

Neves, CDC, Lacerda, ACR, Lima, LP, Lage, VKS, Balthazar, CH, Leite, HR, Mendonca, VA. Different levels of brain-derived neurotrophic factor and cortisol in healthy heavy smokers. *Braz J Med Biol Res*. 2017 Oct 19;50(12):e6424. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29069228>

Sanchez-Mascunano, A, Masuet-Aumatell, C, Morchon-Ramos, S, Ramon, JM. Relationship of altitude mountain sickness and smoking: a Catalan traveller's cohort study. *BMJ Open*. 2017 Sep 24;7(9):e017058. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28947454>

Tanash, HA, Ekstrom, M, Ronmark, E, Lindberg, A, Piitulainen, E. Survival in individuals with severe alpha 1-antitrypsin deficiency (PiZZ) in comparison to a general population with known smoking habits. *Eur Respir J*. 2017 Sep 9;50(3). pii: 1700198. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28889108>

Tafiadis, D, Chronopoulos, SK, Kosma, EI, Voniati, L, Raptis, V, Siafaka, V, Ziavra, N. Using Receiver Operating Characteristic Curve to Define the Cutoff Points of Voice Handicap Index Applied to Young Adult Male Smokers. *J Voice*. 2017 Jul 11. pii: S0892-1997(17)30182-0. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28709764>

Breyer, J, Denzinger, S, Hartmann, A, Otto, W. Downregulation of checkpoint protein kinase 2 in the urothelium of healthy male tobacco smokers. *Urol Int*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27251560>

Estanol, MV, Crisp, CC, Oakley, SH, Kleeman, SD, Fellner, AN, & Pauls, RN. Systemic markers of collagen metabolism and vitamin C in smokers and non-smokers with pelvic organ prolapse. *Eur J Obstet Gynecol Reprod Biol*, 2015. 184, 58-64. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25463637>

Karama, S et al. Cigarette smoking and thinning of the brain's cortex. *Molecular Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666755>

Filiberti, R, Fontana, V, De Ceglie, A, Bianchi, S, Grossi, E, Della Casa, D, et al. Smoking as an independent determinant of Barrett's esophagus and, to a lesser degree, of reflux esophagitis. *Cancer Causes Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25555994>

Kelsey, KT, Nelson, HH, Kim, S, Pawlita, M, Langevin, SM, Eliot et al. Human papillomavirus serology and tobacco smoking in a community control group. *BMC Infect Dis*, 2015. 15(1), 8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25572638>

Franklin, TR, Wetherill, RR, Jagannathan, K, Johnson, B, Mumma, J, Hager, et al. The effects of chronic cigarette smoking on gray matter volume: influence of sex. *PLoS ONE*, 2014. 9(8), e104102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25090480>

Bokarewa, MI, Erlandsson, MC, Bjersing, J, Dehlin, M, Mannerkorpi, K. Smoking is associated with reduced leptin and neuropeptide Y levels and higher pain experience in patients with fibromyalgia. *Mediators Inflamm*, 2014, 627041. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25197167>

Fritz, HC, Wittfeld, K, Schmidt, CO, Domin, M, Grabe, HJ, Hegenscheid, et al. Current smoking and reduced gray matter volume—a voxel-based morphometry study. *Neuropsychopharmacology*, 2014. 39(11), 2594-2600. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24832823>

Turner, AP, Hartoonian, N, Maynard, C, Leipertz, SL, Haselkorn, JK. Smoking and Physical Activity: Examining Health Behaviors and 15-Year Mortality Among Individuals With Multiple Sclerosis. *Arch Phys Med Rehabil*. 2014 Nov 6. pii: S0003-9993(14)01215-5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25448246>

Haukioja, A, Asunta, M, Soderling, E, Syrjanen, S. Persistent oral human papillomavirus infection is associated with smoking and elevated salivary immunoglobulin G concentration. *J Clin Virol*, 2014. 61(1), 101-106. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25011603>

Hedges, D, Bennett, DP. Cigarette smoking and p300 amplitude in adults: a systematic review. *Nicotine Tob Res*, 2014. 16(9), 1157-1166. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24847100>

Savjani, RR, Velasquez, KM, Thompson-Lake, DG, Baldwin, PR, Eagleman, DM, De La Garza li, R, Salas, R. Characterizing white matter changes in cigarette smokers via diffusion tensor imaging. *Drug Alcohol Depend*, 2014. 145, 134-142. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25457737>

Sung, JH, Sim, CS, Lee, CR, Yoo, CI, Lee, H, Kim, Y, Lee, J. Relationship of cigarette smoking and hearing loss in workers exposed to occupational noise. *Ann Occup Environ Med*, 2013. 25(1), 8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24472221>

Ditre, JW, Zale, EL, Kosiba, JD, Zvolensky, MJ. A pilot study of pain-related anxiety and smoking-dependence motives among persons with chronic pain. *Experimental and Clinical Psychopharmacology*, 2013. 21(6), 443-449. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24080021>

3.18.1 Mental illnesses

Ohi, K, Nishizawa, D, Muto, Y, Sugiyama, S, Hasegawa, J, Soda, M et al (2020). Polygenic risk scores for late smoking initiation associated with the risk of schizophrenia. *NPJ Schizophr*, 6(1), 36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33230172>

Magee, W, & Clarke, P. (2021). The effect of smoking on depressive symptoms. *Addict Behav*, 112, 106641. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33010527>

Vermeulen, J. M., & Bolhuis, K. (2020). The co-occurrence of smoking and suicide. *Br J Psychiatry*, 1-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32998784>

Firth, J, Solmi, M, Wootton, RE, Vancampfort, D, Schuch, FB, Hoare, E et al. (2020). A meta-review of "lifestyle psychiatry": the role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. *World Psychiatry*, 19(3), 360-380. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32931092>

Garcia-Gonzalez, J, Ramirez, J, Howard, DM, Brennan, CH, Munroe, PB, & Keers, R. (2020). The effects of polygenic risk for psychiatric disorders and smoking behaviour on psychotic experiences in UK Biobank. *Transl Psychiatry*, 10(1), 330. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32989213>

Kunas, SL, Hilbert, K, Yang, Y, Richter, J, Hamm, A, Wittmann, A et al (2020). The modulating impact of cigarette smoking on brain structure in panic disorder: a voxel-based morphometry study. *Soc Cogn Affect Neurosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32734299>

Yuan, S, Yao, H, & Larsson, SC. (2020). Associations of cigarette smoking with psychiatric disorders: evidence from a two-sample Mendelian randomization study. *Sci Rep*, 10(1), 13807. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32796876>

Chen, J, Chen, R, Xiang, S, Li, N, Gao, C, Wu, C et al (2020). Cigarette smoking and schizophrenia: Mendelian randomisation study. *Br J Psychiatry*, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32552923>

Jones, AM, Carter-Harris, L, Stiffler, D, Macy, J, Staten, L, & Shieh, C. (2020). Smoking Status and Symptoms of Depression During and After Pregnancy Among Low-Income Women. *J Obstet Gynecol Neonatal Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32561271>

Orri, M, Seguin, JR, Castellanos-Ryan, N, Tremblay, RE, Cote, SM, Turecki, G, & Geoffroy, MC. (2020). A genetically informed study on the association of cannabis, alcohol, and tobacco smoking with suicide attempt. *Mol Psychiatry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32507850>

Bainter, T, Selya, AS, & Oancea, SC. (2020). A key indicator of nicotine dependence is associated with greater depression symptoms, after accounting for smoking behavior. *PLoS One*, 15(5), e0233656. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32442211>

Stramecki, F, Kotowicz, KD, Piotrowski, P, Frydecka, D, Rymaszewska, J, Beszlej, JA et al. Assessment of the Association Between Cigarette Smoking and Cognitive Performance in Patients With Schizophrenia-Spectrum Disorders: A Case-Control Study. *Front Psychiatry*, 2018; 9, 642. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30559684>

Taylor, GMJ, & Munafo, MR. Does smoking cause poor mental health? *Lancet Psychiatry*, 2019; 6(1), 2-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30527762>

Sanchez-Gutierrez, T, Garcia-Portilla, MP, Parellada, M, Bobes, J, Calvo, A, Moreno-Izco, L, Gonzalez-Pinto, A, Lobo, A, de la Serna, E, Cabrera, B, Torrent, C, Roldan, L, Sanjuan, J, Ibanez, A, Sanchez-Torres, A M, Corripio, I, Bernardo, M, Cuesta, MJ, PEPs group. Smoking does not impact social and non-social cognition in patients with first episode psychosis. *Schizophr Res*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29606546>

Hjarpe, J, Soderman, E, Andreou, D, Sedvall, GC, Agartz, I, Jonsson, EG. No major influence of regular tobacco smoking on cerebrospinal fluid monoamine metabolite concentrations in patients with psychotic disorder and healthy individuals. *Psychiatry Res*. 2018 Feb 17;263:30-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29482043>

Mustonen, A, Ahokas, T, Nordstrom, T, Murray, GK, Maki, P, Jaaskelainen, E, Heiskala, A, McGrath, JJ, Scott, JG, Miettunen, J, Niemela, S. Smokin` hot: adolescent smoking and the risk of psychosis. *Acta Psychiatr Scand*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29457219>

Liu, H, Luo, Q, Du, W, Li, X, Zhang, Z, Yu, R, Chen, X, Meng, H, Du, L. Cigarette smoking and schizophrenia independently and reversibly altered intrinsic brain activity. *Brain Imaging Behav*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29297153>

Australian Institute of Health and Welfare. (2018). Mental health services—in brief 2017. Available from: <https://www.aihw.gov.au/reports/mental-health-services/mental-health-services-in-brief-2017/contents/table-of-contents>

Australian institute of Health and Welfare. (2017). Mental health services in Australia. Available from: <https://www.aihw.gov.au/reports/mental-health-services/mental-health-services-in-australia/report-contents/summary>

Korhonen, T, Sihvola, E, Latvala, A, Dick, DM, Pulkkinen, L, Nurnberger, J, Rose, RJ, Kaprio, J. Early-onset tobacco use and suicide-related behavior - A prospective study from adolescence to young adulthood. *Addict Behav.* 2017 Dec 6;79:32-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29245024>

Yokoyama, N, Sasaki, H, Mori, Y, Ono, M, Tsurumi, K, Kawada, R, Matsumoto, Y, Yoshihara, Y, Sugihara, G, Miyata, J, Murai, T, Takahashi, H. Additive Effect of Cigarette Smoking on Gray Matter Abnormalities in Schizophrenia. *Schizophr Bull*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29036371>

Weinberger, AH, Platt, J, Esan, H, Galea, S, Erlich, D, Goodwin, RD. Cigarette Smoking Is Associated With Increased Risk of Substance Use Disorder Relapse: A Nationally Representative, Prospective Longitudinal Investigation. *J Clin Psychiatry*, 78(2), e152-e160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28234432>

Evins, AE, Korhonen, T, Kinnunen, TH, Kaprio, J. Prospective association between tobacco smoking and death by suicide: a competing risks hazard analysis in a large twin cohort with 35-year follow-up. *Psychol Med.* 2017 Apr 12:1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28399944>

Kauffman, BY, Farris, SG, Alfano, CA, Zvolensky, MJ. Emotion dysregulation explains the relation between insomnia symptoms and negative reinforcement smoking cognitions among daily smokers. *Addict Behav.* 2017 Sep;72:33-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28359971>

Plurphanswat, N, Kaestner, R, Rodu, B. The Effect of Smoking on Mental Health. *Am J Health Behav.* 2017 Jul 1;41(4):471-483. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28601107>

Weinberger, AH, Platt, J, Esan, H, Galea, S, Erlich, D, Goodwin, RD. Cigarette Smoking Is Associated With Increased Risk of Substance Use Disorder Relapse: A Nationally Representative, Prospective Longitudinal Investigation. *J Clin Psychiatry.* 2017 Feb;78(2):e152-e160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28234432>

Landaas, ET, Aarsland, TI, Ulvik, A, Halmoy, A, Ueland, PM, Haavik, J. Vitamin levels in adults with ADHD. *BJPsych Open.* 2016 Dec 13;2(6):377-384. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27990293>

Stepankova, L, Kralikova, E, Zvolenska, K, Pankova, A, Ovesna, P, Blaha, M, Brose, LS. Depression and Smoking Cessation: Evidence from a Smoking Cessation Clinic with 1-Year Follow-Up. *Ann Behav Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28035641>

El-Mallakh, P, McPeak, D, Khara, M, Okoli, CT. Smoking behaviors and medical co-morbidities in patients with mental illnesses. Arch Psychiatr Nurs. 2016 Dec;30(6):740-746. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27888969>

Colle, R, Trabado, S, Rotenberg, S, Brailly-Tabard, S, Benyamina, A, Aubin, HJ., Hardy, P, Falissard, B, Becquemont, L, Verstuyft, C, Feve, B, Corruble, E. Tobacco use is associated with increased plasma BDNF levels in depressed patients. Psychiatry Res. 2016 Oct 12;246:370-372. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27788454>

Haibach, JP, Homish, GG, Collins, RL, Ambrosone, CB, Giovino, GA. Fruit and vegetable intake as a moderator of the association between depressive symptoms and cigarette smoking. Subst Abuse, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27093192>

Hickling, LM, Ortiz-Garcia de la Foz, V, Ayesa-Arriola, R, Crespo-Facorro, B, McGuire, P, Perez-Iglesias, R. The effects of tobacco smoking on age of onset of psychosis and psychotic symptoms in a first episode psychosis population. Addiction, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27741562>

Korhonen, T, Ranjit, A, Tuulio-Henriksson, A, Kaprio, J. Smoking status as a predictor of antidepressant medication use. J Affect Disord. 2016 Sep 27;207:221-227. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27723547>

Mathew, AR, Hogarth, L, Leventhal, AM, Cook, JW, Hitsman, B. Cigarette smoking and depression comorbidity: systematic review and proposed theoretical model. Addiction, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27628300>

Oh, HY, Koyanagi, A, Singh, F, DeVlyder, J. Is smoking tobacco associated with psychotic experiences across racial categories in the United States? Findings from the Collaborative Psychiatric Epidemiological Surveys. Psychiatry Res. 2016 Sep 15;246:58-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27662613>

Reed, AC, Harris, JG, Olincy, A. Schizophrenia, smoking status, and performance on the matrices Cognitive Consensus Battery. Psychiatry Res. 2016 Sep 9;246:1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27639816>

Skov-Ettrup, LS, Nordestgaard, BG, Petersen, CB, Tolstrup, JS. Does high tobacco consumption cause psychological distress? A Mendelian randomization study. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613883>

Wolfe, RM, Reeves, LE, Gibson, LE, Cooper, S, Ellman, LM. Attenuated positive psychotic symptoms in relation to cigarette smoking in a nonclinical population. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27651478>

Zorlu, N, Cropley, VL, Zorlu, PK, Delibas, DH, Adibelli, ZH, Baskin, EP, Esen, OS, Bora, E, Pantelis, C. Effects of cigarette smoking on cortical thickness in major depressive disorder. J Psychiatr Res. 2016 Sep 13;84:1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27669406>

da Silva, BS, Rovaris, DL, Schuch, JB, Mota, NR, Cupertino, RB, Aroche, AP, Bertuzzi, GP, Karam, RG, Vitola, ES, Tovo-Rodrigues, L, Grevet, EH, Bau, CH. Effects of corticotropin-releasing hormone

receptor 1 SNPs on major depressive disorder are influenced by sex and smoking status. *J Affect Disord.* 2016 Aug 13;205:282-288. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27544317>

Heelan, M, McAllister, J, Skinner, J. Stuttering, alcohol consumption and smoking. *J Fluency Disord.* 2016 Jun;48:27-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27498892>

Laursen, TM, McGrath, JJ. The strange case of smoking and schizophrenia-the epidemiology detectives are on the trail. *Am J Psychiatry.* 2016 Aug 1;173(8):757-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27477133>

Aubin, HJ, Luquiens, A, Berlin, I. Smoking and suicide mortality risk in alcohol-dependent individuals. *J Clin Psychiatry.* 2016 Jul;77(7):e906. Availability from: <http://www.ncbi.nlm.nih.gov/pubmed/27464329>

Bandiera, FC, Loukas, A, Wilkinson, AV, Perry, CL. Associations between tobacco and nicotine product use and depressive symptoms among college students in Texas. *Addict Behav.* 2016 Jun 29;63:19-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27393934>

Devkota, B, Salas, J, Garfield, L. Increased risk of major depression with early age of exposure to cigarettes. *Am J Prev Med.* 2016 Jul 16. pii: S0749-3797(16)30194-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27436333>

Fernandez Del Rio, E, Lopez-Duran, A, Martinez, U, Becona, E. Personality disorders and smoking in Spanish general and clinical population. *Psicothema.* 2016 Aug;28(3):278-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27448261>

Poorolajal, J, Darvishi, N. Smoking and suicide: a meta-analysis. *PLoS One.* 2016 Jul 8;11(7):e0156348. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27391330>

Weinberger, AH, Kashan, RS, Shpigel, DM, Esan, H, Taha, F, Lee, CJ, Funk, AP, Goodwin, RD. *Am J Drug Alcohol Abuse*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27286288>

Dimitriadis, DG, Mamplekou, E, Dimitriadis, PG, Dimitriadis, GD, Papageorgiou, C. The association between smoking and psychopathology adjusted for body mass index and gender. *Australas Psychiatry.*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27206466>

Fluharty, M, Taylor, AE, Grabski, M, Munafo, MR. The association of cigarette smoking with depression and anxiety: a systematic review. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27199385>

Han, B, Compton, WM, Blanco, C. Tobacco use and 12-month suicidality among adults in the United States. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27190402>

Solmi, M, Veronese, N, Sergi, G, Luchini, C, Favaro, A, Santonastaso, P, Vancampfort, D, Correll, CU, Ussher, M, Thapa-Chhetri, N, Fornaro, M, Stubbs, B. The association between smoking prevalence and eating disorders: a systematic review and meta-analysis. *Addiction*, 2016. Available from : <http://www.ncbi.nlm.nih.gov/pubmed/27206671>

Inoue, A, Kawakami, N, Eguchi, H, Tsutsumi, A. Modifying effect of cigarette smoking on the association of organizational justice with serious psychological distress in Japanese employees: a cross-sectional study. *Int Arch Occup Environ Health*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27055543>

Kim, SM, Jung, JW, Park, IW, Ahn, CM, Kim, YI, Yoo, KH, Chun, EM, Jung, JY, Park, YS, Park, JH, Kim, JY, Korean Smoking Cessation Study, Group. Gender differences in relations of smoking status, depression, and suicidality in Korea: findings from the Korea National Health and Nutrition Examination Survey 2008-2012. *Psychiatry Investig*. 2016 Mar;13(2):239-46. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27081387>

Bach, H, Arango, V, Kassir, SA, Dwork, AJ, Mann, JJ, Underwood, MD. Cigarette smoking and tryptophan hydroxylase 2 mRNA in the dorsal raphe nucleus in suicides. *Arch Suicide Res*, 2016:1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26954509>

Li, Y, Cao, XL, Zhong, BL, Ungvari, GS, Chiu, HF, Kelly, YC, Zheng, W, Correll, CU, Xiang, YT. Smoking in male patients with schizophrenia in China: A meta-analysis. *Drug Alcohol Depend*, 2016;162:146-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26996743>

Bakhshaie, J et al. Cigarette smoking and the onset and persistence of panic attacks during mid-adulthood in the United States: 1994-2005. *J Clin Psychiatry*, Jan 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26845274>

Berlin, I et al. Smoking as a confounder of the association of suicidality with serum lipid levels. *J Psychiatry Neurosci*, Mar 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26898729>

Cheng, HG et al. Prospective relationship of depressive symptoms, drinking, and tobacco smoking among middle-aged and elderly community-dwelling adults: Results from the China Health and Retirement Longitudinal Study (CHARLS). *J Affect Disord*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26895091>

Goldenson, NI et al. Associations between ADHD symptoms and smoking outcome expectancies in a non-clinical sample of daily cigarette smokers. *Am J Addict*, Mar 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26871681>

Johnson, AL, McLeish, AC. Differences in panic psychopathology between smokers with and without asthma. *Psychol Health Med*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26911387>

Lopez-Castroman, J et al. Heavy tobacco dependence in suicide attempters making recurrent and medically serious attempts. *Drug Alcohol Depend*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26832932>

Wu, S et al. Smoking as a confounder of the association of suicidality with serum lipid levels - Author Response. *J Psychiatry Neurosci*, Mar 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26898730>

Herbison, CE et al. Characterisation and novel analyses of acute stress response patterns in a population based cohort of young adults: influence of gender, smoking and BMI. *Stress*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26809721>

Ren, W et al. The effect of cigarette smoking on vitamin D level and depression in male patients with acute ischemic stroke. *Compr Psychiatry*, Feb 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26773985>

Talati, A et al. Changing relationships between smoking and psychiatric disorders across twentieth century birth cohorts: clinical and research implications. *Mol Psychiatry*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26809837>

Machulska, A et al. Approach bias modification in inpatient psychiatric smokers. *J Psychiatr Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26874269>

Lewis, AS et al. Association of cigarette smoking with interpersonal and self-directed violence in a large community-based sample. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26718905>

Park, S, Kim, J. Association between smoking and suicidal behaviors among adolescents in the Republic of Korea. *J Addict Nurs*, Oct-Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26669224>

Akbarian, S, Kundakovic, M. CHRNA7 and CHRFA7A: Psychosis and smoking? Blame the neighbors! *Am J Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26575444>

Dyal, SR, Valente, TW. A systematic review of loneliness and smoking: small effects, big implications. *Subst Use Misuse*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26555089>

Tan, O, Tas, C. Symptom dimensions, smoking and impulsiveness in Obsessive-Compulsive Disorder. *Psychiatr Danub*, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26609653>

Wu, L et al. Emotion regulation in heavy smokers: experiential, expressive and physiological consequences of cognitive reappraisal. *Front Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26528213>

Zvolensky, MJ et al. Posttraumatic stress symptoms and smoking among World Trade Center disaster responders: A longitudinal investigation. *Compr Psychiatry*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26555491>

An, R, Xiang, X. Smoking, heavy drinking, and depression among U.S. middle-aged and older adults. *Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26436684>

Jauhar, S et al. Tobacco use and psychosis: missing the risk of bias assessment and other methodological considerations - Authors' reply. *Lancet Psychiatry*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26462212>

Kumar, A. Tobacco use and psychosis: missing the risk of bias assessment and other methodological considerations. *Lancet Psychiatry*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26462213>

Gage, SH, Munafo, MR. Rethinking the association between smoking and schizophrenia. *Lancet Psychiatry*, Feb 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26359739>

Gart, R, Kelly, S. How illegal drug use, alcohol use, tobacco use, and depressive symptoms affect adolescent suicidal ideation: a secondary analysis of the 2011 Youth Risk Behavior survey. *Issues Ment Health Nurs*, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26379135>

Sankaranarayanan, A et al. Smoking, suicidality and psychosis: a systematic meta-analysis. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26372218>

Sankaranarayanan, A, Mancuso, S, Wilding, H, Ghuloum, S, Castle, D. Correction: Smoking, Suicidality and Psychosis: A Systematic Meta-Analysis. *PLoS ONE*, 2015. 10(10), e0141024. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24411712>

Alderson, HL, Lawrie, SM. Does cigarette smoking cause psychosis? *Lancet Psychiatry*, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26249281>

Gage, SH, Munafo, MR. Smoking as a causal risk factor for schizophrenia. *Lancet Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26236007>

Gurillo, P et al. Does tobacco use cause psychosis? Systematic review and meta-analysis. *Lancet Psychiatry*, 2015. *Lancet Psychiatry*, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26249303>

Large, M, MacCabe, JH. Tobacco and psychosis: Not quite a smoking gun. *Aust N Z J Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26228729>

Amundson, EP et al. Extenuating circumstances: smoking and mental illness: closely aligned comorbidities. *S D Med*, Jul 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26267934>

Chen, VC et al. Suicide and other-cause mortality after early exposure to smoking and second hand smoking: A 12-year population-based follow-up study. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26222448>

Hawkes, N et al. Smoking cigarettes may increase risk of schizophrenia, study shows. *BMJ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26162606>

Smith, RC et al. Effects of transcranial direct current stimulation (tDCS) on cognition, symptoms, and smoking in schizophrenia: A randomized controlled study. *Schizophrenia Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26190299>

Kendler, KS et al. Smoking and schizophrenia in population cohorts of Swedish women and men: A prospective co-relative control study. *The American Journal of Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26046339>

Wium-Andersen, MK et al. Tobacco smoking is causally associated with antipsychotic medication use and schizophrenia, but not with antidepressant medication use or depression. *International Journal of Epidemiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26054357>

Brook, JS et al. Longitudinal smoking patterns: do they predict symptoms of ADHD in adults? *Journal of Attention Disorders*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25939583>

Ducasse, D et al. Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. *Journal of Affective Disorders*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26001671>

McGrath, JJ et al. Age at first tobacco use and risk of subsequent psychosis-related outcomes: A birth cohort study. *The Australian and New Zealand Journal of Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25991762>

Sankaranarayanan, A, Mancuso, S, Castle, D. Smoking and suicidality in patients with a psychotic disorder. *Psychiatry Res*, 2014. 215(3), 634-640. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24411712>

Bakhshaie, J et al. Cigarette smoking and the onset and persistence of depression among adults in the United States: 1994-2005. *Comprehensive Psychiatry*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25882595>

Berlin, I et al. Tobacco use and suicide attempt: longitudinal analysis with retrospective reports. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25849514>

Balbuena, L, Tempier, R. Why is there a link between smoking and suicide? In reply. *Psychiatric Services*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25727128>

Bandiera,, FC et al. Tobacco-related mortality among persons with mental health and substance abuse problems. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25807109>

Davey Smith, G, Munafo, M. Why is there a link between smoking and suicide? *Psychiatric Services*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25727127>

Kuczmarski, AV et al. Depression and cognitive impairment are associated with low education and literacy status and smoking but not caffeine consumption in urban African Americans and white Adults. *Journal of Caffeine Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25785235>

Bakhshaie, J et al. Differential effects of anxiety sensitivity components in the relation between emotional non-acceptance and post-traumatic stress symptoms among trauma-exposed treatment-seeking smokers. *Cognitive Behaviour Therapy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25642748>

Jorgensen, KN et al. Cigarette smoking is associated with thinner cingulate and insular cortices in patients with severe mental illness. *Journal of Psychiatry & Neuroscience*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25672482>

Rabin, RA, George, TP. A review of co-morbid tobacco and cannabis use disorders: Possible mechanisms to explain high rates of co-use. *The American Journal on Addictions*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25662704>

Reis, TC et al. Sex, age and smoking, but not genetic variation in LEPR (rs1137101), are associated with depressive symptoms. *Psychiatric Genetics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25714446>

Depp CA, Bowie CR, Mausbach BT, Wolyniec P, Thornquist MH, et al. Current smoking is associated with worse cognitive and adaptive functioning in serious mental illness. *Acta Psychiatr Scand*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25559296>

Chitty, KM et al. A longitudinal proton magnetic resonance spectroscopy study investigating oxidative stress as a result of alcohol and tobacco use in youth with bipolar disorder. *Journal of Affective Disorders*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25679204>

Dahne J, Hise L, Brenner M, Lejuez CW, and MacPherson L. An experimental investigation of the functional relationship between social phobia and cigarette smoking. *Addict Behav*, 2015; 43:66-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25576952>

Kawada T. Association between smoking and depression in patients with type 2 diabetes. *J Diabetes*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25565650>

Vulser, H, Wiernik, E, Tartour, E, Thomas, F, Pannier, B, Czernichow, S et al. Smoking and the Association Between Depressive Symptoms and Absolute Neutrophil Count in the Investigations Preventives et Cliniques Cohort Study. *Psychosom Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26461856>

Gregory, A. Quitting smoking improves mental health: Habit makes you 70% more susceptible to anxiety and depression. *The Mirror*, 2015. Available from: <http://www.mirror.co.uk/news/uk-news/quitting-smoking-improves-mental-health-5219048>

Jamal M, Van der Does W, and Penninx BW. Effect of variation in BDNF ValMet polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. *Drug Alcohol Depend*, 2015; 148C:150-157. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25618300>

Clyde M, Smith KJ, Garipey G, and Schmitz N. Association between smoking and depression in patients with type 2 diabetes: A Response. *J Diabetes*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25619319>

Aguocha CM, Aguocha JK, Igwe M, Uwakwe RU, and Onyeama GM. Prevalence and correlates of cigarette smoking among patients with schizophrenia in southeast Nigeria. *Acta Psychiatr Scand*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25209175>

Ameringer KJ, Chou CP, and Leventhal AM. Shared versus specific features of psychological symptoms and cigarettes per day: structural relations and mediation by negative- and positive-reinforcement smoking. *J Behav Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25231408>

Ameringer KJ and Leventhal AM. Psychological Symptoms, Smoking Lapse Behavior, and the Mediating Effects of Nicotine Withdrawal Symptoms: A Laboratory Study. *Psychol Addict Behav*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25243836>

Fu Q, Vaughn MG, Wu LT, and Heath AC. Psychiatric correlates of snuff and chewing tobacco use. *PLoS One*, 2014; 9(12):e113196. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25535739>

Garey L, Bakhshaie J, Vujanovic AA, Leventhal AM, Schmidt NB, et al. Posttraumatic Stress Symptoms and Cognitive-Based Smoking Processes Among Trauma-Exposed, Treatment-Seeking Smokers: The Role of Dysphoria. *J Addict Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25525942>

Guillot CR, Zvolensky MJ, and Leventhal AM. Differential associations between components of anxiety sensitivity and smoking-related characteristics. *Addict Behav*, 2014; 40C:39-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25218070>

He Q, Yang L, Shi S, Gao J, Tao M, et al. Smoking and major depressive disorder in chinese women. *PLoS One*, 2014; 9(9):e106287. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25180682>

Baeza-Velasco, C, Stuebner-Delbarre, A, Cousson-Gelie, F, Pailhez, G, Bulbena, A, Baguet, F, Gely-Nargeot, MC. Increased tobacco and alcohol use among women with joint hypermobility: a way to cope with anxiety? *Rheumatol Int*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24874121>

Hirshbein LD. Politics, profit, and psychiatric diagnosis: a case study of tobacco use disorder. *Am J Public Health*, 2014; 104(11):2076-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25211741>

Bohnert, KM, Ilgen, MA, McCarthy, JF, Ignacio, RV, Blow, FC, Katz, IR. Tobacco use disorder and the risk of suicide mortality. *Addiction*, 2014. 109(1), 155-162. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24134689>

Bot, M, Vink, J, Milaneschi, Y, Smit, JH, Kluft, C, Neuteboom, J, Penninx, B. Plasma cotinine levels in cigarette smokers: impact of mental health and other correlates. *Eur Addict Res*, 2014. 20(4), 183-191. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24481322>

Brook, DW, Brook, JS, Zhang, C. Joint trajectories of smoking and depressive mood: associations with later low perceived self-control and low well-being. *Journal of Addictive Diseases*, 2014. 33(1), 53-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24471577>

Brook, JS, Lee, JY, Rubenstone, E, Brook, DW, Finch, SJ. Triple comorbid trajectories of tobacco, alcohol, and marijuana use as predictors of antisocial personality disorder and generalized anxiety disorder among urban adults. *American Journal of Public Health*, 2014. 104(8), 1413-1420. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24922120>

Jasek JP, Williams JM, Mandel-Ricci J, and Johns M. Trends in smoking among adults with serious psychological distress during comprehensive tobacco control in New York City, 2003-2012. *Tob Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25550417>

Farris, SG, Vujanovic, AA, Hogan, J, Schmidt, NB, & Zvolensky, MJ. Main and interactive effects of anxiety sensitivity and physical distress intolerance with regard to PTSD symptoms among trauma-exposed smokers. *J Trauma Dissociation*, 2014. 15(3), 254-270. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24803147>

Farris, SG, Zvolensky, MJ, Blalock, JA, Schmidt, NB. Negative affect and smoking motives sequentially mediate the effect of panic attacks on tobacco-relevant processes. *Am J Drug Alcohol Abuse*, 2014. 40(3), 230-239. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24720260>

Misiak B, Kiejna A, and Frydecka D. Assessment of cigarette smoking status with respect to symptomatic manifestation in first-episode schizophrenia patients. *Compr Psychiatry*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25595518>

Nunes SO, Piccoli de Melo LG, Pizzo de Castro MR, Barbosa DS, Vargas HO, et al. Atherogenic index of plasma and atherogenic coefficient are increased in major depression and bipolar disorder, especially when comorbid with tobacco use disorder. *J Affect Disord*, 2014; 172C:55-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25451396>

Attwood, AS, Ataya, AF, Bailey, JE, Lightman, SL, Munafo, MR. Effects of 7.5% carbon dioxide inhalation on anxiety and mood in cigarette smokers. *J Psychopharmacol*, 2014. 28(8), 763-772. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24763184>

Audrain-McGovern, J, Wileyto, EP, Ashare, R, Cuevas, J, Strasser, AA. Reward and affective regulation in depression-prone smokers. *Biol Psychiatry*, 2014. 76(9), 689-697. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24947541>

Gabert-Quillen, CA, Selya, A, Delahanty, DL. Post-traumatic Stress Disorder Symptoms Mediate the Relationship Between Trauma Exposure and Smoking Status in College Students. *Stress Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24424717>

Gage, SH, Hickman, M, Heron, J, Munafo, MR, Lewis, G, Macleod, J, Zammit, S. Associations of cannabis and cigarette use with psychotic experiences at age 18: findings from the Avon Longitudinal Study of Parents and Children. *Psychol Med*, 2014. 44(16), 3435-3444. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25066001>

Hrywna, M, Bover Manderski, MT, Delnevo, CD. Sex differences in the association of psychological distress and tobacco use, 2014. *Am J Health Behav*, 38(4), 570-576. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24636119>

Olvera H, Bakhshaie J, Garey L, Jardin C, Schmidt NB, et al. The Role of Anxiety Sensitivity in the Relation Between Trait Worry and Smoking Behavior. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25367093>

Liverant, GI, Sloan, DM, Pizzagalli, DA, Harte, CB, Kamholz, BW, Rosebrock, LE et al. Associations among smoking, anhedonia, and reward learning in depression. *Behav Ther*, 2014. 45(5), 651-663. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25022776>

Lohner, S, Vagasi, J, Marosvolgyi, T, Tenyi, T, & Decsi, T. Inverse association between 18-carbon trans fatty acids and intelligence quotients in smoking schizophrenia patients. *Psychiatry Res*, 2014. 215(1), 9-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24210662>

Loprinzi, PD, Walker, JF, Kane, C, Cardinal, BJ. Physical activity moderates the association between nicotine dependence and depression among U.S. smokers. *Am J Health Promot*, 2014. 29(1), 37-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24200248>

Luger, TM, Suls, J, Vander Weg, MW. How robust is the association between smoking and depression in adults? A meta-analysis using linear mixed-effects models. *Addict Behav*, 2014. 39(10), 1418-1429. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25052789>

Raines, AM, Unruh, AS, Zvolensky, MJ, Schmidt, NB. An initial investigation of the relationships between hoarding and smoking. *Psychiatry Res*, 2014. 215(3), 668-674. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24476678>

van Hecke, O, Torrance, N, Cochrane, L, Cavanagh, J, Donnan, PT, Padmanabhan, S, Porteous, DJ, Hocking, L, Smith, BH. Does a history of depression actually mediate smoking-related pain? Findings from a cross-sectional general population-based study. *Eur J Pain*, 18(9), 1223-1230. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24577799>

Lyvers, M, Carlopio, C, Vicole Bothma, H, Edwards, MS. Mood, mood regulation, and frontal systems functioning in current smokers, long-term abstinent ex-smokers, and never-smokers. *J Psychoactive Drugs*, 2014. 46(2), 133-139. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24935795>

Schneider, CE, White, T, Hass, J, Geisler, D, Wallace, SR, Roessner, V et al. Smoking status as a potential confounder in the study of brain structure in schizophrenia. *J Psychiatr Res*, 2014. 50, 84-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24373929>

Young, SN. Elevated incidence of suicide in people living at altitude, smokers and patients with chronic obstructive pulmonary disease and asthma: possible role of hypoxia causing decreased serotonin synthesis. *J Psychiatry Neurosci*, 38(6), 423-426. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24148847>

Hsieh, SJ, Shum, M, Lee, AN, Hasselmark, F, Gong, MN. Cigarette smoking as a risk factor for delirium in hospitalized and intensive care unit patients. A systematic review. *Ann Am Thorac Soc*, 2013. 10(5), 496-503. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24161052>

Fullerton, CS, McKibben, JB, Reissman, DB, Scharf, T, Kowalski-Trakofler, KM, Shultz, JM, Ursano, RJ. Posttraumatic stress disorder, depression, and alcohol and tobacco use in public health workers after the 2004 Florida hurricanes. *Disaster Med Public Health Prep*, 2013. 7(1), 89-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24618140>

Cosci, F, Knuts, I, Abrams, K, Griez, E, & Schruers, K. Cigarette smoking and panic: a critical review of the literature. *Journal of Clinical Psychiatry*, 2010. 71(5), 606-615. Available from: http://article.psychiatrist.com/dao_1-login.asp?ID=10006601&RSID=73120138221212

Flensburg-Madsen, T, Bay von Scholten, M, Flachs, E, Mortensen, E, Prescott, E, Tolstrup, J. Tobacco smoking as a risk factor for depression: a 26-year population-based follow-up study. *Journal of Psychiatric Research*, 2010. 45(2), 143-149. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20630542

Munafò, M, Araya, R. Cigarette smoking and depression: a question of causation. *British Journal of Psychiatry*, 2010. 196(6), 425–426. Available from: <http://bjp.rcpsych.org/cgi/content/full/196/6/425>

Boden, J, Fergusson, D, Horwood, L. Cigarette smoking and depression: tests of causal linkages using a longitudinal birth cohort. *British Journal of Psychiatry*, 2010. 196(6), 440–446. Available from: <http://bjp.rcpsych.org/cgi/content/full/196/6/440>

Rintakoski, K, Ahlberg, J, Hublin, C, Broms, U, Madden, P, Kononen, M et al. Bruxism is associated with nicotine dependence: a nationwide Finnish Twin Cohort study. *Nicotine & Tobacco Research*, 2010. 12(12), 1254-1260. Available from: <http://ntr.oxfordjournals.org/content/early/2010/11/01/ntr.ntq190.full>

Riala, K, Taanila, A, Hakko, H, Räsänen, P. Longitudinal smoking habits as risk factors for early-onset and repetitive suicide attempts: the Northern Finland 1966 Birth Cohort Study. *Annals of Epidemiology*, 2009. 19(5), 329-335. Available from: <http://www.sciencedirect.com/science/journal/10472797>

Abrams, K, Zvolensky, M J, Dorflinger, L, Galatis, A, Blank, M, Eissenberg, T. Fear reactivity to bodily sensations among heavy smokers and nonsmokers. *Experimental and Clinical Psychopharmacology*, 2008. 16(3), 230–239. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2008-06716-006>

Pedersen, W, von Soest, T. Smoking, nicotine dependence and mental health among young adults: a 13-year population-based longitudinal study. *Addiction*, 2008. 104(1), 129–137. Available from: <http://www3.interscience.wiley.com/cgi-bin/fulltext/121567015/HTMLSTART>

Leonard, S, Alder, L, Benhammou, K, Berger, R, Breese, C, Drebing, C et al. Smoking and mental illness. *Pharmacology, Biochemistry and Behavior*, 2001. 70(4), 561–570. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0N-44W8G76-D&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=7c178ac568c5182744dcceb7089a2dec

3.18.2 Neurological diseases

Opie-Martin, S, Wootton, RE, Budu-Aggrey, A, Shatunov, A, Jones, AR, Iacoangeli, A et al. (2020). Relationship between smoking and ALS: Mendelian randomisation interrogation of causality. *J Neurol Neurosurg Psychiatry*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32848012>

Pakpoor, J, Schmierer, K, Cuzick, J, Giovannoni, G, & Dobson, R et al. (2020). Estimated and projected burden of multiple sclerosis attributable to smoking and childhood and adolescent high body-mass index: a comparative risk assessment. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32844186>

Kawada, T. (2020). High lithium levels in tobacco, incidences of Parkinson's disease and melanoma: Mechanism of the association. *Med Hypotheses*, 143, 110045. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32615500>

Ringh, M. V., Hagemann-Jensen, M., Needhamsen, M., Kullberg, S., Wahlstrom, J., Grunewald, J., . . . Kular, L. (2020). Methylome and transcriptome signature of bronchoalveolar cells from multiple sclerosis patients in relation to smoking. *Mult Scler*, 1352458520943768. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32729352>

Vandebergh, M, & Goris, A. (2020). Smoking and multiple sclerosis risk: a Mendelian randomization study. *J Neurol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32529581>

Arneith, DB. (2020). Multiple Sclerosis and Smoking. *Am J Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32259516>

Cortese, M, Munger, KL, Martinez-Lapiscina, EH, Barro, C, Edan, G, Freedman, MS et al (2020). Vitamin D, smoking, EBV, and long-term cognitive performance in MS: 11-year follow-up of BENEFIT. *Neurology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32300060>

Jasielski, P, Piedadel, F, Rocka, A, Petit, V, & Rejdak, K. (2020). Smoking as a risk factor of onset and relapse of Multiple Sclerosis - a review. *Neurol Neurochir Pol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32285433>

Opie-Martin, S, Jones, A, Iacoangeli, A, Al-Khleifat, A, Oumar, M, Shaw, PJ et al (2020). UK case control study of smoking and risk of amyotrophic lateral sclerosis. *Amyotroph Lateral Scler Frontotemporal Degener*, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32301340>

Sivandzade, F, Alqahtani, F, & Cucullo, L. (2020). Traumatic Brain Injury and Blood-Brain Barrier (BBB): Underlying Pathophysiological Mechanisms and the Influence of Cigarette Smoking as a Premorbid Condition. *Int J Mol Sci*, 21(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32295258>

Garavan, HP, & Chaarani, B. (2020). Reply to: Neural Remodeling Begins With the First Cigarette. *Biol Psychiatry Cogn Neurosci Neuroimaging*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32198000>

Hedstrom, AK. (2020). Smoking and disability progression in multiple sclerosis. *Expert Rev Neurother*, 1-3 Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32208034>

Kahraman, T, Ozdogar, AT, Abasiyanik, Z, Ozakbas, S, & Multiple Sclerosis Research, G. (2020). Associations between smoking and walking, fatigue, depression, and health-related quality of life in persons with multiple sclerosis. *Acta Neurol Belg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32222910>

Kashoo, FZ, Alqahtani, M, & Ahmad, F. (2020). Awareness of patients with multiple sclerosis in Saudi Arabia regarding the relationship between smoking and multiple sclerosis. *Neurosciences (Riyadh)*, 25(1), 73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31982900>

Rosso, M, & Chitnis, T. (2019). Association Between Cigarette Smoking and Multiple Sclerosis: A Review. *JAMA Neurol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31841592>

Eskandarieh, S, Moghadasi, AN, Sahraian, MA, Azimi, AR, & Molazadeh, N. (2019). Association of cigarette smoking with neuromyelitis optica-immunoglobulin G sero-positivity in neuromyelitis optica spectrum disorder. *Iran J Neurol*, 18(3), 93-98. Available from <https://www.ncbi.nlm.nih.gov/pubmed/31749929>

Hedstrom, AK, Hossjer, O, Hillert, J, Stridh, P, Kockum, I, Olsson, T, & Alfredsson, L. (2019). The influence of human leukocyte antigen-DRB1*15:01 and its interaction with smoking in MS development is dependent on DQA1*01:01 status. *Mult Scler*, 1352458519877685. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31573825>

Ivashynka, A, Copetti, M, Naldi, P, D'Alfonso, S, & Leone, MA. (2019). The Impact of Lifetime Alcohol and Cigarette Smoking Loads on Multiple Sclerosis Severity. *Front Neurol*, 10, 866. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31456737>

Peters, S, Visser, AE, D'Ovidio, F, Vlaanderen, J, Portengen, L, Beghi, E et al. (2019). Effect modification of the association between total cigarette smoking and ALS risk by intensity, duration and time-since-quit: Euro-MOTOR. *J Neurol Neurosurg Psychiatry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31434759>

Ando, A, Mazzone, SB, & Farrell, MJ. (2019). Altered neural activity in brain cough suppression networks in cigarette smokers. *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31248952>

Lin, D, Hutchison, KE, Portillo, S, Vegara, V, Ellingson, JM, Liu, J et al. (2019). Association between the oral microbiome and brain resting state connectivity in smokers. *Neuroimage*, 200, 121-131. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31201984>

Marck, C. H., das Nair, R., Grech, L. B., Borland, R., & Constantinescu, C. S. (2019). Modifiable risk factors for poor health outcomes in multiple sclerosis: The urgent need for research to maximise smoking cessation success. *Mult Scler*, 1352458519858730. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31219393>

Johnson, AL, McLeish, AC, Shear, PK, Sheth, A, & Privitera, M. (2019). The role of cigarette smoking in epilepsy severity and epilepsy-related quality of life. *Epilepsy Behav*, 93, 38-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30831400>

Battaglino, R, Nguyen, N, Summers, M, & Morse, L. (2019). BAFF is Associated with Testosterone and Smoking Status in Non-ambulatory Men with Chronic Spinal Cord Injury. *J Neurotrauma*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31020912>

Wang, Z, Xie, J, Wu, C, & Xiao, G. Correlation Between Smoking and Passive Smoking with Multiple Sclerosis and the Underlying Molecular Mechanisms. *Med Sci Monit*, 2019. 25, 893-902. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703074>

Zhan, Y, & Fang, F. Smoking and Amyotrophic Lateral Sclerosis: A Mendelian Randomization Study. *Ann Neurol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30786056>

Alrouji, M, Manouchehrinia, A, Gran, B, & Constantinescu, CS. Effects of cigarette smoke on immunity, neuroinflammation and multiple sclerosis. *J Neuroimmunol*, 2018. Available from: [https://www.jni-journal.com/article/S0165-5728\(18\)30130-9/fulltext](https://www.jni-journal.com/article/S0165-5728(18)30130-9/fulltext)

Brody, AL, Gehlbach, D, Garcia, LY, Enoki, R, Hoh, C, Vera, D et al. Effect of overnight smoking abstinence on a marker for microglial activation: a [(11)C]DAA1106 positron emission tomography study. *Psychopharmacology (Berl)*, 2018. Available from: <https://link.springer.com/article/10.1007%2Fs00213-018-5077-3>

Durazzo, TC, Meyerhoff, DJ, & Yoder, KK. Cigarette smoking is associated with cortical thinning in anterior frontal regions, insula and regions showing atrophy in early Alzheimer's Disease. *Drug Alcohol Depend*, 192, 277-284. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30300802>

Ammitzball, C, von Essen, MR, Bornsen, L, Petersen, ER, McWilliam, O, Ratzer, R et al. GPR15(+) T cells are Th17 like, increased in smokers and associated with multiple sclerosis. *J Autoimmun*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30245027>

Hedstrom, AK. Smoking and its interaction with genetics in MS etiology. *Mult Scler*, 2018. 1352458518801727. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30251921>

Aktan, R, Ozalevli, S, Ozakbas, S. Effects of cigarette smoking on respiratory problems and functional levels in multiple sclerosis patients. *Mult Scler Relat Disord*. 2018 Aug 17;25:271-275. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30153625>

Petersen, ER, Sondergaard, HB, Laursen, JH, Olsson, AG, Bornsen, L, Soelberg Sorensen, P, Sellebjerg, F, Bang Oturai, A. Smoking is associated with increased disease activity during natalizumab treatment in multiple sclerosis. *Mult Scler*. 2018 Aug 2;1352458518791753. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30070595>

Bell, JS, DeLuca, GC. Genes, smoking, and organic solvent exposure: An alarming cocktail for MS risk. *Neurology*. 2018 Jul 31;91(5):199-200. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29970400>

Tao, C, Simpson, S, Taylor, BV, Blizzard, L, Lucas, RM, Ponsonby, AL, Broadley, S, AusLong/Ausimmune Investigators, Group and van der Mei, I. Onset Symptoms, Tobacco Smoking, and Progressive-Onset Phenotype Are Associated With a Delayed Onset of Multiple Sclerosis, and Marijuana Use With an Earlier Onset. *Front Neurol*. 2018 Jun 8;9:418. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29937751>

Graetz, C, Groger, A, Luessi, F, Salmen, A, Zoller, D, Schultz, J, Siller, N et al. Association of smoking but not HLA-DRB1*15:01, APOE or body mass index with brain atrophy in early multiple sclerosis. *Mult Scler*. 2018 Mar 1;1352458518763541. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29532745>

Heydarpour, P, Manouchehrinia, A, Beiki, O, Mousavi, SE, Abdolalizadeh, A, Lakeh, MM, Sahraian, MA. Smoking and worsening disability in multiple sclerosis: A meta-analysis. *Acta Neurol Scand*. 2018. Mar 15, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29542102>

Marabita, F, Almgren, M, Sjöholm, LK, Kular, L, Liu, Y, James, T, Kiss, NB, Feinberg, AP, Olsson, T, Kockum, I, Alfredsson, L, Ekstrom, TJ, Jagodic, M. Author Correction: Smoking induces DNA methylation changes in Multiple Sclerosis patients with exposure-response relationship. *Sci Rep*. 2018 Mar 7;8(1):4340. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29515171>

Auer, M, Bsteh, G, Hegen, H, Di Pauli, F, Wurth, S, Berger, T, Deisenhammer, F. Smoking is not associated with higher prevalence of JC virus in MS patients. *Eur J Clin Microbiol Infect Dis*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29423619>

van der Vuurst de Vries, RM, Mescheriakova, JY, Runia, TF, Siepman, TAM, Wokke, BHA, Samijn, JPA, Hintzen, RQ. Smoking at time of CIS increases the risk of clinically definite multiple sclerosis. *J Neurol*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29464378>

Petersen, ER, Oturai, AB, Koch-Henriksen, N, Magyari, M, Sorensen, PS, Sellebjerg, F, Sondergaard, HB. Smoking affects the interferon beta treatment response in multiple sclerosis. *Neurology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29343473>

Marabita, F, Almgren, M, Sjöholm, LK, Kular, L, Liu, Y, James, T, Kiss, NB, Feinberg, AP, Olsson, T, Kockum, I, Alfredsson, L, Ekstrom, TJ, Jagodic, M. Smoking induces DNA methylation changes in Multiple Sclerosis patients with exposure-response relationship. *Sci Rep*. 2017 Nov 6;7(1):14589. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29109506>

Celik, SB, Can, H, Sozmen, MK, Sengezer, T, Kaplan, YC, Utlu, G, Sener, A, Aybek Yilmaz, A, Aygun, O. Evaluation of the neuropathic pain in the smokers. *Agri*. 2017 Jul;29(3):122-126. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29039152>

Degelman, ML, Herman, KM. Smoking and multiple sclerosis: A systematic review and meta-analysis using the Bradford Hill criteria for causation. *Mult Scler Relat Disord*. 2017 Oct;17:207-216. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29055459>

Hedstrom, AK, Katsoulis, M, Hossjer, O, Bomfim, IL, Oturai, A, Sondergaard, HB, Sellebjerg, F, Ullum, H et al. The interaction between smoking and HLA genes in multiple sclerosis: replication and refinement. *Eur J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28597127>

Newland, P, Flick, L, Salter, A, Dixon, D, Jensen, MP. The link between smoking status and co-morbid conditions in individuals with multiple sclerosis (MS). *Disabil Health J*. 2017 Mar 23. pii: S1936-6574(17)30047-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28351749>

Paz-Ballesteros, WC, Monterrubio-Flores, EA, de Jesus Flores-Rivera, J, Corona-Vazquez, T, Hernandez-Giron, C. Cigarette Smoking, Alcohol Consumption and Overweight in Multiple Sclerosis:

Disability Progression. *Arch Med Res*. 2017 Jan;48(1):113-120. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28577864>

Polimanti, R, Jensen, KP, Gelernter, J. Phenome-wide association study for CYP2A6 alleles: rs113288603 is associated with hearing loss symptoms in elderly smokers. *Sci Rep*. 2017 Apr 21;7(1):1034. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28432340>

Prabhu, P, Varma, G, Dutta, KK, Kumar, P, Goyal, S. Influence of Smoking on Ultra-High-Frequency Auditory Sensitivity. *J Int Adv Otol*. 2017 Apr;13(1):110-112. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28555601>

Tanasescu, R, Constantinescu, CS, Tench, CR, Manouchehrinia, A. Smoking cessation and the reduction of disability progression in Multiple Sclerosis: a cohort study. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28402456>

Javizian, O, Metz, LM, Deighton, S, Koch, MW. Smoking does not influence disability accumulation in primary progressive multiple sclerosis. *Eur J Neurol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28239937>

Olsson, T, Barcellos, LF, Alfredsson, L. Interactions between genetic, lifestyle and environmental risk factors for multiple sclerosis. *Nat Rev Neurol*, 2017. 13(1), 25-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27934854>

Umesawa, M, Kobashi, G, Kitoh, R, Nishio, SY, Ogawa, K, Hato, N, Sone, M, Fukuda, S, Hara, A., Relationships among drinking and smoking habits, history of diseases, body mass index and idiopathic sudden sensorineural hearing loss in Japanese patients. *Acta Otolaryngol*. 2017;137(sup565):S17-S23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28366076>

Mofateh, M, Karimi, Q, Hosseini, MH, Sharif-Zadeh, GR. Effect of smoking on hearing loss in refractory's factory male worker with occupational noise exposure in Iran. *J Pak Med Assoc*. 2017 Apr;67(4):605-608. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28420925>

Lisowska, G, Jochem, J, Gierlotka, A, Misiolek, M, Scierski, W. Sex-Related Cochlear Impairment in Cigarette Smokers. *Med Sci Monit*. 2017 Jan 22;23:377-397. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28110343>

Abbasi, M, Nabavi, SM, Fereshtehnejad, SM, Ansari, I, Zerafatjou, N, Shayegannejad, V, Mohammadianinejad, SE, Farhoudi, M, Noorian, A, Razazian, N, Abedini, M, Faraji, F. Risk factors of Multiple sclerosis and their Relation with Disease Severity: A Cross-sectional Study from Iran. *Arch Iran Med*. 2016 Dec;19(12):852-860. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27998160>

Balto, JM, Ensari, I, Hubbard, EA, Khan, N, Barnes, JL, Motl, RW. Individual and Co-occurring SNAP Risk Factors: Smoking, Nutrition, Alcohol Consumption, and Physical Activity in People with Multiple Sclerosis. *Int J MS Care*. 2016 Nov-Dec;18(6):298-304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27999524>

Bu, L, Yu, D, Su, S, Ma, Y, von Deneen, KM, Luo, L, Zhai, J, Liu, B, Cheng, J, Guan, Y, Li, Y, Bi, Y, Xue, T, Lu, X, Yuan, K. Functional connectivity abnormalities of brain regions with structural deficits in young

adult male smokers. *Front Hum Neurosci*. 2016 Oct 4;10:494. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27757078>

O'Gorman, CM, Broadley, SA. Smoking increases the risk of progression in multiple sclerosis: A cohort study in Queensland, Australia. *J Neurol Sci*. 2016 Nov 15;370:219-223. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27772763>

No authors listed. Smoking linked to shorter survival after diagnosis of motor neurone disease. *Nurs Stand*. 2016 Oct 12;31(7):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27762964>

Wood, H. Motor neuron disease: Smoking adversely affects survival in patients with amyotrophic lateral sclerosis. *Nat Rev Neurol*. 2016 Nov;12(11):615. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27713491>

Bjornevik, K, Riise, T, Bostrom, I, Casetta, L, Cortese, M, Granieri, E, Holmoy, T, Kampman, MT, Landtblom, AM, Magalhaes, S, Pugliatti, M, Wolfson, C, Myhr, KM. Negative interaction between smoking and EBV in the risk of multiple sclerosis: The EnvIMS study. *Mult Scler*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27663872>

Calvo, A, Canosa, A, Bertuzzo, D, Cugnasco, P, Solero, L, Clerico, M, De Mercanti, S, Bersano, E, Cammarosano, S, Ilardi, A, Manera, U, Moglia, C, Marinou, K, Bottacchi, E, Pisano, F, Mora, G, Mazzini, L, Chio, A. Influence of cigarette smoking on ALS outcome: a population-based study. *J Neurol Neurosurg Psychiatry*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27656044>

Newland, P, Flick, L, Xian, H, Thomas, FP. Symptom co-occurrences associated with smoking in individuals with relapsing-remitting multiple sclerosis. *Int J MS Care*. 2016 Jul-Aug;18(4):163-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27551240>

<http://www.ncbi.nlm.nih.gov/pubmed/27551240>

Backhaus, I, Mannocci, A, Lemmens, PH, La Torre, G. Smoking as a risk factor for developing Multiple Sclerosis: A meta-analysis of observational studies. *Clin Ter*. 2016 May-Jun;167(3):82-92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27424509>

<http://www.ncbi.nlm.nih.gov/pubmed/27424509>

Torriani, O, Vuilleumier, F, Perneger, T, Despland, PA, Maeder, M, Heritier-Barras, AC, Vulliemoz, S, Seeck, M, Rossetti, AO, Picard, F. Epilepsy and tobacco smoking: a cross-sectional study. *J Neurol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27416858>

<http://www.ncbi.nlm.nih.gov/pubmed/27416858>

Durazzo, TC, Korecka, M, Trojanowski, JQ, Weiner, MW, R, O' Hara, Ashford, JW, Shaw, LM, Alzheimer's Disease Neuroimaging, Initiative. Active cigarette smoking in cognitively-normal elders and probable Alzheimer's Disease is associated with elevated cerebrospinal fluid oxidative stress biomarkers. *J Alzheimers Dis*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27472882>

Schieffer, KM, Chuang, CH, Connor, J, Pawelczyk, JA, Sekhar, DL. Association of Iron Deficiency Anemia With Hearing Loss in US Adults. *JAMA Otolaryngol Head Neck Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28033450>

<http://www.ncbi.nlm.nih.gov/pubmed/28033450>

Kvistad, S, Myhr, KM, Holmoy, T, Benth, JS, Loken-Amsrud, KI, Wergeland, S, Beiske, AG, Bjerve, KS, Hovdal, H, Lilleas, F, Midgard, R, Pedersen, T, Bakke, SJ, Torkildsen, O. No association of tobacco use

and disease activity in multiple sclerosis. *Neurol Neuroimmunol Neuroinflamm*. 2016 Jul 14;3(4):e260. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27458599>

Ockinger, J, Hagemann-Jensen, M, Kullberg, S, Engvall, B, Eklund, A, Grunewald, J, Piehl, F, Olsson, T, Wahlstrom, J. T-cell activation and HLA-regulated response to smoking in the deep airways of patients with multiple sclerosis. *Clin Immunol*. 2016 Jun 20. pii: S1521-6616(16)30099-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27339331>

Poorolajal, J, Bahrami, M, Karami, M, Hooshmand, E. Effect of smoking on multiple sclerosis: a meta-analysis. *J Public Health (Oxf)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27160862>

Sena, A, Capela, C, Ferret-Sena, V, Munger, KL, Ascherio, A, Suarez, G. No association of multiple sclerosis activity and progression with EBV or tobacco use in BENEFIT. *Neurology*. 2016 May 24;86(21):2026. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27217468>

Breckenridge, CB, Berry, C, Chang, ET, Sielken, RL, Jr, Mandel, JS. *PLoS One*. 2016 Apr 7;11(4):e0151841. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27055126>

Li, X, Li, W, Liu, G, Shen, X, Tang, Y. Corrigendum to "Association between cigarette smoking and parkinson's disease: A meta-analysis" [*Archives of gerontology and geriatrics*, 61 (2015) 510-516]. *Arch Gerontol Geriatr*, Apr 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27090565>

Durhan, G, Diker, S, Has, AC, Karakaya, J, Tuncer Kurne, A, Oguz, KK. Influence of cigarette smoking on white matter in patients with clinically isolated syndrome as detected by diffusion tensor imaging. *Diagn Interv Radiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27015443>

Zhang, P, Wang, R, Li, Z, Wang, Y, Gao, C, Lv, X, Song, Y and Li, B. The risk of smoking on multiple sclerosis: a meta-analysis based on 20,626 cases from case-control and cohort studies. *PeerJ*. 2016 ;4:e1797. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27014514>

Hedstrom, AK et al. Smoking is a major preventable risk factor for multiple sclerosis. *Mult Scler*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26459151>

Munger, KL et al. No association of multiple sclerosis activity and progression with EBV or tobacco use in BENEFIT. *Neurology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26453645>

Durhan, G et al. Assessment of the effect of cigarette smoking on regional brain volumes and lesion load in patients with clinically isolated syndrome. *Int J Neurosci*, Sep 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26335842>

Goldman, MD, Stuve, O. Smoking beyond multiple sclerosis diagnosis: a risk factor still worth modifying. *JAMA Neurol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26348489>

Kaisar, MA et al. Protecting the BBB endothelium against cigarette smoke-induced oxidative stress using popular antioxidants: Are they really beneficial? *Brain Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26410779>

Peng, P et al. Brain-volume changes in young and middle-aged smokers: A DARTEL-based voxel-based morphometry study. *Clin Respir J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26404024>

Ramanujam, R et al. Effect of smoking cessation on multiple sclerosis prognosis. *JAMA Neurol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26348720>

Wood, H. Multiple sclerosis: Smoking in patients with multiple sclerosis-is it ever too late to quit? *Nat Rev Neurol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26416536>

Cho, H et al. Impact of smoking on neurodegeneration and cerebrovascular disease markers in cognitively normal men. *Eur J Neurol*, 2015. *Eur J Neurol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26264353>

Fragoso, YD et al. Patients with multiple sclerosis do not necessarily consume more alcohol or tobacco than the general population. *Arq Neuropsiquiatr*, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26291989>

Zanchi, D et al. Cigarette smoking leads to persistent and dose-dependent alterations of brain activity and connectivity in anterior insula and anterior cingulate. *Addict Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26303184>

Behrendt, S et al. Performance of smokers with DSM-5 tobacco use disorder in time-based complex prospective memory. *Journal of Psychoactive Drugs*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26147993>

Weston, M, Constantinescu, CS. What role does tobacco smoking play in multiple sclerosis disability and mortality? A review of the evidence. *Neurodegener Dis Manag*, 2015. 5(1), 19-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25711451>

Rass, O et al. Resting-state EEG, impulsiveness, and personality in daily and nondaily smokers. *Clinical Neurophysiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26051750>

Correale, J, Farez, MF. Smoking worsens multiple sclerosis prognosis: Two different pathways are involved. *Journal of Neuroimmunology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25867464>

Ritz, B, Lee, PC, Lassen, CF, Arah, OA,. Parkinson disease and smoking revisited: Ease of quitting is an early sign of the disease. *Neurology*, 2014. Available from: <http://www.neurology.org/content/early/2014/09/12/WNL.0000000000000879.short>

Gao Z, Nissen JC, Ji K, and Tsirka SE. The experimental autoimmune encephalomyelitis disease course is modulated by nicotine and other cigarette smoke components. *PLoS One*, 2014; 9(9):e107979. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25250777>

Manouchehrinia, A, Weston, M, Tench, CR, Britton, J, Constantinescu, CS. Tobacco smoking and excess mortality in multiple sclerosis: a cohort study. *J Neurol Neurosurg Psychiatry*, 2014. 85(10), 1091-1095. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24569687>

O'Gorman, C, Bukhari, W, Todd, A, Freeman, S, Broadley, SA. Smoking increases the risk of multiple sclerosis in Queensland, Australia. *J Clin Neurosci*, 2014. 21(10), 1730-1733. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24932591>

Salzer, J, Stenlund, H, Sundstrom, P. The interaction between smoking and Epstein-Barr virus as multiple sclerosis risk factors may depend on age. *Mult Scler*, 2014. 20(6), 747-750. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24107308>

Jawahar, R, Oh, U, Eaton, C, Wright, N, Tindle, H, Lapane, KL. Association between Smoking and Health Outcomes in Postmenopausal Women Living with Multiple Sclerosis. *Mult Scler Int*, 2014, 686045. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24860668>

Hershey LA and Perlmutter JS. Smoking and Parkinson disease: Where there is smoke there may not be fire. *Neurology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25217061>

Lin, F, Wu, G, Zhu, L, Lei, H. Altered brain functional networks in heavy smokers. *Addict Biol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24962385>

Weiland, TJ, Hadgkiss, EJ, Jelinek, GA, Pereira, NG, Marck, CH, van der Meer, DM. The association of alcohol consumption and smoking with quality of life, disability and disease activity in an international sample of people with multiple sclerosis. *J Neurol Sci*, 2014. 336(1-2), 211-219. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24290614>

Hedstrom, A, Alfredsson, L, Lundkvist Ryner, M, Fogdell-Hahn, A, Hillert, J, Olsson, T. Smokers run increased risk of developing anti-natalizumab antibodies. *Mult Scler*, 2013. 20(8), 1081-1085. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24311118>

Hedstrom, AK, Hillert, J, Olsson, T, Alfredsson, L. Smoking and multiple sclerosis susceptibility. *Eur J Epidemiol*, 2013. 28(11), 867-874. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24146047>

Jafari, N, Hintzen, RQ. The association between cigarette smoking and multiple sclerosis. *Journal of the neurological sciences*, 2011. 311(1), 78-85. Available from: [http://www.ins-journal.com/article/S0022-510X\(11\)00553-3/abstract](http://www.ins-journal.com/article/S0022-510X(11)00553-3/abstract)

Handel, AE, Williamson, AJ, Disanto, G, Dobson, R, Giovannoni, G, Ramagopalan, SV. Smoking and multiple sclerosis: an updated meta-analysis. *PLoS ONE*, 2011. 6(1), e16149. Available from <http://pubmedcentralcanada.ca/picrender.cgi?accid=PMC3020969&blobtype=pdf>

Wang, H, O'Reilly, E, Weisskopf, M, Logroscino, G, McCullough, M, Thun, M et al. Smoking and risk of amyotrophic lateral sclerosis: a pooled analysis of 5 prospective cohorts. *Archives of Neurology*, 2011. 68(2), 207–213. Available from: <http://archneur.ama-assn.org/cgi/content/full/68/2/207>

Alonso, A, Logroscino, G, Hernan, M. Smoking and the risk of amyotrophic lateral sclerosis: a systematic review and meta-analysis. *Journal of Neurology, Neurosurgery & Psychiatry*, 2010. 81(11), 1249–1245. Available from: <http://jnnp.bmj.com.ezp.lib.unimelb.edu.au/content/81/11/1249.full.pdf>

Alonso, A, Logroscino, G, Jick, S, Hernan, M. Association of smoking with amyotrophic lateral sclerosis risk and survival in men and women: a prospective study. *BMC Neurology*, 2010. 10(1), 6. Available from: <http://www.biomedcentral.com/content/pdf/1471-2377-10-6.pdf>

Dworetzky, B, Bromfield, E, Townsend, M, Kang, J. A prospective study of smoking, caffeine, and alcohol as risk factors for seizures or epilepsy in young adult women: data from the Nurses' Health Study II. *Epilepsia*, 2010. 51(2), 198-220. Available from: <http://www3.interscience.wiley.com/cgi-bin/fulltext/122563552/HTMLSTART>

Straube, A, Pfaffenrath, V, Ladwig, K, Meisinger, C, Hoffmann, W, Fendrich, K et al. Prevalence of chronic migraine and medication overuse headache in Germany-the German DMKG headache study. *Cephalalgia*, 2010. 30(2), 207-213. Available from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19489879

Hershey, A, Lipton, R. Lifestyles of the young and migrainous. *Neurology*, 2010. 75(8), 680–681. Available from <http://www.neurology.org/cgi/content/full/75/8/680>

Shargorodsky, J, Curhan, S, Eavey, R, Curhan, G. A prospective study of cardiovascular risk factors and incident hearing loss in men. *Laryngoscope*, 2010. 120(9), 1887–1891. Available from <http://onlinelibrary.wiley.com/doi/10.1002/lary.21039/pdf>

Lopez-Mesonero, L, Marquez, S, Parra, P, Gamez-Leyva, G, Munoz, P, Pascual, J. Smoking as a precipitating factor for migraine: a survey in medical students. *Journal of Headache and Pain*, 2009. 10(2), 101-103. Available from <http://www.springerlink.com/content/m7321n0664672p45/>

Healy, BC, Ali, EN, Guttman, CR, Chitnis, T, Glanz, BI, Buckle, G et al. Smoking and disease progression in multiple sclerosis. *Archives of Neurology*, 2009. 66(7), 858–864. Available from <http://archneur.ama-assn.org/cgi/content/full/66/7/858?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&fulltext=Smoking+and+disease+progression+in+multiple+sclerosis&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>

Pittas, F, Ponsonby, A, van der Mei, I, Taylor, B, Blizzard, L, Groom, P, et al. Smoking is associated with progressive disease course and increased progression in clinical disability in a prospective cohort of people with multiple sclerosis. *Journal of Neurology*, 2009. 256(4), 577-585. Available from <https://commerce.metapress.com/content/7364256wg80p1770/resource-secured/?target=fulltext.pdf&sid=we5okf45o1fnvw55lwp3bnc&sh=www.springerlink.com>

Zivadinov, R, Weinstock-Guttman, B, Hashmi, K, Abdelrahman, N, Stosic, M, Dwyer, M et al. Smoking is associated with increased lesion volumes and brain atrophy in multiple sclerosis. *Neurology*, 73(7), 504–510. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19687451

Di Pauli, F, Reindl, M, Ehling, R, Schautzer, F, Gneiss, C, Lutterotti, A et al . Smoking is a risk factor for early conversion to clinically definite multiple sclerosis. *Multiple Sclerosis*, 2008. 14(8), 1026-1030. Available from <http://msj.sagepub.com/cgi/rapidpdf/1352458508093679v1>

3.18.3 Kidney disease

Jo, W, Lee, S, Joo, YS, Nam, KH, Yun, HR, Chang, TI et al (2020). Association of smoking with incident CKD risk in the general population: A community-based cohort study. *PLoS One*, 15(8), e0238111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32853266>

Jones, P, Karim Sulaiman, S, Gamage, KN, Tokas, T, Jamnadass, E, & Somani, BK. (2020). Do lifestyle factors including smoking, alcohol, and exercise impact your risk of developing kidney stone disease? Outcomes of a systematic review. *J Endourol*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32808537>

Ito, K, Maeda, T, Tada, K, Takahashi, K, Yasuno, T, Masutani, K et al (2020). The role of cigarette smoking on new-onset of chronic kidney disease in a Japanese population without prior chronic kidney disease: Iki epidemiological study of atherosclerosis and chronic kidney disease (ISSA-CKD). *Clin Exp Nephrol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32577942>

Jain, RB. (2020). Concentrations of serum cotinine across stages of glomerular function among US adult smokers and nonsmokers. *Environ Sci Pollut Res Int*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32577980>

Lee, S, Kang, S, Joo, YS, Lee, C, Nam, KH, Yun, HR et al (2020). Smoking, smoking cessation, and progression of chronic kidney disease: Results from KNOW-CKD study. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32364601>

Prieto, M, Vicente-Vicente, L, Casanova, AG, Hernandez-Sanchez, MT, Gomez-Marcos, MA, Garcia-Ortiz, L et al. (2020). Designing new diagnostic systems for the early detection of tobacco-associated chronic renal damage in patients of a primary care centre in Salamanca, Spain: an observational, prospective study protocol. *BMJ Open*, 10(3), e032918. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32152160>

Choi, HS, Han, KD, Oh, TR, Kim, CS, Bae, EH, Ma, SK, & Kim, SW. (2019). Smoking and risk of incident end-stage kidney disease in general population: A Nationwide Population-based Cohort Study from Korea. *Sci Rep*, 9(1), 19511. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31862942>

Farhat, A, Jones, IA, Saadat, S, Dornhofer, K, Kong, C, Nguyen, T et al. (2019). The association of smoking with ultrasound-measured kidney dimensions. *Clin Nephrol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31661063>

Mayyas, F, & Alzoubi, KH. (2019). Impact of cigarette smoking on kidney inflammation and fibrosis in diabetic rats. *Inhal Toxicol*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30947565>

Santos, UP. Electronic cigarettes - the new playbook and revamping of the tobacco industry. *J Bras Pneumol*, 2018. 44(5), 345-346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30534856>

Bundy, JD, Bazzano, LA, Xie, D, Cohan, J, Dolata, J, Fink, JC, Hsu, CY, Jamerson, K, Lash, J, Makos, G, Steigerwalt, S, Wang, X, Mills, KT, Chen, J, He, J, Investigators, Cric Study. Self-Reported Tobacco, Alcohol, and Illicit Drug Use and Progression of Chronic Kidney Disease. *Clin J Am Soc Nephrol*, June 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29880471>

Wang, J, Wang, B, Liang, M, Wang, G, Li, J, Zhang, Y, Huo, Y, Cui, Y, Xu, X, Qin, X. Independent and combined effect of bilirubin and smoking on the progression of chronic kidney disease. *Clin Epidemiol*. 2018 Jan 15;10:121-132. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29391834>

Leonberg-Yoo, AK, Rudnick, MR. Tobacco Use: A Chronic Kidney Disease Accelerant. *Am J Nephrol*. 2017 Sep 21;46(4):257-259. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28930748>

Roehm, B, Simoni, J, Pruszynski, J, Wesson, DE. Cigarette Smoking Attenuates Kidney Protection by Angiotensin-Converting Enzyme Inhibition in Nondiabetic Chronic Kidney Disease. *Am J Nephrol*. 2017 Sep 21;46(4):260-267. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28930715>

Aref, A, Sharma, A, Halawa, A. Smoking in Renal Transplantation; Facts Beyond Myth. *World J Transplant*. 2017 Apr 24;7(2):129-133. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28507915>

Drummond, CA, Brewster, PS, He, W, Ren, K, Xie, Y, Tuttle, KR, Haller, ST, Jamerson, K, Dworkin, LD, Cutlip, DE, Murphy, TP, D'Agostino, RB, Sr, Henrich, WL, Tian, J, Shapiro, JI, Cooper, CJ. Cigarette smoking and cardio-renal events in patients with atherosclerotic renal artery stenosis. *PLoS One*. 2017 Mar 17;12(3):e0173562. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28306749>

Australian institute of Health and Welfare. (2017). Chronic kidney disease compendium. Available from: <https://www.aihw.gov.au/reports/chronic-kidney-disease/chronic-kidney-disease-compendium/contents/how-many-australians-have-chronic-kidney-disease>

Australian institute of Health and Welfare. (2017). Geographical variation in chronic kidney disease. Available from: <https://www.aihw.gov.au/reports/chronic-kidney-disease/geographical-variation-ckd/contents/contents>

Hammer, Y, Cohen, E, Levi, A, Krause, I. The Relationship between Cigarette Smoking and Renal Function: A Large Cohort Study. *Isr Med Assoc J*. 2016 Sep;18(9):553-556. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28471605>

Matsumoto, A, Nagasawa, Y, Yamamoto, R, Shinzawa, M, Hasuike, Y, Kuragano, T, Isaka, Y, Nakanishi, T, Iseki, K, Yamagata, K, Tsuruya, K, Yoshida, H, Fujimoto, S, Asahi, K, Moriyama, T, Watanabe, T. The association of alcohol and smoking with CKD in a Japanese nationwide cross-sectional survey. *Hypertens Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28275237>

Nakagawa, N, Hasebe, N. Impact of mild-to-moderate alcohol consumption and smoking on kidney function. *Hypertens Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28381872>

Palatini, P, Fania, C, Mos, L, Mazzer, A, Saladini, F, Casiglia, E. Alcohol Intake More than Doubles the Risk of Early Cardiovascular Events in Young Hypertensive Smokers. *Am J Med*. 2017 Mar 31. pii: S0002-9343(17)30321-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28366424>

Popa, SG, Mota, M, Mihaltan, FD, Popa, A, Munteanu, I, Mota, E, Serafinceanu, C, Guja, C, Hancu, N, Catrinou, D, Lichiardopol, R, Bala, C, Mihai, B, Radulian, G, Roman, G, Timar, R. Associations of smoking with cardiometabolic profile and renal function in a Romanian population-based sample from the PREDATORR cross-sectional study. *Eur J Gen Pract*. 2017 Dec;23(1):164-170. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28595498>

Tamura, K, Dejima, T, Morita, Y, Hirade, S, Wakui, H. Possible combinatorial effects of current smoking and alcohol intake on chronic kidney disease in a Japanese nationwide cross-sectional survey. *Hypertens Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28446808>

Xia, J, Wang, L, Ma, Z, Zhong, L, Wang, Y, Gao, Y, He, L, Su, X. Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies. *Nephrol Dial Transplant*. 2017 Mar 1;32(3):475-487. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28339863>

Van Laecke, S, Van Biesen, W. Smoking and chronic kidney disease: seeing the signs through the smoke? *Nephrol Dial Transplant*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28206611>

Andronesi, AG, Ismail, G, Fetecau, AC, Gherghiceanu, M, Mitroi, G, Harza, MC. Smoking-associated nodular glomerulosclerosis, a rare renal pathology resembling diabetic nephropathy: case report. *Rom J Morphol Embryol*. 2016;57(3):1125-1129. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28002533>

Bansal, N, Katz, R, Robinson-Cohen, C, Odden, MC, Dalrymple, L, Shlipak, MG, Sarnak, MJ, Siscovick, DS, Zelnick, L, Psaty, BM, Kestenbaum, B, Correa, A, Afkarian, M, Young, B, de Boer, IH. Absolute Rates of Heart Failure, Coronary Heart Disease, and Stroke in Chronic Kidney Disease: An Analysis of 3 Community-Based Cohort Studies. *JAMA Cardiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28002548>

Chaker, L, Sedaghat, S, Hoorn, EJ, Elzen, WP, Gussekloo, J, Hofman, A, Ikram, MA, Franco, OH, Dehghan, A, Peeters, RP. The association of thyroid function and the risk of kidney function decline: a population-based cohort study. *Eur J Endocrinol*. 2016 Dec;175(6):653-660. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27926474>

Lan, X, Lederman, R, Eng, JM, Shoshtari, SS, Saleem, MA, Malhotra, A, Singhal, PC. Nicotine Induces Podocyte Apoptosis through Increasing Oxidative Stress. *PLoS One*. 2016 Dec 1;11(12):e0167071. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27907022>

Duvenci Birben, O, Akcay, S, Sezer, S, Sirvan, S, Haberal, M. Effect of smoking on peripheral blood lymphocyte subsets of patients with chronic renal failure. *Exp Clin Transplant*. 2016 Nov;14(Suppl 3):91-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27805522>

Huang, F, Chen, J, Liu, X, Han, F, Cai, Q, Peng, G, Zhang, K, Chen, W, Wang, J, Huang, H. Cigarette smoking reduced renal function deterioration in hypertensive patients may be mediated by elevated homocysteine. *Oncotarget*, Nov 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27852066>

Franceschini, N, Deng, Y, Flessner, MF, Eckfeldt, JH, Kramer, HJ, Lash, JP, Lee, DJ, Melamed, ML, Moncrieft, AE, Ricardo, AC, Rosas, SE, Kaplan, RC, Raij, L, Cai, J. Smoking patterns and chronic kidney disease in US Hispanics: the Hispanics Community Health Study/the Study of Latinos. *Nephrol Dial Transplant*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27257272>

Hall, ME, Wang, W, Okhomin, V, Agarwal, M, Hall, JE, Dreisbach, AW, Juncos, LA, Winniford, MD, Payne, TJ, Robertson, RM, Bhatnagar, A, Young, BA. Cigarette Smoking and Chronic Kidney Disease in African Americans in the Jackson Heart Study. *J Am Heart Assoc.* 2016 May 25;5(6). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27225196>

Plantinga, L, Gander, JC. Intermittent smoking and chronic kidney disease. *Nephrol Dial Transplant*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27235423>

Staplin, N, Haynes, R, Herrington, WG, Reith, C, Cass, A, Fellstrom, B, Jiang, L, Kasiske, BL, Krane, V, Levin, A, Walker, R, Wanner, C, Wheeler, DC, Landray, MJ, Baigent, C, Emberson, J, Group, Sharp Collaborative. Smoking and adverse outcomes in patients with CKD: The study of Heart and Renal Protection (SHARP). *Am J Kidney Dis*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27118687>

Zammit, AR, Katz, MJ, Derby, C, Bitzer, M, Lipton, RB. Metabolic syndrome and smoking are associated with future development of advanced chronic kidney disease in older adults. *Cardiorenal Med*, 2016; 6(2):108-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26989396>

Cha, YJ et al. Smoking-related renal histologic injury in IgA nephropathy patients. *Yonsei Med J*, Jan 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26632403>

Feodoroff, M et al. The impact of smoking on the effect of the rs4972593 genetic variant on end-stage renal disease. *Diabet Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26535560>

Alba, MM et al. Tobacco and end stage renal disease: a multicenter, cross-sectional study in Argentinian Northern Patagonia. *Tob Induc Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26327820>

Chew, B. Correlating stone disease and smoking. *Can Urol Assoc J*, Jul-Aug, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26316910>

Soueidan, M et al. Leisure time physical activity, smoking and risk of recent symptomatic urolithiasis: Survey of stone clinic patients. *Can Urol Assoc J*, Jul-Aug, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26316909>

Raschenberger, J et al. Association of relative telomere length with progression of chronic kidney disease in two cohorts: effect modification by smoking and diabetes. *Scientific reports*, Jul 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26149682>

Regan, T et al. Prevalence and correlates of current smoking among medical oncology outpatients. *Psycho-oncology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26179570>

Tervo, L. et al. Smoking is associated with aggravated kidney injury in Puumala hantavirus-induced haemorrhagic fever with renal syndrome. *Nephrology, Dialysis, Transplantation*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26150428>

Nakamura, K et al. Smoking increases the risk of all-cause and cardiovascular mortality in patients with chronic kidney disease. *Kidney International*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26200944>

Noborisaka, Y, Ishizaki, M, Yamazaki, M, Honda, R, Yamada, Y. Elevated Blood Pressure and Serum gamma -Glutamyltransferase as Significant Characteristics of Smokers With Chronic Kidney Disease. *Nephrourol Mon*, 2014. 6(4), e20746. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25695028>

Elihimas Junior, UF, Elihimas, HC, Lemos, VM, Leao, MD, Sa, MP, Franca, EE et al. Smoking as risk factor for chronic kidney disease: systematic review. *J Bras Nefrol*, 2014. 36(4), 519-528. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25517282>

Halmai, R, Andras Szijarto, I, Feher, E, Fesus, G, Molnar, G, Brasnyo, P et al. Cigarette smoke elicits relaxation of renal arteries. *European Journal of Clinical Investigation*, 2010. 41(2), 195–202. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2362.2010.02386.x/full>

Yacoub, R, Habib, H, Lahdo, A, Al Ali, R, Varjabedian, L, Atalla, G, et al. Association between smoking and chronic kidney disease: a case control study. *BMC Public Health*, 2010. 10(1), 731. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-10-731.pdf>

Yoon, H, Park, M, Yoon, H, Son, K, Cho, B, Kim, S. The differential effect of cigarette smoking on glomerular filtration rate and proteinuria in an apparently healthy population. *Hypertension Research*, 2009. 32(3), 214–219. Available from: <http://www.nature.com/hr/journal/v32/n3/full/hr200837a.html>

3.18.4 Other conditions

Kawahara, T, Ito, H, Yao, M, & Uemura, H. (2020). Impact of smoking habit on overactive bladder symptoms and incontinence in women. *International Journal of Urology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32875688>

Lin, BM, Wang, M, Stankovic, KM, Eavey, R, McKenna, MJ, Curhan, GC, & Curhan, SG. (2020). Cigarette Smoking, Smoking Cessation and Risk of Hearing Loss in Women. *Am J Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32387319>

Kadkhodazadeh, H, Amouzegar, A, Mehran, L, Gharibzadeh, S, Azizi, F, & Tohidi, M. (2020). Smoking status and changes in thyroid-stimulating hormone and free thyroxine levels during a decade of follow-up: The Tehran thyroid study. *Caspian J Intern Med*, 11(1), 47-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32042386>

Wan, JY, Cataby, C, Liem, A, Jeffrey, E, Norden-Krichmar, TM, Goodman, D et al. (2020). Evidence for gene-smoking interactions for hearing loss and deafness in Japanese American families. *Hearing Research*, 387, 107875. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31896498>

Nolan-Kenney, R, Wu, F, Hu, J, Yang, L, Kelly, D, Li, H et al. (2019). The association between smoking and gut microbiome in Bangladesh. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31794002>

Fernandez Atuan, R, Calleja Aguayo, E, Estors Sastre, B, Alvarez Garcia, N, Siles Hinojosa, A, Bragagnini Rodriguez, P, & Gracia Romero, J. (2019). The effects of tobacco consumption on paternity rates of adults with a history of cryptorchidism. *Pediatr Surg Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31712873>

Lee, MJ, Kuehne, N, Hueniken, K, Liang, S, Rai, S, Sorotsky, H et al. (2019). Association of two BRM promoter polymorphisms and smoking status with malignant pleural mesothelioma risk and prognosis. *Mol Carcinog*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31355511>

Agarwal, P, Bagewadi, A, Keluskar, V, & Vinuth, DP. (2019). Superoxide dismutase, glutathione peroxidase, and catalase antioxidant enzymes in chronic tobacco smokers and chewers: A case-control study. *Indian J Dent Res*, 30(2), 219-225. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31169153>

DeSimone, RA, Hayden, JA, Mazur, CA, Vasovic, LV, Sachais, BS, Zhao, Z et al. (2019). Red blood cells donated by smokers: A pilot investigation of recipient transfusion outcomes. *Transfusion*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31074905>

Langsted, A, & Nordestgaard, BG. Smoking is Associated with Increased Risk of Major Bleeding: A Prospective Cohort Study. *Thromb Haemost*, 2019. 119(1), 39-47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30597498>

Mousavi, SM, Schmid, S, Cerny, T, & Fruh, M. Lung cancer and smoking trends in the young in Switzerland: a study based on data of the National Institute for Cancer Epidemiology and Registration and of the Swiss Health Surveys. *Swiss Med Wkly*, 2018; 148, w14708. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30509511>

Fishman, J, Fisher, E, & Hussain, M. Does smoking increase the risk of peritonsillar abscess formation? *J Laryngol Otol*, 2018. 132(10), 857. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30387411>

Huang W, Li D, and Liu Y. Mitochondrial electron transport chain is involved in microcystin-RR induced tobacco BY-2 cells apoptosis. *J Environ Sci (China)*, 2014; 26(9):1930-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25193844>

Prom-Wormley, E et al. Genetic and environmental contributions to the relationships between brain structure and average lifetime cigarette use. *Behavior genetics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25690561>

Song, P et al. Smoking is associated with the incidence of AMS: a large-sample cohort study. *Military Medical Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25722873>

Lee, YH. Assessing the causal association between smoking behavior and risk of gout using a Mendelian randomization study. *Clin Rheumatol*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30003442>

Ayoub, MR, Larrouy-Maestri, P, Morsomme, D. The Effect of Smoking on the Fundamental Frequency of the Speaking Voice. *J Voice*. 2018 May 7. pii: S0892-1997(17)30592-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29748027>

- Ditre, JW, Zale, EL, LaRowe, LR, Kosiba, JD, De Vita, MJ. Nicotine deprivation increases pain intensity, neurogenic inflammation, and mechanical hyperalgesia among daily tobacco smokers. *J Abnorm Psychol*, May 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29781659>
- Inan, M, Salturk, Z, Ayaz, G, Ozdemir, E, Kumral, TL, Berkiten, G, Tutar, B, Sari, H, Uyar, Y. Comparison of the Effects of Cigarette Smoking on Male and Female Vocal Folds. *J Craniofac Surg*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29485564>
- Pezzoli, M, Lofaro, D, Oliva, A, Orione, M, Cupi, D, Albera, A, Bongioannini, G, Albera, R. Effects of Smoking on Eustachian Tube and Hearing. *Int Tinnitus J*. 2017 Dec 1;21(2):98-103. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29336126>
- Wijarnpreecha, K, Boonpheng, B, Thongprayoon, C, Jaruvongvanich, V, Ungprasert, P. Smoking and risk of colonic diverticulosis: A meta-analysis. *J Postgrad Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29067919>
- Wang, D, Wang, Z, Zhou, M, Li, W, He, M, Zhang, X, Guo, H, Yuan, J, Zhan, Y, Zhang, K, Zhou, T, Kong, W, Chen, W. The combined effect of cigarette smoking and occupational noise exposure on hearing loss: evidence from the Dongfeng-Tongji Cohort Study. *Sci Rep*. 2017 Sep 11;7(1):11142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28894203>
- Cohen, O, Tzelnick, S, Galitz, YS, Shoffel-Havakuk, H, Hain, M, Halperin, D, Lahav, Y. Potential Causative Factors for Saccular Disorders: Association with Smoking and Other Laryngeal Pathologies. *J Voice*. 2017 May 2. pii: S0892-1997(16)30507-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28476216>
- Kullmann, FA. A new player in interstitial cystitis/bladder pain syndrome: platelet-activating factor - PAF and its connection to smoking. *Physiol Rep*. 2017 Apr;5(7). pii: e13235. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28408637>
- Ban, J, Takao, Y, Okuno, Y, Mori, Y, Asada, H, Yamanishi, K, Iso, H. Association of cigarette smoking with a past history and incidence of herpes zoster in the general Japanese population: the SHEZ Study. *Epidemiol Infect*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28091339>
- Byeon, H, Lee, D, Cho, S. Relationship between women's smoking and laryngeal disorders based on the urine cotinine test: results of a national population-based survey. *BMJ Open*. 2016 Nov 21;6(11):e012169. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27872114>
- Byeon, H, Lee, D, Cho, S. Association between second-hand smoking and laryngopathy in the general population of South Korea. *PLoS One*. 2016 Nov 18;11(11):e0165337. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27861497>
- Yang, T, Zhang, Y, Wei, J, Zeng, C, Li, LJ, Xie, X, Wang, YL, Xie, DX, Li, H, Yang, C, Lei, GH. Relationship between cigarette smoking and hyperuricemia in middle-aged and elderly population: a cross-sectional study. *Rheumatol Int*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27704161>

de la Monte, SM, Tong, M, Agarwal, AR, Cadenas, E. Tobacco smoke-induced hepatic injury with steatosis, inflammation, and impairments in insulin and insulin-like growth factor signalling. *J Clin Exp Pathol*. 2016 Apr;6(2). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27525191>

Xu, H, Fu, S, Chen, Y, Chen, Q, Gu, M, Wang, Z. Smoking habits and benign prostatic hyperplasia: A systematic review and meta-analysis of observational studies. *Medicine (Baltimore)*. 2016 Aug;95(32):e4565. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27512883>

Khan, AM, Narayanan, VS, Puttabuddi, JH, Chengappa, R, Ambaldhage, VK, Naik, P, Raheel, SA. Comparison of taste threshold in smokers and non-smokers using electrogustometry and fungiform papillae count: a case control study. *J Clin Diagn Res*. 2016 May;10(5):ZC101-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437340>

Martins, RH, Tavares, EL, Pessin, AB. Are vocal alterations caused by smoking in Reinke's edema in women entirely reversible after microsurgery and smoking cessation? *J Voice*. 2016 Jul 21. pii: S0892-1997(16)30115-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27452718>

Masilamani, V et al. Smoking induced hemolysis: spectral and microscopic investigations. *Sci Rep*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26891995>

Chang, J et al. Effect of cigarette smoking and passive smoking on hearing impairment: data from a population-based study. *PLoS One*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26756932>

Madhu, C et al. The functional effects of cigarette smoking in women on the lower urinary tract. *Urol Int*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26452108>

Vinnikov, D et al. Is smoking a predictor for acute mountain sickness? Findings from a meta-analysis. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26419295>

Rogha, M et al. Cigarette smoking effect on human cochlea responses. *Adv Biomed Res*, 2015 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26380233>

Janot, AC et al. Cigarette smoking and male sex are independent and age concomitant risk factors for the development of ocular sarcoidosis in a New Orleans sarcoidosis population. *Sarcoidosis Vasc Diffuse Lung Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26278693>

Davis, MC et al. The clinical significance and reliability of self-reported smoking status in patients with intracranial aneurysms: A review. *Clinical Neurology and Neurosurgery*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26143128>

Durazzo, TC et al. Comparison of regional brain perfusion levels in chronically smoking and non-smoking adults. *International Journal of Environmental Research and Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26193290>

Taylor, FR et al. Tobacco, nicotine, and headache. *Headache*, Jul 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26140522>

Byeon, H. The association between lifetime cigarette smoking and dysphonia in the Korean general population: findings from a national survey. *Peer J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25945309>

Cruickshanks, KJ et al. Smoking, central adiposity, and poor glycemic control increase risk of hearing impairment. *Journal of the American Geriatrics Society*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25953199>

Durazzo, TC et al. Chronic cigarette smoking in healthy middle-aged individuals is associated with decreased regional brain N-acetylaspartate and glutamate level. *Biological Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25979621>

Mishra, A et al. Impact of tobacco usage on disease outcome in myelodysplastic syndromes. *Leukemia Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25934048>

Moyen, NE et al. Forearm cutaneous vascular and sudomotor responses to whole-body passive heat stress in young smokers. *American journal of physiology. Regulatory, Integrative and Comparative Physiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25924880>

Wong, JA, Leventhal, AM. Smoking-related correlates of psychomotor restlessness and agitation in a community sample of daily cigarette smokers. *The American Journal on Addictions*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25864606>

Gegenava, K et al. Influence of smoking on audiological characteristics of hearing function. *Georgian Medical News*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802444>

Goesling,, J et al. Associations between pain, current tobacco smoking, depression, and fibromyalgia status among treatment-seeking chronic pain patients. *Pain Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25801019>

Simberg, S, Udd, H, Santtila, P. Gender differences in the prevalence of vocal symptoms in smokers. *Journal of Voice*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25737476>

Sumit, Af et al. Cigarette smoking causes hearing impairment among Bangladeshi population. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25781179>

Vinnikov, D et al. Smoking increases the risk of acute mountain sickness. *Wilderness & environmental medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25747540>

Vida, S, Richardson, L, Cardis, E, Krewski, D, McBride, M, Parent, ME, et al. Brain tumours and cigarette smoking: analysis of the INTERPHONE Canada case-control study. *Environ Health*, 2014.13, 55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24972852>

Mulligan, JK, Nagel, W, O'Connell, BP, Wentzel, J, Atkinson, C, Schlosser, RJ. Cigarette smoke exposure is associated with vitamin D3 deficiencies in patients with chronic rhinosinusitis. *J Allergy Clin Immunol*, 2014. 134(2), 342-349. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24698317>

Parkerson, HA, Zvolensky, MJ, Asmundson, GJ. Understanding the relationship between smoking and pain. *Expert Rev Neurother*, 2013. 13(12), 1407-1414. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24236905>

Shantakumari, N, Gopakumar, A, Sreedharan, J. The effects of smoking on the hearing status - a hospital based study. *J Clin Diagn Res*, 2013. 7(10), 2416. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24298548>

News reports:

3.18.1 Mental illnesses

Mandal, A. Smokers at greater risk of schizophrenia and psychotic disorders. *News Medical*, 2018. Nov 21, 2018. Available from: <https://www.news-medical.net/news/20181121/Smokers-at-greater-risk-of-schizophrenia-and-psychotic-disorders.aspx#commentblock>

Railton, David. Smoking every day can increase psychosis risk, study finds. *Medical News Today*, 2018. Mar 20, 2018. Available from: <https://www.medicalnewstoday.com/articles/321222.php>

No authors listed. You're twice as likely to develop mental health problems if you smoke, HSE says. *The Journal*, Jan 2018. Available from: <http://www.thejournal.ie/smoking-mental-health-3778944-Jan2018/>

Jones, HJ, Gage, SH, Heron, J, et al. Association of combined patterns of tobacco and cannabis use in adolescence with psychotic experiences. *JAMA Psychiatry*, Jan 2018. Available from: <http://dx.doi.org/10.1001/jamapsychiatry.2017.4271>

Scutti, Susan. Cigarettes and pot linked to teen psychosis. *CNN*, Jan 18, 2018. Available from: <http://edition.cnn.com/2018/01/17/health/cannabis-cigarettes-teens-psychosis-study/index.html>

Haaker, J, Lonsdorf, TB, Schümann, D, Bunzeck, N, Peters, J, Sommer, T and Kalisch, R. Where There is Smoke There is Fear—Impaired Contextual Inhibition of Conditioned Fear in Smokers. *Neuropsychopharmacology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28120933>

Miyauchi, M, Kishida, I, Suda, A, Shiraishi, Y, Fujibayashi, M, Taguri, M, Ishii, C, Ishii, N, Moritani, T and Hirayasu, Y. Long term effects of smoking cessation in hospitalized schizophrenia patients. *BMC Psychiatry*. 2017 Mar 7;17(1):87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28270120>

No authors listed. Aggression disorder linked to greater risk of substance abuse. *Medical News Today*, 2017. Mar 2, 2017. Available from: <http://www.medicalnewstoday.com/releases/316150.php>

Kelland, Kate. New analysis of smoking and schizophrenia suggests causal link. *Reuters*, 2015. July 10, 2015. Available from: <http://uk.reuters.com/article/2015/07/09/us-healthcare-smoking-schizophrenia-idUKKCN0PJ2XV20150709>

3.18.2 Neurological diseases

Shrourou, A. Tobacco smokers may have reduced neuroimmune function compared to nonsmokers. News Medical, 2019. June 26, 2019. Available from: <https://www.news-medical.net/news/20190626/Tobacco-smokers-may-have-reduced-neuroimmune-function-compared-to-nonsmokers.aspx>

Multiple Sclerosis Society. (2018). Briefing on smoking in the UK and specifically in people with MS. Available from London: UK: <https://www.mssociety.org.uk/what-we-do/our-work/our-evidence/smoking-and-ms>

No authors listed. Warning on link between MS and smoking. Evening Express, 2018. Sept 24, 2018. Available from <https://www.eveningexpress.co.uk/news/uk/warning-on-link-between-ms-and-smoking/>

No authors listed. Continued smoking after MS diagnosis associated with accelerated disease progression. Medical News Today, 2015. Available from: <http://www.medicalnewstoday.com/releases/299293.php?tw>

No authors listed. Why does smoking increase your risk of MS? Multiple Sclerosis Research blog, 2017. Nov 16, 2017. Available from: <http://multiple-sclerosis-research.blogspot.com/2017/11/why-does-smoking-increase-your-risk-of.html>

No authors listed. Smoking linked to shorter survival after motor neurone disease diagnosis. Medical News Today, 2016. Sept 22, 2016. Available from: <http://www.medicalnewstoday.com/releases/313047.php>

No authors listed. Continued smoking after MS diagnosis associated with accelerated disease progression. Medical News Today, 2015. Sept 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/299293.php?tw>

No authors listed. Continued smoking after MS diagnosis associated with accelerated disease progression. Medical News Today, 2015. Sept 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/299293.php?tw>

3.18.4 Other conditions

No authors listed. Hearing Loss Joins Long List of Smoking Harms. HealthDay18. Mar 19, 2018. Available from: <https://consumer.healthday.com/disabilities-information-11/hearing-loss-news-352/hearing-loss-joins-long-list-of-smoking-harms-731933.html>

No authors listed. Chronic nicotine exposure could change the structure of the stomach. Medical News Today, 2015. June 16, 2015. Available from: <http://www.medicalnewstoday.com/releases/295441.php?tw>