

Tobacco in Australia

Facts & Issues

Relevant news and research

3.1 Smoking and heart disease

Last updated September 2019

Research:

Amiri, P, Mohammadzadeh-Naziri, K, Abbasi, B, Cheraghi, L, Jalali-Farahani, S, Momenan, AA et al. (2019). Smoking habits and incidence of cardiovascular diseases in men and women: findings of a 12 year follow up among an urban Eastern-Mediterranean population. *BMC Public Health*, 19(1), 1042. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31382950>

Ashraf, T, Afaq, SM, Aziz, R, Khan, MN, Achakzai, AS, Lateef, A et al. (2019). Clinical, Angiographic Characteristics and In-Hospital Outcomes of Smoker and Nonsmoker Patients After Primary Percutaneous Coronary Intervention. *Glob Heart*, 14(3), 335-341. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31451242>

Cheng, X, Ferino, E, Hull, H, Jickling, GC, Ander, BP, Stamova, B, & Sharp, FR. (2019). Smoking affects gene expression in blood of patients with ischemic stroke. *Ann Clin Transl Neurol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31436916>

Dudzinski, DM, & O'Gara, PT. (2019). Association of Cigarette Smoking With Degenerative Aortic Valve Disease. *Circ Cardiovasc Imaging*, 12(8), e009441. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31405291>

Edelman, JJ, & Thourani, VH. (2019). Smoking and TAVR. *J Am Heart Assoc*, 8(16), e013738. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31423873>

Kondo, T, Nakano, Y, Adachi, S, & Murohara, T. (2019). Effects of Tobacco Smoking on Cardiovascular Disease. *Circ J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31462607>

Lee, H, & Son, YJ. (2019). Influence of Smoking Status on Risk of Incident Heart Failure: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. *Int J Environ Res Public Health*, 16(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31362333>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ramotowski, B, Gurbel, PA, Tantry, U, & Budaj, A. (2019). Smoking and cardiovascular diseases - is there more paradox than expected? *Pol Arch Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31418753>

Sultana, R, Nessa, A, Yeasmin, F, Nasreen, S, & Khanam, A. (2019). Study on Blood Pressure in Male Cigarette Smokers. *Mymensingh Med J*, 28(3), 582-585. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31391430>

Trerotola, SO, & Pyeritz, RE. (2019). Persistence of Pulmonary Arteriovenous Malformation after Embolization: Another Reason to Quit Smoking. *Radiology*, 292(3), 771-772. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31364958>

Yamaura, Y, Watanabe, N, Shimaya, M, Tomita, Y, Fukaya, T, & Yoshida, K. (2019). Impact of Cumulative Smoking Exposure on Subclinical Degenerative Aortic Valve Disease in Apparently Healthy Male Workers. *Circ Cardiovasc Imaging*, 12(8), e008901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31405292>

Anadkat, M, & Thanki, A. (2019). Study of Lipid Profile in Chronic Smokers. *J Assoc Physicians India*, 67(4), 11-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31311233>

Banks, E, Joshy, G, Korda, RJ, Stavreski, B, Soga, K, Egger, S et al. (2019). Tobacco smoking and risk of 36 cardiovascular disease subtypes: fatal and non-fatal outcomes in a large prospective Australian study. *BMC Med*, 17(1), 128. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31266500>

Ding, N, Sang, Y, Chen, J, Ballew, SH, Kalbaugh, CA, Salameh, MJ et al. (2019). Cigarette Smoking, Smoking Cessation, and Long-Term Risk of 3 Major Atherosclerotic Diseases. *J Am Coll Cardiol*, 74(4), 498-507. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31345423>

Figueredo, LF, Camila Pedraza-Ciro, M, Sebastian Lopez-McCormick, J, Javier Rueda-Esteban, R, & Armando Mejia-Cordovez, J. (2019). Aneurysmal Subarachnoid Hemorrhage Associated with Small Aneurysms in Smokers and Women: A Retrospective Analysis. *World Neurosurg* X, 4, Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31360917>

Haddad, MM, Bendel, EC, Harmsen, WS, Iyer, VN, & Misra, S. (2019). Smoking Significantly Impacts Persistence Rates in Embolized Pulmonary Arteriovenous Malformations in Patients with Hereditary Hemorrhagic Telangiectasia. *Radiology*, 180978. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31361208>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ironside, N, Chen, CJ, Pucci, J, & Connolly, ES. (2019). Effect of Cigarette Smoking on Functional Outcomes in Patients with Spontaneous Intracerebral Hemorrhage. *J Stroke Cerebrovasc Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31279697>

Nordlund, D, Engblom, H, Bonnet, JL, Hansen, HS, Atar, D, Erlinge, D et al. (2019). Gender but not diabetes, hypertension or smoking affects infarct evolution in ST-elevation myocardial infarction patients - data from the CHILL-MI, MITOCARE and SOCCER trials. *BMC Cardiovasc Disord*, 19(1), 161. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31269907>

Schatlo, B, Gautschi, OP, Friedrich, CM, Ebeling, C, Jagersberg, M, Kulscar, Z et al. (2019). Association of single and multiple aneurysms with tobacco abuse: an @neurIST risk analysis. *Neurosurg Focus*, 47(1), E9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31261132>

Shrivastava, SR, & Shrivastava, PS. (2019). Tobacco and Cardiovascular Diseases: Are We on the Right Track? *Int J Prev Med*, 10, 102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31360349>

Barnes, J, & Krick, S. (2019). How to Detect Tobacco-related Vasculopathy: Are We There Yet? *Ann Am Thorac Soc*, 16(6), 674-675. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31149853>

Chang, WT. (2019). Smoking May Contribute to an Increase of miR-21 and a Worse Outcome in Pulmonary Hypertension. *Acta Cardiol Sin*, 35(3), 350. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31250839>

Fan, M, Lv, J, Yu, C, Guo, Y, Bian, Z, Yang, S et al (2019). Family History, Tobacco Smoking, and Risk of Ischemic Stroke. *J Stroke*, 21(2), 175-183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31161762>

Hara, M, Yakushiji, Y, Suzuyama, K, Nishihara, M, Eriguchi, M, Noguchi, T et al (2019). Synergistic effect of hypertension and smoking on the total small vessel disease score in healthy individuals: the Kashima scan study. *Hypertens Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31182862>

Hina, F, & Aspell, JE. (2019). Altered interoceptive processing in smokers: Evidence from the heartbeat tracking task. *Int J Psychophysiol*, 142, 10-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31152763>

Li, H, Fagerberg, B, Sallsten, G, Borne, Y, Hedblad, B, Engstrom, G et al (2019). Smoking-induced risk of future cardiovascular disease is partly mediated by cadmium in tobacco: Malmo Diet and Cancer Cohort Study. *Environ Health*, 18(1), 56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31200698>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Palmer, J, Lloyd, A, Steele, L, Fotheringham, J, Teare, D, Iqbal, J. & Grech, ED. (2019). Differential Risk of ST-Segment Elevation Myocardial Infarction in Male and Female Smokers. *J Am Coll Cardiol*, 73(25), 3259-3266. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31248546>

Pericot-Valverde, I, Elliott, RJ, Priest, JS, Barret, T, Yoon, JH, Miller, CC et al (2019). Patterns of tobacco use among smokers prior to hospitalization for an acute cardiac event: Use of combusted and non-combusted products. *Prev Med*, 105757. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31254538>

Quintella Farah, B, Silva Rigoni, V L, de Almeida Correia, M, Wolosker, N, Puech-Leao, P, Grizzo Cucato, G, & Ritti-Dias, RM. (2019). Influence of smoking on physical function, physical activity, and cardiovascular health parameters in patients with symptomatic peripheral arterial disease: A cross-sectional study. *J Vasc Nurs*, 37(2), 106-112. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31155156>

Young, JC, Paul, NJ, Karatas, TB, Kondrasov, SA, McGinagle, KL, Crowner, JR et al (2019). Cigarette smoking intensity informs outcomes after open revascularization for peripheral artery disease. *J Vasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31176638>

Ziya Sener, Y, Oksul, M, & Hekimsoy, V. (2019). Smoking Has Effects on MicroRNAs and Pulmonary Hypertension. *Acta Cardiol Sin*, 35(3), 349. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31249467>

Chimura, Y, Daimon, T, & Wakabayashi, I. (2019). Proneness to high blood lipid-related indices in female smokers. *Lipids Health Dis*, 18(1), 113. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31084614>

Cui, J, Drew, RC, Muller, MD, Blaha, C, Gonzalez, V, & Sinoway, LI. (2019). Habitual Cigarette Smoking Raises Pressor Responses to Spontaneous Bursts of Muscle Sympathetic Nerve Activity. *Am J Physiol Regul Integr Comp Physiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31091152>

Fa-Binefa, M, Clara, A, Perez-Fernandez, S, Grau, M, Degano, IR, Marti-Lluch, R et al (2019). Early smoking-onset age and risk of cardiovascular disease and mortality. *Prev Med*, 124, 17-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31054906>

Hou, ZH, Lu, B, Li, ZN, An, YQ, Gao, Y, & Yin, WH. (2019). Coronary Atherosclerotic Plaque Volume Quantified by Computed Tomographic Angiography in Smokers Compared to Nonsmokers. *Acad Radiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31072767>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Igari, K, Kelly, MJ, & Yamanouchi, D. (2019). Cigarette Smoke Extract Activates Tartrate-Resistant Acid Phosphatase-Positive Macrophage. *J Vasc Res*, 1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31064000>

Zehr, KR, Segovia, A, Shah, M, Walsh-Wilcox, MT, Brumbach, BH, Anderson, JR, & Walker, MK. (2019). Associations of medium and long chain omega-3 polyunsaturated fatty acids with blood pressure in Hispanic and non-Hispanic smokers and nonsmokers. *Prostaglandins Leukot Essent Fatty Acids*, 144, 10-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31088622>

Jo, HH, Park, MJ, Shin, HS, Choi, HY, Na, JB, Choi, DS et al. (2019). Adverse effect of cigarette smoking on cross sectional area of small pulmonary vessel and arterial stiffness in healthy smokers without COPD. *Clin Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30916853>

Yuksel, EP, Yuksel, S, Soylu, K, & Aydin, F. (2019). Microvascular abnormalities in asymptomatic chronic smokers: A videocapillaroscopic study. *Microvasc Res*, 124, 51-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30877018>

Barbato, A, D'Elia, L, Perna, L, Molisso, A, Iacone, R, Strazzullo, P, & Galletti, F. Increased Microalbuminuria Risk in Male Cigarette Smokers: Results from the "Olivetti Heart Study" after 8 Years Follow-Up. *Kidney Blood Press Res*, 2019. 44(1), 33-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30808835>

Feistritzer, HJ, Eitel, I, Jobs, A, de Waha-Thiele, S, Stiermaier, T, Abdel-Wahab, M et al. Impact of smoking on cardiac magnetic resonance infarct characteristics and clinical outcome in patients with non-ST-elevation myocardial infarction. *Int J Cardiovasc Imaging*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30771036>

Lim, HJ, Park, JH, Jo, C, Yoon, K, & Koh, YH. Cigarette smoke extracts and cadmium induce COX-2 expression through gamma-secretase-mediated p38 MAPK activation in C6 astroglia cells. *PLoS One*, 2019. 14(2), e0212749. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30794693>

Liu, Z, Xiang, Q, Mu, G, Xie, Q, Zhou, S, Wang, Z et al. The effect of smoking on residual platelet reactivity to clopidogrel: a systematic review and meta-analysis. *Platelets*, 2019.1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30744477>

Synn, AJ, Zhang, C, Washko, GR, San Jose Estepar, R, O'Connor, GT, Li, W et al. Cigarette Smoke Exposure and Radiographic Pulmonary Vascular Morphology in the Framingham Heart Study. *Ann Am Thorac Soc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30714821>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Carroll, AJ, Huffman, MD, Zhao, L, Jacobs, DR, Stewart, JC, Kiefe, CI et al. Evaluating longitudinal associations between depressive symptoms, smoking, and biomarkers of cardiovascular disease in the CARDIA study. *Psychosom Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30624288>

Clark, D, Cain, LR, Blaha, MJ, DeFilippis, AP, Mentz, RJ, Kamimura, D et al. Cigarette Smoking and Subclinical Peripheral Arterial Disease in Blacks of the Jackson Heart Study. *J Am Heart Assoc*, 2019. 8(3), e010674. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30672360>

Etminan, N, Chang, HS, Hackenberg, K, de Rooij, NK, Vergouwen, MDI, Rinkel, GJE, & Algra, A. Worldwide Incidence of Aneurysmal Subarachnoid Hemorrhage According to Region, Time Period, Blood Pressure, and Smoking Prevalence in the Population: A Systematic Review and Meta-analysis. *JAMA Neurol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30659573>

Hecht, EM, Arheart, KL, Lee, DJ, Hennekens, CH, & Hlaing, WM. Interrelationships of Cadmium, Smoking, and Angina in the National Health and Nutrition Examination Survey, a Cross-Sectional Study. *Cardiology*, 2019. 141(4), 177-182. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30699411>

Jung, JG, Wu, LT, Kim, JS, Kim, ED, & Yoon, SJ. Relationship between Smoking and Abdominal Aorta Calcification on Computed Tomography. *Korean J Fam Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30613068>

Lessmann, N, de Jong, PA, Celeng, C, Takx, RAP, Viergever, MA, van Ginneken, B, & Isgum, I. Sex Differences in Coronary Artery and Thoracic Aorta Calcification and Their Association With Cardiovascular Mortality in Heavy Smokers. *JACC Cardiovasc Imaging*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30660540>

Miedema, MD. Assessment of Subclinical Atherosclerosis in Smokers: Does Lower Risk Mean Low Risk? *JACC Cardiovasc Imaging*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30660532>

Ajala, O, Zhang, Y, Gupta, A, Bon, J, Sciurba, F, & Chandra, D. Decreased serum TRAIL is associated with increased mortality in smokers with comorbid emphysema and coronary artery disease. *Respir Med*, 2018. 145, 21-27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30509711>

Bayramoglu, A, Tasolar, H, Bektas, O, Kaya, A, & Gunaydin, ZY. Association between fragmented QRS complexes and left ventricular dysfunction in healthy smokers. *Echocardiography*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30561037>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Boc, V, Bozic Mijovski, M, Pohar Perme, M, & Blinc, A. Diabetes and smoking are more important for prognosis of patients with peripheral arterial disease than some genetic polymorphisms. *Vasa*, 2018. 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30526437>

Hollo, G. No Acute Effect of Smoking on Peripapillary and Macular Vessel Density in Healthy Middle-aged Smokers. *J Glaucoma*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30585938>

Kim, S, Lee, SJ, Kim, YH, Kim, JS, Lim, SY, Kim, SH et al. Irreversible effects of long-term chronic smoking on arterial stiffness: An analysis focusing on ex-smokers among otherwise healthy middle-aged men. *Clin Exp Hypertens*, 2018. 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30582369>

Bae, J, Yi, Y H, Kim, YJ, Lee, JG, Tak, YJ, Lee, SH et al. Time to First Cigarette and the Risk of Hypertension: A Nationwide Representative Study in Korea. *Am J Hypertens*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30452540>

Diaz, AA, Maselli, DJ, Rahaghi, F, Come, CE, Yen, A, Maclean, ES et al. Pulmonary vascular pruning in smokers with bronchiectasis. *ERJ Open Res*, 2018. 4(4). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6250564/pdf/00044-2018.pdf>

Eisenga, MF, Wouters, H, Kieneker, LM, van der Klauw, MM, van der Meer, P, Wolffenbuttel, BHR et al. Active smoking and macrocytosis in the general population: Two population-based cohort studies. *Am J Hematol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30417934>

Gupta, A, Verma, SK, Sharma, R, Parakh, N, Ramakrishnan, S, Roy, A et al. Clinical and angiographic profiles and six months outcomes of smokers with acute ST segment elevation myocardial infarction undergoing primary percutaneous coronary angioplasty. *Indian Heart J*, 70(5), 680-684. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30392506>

Kianoush, S, DeFilippis, AP, Rodriguez, CJ, Rifai, MA, Benjamin, EJ, Hall, ME et al. Race/Ethnicity-Specific Associations between Smoking, Serum Leptin, and Abdominal Fat: The Multi-Ethnic Study of Atherosclerosis. *Ethn Dis*, 2018. 28(4), 531-538. Available from: <https://www.ethndis.org/edonline/index.php/ethndis/article/view/872>

Prescott, E. Smoking and heart failure: A call for action. *Eur J Prev Cardiol*, 2018. 2047487318814979. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30477322>

Aune, D, Schlesinger, S, Norat, T, & Riboli, E. Tobacco smoking and the risk of abdominal aortic aneurysm: a systematic review and meta-analysis of prospective studies. *Sci Rep*, 2018. 8(1), 14786. Available from: <https://spiral.imperial.ac.uk:8443/handle/10044/1/63755>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Aune, D, Schlesinger, S, Norat, T, & Riboli, E. Tobacco smoking and the risk of heart failure: A systematic review and meta-analysis of prospective studies. Eur J Prev Cardiol, 2018.2047487318806658. Available from:

<http://spiral.imperial.ac.uk/bitstream/10044/1/63839/6/s41598-018-32100-2.pdf>

Coutinho Cruz, M, Ilhao Moreira, R, Abreu, A, Timoteo, AT, Sa Carvalho, R, Ferreira, L, & Cruz Ferreira, R. The smoker's paradox in acute coronary syndrome: Is it real? Rev Port Cardiol, 2018. 37(10), 847-855. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30322729>

Donovan, LM, Feemster, LC, Billings, ME, Spece, LJ, Griffith, MF, Rise, PJ et al. Risk of Cardiovascular Disease Related to Smoking Is Greater Among Women With Sleep-Disordered Breathing. J Clin Sleep Med, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30373694>

Li, J, Cui, R, Eshak, ES, Yamagishi, K, Imano, H, Muraki, I et al. Association of cigarette smoking with radial augmentation index: the Circulatory Risk in Communities Study (CIRCS). Hypertens Res, 2018. Available from: <https://www.nature.com/articles/s41440-018-0106-5>

Park, J, Lee, HJKim, SK, Yi, JE, Shin, DG, Lee, JM et al. Smoking aggravates ventricular arrhythmic events in non-ischemic dilated cardiomyopathy associated with a late gadolinium enhancement in cardiac MRI. Sci Rep, 2018. 8(1), 15609. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30353108>

Siemelink, MA, van der Laan, SW, Haitjema, S, van Koeeverden, ID, Schaap, J, Wesseling, M et al. Smoking is Associated to DNA Methylation in Atherosclerotic Carotid Lesions. Circ Genom Precis Med, 2018. 11(9), e002030. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30354327>

Ek, A, Ekblom, O, Hambraeus, K, Cider, A, Kallings, L V, & Borjesson, M. Physical inactivity and smoking after myocardial infarction as predictors for readmission and survival: results from the SWEDEHEART-registry. Clin Res Cardiol, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30167806>

Kodal, JB, Colak, Y, Kobylecki, CJ, Vedel-Krogh, S, Nordestgaard, BG, & Afzal, S. Smoking reduces plasma bilirubin: Observational and genetic analyses in the Copenhagen General Population Study. Nicotine Tob Res, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30202916>

Mutlu, U, Swanson, SA, Klaver, CCW, Hofman, A, Koudstaal, PJ, Ikram, MA, & Ikram, MK. The mediating role of the venules between smoking and ischemic stroke. Eur J Epidemiol, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30182323>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Boehm, RE, Arbo, BD, Leal, D, Hansen, AW, Pulcinelli, RR, Thiesen, FV et al. Smoking fewer than 20 cigarettes per day and remaining abstinent for more than 12 hours reduces carboxyhemoglobin levels in packed red blood cells for transfusion. PLoS One, 2018. 13(9), e0204102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30256832>

Choudhary, MK, Eraranta, A, Tikkakoski, AJ, Bouquin, H, Hautaniemi, EJ, Kahonen, M et al. Effect of present versus previous smoking on non-invasive haemodynamics. Sci Rep, 2018. 8(1), 13643. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30206258>

Golbidi, S, Edvinsson, L, & Laher, I. Smoking and Endothelial Dysfunction. Curr Vasc Pharmacol, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30210003>

Minue-Lorenzo, C, & Olano-Espinosa, E. Tobacco, the forgotten factor in the calculation and approach of cardiovascular risk. Med Clin (Barc), Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30220467>

Roy, A, Rawal, I, Jabbour, S, & Prabhakaran, D. Tobacco and Cardiovascular Disease: A Summary of Evidence. In rd, D. Prabhakaran, S. Anand, T. A. Gaziano, J. C. Mbanya, Y. Wu, & R. Nugent (Eds.), Cardiovascular, Respiratory, and Related Disorders. Washington (DC). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30212086>

Sandesara, PB, Samman-Tahhan, A, Topel, M, Venkatesh, S, & O'Neal, WT. Effect of Cigarette Smoking on Risk for Adverse Events in Patients With Heart Failure and Preserved Ejection Fraction. Am J Cardiol, 2018. 122(3), 400-404. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30201107>

Brennan, DN,, Ungprasert, P, Warrington, KJ, Koster, MJ. Smoking as a risk factor for giant cell arteritis: A systematic review and meta-analysis. Semin Arthritis Rheum, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30093239>

Hammer, A, Steiner, A, Ranaie, G., Yakubov, E, Erbguth, F, Hammer, CM, Killer-Oberpfalzer, M, Steiner, H, Janssen, H. Impact of Comorbidities and Smoking on the Outcome in Aneurysmal Subarachnoid Hemorrhage. Sci Rep. 2018 Aug 17;8(1):12335. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30120370>

Jensen, KP, Valentine, G, Buta, E, DeVito, EE, Gelernter, J, Sofuoglu, M. Biochemical, demographic, and self-reported tobacco-related predictors of the acute heart rate response to nicotine in smokers. Pharmacol Biochem Behav. 2018 Aug 11;173:36-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30107183>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kafadar, D, Dogan, FG, Oren, MM, Ayca, B, Okuyan, E. Association of sociodemographic profile, dyslipidemias, and obesity in smoker, former smoker, and nonsmoker patients with coronary artery disease. Niger J Clin Pract. 2018 Sep;21(9):1190-1197. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30156206>

Lin, MS, Huang, TJ, Lin, YC, Jane, SW, Chen, MY. The association between smoking and cardiometabolic risk among male adults with disabilities in Taiwan. Eur J Cardiovasc Nurs, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30114974>

Parsa, N, Taravatmanesh, S, Trevisan, M, Zaheri, PM. The Mutual Impact of Smoking and Low Cholesterol on All-Cause, Non-Cardiovascular, and Cardiovascular Mortalities in Males. Am J Mens Health. 2018 Aug 23:1557988318795790. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30136632>

Kawada T. Effect of current smoking and blood pressure on cardiovascular events and mortality for workers: Number of events for multivariate analysis to keep validity. J Hypertens, 2013; 31(9):1919-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24107677>

Kochanowicz J, Lewko J, Rutkowski R, Turek G, Sieskiewicz A, et al. Influence of smoking cigarettes on cerebral blood flow parameters. Biol Res Nurs, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24285784>

Kondo T, Osugi S, Shimokata K, Honjo H, Okumura N, et al. Effect of current smoking and blood pressure on cardiovascular events and mortality for workers: Number of events for multivariate analysis to keep validity. Reply. J Hypertens, 2013; 31(9):1920-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24107678>

Recio-Rodriguez JI, Gomez-Marcos MA, Patino Alonso MC, Martin-Cantera C, Ibanez-Jalon E, et al. Association between smoking status and the parameters of vascular structure and function in adults: Results from the evident study. BMC Cardiovasc Disord, 2013; 13:109. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24289208>

Arbel Y, Matetzky S, Gavrielov-Yusim N, Shlezinger M, Keren G, et al. Temporal trends in all-cause mortality of smokers versus non-smokers hospitalized with st-segment elevation myocardial infarction. Int J Cardiol, 2014; 176(1):171-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25065334>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Baumgartner R. Biglycan: Unpuzzling the causal links between tobacco-smoking and atherosclerosis? *Atherosclerosis*, 2014; 237(2):809-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25463125>

Belardi JA. Impact of smoking status in patients with non-st-segment elevation myocardial infarction: The reverse smoker's paradox. *JACC Cardiovasc Interv*, 2014; 7(4):380-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24742943>

Cho JR, Desai B, Haas MJ, Rollini F, Franchi F, et al. Impact of cigarette smoking on p2y12 receptor binding activity before and after clopidogrel therapy in patients with coronary artery disease. *J Cardiovasc Transl Res*, 2014; 7(1):47-52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24357254>

Cornel JH, Ohman EM, Neely B, Clemmensen P, Sritara P, et al. Impact of smoking status on platelet function and clinical outcomes with prasugrel vs. Clopidogrel in patients with acute coronary syndromes managed without revascularization: Insights from the trilogy acs trial. *American Heart Journal*, 2014; 168(1):76-87 e1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24952863>

Dalyai R, Starke RM, Chalouhi N, Theofanis T, Busack C, et al. Smoking is a negative predictor of arteriovenous malformation posttreatment obliteration: Analysis of vascular risk factors in 774 patients. *Neurosurg Focus*, 2014; 37(3):E3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25175441>

Ehteshami-Afshar S, Momenan A, Hajshekhosleslami F, Azizi F, and Hadaegh F. The impact of smoking status on 9.3 years incidence of cardiovascular and all-cause mortality among iranian men. *Ann Hum Biol*, 2014; 41(3):249-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24215537>

Hamrefors V, Hedblad B, Hindy G, Smith JG, Almgren P, et al. Smoking modifies the associated increased risk of future cardiovascular disease by genetic variation on chromosome 9p21. *PLoS ONE*, 2014; 9(1):e85893. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24465769>

Keusch S, Hildenbrand FF, Bollmann T, Halank M, Held M, et al. Tobacco smoke exposure in pulmonary arterial and thromboembolic pulmonary hypertension. *Respiration*, 2014; 88(1):38-45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24853610>

Klempfner R, Goldenberg I, Fisman EZ, Amit U, Haitovich A, et al. Bezafibrate treatment is associated with a reduced rate of re-hospitalization in smokers after acute coronary syndrome. *Cardiol J*, 2014; 21(4):364-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24142677>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kumagai S, Amano T, Takashima H, Waseda K, Kurita A, et al. Impact of cigarette smoking on coronary plaque composition. *Coron Artery Dis*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25171387>

Lapenna D, Ciofani G, Uchino S, Giamberardino MA, Di Ilio C, et al. Reactive aldehyde-scavenging enzyme activities in atherosclerotic plaques of cigarette smokers and nonsmokers. *Atherosclerosis*, 2014; 238(2):190-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528427>

Le-Ha C, Beilin LJ, Burrows S, Oddy WH, Hands B, et al. Gender and the active smoking and high-sensitivity c-reactive protein relation in late adolescence. *J Lipid Res*, 2014; 55(4):758-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24577623>

Lehmann N, Mohlenkamp S, Mahabadi AA, Schmermund A, Roggenbuck U, et al. Effect of smoking and other traditional risk factors on the onset of coronary artery calcification: Results of the heinz nixdorf recall study. *Atherosclerosis*, 2014; 232(2):339-45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24468147>

Liu H, Lee DG, Jung SC, Koo HJ, Kim EH, et al. A study design to evaluate association between smoking and intracranial atherosclerotic stenosis. *Neurointervention*, 2014; 9(2):89-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25426304>

McNally JS, McLaughlin MS, Hinckley PJ, Treiman SM, Stoddard GJ, et al. Intraluminal thrombus, intraplaque hemorrhage, plaque thickness, and current smoking optimally predict carotid stroke. *Stroke*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25406146>

Mearns BM. Risk factors. Cigarettes associated with increased mortality in nste-acs. *Nat Rev Cardiol*, 2014; 11(5):250. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24710498>

MiYang J, HyeonCheol J, Lee K, and Yim J. The acute effect of smoking a single cigarette on vascular status, spo2, and stress level. *Med Sci Monit*, 2014; 20:601-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24727708>

Miyazaki T, Ashikaga T, Ohigashi H, Komura M, Kobayashi K, et al. Impact of smoking on coronary microcirculatory resistance in patients with coronary artery disease. *Int Heart J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25503655>

Mobarrez F, Antoniewicz L, Bosson JA, Kuhl J, Pisetsky DS, et al. The effects of smoking on levels of endothelial progenitor cells and microparticles in the blood of healthy volunteers. *PLoS ONE*, 2014; 9(2):e90314. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24587320>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Park W, Miyachi M, and Tanaka H. Does aerobic exercise mitigate the effects of cigarette smoking on arterial stiffness? *J Clin Hypertens (Greenwich)*, 2014; 16(9):640-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25135246>

Priest JR, Nead KT, Wehner MR, Cooke JP, and Leeper NJ. Self-reported history of childhood smoking is associated with an increased risk for peripheral arterial disease independent of lifetime smoking burden. *PLoS ONE*, 2014; 9(2):e88972. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24558458>

Pujades-Rodriguez M, George J, Shah AD, Rapsomaniki E, Denaxas S, et al. Heterogeneous associations between smoking and a wide range of initial presentations of cardiovascular disease in 1 937 360 people in England: Lifetime risks and implications for risk prediction. *Int J Epidemiol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25416721>

Robertson JO, Ebrahimi R, Lansky AJ, Mehran R, Stone GW, et al. Impact of cigarette smoking on extent of coronary artery disease and prognosis of patients with non-ST-segment elevation acute coronary syndromes: An analysis from the ACUTE trial (acute catheterization and urgent intervention triage strategy). *JACC Cardiovasc Interv*, 2014; 7(4):372-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24630881>

Santos PP, Oliveira F, Ferreira VC, Polegato BF, Roscani MG, et al. The role of lipotoxicity in smoke cardiomyopathy. *PLoS ONE*, 2014; 9(12):e113739. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25462161>

Shemirani H, Tafti FD, and Amirpour A. Comparison of no-reflow phenomenon after percutaneous coronary intervention for acute myocardial infarction between smokers and nonsmokers. *J Res Med Sci*, 2014; 19(11):1068-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25657753>

Sivaraman SK, Zachariah G, and Annamala P. Effect of smoking on metalloproteinases (mmps) activity in patients with acute myocardial infarction (AMI). *J Clin Diagn Res*, 2014; 8(2):27-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24701473>

Spiegel R. Explanations for the 'smoker's paradox' in cardiac resuscitation. *Nat Rev Cardiol*, 2014; 11(9):553. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25072905>

Tai S, Hu X, and Zhou S. Smoking and spontaneous coronary artery dissection: Coincidence or not? *Chin Med J (Engl)*, 2014; 127(11):2200. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24890180>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Xia S and Lin S. Detecting longitudinal effects of haplotypes and smoking on hypertension using b-splines and bayesian lasso. BMC Proc, 2014; 8(Suppl 1 Genetic Analysis Workshop 18 Vanessa Olmo):S85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25519413>

Zhang G, Xu X, Su W, and Xu Q. Smoking and risk of venous thromboembolism: A systematic review. Southeast Asian J Trop Med Public Health, 2014; 45(3):736-45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24974658>

Effect of smoking cessation on cardiovascular events. Nurs Older People, 2015; 27(6):15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26108941>

Aggarwal A, Srivastava S, Agarwal MP, and Dwivedi S. Premature graying of hair: An independent risk marker for coronary artery disease in smokers - a retrospective case control study. Ethiop J Health Sci, 2015; 25(2):123-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26124619>

Aldaham S, Foote JA, Chow HH, and Hakim IA. Smoking status effect on inflammatory markers in a randomized trial of current and former heavy smokers. Int J Inflam, 2015; 2015:439396. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26366318>

Angoulvant D, Villejoubert O, Bejan Angoulvant T, Ivanes F, Etienne CS, et al. Effect of active smoking on comparative efficacy of antithrombotic therapy in patients with atrial fibrillation: The loire valley atrial fibrillation project. Chest, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25812113>

Barua RS, Sharma M, and Dileepan KN. Cigarette smoke amplifies inflammatory response and atherosclerosis progression through activation of the h1r-tlr2/4-cox2 axis. Front Immunol, 2015; 6:572. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26617606>

Bester J, van Rooy MJ, Mbotwe S, Duim W, and Pretorius E. Transient ischemic attack during smoking: The thrombotic state of erythrocytes and platelets illustrated visually. Ultrastruct Pathol, 2015:1-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26691215>

Bolorunduro O, Cushman C, Kapoor D, Alexander K, Cuellar-Silva J, et al. Comparison of coronary atherosclerotic plaque burden and composition of culprit lesions between cigarette smokers and non-smokers by in vivo virtual histology intravascular ultrasound. J Invasive Cardiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25999135>

Buchanan DM, Arnold SV, Gosch KL, Jones PG, Longmore LS, et al. Association of smoking status with angina and health-related quality of life after acute myocardial infarction. Circ Cardiovasc Qual Outcomes, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26307130>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bucholz EM, Beckman AL, Kiefe CI, and Krumholz HM. Smoking status and life expectancy after acute myocardial infarction in the elderly. *Heart*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26596792>

Buljubasic N, Akkerhuis KM, de Boer SP, Cheng JM, Garcia-Garcia HM, et al. Smoking in relation to coronary atherosclerotic plaque burden, volume and composition on intravascular ultrasound. *PLoS ONE*, 2015; 10(10):e0141093. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26491969>

Camplain R, Meyer ML, Tanaka H, Palta P, Agarwal SK, et al. Smoking behaviors and arterial stiffness measured by pulse wave velocity in older adults: The atherosclerosis risk in communities (aric) study. *Am J Hypertens*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26657706>

Carruzzo P, Mean M, Limacher A, Aujesky D, Cornuz J, et al. Association between smoking and recurrence of venous thromboembolism and bleeding in elderly patients with past acute venous thromboembolism. *Thromb Res*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26688323>

Chen CL, Tang JS, Li PC, and Chou PL. Immediate effects of smoking on cardiorespiratory responses during dynamic exercise: Arm vs. Leg ergometry. *Front Physiol*, 2015; 6:376. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26696905>

Chen S, Wu P, Zhou L, Shen Y, Li Y, et al. Relationship between increase of serum homocysteine caused by smoking and oxidative damage in elderly patients with cardiovascular disease. *Int J Clin Exp Med*, 2015; 8(3):4446-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26064368>

Cooke JP. New insights into tobacco-induced vascular disease: Clinical ramifications. *Methodist Debaquey Cardiovasc J*, 2015; 11(3):156-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26634022>

Coskun A, Bulut I, Serteser M, Eren A, Ozseker ZF, et al. Cigarette smoking increases pregnancy-associated plasma protein-a in men. *West Indian Med J*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27399034>

Deflandre E, Degey S, Opsomer N, Brichant JF, and Joris J. Obstructive sleep apnea and smoking as a risk factor for venous thromboembolism events: Review of the literature on the common pathophysiological mechanisms. *Obes Surg*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26694212>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Dinardo CL, Santos HC, Vaquero AR, Martelini AR, Dallan LA, et al. Smoking and female sex: Independent predictors of human vascular smooth muscle cells stiffening. PLoS ONE, 2015; 10(12):e0145062. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26661469>

Erat M, Dogan M, Sunman H, Dinc Asarcikli L, Efe TH, et al. Evaluation of heart rate recovery index in heavy smokers. Anatol J Cardiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27488749>

Fischer F and Kraemer A. Meta-analysis of the association between second-hand smoke exposure and ischaemic heart diseases, copd and stroke. BMC Public Health, 2015; 15:1202. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26627181>

Gac P, Jazwiec P, Mazur G, and Poreba R. Exposure to cigarette smoke and the morphology of atherosclerotic plaques in the extracranial arteries assessed by computed tomography angiography in patients with essential hypertension. Cardiovasc Toxicol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26717923>

Ghahremanfard F, Semnani V, Ghorbani R, Malek F, Behzadfar A, et al. Effects of cigarette smoking on morphological features of platelets in healthy men. Saudi Med J, 2015; 36(7):847-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26108590>

Gutierrez PS, Leite TN, and Mangione FM. Male gender and smoking are related to single, but not to multiple, human aortic aneurysms. Cardiovasc Pathol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26071928>

Handa A, Chadha DS, Singh S, and Singh N. Ortner's syndrome: A rare cause in an elderly smoker. Med J Armed Forces India, 2015; 71(Suppl 1):S178-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26265823>

Hasse B, Tarr PE, Marques-Vidal P, Waeber G, Preisig M, et al. Strong impact of smoking on multimorbidity and cardiovascular risk among human immunodeficiency virus-infected individuals in comparison with the general population. Open Forum Infect Dis, 2015; 2(3):ofv108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26284258>

Ho AL, Lin N, Frerichs KU, and Du R. Smoking and intracranial aneurysm morphology. Neurosurgery, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25839377>

Hu RT, Liu J, Zhou Y, and Hu BL. Association of smoking with restenosis and major adverse cardiac events after coronary stenting: A meta-analysis. Pak J Med Sci, 2015; 31(4):1002-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26430448>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hung MJ, Hsu KH, Chang NC, and Hung MY. Increased numbers of coronary events in winter and spring due to coronary artery spasm: Effect of age, sex, smoking, and inflammation. J Am Coll Cardiol, 2015; 65(18):2047-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25953753>

Huxley R. Risk factors: Smoking and cad-what's plaque got to do with it? Nat Rev Cardiol, 2015; 12(5):265-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25824517>

Ilgenli TF, Tokatli A, Akpinar O, and Kilicaslan F. The effects of cigarette smoking on the tp-e interval, tp-e/qt ratio and tp-e/qtc ratio. Adv Clin Exp Med, 2015; 24(6):973-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26771968>

Jeong YA, Jeong MH, Jeong HC, Ahn Y, Kim YJ, et al. Impact of smoking on clinical outcomes in female patients with acute myocardial infarction. Korean Circ J, 2015; 45(1):22-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25653700>

Kang H, Peng T, Qian Z, Li Y, Jiang C, et al. Impact of hypertension and smoking on the rupture of intracranial aneurysms and their joint effect. Neurol Neurochir Pol, 2015; 49(2):121-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25890927>

Kang SJ, Mintz GS, Witzendichler B, Metzger DC, Rinaldi MJ, et al. Age-related effects of smoking on culprit lesion plaque vulnerability as assessed by grayscale and virtual histology-intravascular ultrasound. Coron Artery Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26018330>

Katsiki N and Kolovou G. Smoking and arterial stiffness. Angiology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26195560>

Kawase Ishihara K, Kokubo Y, Yokota C, Hida E, Miyata T, et al. Effect of plasma fibrinogen, high-sensitive c-reactive protein, and cigarette smoking on carotid atherosclerosis: The suita study. J Stroke Cerebrovasc Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26232890>

Kendzor DE, Finley CE, Barlow CE, Whitehurst TA, Businelle MS, et al. The association of fitness with reduced cardiometabolic risk among smokers. Am J Prev Med, 2015; 48(5):561-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25891055>

Khan M, Monaghan M, Klein N, Ruiz G, and John AS. Associations among depression symptoms with alcohol and smoking tobacco use in adult patients with congenital heart disease. Congenit Heart Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26108339>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kirtane AJ and Kelly CR. Clearing the air on the "smoker's paradox". J Am Coll Cardiol, 2015; 65(11):1116-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25790883>

Klein LW and Gopalakrishnan M. The correlation between cigarette smoking and other risk factors with coronary stenosis composition. J Invasive Cardiol, 2015; 27(8):359-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26232012>

Krzych-Falta E, Modzelewska D, and Samolinski B. Levels of exhaled carbon monoxide in healthy active and passive smokers. Przegl Lek, 2015; 72(3):99-102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26731862>

Langham MC, Zhou Y, Chirico EN, Magland JF, Sehgal CM, et al. Effects of age and smoking on endothelial function assessed by quantitative cardiovascular magnetic resonance in the peripheral and central vasculature. J Cardiovasc Magn Reson, 2015; 17(1):19. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25884943>

Lanza GA, Spera FR, Villano A, Russo G, Di Franco A, et al. Effect of smoking on endothelium-independent vasodilatation. Atherosclerosis, 2015; 240(2):330-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25875383>

Leone A. Toxics of tobacco smoke and cardiovascular system: From functional to cellular damage. Curr Pharm Des, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26234797>

Li Y, Pu G, Chen C, and Yang L. Inhibition of fh1l inhibits cigarette smoke extract-induced proliferation in pulmonary arterial smooth muscle cells. Mol Med Rep, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25975448>

Linneberg A, Jacobsen RK, Skaaby T, Taylor AE, Fluharty ME, et al. Effect of smoking on blood pressure and resting heart rate: A mendelian randomisation meta-analysis in the carta consortium. Circ Cardiovasc Genet, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26538566>

Lymperaki E, Makedou K, Iliadis S, and Vagdatli E. Effects of acute cigarette smoking on total blood count and markers of oxidative stress in active and passive smokers. Hippokratia, 2015; 19(4):293-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27688691>

Martin A and Martin C. Simpson's paradox: Why smoking reduces the risk of dying of cardiovascular disease. Value Health, 2015; 18(7):A383. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26532164>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

McEvoy JW, Blaha MJ, DeFilippis AP, Lima JA, Bluemke DA, et al. Cigarette smoking and cardiovascular events: Role of inflammation and subclinical atherosclerosis: The multiethnic study of atherosclerosis. *Arterioscler Thromb Vasc Biol*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25573855>

McEvoy JW, Nasir K, DeFilippis AP, Lima JA, Bluemke DA, et al. Relationship of cigarette smoking with inflammation and subclinical vascular disease: The multi-ethnic study of atherosclerosis. *Arterioscler Thromb Vasc Biol*, 2015; 35(4):1002-10. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25745060>

McQuillan K, Carr T, Taylor M, Bishop E, and Fearon IM. Examination of the use of human sera as an exposure agent for in vitro studies investigating the effects of cigarette smoking on cellular cardiovascular disease models. *Toxicol In Vitro*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25800949>

Merhi M, Demirdjian S, Hariri E, Sabbah N, Youhanna S, et al. Impact of inflammation, gene variants, and cigarette smoking on coronary artery disease risk. *Inflamm Res*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25902778>

Mons U, Muezzinler A, Gellert C, Schottker B, Abnet CC, et al. Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: Meta-analysis of individual participant data from prospective cohort studies of the chances consortium. *British Medical Journal*, 2015; 350:h1551. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25896935>

Nakanishi R, Berman DS, Budoff MJ, Gransar H, Achenbach S, et al. Current but not past smoking increases the risk of cardiac events: Insights from coronary computed tomographic angiography. *Eur Heart J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666322>

Notara V, Panagiotakos DB, Kouroupi S, Stergiouli I, Kogias Y, et al. Smoking determines the 10-year (2004-2014) prognosis in patients with acute coronary syndrome: The greeks observational study. *Tob Induc Dis*, 2015; 13:38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26609288>

Ochi N, Yoshinaga K, Ito YM, Tomiyama Y, Inoue M, et al. Comprehensive assessment of impaired peripheral and coronary artery endothelial functions in smokers using brachial artery ultrasound and oxygen-15-labeled water pet. *J Cardiol*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26620846>

O'Reilly MA, Millar SR, Buckley CM, Harrington JM, Perry IJ, et al. Smoking as an independent risk factor for macrocytosis in middle-aged adults: A population-based observational study. *Am J Hematol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26096846>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Padilla-Serrano A, Estrella-Palomares V, Martinez-Palacios B, and Gonzalez-Spinola J. A case of massive hemoptysis related to a smoking-history: An acquired form of the dieulafoy's disease? Rev Port Pneumol (2006), 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26227224>

Power MC, Deal JA, Sharrett AR, Jack CR, Jr., Knopman D, et al. Smoking and white matter hyperintensity progression: The aric-mri study. Neurology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25632094>

Rallidis LS, Sakadakis EA, Tympas K, Varounis C, Zolindaki M, et al. The impact of smoking on long-term outcome of patients with premature (≤ 35 years) st-segment elevation acute myocardial infarction. American Heart Journal, 2015; 169(3):356-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25728725>

Rasmussen LD, Helleberg M, May MT, Afzal S, Kronborg G, et al. Myocardial infarction among danish hiv-infected individuals: Population-attributable fractions associated with smoking. Clin Infect Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25595744>

Sangani RG, Ghio AJ, and Parker JE. Pleural plaques in smoking-associated fibrosis and pulmonary asbestosis. Int J Chron Obstruct Pulmon Dis, 2015; 10:869-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25999705>

Schmitt C, Mudie N, Ciorciaro C, and Gaudreault J. Absence of pharmacodynamic interaction between inclacumab and heparin in healthy smokers. J Cardiovasc Pharmacol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25602360>

Skeie E, Strand E, Pedersen ER, Bjorndal B, Bohov P, et al. Circulating b-vitamins and smoking habits are associated with serum polyunsaturated fatty acids in patients with suspected coronary heart disease: A cross-sectional study. PLoS ONE, 2015; 10(6):e0129049. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26039046>

Song W, Wang W, Dou LY, Wang Y, Xu Y, et al. The implication of cigarette smoking and cessation on macrophage cholesterol efflux in coronary artery disease patients. J Lipid Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25601961>

Sotoda Y, Hirooka S, Orita H, and Wakabayashi I. Recent knowledge of smoking and peripheral arterial disease in lower extremities. Nihon Eiseigaku Zasshi, 2015; 70(3):211-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26411939>

Stallones RA. The association between tobacco smoking and coronary heart disease. Int J Epidemiol, 2015; 44(3):735-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26174518>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Steele L, Lloyd A, Fotheringham J, Sultan A, Iqbal J, et al. A retrospective cross-sectional study on the association between tobacco smoking and incidence of st-segment elevation myocardial infarction and cardiovascular risk factors. *Postgrad Med J*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26265789>

Steenaaard RV, Ligthart S, Stolk L, Peters MJ, van Meurs JB, et al. Tobacco smoking is associated with methylation of genes related to coronary artery disease. *Clin Epigenetics*, 2015; 7(1):54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26015811>

Sun Y, Yu X, Zhi Y, Geng S, Li H, et al. Influence of cigarette smoking on burden and characteristics of coronary artery plaques in chinese men. *Zhonghua Minguo Xin Zang Xue Hui Za Zhi*, 2015; 31(5):398-405. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27122899>

Teramoto M, Moonie S, Cross CL, Chino M, and Alpert PT. Association of leisure-time physical activity to cardiovascular disease prevalence in relation to smoking among adult nevadans. *PLoS ONE*, 2015; 10(5):e0128424. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26010914>

Vlachopoulos C, Aznaouridis K, Bratsas A, Ioakeimidis N, Dima I, et al. Arterial stiffening and systemic endothelial activation induced by smoking: The role of cox-1 and cox-2. *Int J Cardiol*, 2015; 189:293-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25919966>

Xia N, Liu Y, Zhong M, Zhuge Q, Fan L, et al. Smoking associated with increased aneurysm size in patients with anterior communicating artery aneurysms. *World Neurosurg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26732962>

Yahagi K, Joner M, and Virmani R. Impact of smoking on coronary heart disease: Is there a smoker's paradox? *Coron Artery Dis*, 2015; 26(6):466-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26217891>

Yang D, Iyer S, Gardener H, Della-Morte D, Crisby M, et al. Cigarette smoking and carotid plaque echodensity in the northern manhattan study. *Cerebrovasc Dis*, 2015; 40(3-4):136-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26227885>

Yano M, Miura SI, Shiga Y, Miyase Y, Suematsu Y, et al. Association between smoking habits and severity of coronary stenosis as assessed by coronary computed tomography angiography. *Heart Vessels*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26187325>

Yi M, Chun EJ, Lee MS, Lee J, and Choi SI. Coronary ct angiography findings based on smoking status: Do ex-smokers and never-smokers share a low probability of developing coronary atherosclerosis? *Int J Cardiovasc Imaging*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26259628>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zhang YJ, Iqbal J, van Klaveren D, Campos CM, Holmes DR, et al. Smoking is associated with adverse clinical outcomes in patients undergoing revascularization with pci or cabg: The syntax trial at 5-year follow-up. J Am Coll Cardiol, 2015; 65(11):1107-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25790882>

Zingg S, Collet TH, Locatelli I, Nanchen D, Depairon M, et al. Associations between cardiovascular risk factors, inflammation, and progression of carotid atherosclerosis among smokers. Nicotine Tob Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26574552>

Bailey SJ, Blackwell JR, Wylie LJ, Holland T, Winyard PG, et al. Improvement in blood pressure after short-term inorganic nitrate supplementation is attenuated in cigarette smokers compared to non-smoking controls. Nitric Oxide, 2016; 61:29-37. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27744007>

Basson J, Sung YJ, de Las Fuentes L, Schwander KL, Vazquez A, et al. Three approaches to modeling gene-environment interactions in longitudinal family data: Gene-smoking interactions in blood pressure. Genet Epidemiol, 2016; 40(1):73-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26625943>

Bastos-Amador P, Almendro-Delia M, Munoz-Calero B, Blanco-Ponce E, Recio-Mayoral A, et al. The tobacco paradox in acute coronary syndrome. The prior cessation of smoking as a marker of a better short-term prognosis. Rev Clin Esp, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27118137>

Bibli SI, Andreadou I, Glynos C, Chatzianastasiou A, Toumpanakis D, et al. Exposure to cigarette smoke abrogates the beneficial effect of ischemic postconditioning. Am J Physiol Heart Circ Physiol, 2016; 311(5):H1321-H32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27694220>

Bibli SI, Andreadou I, Glynos C, Chatzianastasiou A, Toumpanakis D, et al. Exposure to cigarette smoke abrogates the beneficial effect of ischemic postconditioning. Am J Physiol Heart Circ Physiol, 2016;ajpheart 00925 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27694220>

Bowman JS, 3rd. Symptoms in smokers with preserved pulmonary function. New England Journal of Medicine, 2016; 375(9):895. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27579644>

Carroll AJ, Carnethon MR, Liu K, Jacobs DR, Colangelo LA, et al. Interaction between smoking and depressive symptoms with subclinical heart disease in the coronary artery risk development in young adults (cardia) study. Health Psychol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736150>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Carroll AJ, Labarthe DR, Huffman MD, and Hitsman B. Global tobacco prevention and control in relation to a cardiovascular health promotion and disease prevention framework: A narrative review. *Prev Med*, 2016; 93:189-97. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27717667>

Chen SL, Whealon MD, Kabutey NK, Kuo IJ, and Fujitani RM. Outcomes of open and endovascular lower extremity revascularization in current smokers with intermittent claudication and critical limb ischemia. *J Vasc Surg*, 2016; 64(2):542. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27763293>

Cheng J, Pike D, Chow TW, Kirby M, Parraga G, et al. Three-dimensional ultrasound measurements of carotid vessel wall and plaque thickness and their relationship with pulmonary abnormalities in ex-smokers without airflow limitation. *Int J Cardiovasc Imaging*, 2016; 32(9):1391-402. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27342610>

Choi BG, Rha SW, Park T, Choi SY, Byun JK, et al. Impact of cigarette smoking: A 3-year clinical outcome of vasospastic angina patients. *Korean Circ J*, 2016; 46(5):632-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27721853>

Chung CP, Chang FC, Huang HC, Tsai JY, and Lin YY. Impacts of cigarette smoking and basilar artery flow on 1-year recovery in 3-month survivors of intracranial vertebrobasilar artery dissection-related ischemic stroke. *Acta Neurol Taiwan*, 2016; 25(3):75-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27854084>

Delgado GE, Siekmeier R, Marz W, and Kleber ME. Adiponectin and mortality in smokers and non-smokers of the ludwigshafen risk and cardiovascular health (luric) study. *Adv Exp Med Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27358181>

Elkhader BA, Abdulla AA, and Ali Omer MA. Correlation of smoking and myocardial infarction among sudanese male patients above 40 years of age. *Pol J Radiol*, 2016; 81:138-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27081418>

Faarvang AS, Rordam Preil SA, Nielsen PS, Beck HC, Kristensen LP, et al. Smoking is associated with lower amounts of arterial type i collagen and decorin. *Atherosclerosis*, 2016; 247:201-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26926600>

Franssen FM, Soriano JB, Roche N, Bloomfield PH, Brusselle G, et al. Lung function abnormalities in smokers with ischemic heart disease. *Am J Respir Crit Care Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27442601>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Fuernau G, Eitel I, and Thiele H. Smoke over myocardial infarction: Cigarettes and reperfusion injury. Eur Heart J, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27143781>

Gennaro G, Brener SJ, Redfors B, Kirtane AJ, Genereux P, et al. Effect of smoking on infarct size and major adverse cardiac events in patients with large anterior st-elevation myocardial infarction (from the infuse-ami trial). Am J Cardiol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27553094>

Gordon P and Flanagan P. Smoking: A risk factor for vascular disease. J Vasc Nurs, 2016; 34(3):79-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27568314>

Hatanaka Y, Shimokata K, Osugi S, and Kaneko N. Impact of drinking and smoking habits on cerebrovascular disease risk among male employees. Sangyo Eiseigaku Zasshi, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27488512>

He Y, Bai XJ, Li FX, Fan LH, Ren J, et al. Resistin may be an independent predictor of subclinical atherosclerosis for male smokers. Biomarkers, 2016;1-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27775434>

Hecht EM, Arheart KL, Lee DJ, Hennekens CH, and Hlaing WM. Interrelation of cadmium, smoking, and cardiovascular disease (from the national health and nutrition examination survey). Am J Cardiol, 2016; 118(2):204-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27316775>

Huang B, Svensson P, Arnlov J, Sundstrom J, Lind L, et al. Effects of cigarette smoking on cardiovascular-related protein profiles in two community-based cohort studies. Atherosclerosis, 2016; 254:52-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27684606>

Johnson C, Giles JT, Bathon J, Lederer D, Hoffman EA, et al. Smoking and subclinical atherosclerosis in a multi-ethnic study of atherosclerosis. PLoS ONE, 2016; 11(4):e0153024. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27050433>

Kawada T. Smoking, systolic blood pressure, fasting plasma glucose and progression of carotid atherosclerosis. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26783295>

Keto J, Ventola H, Jokelainen J, Linden K, Keinanen-Kiukkaanniemi S, et al. Cardiovascular disease risk factors in relation to smoking behaviour and history: A population-based cohort study. Open Heart, 2016; 3(2):e000358. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27493759>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kim YG and Suh JW. Reply: Cigarette smoking, clopidogrel responsiveness, and hemoglobin level. JACC Cardiovasc Interv, 2016; 9(22):2364-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27884366>

Kizmaz M, Marakoglu K, Kiyici A, and Ay E. Plasma netrin-1 levels significantly increase in smokers. Clin Biochem, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26944719>

Kodaira M, Miyata H, Numasawa Y, Ueda I, Maekawa Y, et al. Effect of smoking status on clinical outcome and efficacy of clopidogrel in acute coronary syndrome. Circ J, 2016; 80(7):1590-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27245240>

Kokubo Y, Watanabe M, Higashiyama A, Nakao YM, Watanabe T, et al. [op.7a.02] a combination of smoking and metabolic syndrome increased the risk of incident atrial fibrillation: The suite study. J Hypertens, 2016; 34 Suppl 2:e82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27508811>

Korja M, Lehto H, Juvela S, and Kaprio J. Incidence of subarachnoid hemorrhage is decreasing together with decreasing smoking rates. Neurology, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27521438>

Kruger R, Mothae M, and Smith W. Yia 03-07 reactive oxygen species adversely relates to early vascular changes and arterial stiffness in black normotensive smokers: The african-predict study. J Hypertens, 2016; 34 Suppl 1:e205-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27642949>

Kwon Y, Norby FL, Jensen PN, Agarwal SK, Soliman EZ, et al. Association of smoking, alcohol, and obesity with cardiovascular death and ischemic stroke in atrial fibrillation: The atherosclerosis risk in communities (aric) study and cardiovascular health study (chs). PLoS ONE, 2016; 11(1):e0147065. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26756465>

Leary PJ. Causality, correlation, and cardiac disease: Does smoking cause cardiac hypertrophy and diastolic dysfunction? Circ Cardiovasc Imaging, 2016; 9(9):e005441. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27625350>

Lee JW, Park HA, Kwon OK, Jang YG, Kim JY, et al. Asiatic acid inhibits pulmonary inflammation induced by cigarette smoke. Int Immunopharmacol, 2016; 39:208-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27494684>

Lindbohm JV, Kaprio J, Jousilahti P, Salomaa V, and Korja M. Sex, smoking, and risk for subarachnoid hemorrhage. Stroke, 2016; 47(8):1975-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27444257>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Lubin JH, Couper D, Lutsey PL, Woodward M, Yatsuya H, et al. Risk of cardiovascular disease from cumulative cigarette use and the impact of smoking intensity. *Epidemiology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26745609>

Lubin JH, Couper D, Lutsey PL, and Yatsuya H. Synergistic and non-synergistic associations for cigarette smoking and non-tobacco risk factors for cardiovascular disease incidence in the atherosclerosis risk in communities (aric) study. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27651477>

Lui MM, Mak JC, Lai AY, Hui CK, Lam JC, et al. The impact of obstructive sleep apnea and tobacco smoking on endothelial function. *Respiration*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26784019>

Mixson JD and Brothers TE. Revascularization of smokers with claudication is not predicted to limit quality of life despite a higher risk of late failure. *J Vasc Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27687324>

Nance R, Delaney J, McEvoy JW, Blaha MJ, Burke G, et al. Smoking intensity [pack/day] is a better measure than pack-years or smoking status for modeling cardiovascular disease outcomes. *J Clin Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27769836>

Norioka N, Takemoto Y, Kobayashi M, Makuuchi A, Yoshikawa J, et al. Low-flow mediated constriction incorporated indices as indicators of cardiovascular risk in smokers. *Atherosclerosis*, 2016; 251:132-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27318833>

Ohta Y, Kawano Y, Hayashi S, Iwashima Y, Yoshihara F, et al. Effects of cigarette smoking on ambulatory blood pressure, heart rate, and heart rate variability in treated hypertensive patients. *Clin Exp Hypertens*, 2016; 38(6):510-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27391795>

Opstad TB, Brusletto BS, Arnesen H, Pettersen AA, and Seljeflot I. Cigarette smoking represses expression of cytokine il-12 and its regulator mir-21-an observational study in patients with coronary artery disease. *Immunobiology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27765464>

Park JM, Chang KH, Park KH, Choi SJ, Lee K, et al. Differential effects between cigarette total particulate matter and cigarette smoke extract on blood and blood vessel. *Toxicol Res*, 2016; 32(4):353-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27818738>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Piccolo R, Galasso G, Eitel I, Dominguez-Rodriguez A, Iversen AZ, et al. Pooled analysis comparing the efficacy of intracoronary versus intravenous abciximab in smokers versus nonsmokers undergoing primary percutaneous coronary revascularization for acute st-elevation myocardial infarction. Am J Cardiol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756477>

Pini A, Boccalini G, Baccari MC, Becatti M, Garella R, et al. Protection from cigarette smoke-induced vascular injury by recombinant human relaxin-2 (serelaxin). J Cell Mol Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26915460>

Pocnet C, Antonietti JP, Strippoli MF, Glaus J, Rossier J, et al. Personality, tobacco consumption, physical inactivity, obesity markers, and metabolic components as risk factors for cardiovascular disease in the general population. Psychol Health Med, 2016:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27806629>

Rabkin SW. The effect of nicotine and tobacco on aortic matrix metalloproteinases in the production of aortic aneurysm. Curr Vasc Pharmacol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27363715>

Rahaghi FN, Wells JM, Come CE, De La Bruere IA, Bhatt SP, et al. Arterial and venous pulmonary vascular morphology and their relationship to findings in cardiac magnetic resonance imaging in smokers. J Comput Assist Tomogr, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27636250>

Rallidis LS and Pavlakis G. The fundamental importance of smoking cessation in those with premature st-segment elevation acute myocardial infarction. Curr Opin Cardiol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27428006>

Rani B, Chaturvedi M, and Singh O. Epidemiological correlates of smoking and alcohol addiction in increasing prevalence of hypertension in persons aged ≥ 45 years. J Assoc Physicians India, 2016; 64(1):114. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27728372>

Reinstadler SJ, Eitel C, Fuernau G, de Waha S, Desch S, et al. Association of smoking with myocardial injury and clinical outcome in patients undergoing mechanical reperfusion for st-elevation myocardial infarction. Eur Heart J Cardiovasc Imaging, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26976354>

Saad M, Fuernau G, Desch S, Eitel I, Jung C, et al. "Smoker's paradox" in patients with cardiogenic shock complicating myocardial infarction - a substudy of the iabp-shock ii-trial and registry. Int J Cardiol, 2016; 222:775-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27521557>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Saini S, Saxena Y, and Gupta R. Arterial compliance and autonomic functions in adult male smokers. J Clin Diagn Res, 2016; 10(5):CC12-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437209>

Sandvei MS and Sen S. Subarachnoid hemorrhage: Another reason not to smoke. Neurology, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27521429>

Santos AP, Ramos D, Oliveira GM, Santos AA, Freire AP, et al. Influence of smoking consumption and nicotine dependence degree in cardiac autonomic modulation. Arq Bras Cardiol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27142649>

Schwarz V, Bachelier K, Schirmer SH, Werner C, Laufs U, et al. Red wine prevents the acute negative vascular effects of smoking. Am J Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27633722>

Schwarz V, Bachelier K, Schirmer SH, Werner C, Laufs U, et al. Corrigendum to "red wine prevents the acute negative vascular effects of smoking". Am J Med, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27852510>

Selya AS, Oancea SC, and Thapa S. Time to first cigarette, a proxy of nicotine dependence, increases the risk of pulmonary impairment, independently of current and lifetime smoking behavior. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26729736>

Siasos G, Kioufis S, Oikonomou E, Zaromitidou M, Maniatis K, et al. Impact of c34t p2y12 adp receptor polymorphism and smoking status on cardiovascular outcome in coronary artery disease patients receiving clopidogrel. Int J Cardiol, 2016; 210:161-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26950170>

Sibbing D and Gross L. Smoking and clopidogrel response revisited: Hemoglobin levels explaining the smoker's paradox. JACC Cardiovasc Interv, 2016; 9(16):1691-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27539688>

Song Y, Shan Z, Luo C, Kang C, Yang Y, et al. Glutathione s-transferase t1 (gstt1) null polymorphism, smoking, and their interaction in coronary heart disease: A comprehensive meta-analysis. Heart Lung Circ, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27686690>

Soong A, Navas-Acien A, Pang Y, Lopez MJ, Garcia-Esquinas E, et al. A cross-sectional study of tobacco advertising, promotion, and sponsorship in airports across europe and the united states. Int J Environ Res Public Health, 2016; 13(10). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27690072>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Symons R, Masci PG, Francone M, Claus P, Barison A, et al. Impact of active smoking on myocardial infarction severity in reperfused st-segment elevation myocardial infarction patients: The smoker's paradox revisited. Eur Heart J, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26804461>

Takano M, Naka R, Sasaki Y, Nishimoto S, and Yumoto R. Effect of cigarette smoke extract on p-glycoprotein function in primary cultured and newly developed alveolar epithelial cells. Drug Metab Pharmacokinet, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27836711>

Tong X, Wang C, Liao X, Pan Y, Yan H, et al. Smoking-thrombolysis relationship depends on ischemic stroke subtype. Stroke, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27222526>

Wakabayashi I. Relationship between smoking and cardiometabolic index in middle-aged men. Clin Lab, 2016; 62(6):1045-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27468566>

Wakabayashi I and Daimon T. Associations between hypo-hdl cholesterolemia and cardiometabolic risk factors in middle-aged men and women: Independence of habitual alcohol drinking, smoking and regular exercise. Obes Res Clin Pract, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27397794>

Wang J, Zhao L, Wei J, Zhang S, Chen N, et al. Comparison of various strategies for the prognosis and outcomes of ischaemic dilated cardiomyopathy in smokers: Complete revascularisation and smoking cessation produces a superior outcome. Heart Lung Circ, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27743853>

Wang W, Shen G, Shahar E, Bidulescu A, Kimberly WT, et al. Forced expiratory volume in the first second and aldosterone as mediators of smoking effect on stroke in african americans: The jackson heart study. J Am Heart Assoc, 2016; 5(1). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26819252>

Wang XD, Li F, Ma DB, Deng X, Zhang H, et al. Periostin mediates cigarette smoke extract-induced proliferation and migration in pulmonary arterial smooth muscle cells. Biomed Pharmacother, 2016; 83:514-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27434868>

Wise J. Female smokers are at highest risk for brain bleeds, study shows. British Medical Journal, 2016; 354:i4077. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27450554>

Yadav M, Genereux P, Redfors B, Madhavan M, Kirtane A, et al. Tct-322 the smoker's paradox revisited: A 5-year patient-level pooled analysis of 17 randomized controlled trials. J Am Coll Cardiol, 2016; 68(18S):B133. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27969669>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zhang M, Liu X, Wang L, Wang Y, Ju L, et al. Cigarette smoking might weaken the prognostic significance of cytochrome p450 2c19*2 polymorphism in acute myocardial infarction patients. J Cell Mol Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27072325>

Zhang Y, Zhang W, Edvinsson L, and Xu CB. Lipid-soluble cigarette smoke particles induced vascular endothelin type a receptor up-regulation through activation of erk1/2 signal pathways. Basic Clin Pharmacol Toxicol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27731935>

Zhao J, Leung JY, Lin SL, and Mary Schooling C. Cigarette smoking and testosterone in men and women: A systematic review and meta-analysis of observational studies. Prev Med, 2016; 85:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26763163>

Zhu W, Guo L, and Hong K. Relationship between smoking and adverse outcomes in patients with atrial fibrillation: A meta-analysis and systematic review. Int J Cardiol, 2016; 222:289-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27500755>

Zhu W, Yuan P, Shen Y, Wan R, and Hong K. Association of smoking with the risk of incident atrial fibrillation: A meta-analysis of prospective studies. Int J Cardiol, 2016; 218:259-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27236125>

Zingg S, Collet TH, and Rodondi N. Response to tomoyuki kawada, md: Smoking, systolic blood pressure, fasting plasma glucose and progression of carotid atherosclerosis. Nicotine Tob Res, 2016; 18(7):1681. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27611308>

Association between smoking and serum glyca and high-sensitivity c-reactive protein levels: The multi-ethnic study of atherosclerosis (mesa) and brazilian longitudinal study of adult health (elsa-brasil). J Am Heart Assoc, 2017; 6(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29197831>

Adunmo GO, Adesokan AA, Desalu OO, Biliaminu SA, and Adunmo EO. Novel cardiovascular risk markers in nigerian cigarette smokers. Int J Appl Basic Med Res, 2017; 7(3):160-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28904914>

Alani A, Luo Y, Nakanishim R, Matsumoto S, and Budoff MJ. Coronary artery-positive remodeling in current smokers. Coron Artery Dis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28984636>

Andersson EM, Fagerberg B, Sallsten G, Borne Y, Hedblad B, et al. The association between tobacco smoking and atherosclerotic plaques in the carotid artery is partly mediated by cadmium exposure. Am J Epidemiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29020130>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Attard R, Dingli P, Doggen CJM, Cassar K, Farrugia R, et al. The impact of passive and active smoking on inflammation, lipid profile and the risk of myocardial infarction. *Open Heart*, 2017; 4(2):e000620. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28878948>

Bodin F, McIntyre KM, Schwartz JE, McKinley PS, Cardetti C, et al. The association of cigarette smoking with high frequency heart rate variability: An ecological momentary assessment study. *Psychosom Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28731984>

Buis DR and Batjer HH. Aneurysm rupture: Another reason to abstain from smoking. *Neurology*, 2017; 89(13):1320-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28855410>

Burke GM, Genuardi M, Shappell H, D'Agostino RB, Sr., and Magnani JW. Temporal associations between smoking and cardiovascular disease, 1971 to 2006 (from the framingham heart study). *Am J Cardiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28865894>

Can A, Castro VM, Ozdemir YH, Dagen S, Yu S, et al. Association of intracranial aneurysm rupture with smoking duration, intensity, and cessation. *Neurology*, 2017; 89(13):1408-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28855408>

Dasenbrock HH, Rudy RF, Rosalind Lai PM, Smith TR, Frerichs KU, et al. Cigarette smoking and outcomes after aneurysmal subarachnoid hemorrhage: A nationwide analysis. *J Neurosurg*, 2017:1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29076779>

Del Bo C, Deon V, Campolo J, Lanti C, Parolini M, et al. A serving of blueberry (v. *Corymbosum*) acutely improves peripheral arterial dysfunction in young smokers and non-smokers: Two randomized, controlled, crossover pilot studies. *Food Funct*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29019364>

Diaz-Peromingo JA, Macia-Rodriguez C, Alende-Castro V, Paez-Guillan E, Garcia-Villafranca A, et al. Comorbidity and sex differences among patients with ischemic heart disease currently smokers. *Atherosclerosis*, 2017; 263:e172. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365670>

Fu S, Wu Q, Luo L, and Ye P. Relationships of drinking and smoking with peripheral arterial stiffness in chinese community-dwelling population without symptomatic peripheral arterial disease. *Tob Induc Dis*, 2017; 15:39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29089863>

Gao K, Shi X, and Wang W. The life-course impact of smoking on hypertension, myocardial infarction and respiratory diseases. *Sci Rep*, 2017; 7(1):4330. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28659608>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Guzeldulger Ugur MSD, Kutlu RPD, and Kilinc IAPD. The effects of smoking on vascular endothelial growth factor and inflammation markers: A case-control study. Clin Respir J, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29243879>

Hirano ACG, Targueta EP, Ferraz de Campos FP, Martines J, Andrade D, et al. Severe pulmonary hypertension due to combined pulmonary fibrosis and emphysema: Another cause of death among smokers. Autops Case Rep, 2017; 7(2):15-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28740835>

Imtiaz Ahmad M, Mosley CD, O'Neal WT, Judd SE, McClure LA, et al. Smoking and risk of atrial fibrillation in the reasons for geographic and racial differences in stroke (regards) study. J Cardiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28886993>

Inao K, Hirai T, Nakagawa K, Numa S, Ohara K, et al. Transesophageal echocardiographic thromboembolic risk is associated with smoking status in patients with atrial fibrillation. J Arrhythm, 2017; 33(6):613-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29255510>

Ioakeimidis N, Vlachopoulos C, and Tousoulis D. Smoking impairs vagal modulation in old persons: The more we age, the more we learn. Hellenic J Cardiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29056559>

Iwanicka J, Iwanicki T, Niemiec P, Nowak T, Krauze J, et al. Relationship between rs854560 pon1 gene polymorphism and tobacco smoking with coronary artery disease. Dis Markers, 2017; 2017:1540949. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29118461>

Jain RB. Impact of smoking on the observed levels of apolipoprotein b: Data from nhanes 2007-2012. Environ Toxicol Pharmacol, 2017; 53:227-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28672200>

Jang DJ, Kim HC, Kim JK, Jung SY, and Kim DY. Effects of habitual smoking on cardiopulmonary function in taekwondo athletes. J Exerc Rehabil, 2017; 13(6):711-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29326904>

Jubinville E, Talbot M, Berube JC, Hamel-Augier M, Maranda-Robitaille M, et al. Interplay between cigarette smoking and pulmonary reverse lipid transport. Eur Respir J, 2017; 50(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28889112>

Kim BJ, Han JM, Kang JG, Kim BS, and Kang JH. The association between self-reported versus nicotine metabolite-confirmed smoking status and coronary artery calcification. Coron Artery Dis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28984635>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kim BJ, Han JM, Kang JG, Rhee EJ, Kim BS, et al. Relationship of cotinine-verified and self-reported smoking status with metabolic syndrome in 116,094 korean adults. J Clin Lipidol, 2017; 11(3):638-45 e2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28431854>

Kim YS, Kim HY, Ahn HS, Sohn TS, Song JY, et al. The association between tobacco smoke and serum immunoglobulin e levels in korean adults. Intern Med, 2017; 56(19):2571-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28883244>

Kohashi K, Nakagomi A, Morisawa T, Endoh I, Kawaguchi N, et al. Effect of smoking status on monocyte tissue factor activity, carotid atherosclerosis and long-term prognosis in metabolic syndrome. Circ J, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29225295>

Lee W, Hwang S, Choi H, and Kim H. The association between smoking or passive smoking and cardiovascular diseases using a bayesian hierarchical model: Based on the 2008-2013 korea community health survey. Epidemiol Health, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28728350>

Levi A, Shechter R, Lapidot M, and Enk CD. Palmar telangiectasias: A cutaneous sign for smoking. Dermatology, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29212071>

Li G, Wang H, Wang K, Wang W, Dong F, et al. The association between smoking and blood pressure in men: A cross-sectional study. BMC Public Health, 2017; 17(1):797. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29017534>

Liu X and Byrd JB. Cigarette smoking and subtypes of uncontrolled blood pressure among diagnosed hypertensive patients: Paradoxical associations and implications. Am J Hypertens, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28203691>

Lowery CL, 3rd, Elliott C, Cooper A, Hadden C, Sonon RN, et al. Cigarette smoking-associated alterations in serotonin/adrenalin signaling pathways of platelets. J Am Heart Assoc, 2017; 6(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28522678>

Martins TL, Campos KKD, Araujo N, Machado DF, and Bezerra FS. Extrapulmonary effects of temporal exposure to cigarette smoke. Toxicol Ind Health, 2017; 33(9):717-25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28854870>

Niemann B, Rohrbach S, Miller MR, Newby DE, Fuster V, et al. Oxidative stress and cardiovascular risk: Obesity, diabetes, smoking, and pollution: Part 3 of a 3-part series. J Am Coll Cardiol, 2017; 70(2):230-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28683970>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Olafiranye O. Ischemic postconditioning during primary percutaneous coronary intervention: Is smoker's paradox in play? JAMA Cardiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28746713>

Safiri S and Ayubi E. Smoking, hypertension, and their combined effect on ischemic stroke incidence: A prospective study among inner mongolians in china: Methodological and statistical issues. J Stroke Cerebrovasc Dis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29056406>

Scichilone N, Tuttolomondo A, Maida C, Benfante A, Peluso J, et al. Arterial stiffness in symptomatic smokers with normal lung function. ERJ Open Res, 2017; 3(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28748188>

Song Y, Kim JG, Cho HJ, Kim JK, and Suh DC. Evaluation of cerebral blood flow change after cigarette smoking using quantitative mra. PLoS ONE, 2017; 12(9):e0184551. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28953897>

Sugiura T, Dohi Y, Takase H, Yamashita S, Fujii S, et al. Oxidative stress is closely associated with increased arterial stiffness, especially in aged male smokers without previous cardiovascular events: A cross-sectional study. J Atheroscler Thromb, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28674322>

Suzuki S, Otsuka T, Sagara K, Semba H, Kano H, et al. Effects of smoking on ischemic stroke, intracranial hemorrhage, and coronary artery events in japanese patients with non-valvular atrial fibrillation. Int Heart J, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28701668>

Tibuakuu M, Kamimura D, Kianoush S, DeFilippis AP, Al Rifai M, et al. The association between cigarette smoking and inflammation: The genetic epidemiology network of arteriopathy (genoa) study. PLoS ONE, 2017; 12(9):e0184914. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28922371>

Voelkel NF. Cigarette smoke is an endothelial cell toxin. Am J Respir Crit Care Med, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28726501>

Wada M, Takeshima T, Nakamura Y, Nagasaka S, Kamesaki T, et al. Association between smoking and the peripheral vestibular disorder: A retrospective cohort study. Sci Rep, 2017; 7(1):16889. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29203808>

Wang Z, Wang D, and Wang Y. Cigarette smoking and adipose tissue: The emerging role in progression of atherosclerosis. Mediators Inflamm, 2017; 2017:3102737. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29445255>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Watanabe I. Smoking and risk of atrial fibrillation. J Cardiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28918306>

Zhu H, Zhu L, Fang Z, Yang S, Chen Y, et al. Common variants at somatostatin are significantly associated with hypertension incidence in smoking and drinking populations. J Am Soc Hypertens, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29426577>

Zuo H, Nygard O, Vollset SE, Ueland PM, Ulvik A, et al. Smoking, plasma cotinine and risk of atrial fibrillation: The hordaland health study. J Intern Med, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28940460>

Correction to: Effect of smoking and folate levels on the efficacy of folic acid therapy in prevention of stroke in hypertensive men. Stroke, 2018; 49(3):e141. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29483365>

Aune D, Schlesinger S, Norat T, and Riboli E. Tobacco smoking and the risk of sudden cardiac death: A systematic review and meta-analysis of prospective studies. Eur J Epidemiol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29417317>

Barwinska D, Traktuev DO, Merfeld-Clauss S, Cook TG, Lu H, et al. Cigarette smoking impairs adipose stromal cell vasculogenic activity and abrogates potency to ameliorate ischemia. Stem Cells, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29589872>

Cheng WH, Lo LW, Lin YJ, Chang SL, Hu YF, et al. Cigarette smoking causes a worse long-term outcome in persistent atrial fibrillation following catheter ablation. J Cardiovasc Electrophysiol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29424013>

Christiansen MK. Visualizing the vascular effects of smoking. Coron Artery Dis, 2018; 29(1):6-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29219934>

Cui M, Cui R, Liu K, Dong JY, Imano H, et al. Associations of tobacco smoking with impaired endothelial function: The circulatory risk in communities study (circs). J Atheroscler Thromb, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29415955>

Eisenga MF, Kieneker LM, Touw DJ, Nolte IM, van der Meer P, et al. Active smoking and hematocrit and fasting circulating erythropoietin concentrations in the general population. Mayo Clin Proc, 2018; 93(3):337-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29502563>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Elbejjani M, Auer R, Dolui S, Jacobs DR, Jr., Haight T, et al. Cigarette smoking and cerebral blood flow in a cohort of middle-aged adults. *J Cereb Blood Flow Metab*, 2018;271678X18754973. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29355449>

Feng X, Qian Z, Zhang B, Guo E, Wang L, et al. Number of cigarettes smoked per day, smoking index, and intracranial aneurysm rupture: A case-control study. *Front Neurol*, 2018; 9:380. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29904368>

Gumus F, Solak I, and Eryilmaz MA. The effects of smoking on neutrophil/lymphocyte, platelet/lymphocyte ratios. *Bratisl Lek Listy*, 2018; 119(2):116-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29455548>

Hindy G, Wiberg F, Almgren P, Melander O, and Orho-Melander M. Polygenic risk score for coronary heart disease modifies the elevated risk by cigarette smoking for disease incidence. *Circ Genom Precis Med*, 2018; 11(1):e001856. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29874179>

Imbalzano E, Vatrano M, Quartuccio S, Ceravolo R, Cicconte VA, et al. Effect of type d personality on smoking status and their combined impact on outcome after acute myocardial infarction. *Clin Cardiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29457844>

Kim BJ, Seo DC, Kim BS, and Kang JH. Relationship between cotinine-verified smoking status and incidence of hypertension in 74,743 korean adults. *Circ J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29491326>

Kunutsor SK, Spee JM, Kieneker LM, Gansevoort RT, Dullaart RPF, et al. Self-reported smoking, urine cotinine, and risk of cardiovascular disease: Findings from the prevend (prevention of renal and vascular end-stage disease) prospective cohort study. *J Am Heart Assoc*, 2018; 7(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29720504>

Leigh A, McEvoy JW, Garg P, Carr JJ, Sandfort V, et al. Coronary artery calcium scores and atherosclerotic cardiovascular disease risk stratification in smokers: Mesa. *JACC Cardiovasc Imaging*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29454784>

Lou H, Dong Z, Zhang P, Shao X, Li T, et al. Interaction of diabetes and smoking on stroke: A population-based cross-sectional survey in china. *BMJ Open*, 2018; 8(4):e017706. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29622573>

Malek Mahdavi A, Khabbazi A, Yaaghoobian B, Ghojzadeh M, Agamohammadi R, et al. Cigarette smoking and risk of behcet's disease: A propensity score matching analysis. *Mod Rheumatol*, 2018;1-27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29943671>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Marques ER, Gemignani T, Azevedo RC, Higa CM, Coelho-Filho OR, et al. Distinct factors are related to lower limb atherosclerosis in smokers and nonsmokers. *J Hypertens*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29957721>

Starke RM, Thompson JW, Ali MS, Pascale CL, Martinez Lege A, et al. Cigarette smoke initiates oxidative stress-induced cellular phenotypic modulation leading to cerebral aneurysm pathogenesis. *Arterioscler Thromb Vasc Biol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29348119>

Tan J, Zhang X, Wang W, Yin P, Guo X, et al. Smoking, blood pressure, and cardiovascular disease mortality in a large cohort of chinese men with 15 years follow-up. *Int J Environ Res Public Health*, 2018; 15(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29783678>

Tibuakuu M, Kianoush S, DeFilippis AP, McEvoy JW, Zhao D, et al. Usefulness of lipoprotein-associated phospholipase a2 activity and c-reactive protein in identifying high-risk smokers for atherosclerotic cardiovascular disease (from the atherosclerosis risk in communities study). *Am J Cardiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29525060>

von Martial R, Gralla J, Mordasini P, El Koussy M, Bellwald S, et al. Impact of smoking on stroke outcome after endovascular treatment. *PLoS ONE*, 2018; 13(5):e0194652. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29718909>

Yamaguchi M, Ando M, Katsuno T, Tsuboi N, and Maruyama S. Smoking is a risk factor for relapse of antimyeloperoxidase antibodies-associated vasculitis. *J Clin Rheumatol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29667942>

Zyriax BC, Vettorazzi E, Hamuda A, and Windler E. Interaction of smoking and dietary habits modifying the risk of coronary heart disease in women: Results from a case-control study. *Eur J Clin Nutr*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29500458>

3.1.1 Coronary heart disease

Abawi, M, van Gils, L, Agostoni, P, van Mieghem, NM, Kooistra, NHM, van Dongen, CS et al (2019). Impact of baseline cigarette smoking status on clinical outcome after transcatheter aortic valve replacement. *Catheter Cardiovasc Interv*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30901147>

Zimmermann, GS, Ruther, T, Ziegler, FV, Greif, M, Becker, C, & Becker, A. (2019). Predictive value of coronary calcifications for future cardiac events in asymptomatic patients: underestimation of risk in

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

asymptomatic smokers. *Int J Cardiovasc Imaging*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30840158>

Hammal F, Ezekowitz JA, Norris CM, Wild TC, Finegan BA, et al. Smoking status and survival: Impact on mortality of continuing to smoke one year after the angiographic diagnosis of coronary artery disease, a prospective cohort study. *BMC Cardiovasc Disord*, 2014; 14(1):133. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25274407>

Holmes MV, Frikke-Schmidt R, Melis D, Luben R, Asselbergs FW, et al. A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of apoe genotype on risk of coronary heart disease. *Atherosclerosis*, 2014; 237(1):5-12. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25173947>

Ali SF, Smith EE, Reeves MJ, Zhao X, Xian Y, et al. Smoking paradox in patients hospitalized with coronary artery disease or acute ischemic stroke: Findings from get with the guidelines. *Circ Cardiovasc Qual Outcomes*, 2015; 8(6 Suppl 3):S73-80. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26515213>

Kang SJ, Mintz GS, Weisz G, Mehran R, Rabbani LE, et al. Age-related effects of smoking on coronary artery disease assessed by gray scale and virtual histology intravascular ultrasound. *Am J Cardiol*, 2015; 115(8):1056-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25726380>

Lee YA, Kang SG, Song SW, Rho JS, and Kim EK. Association between metabolic syndrome, smoking status and coronary artery calcification. *PLoS ONE*, 2015; 10(3):e0122430. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25816100>

Stromback U, Vikman I, Lundblad D, Lundqvist R, and Engstrom A. The second myocardial infarction: Higher risk factor burden and earlier second myocardial infarction in women compared with men. The northern Sweden Monica study. *Eur J Cardiovasc Nurs*, 2016;1474515116686229. Available

from: <http://www.ncbi.nlm.nih.gov/pubmed/28029268>

Larsson SC, Wolk A, and Back M. Alcohol consumption, cigarette smoking and incidence of aortic valve stenosis. *J Intern Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28494128>

Li L, Hu B, Gong S, Yu Y, and Yan J. Age and cigarette smoking modulate the relationship between pulmonary function and arterial stiffness in heart failure patients. *Medicine (Baltimore)*, 2017; 96(10):e6262. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28272233>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Mozos I, Maidana JP, Stoian D, and Stehlik M. Gender differences of arterial stiffness and arterial age in smokers. *Int J Environ Res Public Health*, 2017; 14(6). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28587127>

Murashita T and Badhwar V. In search of the smoking gun in calcific aortic valve disease. *J Thorac Cardiovasc Surg*, 2017; 153(6):1328-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28347484>

Saleheen D, Zhao W, Young R, Nelson CP, Ho W, et al. Loss of cardioprotective effects at the adams7 locus as a result of gene-smoking interactions. *Circulation*, 2017; 135(24):2336-53. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28461624>

Thomas D. [cardiovascular risk of smoking by gender]. *Presse Med*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28619581>

3.1.2 Cerebrovascular disease (stroke)

Larsson, SC, Burgess, S, & Michaelsson, K. (2019). Smoking and Stroke: A Mendelian Randomization Study. *Ann Neurol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31237718>

Song, Y, Lee, D, Suh, DC, Kim, JG, Kim, JK, Han, M et al. (2019). Cigarette Smoking Preferentially Affects Intracranial Vessels in Young Males: A Propensity-Score Matching Analysis.

Neurointervention, 14(1), 43-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30827064>

Chen, J, Li, S, Zheng, K, Wang, H, Xie, Y, Xu, P et al. (2019). Impact of Smoking Status on Stroke Recurrence. *J Am Heart Assoc*, 8(8), e011696. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30955409>

Gan, Y, Wu, J, Li, L, Zhang, S, Yang, T, Tan, S et al. Association of smoking with risk of stroke in middle-aged and older Chinese: Evidence from the China National Stroke Prevention Project. *Medicine (Baltimore)*, 2018. 97(47), e13260. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30461631>

Bejot Y, Jacquin A, Daubail B, Lainay C, Janoura S, et al. Smoking status and severity of ischemic stroke. A population-based study. *Eur Neurol*, 2014; 71(1-2):59-64. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24334964>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bhatt DL. Ask the doctor. I am a 71-year-old man with high blood pressure, and i smoked for many years. Should i be tested for an abdominal aortic aneurysm? Harv Heart Lett, 2014; 24(8):2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25108927>

Ding D. Deleterious effect of smoking on ischemic stroke outcomes: Implications for the role of chronic inflammation on atherosclerotic plaque pathogenesis. J Stroke Cerebrovasc Dis, 2014; 23(3):596-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24630131>

Edjoc R, Reid RD, Sharma M, Fang J, and Registry of Canadian Stroke N. Atherosclerosis unplugged: Potential mechanisms leading to the clinical manifestation of stroke caused by cigarette smoking. J Stroke Cerebrovasc Dis, 2014; 23(3):597. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24630132>

Fekete K, Szatmari S, Szocs I, Szekeres C, Szasz J, et al. Prestroke alcohol consumption and smoking are not associated with stroke severity, disability at discharge, and case fatality. J Stroke Cerebrovasc Dis, 2014; 23(1):e31-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24103659>

Glickman-Simon R and Savasta S. Acupuncture for acute stroke, peppermint oil for irritable bowel syndrome, yoga for depression and anxiety, hypnotherapy for smoking cessation, and lime juice for sickle cell anemia. Explore (NY), 2014; 10(4):261-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25037671>

Hansson J, Galanti MR, Hergens MP, Fredlund P, Ahlbom A, et al. Snus (Swedish smokeless tobacco) use and risk of stroke: Pooled analyses of incidence and survival. J Intern Med, 2014; 276(1):87-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24548296>

Kvistad CE, Oeygarden H, Logallo N, Thomassen L, Waje-Andreassen U, et al. Is smoking associated with favourable outcome in tpa-treated stroke patients? Acta Neurol Scand, 2014; 130(5):299-304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24527872>

Lai LT, Morgan MK, and Patel NJ. Smoking increases the risk of de novo intracranial aneurysms. World Neurosurg, 2014; 82(1-2):e195-201. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24518886>

Lee PN, Fry JS, and Thornton AJ. Estimating the decline in excess risk of cerebrovascular disease following quitting smoking--a systematic review based on the negative exponential model. Regul Toxicol Pharmacol, 2014; 68(1):85-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24291341>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Levine DA, Walter JM, Karve SJ, Skolarus LE, Levine SR, et al. Smoking and mortality in stroke survivors: Can we eliminate the paradox? J Stroke Cerebrovasc Dis, 2014; 23(6):1282-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24439131>

Nordahl H, Osler M, Frederiksen BL, Andersen I, Prescott E, et al. Combined effects of socioeconomic position, smoking, and hypertension on risk of ischemic and hemorrhagic stroke. Stroke, 2014; 45(9):2582-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25123220>

Rostron B. Menthol cigarette use and stroke risk among us smokers: A critical reappraisal. JAMA Intern Med, 2014; 174(5):808-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24614962>

Stackelberg O, Bjorck M, Larsson SC, Orsini N, and Wolk A. Sex differences in the association between smoking and abdominal aortic aneurysm. Br J Surg, 2014; 101(10):1230-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24916023>

Tulamo R and Niemela M. Smoking and cerebral aneurysms--potential pathobiologic mechanisms. World Neurosurg, 2014; 82(1-2):e79-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24680734>

Bienkowski P, Zatorski P, Glebicka A, Scinska A, Kurkowska-Jastrzebska I, et al. Readiness visual analog scale: A simple way to predict post-stroke smoking behavior. Int J Environ Res Public Health, 2015; 12(8):9536-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26287221>

Edjoc RK, Reid RD, Sharma M, Balfour L, and Procino M. Correlates of former smoking in patients with cerebrovascular disease: A cross-sectional study. BMJ Open, 2015; 5(1):e005753. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25609668>

Krajcoviechova A, Wohlfahrt P, Mayer O, Jr., Vanek J, Hajkova J, et al. Tobacco smoking strongly modifies the association of prothrombin g20210a with undetermined stroke: Consecutive survivors and population-based controls. Atherosclerosis, 2015; 240(2):446-52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25897999>

Lee JH, Lee JY, Ahn SH, Jang MU, Oh MS, et al. Smoking is not a good prognostic factor following first-ever acute ischemic stroke. J Stroke, 2015; 17(2):177-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26060805>

Lioutas VA, Beiser A, Himali J, Aparicio H, Romero JR, et al. Lacunar infarcts and intracerebral hemorrhage differences: A nested case-control analysis in the fhs (framingham heart study). Stroke, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28008091>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Al Rifai M, DeFillippis AP, McEvoy JW, Hall ME, Acien AN, et al. The relationship between smoking intensity and subclinical cardiovascular injury: The multi-ethnic study of atherosclerosis (mesa). *Atherosclerosis*, 2017; 258:119-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28237909>

Anyfanti P, Triantafyllidou E, Papadopoulos S, Triantafyllou A, Nikolaidis MG, et al. Smoking before isometric exercise amplifies myocardial stress and dysregulates baroreceptor sensitivity and cerebral oxygenation. *J Am Soc Hypertens*, 2017; 11(6):376-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28456497>

Behrouz R and Aachi RV. Letter by behrouz and aachi regarding article, "cannabis, tobacco, alcohol use, and the risk of early stroke: A population-based cohort study of 45 000 Swedish men". *Stroke*, 2017; 48(5):e133. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28389604>

Cai H, Cai B, Sun L, Zhang H, Zhou S, et al. Association between ptgs1 polymorphisms and functional outcomes in chinese patients with stroke during aspirin therapy: Interaction with smoking. *J Neurol Sci*, 2017; 376:211-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28431615>

Futchko J, Starr J, Lau D, Leach MR, Roark C, et al. Influence of smoking on aneurysm recurrence after endovascular treatment of cerebrovascular aneurysms. *J Neurosurg*, 2017:1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28644100>

Hou LS, Du XD, Li JJ, Zhu P, Yan PJ, et al. Long-term trends and predictors of smoking behaviors among men following first-ever ischemic stroke. *J Huazhong Univ Sci Technolog Med Sci*, 2017; 37(3):446-52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28585126>

Hussein HM, Niemann N, Parker ED, and Qureshi AI. Searching for the smoker's paradox in acute stroke patients treated with intravenous thrombolysis. *Nicotine Tob Res*, 2017; 19(7):871-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28339617>

Ji R, Pan Y, Yan H, Zhang R, Liu G, et al. Current smoking is associated with extracranial carotid atherosclerotic stenosis but not with intracranial large artery disease. *BMC Neurol*, 2017; 17(1):120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28651523>

Kawada T. Letter by kawada regarding article, "cannabis, tobacco, alcohol use, and the risk of early stroke: A population-based cohort study of 45 000 Swedish men". *Stroke*, 2017; 48(5):e132. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28389616>

Lim TS, Lee JS, Yoon JH, Moon SY, Joo IS, et al. Cigarette smoking is an independent risk factor for post-stroke delirium. *BMC Neurol*, 2017; 17(1):56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28330447>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.1.3 Atherosclerotic peripheral vascular disease

Jee, Y, Jeon, J, Back, JH, Ryu, M, & Cho, SI. (2019). Trajectory of Smoking and Incidence of Atherosclerotic Cardiovascular Disease among Korean Young Adult Men. *Int J Environ Res Public Health*, 16(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31238495>

Jee, Y, Jung, KJ, Lee, S, Back, JH, Jee, SH, & Cho, SI. (2019). Smoking and atherosclerotic cardiovascular disease risk in young men: the Korean Life Course Health Study. *BMJ Open*, 9(6), e024453. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31196897>

Kiriyama, H, Kaneko, H, Itoh, H, Yoshida, Y, Nakanishi, K, Mizuno, Y et al (2019). Effect of cigarette smoking on carotid artery atherosclerosis: a community-based cohort study. *Heart Vessels*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31222551>

Huen KH, Chowdhury R, Shafii SM, Brewster LP, Arya S, et al. Smoking cessation is the least successful outcome of risk factor modification in uninsured patients with symptomatic peripheral arterial disease. *Ann Vasc Surg*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25286112>

Cole JW and Xu H. Aryl hydrocarbon receptor repressor methylation: A link between smoking and atherosclerosis. *Circ Cardiovasc Genet*, 2015; 8(5):640-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26487726>

Weidmann H, Touat-Hamici Z, Durand H, Mueller C, Chardonnet S, et al. Sash1, a new potential link between smoking and atherosclerosis. *Atherosclerosis*, 2015; 242(2):571-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26318107>

Cauley JA, Kassem AM, Lane NE, and Thorson S. Prevalent peripheral arterial disease and inflammatory burden. *BMC Geriatr*, 2016; 16(1):213. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27938334>

Narvaez J, Garcia-Gomez C, Alvarez L, Santo P, Aparicio M, et al. Efficacy of bosentan in patients with refractory thromboangiitis obliterans (buerger disease): A case series and review of the literature. *Medicine (Baltimore)*, 2016; 95(48):e5511. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902617>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Chen SL, Whealon MD, Kabutey NK, Kuo IJ, Sgroi MD, et al. Outcomes of open and endovascular lower extremity revascularization in active smokers with advanced peripheral arterial disease. *J Vasc Surg*, 2017; 65(6):1680-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527930>

Yokoyama Y, Mise N, Suzuki Y, Tada-Oikawa S, Izuoka K, et al. Micrornas as potential mediators for cigarette smoking induced atherosclerosis. *Int J Mol Sci*, 2018; 19(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29642385>

3.1.4 Abdominal aortic aneurysm

Jahangir E, Lipworth L, Edwards TL, Kabagambe EK, Mumma MT, et al. Smoking, sex, risk factors and abdominal aortic aneurysms: A prospective study of 18 782 persons aged above 65 years in the southern community cohort study. *J Epidemiol Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25563744>

Mary Schooling C. Smoking, sex, risk factors and abdominal aortic aneurysm: Is it all down to testosterone? *J Epidemiol Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25788720>

Lindquist Liljeqvist M, Hultgren R, Siika A, Gasser TC, and Roy J. Gender, smoking, body size, and aneurysm geometry influence the biomechanical rupture risk of abdominal aortic aneurysms as estimated by finite element analysis. *J Vasc Surg*, 2017; 65(4):1014-21 e4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28342508>

Moses DA, Mehaffey JH, Strider DV, Tracci MC, Kern JA, et al. Smoking cessation counseling improves quality of care and surgical outcomes with financial gain for a vascular practice. *Ann Vasc Surg*, 2017; 42:214-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28389293>

3.1.5 Sudden cardiac death

Liska SR. In utero exposure to black bull chewing tobacco and neonatal nicotine withdrawal: A review of the literature. *Neonatal Netw*, 2014; 33(1):5-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24413030>

Albrektsen G, Heuch I, Lochen ML, Thelle DS, Wilsgaard T, et al. Risk of incident myocardial infarction by gender: Interactions with serum lipids, blood pressure and smoking. *The tromso study 1979-2012. Atherosclerosis*, 2017; 261:52-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28448842>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Fiuzat M, Nordenberg TS, Zeller M, Hillebrenner MG, Stockbridge N, et al. Fda in the 21st century: Focus on tobacco policies and heart failure prevention. JACC Heart Fail, 2017; 5(2):152-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28153199>

Steele L, Lloyd A, Fotheringham J, Sultan A, Iqbal J, et al. A retrospective cohort study of the association between smoking and mortality after acute st-segment elevation myocardial infarction. Postgrad Med J, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28254999>

Wang Q, Guo Y, Wu C, Yin L, Li W, et al. Smoking as a risk factor for the occurrence of atrial fibrillation in men versus women: A meta-analysis of prospective cohort studies. Heart Lung Circ, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28336350>

3.1.6 Congestive heart failure

Kamimura D, Cain LR, Mentz RJ, White WB, Blaha MJ, et al. Cigarette smoking and incident heart failure: Insights from the Jackson heart study. Circulation, 2018. Available from: <http://circ.ahajournals.org/content/circulationaha/early/2018/04/12/CIRCULATIONAHA.117.031912.full.pdf>

3.1.7 Other CVD effects

Gonzalez, HH, Ohanian, L, Sanchez, AE, Voin, V, & Ricardo, J. (2019). Celiac Artery Dissection in a Young Smoker. Cureus, 11(2), e4047. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31016075>

Murgia, F, Melotti, R, Foco, L, Gogele, M, Meraviglia, V, Motta, B et al. (2019). Effects of smoking status, history and intensity on heart rate variability in the general population: The CHRIS study. PLoS One, 14(4), e0215053. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30964923>

Pesut, DP, Samardzic, AM, Bulajic, MV, & Cvok-Debeljak, TT. (2019). Palmar telangiectasia is associated with the intensity of smoking. J Bras Pneumol, 45(2), e20180273. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31017229>

Watson, M, Dardari, Z, Kianoush, S, Hall, ME, DeFilippis, AP, Keith, RJ et al. (2019). Relation Between Cigarette Smoking and Heart Failure (from the Multiethnic Study of Atherosclerosis). Am J Cardiol. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30967285>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wei, X, Kumar, S, Ding, J, Khandelwal, N, Agarwal, M, & Agrawal, R. (2019). Choroidal Structural Changes in Smokers Measured Using Choroidal Vascularity Index. *Invest Ophthalmol Vis Sci*, 60(5), 1316-1320. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30943279>

News reports:

3.1 Smoking and heart disease

Millett, ERC, Peters, SAE, & Woodward, M. Sex differences in risk factors for myocardial infarction: cohort study of UK Biobank participants. *BMJ*, 2018. 363. Available from: <https://www.bmj.com/content/bmj/363/bmj.k4247.full.pdf>

Lu L, Mackay DF, Newby DE, and Pell JP. Association between salivary cotinine and cardiovascular biomarkers among nonsmokers and current smokers: Cross-sectional study of 10,081 participants. *J Vasc Surg*, 2014; 60(6):1713. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25479651>

No authors listed. Study examines impact of smoking on cardiovascular risk in older people, in *News Medical* 2015. Available from: <http://www.news-medical.net/news/20150423/Study-examines-impact-of-smoking-on-cardiovascular-risk-in-older-people.aspx>.

No authors listed. All forms of smoking are bad for the heart, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/294685.php?tw>.

listed Na. Smokers warned of amputation risk as a million could be living with deadly vascular disease, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/306975.php?tw>.

Australian Institute of Health and Welfare. Trends in cardiovascular deaths. Bulletin no. 141. , Cat. no. AUS 216 Canberra: AIHW, 2017. Available from: <https://www.aihw.gov.au/reports/heart-stroke-vascular-disease/trends-cardiovascular-deaths/contents/table-of-contents>.

No authors listed. For men under 50, the more cigarettes smoked, the higher the stroke risk in *The Philadelphia Tribune* 2018. Available from: http://www.phillytrib.com/news/health/for-men-under-the-more-cigarettes-smoked-the-higher-the/article_78a60814-f575-5697-90d4-883e8f32b5c8.html.

No authors listed. Tobacco more strongly linked to clogged arteries than cannabis, in *Swiss Info* 2018. Available from: https://www.swissinfo.ch/eng/smoking-and-heart-disease_tobacco-more-strongly-linked-to-clogged-arteries-than-cannabis/44043526.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.1.1 Coronary heart disease

No authors listed. Smoking weakens a gene that protects arteries: Study. Daily Mail 2017. Available from: <http://www.dailymail.co.uk/wires/afp/article-4463776/Smoking-weakens-gene-protects-arteries-study.html>

No authors listed. Smoking-related heart disease tied to effects of a single gene, in *Medical Xpress* 2017. Available from: <https://medicalxpress.com/news/2017-05-smoking-related-heart-disease-tied-effects.html>.

No authors listed. Scientists find a likely genetic driver of smoking-related heart disease, in *Science Magazine* 2017. Available from: <https://scienmag.com/scientists-find-a-likely-genetic-driver-of-smoking-related-heart-disease/>.

3.1.2 Cerebrovascular disease (stroke)

Innes E. Women who smoke and have high blood pressure are 20 times more likely to suffer a brain haemorrhage than non-smoking men with low blood pressure. The Daily Mail, 2013; 11 Sept Available from: <http://www.dailymail.co.uk/health/article-2417852/Women-smoke-high-blood-pressure-20-TIMES-likely-suffer-brain-haemorrhage-non-smoking-men-low-blood-pressure.html>

De Graaf M. Most fatal type of stroke becoming increasingly rare as smoking falls out of fashion. Daily Mail, 2016. Available from: <http://www.dailymail.co.uk/health/article-3736919/Most-fatal-type-stroke-rare-smoking-falls-fashion.html>

No authors listed. Tobacco has been 'linked' to the most fatal form of smoke, in *Yahoo! News* 2016. Available from: <https://uk.news.yahoo.com/tobacco-linked-most-fatal-form-203203533.html>.

Reinberg S. Women smokers at higher risk for brain bleed in *Health Day* 2016. Available from: <https://consumer.healthday.com/cardiovascular-health-information-20/heart-stroke-related-stroke-353/female-smokers-at-higher-risk-for-brain-bleed-713136.html>.

Cullen E. Sharp rise in number of middle-aged people suffering strokes, research suggests, in *Independent* 2018. Available from: <http://www.independent.co.uk/news/health/strokes-middle-age-increase-public-health-england-research-a8189356.html>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Highney C. How a Mediterranean lunch could prevent a stroke and save your life, in *The Mirror* (UK)2018. Available from: <https://www.mirror.co.uk/lifestyle/health/how-mediterranean-lunch-could-prevent-12053036>.

tobaccoinaustralia.org.au