

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 3.21 Health effects for young people who smoke

Last updated December 2024

Research:	1
3.21.1 Early signs of addiction	5
3.21.2 General health of young people who smoke	6
3.21.3 Lung function, respiratory symptoms and early signs of lung disease in young people who smoke	6
3.21.4 Asthma in young people who smoke	8
3.21.5 Cardiovascular disease in young people who smoke	8
3.21.6 Metabolic syndrome in young people who smoke	11
3.21.7 Dental health problems in young people who smoke	12
3.21.8 Muscular skeletal problems in young people who smoke	13
3.21.9 Fitness and lung function in young smokers	13
3.21.10 Other health problems in young people who smoke	14
News reports:	16
3.21.9 Fitness of young people who smoke	17

#### Research:

Hatz, LE, Courtney, KE, Wade, NE, Thompson, C, Baca, R, Andrade, G et al. (2024). First Used Nicotine/Cannabis Product and Associated Outcomes in Late Adolescents. *Subst Use Misuse*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38170177>

Gossios, TD. (2019). Smoking in childhood and early adolescence: A case of the early bird not catching the worm. *Eur J Prev Cardiol*, 2047487319884372. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31653190>

Hawari, FI, Obeidat, NA, Abu Alhalawa, M, Al-Busaidi, Z, Amara, B, Baddar, S et al (2019). Respiratory health and quality of life in young exclusive, habitual smokers - a comparison of waterpipe smokers, cigarette smokers and non-smokers. *Int J Chron Obstruct Pulmon Dis*, 14, 1813-1824. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31496680>

Evans, DS, O'Farrell, A, Sheridan, A, & Kavanagh, P. (2019). Comparison of the health and well-being of smoking and non-smoking school-aged children in Ireland. *Child Care Health Dev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31039602>

Kangiser, MM, Lochner, AM, Thomas, AM, & Lisdahl, KM. (2019). Gender Moderates Chronic Nicotine Cigarette Effects on Verbal Memory in Young Adults. *Subst Use Misuse*, 1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31094617>

Kopiczko, A, Gryko, K, Lopuszanska-Dawid, M. Bone mineral density, hand grip strength, smoking status and physical activity in Polish young men. *Homo*. 2018 Aug 14. pii: S0018-442X(18)30041-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30143235>

Su, S, Yu, D, Cheng, J, Chen, Y, Zhang, X, Guan, Y, Li, Y, Bi, Y, Xue, T, Lu, X, Yuan, K. Decreased Global Network Efficiency in Young Male Smoker: An EEG Study during the Resting State. *Front Psychol*. 2017 Sep 15;8:1605. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28951727>

Wang, S, Zuo, L, Jiang, T, Peng, P, Chu, S, Xiao, D. Abnormal white matter microstructure among early adulthood smokers: a tract-based spatial statistics study. *Neurol Res*. 2017 Sep 21:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28934078>

Bagot, KS, Wu, R, Cavallo, D, Krishnan-Sarin, S. Assessment of pain in adolescents: Influence of gender, smoking status and tobacco abstinence. *Addict Behav*. 2017 Apr;67:79-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28061378>

King, JL, Merten, JW, Wong, TJ, Pomeranz, JL. Applying a Social-Ecological Framework to Factors Related to Nicotine Replacement Therapy for Adolescent Smoking Cessation. *Am J Health Promot*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28677401>

Bi, Y, Yuan, K, Guan, Y, Cheng, J, Zhang, Y, Li, Y, et al . Altered resting state functional connectivity of anterior insula in young smokers. *Brain Imaging Behav*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26843002>

Ostadkarampour, M, Muller, M, Ockinger, J, Kullberg, S, Linden, A, Eklund, A, Grunewald, J, Wahlstrom, J. Distinctive regulatory T cells and altered cytokine profile locally in the airways of young smokers with normal lung function. *PLoS One*. 2016 Oct 31;11(10):e0164751. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27798682>

Nersesyan, A, Parsadanyan, G, Zalinyan, G, Chobanyan, N. Cytogenetic biomonitoring in buccal mucosa cells of young smokers. *Acta Cytol*, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27668422>

Saracen, A. Cigarette smoking and respiratory system diseases in adolescents. *Adv Exp Med Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27469012>

Olashore, AA, Akanni, OO, Opondo, PR. Dyskinesia in an unmedicated adolescent with a 5-year history of tobacco use: a case report. *J Med Case Rep*. 2016 Aug 16;10(1):230. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27531473>

Earlam, K, Souza, CA, Glikstein, R, Gomes, MM, Pakhale, S. Pulmonary Langerhans cell histiocytosis and diabetes insipidus in a young smoker. *Can Respir J*. 2016;2016:3740902. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27445532>

Li, Y, Yuan, K, Guan, Y, Cheng, J, Bi, Y, Shi, S, Xue, T, Lu, X, Qin, W, Yu, D, Tian, J. The implication of salience network abnormalities in young male adult smokers. *Brain Imaging Behav*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437925>

Braverman, MT, Stawski, RS, Samdal, O, Aaro, LE. Daily Smoking and Subjective Health Complaints in Adolescence. *Nicotine Tob Res*, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27206973>

Battal, F, Tekin, M, Aylanc, H, Yildirim, S, Turkon, H, Binnetoglu, FK, Kaymaz, N, Topaloglu, N. Serum ischemia-modified albumin levels in adolescent smokers. *Int J Adolesc Med Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27060740>

Kastelein, TE, Duffield, R, Crowcroft, S, Marino, FE. Cerebral oxygenation and sympathetic responses to smoking in young and middle-aged smokers. *Hum Exp Toxicol*, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27037299>

Kelishadi, R, Noori, A, Qorbani, M, Rahimzadeh, S, Djalalinia, S, Shafiee, G, Motlagh, ME, Ardalan, G, Ansari, H, Asayesh, H, Ahadi, Z, Heshmat, R. Are active and passive smoking associated with cardiometabolic risk factors in adolescents? The CASPIAN-III Study. *Paediatr Int Child Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27077622>

Gagliettino, AR, Potenza, MN, Yip, SW. White matter development and tobacco smoking in young adults: A systematic review with recommendations for future research. *Drug Alcohol Depend*, 2016;162:26-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26948756>

Yuan, K et al. The implication of frontostriatal circuits in young smokers: A resting-state study. *Hum Brain Mapp*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26918784>

Jedrzejczak, WW et al. Otoacoustic emissions in smoking and nonsmoking young adults. *Clin Exp Otorhinolaryngol*, Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26622946>

Hansen, K et al. Age at smoking initiation and self-rated health among second grade high school boys and girls in Scania, Sweden, a cross-sectional study. *BMC Public Health*, 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26581335>

Feng, D, Yuan, K, Li, Y, Cai, C, Yin, J, Bi, Y, et al. Intra-regional and inter-regional abnormalities and cognitive control deficits in young adult smokers. *Brain Imaging Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26164168>

Yu, D et al. White matter integrity in young smokers: a tract-based spatial statistics study. *Addiction Biology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25752453>

Gondim, RM et al. Are smoking and passive smoking related with heart rate variability in male adolescents? *Einstein*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25741983>

Pinar, D, Cincik, H, Erkul, E, Gungor, A. Investigating the Effects of Smoking on Young Adult Male Voice by Using Multidimensional Methods. *J Voice*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26277074>

Vozoris, NT, O'Donnell, DE. Smoking, activity level and exercise test outcomes in a young population sample without cardio-pulmonary disease. *J Sports Med Phys Fitness*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25611081>

Brinkman WB, Epstein JN, Auinger P, Tamm L, and Froehlich TE. Association of attention-deficit/hyperactivity disorder and conduct disorder with early tobacco and alcohol use. *Drug Alcohol Depend*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25487225>

Morales, AM, Ghahremani, D, Kohno, M, Hellemann, GS, London, ED. Cigarette exposure, dependence, and craving are related to insula thickness in young adult smokers. *Neuropsychopharmacology*, 2014. 39(8), 1816-1822. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24584328>

Ozyilmaz, I, Ozyilmaz, S, Tosun, O, Tola, HT, Saygi, M, Ergul, Y. Atrial fibrillation in a healthy adolescent after heavy smoking of contraband cigarettes. *Int J Adolesc Med Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25153552>

Del Bo C, Porrini M, Fracassetti D, Campolo J, Klimis-Zacas D, et al. A single serving of blueberry (*V. corymbosum*) modulates peripheral arterial dysfunction induced by acute cigarette smoking in young volunteers: a randomized-controlled trial. *Food Funct*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25263326>

Hanlon, CA, Owens, MM, Joseph, JE, Zhu, X, George, MS, Brady, KT, Hartwell, KJ. Lower subcortical gray matter volume in both younger smokers and established smokers relative to non-smokers. *Addict Biol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25125263>

Huntington-Moskos, L, Turner-Henson, A, Rice, M. Tobacco exposure, weight status, and elevated blood pressure in adolescents. *J Community Health*, 2014. 39(4), 653-659. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24519179>

Bassareo, PP, Fanos, V, Crisafulli, A, Mercuro, G. Daily assessment of arterial distensibility in a pediatric population before and after smoking cessation. *Clinics (Sao Paulo)*, 2014. 69(4), 219-224. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24714828>

Davis, EM, Peck, JD, Peck, BM, Kaplan, HB. Associations between early alcohol and tobacco use and prolonged time to puberty in boys. *Child Care Health Dev*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24865813>

Dratva, J, Probst-Hensch, N, Schmidt-Trucksass, A, Caviezel, S, de Groot, E, Bettschart, R, et al. Atherogenesis in youth--early consequence of adolescent smoking. *Atherosclerosis*, 2013. 230(2), 304-309. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24075761>

Miller AM, Fogt DL, and Cooke WH. Cardiovascular and cerebrovascular responses to progressive central hypovolemia in young smokers: a preliminary study. *Mil Med*, 2014; 179(11):1325-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25373062>

Stiby AI, Hickman M, Munafo MR, Heron J, Yip VL, et al. Adolescent Cannabis and Tobacco use and Educational Outcomes at Age 16: Birth Cohort Study. *Addiction*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25488831>

### *3.21.1 Early signs of addiction*

Lydon, DM, Wilson, SJ, Child, A, Geier, CF. Adolescent brain maturation and smoking: what we know and where we're headed. *Neurosci Biobehav Rev*, 2014. 45, 323-342. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25025658>

de la Pena, JB, Ahsan, HM, Botanas, CJ, Sohn, A, Yu, GY, Cheong, JH. Adolescent nicotine or cigarette smoke exposure changes subsequent response to nicotine conditioned place preference and self-administration. *Behav Brain Res*, 2014. 272, 156-164. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24991754>

Apelberg, BJ, Corey, CG, Hoffman, AC, Schroeder, MJ, Husten, CG, Caraballo, RS, Backinger, CL. Symptoms of tobacco dependence among middle and high school tobacco users: results from the 2012 National Youth Tobacco Survey. *Am J Prev Med*, 2014. 47(2 Suppl 1), S4-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25044195>

Branstetter, SA, Mercincavage, M, Muscat, JE. Time to first cigarette predicts 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) in adolescent regular and intermittent smokers, National Health and Nutrition and Examination Survey (NHANES) 2007-10. *Addiction*, 2014. 109(6), 1005-1012. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24521204>

Selya, AS, Dierker, L, Rose, JS, Hedeker, D, Mermelstein, RJ. Early-emerging nicotine dependence has lasting and time-varying effects on adolescent smoking behaviour. *Prev Sci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27312479>

Jollans, L, Zhipeng, C, Icke, I, Greene, C, Kelly, C, Banaschewski, T, Bokde, AL, Bromberg, U, Buchel, C, Cattrell, A et al. Ventral striatum connectivity during reward anticipation in adolescent smokers. *Dev Neuropsychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27074029>

Dierker, L et al. Early emerging nicotine dependence symptoms in adolescence predict daily smoking in young adulthood. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25840749>

### *3.21.2 General health of young people who smoke*

Glei, DA, & Weinstein, M. (2023). Smoking may compromise physical function long before it kills you. *Front Public Health*, 11, 1261102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38026327>

Harlow, AF, Lundberg, D, Raifman, JR Tan, ASL, Streed, CG, Jr., Benjamin, EJ, & Stokes, AC. (2020). Association of Coming Out as Lesbian, Gay, and Bisexual+ and Risk of Cigarette Smoking in a Nationally Representative Sample of Youth and Young Adults. *JAMA Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33104174>

Bellatorre, A, Choi, K, Lewin, D, Haynie, D, Simons-Morton, B. Relationships between smoking and sleep problems in black and white adolescents. *Sleep*. 2016 Sep 9. pii: sp-00702-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27634813>

Vajravelu, HR et al. Impact of quantified smoking status on cognition in young adults. *J Clin Diagn Res*, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26816883>

London, ED et al. Consequences of adolescent smoking: cognitive performance, brain function, and policy implications. *Biol Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26434629>

### *3.21.3 Lung function, respiratory symptoms and early signs of lung disease in young people who smoke*

Redmond, JL, Kendall, F, Smith, NMJ, Magor-Elliott, SRM, Hallifax, RJ, Fullerton, CJ et al. (2024). Computed cardiopulmonography for the detection of early smoking-related changes in the lungs of young smokers. *Chest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38346558>

Ritchie, AI, Donaldson, GC, Hoffman, EA, Allinson, JP, Bloom, CI, Bolton, CE et al. (2024). Structural Predictors of Lung Function Decline in Young Smokers with Normal Spirometry. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38175920>

Mukerjee, R, Hirschtick, JL, Arciniega, LZ, Xie, Y, Barnes, G, Arenberg, D et al. (2023). ENDS, cigarettes, and respiratory illness: Longitudinal associations among US youth. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38081374>

Chung, C, Lee, KN, Han, K, Shin, DW, & Lee, SW. (2023). Effect of smoking on the development of chronic obstructive pulmonary disease in young individuals: a nationwide cohort study. *Front Med (Lausanne)*, 10, 1190885. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37593403>

Sargent, JD, Halenar, M, Steinberg, AW, Ozga, J, Tang, Z, Stanton, CA, & Paulin, LM. (2023). Childhood Cigarette Smoking and Risk of COPD in Older U.S. Adults. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37348105>

Mohamed Abdelaal, AA, & Mohamed Mousa, GS. (2022). Impact of Cigarettes Smoking on Undergraduates' Lung Health and Functional Performance: Observational Cross-Sectional Study. *Int J Prev Med*, 13, 59. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35706880>

Tanski, S, Halenar, MJ, Edwards, KC, Emond, J, Woloshin, S, Brunette, M et al. (2022). Tobacco product use and functionally-important respiratory symptoms among US adolescents/young adults. *Acad Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35263656>

Lorensia, A, Muntu, CM, Suryadinata, RV, & Septiani, R. (2021). Effect of lung function disorders and physical activity on smoking and non-smoking students. *J Prev Med Hyg*, 62(1), E89-E96. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34322622>

Johnson, A. C., & Mays, D. (2020). Testing the Effects of Hookah Tobacco Social Media Risk Communication Messages Among Young Adults. *Health Educ Behav*, 1090198120963104. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33073594>

Kojayan, GG, Grigorian, A, Schubl, SD, Kuza, CM, Dolich, M, Bashir, R, & Nahmias, J. (2020). The effects of smoking on adolescent trauma patients: a propensity-score-matched analysis. *Pediatr Surg Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32236667>

Lampalo, M, Majer, M, Jukic, I, Safic Stanic, H, Barisic, B, & Popovic-Grle, S. (2019). Health Sequelae of Tobacco Exposure in Childhood and Adolescence. *Psychiatr Danub*, 31(Suppl 1), 39-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30946716>

Choo, CYW, Wong, KS, Lai, SH, Chiu, CC, & Chiu, CY. (2019). Diagnostic pitfalls of acute eosinophilic pneumonia in an adolescent boy following cigarette smoking: A case report. *Medicine (Baltimore)*, 98(20), e15590. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31096462>

Tsuboshima, K, Matoba, Y, Wakahara, T, Uchida, T, & Moriyama, S. (2019). The clinical characteristics and surgical results of smoking-related young pneumothorax. *Gen Thorac Cardiovasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31129790>

Watai, K, Sekiya, K, Hayashi, H, Fukutomi, Y, & Taniguchi, M. (2019). Effects of short-term smoking on lung function and airway hyper-responsiveness in young patients with untreated intermittent adult-onset asthma: retrospective cross-sectional study at a primary-tertiary care hospital in Japan. *BMJ Open*, 9(6), e023450. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167855>

Bainbridge, KE, Roy, N, Losonczy, KG, Hoffman, HJ, Cohen, SM. Voice disorders and associated risk markers among young adults in the United States. *Laryngoscope*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28008619>

Al-Sheyab N, Alomari MA, Shah S, Gallagher P, and Gallagher R. Prevalence, patterns and correlates of cigarette smoking in male adolescents in northern Jordan, and the influence of waterpipe use and asthma diagnosis: a descriptive cross-sectional study. *Int J Environ Res Public Health*, 2014; 11(9):9008-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25257355>

Nicola, ML, Carvalho, HB, Yoshida, CT, Anjos, FM, Nakao, M, Santos Ude, et al. Young "healthy" smokers have functional and inflammatory changes in the nasal and the lower airways. *Chest*, 2014. 145(5), 998-1005. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24307008>

Westergaard, CG, Munck, C, Helby, J, Porsbjerg, C, Hansen, LH, Backer, V. Predictors of neutrophilic airway inflammation in young smokers with asthma. *J Asthma*, 2014. 51(4), 341-347. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24404796>

Jordao, Eaoc, Kuschnir, FC, Figueiredo, VC, Felix, MMR, Silva, TInd, Kuschnir, MCC, Bloch, KV, Szklo, M. ERICA: smoking is associated with more severe asthma in Brazilian adolescents. *J Pediatr (Rio J)*. 2018 Jun 27. pii: S0021-7557(18)30546-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29959902>

Saracen, A. Cigarette smoking and respiratory system diseases in adolescents. *Adv Exp Med Biol*. 2017;944:81-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27826883>

Hancox, RJ et al. The effect of cigarette smoking on lung function in young adults with asthma. *Am J Respir Crit Care Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26866532>

### *3.21.4 Asthma in young people who smoke*

Arshad, SH, Hodgekiss, C, Holloway, JW, Kurukulaaratchy, R, Karmaus, W, Zhang, H, & Roberts, G. (2019). Association of asthma and smoking with lung function impairment in adolescence and early adulthood; the Isle of Wight Birth Cohort Study. *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31831580>

Lopez Blazquez, M, Perez Moreno, J, Vigil Vazquez, S, Rodriguez Fernandez, R. Impact of Passive Smoking on Lung Function and Asthma Severity in Children. *Arch Bronconeumol*. 2017 Dec 1. pii: S0300-2896(17)30408-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29203052>

Fernandes Sde, S, Andrade, CR, Caminhas, AP, Camargos, PA, Ibiapina Cda, C. Prevalence of self-reported smoking experimentation in adolescents with asthma or allergic rhinitis. *J Bras Pneumol*. 2016 Apr;42(2):84-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27167427>

Conrad, M et al. Smoking's effects on respiratory sinus arrhythmia in adolescent smokers. *International Journal of Psychophysiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25957697>

### *3.21.5 Cardiovascular disease in young people who smoke*

Batista, ANR, Garcia, T, Prudente, R, Barbosa, MF, Modesto, P, Franco, E et al. (2023). Cardiac function, myocardial fat deposition, and lipid profile in young smokers: a cross-sectional study. *Front Cardiovasc Med*, 10, 1225621. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38034384>

Courtney, KE, Baca, R, Thompson, C, Andrade, G, Doran, N, Jacobson, A et al. (2023). The effects of nicotine use during adolescence and young adulthood on gray matter cerebral blood flow estimates. *Brain Imaging Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37851272>

Han, J, Chen, J, Tong, X, Han, M, Peng, F, Niu, H et al. (2023). Association between smoking and intracranial artery dissection in patients aged less than 50 years: A propensity score-matched analysis. *Tob Induc Dis*, 21, 62. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37215191>

Hickcox, L, Bates, S, & Movahed, MR. (2022). Presence of physical symptoms in healthy adolescence found to be associated with female gender, obesity, tachycardia, diastolic hypertension and

smoking. *Am J Cardiovasc Dis*, 12(6), 315-319. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/36743511>

Tang, M, Kubota, M, Nitanda, Y, & Yamamoto, T. (2022). Changes in Magnetic Resonance Signal Fluctuation in Superior Sagittal Sinus: Deterioration of Arteriolar Vasomotor Function of Young Smokers. *Tomography*, 8(2), 657-666. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/35314632>

Iannarelli, NJ, MacNeil, AJ, Dempster, KS, Wade, TJ, & O'Leary, DD. (2021). Serum MMP-3 and its association with central arterial stiffness among young adults is moderated by smoking and BMI. *Physiol Rep*, 9(11), e14920. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34110720>

Ahmed, S, Khowaja, S, Khowaja, S, Ashraf, T, Aamir, K, Batra, MK et al (2020). Differences in Angiographic Profile and Immediate Outcome of Primary Percutaneous Coronary Intervention in Otherwise Risk-Free Young Male Smokers. *Cureus*, 12(6), e8799. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32724746>

Kim, SY, Lee, JS, & Kim, YH. (2020). Handgrip Strength and Current Smoking Are Associated with Cardiometabolic Risk in Korean Adolescents: A Population-Based Study. *Int J Environ Res Public Health*, 17(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32668646>

Terry, JG, Hartley, KG, Steffen, LM, Nair, S, Alman, AC, Wellons, MF et al (2020). Association of smoking with abdominal adipose deposition and muscle composition in Coronary Artery Risk Development in Young Adults (CARDIA) participants at mid-life: A population-based cohort study. *PLoS Med*, 17(7), e1003223. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32692748>

Roy, N, Gaudet, D, Tremblay, G, & Brisson, D. (2020). Association of common gene-smoking interactions with elevated plasma apolipoprotein B concentration. *Lipids Health Dis*, 19(1), 98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32430061>

Ilchenko, SI, Fialkovska, AO, Koreniuk, OS, Yaroshevska, TV, Kramarenko, NM, & Skriabina, KV. (2020). Clinical features of chronic bronchitis and genetic risk factors for the development of chronic obstructive pulmonary disease in adolescent smokers. *Wiad Lek*, 73(2), 250-253. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32248154>

Mandragno, G, Imbalzano, E, Lo Gullo, A, Zito, C, Morace, C, Cinquegrani, M et al (2020). Abnormal left ventricular global strain during exercise-test in young healthy smokers. *Sci Rep*, 10(1), 5700. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32231243>

Batista, ANR, Garcia, T, Franco, EAT, Azevedo, PS, Barbosa, MF, Zornoff, LAM et al. (2020). Comparison of morphometry and ventricular function of healthy and smoking young people. *BMC Cardiovascular Disorders*, 20(1), 66. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32028900>

Suzuki, K, Washio, T, Tsukamoto, S, Kato, K, Iwamoto, E, & Ogoh, S. (2020). Habitual cigarette smoking attenuates shear-mediated dilation in the brachial artery but not in the carotid artery in young adults. *Physiol Rep*, 8(3), e14369. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32061192>

Inthachai, T, Demekul, K, Phonsatsadee, N, Puttitommagool, P, & Boonyachart, N. (2019). Effects of physical activity and smoking on cardio-ankle vascular index, respiratory muscle strength, and exercise performance in early normal weight adulthood: a cross-sectional study. *J Exerc Rehabil*, 15(6), 804-810. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31938702>

Sabogal, C, Su, S, Tingen, M, Kapuku, G, & Wang, X. (2019). Cigarette smoking related DNA methylation in peripheral leukocytes and cardiovascular risk in young adults. *Int J Cardiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31757649>

Charakida, M, Georgopoulos, G, Dangardt, F, Chiesa, ST, Hughes, AD, Rapala, A et al (2019). Response to 'Does smoking or alcohol cause early vascular damage in teenage years?'. *Eur Heart J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31511879>

Xin, Y, Li, J, & Liu, X. (2019). Does smoking or alcohol cause early vascular damage in teenage years? *Eur Heart J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31511898>

Rodriguez-Portelles, A., & Rodriguez Leyva, D. (2019). Endothelial and left ventricular diastolic function in young adults exposed to tobacco. *Can J Physiol Pharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31269406>

Mehrpour, M, & Yadollahi, F. (2019). Considering vertebral artery stenosis in young healthy heavy smokers. *Vascular*, 1708538119856964. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31230529>

Taralov, ZZ, Dimov, PK, Terziyski, KV, Marinov, BI, Topolov, MK, & Kostianev, SS. Effects of acute hypoxic provocation on the autonomic nervous system in 'healthy' young smokers, measured by heart rate variability. *Cardiovasc J Afr*, 30, 1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30778498>

Gleerup, HB, Dahm, CC, Thim, T, Jensen, SE, Jensen, LO, Kristensen, SD et al. Smoking is the dominating modifiable risk factor in younger patients with STEMI. *Eur Heart J Acute Cardiovasc Care*, 2018. 2048872618810414. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30387680>

Nakagomi, A, Sunami, Y, Okada, S, Fujisawa, T, & Kobayashi, Y. Synergistic Effects of 1 h Post-Load Plasma Glucose and Smoking on Arterial Stiffness in Apparently Healthy Men: A Cross-sectional Study. *J Atheroscler Thromb*, 2018. Available from: [https://www.jstage.jst.go.jp/article/jat/advpub/0/advpub\\_46193/\\_pdf](https://www.jstage.jst.go.jp/article/jat/advpub/0/advpub_46193/_pdf)

Szumska, M, Damasiewicz-Bodzek, A, Czubilinska, J, Dlugaszek, M, Gawlik, K, Krywult, A et al. Pregnancy-Associated Plasma Protein A (PAPP-A) Concentration in Population of Healthy Young People: Interactions with Tobacco Smoke and Anti-oxidative Status. *Cardiovasc Toxicol*, 2018. Available from: <https://link.springer.com/content/pdf/10.1007%2Fs12012-018-9479-6.pdf>

Munzel, T, Hahad, O, & Daiber, A. Double hazard of smoking and alcohol on vascular function in adolescents. *Eur Heart J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30169618>

Keith, RJ, Fetterman, JL, Riggs, DW, O'Toole, T, Nystoriak, JL, Holbrook, M, Lorkiewicz, P, Bhatnagar, A, DeFilippis, AP, Hamburg, NM. Protocol to assess the impact of tobacco-induced volatile organic compounds on cardiovascular risk in a cross- sectional cohort: Cardiovascular Injury due to Tobacco

Use study. BMJ Open. 2018 Mar 30;8(3):e019850. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29602846>

Markidan, J, Cole, JW, Cronin, CA, Merino, JG, Phipps, MS, Wozniak, MA, Kittner, SJ. Smoking and Risk of Ischemic Stroke in Young Men. Stroke. 2018 May;49(5):1276-1278. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29674522>

Kayali, S, Demir, F. The effects of cigarette smoking on ventricular repolarization in adolescents. Einstein (Sao Paulo). 2017 Jul-Sep;15(3):251-255. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29091143>

Liu, Y, Han, T, Gao, M, Wang, J, Liu, F, Zhou, S, Chen, Y. Clinical characteristics and prognosis of acute myocardial infarction in young smokers and non-smokers (</= 45 years): a systematic review and meta-analysis. Oncotarget. 2017 Sep 20;8(46):81195-81203. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29113379>

Thompson, J. Risk of acute STEMI significantly increased in younger smokers. Practitioner. 2017 Jan;261(1800):5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29023079>

Korneeva, NV, Sirotin, BZ. Microcirculatory Bed, Microcirculation, and Smoking-Associated Endothelial Dysfunction in Young Adults. Bull Exp Biol Med. 2017 Apr;162(6):824-828. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28429229>

Mozzini, C, Casadei, A, Roscia, G, Cominacini, L. Young smoker "ABCD" vascular assessment: a four-step ultrasound examination for detecting peripheral, extra and intra-cranial early arterial damage. BMC Cardiovasc Disord. 2016 Jul 8;16(1):147. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27391044>

Jaffre, A et al. Tobacco use and cryptogenic stroke in young adults. J Stroke Cerebrovasc Dis, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26481958>

Arslan, G et al. Coronary artery spontaneous dissection in a young male heavy smoker during bed rest. Kardiochir Torakochirurgia Pol, Jun 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26336501>

Gondim, RM, Farah, BQ, Santos, CD, Ritti-Dias, RM. Are smoking and passive smoking related with heart rate variability in male adolescents? Einstein (Sao Paulo), 2015. 13(1), 27-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25993065>

Miyata, S et al. Smoking acutely impaired endothelial function in healthy college students. Acta Cardiol, Jun 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26226701>

Kelishadi, R et al. Are active and passive smoking associated with cardiometabolic risk factors in adolescents? The CASPIAN-III Study. Paediatrics and International Child Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26055078>

### *3.21.6 Metabolic syndrome in young people who smoke*

Meysamie, A, Ghalehtaki, R, Ghodsi, S, Mohebi, M, Ghalehtaki, S, Salarvand, F et al. (2021). Is there an independent association between metabolic syndrome and smoking in Iranian adults? Results of a large multicenter national survey. *Caspian J Intern Med*, 12(3), 327-335. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34221284>

Fujiyoshi, A, Polgreen, LE, Gross, MD, Reis, JP, Sidney, S, Jacobs, DR. Smoking habits and parathyroid hormone concentrations in young adults: The CARDIA study. *Bone Rep*. 2016 Apr 28;5:104-109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27795978>

Lv, S, Liu, W, Zhou, Y, Liu, Y, Shi, D, Zhao, Y, & Liu, X. Hyperuricemia and smoking in young adults suspected of coronary artery disease </= 35 years of age: a hospital-based observational study. *BMC Cardiovasc Disord*, 2018. 18(1), 178. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30170547>

Alhawari, HH, Al-Shelleh, S, Alhawari, HH, Al-Saudi, A, Aljbour Al-Majali, D, Al-Faris, L, AlRyalat, SA. Blood Pressure and Its Association with Gender, Body Mass Index, Smoking, and Family History among University Students. *Int J Hypertens*. 2018 May 29;2018:4186496. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30002925>

Saladini, F, Benetti, E, Fania, C, Mos, L, Casiglia, E, Palatini, P. Effects of smoking on central blood pressure and pressure amplification in hypertension of the young. *Vasc Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27197683>

Khan, RJ et al. The risk and burden of smoking related heart disease mortality among young people in the United States. *Tobacco Induced Diseases*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26146496>

### *3.21.7 Dental health problems in young people who smoke*

Grygorova, A, Grygorov, S, Yaroslavska, Y, Mykhailenko, N, Demyanyk, D, Steblianko, A et al. (2024). Signs of Oral Cavity Microcirculatory Disorders in Adolescents Who Smoke. *Georgian Med News*(352-353), 173-177. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39441291>

Sutej, I, Bozic, D, Peros, K, & Plancak, D. (2021). Cigarette smoking and its consequences on periodontal health in teenagers: a cross-sectional study. *Cent Eur J Public Health*, 29(4), 311-316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35026071>

Ibraheem, WI, Fageeh, HI Preethanath, RS, Alzahrani, FA, Al-Zawawi, AS, Divakar, DD, & Al-Kheraif, A A. (2020). Comparison of RANKL and osteoprotegerin levels in the gingival crevicular fluid of young cigarette- and waterpipe-smokers and individuals using electronic nicotine delivery systems. *Arch Oral Biol*, 115, 104714. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32442729>

Lee, SU, Moon, SH, Choi, SW, Cho, KH, Park, JY, Jung, YS et al (2020). Prognostic significance of smoking and alcohol history in young age oral cavity cancer. *Oral Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32430951>

Nazir, MA, Al-Ansari, A, Abbasi, N, & Almas, K. (2019). Global Prevalence of Tobacco Use in Adolescents and Its Adverse Oral Health Consequences. *Open Access Maced J Med Sci*, 7(21), 3659-3666. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32010395>

Ponnaiyan, D, Chillara, P, Palani, Y. Correlation of environmental tobacco smoke to gingival pigmentation and salivary alpha amylase in young adults. *Eur J Dent*. 2017 Jul-Sep;11(3):364-369. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28932148>

### *3.21.8 Muscular skeletal problems in young people who smoke*

Lener, S, Wipplinger, C, Hartmann, S, Thome, C, & Tschugg, A. (2019). The impact of obesity and smoking on young individuals suffering from lumbar disc herniation: a retrospective analysis of 97 cases. *Neurosurg Rev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31414196>

Everhart, JS, Vajapey, S, Kirven, JC, Abouljoud, MM, DiBartola, AC, Wright, B, & Flanigan, DC. (2019). Symptom Chronicity and Tobacco Use: Differences in Athletic and Nonathletic Candidates for Cartilage Surgery. *Cartilage*, 1947603519847729. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31088145>

### *3.21.9 Fitness and lung function in young smokers*

de Victo, ER, Ferrari, G, Drenowitz, C, & Sole, D. (2024). Association of physical activity and sitting time with tobacco and alcohol use in 222,495 adolescents from 66 countries. *BMC Pediatr*, 24(1), 596. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39294660>

Pepera, G, & Panagiota, Z. (2021). Comparison of heart rate response and heart rate recovery after step test among smoker and non-smoker athletes. *Afr Health Sci*, 21(1), 105-111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34394287>

Kanniappan, V, & Manivannan, V. (2020). Efficacy of Balloon Blowing Exercise on Peak Expiratory Flow Rate in Young Adult Smokers. *J Lifestyle Med*, 10(2), 116-120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995339>

Saranovic, SD, Vivic, J, Pesic, I, Tomovic, M, Batinic, D, Antic, M, et al (2019). The Influence of Tobacco Use on Pulmonary Function in Elite Athletes. *Int J Environ Res Public Health*, 16(19). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31547175>

Dugral, E, & Balkanci, D. (2019). Effects of smoking and physical exercise on respiratory function test results in students of university: A cross-sectional study. *Medicine (Baltimore)*, 98(32), e16596. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31393359>

Hartmann, T, Marino, F, & Duffield, R. (2019). Tobacco smoking and acute exercise on immune-inflammatory responses among relative short and longer smoking histories. *Cytokine*, 123, 154754. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31228726>

Jacobs, M. (2019). Adolescent smoking: The relationship between cigarette consumption and BMI. *Addict Behav Rep*, 9, 100153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193813>

Furlanetto, KC, Mantoani, LC, Bisca, G, Morita, AA, Zabatiero, J, Proenca, M, et al. Reduction of physical activity in daily life and its determinants in smokers without airflow obstruction. *Respirology*, 2014. 19(3), 369-375. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24483840>

Nikolakaros, G, Vahlberg, T, Auranen, K, Sillanmaki, L, Venetoklis, T, Sourander, A. Obesity, Underweight, and Smoking Are Associated with Worse Cardiorespiratory Fitness in Finnish Healthy Young Men: A Population-Based Study. *Front Public Health*. 2017 Aug 18;5:206. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28868273>

Kim, CS, Kim, MK, Jung, HY, Kim, MJ. Effects of exercise training intensity on cardiac autonomic regulation in habitual smokers. *Ann Noninvasive Electrocardiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28247979>

Lauria, VT, Sperandio, EF, de Sousa, TL, de Oliveira Vieira, W, Romiti, M, de Toledo Gagliardi, AR, Arantes, RL, Dourado, VZ. Evaluation of dose-response relationship between smoking load and cardiopulmonary fitness in adult smokers: A cross-sectional study. *Rev Port Pneumol* (2006). 2017 Jan 30. pii: S2173-5115(16)30140-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28153628>

Siddall, AG, Bilzon, JL, Thompson, D, Greeves, J, Izard, R, Stokes, KA. Smoking status and physical fitness during initial military training. *Occup Med (Lond)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28204750>

Druyan, A, Atias, D, Ketko, I, Cohen-Sivan, Y, Heled, Y. The effects of smoking and nicotine ingestion on exercise heat tolerance. *J Basic Clin Physiol Pharmacol*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27831921>

Kastelein, TE, Donges, CE, Mendham, AE, Duffield, R. The acute exercise-induced inflammatory response: a comparison of young-adult smokers and nonsmokers. *Res Q Exerc Sport*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27805476>

### *3.21.10 Other health problems in young people who smoke*

**Wang, J, Xue, T, Song, D, Dong, F, Cheng, Y, Wang, J et al. (2024). Investigation of white matter functional networks in young smokers. *Neuroimage*, 303, 120917. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39510395>**

Huang, X, Lai, W, Xu, Y, Zhang, Y, Wang, W, Wang, H et al. (2024). Association of conventional and electronic cigarette use with suicidality in Chinese adolescents: The moderating effect of sex and school type. *J Affect Disord*, 365, 492-500. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39187181>

Beckmann, EA, Pielech, M, & Parent, J. (2024). Clinical considerations for adolescents with eating disorders who use nicotine. *Brown Univ Child Adolesc Behav Let*, 40(2), 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38831916>

Elatfy, A, Vrahimis, S, Conti, A, & Baldacchino, A. (2024). Chronic tobacco smoking and neurocognitive impairments in adolescents and young adults: a systematic review and meta-

analysis. *Front Psychiatry*, 15, 1384408. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/38716120>

Nugroho, HW, Salimo, H, Hartono, H, Hakim, MA, & Probandari, A. (2024). Association between poverty, low educational level and smoking with adolescent's working memory: cross lagged analysis from longitudinal data. *Front Public Health*, 12, 1341501. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/38590808>

Wang, J, Xie, Y, Xu, H, Wan, Y, & Tao, F. (2023). Moderating effects of smoking and drinking on the relationship between biological rhythm and psychological health and gender differences among adolescents. *BMC Psychiatry*, 23(1), 731. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/37817125>

Courtney, KE, Baca, R, Thompson, C, Andrade, G, Doran, N, Jacobson, A et al. (2023). The effects of nicotine use during adolescence and young adulthood on gray matter cerebral blood flow estimates. *Brain Imaging Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37851272>

Gjedde, A. (2023). Editorial: Nicotine and its derivatives in disorders of cognition: a challenging new topic of study. *Front Neurosci*, 17, 1252705. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/37534040>

Wang, Z, Dong, F, Sun, Y, Wang, J, Zhang, M, Xue, T et al. (2022). Increased resting-state alpha coherence and impaired inhibition control in young smokers. *Front Neurosci*, 16, 1026835. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36440283>

Li, X, Dong, F, Zhang, Y, Wang, J, Wang, Z, Sun, Y et al. (2022). Altered resting-state electroencephalography microstate characteristics in young male smokers. *Front Psychiatry*, 13, 1008007. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36267852>

Conti, AA, & Baldacchino, AM. (2022). Chronic tobacco smoking, impaired reward-based decision-making, and role of insular cortex: A comparison between early-onset smokers and late-onset smokers. *Front Psychiatry*, 13, 939707. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/36090372>

Dai, HD, Doucet, GE, Wang, Y, Puga, T, Samson, K, Xiao, P, & Khan, AS. (2022). Longitudinal Assessments of Neurocognitive Performance and Brain Structure Associated With Initiation of Tobacco Use in Children, 2016 to 2021. *JAMA Netw Open*, 5(8), e2225991. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/35947383>

Laviolette, SR. (2022). Understanding the Association of Childhood Tobacco Use With Neuropathological Outcomes and Cognitive Performance Deficits in Vulnerable Brains. *JAMA Netw Open*, 5(8), e2226001. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35947387>

Zhou, M, Hu, Y, Huang, R, Zhou, Y, Xie, X, Zhang, S et al. (2022). Right arcuate fasciculus and left uncinate fasciculus abnormalities in young smoker. *Addict Biol*, 27(2), e13132. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/35229948>

Varaksin, AN, Konstantinova, ED, Maslakova, TA, Shalaumova, YV, & Nasybullina, GM. (2022). An Analysis of the Links between Smoking and BMI in Adolescents: A Moving Average Approach to

Establishing the Statistical Relationship between Quantitative and Dichotomous Variables. *Children (Basel)*, 9(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35204940>

Yang, X, Evans, RW, George, CJ, Matthews, KA, & Kovacs, M. (2022). Adiposity and Smoking Mediate the Relationship Between Depression History and Inflammation Among Young Adults. *Int J Behav Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35141821>

Conti, AA, & Baldacchino, AM. (2021). Neuroanatomical Correlates of Impulsive Choices and Risky Decision Making in Young Chronic Tobacco Smokers: A Voxel-Based Morphometry Study. *Front Psychiatry*, 12, 708925. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34526922>

Dong, F, Li, XZhang, Y, Jia, S, Zhang, S, Xue, T et al (2021). Abnormal resting-state EEG power and impaired inhibition control in young smokers. *Neurosci Lett*, 761, 136120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34280504>

de Veld, L, Wolberink, IM, van Hoof, JJ, & van der Lely, N. (2021). The role of tobacco smoking and illicit drug use in adolescent acute alcohol intoxication. *BMC Pediatr*, 21(1), 233. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34001049>

Wang, X, Xue, T, Dong, F, Li, Y, Xie, D, Liu, C et al (2020). The changes of brain functional networks in young adult smokers based on independent component analysis. *Brain Imaging Behav.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32314196>

Jurges, H, & Meyer, SC. (2019). Cognitive ability and teen smoking. *Eur J Health Econ.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31659556>

Thayer, RE, Hansen, NS, Prashad, S, Karoly, HC, Filbey, FM, Bryan, AD, & Feldstein Ewing, SW. (2019). Recent tobacco use has widespread associations with adolescent white matter microstructure. *Addict Behav*, 101, 106152. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31639638>

Tan, Y, Chen, J, Liao, W, & Qian, Z. (2019). Brain Function Network and Young Adult Smokers: A Graph Theory Analysis Study. *Front Psychiatry*, 10, 590. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31543831>

Yuan, K, Yu, D, Zhao, M, Li, M, Wang, R, Li, Y, Manza, P, Shokri-Kojori, E, Wiers, CE, Wang, GJ, Tian, J. Abnormal frontostriatal tracts in young male tobacco smokers. *Neuroimage*. 2018 Aug 18;183:346-355. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30130644>

Kim, SY, Sim, S, Choi, HG. Atopic dermatitis is associated with active and passive cigarette smoking in adolescents. *PLoS One*. 2017 Nov 1;12(11):e0187453. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29091936>

Zhang, Y, Li, M, Wang, R, Bi, Y, Li, Y, Yi, Z, Liu, J, Yu, D, Yuan, K. Abnormal brain white matter network in young smokers: a graph theory analysis study. *Brain Imaging Behav*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28290074>

## News reports:

Boseley, Matilda. Sooner than you realise: Smoking killing people as young as 30. The Age, 2018. May 9, 2018. Available from: <https://www.theage.com.au/national/victoria/sooner-than-you-realise-smoking-killing-people-as-young-as-30-20180506-p4zdp4.html>

Klampe, Michelle. Teens who smoke daily are more likely to report health complaints. Oregon State University, 2016. July 28, 2016. Available from: <http://oregonstate.edu/ua/ncs/archives/2016/jul/teens-who-smoke-daily-are-more-likely-report-health-complaints>

No authors listed. Risk of COPD may already occur in adolescence. Medical News Today, 2015. July 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/296631.php?tw>

No authors listed. Cardiorespiratory fitness reduces disease risk among smokers. Medical News Today, 2015 Apr 21, 2015. Available from <http://www.medicalnewstoday.com/releases/292632.php?tw>

### *3.21.9 Fitness of young people who smoke*

No authors listed. Smokers lack motivation, feel more tired and are less physically active than non-smokers, new study reveals. Medical News Today, 2014. Feb 4, 2014. Available from: <http://www.medicalnewstoday.com/releases/272111.php?tw>

### *3.21.6 Cardiovascular disease in young people who smoke*

Rapaport, Lisa. Even young men who smoke have increased stroke risk. Reuters 2018. May 14, 2018. Available from: <http://uk.reuters.com/article/us-health-smoking-stroke/even-young-men-who-smoke-have-increased-stroke-risk-idUKKBN1IB2Y7>

Sandoiu, Ana. Heart attack risk over eight times higher for younger smokers. Medical News Today, 2016. Nov 30, 2016. Available from: <http://www.medicalnewstoday.com/articles/314441.php>

### *3.21.4 Asthma in young people who smoke*

No authors listed. Teens with asthma almost twice as likely to smoke as their healthy counterparts. Medical News Today, 2016. Nov 15, 2016. Available from: <http://www.medicalnewstoday.com/releases/314103.php>