

Tobacco in Australia

Facts & Issues

Relevant news and research

3.21 Health effects for younger smokers

Last updated September 2019

Research:

Evans, DS, O'Farrell, A, Sheridan, A, & Kavanagh, P. (2019). Comparison of the health and well-being of smoking and non-smoking school-aged children in Ireland. *Child Care Health Dev.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31039602>

Kangiser, MM, Lochner, AM, Thomas, AM, & Lisdahl, KM. (2019). Gender Moderates Chronic Nicotine Cigarette Effects on Verbal Memory in Young Adults. *Subst Use Misuse*, 1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31094617>

Kopiczko, A, Gryko, K, Lopuszanska-Dawid, M. Bone mineral density, hand grip strength, smoking status and physical activity in Polish young men. *Homo*. 2018 Aug 14. pii: S0018-442X(18)30041-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30143235>

Su, S, Yu, D, Cheng, J, Chen, Y, Zhang, X, Guan, Y, Li, Y, Bi, Y, Xue, T, Lu, X, Yuan, K. Decreased Global Network Efficiency in Young Male Smoker: An EEG Study during the Resting State. *Front Psychol*. 2017 Sep 15;8:1605. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28951727>

Wang, S, Zuo, L, Jiang, T, Peng, P, Chu, S, Xiao, D. Abnormal white matter microstructure among early adulthood smokers: a tract-based spatial statistics study. *Neurol Res*. 2017 Sep 21:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28934078>

Bagot, KS, Wu, R, Cavallo, D, Krishnan-Sarin, S. Assessment of pain in adolescents: Influence of gender, smoking status and tobacco abstinence. *Addict Behav*. 2017 Apr;67:79-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28061378>

King, JL, Merten, JW, Wong, TJ, Pomeranz, JL. Applying a Social-Ecological Framework to Factors Related to Nicotine Replacement Therapy for Adolescent Smoking Cessation. *Am J Health Promot*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28677401>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bi, Y, Yuan, K, Guan, Y, Cheng, J, Zhang, Y, Li, Y, et al . Altered resting state functional connectivity of anterior insula in young smokers. Brain Imaging Behav, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26843002>

Fujiyoshi, A, Polgreen, LE, Gross, MD, Reis, JP, Sidney, S, Jacobs, DR. Smoking habits and parathyroid hormone concentrations in young adults: The CARDIA study. Bone Rep. 2016 Apr 28;5:104-109.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27795978>

Ostadkarampour, M, Muller, M, Ockinger, J, Kullberg, S, Linden, A, Eklund, A, Grunewald, J, Wahlstrom, J. Distinctive regulatory T cells and altered cytokine profile locally in the airways of young smokers with normal lung function. PLoS One. 2016 Oct 31;11(10):e0164751. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27798682>

Nersesyan, A, Parsadanyan, G, Zalinyan, G, Chobanyan, N. Cytogenetic biomonitoring in buccal mucosa cells of young smokers. Acta Cytol, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27668422>

Saracen, A. Cigarette smoking and respiratory system diseases in adolescents. Adv Exp Med Biol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27469012>

Olashore, AA, Akanni, OO, Opondo, PR. Dyskinesia in an unmedicated adolescent with a 5-year history of tobacco use: a case report. J Med Case Rep. 2016 Aug 16;10(1):230. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27531473>

Earlam, K, Souza, CA, Glikstein, R, Gomes, MM, Pakhale, S. Pulmonary Langerhans cell histiocytosis and diabetes insipidus in a young smoker. Can Respir J. 2016;2016:3740902. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27445532>

Li, Y, Yuan, K, Guan, Y, Cheng, J, Bi, Y, Shi, S, Xue, T, Lu, X, Qin, W, Yu, D, Tian, J. The implication of salience network abnormalities in young male adult smokers. Brain Imaging Behav, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27437925>

Braverman, MT, Stawski, RS, Samdal, O, Aaro, LE. Daily Smoking and Subjective Health Complaints in Adolescence. Nicotine Tob Res, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27206973>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Battal, F, Tekin, M, Aylanc, H, Yildirim, S, Turkon, H, Binnetoglu, FK, Kaymaz, N, Topaloglu, N. Serum ischemia-modified albumin levels in adolescent smokers. Int J Adolesc Med Health, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27060740>

Kastelein, TE, Duffield, R, Crowcroft, S, Marino, FE. Cerebral oxygenation and sympathetic responses to smoking in young and middle-aged smokers. Hum Exp Toxicol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27037299>

Kelishadi, R, Noori, A, Qorbani, M, Rahimzadeh, S, Djalalinia, S, Shafiee, G, Motlagh, ME, Ardalan, G, Ansari, H, Asayesh, H, Ahadi, Z, Heshmat, R. Are active and passive smoking associated with cardiometabolic risk factors in adolescents? The CASPIAN-III Study. Paediatr Int Child Health, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27077622>

Gogliettino, AR, Potenza, MN, Yip, SW. White matter development and tobacco smoking in young adults: A systematic review with recommendations for future research. Drug Alcohol Depend, 2016;162:26-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26948756>

Yuan, K et al. The implication of frontostriatal circuits in young smokers: A resting-state study. Hum Brain Mapp, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26918784>

Jedrzejczak, WW et al. Otoacoustic emissions in smoking and nonsmoking young adults. Clin Exp Otorhinolaryngol, Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26622946>

Hansen, K et al. Age at smoking initiation and self-rated health among second grade high school boys and girls in Scania, Sweden, a cross-sectional study. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26581335>

Feng, D, Yuan, K, Li, Y, Cai, C, Yin, J, Bi, Y, et al. Intra-regional and inter-regional abnormalities and cognitive control deficits in young adult smokers. Brain Imaging Behav, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26164168>

Yu, D et al. White matter integrity in young smokers: a tract-based spatial statistics study. Addiction Biology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25752453>

Gondim, RM et al. Are smoking and passive smoking related with heart rate variability in male adolescents? Einstein, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25741983>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Pinar, D, Cincik, H, Erkul, E, Gungor, A. Investigating the Effects of Smoking on Young Adult Male Voice by Using Multidimensional Methods. J Voice, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26277074>

Vozoris, NT, O'Donnell, DE. Smoking, activity level and exercise test outcomes in a young population sample without cardio-pulmonary disease. J Sports Med Phys Fitness, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25611081>

Brinkman WB, Epstein JN, Auinger P, Tamm L, and Froehlich TE. Association of attention-deficit/hyperactivity disorder and conduct disorder with early tobacco and alcohol use. Drug Alcohol Depend, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25487225>

Morales, AM, Ghahremani, D, Kohno, M, Helleman, GS, London, ED. Cigarette exposure, dependence, and craving are related to insula thickness in young adult smokers. Neuropsychopharmacology, 2014. 39(8), 1816-1822. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24584328>

Ozyilmaz, I, Ozyilmaz, S, Tosun, O, Tola, HT, Saygi, M, Ergul, Y. Atrial fibrillation in a healthy adolescent after heavy smoking of contraband cigarettes. Int J Adolesc Med Health, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25153552>

Del Bo C, Porrini M, Fracassetti D, Campolo J, Klimis-Zacas D, et al. A single serving of blueberry (*V. corymbosum*) modulates peripheral arterial dysfunction induced by acute cigarette smoking in young volunteers: a randomized-controlled trial. Food Funct, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25263326>

Hanlon, CA, Owens, MM, Joseph, JE, Zhu, X, George, MS, Brady, KT, Hartwell, KJ. Lower subcortical gray matter volume in both younger smokers and established smokers relative to non-smokers. Addict Biol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25125263>

Huntington-Moskos, L, Turner-Henson, A, Rice, M. Tobacco exposure, weight status, and elevated blood pressure in adolescents. J Community Health, 2014. 39(4), 653-659. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24519179>

Bassareo, PP, Fanos, V, Crisafulli, A, Mercuro, G. Daily assessment of arterial distensibility in a pediatric population before and after smoking cessation. Clinics (Sao Paulo), 2014. 69(4), 219-224. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24714828>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Davis, EM, Peck, JD, Peck, BM, Kaplan, HB. Associations between early alcohol and tobacco use and prolonged time to puberty in boys. *Child Care Health Dev*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24865813>

Dratva, J, Probst-Hensch, N, Schmidt-Trucksass, A, Caviezel, S, de Groot, E, Bettschart, R, et al. Atherogenesis in youth--early consequence of adolescent smoking. *Atherosclerosis*, 2013. 230(2), 304-309. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24075761>

Miller AM, Fogt DL, and Cooke WH. Cardiovascular and cerebrovascular responses to progressive central hypovolemia in young smokers: a preliminary study. *Mil Med*, 2014; 179(11):1325-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25373062>

Stiby AI, Hickman M, Munafo MR, Heron J, Yip VL, et al. Adolescent Cannabis and Tobacco use and Educational Outcomes at Age 16: Birth Cohort Study. *Addiction*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25488831>

3.21.1 Early signs of addiction

Lydon, DM, Wilson, SJ, Child, A, Geier, CF. Adolescent brain maturation and smoking: what we know and where we're headed. *Neurosci Biobehav Rev*, 2014. 45, 323-342. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25025658>

de la Pena, JB, Ahsan, HM, Botanas, CJ, Sohn, A, Yu, GY, Cheong, JH. Adolescent nicotine or cigarette smoke exposure changes subsequent response to nicotine conditioned place preference and self-administration. *Behav Brain Res*, 2014. 272, 156-164. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24991754>

Apelberg, BJ, Corey, CG, Hoffman, AC, Schroeder, MJ, Husten, CG, Caraballo, RS, Backinger, CL. Symptoms of tobacco dependence among middle and high school tobacco users: results from the 2012 National Youth Tobacco Survey. *Am J Prev Med*, 2014. 47(2 Suppl 1), S4-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25044195>

Branstetter, SA, Mercincavage, M, Muscat, JE. Time to first cigarette predicts 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) in adolescent regular and intermittent smokers, National Health and Nutrition and Examination Survey (NHANES) 2007-10. *Addiction*, 2014. 109(6), 1005-1012. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24521204>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Selya, AS, Dierker, L, Rose, JS, Hedeker, D, Mermelstein, RJ. Early-emerging nicotine dependence has lasting and time-varying effects on adolescent smoking behaviour. *Prev Sci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27312479>

Jollans, L, Zhipeng, C, Icke, I, Greene, C, Kelly, C, Banaschewski, T, Bokde, AL, Bromberg, U, Buchel, C, Cattrell, A et al. Ventral striatum connectivity during reward anticipation in adolescent smokers. *Dev Neuropsychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27074029>

Dierker, L et al. Early emerging nicotine dependence symptoms in adolescence predict daily smoking in young adulthood. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25840749>

3.21.2 Respiratory infections and exacerbation of asthma

Choo, CYW, Wong, KS, Lai, SH, Chiu, CC, & Chiu, CY. (2019). Diagnostic pitfalls of acute eosinophilic pneumonia in an adolescent boy following cigarette smoking: A case report. *Medicine (Baltimore)*, 98(20), e15590. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31096462>

Tsuboshima, K, Matoba, Y, Wakahara, T, Uchida, T, & Moriyama, S. (2019). The clinical characteristics and surgical results of smoking-related young pneumothorax. *Gen Thorac Cardiovasc Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31129790>

Al-Sheyab N, Alomari MA, Shah S, Gallagher P, and Gallagher R. Prevalence, patterns and correlates of cigarette smoking in male adolescents in northern Jordan, and the influence of waterpipe use and asthma diagnosis: a descriptive cross-sectional study. *Int J Environ Res Public Health*, 2014; 11(9):9008-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25257355>

Nicola, ML, Carvalho, HB, Yoshida, CT, Anjos, FM, Nakao, M, Santos Ude, et al. Young "healthy" smokers have functional and inflammatory changes in the nasal and the lower airways. *Chest*, 2014. 145(5), 998-1005. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24307008>

Westergaard, CG, Munck, C, Helby, J, Porsbjerg, C, Hansen, LH, Backer, V. Predictors of neutrophilic airway inflammation in young smokers with asthma. *J Asthma*, 2014. 51(4), 341-347. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24404796>

Jordao, Eaoc, Kuschnir, FC, Figueiredo, VC, Felix, MMR, Silva, TInd, Kuschnir, MCC, Bloch, KV, Szklo, M. ERICA: smoking is associated with more severe asthma in Brazilian adolescents. *J Pediatr (Rio J)*.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

2018 Jun 27. pii: S0021-7557(18)30546-1. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29959902>

Lopez Blazquez, M, Perez Moreno, J, Vigil Vazquez, S, Rodriguez Fernandez, R. Impact of Passive Smoking on Lung Function and Asthma Severity in Children. Arch Bronconeumol. 2017 Dec 1. pii: S0300-2896(17)30408-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29203052>

Saracen, A. Cigarette smoking and respiratory system diseases in adolescents. Adv Exp Med Biol. 2017;944:81-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27826883>

Fernandes Sde, S, Andrade, CR, Caminhas, AP, Camargos, PA, Ibiapina Cda, C. Prevalence of self-reported smoking experimentation in adolescents with asthma or allergic rhinitis. J Bras Pneumol. 2016 Apr;42(2):84-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27167427>

Hancox, RJ et al. The effect of cigarette smoking on lung function in young adults with asthma. Am J Respir Crit Care Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26866532>

Conrad, M et al. Smoking's effects on respiratory sinus arrhythmia in adolescent smokers. International Journal of Psychophysiology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25957697>

3.21.3 General health of young smokers

Bellatorre, A, Choi, K, Lewin, D, Haynie, D, Simons-Morton, B. Relationships between smoking and sleep problems in black and white adolescents. Sleep. 2016 Sep 9. pii: sp-00702-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27634813>

Vajravelu, HR et al. Impact of quantified smoking status on cognition in young adults. J Clin Diagn Res, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26816883>

London, ED et al. Consequences of adolescent smoking: cognitive performance, brain function, and policy implications. Biol Psychiatry, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26434629>

3.21.4 Fitness and lung function in young smokers

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Dugral, E, & Balkanci, D. (2019). Effects of smoking and physical exercise on respiratory function test results in students of university: A cross-sectional study. *Medicine (Baltimore)*, 98(32), e16596. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31393359>

Hartmann, T, Marino, F, & Duffield, R. (2019). Tobacco smoking and acute exercise on immune-inflammatory responses among relative short and longer smoking histories. *Cytokine*, 123, 154754. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31228726>

Jacobs, M. (2019). Adolescent smoking: The relationship between cigarette consumption and BMI. *Addict Behav Rep*, 9, 100153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193813>

Watai, K, Sekiya, K, Hayashi, H, Fukutomi, Y, & Taniguchi, M. (2019). Effects of short-term smoking on lung function and airway hyper-responsiveness in young patients with untreated intermittent adult-onset asthma: retrospective cross-sectional study at a primary-tertiary care hospital in Japan. *BMJ Open*, 9(6), e023450. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167855>

Furlanetto, KC, Mantoani, LC, Bisca, G, Morita, AA, Zabatiero, J, Proenca, M, et al. Reduction of physical activity in daily life and its determinants in smokers without airflow obstruction. *Respirology*, 2014. 19(3), 369-375. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24483840>

Nikolakaros, G, Vahlberg, T, Auranen, K, Sillanmaki, L, Venetoklis, T, Sourander, A. Obesity, Underweight, and Smoking Are Associated with Worse Cardiorespiratory Fitness in Finnish Healthy Young Men: A Population-Based Study. *Front Public Health*. 2017 Aug 18;5:206. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28868273>

Kim, CS, Kim, MK, Jung, HY, Kim, MJ. Effects of exercise training intensity on cardiac autonomic regulation in habitual smokers. *Ann Noninvasive Electrocardiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28247979>

Lauria, VT, Sperandio, EF, de Sousa, TL, de Oliveira Vieira, W, Romiti, M, de Toledo Gagliardi, AR, Arantes, RL, Dourado, VZ. Evaluation of dose-response relationship between smoking load and cardiopulmonary fitness in adult smokers: A cross-sectional study. *Rev Port Pneumol* (2006). 2017 Jan 30. pii: S2173-5115(16)30140-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28153628>

Siddall, AG, Bilzon, JL, Thompson, D, Greeves, J, Izzard, R, Stokes, KA. Smoking status and physical fitness during initial military training. *Occup Med (Lond)*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28204750>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Druyan, A, Atias, D, Ketko, I, Cohen-Sivan, Y, Heled, Y. The effects of smoking and nicotine ingestion on exercise heat tolerance. *J Basic Clin Physiol Pharmacol*, 2016. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27831921>

Kastelein, TE, Donges, CE, Mendham, AE, Duffield, R. The acute exercise-induced inflammatory response: a comparison of young-adult smokers and nonsmokers. *Res Q Exerc Sport*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27805476>

3.21.5 Early signs of lung disease

Lampalo, M, Majer, M, Jukic, I, Safic Stanic, H, Barisic, B, & Popovic-Grle, S. (2019). Health Sequelae of Tobacco Exposure in Childhood and Adolescence. *Psychiatr Danub*, 31(Suppl 1), 39-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30946716>

Bainbridge, KE, Roy, N, Losonczy, KG, Hoffman, HJ, Cohen, SM. Voice disorders and associated risk markers among young adults in the United States. *Laryngoscope*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28008619>

3.21.6 Early signs of cardiovascular disease

Rodriguez-Portelles, A., & Rodriguez Leyva, D. (2019). Endothelial and left ventricular diastolic function in young adults exposed to tobacco. *Can J Physiol Pharmacol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31269406>

Mehrpour, M, & Yadollahi, F. (2019). Considering vertebral artery stenosis in young healthy heavy smokers. *Vascular*, 1708538119856964. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31230529>

Taralov, ZZ, Dimov, PK, Terziyski, KV, Marinov, BI, Topolov, MK, & Kostianev, SS. Effects of acute hypoxic provocation on the autonomic nervous system in 'healthy' young smokers, measured by heart rate variability. *Cardiovasc J Afr*, 30, 1-5. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30778498>

Gleerup, HB, Dahm, CC, Thim, T, Jensen, SE, Jensen, LO, Kristensen, SD et al. Smoking is the dominating modifiable risk factor in younger patients with STEMI. *Eur Heart J Acute Cardiovasc Care*, 2018. 2048872618810414. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30387680>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nakagomi, A, Sunami, Y, Okada, S, Fujisawa, T, & Kobayashi, Y. Synergistic Effects of 1 h Post-Load Plasma Glucose and Smoking on Arterial Stiffness in Apparently Healthy Men: A Cross-sectional Study. *J Atheroscler Thromb*, 2018. Available from:

https://www.jstage.jst.go.jp/article/jat/advpub/0/advpub_46193/_pdf

Szumska, M, Damasiewicz-Bodzek, A, Czubilinska, J, Dlugaszek, M, Gawlik, K, Krywult, A et al. Pregnancy-Associated Plasma Protein A (PAPP-A) Concentration in Population of Healthy Young People: Interactions with Tobacco Smoke and Anti-oxidative Status. *Cardiovasc Toxicol*, 2018. Available from:

<https://link.springer.com/content/pdf/10.1007%2Fs12012-018-9479-6.pdf>

Lv, S, Liu, W, Zhou, Y, Liu, Y, Shi, D, Zhao, Y, & Liu, X. Hyperuricemia and smoking in young adults suspected of coronary artery disease ≤ 35 years of age: a hospital-based observational study. *BMC Cardiovasc Disord*, 2018. 18(1), 178. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30170547>

Munzel, T, Hahad, O, & Daiber, A. Double hazard of smoking and alcohol on vascular function in adolescents. *Eur Heart J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30169618>

Alhawari, HH, Al-Shelleh, S, Alhawari, HH, Al-Saudi, A, Aljbour Al-Majali, D, Al-Faris, L, AlRyalat, SA. Blood Pressure and Its Association with Gender, Body Mass Index, Smoking, and Family History among University Students. *Int J Hypertens*. 2018 May 29;2018:4186496. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30002925>

Keith, RJ, Fetterman, JL, Riggs, DW, O'Toole, T, Nystoriak, JL, Holbrook, M, Lorkiewicz, P, Bhatnagar, A, DeFilippis, AP, Hamburg, NM. Protocol to assess the impact of tobacco-induced volatile organic compounds on cardiovascular risk in a cross-sectional cohort: Cardiovascular Injury due to Tobacco Use study. *BMJ Open*. 2018 Mar 30;8(3):e019850. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29602846>

Markidan, J, Cole, JW, Cronin, CA, Merino, JG, Phipps, MS, Wozniak, MA, Kittner, SJ. Smoking and Risk of Ischemic Stroke in Young Men. *Stroke*. 2018 May;49(5):1276-1278. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29674522>

Kayali, S, Demir, F. The effects of cigarette smoking on ventricular repolarization in adolescents. *Einstein (Sao Paulo)*. 2017 Jul-Sep;15(3):251-255. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29091143>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Liu, Y, Han, T, Gao, M, Wang, J, Liu, F, Zhou, S, Chen, Y. Clinical characteristics and prognosis of acute myocardial infarction in young smokers and non-smokers (≤ 45 years): a systematic review and meta-analysis. *Oncotarget*. 2017 Sep 20;8(46):81195-81203. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29113379>

Thompson, J. Risk of acute STEMI significantly increased in younger smokers. *Practitioner*. 2017 Jan;261(1800):5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29023079>

Korneeva, NV, Sirotin, BZ. Microcirculatory Bed, Microcirculation, and Smoking-Associated Endothelial Dysfunction in Young Adults. *Bull Exp Biol Med*. 2017 Apr;162(6):824-828. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28429229>

Mozzini, C, Casadei, A, Roscia, G, Cominacini, L. Young smoker "ABCD" vascular assessment: a four-step ultrasound examination for detecting peripheral, extra and intra-cranial early arterial damage. *BMC Cardiovasc Disord*. 2016 Jul 8;16(1):147. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27391044>

Saladini, F, Benetti, E, Fania, C, Mos, L, Casiglia, E, Palatini, P. Effects of smoking on central blood pressure and pressure amplification in hypertension of the young. *Vasc Med*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27197683>

Jaffre, A et al. Tobacco use and cryptogenic stroke in young adults. *J Stroke Cerebrovasc Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26481958>

Arslan, G et al. Coronary artery spontaneous dissection in a young male heavy smoker during bed rest. *Kardiochir Torakochirurgia Pol*, Jun 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26336501>

Gondim, RM, Farah, BQ, Santos, CD, Ritti-Dias, RM. Are smoking and passive smoking related with heart rate variability in male adolescents? *Einstein (Sao Paulo)*, 2015. 13(1), 27-33. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25993065>

Miyata, S et al. Smoking acutely impaired endothelial function in healthy college students. *Acta Cardiol*, Jun 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26226701>

Khan, RJ et al. The risk and burden of smoking related heart disease mortality among young people in the United States. *Tobacco Induced Diseases*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26146496>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kelishadi, R et al. Are active and passive smoking associated with cardiometabolic risk factors in adolescents? The CASPIAN-III Study. Paediatrics and International Child Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26055078>

3.21.7 Dental health problems in young people

Ponnaiyan, D, Chillara, P, Palani, Y. Correlation of environmental tobacco smoke to gingival pigmentation and salivary alpha amylase in young adults. Eur J Dent. 2017 Jul-Sep;11(3):364-369. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28932148>

3.21.8 Muscular skeletal problems in young people

Lener, S, Wipplinger, C, Hartmann, S, Thome, C, & Tschugg, A. (2019). The impact of obesity and smoking on young individuals suffering from lumbar disc herniation: a retrospective analysis of 97 cases. *Neurosurg Rev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31414196>

Everhart, JS, Vajapey, S, Kirven, JC, Abouljoud, MM, DiBartola, AC, Wright, B, & Flanigan, DC. (2019). Symptom Chronicity and Tobacco Use: Differences in Athletic and Nonathletic Candidates for Cartilage Surgery. *Cartilage*, 1947603519847729. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31088145>

3.21.9 Other health problems young people

Yuan, K, Yu, D, Zhao, M, Li, M, Wang, R, Li, Y, Manza, P, Shokri-Kojori, E, Wiers, CE, Wang, GJ, Tian, J. Abnormal frontostriatal tracts in young male tobacco smokers. *Neuroimage*. 2018 Aug 18;183:346-355. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30130644>

Kim, SY, Sim, S, Choi, HG. Atopic dermatitis is associated with active and passive cigarette smoking in adolescents. *PLoS One*. 2017 Nov 1;12(11):e0187453. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29091936>

Zhang, Y, Li, M, Wang, R, Bi, Y, Li, Y, Yi, Z, Liu, J, Yu, D, Yuan, K. Abnormal brain white matter network in young smokers: a graph theory analysis study. *Brain Imaging Behav*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28290074>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

News reports:

Boseley, Matilda. Sooner than you realise: Smoking killing people as young as 30. The Age, 2018. May 9, 2018. Available from: <https://www.theage.com.au/national/victoria/sooner-than-you-realise-smoking-killing-people-as-young-as-30-20180506-p4zdp4.html>

Klampe, Michelle. Teens who smoke daily are more likely to report health complaints. Oregon State University, 2016. July 28, 2016. Available from: <http://oregonstate.edu/ua/ncs/archives/2016/jul/teens-who-smoke-daily-are-more-likely-report-health-complaints>

No authors listed. Risk of COPD may already occur in adolescence. Medical News Today, 2015. July 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/296631.php?tw>

No authors listed. Cardiorespiratory fitness reduces disease risk among smokers. Medical News Today, 2015 Apr 21, 2015. Available from <http://www.medicalnewstoday.com/releases/292632.php?tw>

3.21.4 Fitness and lung function in young smokers

No authors listed. Teens with asthma almost twice as likely to smoke as their healthy counterparts. Medical News Today, 2016. Nov 15, 2016. Available from: <http://www.medicalnewstoday.com/releases/314103.php>

No authors listed. Smokers lack motivation, feel more tired and are less physically active than non-smokers, new study reveals. Medical News Today, 2014. Feb 4, 2014. Available from: <http://www.medicalnewstoday.com/releases/272111.php?tw>

3.21.6 Early signs of cardiovascular disease

Rapaport, Lisa. Even young men who smoke have increased stroke risk. Reuters 2018. May 14, 2018. Available from: <http://uk.reuters.com/article/us-health-smoking-stroke/even-young-men-who-smoke-have-increased-stroke-risk-idUKKBN1IB2Y7>

Sandoiu, Ana. Heart attack risk over eight times higher for younger smokers. Medical News Today, 2016. Nov 30, 2016. Available from: <http://www.medicalnewstoday.com/articles/314441.php>

tobaccoinaustralia.org.au