

Tobacco in Australia

Facts & Issues

Relevant news and research

3.22 Poorer quality of life and loss of function

Last updated December 2024

Research:	2
3.22.1 Poorer health related quality of life	7
3.22.2 Impaired activities of daily living (ADL) and instrumental ADL.....	9
3.22.3 Smoking, low bone density and hip fracture.....	10
3.22.4 Diminished general health and accelerated ageing	10
3.22.5 Smoking and disturbed sleep	12
3.22.6 Other impairments	21
3.22.7 Smoking and absence from work due to illness	25
News reports:	25
3.22.6 Other impairments	25
3.22.7 Smoking and absence from work due to illness	25

Research:

- Li, H, Zhao, J, Liang, J, & Song, X. (2023). Exploring causal effects of smoking and alcohol related lifestyle factors on self-report tiredness: A Mendelian randomization study. *PLoS One*, 18(6), e0287027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37327227>
- Wachsmann, S, Nordeman, L, Billhult, A, & Rembeck, G. (2023). Tobacco impact on quality of life, a cross-sectional study of smokers, snuff-users and non-users of tobacco. *BMC Public Health*, 23(1), 886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37189128>
- Kang, W. (2022). The relationship between smoking frequency and life satisfaction: Mediator of self-rated health (SRH). *Front Psychiatry*, 13, 937685. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36569614>
- Mukong, AK. (2022). Estimating the Health Effect of Cigarette Smoking Duration in South Africa. *Int J Environ Res Public Health*, 19(20). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36293583>
- Ho, CC, Lee, PF, Xu, S, Hung, CT, Su, YJ, Lin, CF et al. (2022). Associations between cigarette smoking status and health-related physical fitness performance in male Taiwanese adults. *Front Public Health*, 10, 880572. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36062134>
- Montiel Ishino, FA, Rowan, CE, Villalobos, K, Rajbhandari-Thapa, J, & Williams, F. (2022). A Time-Varying Effect Model (TVEM) of the Complex Association of Tobacco Use and Smoke Exposure on Mean Telomere Length: Differences between Racial and Ethnic Groups Assessed in the National Health and Nutrition Examination Survey. *Int J Environ Res Public Health*, 19(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36078786>
- Amialchuk, A, & Sapci, O. (2022). The long-term health effects of initiating smoking in adolescence: Evidence from a national longitudinal survey. *Health Econ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34989036>
- Noonan, D, Silva, NJ, McClintock, SM, & Silva, SG. (2021). Impact of Depression and Nicotine Dependence on Executive Functioning in Rural Older Adult Smokers: A Brief Report (NCT02510716). *J Addict Nurs*, 32(4), 249-254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34855323>
- Dhawan, P, Goel, S, & Ghosh, A. (2021). Quality of life of tobacco users- A correlation with duration of use and nicotine dependence. *Indian J Tuberc*, 68S, S60-S64. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34538393>
- Simons, RL, Ong, ML, Lei, MK, Klopack, E, Berg, M, Zhang, Y et al. (2021). Unstable Childhood, Adult Adversity, and Smoking Accelerate Biological Aging Among Middle-Age African Americans: Similar Findings for GrimAge and PoAm. *J Aging Health*, 8982643211043668. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34525884>
- Afolalu, EF, Spies, E, Bacso, A, Clerc, E, Abetz-Webb, L, Gallot, S, & Chrea, C. (2021). Impact of tobacco and/or nicotine products on health and functioning: a scoping review and findings from the preparatory phase of the development of a new self-report measure. *Harm Reduct J*, 18(1), 79. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34330294>

Koczkodaj, P, & Didkowska, J. (2021). Tobacco attributable Disability-Adjusted Life Years (DALYs) burden in Poland and Hungary: The role of women. *Tob Induc Dis*, 19, 02. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33437229>

Rodu, B, & Plurphanswat, N. (2021). Mortality among male cigar and cigarette smokers in the USA. *Harm Reduct J*, 18(1), 7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33413424>

Jing, Z, Li, J, Wang, Y, Yuan, Y, Zhao, D, Hao, W et al. (2020). Association of smoking status and health-related quality of life: difference among young, middle-aged, and older adults in Shandong, China. *Qual Life Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32989682>

Mangan, JJ, Goyal, DKC, Divi, SN, Bowles, DR, Nicholson, KJ, Mujica, VE et al. (2019). Does Smoking Status Influence Health-Related Quality of Life Outcome Measures in Patients Undergoing ACDF? *Global Spine J*, 2192568219890292. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32875848>

Townsend, T, & Mehta, NK. (2020). Pathways to Educational Disparities in Disability Incidence: The Contributions of Excess Body Mass Index, Smoking, and Manual Labor Involvement. *J Gerontol B Psychol Sci Soc Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32865565>

LaRowe, LR, & Ditre, JW. (2020). Pain, nicotine, and tobacco smoking: current state of the science. *Pain*, 161(8), 1688-1693. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32701828>

LaRowe, LR, & Ditre, JW. (2020). Pain, nicotine, and tobacco smoking: current state of the science. *Pain*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32205529>

Lee, EJ. (2020). Correlations among pain, depressive symptoms, constipation, and serotonin levels in smokers and non smokers. *Perspect Psychiatr Care*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32202333>

Schneider, BJ, & Ehsanian, R. (2020). Effects of smoking on pain intensity in patients with chronic pain: are there clinical implications? *Ann Palliat Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32156126>

Parekh, TM, Bhatia, S, Cherrington, A, Kim, YI, Lambert, A, Iyer, A et al. (2019). Factors influencing decline in quality of life in smokers without airflow obstruction: The COPDGene study. *Respir Med*, 161, 105820. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31759270>

Cui, Y, Forget, EL, Torabi, M, Oguzoglu, U, Ohinmaa, A, & Zhu, Y. (2019). Health-related quality of life and economic burden to smoking behaviour among Canadians. *Can J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31493265>

Sagtani, RA, Thapa, S, & Sagtani, A. (2019). Smoking and Quality of Life - Is there really an association? Evidence from a Nepalese sample. *PLoS One*, 14(9), e0221799. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31490943>

Siahpush, M, Levan, TD, Nguyen, MN, Grimm, BL, Ramos, AK, Michaud, TL, & Johansson, PL. (2019). The Association of Physical Activity and Mortality Risk Reduction Among Smokers: Results From 1998-2009 National Health Interview Surveys-National Death Index Linkage. *J Phys Act Health*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31387083>

Viana, DA, Andrade, FCD, Martins, LC, Rodrigues, LR, & Dos Santos Tavares, DM. Differences in quality of life among older adults in Brazil according to smoking status and nicotine dependence. *Health Qual Life Outcomes*, 2019. 17(1), 1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30606205>

Bendayan, R, Cooper, R, Muthuri, SG. Lifetime cigarette smoking and chronic widespread and regional pain in later adulthood: evidence from the 1946 British birth cohort study. *BMJ Open*. 2018 Aug 29;8(8):e021896. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30158227>

Smit, T, Peraza, N, Garey, L, Langdon, KJ, Ditre, JW, Rogers, AH, Manning, K, Zvolensky, MJ. Pain-related anxiety and smoking processes: The explanatory role of dysphoria. *Addict Behav*. 2018 Aug 10;88:15-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30103097>

Gu, F, Li, XF, Xu, JF, Gao, GH, Wu, YF, Zhou, CC. Effect of nicotine dependence on quality of life and sleep quality in patients with lung cancer who continue to smoke after diagnosis. *J Thorac Dis*. 2018 May;10(5):2583-2589. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29997919>

LaRowe, LR, Kosiba, JD, Zale, EL, Ditre, JW. Effects of nicotine deprivation on current pain intensity among daily cigarette smokers. *Exp Clin Psychopharmacol*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30035576>

Daskalopoulou, C, Stubbs, B, Kralj, C, Koukounari, A, Prince, M, Prina, AM. Associations of smoking and alcohol consumption with healthy ageing: a systematic review and meta-analysis of longitudinal studies. *BMJ Open*. 2018 Apr 17;8(4):e019540. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29666127>

Nelson, HD, Lui, L, Ensrud, K, Cummings, SR, Cauley, JA, Hillier, TA. Associations of Smoking, Moderate Alcohol Use, and Function: A 20-Year Cohort Study of Older Women. *Gerontol Geriatr Med*. 2018 Mar 22;4:2333721418766127. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29619404>

Han, S, Patel, B, Min, M, Bocelli, L, Kheder, J, Wachholtz, A, Wassef, W. Quality of life comparison between smokers and non-smokers with chronic pancreatitis. *Pancreatology*. 2018 Apr;18(3):269-274. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29500114>

Nduaguba, SO, Ford, KH, Rascati, K. The Role of Physical Activity in the Association between Smoking Status and Quality of Life. *Nicotine Tob Res*. 2018 Mar 15. pii: 4936981. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29554318>

Timmermans, EJ, Huisman, M, Kok, AAL, Kunst, AE. Smoking cessation and 16-year trajectories of functional limitations among Dutch older adults: Results from the Longitudinal Aging Study Amsterdam. *The journals of gerontology. Series A, Biological sciences and medical sciences*, 73(12), 1722-1728. <https://doi.org/10.1093/gerona/gly009>

Bertin, C, Zerhouni, O, Perriot, J, de Chazeron, I, Brousse, G, Flaudias, V. Relationship between Tobacco Craving and Quality of Life among French Students: Results of a Cross-Sectional Study. *Subst Use Misuse*. 2017 Nov 27:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29172869>

Kojima, G, Iliffe, S, Jivraj, S, Liljas, A, Walters, K. Does current smoking predict future frailty. Age and Ageing. Available from:

<https://academic.oup.com/ageing/article/doi/10.1093/ageing/afx136/4062212/Does-current-smoking-predict-future-frailty-The>

Lopez-Nicolas, A, Trapero-Bertran, M, Munoz, C. Smoking, health-related quality of life and economic evaluation. Eur J Health Econ. 2017 Jul 26. doi: 10.1007/s10198-017-0919-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28748308>

Ditre, JW, Zale, EL, Heckman, BW, Hendricks, PS. A measure of perceived pain and tobacco smoking interrelations: pilot validation of the pain and smoking inventory. Cogn Behav Ther, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871214>

Joswig, H, Stienen, MN, Smoll, NR, Corniola, MV, Chau, I, Schaller, K, Hildebrandt, G, Gautschi, OP. Effects of smoking on subjective and objective measures of pain intensity, functional impairment and health-related quality of life in lumbar degenerative disc disease. World Neurosurg. 2016 Nov 22. pii: S1878-8750(16)31208-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27888086>

Lankhorst, MA. Smoking and chronic pain. J Pain Palliat Care Pharmacother, Nov 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27797644>

Agahi, N, Fors, S, Fritzell, J, Shaw, BA. Smoking and physical inactivity as predictors of mobility impairment during late life: exploring differential vulnerability across education level in Sweden. J Gerontol B Psychol Sci Soc Sci, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27449220>

Villiers-Tuthill, A, Copley, A, McGee, H, Morgan, K. The relationship of tobacco and alcohol use with ageing self-perceptions in older people in Ireland. BMC Public Health. 2016 Jul 22;16:627. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27448397>

Ditre, JW, Heckman, BW, Zale, EL, Kosiba, JD, Maisto, SA. Acute analgesic effects of nicotine and tobacco in humans: a meta-analysis. Pain, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27023418>

Ditre, JW, Zale, EL, Heckman, BW, Hendricks, PS. A measure of perceived pain and tobacco smoking interrelations: pilot validation of the pain and smoking inventory. Cogn Behav Ther, 2016. 1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871214>

Hong, JY, Han, K, Shin, DH, Chun, EM. Quality of life analysis and smoking correlation in symptomatic spine osteoarthritis: a nationwide health survey analysis of an elderly population with EQ-5D. PLoS One, 2016. ;11(3):e0151315. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26991429>

Qi Gan, W, Estus, S, Smith, JH. Association between overall and mentholated cigarette smoking with headache in a nationally representative sample. Headache. 2016;56(3):511-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26926358>

Verlinden, VJ et al. The associations of alcohol, coffee and tobacco consumption with gait in a community-dwelling population. European Journal of Clinical Nutrition, 2016 Jan;70(1):116-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26220568>

Custodio L, Carlson CR, Upton B, Okeson JP, Harrison AL, et al. The impact of cigarette smoking on sleep quality of patients with masticatory myofascial pain. *J Oral Facial Pain Headache*, 2015; 29(1):15-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25635956>

Varol, Y et al. The impact of active and former smoking on the severity of obstructive sleep apnea. *Sleep & Breathing*, 2015 Dec ;19(4):1279-84. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25801280>

al'Absi, M et al. Circulating leptin and pain perception among tobacco-dependent individuals. *Biological Psychology*, 2015 Apr; 107:10-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25720946>

Goldenberg M, Danovitch I, and IsHak WW. Quality of life and smoking. *Am J Addict*, 2014; 23(6):540-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25255868>

Mesquita, R, Goncalves, CG, Hayashi, D, Costa, VD, Teixeira, DD, de Freitas, ER,et al. Smoking status and its relationship with exercise capacity, physical activity in daily life and quality of life in physically independent, elderly individuals. *Physiotherapy*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25108641>

Petre B, Torbey S, Griffith JW, De Oliveira G, Herrmann K, et al. Smoking increases risk of pain chronification through shared corticostriatal circuitry. *Hum Brain Mapp*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25307796>

Dzubur, A, Mehic, B, Dzubur, A, Filipovska-Musanovic, M, Denjalic, A, Hasanbegovic, I. Quality of life for tobacco smokers in relation to their socioeconomic status. *Med Glas (Zenica)*, 2014. 11(1), 210-215. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24496366>

Brook JS, Zhang C, Rubenstein E, and Brook DW. Insomnia in Adults: The Impact of Earlier Cigarette Smoking From Adolescence to Adulthood. *J Addict Med*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25325299>

Krishnan V, Dixon-Williams S, and Thornton JD. Where there is smoke...there is sleep apnea: exploring the relationship between smoking and sleep apnea. *Chest*, 2014; 146(6):1673-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25451354>

Coste, J, Quinquis, L, D'Almeida, S, Audureau, E. Smoking and health-related quality of life in the general population. Independent relationships and large differences according to patterns and quantity of smoking and to gender. *PLoS ONE*, 2014. 9(3), e91562. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24637739>

Galaznik, A, Chapnick, J, Vietri, J, Tripathi, S, Zou, KH, Makinson, G. Burden of smoking on quality of life in patients with chronic obstructive pulmonary disease. *Expert Rev Pharmacoecon Outcomes Res*, 2013. 13(6), 853-860. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24219055>

Becona, E, Vazquez, MI, Miguez Mdel, C, Fernandez del Rio, E, Lopez-Duran, A, Martinez, U, Pineiro, B. Smoking habit profile and health-related quality of life. *Psicothema*, 2013. 25(4), 421-426. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24124772>

3.22.1 Poorer health related quality of life

Sargent, JD, Ozga, JE, Stanton, CA, Tang, Z, & Paulin, LM. (2024). Comprehensive Assessment of Lifetime Cigarette Smoking and Its Association with Health- Related Quality of Life among Older US Adults-A Cross-sectional Study. *Res Sq.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39606494>

Zhang, K, & Liang, H. (2024). Causal impacts of smoking on pain conditions and the mediating pathways: a mendelian randomization study. *Sci Rep*, 14(1), 23375. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39379490>

Baek, CW, Park, JH, Kim, DH, Kim, HJ, Lee, AN, Shin, JH et al. (2024). Association between Use of Combustible Cigarettes and Noncombustible Nicotine or Tobacco Products and Health-Related Quality of Life in Korean Men: A Nationwide Population-Based Study. *Korean J Fam Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39256906>

Paulin, LM. (2024). Relationship Between Tobacco Product Use and Health-Related Quality of Life Among Individuals With COPD in Waves 1-5 (2013-2019) of the Population Assessment of Tobacco and Health Study. *Chronic Obstr Pulm Dis*, 11(4), 436. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39048097>

Chiba, S, Yamada, K, Kawai, A, Hamaoka, S, Ikemiya, H, Hara, A et al (2024). Association between smoking and central sensitization pain: a web-based cross-sectional study. *J Anesth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38265695>

Nolazco, JI, Rosner, BA, Roebuck, EH, Bergerot, CD, Rammant, E, Iyer, GS et al. (2023). Impact of smoking status on health-related quality of life (HRQoL) in cancer survivors. *Front Oncol*, 13, 1261041. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38239633>

Liu, Y, Okamura, T, Hirata, A, Sato, Y, Hayakawa, T, Kadota, A et al. (2023). Smoking is associated with impaired long-term quality of life in elderly people: a 22-year cohort study in NIPPON-DATA 90. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37743531>

Masihay-Akbar, H, Amiri, P, Naseri, P, & Azizi, F. (2023). Men's Smoking Trajectories and Health-Related Quality of Life in the Whole Family: Tehran Lipid and Glucose Study. *Iran J Public Health*, 52(6), 1259-1268. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37484137>

Powers, JM, Maisto, SA, Zvolensky, MJ, Heckman, BW, & Ditre, JW. (2022). Longitudinal Associations Between Pain and Use of Cigarettes and E-Cigarettes in the Population Assessment of Tobacco and Health (PATH) Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35965386>

Cheng, X, & Jin, C. (2022). The Association Between Smoking and Health-Related Quality of Life Among Chinese Individuals Aged 40 Years and Older: A Cross-Sectional Study. *Front Public Health*, 10, 779789. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35284370>

Santos, V, Moreira, MAF, Rosa, AVD, Sobragi, SM, Silva, C, & Dalcin, PTR. (2022). Association of quality of life and disease control with cigarette smoking in patients with severe asthma. *Braz J Med Biol Res*, 55, e11149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35019032>

- Endrighi, R, Zhao, Y, Hughes, RB, Kumar, D, & Borrelli, B. (2021). Associations Between Smoking Status and Physical and Mental Health-Related Quality of Life Among Individuals With Mobility Impairments. *Ann Behav Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34453512>
- Xu, X, Fiacco, L, Rostron, B, Homsi, G, Salazar, E, Levine, B et al (2021). Assessing quality-adjusted years of life lost associated with exclusive cigarette smoking and smokeless tobacco use. *Prev Med*, 106707. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34186150>
- Sagtani, RA, Thapa, S, & Sagtani, A. (2020). Smoking, general and oral health related quality of life - a comparative study from Nepal. *Health Qual Life Outcomes*, 18(1), 257. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32736560>
- Jo, W, Lee, S, Joo, YS, Nam, KH, Yun, HR, Chang, TI et al. (2020). Association of smoking with incident CKD risk in the general population: A community-based cohort study. *PLoS One*, 15(8), e0238111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32746541>
- Milic, M, Gazibara, T, Pekmezovic, T, Kisic Tepavcevic, D, Maric, G, Popovic, A et al. (2020). Tobacco smoking and health-related quality of life among university students: Mediating effect of depression. *PLoS ONE*, 15(1), e0227042. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31914158>
- Rajabi, A, Arefnezhad, M, Erfanpoor, S, Esmaeilzadeh, F, Arefnezhad, M, & Hasani, J. (2019). Cigarette Smoking and Health-related Quality of Life in the General Population of Iran: Independent Associations According to Gender. *Int J Prev Med*, 10, 188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31807258>
- Kao, YH, Celestin, MD, Yu, Q, Moody-Thomas, S, Jones-Winn, K, & Tseng, TS. Racial and Income Disparities in Health-Related Quality of Life among Smokers with a Quit Attempt in Louisiana. *Medicina (Kaunas)*, 2019. 55(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30781893>
- Dube, SR, Liu, J, Fan, AZ, Meltzer, MI, & Thompson, WW. Assessment of age-related differences in smoking status and health-related quality of life (HRQoL): Findings from the 2016 Behavioral Risk Factor Surveillance System. *J Community Psychol*, 2019; 47(1), 93-103. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30506930>
- Song, F, Bachmann, MO, Aveyard, P, Barton, GR, Brown, TJ, Maskrey, V et al. Relapse to smoking and health-related quality of life: Secondary analysis of data from a study of smoking relapse prevention. *PLoS One*, 2018. 13(11), e0205992. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6245517/pdf/pone.0205992.pdf>
- Efendi, V, Ozalevli, S, Naz, I, & Kilinc, O. The effects of smoking on body composition, pulmonary function, physical activity and health-related quality of life among healthy women. *Tuberk Toraks*, 2018. 66(2), 101-108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30246652>
- Miguez, MC, Lopez-Duran, A, Martinez-Vispo, C, Fernandez Del Rio, E, Martinez, U, Rodriguez-Cano, R, Becona, E. Health-related quality of life among smoking relapsers. *Psicothema*. 2018 Feb;30(1):27-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29363467>
- Rezaei, S, Karami Matin, B, Kazemi Karyani, A, Woldemichael, A, Khosravi, F, Khosravipour, M, Rezaeian, S. Impact of Smoking on Health-Related Quality of Life: A General Population Survey in

West Iran. Asian Pac J Cancer Prev. 2017 Nov 26;18(11):3179-3185. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29172297>

Charafeddine, R, Demarest, S, Cleemput, I, Van Oyen, H, Devleesschauwer, B. Gender and educational differences in the association between smoking and health-related quality of life in Belgium. Prev Med. 2017 Dec;105:280-286. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28964851>

Nooijen, CFJ, Moller, J, Forsell, Y, Ekblom, M, Galanti, MR, Engstrom, K. Do unfavourable alcohol, smoking, nutrition and physical activity predict sustained leisure time sedentary behaviour? A population-based cohort study. Prev Med. 2017 May 18;101:23-27. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28529160>

Staff, J, Maggs, J. Alcohol and Cigarette Use From Ages 23 to 55: Links With Health and Well-Being in the Long-Term National Child Development Study. J Stud Alcohol Drugs. 2017 May;78(3):394-403.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28499106>

Zimbudzi, E, Lo, C, Ranasinha, S, Gallagher, M, Fulcher, G, Kerr, PG, Russell, G, Teede, H, Usherwood, T, Walker, R, Zoungas, S. Predictors of Health-Related Quality of Life in Patients with Co-Morbid Diabetes and Chronic Kidney Disease. PLoS One. 2016 Dec 19;11(12):e0168491. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27992595>

Emamvirdi, R, Hosseinzadeh Asl, N, Colakoglu, FF. Health-related quality of life with regard to smoking, consumption of alcohol, and sports participation. Iran Red Crescent Med J. 2016 May 11;18(7):e27919. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27651950>

Jia, H, Lubetkin, EI. Dose-response effect of smoking status on quality-adjusted life years among U.S. adults aged 65 years and older. J Public Health (Oxf), 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27613764>

Tian, J et al. Smoking status and health-related quality of life: a longitudinal study in young adults. Qual Life Res, 2016 Mar;25(3):669-85. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26310284>

Ware, JE, Gandek, B, Kulasekaran, A, Guyer, R. Evaluation of smoking-specific and generic quality of life measures in current and former smokers in Germany and the United States. Health Qual Life Outcomes, 2015. 13(1), 128. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26276447>

3.22.2 Impaired activities of daily living (ADL) and instrumental ADL

Chu, S, Feng, L, Jing, H, Zhang, D, Tong, Z, & Liang, L. (2023). A WeChat mini-program-based approach to smoking cessation behavioral interventions: Development and preliminary evaluation in a single-arm trial. *Digit Health*, 9, 20552076231208553. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37885346>

Ruderman, SA, Odden, MC, Webel, AR, Fitzpatrick, AL, Crane, PK, Nance, RM et al. (2023). Tobacco Smoking and Pack-years are Associated with Frailty Among People with HIV. *J Acquir Immune Defic Syndr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37368939>

Laxton, P, Healy, S, Brewer, B, & Patterson, F. (2023). Prevalence of current smoking and association with meeting 24-h movement guidelines: Results from a national convenience sample of autistic adults. *Autism*, 13623613231178571. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37291870>

Patino-Hernandez, D, Perez-Bautista, OG, Perez-Zepeda, MU, & Cano-Gutierrez, C. (2022). Does the association between smoking and mortality differ due to frailty status? A secondary analysis from the Mexican Health and Aging Study. *Age Ageing*, 51(12).Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36477788>

Kingston, A, Byles, J Kiely, K., Anstey, K, & Jagger, C. (2020). The impact of smoking and obesity on disability-free life expectancy in older Australians. *J Gerontol A Biol Sci Med Sci*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33249489>

Amiri, S, & Behnezhad, S. (2019). Smoking as a risk factor for physical impairment: a systematic review and meta-analysis of 18 cohort studies. *J Addict Dis*, 1-14. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31809656>

3.22.3 Smoking, low bone density and hip fracture

3.22.4 Diminished general health and accelerated ageing

Kim, WB, Zhu, J, Fromm, D, & Wei, Y. (2024). Current cigarette smoking and decreased serum levels of alpha-Klotho, an anti-aging hormone, among US adult participants. *Nutr Metab Cardiovasc Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39366808>

Deb, S, Berei, J, Miliavski, E, Khan, MJ, Broder, TJ, Akurugo, TA et al. (2024). The Effects of Smoking on Telomere Length, Induction of Oncogenic Stress, and Chronic Inflammatory Responses Leading to Aging. *Cells*, 13(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38891017>

Gaggero, A, Ajnakina, O, Zucchelli, E, & Hackett, RA. (2024). The effect of heavy smoking on retirement risk: A mendelian randomisation analysis. *Addict Behav*, 157, 108078. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38889551>

Cui, F, Tang, L, Li, D, Ma, Y, Wang, J, Xie, J et al. (2024). Early-life exposure to tobacco, genetic susceptibility, and accelerated biological aging in adulthood. *Sci Adv*, 10(18), eadl3747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38701212>

Liu, T, Song, M, Li, J, Zhao, Y, & Zhong, W. (2024). Association between smoking, smoking cessation and serum alpha-klotho levels among American adults: National Health and Nutrition Examination Survey. *PLoS One*, 19(3), e0300562. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38498398>

Inomata, S, Arima, H, Fukuda, T, Ozawa, H, & Yamamoto, T. (2024). Smoking and diabetes cause telomere shortening among alcohol use disorder patients. *Sci Rep*, 14(1), 4701. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38409427>

Radmilovic, G, Matijevic, V, Mikulic, D, Rasic Markota, D, & Ceprnja, AR. (2023). The impact of smoking on estimated biological age and body fat composition: A cross-sectional study. *Tob Induc Dis*, 21, 161. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38075019>

Cho, E, Soh, HS, Lee, JR, Yun, J, Bae, WK, & Lee, H. (2023). Association between smoking status and handgrip strength in Korean male adults: based on Korea National Health and Nutrition Examination Survey 2016-2019. *Front Med (Lausanne)*, 10, 1212946. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38089872>

Boyer, L, Zebachi, S, Gallien, S, Margarit, L, Ribeiro Baptista, B, Lopez-Zaragoza, JL et al. (2023). Combined effects of smoking and HIV infection on the occurrence of aging-related manifestations. *Sci Rep*, 13(1), 21745. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38065995>

Park, S, & Kim, DK. (2023). Comment on 'Causal linkage of tobacco smoking with ageing: Mendelian randomization analysis towards telomere attrition and sarcopenia' by Park et al. - The authors reply. *J Cachexia Sarcopenia Muscle*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37997496>

Solak, I, Guney, I, Kurku, H, Gederet, YT, & Eryilmaz, MA. (2023). Changes in and the relationships between alpha-klotho, oxidative stress, and systemic inflammation in cigarette smokers. *Niger J Clin Pract*, 26(10), 1547-1551. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37929533>

Glei, DA, & Weinstein, M. (2023). Smoking may compromise physical function long before it kills you. *Front Public Health*, 11, 1261102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38026327>

Ahsan, M, Abualait, T, Nuhmani, S, Al-Subaiei, M, & Aldokhayyil, M. (2023). Examining gender differences in gait parameters between non-smoker and smoker participants. *J Med Life*, 16(5), 751-758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37520477>

Hung, Y C, Lee, PF, Lin, CF, Su, YJ, Hsieh, JW, Lin, Y J et al. (2023). Associations between Smoking Status and Health-Related Physical Fitness and Balance Ability among Older Males in Taiwan. *Medicina (Kaunas)*, 59(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37512161>

Guo, X, Tang, P, Zhang, L, & Li, R. (2023). Tobacco and alcohol consumption and the risk of frailty and falling: a Mendelian randomisation study. *J Epidemiol Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37001985>

Lv, J, Wu, L, Sun, S, Yu, H, Shen, Z, Xu, J et al. (2023). Smoking, alcohol consumption, and frailty: A Mendelian randomization study. *Front Genet*, 14, 1092410. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36816044>

Liu, W, Yang, H, Lv, L, Song, J, Jiang, Y, Sun, X et al. (2023). Genetic predisposition to smoking in relation to the risk of frailty in ageing. *Sci Rep*, 13(1), 2405. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36765104>

Gaggero, A. (2022). Effect of smoking on physical function in older adults: a Mendelian randomisation analysis. *J Epidemiol Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35145020>

Barragan, R, Ortega-Azorin, C, Sorli, JV, Asensio, EM, Coltell, O, St-Onge, MP et al. (2021). Effect of Physical Activity, Smoking, and Sleep on Telomere Length: A Systematic Review of Observational and Intervention Studies. *J Clin Med*, 11(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35011817>

Nobari, H, Nejad, HA, Kargarfard, M, Mohseni, S, Suzuki, K, Carmelo Adsuar, J, & Perez-Gomez, J. (2021). The Effect of Acute Intense Exercise on Activity of Antioxidant Enzymes in Smokers and Non-Smokers. *Biomolecules*, 11(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33513978>

3.22.5 Smoking and disturbed sleep

Ozden Sertcelik, U, & Karalezli, A. (2024). The association between nicotine dependence and sleep quality in patients referred to a smoking cessation outpatient clinic: A cross-sectional study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39498211>

Grigoriou, I, Kotoulas, SC, Porpodis, K, Spyros, D, Papagiouvanni, I, Tsantos, A et al. (2024). The Interactions between Smoking and Sleep. *Biomedicines*, 12(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39200229>

Li, W, Kalan, ME, Kondracki, AJ, Gautam, P, Jebai, R, Erinoso, O, & Osibogun, O. (2024). Poor sleep duration and E-cigarette/Cigarette use among US adults with cardiovascular diseases: findings from the 2022 BRFSS cross-sectional study. *Sleep Breath*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39192028>

Lao, J, Tan, H, Wu, Y, Ding, T, Liu, X, Sun, L et al. (2024). Cerebrospinal Fluid Nitric Oxide Synthase is a Potential Mediator Between Cigarette Smoke Exposure and Sleep Disorders. *Nat Sci Sleep*, 16, 897-906. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38974692>

Sun, H, & Li, S. (2024). Exploring the relationship between smoking and poor sleep quality: a cross-sectional study using NHANES. *Front Psychiatry*, 15, 1407741. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38947187>

Huang, J, Shi, P, Zhao, Y, Zhang, H, Gao, T, & Wang, X. (2024). Associations between smoking, sex steroid hormones, trouble sleeping, and depression among U.S. adults: a cross-sectional study from NHANES (2013-2016). *BMC Public Health*, 24(1), 1541. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38849814>

Shan, L, Wu, Y, Lao, J, Ma, M, Luo, X, Zheng, K et al . (2024). The positive impact of smoking on poor sleep quality is moderated by IGF1 levels in cerebrospinal fluid: a case-control study among Chinese adults. *Front Psychiatry*, 15, 1392732. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38800060>

Xie, Y, Sun, P, Huang, H, Wu, J, Ba, Y, Zhou, G et al. (2024). Network analysis of smoking-related sleep characteristics in Chinese adults. *Ann Med*, 56(1), 2332424. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38527416>

Yu, B, Sun, Y, Yu, Y, Yu, Y, Wang, Y, Wang, B et al. (2024). Cardiovascular health, sleeping duration, and risk of mortality in current and former smokers. *Nutr Metab Cardiovasc Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38320950>

Gao, T, Hou, M, Wang, Q, Liu, D, Chen, F, Xing, Y, & Mei, J. (2023). The roles of serum vitamin D and tobacco smoke exposure in insomnia: a cross-sectional study of adults in the United States. *Front Nutr*, 10, 1285494. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38170097>

Singh, N, Wanjari, A, & Sinha, AH. (2023). Effects of Nicotine on the Central Nervous System and Sleep Quality in Relation to Other Stimulants: A Narrative Review. *Cureus*, 15(11), e49162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38130519>

Suzgun, MA, Kabeloglu, V, Senel, GB, & Karadeniz, D. (2023). Smoking Disturbs the Beneficial Effects of Continuous Positive Airway Pressure Therapy on Leptin Level in Obstructive Sleep Apnea. *J Obes Metab Syndr*, 32(4), 338-345. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38156370>

Kim, SR, Kim, JY, Kim, HK, & Kim, HY. (2023). Factors Influencing Sleep Disturbances in Adolescent Smokers in South Korea. *J Addict Nurs*, 34(4), E172-E179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38015585>

Mauries, S, Bertrand, L, Frija-Masson, J, Benzaquen, H, Kalamarides, S, Sauvage, K et al. (2023). Effects of smoking on sleep architecture and ventilatory parameters including apneas: Results of the Tab-OSA study. *Sleep Med X*, 6, 100085. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37736106>

Merianos, AL, Mahabee-Gittens, EM, Hill, MJ, Olaniyan, AC, Smith, ML, & Choi, K. (2023). Electronic cigarette use and cigarette smoking associated with inadequate sleep duration among U.S. young adults. *Prev Med*, 175, 107712. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37758124>

Nabhan, EM, Jaafar, K, Daoud, R, & Nasser, Z. (2023). Sleep Quality and Nicotine Dependence Among Lebanese University Residents and Fellows: A Cross-Sectional Study. *Cureus*, 15(7), e42364. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37621823>

Merianos, AL, Stone, TM, Mahabee-Gittens, EM, Jandarov, RA, & Choi, K. (2023). Tobacco Smoke Exposure and Sleep Duration among U.S. Adolescents. *Behav Sleep Med*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37417788>

Jang, YS, Nerobkova, N, Hurh, K, Park, EC, & Shin, J. (2023). Association between smoking and obstructive sleep apnea based on the STOP-Bang index. *Sci Rep*, 13(1), 9085 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37277416>

Ozkan, E, Celik, Y, Yucel-Lindberg, T, & Peker, Y. (2023). Current Smoking Determines the Levels of Circulating MPO and MMP-9 in Adults with Coronary Artery Disease and Obstructive Sleep Apnea. *J Clin Med*, 12(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37373746>

Yang, Y, Wu, J, Li, S, Yu, W, Zhu, H, Wang, Y, & Li, Y. (2023). Smoking, Coffee Consumption, Alcohol Intake, and Obstructive Sleep Apnea: A Mendelian Randomization Study. *Curr Neurovasc Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37366363>

Baldassarri, SR, Chu, JH, Deng, A, Xu, Z, Blohowiak, RF, Byrne, S et al. (2023). Nicotine, alcohol, and caffeine use among individuals with untreated obstructive sleep apnea. *Sleep Breath*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37058215>

Pengpid, S, & Peltzer, K. (2023). Tobacco use and incident sleep parameters among a rural ageing population in South Africa. *Tob Induc Dis*, 21, 02. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36721863>

Grigoriou, I, Skalisti, P, Papagiouvanni, I, Michailidou, A, Charalampidis, K, Kotoulas, SC et al. (2023). Smoking-Induced Disturbed Sleep. A Distinct Sleep-Related Disorder Pattern? *Healthcare (Basel)*, 11(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36673573>

Al-Mshari, A, AlSheikh, MH, Latif, R, Mumtaz, S, Albaker, W, & Al-Hariri, M. (2022). Impact of smoking intensities on sleep quality in young Saudi males: a comparative study. [MS Top Pick]. *J Med Life*, 15(11), 1392-1396. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36567837>

Froszega, W, Wieckiewicz, M, Nowacki, D, Michalek-Zrabkowska, M, Poreba, R, Wojakowska, A et al. (2022). Polysomnographic Assessment of Effects of Tobacco Smoking and Alcohol Consumption on Sleep Bruxism Intensity. [MS Top Pick]. *J Clin Med*, 11(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36556069>

Otsuka, Y, Takeshima, O, Itani, O, Matsumoto, Y, & Kaneita, Y. (2022). Associations among Alcohol Drinking, Smoking, and Nonrestorative Sleep: A Population-Based Study in Japan. *Clocks Sleep*, 4(4), 595-606. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36412579>

Woo, DH, Park, M, Jang, SY, Park, S, & Jang, SI. (2022). Association between smoking status and subjective quality of sleep in the South Korean population: a cross-sectional study. *Sleep Breath*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36214946>

Kazi, SE, Mohammed, JMM, & Schenck, CH. (2022). Sleepwalking, sleep-related eating disorder and sleep-related smoking successfully treated with topiramate: a case report. *Sleep Sci*, 15(3), 370-373. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36158718>

Oh, S, Kim, S, Sung, E, Kim, CH, Kang, JH, Shin, H, & Cho, IY. (2022). The association between cotinine-measured smoking intensity and sleep quality. *Tob Induc Dis*, 20, 77. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36118556>

Pataka, A, Kotoulas, S, Kalamaras, G, Tzinias, A, Grigoriou, I, Kasnaki, N, & Argyropoulou, P. (2022). Does Smoking Affect OSA? What about Smoking Cessation? *J Clin Med*, 11(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36079094>

Zeng, X, Ren, Y, Wu, K, Yang, Q, Zhang, S, Wang, D et al. (2022). Association between smoking behavior and obstructive sleep apnea: A systematic review and meta-analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35922388>

Hussain, J, Ling, L, Alonzo, RT, Rodrigues, R, Nicholson, K, Stranges, S, & Anderson, KK. (2022). Associations between sleep patterns, smoking, and alcohol use among older adults in Canada: Insights from the Canadian Longitudinal Study on Aging (CLSA). *Addict Behav*, 132, 107345. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35526407>

Hwang, JH, & Park, SW. (2022). The relationship between poor sleep quality measured by Pittsburgh Sleep Quality Index and cigarette smoking according to sex and age. *Epidemiol Health*, e2022022. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35167741>

Otelea, MR, Trenchea, M, Rascu, A, Antoniu, S, Zugravu, C, Busnatu, S et al. (2022). Smoking Obstructive Sleep Apnea: Arguments for a Distinctive Phenotype and a Personalized Intervention. *J Pers Med*, 12(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35207781>

Danilov, M, Issany, A, Mercado, P, Haghdel, A, Muzayad, JK, & Wen, X. (2022). Sleep quality and health among pregnant smokers. *J Clin Sleep Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34978278>

Leger, D, Andler, R, Richard, JB, Nguyen-Thanh, V, Collin, O, Chennaoui, M, & Metlaine, A. (2022). Sleep, substance misuse and addictions: a nationwide observational survey on smoking, alcohol, cannabis and sleep in 12,637 adults. *J Sleep Res*, e13553. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35088480>

Hattatoglu, DG, Aydin, S, & Yildiz, BP. (2021). Does smoking impair sleep hygiene? *Arq Neuropsiquiatr*, 79(12), 1123-1128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34852074>

Ioannidou, D, Kalamaras, G, Kotoulas, SC, & Pataka, A. (2021). Smoking and Obstructive Sleep Apnea: Is There An Association between These Cardiometabolic Risk Factors?-Gender Analysis. *Medicina (Kaunas)*, 57(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34833356>

Branstetter, SA, Krebs, NM, & Muscat, JE. (2021). Nighttime Waking to Smoke, Stress, and Nicotine Addiction. *Behav Sleep Med*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34666564>

Catoire, S, Nourredine, M, Lefebvre, S, Couraud, S, Gronfier, C, Rey, R et al. (2021). Tobacco-induced sleep disturbances: A systematic review and meta-analysis. *Sleep Med Rev*, 60, 101544. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34597890>

Hu, N, Wang, C, Liao, Y, Dai, Q, & Cao, S. (2021). Smoking and incidence of insomnia: a systematic review and meta-analysis of cohort studies. *Public Health*, 198, 324-331. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34507139>

Dulger, S, Capkur, C, Gencay, S, Ozmen, S, Solmaz, F, Sengoren Dikis, O, & Yildiz, T. (2021). The relationship between nasal mucociliary clearance time and the degree of smoking dependence in smokers with obstructive sleep apnea syndrome. *Adv Respir Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34269400>

Metse, AP, Clinton-McHarg, T, Skinner, E, Yogaraj, Y, Colyvas, K, & Bowman, J. (2021). Associations between Suboptimal Sleep and Smoking, Poor Nutrition, Harmful Alcohol Consumption and Inadequate Physical Activity ('SNAP Risks'): A Comparison of People with and without a Mental

Health Condition in an Australian Community Survey. *Int J Environ Res Public Health*, 18(11).

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34206135>

Truong, MK, Berger, M, Haba-Rubio, J, Siclari, F, Marques-Vidal, P, & Heinzer, R. (2021). Impact of smoking on sleep macro- and microstructure. *Sleep Med*, 84, 86-92. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34126401>

Patterson, F, Brewer, B, Blair, R, Grandner, MA, Hoopes, E, Ma, G et al (2021). An exploration of clinical, behavioral, and community factors associated with sleep duration and efficiency among middle-aged Black/African American smokers. *Sleep Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33741321>

Lape, EC, LaRowe, LR, Zale, EL, Gellis, LA, Park, A, & Ditre, JW. (2021). Tobacco cigarette smokers who endorse greater intolerance for nicotine withdrawal also report more severe insomnia symptoms. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33630648>

Bogati, S, Singh, T, Paudel, S, Adhikari, B, & Baral, D. (2020). Association of the Pattern and Quality of Sleep with Consumption of Stimulant Beverages, Cigarette and Alcohol among Medical Students. *J Nepal Health Res Counc*, 18(3), 379-385. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33210627>

Esen, AD, & Akpinar, M. (2020). Relevance of obstructive sleep apnea and smoking: Obstructive sleep apnea and smoking. *Fam Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33128376>

Kawahara, T, Ito, H, & Uemura, H. (2020). The impact of smoking on male lower urinary tract symptoms (LUTS). *Sci Rep*, 10(1), 20212. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33214664>

Ph, DA, Rhee, JU, Haynes, P, Chakravorty, S, Patterson, F, Killgore, WDS et al (2020). Smoke at night and sleep worse? The associations between cigarette smoking with insomnia severity and sleep duration. *Sleep Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33221256>

Vanderstocken, G, Marrow, JP, Allwood, MA, Stampfli, MR, & Simpson, JA. (2020). Disruption of Physiological Rhythms Persist Following Cessation of Cigarette Smoke Exposure in Mice. *Front Physiol*, 11, 501383. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33192539>

AlRyalat, SA, Kussad, S, El Khatib, O, Hamad, I, Al-Tanjy, A, Alshnneikat, M, & AbuMahfouz, B. (2020). Assessing the effect of nicotine dose in cigarette smoking on sleep quality. *Sleep Breath*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33118055>

Li, H, Liu, Y, Xing, L, Yang, X, Xu, J, Ren, Q et al (2020). Association of Cigarette Smoking with Sleep Disturbance and Neurotransmitters in Cerebrospinal Fluid. *Nat Sci Sleep*, 12, 801-808. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33122957>

Yosunkaya, S, Kutlu, R, & Vatansev, H. (2020). Effects of smoking on patients with obstructive sleep apnea syndrome. *Clin Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32961627>

Liu, Y, Li, H, Li, G, Kang, Y, Shi, J, Kong, T et al (2020). Active smoking, sleep quality and cerebrospinal fluid biomarkers of neuroinflammation. *Brain Behav Immun*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32717405>

Wang, X, Li, W, Zhou, J, Wei, Z, Li, X, Xu, J et al (2020). Smoking and sleep apnea duration mediated the sex difference in daytime sleepiness in OSA patients. *Sleep Breath*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32529520>

Gangemi, AJ, Satti, A, Zantah, M, Blair, R, Brewer, B, Ma, G et al (2020). Sleep Duration and Sleep Quality Associated with Better Functional Exercise Capacity in African-American Smokers at Risk for COPD. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32333930>

Amiri, S, & Behnezhad, S. (2020). Smoking and risk of sleep-related issues: a systematic review and meta-analysis of prospective studies. *Can J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32185746>

Zandy, M, Chang, V, Rao, DP, & Do, MT. (2020). Tobacco smoke exposure and sleep: estimating the association of urinary cotinine with sleep quality. *Health Promot Chronic Dis Prev Can*, 40(3), 70-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32162509>

Gross, G, Maruani, J, Vorspan, F, Benard, V, Benizri, C, Brochard, H et al (2020). Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. *Chronobiol Int*, 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32048536>

Jaster, JH. (2020). COPD-and-smoking-induced "down regulation" of CO₂-related vasoconstriction in the brain during CPAP for sleep apnea may paradoxically reduce risk of cardiovascular events. *Sleep Breath*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32103396>

Cox, F. (2019). Cigarette smoking increases persistent pain intensity and interference, impairs function and sleep. *Evid Based Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31704886>

Hsu, WY, Chiu, NY, Chang, CC, Chang, TG, & Lane, HY. (2019). The association between cigarette smoking and obstructive sleep apnea. *Tob Induc Dis*, 17, 27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582938>

Sujarwoto, S. (2019). Sleep Disturbance in Indonesia: How Much Does Smoking Contribute? *Behav Sleep Med*, 1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31633392>

Kawada, T. (2019). Smoking and obstructive sleep apnoea with special reference to sex and age. *J Oral Rehabil*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31449322>

Bateson, M, Aviv, A, Bendix, L, Benetos, A, Ben-Shlomo, Y, Bojesen, SE et al (2019). Smoking does not accelerate leucocyte telomere attrition: a meta-analysis of 18 longitudinal cohorts. *R Soc Open Sci*, 6(6), 190420. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31312500>

Yang, Y, Gao, X, Just, AC, Colicino, E, Wang, C, Coull, BA et al (2019). Smoking-Related DNA Methylation is Associated with DNA Methylation Phenotypic Age Acceleration: The Veterans Affairs

Normative Aging Study. *Int J Environ Res Public Health*, 16(13). Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31277270>

Khan, RJ, Gebreab, SY, Gaye, A, Crespo, PR, Xu, R, & Davis, SK. (2019). Associations of smoking indicators and cotinine levels with telomere length: National Health and Nutrition Examination Survey. *Prev Med Rep*, 15, 100895. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31193582>

Liao, Y, Xie, L, Chen, X, Kelly, BC, Qi, C, Pan, C et al. (2019). Sleep quality in cigarette smokers and nonsmokers: findings from the general population in central China. *BMC Public Health*, 19(1), 808. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31234809>

Bielicki, P, Trojnar, A, Sobieraj, P, & Wasik, M. (2019). Smoking status in relation to obstructive sleep apnea severity (OSA) and cardiovascular comorbidity in patients with newly diagnosed OSA. *Adv Respir Med*, 87(2), 103-109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31038721>

Cohen, A, Colodner, R, Masalha, R, & Haimov, I. (2019). The Relationship Between Tobacco Smoking, Cortisol Secretion, and Sleep Continuity. *Subst Use Misuse*, 1-10. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31081433>

Cohen, O, Strizich, GM, Ramos, AR, Zee, PC, Reid, KJ, Mani, V et al. (2019). Sex Differences in the Association Between Smoking and Sleep Disordered Breathing in the Hispanic Community Health Study/ Study of Latinos. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31103694>

Mamoshina, P, Kochetov, K, Cortese, F, Kovalchuk, A, Aliper, A, Putin, E et al. Blood Biochemistry Analysis to Detect Smoking Status and Quantify Accelerated Aging in Smokers. *Scientific Reports*, 9(1), 142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30644411>

Lee, JY, Kim, W, & Brook, JS. Triple comorbid trajectories of alcohol, cigarette, and marijuana use from adolescence to adulthood predict insomnia in adulthood. *Addict Behav*, 2018; 90, 437-443. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30590309>

Ben Amar, J, Ben Mansour, A, Zaibi, H, Ben Safta, B, Dhahri, B, & Aouina, H. Impact of smoking on the severity of Obstructive Sleep Apnea Hypopnea Syndrome. *Tunis Med*, 2018. 96(8-09), 477-482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30430524>

Cohen, A, Ben Abu, N, & Haimov, I. The Interplay Between Tobacco Dependence and Sleep Quality Among Young Adults. *Behav Sleep Med*, 2018. 1-14. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30463440>

Dhillon, N, Riha, R, & Dhillon, B. Narcolepsy, co-morbidities and smoking. *Sleep Med*, 2018. 52, 236. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30401605>

Gibson, M, Munafo, M R, Taylor, AE, & Treur, JL. Evidence for genetic correlations and bidirectional, causal effects between smoking and sleep behaviours. *Nicotine Tob Res*, 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30365022>

Purani, H, Friedrichsen, S, & Allen, AM. Sleep quality in cigarette smokers: Associations with smoking-related outcomes and exercise. *Addict Behav*, 2018. 90, 71-76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30368021>

Taveira, KVM, Kuntze, MM, Berretta, F, de Souza, BDM, Godolfim, LR, Demathe, T, De Luca Canto, G, Porporatti, AL. Association between obstructive sleep apnea and alcohol, caffeine and tobacco: A meta-analysis. *J Oral Rehabil*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29971810>

Swan, JH, Brooks, JM, Amini, R, Moore, AR, Turner, KW. Smoking Predicting Physical Activity in an Aging America. *J Nutr Health Aging*. 2018;22(4):476-482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29582886>

Boakye, D, Wyse, CA, Morales-Celis, CA, Biello, SM, Bailey, MES, Dare, S, Ward, J, Gill, JMR, Pell, JP, Mackay, DF. Tobacco exposure and sleep disturbance in 498 208 UK Biobank participants. *J Public Health (Oxf)*. 2017 Aug 30:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29040744>

Kojima, G, Iliffe, S, Jivraj, S, Liljas, A, Walters, K. Does current smoking predict future frailty? The English longitudinal study of ageing. *Age Ageing*. 2017 Aug 17:1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28985256>

Patterson, F, Grandner, MA, Lozano, A, Satti, A, Ma, G. Transitioning from adequate to inadequate sleep duration associated with higher smoking rate and greater nicotine dependence in a population sample. *Addict Behav*. 2017 Sep 20;77:47-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28950118>

Astuti, Y, Wardhana, A, Watkins, J, Wulaningsih, W, Network, Pilar Research. Cigarette smoking and telomere length: A systematic review of 84 studies and meta-analysis. *Environ Res*. 2017 Jul 10;158:480-489. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28704792>

Walter Barbosa, G, Neder, JA, Utida, K, O'Donnell, DE, de Tarso Muller, P. Impaired exercise ventilatory efficiency in smokers with low transfer factor but normal spirometry. *Eur Respir J*. 2017 Mar 8;49(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28275177>

Chen, LJ, Steptoe, A, Chen, YH, Ku, PW, Lin, CH. Physical activity, smoking, and the incidence of clinically diagnosed insomnia. *Sleep Med*. 2017 Feb;30:189-194. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28215247>

Bourne, MH, Jr, Scanlon, PD, Schroeder, DR, Olson, EJ. The sawtooth sign is predictive of obstructive sleep apnea. *Sleep Breath*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27900657>

Deflandre, E, Kempeneers, D, Degey, S, Poirrier, R, Legros, P, Brichant, JF, Joris, J. Risk factors for nocturnal hypoxemia in severe OSA patients. *Minerva Anestesiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27922255>

Leppanen, T, Kulkas, A, Duce, B, Mervaala, E, Toyras, J. Severity of individual obstruction events is gender dependent in sleep apnea. *Sleep Breath*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27966055>

Perinova, P, Feketeova, E, Kemlink, D, Kovalska, P, Chlebusova, K, Nepozitek, J, Ibarburu, V, Kralikova, E, Nevsimalova, S, Sonka, K. Smoking prevalence and its clinical correlations in patients with narcolepsy-cataplexy. *Prague Med Rep.* 2016;117(2-3):81-89. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27668524>

Bertazzo-Silveira, E, Kruger, CM, Porto De Toledo, I, Porporatti, AL, Dick, B, Flores-Mir, C, De Luca Canto, G. Association between sleep bruxism and alcohol, caffeine, tobacco, and drug abuse: A systematic review. *J Am Dent Assoc.* 2016 Aug 10. pii: S0002-8177(16)30541-4. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27522154>

Gao, X, Zhang, Y, Breitling, LP, Brenner, H. Relationship of tobacco smoking and smoking-related DNA methylation with epigenetic age acceleration. *Oncotarget*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27276709>

Deleanu, OC, Pocora, D, Mihalcuta, S, Ulmeanu, R, Zaharie, AM, Mihaltan, FD. Influence of smoking on sleep and obstructive sleep apnea syndrome. *Pneumologia*. 2016 Jan-Mar;65(1):28-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27209838>

Krachman, SL, Tiwari, R, Vega, ME, Yu, D, Soler, X, Jaffe, F, Kim, V, Swift, I, D'Alonzo, GE, Criner, GJ, Investigators, C. OPDGene. Effect of emphysema severity on the apnea-hypopnea index in smokers with obstructive sleep apnea. *Ann Am Thorac Soc*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27078132>

Patterson, F, Malone, SK, Lozano, A, Grandner, MA, Hanlon, AL. Smoking, screen-based sedentary behavior, and diet associated with habitual sleep duration and chronotype: data from the UK Biobank. *Ann Behav Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27056396>

Lee, JY, Brook, JS, Finch, SJ, Brook, DW. Trajectories of cigarette smoking beginning in adolescence predict insomnia in the mid thirties. *Subst Use Misuse*, 2016. 1-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27008539>

Andenaes, R, Schwartz, CE. Anxiety mediates the effect of smoking on insomnia in people with asthma: evidence from the HUNT3 study. *J Multidiscip Healthc*, 2016 Jan 21;9:21-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26855582>

Fillo, J et al. Emotion dysregulation explains relations between sleep disturbance and smoking quit-related cognition and behaviour. *Addict Behav*, 2016 Jun;57:6-12. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26827153>

Boehm, MA, Lei, QM, Lloyd, RM, Prichard, JR. Depression, Anxiety And Tobacco Use Overlapping Impediments To Sleep In A National Sample Of College Students. *J Am Coll Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27347758>

Beach, SR et al. Methylomic aging as a window onto the influence of lifestyle: tobacco and alcohol use alter the rate of biological aging. *J Am Geriatr Soc*, 2015 Dec;63(12):2519-2525. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26566992>

Mehari, A, Weir, NA, Gillum, RF. Gender and the association of smoking with sleep quantity and quality in American adults. *Women Health*, 2014. 54(1), 1-14. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24261545>

3.22.6 Other impairments

Ayadi, H, Elbeji, A, Despotovic, V, & Fagherazzi, G. (2024). Digital Vocal Biomarker of Smoking Status Using Ecological Audio Recordings: Results from the Colive Voice Study. *Digit Biomark*, 8(1), 159-170. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39473806>

Bin Hamdan, RH, AlAmri, WR, & Aldosari, MA. (2024). Tobacco products and sensory health: An assessment of taste and smell disorders using 2021 NHIS data. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38333886>

Rader, L, Reineberg, AE, Petre, B, Wager, TD, & Friedman, NP. (2024). Familial effects account for association between chronic pain and past month smoking. *Eur J Pain*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38318651>

Shimizu, Y, Sasaki, N, Hayakawa, H, Honda, E, Takada, M, Okada, T, & Ohira, T. (2024). Association between smoking and height loss in Japanese workers: A retrospective study. *PLoS One*, 19(2), e0298121. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38359064>

Wei, M, Zhang, N, Du, J, Zhang, S, Li, L, & Wang, W. (2024). Effect of Smoking on Cepstral Parameters. *J Voice*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38310079>

Chiba, S, Yamada, K, Kawai, A, Hamaoka, S, Ikemiya, H, Hara, A et al (2024). Association between smoking and central sensitization pain: a web-based cross-sectional study. *J Anesth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38265695>

Tohidast, SA, Fazeli, F, Golmohammadi, G, Scherer, RC, & Mansuri, B. (2023). Vocal Tract Discomforts among Smokers. *J Voice*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37914658>

Rozen, TD. (2023). Cigarette smoking history (personal and secondary childhood exposure) in non-cluster headache trigeminal autonomic cephalgias: A clinic based study. *Cephalgia*, 43(10), 3331024231208679. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37882655>

Lloyd, K, Harrison, S, Sallis, HM, Davey Smith, G, Munafo, MR, & Wootton, RE. (2023). Exploring the bidirectional causal pathways between smoking behaviours and headache: A Mendelian randomisation study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37702655>

Winsvold, BS, Harder, AVE, Ran, C, Chalmer, MA, Dalmasso, MC, Ferkingstad, E et al. (2023). Cluster headache genome-wide association study and meta-analysis identifies eight loci and implicates smoking as causal risk factor. *Ann Neurol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37486023>

Ma, J, & Lee, YK. (2023). The effects of cigarette smoking and alcohol drinking on salty taste preferences based on Korean Community Health Survey data. *Nutr Res Pract*, 17(3), 487-502. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37266114>

Fang, Y, Doyle, MF, Chen, J, Mez, J, Satizabal, CL, Alosco, ML et al. (2023). Circulating immune cell phenotypes are associated with age, sex, CMV, and smoking status in the Framingham Heart Study offspring participants. *Aging (Albany NY)*, 15. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37116193>

Bekin Sarikaya, PZ, Bayar Muluk, N, Baser, S, Ozdemir, A, & Yilmazsoy, Y. (2022). Deficits in peripheric and central olfactory measurements in smokers: evaluated by cranial MRI. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36242611>

Hartman-Petrycka, M, Witkos, J, Lebiedowska, A, & Blonska-Fajrowska, B. (2022). Who Likes Unhealthy Food with a Strong Flavour? Influence of Sex, Age, Body Mass Index, Smoking and Olfactory Efficiency on Junk Food Preferences. *Nutrients*, 14(19). Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36235750>

Aigner, CJ, & Dammeyer, J. (2022). Pain, smoking, and moderating effect of gender in a large, representative sample of Danish adults. *J Addict Dis*, 1-6. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35642791>

Robinson, CL, Kim, RS, Li, M, Ruan, QZ, Surapaneni, S, Jones, M et al. (2022). The Impact of Smoking on the Development and Severity of Chronic Pain. *Curr Pain Headache Rep*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35642791>

Garcia Morales, EE, Ting, J, Gross, AL, Betz, JF, Jiang, K, Du, S et al. (2022). Association of Cigarette Smoking Patterns Over 30 Years With Audiometric Hearing Impairment and Speech-in-Noise Perception: The Atherosclerosis Risk in Communities Study. *JAMA Otolaryngol Head Neck Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35084441>

Li, C, & Sun, J. (2022). The impact of current smoking, regular drinking, and physical inactivity on health care-seeking behavior in China. *BMC Health Serv Res*, 22(1), 52. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35012543>

Philip, K. E., Bu, F., Polkey, M. I., Brown, J., Steptoe, A., Hopkinson, N. S., & Fancourt, D. (2022). Relationship of smoking with current and future social isolation and loneliness: 12-year follow-up of older adults in England. *Lancet Reg Health Eur*, 14, 100302. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/35036984>

Caceres-Matos, R, Gil-Garcia, E, Vazquez-Santiago, S, & Cabrera-Leon, A. (2021). Alcohol, Tobacco and Psychotropic Drugs Use Among a Population with Chronic Pain in Southern Spain. A Cross-Sectional Study. *Pain Manag Nurs*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/34857475>

Dionne, CE, Laurin, D, Desrosiers, T, Abdous, B, Sage, NL, Frenette, J, & Mondor, M. (2021). The Association between Self-Reported Cigarette Smoking and Spinal Pain Is Not Explained by Serum Cotinine Levels. *Ann Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34906634>

Cengel Kurnaz, S, Tahir, E, & Kavaz, E. (2021). Olfactory dysfunction in passive vs active smoking. *Laryngoscope Investig Otolaryngol*, 6(5), 932-939. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/34692999>

Berube, L, Duffy, VB, Hayes, JE, Hoffman, HJ & Rawal, S. (2021). Associations between chronic cigarette smoking and taste function: Results from the 2013-2014 national health and nutrition examination survey. *Physiol Behav*, 240, 113554. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34375623>

Hicks, BM, Clark, DA, Deak, JD, Schaefer, JD, Liu, M, Jang, S et al. (2021). Polygenic scores for smoking and educational attainment have independent influences on academic success and adjustment in adolescence and educational attainment in adulthood. *PLoS One*, 16(8), e0255348. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34403414>

Lee, M, Snow, J, Quon, C, Selander, K, DeRycke, E, Lawless, M et al. (2021). I smoke to cope with pain: patients' perspectives on the link between cigarette smoking and pain. *Wien Klin Wochenschr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34460005>

Croghan, IT, Hurt, RT, Ganesh, R, Bhagra, O, Fischer, KM, Vincent, A et al. (2021). The Association of Current Tobacco Status With Pain and Symptom Severity in Fibromyalgia Patients. *Mayo Clin Proc Innov Qual Outcomes*, 5(3), 614-624. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34195553>

Ortega Anta, RM, Jimenez Ortega, AI, Martinez Garcia, RM, Lorenzo Mora, AM, & Lozano Estevan, M DC. (2021). [Nutritional problems in smokers and passive smokers]. *Nutr Hosp*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34323092>

Pedersen, AML, Dynesen, AW, & Heitmann, BL. (2021). Older age, smoking, tooth loss and denture-wearing but neither xerostomia nor salivary gland hypofunction are associated with low intakes of fruit and vegetables in older Danish adults. *J Nutr Sci*, 10, e47. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34267893>

Chung, PW, Kim, BS, Park, JW, Sohn, JH Lee, MJ, Kim, BK et al (2021). Smoking History and Clinical Features of Cluster Headache: Results from the Korean Cluster Headache Registry. *Journal of Clinical Neurology (Seoul, Korea)*, 17(2), 229-235. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33835743>

Grossmann, T, Steffan, B, Kirsch, A, Grill, M, Gerstenberger, C, & Gugatschka, M. (2020). Exploring the Pathophysiology of Reinke's Edema: The Cellular Impact of Cigarette Smoke and Vibration. *Laryngoscope*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32569447>

Koury, K, Weiner, D, Gwam, C, Loughran, G, Murphy, J, Vulpis, C, & Wisbeck, J. (2020). Smoking Is Not an Independent Risk Factor for Increased Opioid Consumption in Patients Being Treated for Ankle Fractures. *J Foot Ankle Surg*, 59(3), 495-497. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32354507>

Tjahajawati, S, Rafisa, A, Murniati, N, & Zubaedah, C. (2020). Correlation between Taste Threshold Sensitivity and MMP-9, Salivary Secretion, Blood Pressure, and Blood Glucose Levels in Smoking and Nonsmoking Women. *Int J Dent*, 2020, 4178674. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32256594>

Khaldari, F, Khanjani, N, Bahrampour, A, Ghotbi Ravandi, MR, & Arabi Mianroodi, AA. (2020). The Relation between Hearing Loss and Smoking among Workers Exposed to Noise, Using Linear Mixed

Models. *Iran J Otorhinolaryngol*, 32(108), 11-20. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32083026>

Li, X, Rong, X, Wang, Z, & Lin, A. (2020). Association between Smoking and Noise-Induced Hearing Loss: A Meta-Analysis of Observational Studies. *Int J Environ Res Public Health*, 17(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32069960>

Fidai, MS, Tramer, JS, Meldau, J, Khalil, LS, Patel, RB, Moutzouros, V, & Makhni, EC. (2019). Mental Health and Tobacco Use Are Correlated With Physical Function Outcomes in Patients With Knee Pain and Injury. *Arthroscopy*, 35(12), 3295-3301. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31785761>

Rosa, MB, Fernandes, MDS, Bonjardim, LR, Gaviao, MBD, Calixto, LA, & Castelo, PM. (2019). Evaluation of oral mechanical and gustatory sensitivities and salivary cotinine levels in adult smokers. *Acta Odontol Scand*, 1-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31775545>

Demir, E, Celiker, M, Afacan, NN, Aydogan, E, Balaban, GA, Erdivanli, OC, & Dursun, E. (2019). Effects of Smoking on the Auditory System: Is There a Gender Difference? *Ear Nose Throat J*, 145561319872166. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31547698>

Kale, YS, Vibhute, N, Belgaumi, U, Kadashetti, V, Bommanavar, S, & Kamate, W. (2019). Effect of using tobacco on taste perception. *J Family Med Prim Care*, 8(8), 2699-2702. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31548959>

Zvolensky, MJ, Bakhshaei, J, Shepherd, JM, Mayorga, NA, Giraldo-Santiago, N, Peraza, N et al. Pain intensity and tobacco smoking among Latinx Spanish-speaking adult smokers. *Addict Behav*, 93, 115-121. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30708336>

LaRowe, LR, Farris, SG, Zvolensky, MJ, & Ditre, JW. Associations Between Past-Month Pain and Distress Intolerance Among Daily Cigarette Smokers. *J Stud Alcohol Drugs*, 2018. 79(5), 781-789. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30422792>

Smit, T, Garey, L, Langdon, K J, Ditre, JW, Rogers, AH, Orr, MF, & Zvolensky, MJ. Differential effect of sex on pain severity and smoking behavior and processes. *Addict Behav*, 2018. 90, 229-235. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30447515>

Cheruel, F, Jarlier, M, Sancho-Garnier, H. Effect of cigarette smoke on gustatory sensitivity, evaluation of the deficit and of the recovery time-course after smoking cessation. *Tob Induc Dis*. 2017 Feb 28;15:15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28261024>

Montbriand, JJ, Weinrib, AZ, Azam, MA, Ladak, SSJ, Shah, BR, Jiang, J, McRae, K, Tamir, D, Lyn, S, Katzenelson, R, Clarke, HA, Katz, J. Smoking, pain intensity, and opioid consumption one to three months after major surgery: A retrospective study in a hospital-based Transitional Pain Service. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472423>

Pavlidis, P, Gouveris, H, Kekes, G. Electrogustometry Thresholds, Tongue Tip Vascularization, Density, and Form of the Fungiform Papillae Following Smoking Cessation. *Chem Senses*. 2017 Jun 1;42(5):419-423. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28379369>

Rittich, AB, Ellrich, J, Said Yekta-Michael, S. Assessment of lingual nerve functions after smoking cessation. *Acta Odontol Scand*. 2017 Jul;75(5):338-344. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28372503>

Behrend, CJ, Schonbach, EM, Vaccaro, AR, Coyne, E, Prasarn, ML, Rechtine, GR. Maximum pain on visual analog scales in spinal disorders. *Spine J*. 2016 Dec 6. pii: S1529-9430(16)31111-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27939747>

3.22.7 Smoking and absence from work due to illness

Grossmann, T., Steffan, B., Kirsch, A., Grill, M., Gerstenberger, C., & Gugatschka, M. (2020). Exploring the Pathophysiology of Reinke's Edema: The Cellular Impact of Cigarette Smoke and Vibration. *Laryngoscope*.

News reports:

Oxford University Press. Study finds smokers at greater risk of hearing loss. *Medical Xpress* 18. Mar 15, 2018. Available from: <https://medicalxpress.com/news/2018-03-smokers-greater-loss.html>

No authors listed. Cost of smoking to social care. Action on Smoking and Health UK, 2017. Jan 30, 2017. Available from: <http://ash.org.uk/localtoolkit/cost-of-social-care/>

Wallace, Amy. Study: Smoking linked to frailty in older adults. UPI, 2017. Aug 17, 2017. Available from: https://www.upi.com/Health_News/2017/08/17/Study-Smoking-linked-to-frailty-in-older-adults/1301502978541/?utm_source=sec&utm_campaign=sl&utm_medium=1

3.22.6 Other impairments

No authors listed. Smoking Kills Your Taste Buds. PR Newswire, 2018. July 16, 2018. Available from: <https://www.prnewswire.com/news-releases/smoking-kills-your-taste-buds-300681555.html>

3.22.7 Smoking and absence from work due to illness