

Tobacco in Australia

Facts & Issues

Relevant news and research

3.29 Smoking and body weight

Last updated December 2024

Research:	1
3.29.1 Does smoking cause smokers to weigh less than non-smokers?	14
3.29.2 Smoking cessation and weight gain	15
3.29.3 Relative contribution of smoking and obesity to morbidity	16
3.29.4 Smoking compared to and in combination with obesity: contribution to mortality	19
News reports:	22

Research:

Hwang, HJ, Kim, Y, & Cho, WK. (2024). Relationship between perception of body image on obesity and smoking status by age group in women: Findings of a seven-year Korean National Survey. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39463686>

Wang, M, Xu, J, Fang, H, Yang, L, Yang, T, Fan, J et al. (2024). Associations of weight control related behaviors with current cigarette smoking among Chinese adolescents: Results from an ongoing school-based survey in Zhejiang province. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39280935>

Miller, AA, Nakajima, M, DeAngelis, BN, Hatsukami, DK, & al'Absi, M. (2024). Nicotine addiction and the influence of life adversity and acute stress on PYY: Prediction of early smoking relapse. *Pharmacol Res Perspect*, 12(5), e70016. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39315578>

tobaccoinaustralia.org.au

Lin, W, Alfheaid, HA, Alasqah, I, Alqarawi, N, Alotaibi, SA, Alribdi, FF et al. (2024). Dietary Patterns among Smokers and Non-Smokers: Findings from the National Health and Nutritional Examination Survey (NHANES) 2017-2018. *Nutrients*, 16(13). Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38999783>

Park, SE, Jang, S, So, WY, & Kim, J. (2024). Epidemiological Association of Current Smoking Status with Hypertension and Obesity among Adults Including the Elderly in Korea: Multivariate Analysis of a Nationwide Cross-Sectional Study Excluding Grades 2-3 Hypertension Cases. *J Cardiovasc Dev Dis*, 11(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39057632>

Luo, T, & Tseng, TS. (2024). Diet quality as assessed by the healthy eating index-2020 among different smoking status: an analysis of national health and nutrition examination survey (NHANES) data from 2005 to 2018. *BMC Public Health*, 24(1), 1212. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38693488>

Carrasquilla, GD, Garcia-Urena, M, Romero-Lado, MJ, & Kilpelainen, TO. (2024). Estimating causality between smoking and abdominal obesity by Mendelian randomization. *Addiction*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38509034>

Ellison-Barnes, A, Yeh, HC, Pollack, CE, Daumit, GL, Chander, G, Galiatsatos, P, & Gudzone, KA. (2023). Weighing cessation: Rising adiposity of current smokers in NHANES. *Prev Med*, 107713. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37758125>

Song, S, Lei, L, Liu, H, Yang, F, Li, N, Chen, W et al. (2023). Impact of changing the prevalence of smoking, alcohol consumption and overweight/obesity on cancer incidence in China from 2021 to 2050: a simulation modelling study. *EClinicalMedicine*, 63, 102163. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37662518>

Park, S, Kim, SG, Lee, S, Kim, Y, Cho, S, Kim, K et al. (2023). Causal effects from tobacco smoking initiation on obesity-related traits: a Mendelian randomization study. *Int J Obes (Lond)*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37634025>

Fields, LJ, Roberts, W, Schwing, I, McCoy, M, Verplaetse, TL, Peltier, MR et al. (2023). Examining the relationship of concurrent obesity and tobacco use disorder on the development of substance use disorders and psychiatric conditions: Findings from the NESARC-III. *Drug Alcohol Depend Rep*, 7, 100162. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37159814>

St Sauver, JL, Grossardt, BR, Chamberlain, AM, Kapoor, E, & Rocca, WA. (2023). Synergistic interactions of obesity with sex, education, and smoking and accumulation of multi-morbidity (MM) across the lifespan. *J Multimorb Comorb*, 13, 26335565231160139. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/36860667>

Gregory, S, Suderman, M, Northstone, K, Pembrey, M, Watkins, S, Iles-Caven, Y, & Golding, J. (2022). Regular smoking of male ancestors in adolescence and fat mass in young adult grandchildren and great-grandchildren. *Wellcome Open Res*, 7, 184. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/36320451>

Zhang, M, Gao, X, Yang, Z, Niu, X, Wang, W, Han, S et al. (2022). Integrative brain structural and molecular analyses of interaction between tobacco use disorder and overweight among male adults. *J Neurosci Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36333937>

Yu, W, Gao, C, Zhao, X, Li, C, Fan, B, Lv, J et al. (2022). Four-way decomposition of effect of cigarette smoking and body mass index on serum lipid profiles. *PLoS One*, 17(8), e0270486. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35980977>

Zhang, M, Gao, X, Yang, Z, Niu, X, Chen, J, Wei, Y et al. (2022). Weight Status Modulated Brain Regional Homogeneity in Long-Term Male Smokers. *Front Psychiatry*, 13, 857479. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35733797>

Mohammed Ali, M, Helou, M, Al-Sayed Ahmad, M, Al Ali, R & Damiri, B. (2022). Risk of Tobacco Smoking and Consumption of Energy Drinks on Obesity and Central Obesity Among Male University Students. *Cureus*, 14(2), e21842. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35291543>

Zhang, R, Sun, X, Huang, Z, Pan, Y, Westbrook, A., Li, S. et al. (2022). Examination of serum metabolome altered by cigarette smoking identifies novel metabolites mediating smoking-BMI association. *Obesity (Silver Spring)*, 30(4), 943-952. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35258150>

Varaksin, AN, Konstantinova, ED, Maslakova, TA, Shalaumova, YV, & Nasybullina, GM. (2022). An Analysis of the Links between Smoking and BMI in Adolescents: A Moving Average Approach to Establishing the Statistical Relationship between Quantitative and Dichotomous Variables. *Children (Basel)*, 9(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35204940>

Sorrentino, JM, Mercado, P, Reid, E, Morrisey, Z, & Wen, X. (2022). Smoking status and maternal weight trajectories during pregnancy and postpartum: Preliminary results from a pilot study. *Obes Res Clin Pract*, 16(1), 30-36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35151595>

Askari, M, Askari, Z, Zarei, Z, Farjam, M, Homayounfar, R, & Mahmoudi Kohani, HA. (2021). Prevalence of general and abdominal obesity and its relationship with opium, total opiate drugs, and chronic smoking: Fasa cohort study. *Diabetes Metab Syndr*, 16(1), 102357. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34920194>

Hofer, U. (2021). Smoking, dysbiosis and weight gain. *Nat Rev Microbiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34921243>

Reinikainen, J, Harkanen, T, & Tolonen, H. (2021). Projections for obesity, smoking and hypertension based on multiple imputation. *Scand J Public Health*, 14034948211061014. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34904475>

Ali, S, Na, R, Waterhouse, M, Jordan, SJ, Olsen, CM, Whiteman, DC, & Neale, RE. (2021). Predicting obesity and smoking using medication data: A machine-learning approach. *Pharmacoepidemiol Drug Saf*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34611961>

Yang, SS, He, Y, Xu, L., Jin, Y, Zhang, WS, Jiang, CQ et al. (2021). Brain-derived neurotrophic factor gene variants and obesity in former smokers. *BMC Genomics*, 22(1), 668. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34525971>

- Lenartova, P, Gazarova, M, Mrazova, J, Kopceková, J, Habanova, M, Chlebo, P, & Jancichova, K. (2021). Obesity, smoking status and their relationships in selected population groups. *Rocz Panstw Zakl Hig*, 72(3), 291-299. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34553883>
- Ely, AV, Jagannathan, K, Spilka, N, Keyser, H, Rao, H, Franklin, TR, & Wetherill, RR. (2021). Exploration of the influence of body mass index on intra-network resting-state connectivity in chronic cigarette smokers. *Drug Alcohol Depend*, 227, 108911. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34364193>
- Baek, W, Lee, JW, Lee, HS, Han, D, Choi, SY, Chun, EJ et al (2021). Concurrent smoking and alcohol consumers had higher triglyceride glucose indices than either only smokers or alcohol consumers: a cross-sectional study in Korea. *Lipids Health Dis*, 20(1), 49. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33975592>
- Chao, AM, Zhou, Y, Franks, AT, Brooks, BE, Joseph, PV, Clinical, I et al (2021). Associations of Taste Perception with Tobacco Smoking, Marijuana Use, and Weight Status in the National Health and Nutrition Examination Survey. *Chemical Senses*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33835132>
- Lovsletten, O, Njolstad, I, Wilsgaard, T, Hopstock, LA, Jacobsen, BK, Bonna, KH et al (2021). Is the ongoing obesity epidemic partly explained by concurrent decline in cigarette smoking? Insights from a longitudinal population study. The Tromso Study 1994-2016. *Prev Med*, 147, 106533. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33771565>
- Jeon, HG, Kim, G, Jeong, HS, & So, WY. (2021). Association between Cigarette Smoking and Physical Fitness Level of Korean Adults and the Elderly. *Healthcare (Basel)*, 9(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33572288>
- Janssen, F Trias-Llimos, S., & Kunst, AE. (2021). The combined impact of smoking, obesity and alcohol on life-expectancy trends in Europe. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33432332>
- van den Berge, M, van der Beek, AJ, Turkeli, R, van Kalken, M, & Hulsege, G. (2021). Work-related physical and psychosocial risk factors cluster with obesity, smoking and physical inactivity. *Int Arch Occup Environ Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33409697>
- Flor-Alemany, M, Marin-Jimenez, N, Nestares, T, Borges-Cosic, M, Aranda, P, & Aparicio, VA. (2020). Mediterranean diet, tobacco consumption and body composition during perimenopause. The FLAMENCO project. *Maturitas*, 137, 30-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32498934>
- Khan, A, Fouda, S, Mahzari, A Chan, SMH, Zhou, X, Ratnam, C et al (2020). Cigarette smoking blocks the benefit from reduced weight gain for insulin action by shifting lipids deposition to muscle. *Clin Sci (Lond)*, 134(13), 1659-1673. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32573727>
- Monfared, IG, Harttgen, K, & Vollmer, S. (2020). Individual and social predictors of smoking and obesity: A panel study in Germany. *SSM Popul Health*, 10, 100558. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32140542>
- Shih, YH, Chang, HY, Wu, HC, Stanaway, FF, & Pan, WH. (2020). High sugar-sweetened beverage intake frequency is associated with smoking, irregular meal intake and higher serum uric acid in

Taiwanese adolescents. *J Nutr Sci*, 9, e7. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32166022>

Wang, ZY, Li, L, Zang, JJ, Shi, ZH, Jin, W, Qi, Y et al (2019). Current and Passive Smokers Have Poorer Quantity and Quality of Diet in Shanghai, China: A cross-sectional Survey. *Biomed Environ Sci*, 32(10), 783-787. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31843048>

Francisco, P, Assumpcao, D, & Malta, DC. (2019). Co-occurrence of Smoking and Unhealthy Diet in the Brazilian Adult Population. *Arq Bras Cardiol*, 113(4), 699-709. Available from: Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31691752>

Graff-Iversen, S, Hewitt, S, Forsen, L, Grotvedt, L, & Ariansen, I. (2019). Associations of tobacco smoking with body mass distribution; a population-based study of 65,875 men and women in midlife. *BMC Public Health*, 19(1), 1439. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31675936>

Jackson, SE, Brown, J, Ussher, M, Shahab, L, Steptoe, A, & Smith, L. (2019). Combined health risks of cigarette smoking and low levels of physical activity: a prospective cohort study in England with 12-year follow-up. *BMJ Open*, 9(11), e032852. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31780593>

Nakajima, Y, Yamada, S, Nishikido, A, Katano-Toki, A, Ishida, E, Akuzawa, M et al. (2019). Influence of Smoking on Thyroid Function in Japanese Subjects: Longitudinal Study for One Year of On-Off Smoking. *J Endocr Soc*, 3(12), 2385-2396. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31777767>

Zhang, Y, Shi, L, Zhang, Q, Peng, N, Chen, L, Lian, X et al. (2019). The association between cigarette smoking and serum thyroid stimulating hormone, thyroid peroxidase antibodies and thyroglobulin antibodies levels in Chinese residents: A cross-sectional study in 10 cities. *PLoS One*, 14(11), e0225435. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31765419>

Haq, IU, Liu, Y, Liu, M, Xu, H, Wang, H, Liu, C et al (2019). Association of Smoking-Related Knowledge, Attitude, and Practices (KAP) with Nutritional Status and Diet Quality: A Cross-Sectional Study in China. *Biomed Res Int*, 2019, 5897478. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31531358>

Kim, YY, Kang, HJ, Ha, S, & Park, JH. (2019). Interactions of Behavioral Changes in Smoking, High-risk Drinking, and Weight Gain in a Population of 7.2 Million in Korea. *J Prev Med Public Health*, 52(4), 234-241. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31390686>

Lee, YH, Chang, YC, Shelley, M, & Liu, CT. (2019). Examining the Associations of Smoking Behavior and Obesity Among Older Adults in China: Should We Consider Food Consumption Behaviors? *J Aging Health*, 898264319862417. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31339435>

Ramo, DE, Thrul, J, Vogel, EA, Delucchi, K, & Prochaska, JJ. (2019). Multiple Health Risk Behaviors in Young Adult Smokers: Stages of Change and Stability over Time. *Ann Behav Med*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31157881>

Owari, Y, Miyatake, N, & Suzuki, H. (2019). Relationship between Food Dependence and Nicotine Dependence in Smokers: A Cross-Sectional Study of Staff and Students at Medical Colleges. *Medicina (Kaunas)*, 55(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31126155>

Jones, S, Hamilton, S, Bell, R, Araujo-Soares, V, Glinianaia, SV, Milne, EMG et al. (2019). What helped and hindered implementation of an intervention package to reduce smoking in pregnancy: process evaluation guided by normalization process theory. *BMC Health Serv Res*, 19(1), 297. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31078948>

Bermudez, V, Olivar, LC, Torres, W, Navarro, C, Gonzalez, R, Espinoza, C. Cigarette smoking and metabolic syndrome components: a cross-sectional study from Maracaibo City, Venezuela. *F1000Res*, 2018. 7, 565. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30705749>

Calarco, CA, & Picciotto, MR. Nicotinic acetylcholine receptor signaling in the hypothalamus: mechanisms related to nicotine's effects on food intake. *Nicotine Tob Res*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30690485>

Larsen, BA, Litt, MD, Huedo-Medina, TB, & Duffy, VB. Modeling Associations between Chemosensation, Liking for Fats and Sweets, Dietary Behaviors and Body Mass Index in Chronic Smokers. *Nutrients*, 2019. 11(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30691090>

Taylor, AE, Richmond, RC, Palviainen, T, Loukola, A, Wootton, R, Kaprio, J et al. The effect of body mass index on smoking behaviour and nicotine metabolism: a Mendelian randomization study. *Hum Mol Genet*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30561638>

Raptou, E, & Papastefanou, G. An empirical investigation of the impact of smoking on body weight using an endogenous treatment effects model approach: the role of food consumption patterns. *Nutr J*, 2018. 17(1), 101. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6217773/pdf/12937_2018_Article_408.pdf

Farris, SG, O'Keeffe, BJ, Abrantes, AM, & DiBello, AM. Sex-Specific Link Between Emotional Vulnerability and Poor Weight Control in Cigarette Smokers. *Int J Behav Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30382509>

Kim, BJ, Kang, JG, Han, JM, Kim, JH, Lee, SJ, Seo, DC et al. Association of self-reported and cotinine-verified smoking status with incidence of metabolic syndrome in 47,379 Korean Adults. *J Diabetes*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/1753-0407.12868>

Shen, SQ, Chang, H, Wang, ZX, Chen, HY, Chen, LF, Gao, F, & Yan, XW. The Acute Effects of Cigarette Smoking on the Functional State of High Density Lipoprotein. *Am J Med Sci*, 2018. 356(4), 374-381. Available from: [https://www.amjmedsci.org/article/S0002-9629\(18\)30260-X/fulltext](https://www.amjmedsci.org/article/S0002-9629(18)30260-X/fulltext)

Wills, AG, & Hopfer, C. Phenotypic and genetic relationship between BMI and cigarette smoking in a sample of UK adults. *Addict Behav*, 2018. 89, 98-103. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30286397>

Fang, M. Association between adolescent body-mass index and adulthood smoking. *Nicotine Tob Res*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30184216>

Hu, T, Yang, Z, Li, MD. Pharmacological Effects and Regulatory Mechanisms of Tobacco Smoking Effects on Food Intake and Weight Control. *J Neuroimmune Pharmacol*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30054897>

Carreras-Torres, Robert, Johansson, Mattias, Haycock, Philip C, Relton, Caroline L, Davey Smith, George, Brennan, Paul, Martin, Richard M. Role of obesity in smoking behaviour: Mendelian randomisation study in UK Biobank. *BMJ*, May 2018. Available from: <https://www.bmj.com/content/bmj/361/bmj.k1767.full.pdf>

Kim, DJ. Study on Cardiopulmonary Function, Maximal Oxygen Uptake, and Obesity Index according to Smoking Status in Middle-Aged and Older Office Workers. *Osong Public Health Res Perspect*. 2018 Jun;9(3):95-100. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30023152>

Xu, C, Guo, H, Wang, Q, Qu, P, Bell, K, Chen, J. The Interaction of Obesity with Smoking and with Inflammatory Arthropathies Increases the Risk of Periprosthetic Joint Infection: A Propensity Score-Matched Study in a Chinese Han Population. *J Hosp Infect*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29966755>

Piirtola, M, Jelenkovic, A, Latvala, A, Sund, R, Honda, C, Inui, F, Watanabe, M, Tomizawa, R, Iwatani, Y, Ordonana, J R, Sanchez-Romera, JF, Colodro-Conde, L, Tarnoki, AD, Tarnoki, DL et al. Association of current and former smoking with body mass index: A study of smoking discordant twin pairs from 21 twin cohorts. *PLoS One*. 2018 Jul 12;13(7):e0200140. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30001359>

Jain, RB, Ducatman, A. Associations between smoking and lipid/lipoprotein concentrations among US adults aged ≥ 20 years. *J Circ Biomark*. 2018 May 31;7:1849454418779310. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29899809>

Kearns, CE, Lisha, NE, Ling, PM. Soda intake and tobacco use among young adult bar patrons: A cross-sectional study in seven cities. *Prev Med Rep*. 2018 Mar 16;10:195-199. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29868367>

Pekgor, S, Duran, C, Marakoglu, K, Solak, I, Pekgor, A, Eryilmaz, MA. The effects of smoking cessation on visceral adiposity index levels. *Niger J Clin Pract*. 2018 Jun;21(6):743-751. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29888722>

Kowalewski, PK, Olszewski, R, Waledziak, MS, Janik, MR, Kwiatkowski, A, Pasnik, K. Cigarette smoking and its impact on weight loss after bariatric surgery: A single center, retrospective study. *Surg Obes Relat Dis*. 2018 May 16. pii: S1550-7289(18)30250-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29929857>

Carreras-Torres, Robert, Johansson, Mattias, Haycock, Philip C, Relton, Caroline L, Davey Smith, George, Brennan, Paul, Martin, Richard M. Role of obesity in smoking behaviour: Mendelian randomisation study in UK Biobank. *BMJ*, May 2018. Available from: <https://www.bmj.com/content/bmj/361/bmj.k1767.full.pdf>

Kim, JY, Yang, Y, Sim, YJ. Effects of smoking and aerobic exercise on male college students' metabolic syndrome risk factors. *J Phys Ther Sci*. 2018 Apr;30(4):595-600. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29706714>

MacLean, RR, Cowan, A, Vernarelli, JA. More to gain: dietary energy density is related to smoking status in US adults. BMC Public Health. 2018 Apr 4;18(1):365. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29614996>

Meule, A, Reichenberger, J, Blechert, J. Smoking, Stress Eating, and Body Weight: The Moderating Role of Perceived Stress. Subst Use Misuse, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29671684>

Farris, SG, DiBello, AM, Bloom, EL, Abrantes, AM. A Confirmatory Factor Analysis of the Smoking and Weight Eating Episodes Test (SWEET). Int J Behav Med. 2018 Mar 20. pii: 10.1007/s12529-018-9717-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29560578>

Samet, JM. Lung Cancer, Smoking, and Obesity: It's Complicated. J Natl Cancer Inst. 2018 Mar 6. pii: 4923351. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29518204>

Wandycz, A, Jankowiak, L, Jerzak, I. Prevalence of smoking and BMI differences between smokers and non-smokers among children and adolescents aged 7-18 years in south-east Poland. Anthropol Anz. 2018. Mar 14, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29542800>

Alkerwi, A, Baydarlioglu, B, Sauvageot, N, Stranges, S, Lemmens, P, Shivappa, N, Hebert, JR. Reply-Letter to the Editor - Smoking status is inversely associated with overall diet quality: Findings from the ORISCAV-LUX study. Clin Nutr. 2018 Feb 15. pii: S0261-5614(18)30055-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29439806>

Bertoni, N, de Almeida, LM, Szklo, M, Figueiredo, VC, Szklo, AS. Assessing the relationship between smoking and abdominal obesity in a National Survey of Adolescents in Brazil. Prev Med. 2018 Feb 13;111:1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29452124>

Green, VR, Silveira, ML, Kimmel, HL, Conway, KP. Body mass index and tobacco-product use among U.S. youth: Findings from wave 1 (2013-2014) of the Population Assessment of Tobacco and Health (PATH) Study. Addict Behav. 2018 Feb 5;81:91-95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29452981>

Nikodemova, M, Yee, J, Carney, PR, Bradfield, CA, Malecki, KM. Transcriptional differences between smokers and non-smokers and variance by obesity as a risk factor for human sensitivity to environmental exposures. Environ Int. 2018 Feb 16;113:249-258. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29459183>

Rezaei, S, Hajizadeh, M, Pasdar, Y, Hamzeh, B, Moradinazar, M, Najafi, F. Association of Smoking with General and Abdominal Obesity: Evidence from a Cohort Study in West of Iran. J Res Health Sci. 2017 Dec 3;18(1):e00401. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29445047>

Sinha-Hikim, AP, Mahata, SK. Editorial: Obesity, Smoking, and Fatty Liver Disease. Front Endocrinol (Lausanne). 2018 Jan 18;9:1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29403440>

Sinha-Hikim, AP, Mahata, SK. Editorial: Obesity, Smoking, and Fatty Liver Disease. Front Endocrinol (Lausanne), 2018. 9, 1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29403440>

Kawada, T. Smoking status and diet quality. *Clin Nutr.* 2018 Jan 9. pii: S0261-5614(18)30004-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29352656>

Courtemanche, C, Tchernis, R, Ukert, B. The effect of smoking on obesity: Evidence from a randomized trial. *J Health Econ.* 2017 Nov 16;57:31-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29179027>

Leng, S, Picchi, MA, Tesfaigzi, Y, Wu, G, Gauderman, WJ, Xu, F, Gilliland, FD, Belinsky, SA. Dietary nutrients associated with preservation of lung function in Hispanic and non-Hispanic white smokers from New Mexico. *Int J Chron Obstruct Pulmon Dis.* 2017 Oct 30;12:3171-3181. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29133979>

Liska, F, Haller, B, Voss, A, Mehl, J, Imhoff, FB, Willinger, L, Imhoff, AB. Smoking and obesity influence the risk of nonunion in lateral opening wedge, closing wedge and torsional distal femoral osteotomies. *Knee Surg Sports Traumatol Arthrosc.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29119287>

Delk, J, Creamer, MR, Perry, CL, Harrell, MB. Weight Status and Cigarette and Electronic Cigarette Use in Adolescents. *Am J Prev Med.* 2017 Nov 10. pii: S0749-3797(17)30498-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29132954>

Raatz, SK, Jahns, L, Johnson, LK, Scheett, A, Carriquiry, A, Lemieux, A, Nakajima, M, al'Absi, M. Smokers report lower intake of key nutrients than nonsmokers, yet both fall short of meeting recommended intakes. *Nutr Res.* 2017 Sep;45:30-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29037329>

Kim, DH. Association Between Subjective Obesity Status and Smoking Behavior Among Normal-Weight Women. *Health Educ Behav.* 2017 Sep 1:1090198117728992. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28927309>

Wang, T, Moon, JY, Wu, Y, Amos, CI, Hung, RJ, Tardon, A, Andrew, A, Chen, C, Christiani, DC, Albanes, D, Heijden, E, Duell, E, Rennert, G et al. Pleiotropy of genetic variants on obesity and smoking phenotypes: Results from the Oncoarray Project of The International Lung Cancer Consortium. *PLoS One.* 2017 Sep 28;12(9):e0185660. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28957450>

Dehghani, P, Habib, B, Windle, SB, Roy, N, Old, W, Grondin, FR, Bata, I, Iskander, A, Lauzon, C et al. Smokers and Postcessation Weight Gain After Acute Coronary Syndrome. *J Am Heart Assoc.* 2017 Apr 18;6(4). pii: e004785. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28420644>

Fathi, A, Ahari, SS, Amani, F, Nikneghad, MR. Study frequency of hypertension and obesity and their relationship with lifestyle factors (Nutritional habits, physical activity, cigarette consumption) in Ardabil City Physicians, 2012-13. *Indian J Community Med.* 2016 Oct-Dec;41(4):268-272. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27890976>

Caram, LM, Ferrari, R, Bertani, AL, Garcia, T, Mesquita, CB, Knaut, C, Tanni, SE, Godoy, I. Smoking and early COPD as independent predictors of body composition, exercise capacity, and health status.

PLoS One. 2016 Oct 13;11(10):e0164290. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27737010>

Farris, SG, Davis, ML, Rosenfield, D, Kauffman, BY, Baird, SO, Powers, MB, Otto, MW, Marcus, BH, Church, TS, Smits, JA, Zvolensky, MJ. Exercise self-efficacy moderates the relation between anxiety sensitivity and Body Mass Index and exercise tolerance in treatment-seeking smokers. *Ment Health Phys Act.* 2016 Mar;10:25-32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27725844>

Murphy, CM, Owens, MM, Sweet, LH, MacKillop, J. The substitutability of cigarettes and food: A behavioral economic comparison in normal weight and overweight or obese smokers. *Psychol Addict Behav*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27736143>

Alkerwi, A, Baydarlioglu, B, Sauvageot, N, Stranges, S, Lemmens, P, Shivappa, N, Hebert, JR. Smoking status is inversely associated with overall diet quality: Findings from the ORISCAV-LUX study. *Clin Nutr.* 2016 Aug 24. pii: S0261-5614(16)30212-6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27595637>

Tuovinen, EL, Saarni, SE, Mannisto, S, Borodulin, K, Patja, K, Kinnunen, TH, Kaprio, J, Korhonen, T. Smoking status and abdominal obesity among normal- and overweight/obese adults: Population-based FINRISK study. *Prev Med Rep.* 2016 Jul 11;4:324-30. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27486563>

Fujiyoshi, A, Miura, K, Kadowaki, S, Azuma, K, Tanaka, S, Hisamatsu, T, Arima, H, Kadota, A, Miyagawa, N, Takashima, N, Ohkubo, T, Saitoh, Y, Torii, S, Miyazawa, I, Maegawa, H, Murata, K, Ueshima, H, Group, Sessa Research. Lifetime cigarette smoking is associated with abdominal obesity in a community-based sample of Japanese men: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). *Prev Med Rep.* 2016 Jun 16;4:225-32. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27413686>

Roos, ET, Lallukka, T, Lahelma, E, Rahkonen, O. Joint associations between smoking and obesity as determinants of premature mortality among midlife employees. *Eur J Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27471216>

Song, M, Giovannucci, E. Estimating the influence of obesity on cancer risk: stratification by smoking is critical. *J Clin Oncol.* 2016 Jul 25. pii: JCO676916. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27458311>

Wang, P, Abdin, E, Sambasivam, R, Chong, SA, Vaingankar, JA, Subramaniam, M. Smoking and socio-demographic correlates of BMI. *BMC Public Health.* 2016 Jun 10;16(1):500. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27287474>

Al-Eisa, E, Alghadir, AH, Gabr, SA, Iqbal, ZA. Exercise intervention as a protective modulator against metabolic disorders in cigarette smokers. *J Phys Ther Sci.* 2016 Mar;28(3):983-91. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27134398>

Murff, HJ, Tindle, HA, Shrubsole, MJ, Cai, Q, Smalley, W, Milne, G L et al. Smoking and red blood cell phospholipid membrane fatty acids. *Prostaglandins Leukot Essent Fatty Acids*, 2016. 112, 24-31.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27637337>

Kim, Y, Jung, S, Yoo, B, Oh, B, Kang, HC. Relationship between smoking, overall obesity, and central obesity: A cross-sectional study from the 5th and 6th (2010-2013) Korea National Health and Nutrition Examination Survey. *Epidemiol Health*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27221478>

Liao, C, Gao, W, Cao, W, Lv, J, Yu, C, Wang, S, Zhou, B, Pang, Z, Cong, L, Dong, Z, Wu, F, Wang, H, Wu, X, Jiang, G, Wang, X, Wang, B, Li, L. The association of cigarette smoking and alcohol drinking with body mass index: a cross-sectional, population-based study among Chinese adult male twins. *BMC Public Health*. 2016 Apr 11;16(1):311. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27068329>

Yankey, BN, Strasser, S, Okosun, IS. A cross-sectional analysis of the association between marijuana and cigarette smoking with metabolic syndrome among adults in the United States. *Diabetes Metab Syndr*. 2016 Mar 23. pii: S1871-4021(16)30040-6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27049971>

Watanabe, T, Tsujino, I, Konno, S, Ito, YM, Takashina, C, Sato, T, Isada, A, Ohira, H, Ohtsuka, Y, Fukutomi, Y et al. Association between smoking status and obesity in a nationwide survey of Japanese adults. *PLoS One*. 2016 ;11(3):e0148926. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27007232>

Lohse, T et al. Heavy smoking is more strongly associated with general unhealthy lifestyle than obesity and underweight. *PLoS One*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26910775>

Zeller, MH et al. Associations among excess weight status and tobacco, alcohol, and illicit drug use in a large National sample of early adolescent youth. *Prev Sci*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26872477>

Contreras, GA et al. Body image emotions, perceptions, and cognitions distinguish physically active and inactive smokers. *Prev Med Rep*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26844062>

Antonio, AM et al. Menthol cigarette smoking and obesity in young adult daily smokers in Hawaii. *Prev Med Rep*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26844173>

Su, P et al. Age plays an important role in the relationship between smoking status and obesity risk: a large scale cross-sectional study of Chinese adults. *Int J Clin Exp Med*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26770514>

Ahmad, S et al. Physical activity, smoking, and genetic predisposition to obesity in people from Pakistan: the PROMIS study. *BMC Med Genet*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26683835>

Akahoshi, E et al. Association of maternal pre-pregnancy weight, weight gain during pregnancy, and smoking with small-for-gestational-age infants in Japan. *Early Hum Dev*, Jan 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26638132>

Minaker, LM, Leatherdale, ST. Association between weight and smoking not mediated by weight loss attempts or bullying. *Am J Health Behav*, Jan 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26685810>

Moser, F et al. Relationship between tobacco use and weight loss after bariatric surgery. *Obes Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26712494>

Pieroni, L, Salmasi, L. The effect of smoking habit changes on body weight: Evidence from the UK. *Econ Hum Biol*, Mar 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26650917>

Sohn, K. The effects of smoking on obesity: evidence from Indonesian panel data. *Tob Induc Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26617480>

Han, TS et al. Contributions of maternal and paternal adiposity and smoking to adult offspring adiposity and cardiovascular risk: the Midspan Family Study. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26525718>

Blauw, LL et al. Smoking is associated with increased resting energy expenditure in the general population: The NEO study. *Metabolism*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26363529>

Dougan, MM et al. Is grand-parental smoking associated with adolescent obesity? A three-generational study. *Int J Obes (Lond)*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26388349>

Rupprecht, LE et al. Obese smokers as a potential subpopulation of risk in tobacco reduction policy. *Yale J Biol Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26339212>

Zizza, CA et al. The contribution of beverages to intakes of energy and MyPlate components by current, former, and never smokers in the United States. *J Acad Nutr Diet*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26362079>

Morris, RW et al. Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26264275>

Vurbic, D et al. Co-occurring obesity and smoking among U.S. women of reproductive age: Associations with educational attainment and health biomarkers and outcomes. *Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26051199>

Chatkin, R et al. Smoking is associated with more abdominal fat in morbidly obese patients. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25978682>

Dare, S et al. Relationship between smoking and obesity: a cross-sectional study of 499,504 middle-aged adults in the UK general population. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25886648>

Loprinzi, PD, Walker, JF. Nicotine dependence, physical activity, and sedentary behavior among adult smokers. *North American Journal of Medical Sciences*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25839000>

Wang, Q Smoking and body weight: evidence from China health and nutrition survey. *BMC Public Health*, 2015. 15(1), 1238. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26666320>

Lv, J et al. Gender-specific association between tobacco smoking and central obesity among 0.5 million Chinese people: The China Kadoorie Biobank study. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25897789>

Schindler-Ruwisch,, J et al. BMI and smoking: interrelated factors among cessation website users. *American Journal of Health Behavior*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25898436>

Dudbridge, F. Commentary: Tobacco consumption and body weight: Mendelian randomization across a range of exposure. *International Journal of Epidemiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25817168>

Winslow, UC et al. High tobacco consumption lowers body weight: a Mendelian randomization study of the Copenhagen General Population Study. *International journal of epidemiology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25777141>

Farris SG, Zvolensky MJ, Robles Z, and Schmidt NB. Examining substance use and affective processes as multivariate risk factors associated with overweight body mass among treatment-seeking smokers. *Psychol Health Med*, 2014;1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25263545>

Rom O, Karkabi K, Reznick AZ, Keidar Z, and Aizenbud D. Relationship Between History of Smoking, Metabolic and Inflammatory Markers, Parameters of Body Composition and Muscle Strength. *Adv Exp Med Biol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25468009>

Stice E, Marti CN, Rohde P, and Shaw H. Young woman smokers gain significantly more weight over 2-year follow-up than non-smokers. *How Virginia doesn't slim. Appetite*, 2014; 85C:155-159. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25433235>

Taylor AE, Morris RW, Fluharty ME, Bjorngaard JH, Asvold BO, et al. Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. *PLoS Genet*, 2014; 10(12):e1004799. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25474695>

Shaw BA and Agahi N. Smoking and physical inactivity patterns during midlife as predictors of all-cause mortality and disability: A 39-year prospective study. *Eur J Ageing*, 2014; 11(3):195-204. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25309303>

Johnson W, Ong KK, Elks CE, Wareham NJ, Wong A, et al. Modification of genetic influences on adiposity between 36 and 63 years of age by physical activity and smoking in the 1946 British Birth Cohort Study. *Nutr Diabetes*, 2014; 4:e136. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25198238>

Nakanishi, K, Nishida, M, Ohama, T, Moriyama, T, Yamauchi-Takahara, K. Smoking associates with visceral fat accumulation especially in women. *Circ J*, 2014. 78(5), 1259-1263. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24621566>

Pepino, MY, Mennella, JA. Cigarette smoking and obesity are associated with decreased fat perception in women. *Obesity (Silver Spring)*, 2014. 22(4), 1050-1055. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24415517>

Seppala, N, Leinonen, E, Viikki, M, Kampman, O. Smoking and weight among patients using clozapine. *Nord J Psychiatry*, 2014. 68(8), 620-625. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24802120>

Ortega Hinojosa AM, Davies MM, Jarjour S, Burnett RT, Mann JK, et al. Developing small-area predictions for smoking and obesity prevalence in the United States for use in Environmental Public Health Tracking. *Environ Res*, 2014; 134C:435-452. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25261951>

de Oliveira Fontes Gasperin, L, Neuberger, M, Tichy, A, Moshammer, H. Cross-sectional association between cigarette smoking and abdominal obesity among Austrian bank employees. *BMJ Open*, 2014. 4(7), e004899. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25079922>

Kondo, T, Yamashita, K, Murohara, T. Does smoking add more visceral fat in women? *Circ J*, 2014. 78(5), 1071-1072. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24694710>

Suratt, BT. Weight gain and lung disease: the vagary of body mass index and the dilemma of the obese smoker. *Am J Respir Crit Care Med*, 2014. 189(3), 240-242. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24484326>

Brown, S. Weight gain after stopping smoking may modify the health benefits. *Menopause Int*, 2013. 19(3), 106. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24195131>

3.29.1 Does smoking cause smokers to weigh less than non-smokers?

Alruwaili, A, King, JA, Deighton, K, Kelly, BM, Liao, Z, Innes, A et al. (2024). The association of smoking with different eating and dietary behaviours: A cross-sectional analysis of 80 296 United Kingdom adults. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38884138>

Alanazi, AF, Alghamdi, RAN, Alhokail, SO, Jailan, AM, Aljaser, AA, Alkanhal, A, & Bin Abdulrahman, KA. (2024). Exploring the Enigmatic Link: Unraveling the Relationship Between Obesity and Cigarette Smoking Among Diverse College Students at Imam Mohammed Ibn Saud Islamic University in Riyadh, Saudi Arabia. *Cureus*, 16(3), e56158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38618431>

van de Weijer, MP, Verweij, KJH, & Treur, JL. (2024). Commentary on Carrasquilla et al.: Smoking and obesity; uncovering causal mechanisms through triangulation of different methods. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38622751>

Dahlawi, M, Aldabbagh, M, Alzubaidy, BA, Dahlawi, S, Alotaibi, RN, Alsharif, WK et al. (2024). Association Between Smoking Habits and Body Weight Among General Population in Saudi Arabia. *Cureus*, 16(1), e51485. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38173947>

Shaheen, N, Shaheen, A, Diab, RA, Saad, AM, Abdelwahab, OA, Soliman, S et al. (2023). Association of serum leptin and ghrelin levels with smoking status on body weight: a systematic review and meta-analysis. *Front Psychiatry, 14*, 1296764. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38111614>

Alsulami, S, Althagafi, N, Hazazi, E, Alsayed, R, Alghamdi, M, Almohammadi, T et al. (2023). Obesity and Its Associations with Gender, Smoking, Consumption of Sugary Drinks, and Hour of Sleep Among King Abdulaziz University Students in Saudi Arabia. *Diabetes Metab Syndr Obes, 16*, 925-934. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37033397>

Al Sabbah, H, Assaf, EA, & Dabeet, E. (2022). Prevalence of smoking (cigarette and waterpipe) and its association with obesity/overweight in UAE and Palestine. *Front Public Health, 10*, 963760. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36339216>

Lee, WJ, Lim, JE, Kang, JO, Ha, TW, Jung, HU, Kim, DJ et al. (2022). Smoking-interaction loci affect obesity traits: a gene-smoking stratified meta-analysis of 545,131 Europeans. *Lifestyle Genom*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35793639>

Raptou, E, & Papastefanou, G. (2021). Analyzing the Influence of Wine and Beer Drinking, Smoking, and Leisure Time Screen Viewing Activity on Body Weight: A Cross-Sectional Study in Germany. *Nutrients, 13*(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34684553>

Jo, Y, Linton, JA, Choi, J, Moon, J, Kim, J, Lee, J, & Oh, S. (2019). Association between Cigarette Smoking and Sarcopenia according to Obesity in the Middle-Aged and Elderly Korean Population: The Korea National Health and Nutrition Examination Survey (2008-2011). *Korean J Fam Med, 40*(2), 87-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30929418>

Oh, SW. (2019). Obesity, Sarcopenia, and Smoking: Landscape in the Mist. *Korean J Fam Med, 40*(2), 61-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30929416>

Zhang, H, Mo, X, Zhou, Z, Zhu, Z, Huangfu, X, Xu, T et al. Smoking modifies the effect of two independent SNPs rs5063 and rs198358 of NPPA on central obesity in the Chinese Han population. *J Genet, 2018. 97*(4), 987-994. Available from: <https://www.ncbi.nlm.nih.gov>

Yahia, N, Brown, C, Potter, S, Szymanski, H, Smith, K, Pringle, L, Herman, C, Uribe, M, Fu, Z, Chung, M, Geliebter, A. Night eating syndrome and its association with weight status, physical activity, eating habits, smoking status, and sleep patterns among college students. *Eat Weight Disord, 2017*. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28573425>

3.29.2 Smoking cessation and weight gain

Min, JJ, Kaplan, B, Ellison-Barnes, A, & Galiatsatos, P. (2024). Associations of Smoking Behaviors and Body Mass Index Among American Participants of a Clinical Tobacco Cessation Program: A Pilot Study. *Tob Use Insights, 17*, 1179173X241272359. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39114345>

Mokhayeri, Y, Nazemipour, M, Mansournia, MA, Naimi, AI, & Kaufman, JS. (2022). Does weight mediate the effect of smoking on coronary heart disease? Parametric mediational g-formula

analysis. *PLoS One*, 17(1), e0262403. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35025942>

Khan, AM, Al-Jandan, B, Bugshan, A, Al-Juaid, K, Ali, S, Jameela, RV et al. (2020). Correlation of PTC Taste Status with Fungiform Papillae Count and Body Mass Index in Smokers and Non-Smokers of Eastern Province, Saudi Arabia. *Int J Environ Res Public Health*, 17(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32785183>

Kim, R, Yoo, D, Jung, YJ, Han, K, & Lee, JY. (2020). Smoking Cessation, Weight Change, and Risk of Parkinson's Disease: Analysis of National Cohort Data. *J Clin Neurol*, 16(3), 455-460. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32657067>

Wakiya, T, Ishido, K, Kudo, D, Kimura, N, Sakuraba, S, Tsutsumi, S, Kagiya, T, Uchida, C, Hakamada, K. Smoking cessation contributes to weight gain in patients with hepatobiliarypancreatic malignancy. *Clin Nutr ESPEN*. 2018 Feb;23:54-60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29460814>

Heggen, E, Svendsen, M, Tonstad, S. Smoking cessation improves cardiometabolic risk in overweight and obese subjects treated with varenicline and dietary counselling. *Nutr Metab Cardiovasc Dis*. 2017 Jan 4. pii: S0939-4753(17)30001-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28216282>

Koopmann, A et al. Effects of cigarette smoking on plasma concentration of the appetite-regulating peptide ghrelin. *Annals of Nutrition & Metabolism*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25896493>

3.29.3 Relative contribution of smoking and obesity to morbidity

Lu, N, Mei, X, Li, X, Tang, X, Yang, G, & Xiang, W. (2023). Preventive effects of caffeine on nicotine plus high-fat diet-induced hepatic steatosis and gain weight: A possible explanation for why obese smokers with high coffee consumption tend to be leaner. *Br J Nutr*, 1-25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38149470>

Ely, AV, & Wetherill, RR. (2022). Reward and inhibition in obesity and cigarette smoking: Neurobiological overlaps and clinical implications. *Physiol Behav*, 260, 114049. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36470508>

Josseran, L, McNeill, K, Fardini, T, Sauvagnac, R, Barbot, F, Quera Salva, MA et al. (2021). Smoking and obesity among long-haul truck drivers in France. *Tob Prev Cessat*, 7, 66. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34765832>

Pan, D, Wang, S, Su, M, Wei, J, Wang, K, Luo, P et al (2020). Roles of drinking and diet in the U-shaped relationship between smoking and BMI in middle-aged and elderly Chinese rural adults. *Sci Rep*, 10(1), 17118. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33051586>

Zurita Prada, PA, Urrego Laurin, CL, Guillen Astete, CA, Kanaffo Caltelblanco, S, & Navarro-Compan, V. (2020). Influence of smoking and obesity on treatment response in patients with axial spondyloarthritis: a systematic literature review. *Clin Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32880827>

Teng, A, Blakely, T, Atkinson, J, Kalediene, R, Leinsalu, M, Martikainen, PT et al(2020). Changing social inequalities in smoking, obesity and cause-specific mortality: Cross-national comparisons using compass typology. *PLoS One*, 15(7), e0232971. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32649731>

Yao, F, Liu, W, Zhao, R, Li, G, Huang, X, & Chen, Y. (2020). BMI modified the association of current smoking with the incidence of hypertension in Chinese population: a 22-year cohort study. *BMC Public Health*, 20(1), 295. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32138723>

Luo, WS, Chen, F, Ji, JM, & Guo, ZR. (2019). Interaction of tobacco smoking and alcohol consumption with obesity on cardiovascular disease in a Chinese cohort. *Coron Artery Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31860558>

Yun, M, Li, S, Yan, Y, Zhang, T, Bazzano, L, He, J, & Chen, W. (2019). Suppression effect of body weight on the association between cigarette smoking and telomere length: the Bogalusa Heart Study. *Aging (Albany NY)*, 11(21), 9893-9900. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31707361>

Chen, S, Kawasaki, Y, Hu, H, Kuwahara, K, Yamamoto, M, Uehara, A et al (2019). Smoking cessation, weight gain, and the trajectory of estimated risk of coronary heart disease: 8-year follow-up from a prospective cohort study. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31504860>

Batatinha, HAP, Rosa Neto, JC, & Kruger, K. Inflammatory features of obesity and smoke exposure and the immunologic effects of exercise. *Exerc Immunol Rev*, 2019. 25, 96-111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30753132>

Harkanen, T, Sainio, P, Stenholm, S, Lundqvist, A, Valkeinen, H, Aromaa, A, & Koskinen, S. Projecting long-term trends in mobility limitations: impact of excess weight, smoking and physical inactivity. *J Epidemiol Community Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30777889>

Servioli, L, Maciel, G, Nannini, C, Crowson, CS, Matteson, EL, Cornec, D, & Berti, A. Association of Smoking and Obesity on the Risk of Developing Primary Sjogren Syndrome: A Population-based Cohort Study. *J Rheumatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30647188>

Aldakhil, AM, Nassani, AA, Abro, MMQ, & Zaman, K. Food-beverage-tobacco consumption, smoking prevalence, and high-technology exports influenced healthcare sustainability agenda across the globe. *Environ Sci Pollut Res Int*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30255272>

Kim, HN, Shin, MA, Roh, JH, Han, MK, Won, YM, Cho, IR et al. Association between Cigarette Smoking Frequency and Health Factors among Korean Adults. *Iran J Public Health*, 2018. 47(Suppl 1), 19-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30186808>

Shivappa, N, Wang, R, Hebert, JR, Jin, A, Koh, WP, & Yuan, JM. Association between inflammatory potential of diet and risk of lung cancer among smokers in a prospective study in Singapore. *Eur J Nutr*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30255403>

Sydo, N, Merkely, B, Carta, KAG, Becker, D, Hussain, N, Murphy, JG et al. Effect of Cardiorespiratory Fitness on Co-Morbidities and Mortality in Never, Past, and Current Smokers. *Am J Cardiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30266254>

Li, Y, Zhang, T, Han, T, Li, S, Bazzano, L, He, J, Chen, W. Impact of Cigarette Smoking on the Relationship between BMI and Insulin: Longitudinal Observation from the Bogalusa Heart Study. *Diabetes Obes Metab*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29446554>

Choi, JB, Lee, EJ, Han, KD, Hong, SH, Ha, US. Estimating the impact of body mass index on bladder cancer risk: Stratification by smoking status. *Sci Rep*. 2018 Jan 17;8(1):947. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29343838>

Johnsen, MB, Hellevik, AI, Smastuen, MC, Langhammer, A, Furnes, O, Flugsrud, GB, Nordsletten, L, Zwart, JA, Storheim, K. The mediating effect of body mass index on the relationship between smoking and hip or knee replacement due to primary osteoarthritis. A population-based cohort study (the HUNT Study). *PLoS One*. 2017 Dec 28;12(12):e0190288. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29284048>

Roos, E, Lallukka, T, Lahelma, E, Rahkonen, O. The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. *BMC Public Health*. 2017 Dec 28;17(1):978. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29282110>

Patel, AV, Carter, BD, Stevens, VL, Gaudet, MM, Campbell, PT, Gapstur, SM. The relationship between physical activity, obesity, and lung cancer risk by smoking status in a large prospective cohort of US adults. *Cancer Causes Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28940119>

Rousu, MC, O'Connor, R, Bansal-Travers, M. Smokers' BMI and perceived health: Does the order of questions matter? *Prev Med Rep*. 2016 Dec 6;5:140-143. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27990341>

Arnold, M, Renehan, AG, Colditz, GA. Excess weight as a risk factor common to many cancer sites: words of caution when interpreting meta-analytic evidence. *Cancer Epidemiol Biomarkers Prev*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27908924>

Renehan, AG, Soerjomataram, I. Obesity as an Avoidable Cause of Cancer (Attributable Risks). *Recent Results Cancer Res*. 2016;208:243-256. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27909911>

Seidell, JC, Halberstadt, J. [Overweight, obesity and life expectancy: do people with a high BMI live longer?]. *Ned Tijdschr Geneeskd*. 2016;160(0):D859. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27966405>

Dicker, D, Feldman, BS, Leventer-Roberts, M, Benis, A. Obesity or smoking: Which factor contributes more to the incidence of myocardial infarction? *Eur J Intern Med*. 2016 Apr 14. pii: S0953-6205(16)30049-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27151319>

Dicker, D, Feldman, BS, Leventer-Roberts, M, Benis, A. Obesity or smoking: Which factor contributes more to the incidence of myocardial infarction? *Eur J Intern Med*. 2016 Apr 14. pii: S0953-6205(16)30049-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27151319>

Shiri, R. Re: Obesity or smoking: Which factor contributes more to the incidence of myocardial infarction? *Eur J Intern Med*. 2016 May 11. pii: S0953-6205(16)30092-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27179416>

Komsa-Penkova, R et al. Rs5918ITGB3 polymorphism, smoking, and BMI as risk factors for early onset and recurrence of DVT in young women. *Clin Appl Thromb Hemost*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26739544>

Young, KL et al. Interaction of smoking and obesity susceptibility loci on adolescent BMI: The National Longitudinal Study of Adolescent to Adult Health. *BMC Genet*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26537541>

Juusela, M, Pallasaho, P, Ronmark, E, Sarna, S, Sovijarvi, A, Lundback, B. Can overweight/obesity and smoking have combined effects on bronchial hyperresponsiveness? *Eur Respir J*, 2014. 43(2), 653-654. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24488997>

Yalcinkaya, E, Celik, M, Gursoy, E. Determining the combined effects of smoking and obesity on insulin resistance and inflammation. *Eur Rev Med Pharmacol Sci*, 2014.18(5), 760. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24668720>

Yates, M, Cheong, E, Luben, R, Igali, L, Fitzgerald, R, Khaw, KT, Hart, A. Body mass index, smoking, and alcohol and risks of Barrett's esophagus and esophageal adenocarcinoma: a UK prospective cohort study. *Dig Dis Sci*, 2014. 59(7), 1552-1559. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24500448>

Stokes, A, Preston, SH. Smoking and reverse causation create an obesity paradox in cardiovascular disease. *Obesity*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26421898>

Udo, T et al. Psychosocial and metabolic function by smoking status in individuals with binge eating disorder and obesity. *Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26451703>

3.29.4 Smoking compared to and in combination with obesity: contribution to mortality

Jaswal, H, Sohi, I, Rehm, J, Churchill, S, Sherk, A, Stockwell, T et al. (2024). A drink equals how many cigarettes? Equating mortality risks from alcohol and tobacco use in Canada. *Front Public Health*, 12, 1331190. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38476483>

Ho, FK, Celis-Morales, C, Petermann-Rocha, F, Parra-Soto, SL, Lewsey, J., Mackay, D, & Pell, J P. (2021). Changes over 15 years in the contribution of adiposity and smoking to deaths in England and

Scotland. *BMC Public Health*, 21(1), 169. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33568116>

Townsend, TN, & Mehta, NK. (2020). Disability incidence from 2003-2015: Longitudinal analysis of the contributions of excess BMI and cigarette smoking. *Prev Med*, 106226. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32768513>

Choi, SH, Stommel, M, Ling, J, Noonan, D, & Chung, J. (2020). The Impact of Smoking and Multiple Health Behaviors on All-Cause Mortality. *Behav Med*, 1-8. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32701418>

Chun, H. (2020). Effects of Smoking, Drinking, and Urban Environment on Obesity in Seoul, Korea. *Iran J Public Health*, 49(2), 230-239. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32461930>

Stefanovics, EA, Potenza, MN, & Pietrzak, RH. (2020). Smoking, obesity, and their co-occurrence in the U.S. military veterans: results from the national health and resilience in veterans study. *J Affect Disord*, 274, 354-362. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32469827>

Haglin, L, Tornkvist, B, & Backman, L. (2020). Obesity, smoking habits, and serum phosphate levels predicts mortality after life-style intervention. *PLoS ONE*, 15(1), e0227692. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31945095>

Holahan, CJ, Holahan, CK, Zhen, L, & Powers, DA. (2019). Living With a Smoker and General and Central Adiposity in Middle-Aged and Older Women. *Am J Health Promot*, 890117119833345.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30827136>

Wijarnpreecha, K, Scribani, M, Kim, D, & Kim, WR. The interaction of nonalcoholic fatty liver disease and smoking on mortality among adults in the United States. *Liver Int*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30697898>

Kaluza, J, Hakansson, N, Harris, HR, Orsini, N, Michaelsson, K, & Wolk, A. Influence of anti-inflammatory diet and smoking on mortality and survival in men and women: two prospective cohort studies. *J Intern Med*, Sept 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30209831>

Vallance, JK, Gardiner, PA, Lynch, BM, D'Silva, A, Boyle, T, Taylor, LM et al. Evaluating the Evidence on Sitting, Smoking, and Health: Is Sitting Really the New Smoking? *Am J Public Health*, 2018. e1-e5.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30252516>

Chen, X, Zhang, L, Zhang, Q, Zhao, R. The effects of cigarette smoking on the associations between sitting time and all-cause mortality: a meta-analysis. *Eur J Public Health*, Jul 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29982348>

Juneja, A, Dwivedi, S, Srivastava, DK, Chandra, K. Insulin Resistance in Young Obese Subjects and Its Relation to Smoking (A Pilot Study). *Indian J Clin Biochem*, 2017.32(1), 99-102. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28149020>

- Pakzad, R, Safiri, S. Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortality: Methodological issues. *Journal international du cancer*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28195312>
- Grace, MS, Lynch, BM, Dillon, F, Barr, EL, Owen, N, Dunstan, DW. Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortality. *Int J Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28006837>
- Grace, MS, Lynch, BM, Dillon, F, Barr, EL, Owen, N., Dunstan, DW. Reply to: Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortality-Methodological issues. *Journal international du cancer*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28187510>
- Grundt, JH, Eide, GE, Brantsaeter, AL, Haugen, M, Markestad, T. Is consumption of sugar-sweetened soft drinks during pregnancy associated with birth weight? *Matern Child Nutr*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27928892>
- Gupta, A, Majumder, K, Arora, N, Mayo, HG, Singh, PP, Beg, MS, Hughes, R, Singh, S, Johnson, DH. Premorbid body mass index and mortality in patients with lung cancer: A systematic review and meta-analysis. *Lung Cancer*. 2016 Dec;102:49-59. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27987589>
- Hidayat, K, Du, X, Chen, G, Shi, M, Shi, B. Abdominal Obesity and Lung Cancer Risk: Systematic Review and Meta-Analysis of Prospective Studies. *Nutrients*. 2016 Dec 15;8(12). pii: E810. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27983672>
- Maggioni, AP, Caterson, ID, Urso, R, Coutinho, W, Finer, N, Van Gaal, L, Legler, UF, Sharma, AM, Seimon, RV, Sweeting, A, Torp-Pedersen, C, James, WP. Relation between weight loss and causes of death in patients with cardiovascular disease: finding from the SCOUT trial. *J Cardiovasc Med (Hagerstown)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28002198>
- Allen, RT, Hales, NM, Baccarelli, A, Jerrett, M, Ezzati, M, Dockery, DW, Pope, CA. Countervailing effects of income, air pollution, smoking, and obesity on aging and life expectancy: population-based study of U.S. Counties. *Environ Health*. 2016 Aug 12;15(1):86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27520789>
- Stokes, A, Preston, SH. How smoking affects the proportion of deaths attributable to obesity: assessing the role of relative risks and weight distributions. *BMJ Open*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26916688>
- Banack, HR, Kaufman, JS. Estimating the time-varying joint effects of obesity and smoking on all-cause mortality using marginal structural models. *Am J Epidemiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26656480>
- Meyer, J et al. Impact of smoking and excess body weight on overall and site-specific cancer mortality risk. *Cancer Epidemiology, Biomarkers & Prevention*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26215293>

News reports:

Australian Institute of Health and Welfare. Healthy Communities: Overweight and obesity rates across Australia, 2014–15 (In Focus). Canberra: AIHW, June 2018. Available from: <https://www.aihw.gov.au/reports/primary-health-care/mhc-overweight-and-obesity-rates-2014-15/contents/summary>

No authors listed. Obesity linked to increased risk of taking up smoking and smoking frequency. Medical Xpress, 2018. May 24, 2018. Available from: <https://medicalxpress.com/news/2018-05-obesity-linked-frequency.html>

University of Michigan. Receptor proteins that respond to nicotine may help fat cells burn energy. Science Daily, 2018. June 6, 2018. Available from: <https://www.sciencedaily.com/releases/2018/05/180521131829.htm>

Allen, Victoria. Smokers are at risk of PUTTING ON weight as evidence shows they eat an extra 200 calories a day. Daily Mail 2018. Apr 6, 2018. Available from: <http://www.mailonsunday.co.uk/sciencetech/article-5575749/Smokers-risk-putting-weight-evidence-shows-eat-extra-200-calories-day.html>

Boseley, Sally. Poor diet 'biggest contributor to early deaths across the world'. The Guardian, 2015. Sept 11, 2015. Available from: <http://www.theguardian.com/society/2015/sep/11/poor-diet-biggest-contributor-early-deaths-world-study>

Abey, Duncan. Quitting, weight-gain myth busted. The Mercury, 2015. July 10, 2015. Available from: <http://www.themercury.com.au/news/tasmania/quitting-weight-gain-myth-busted/story-fnj4f7k1-1227436038988>

Borlands, Sophie. Obesity will cause more cancers than smoking in ten years: Being overweight already causes 32,000 cancer-related deaths annually. The Daily Mail and Mail on Sunday, 2015. May 31, 2015. Available from: <http://www.dailymail.co.uk/news/article-3103318/Obesity-cause-cancers-smoking-ten-years-overweight-causes-32-000-cancer-related-deaths-annually.html>

No authors listed,. Cigarettes DON'T keep you slim: Young women who smoke actually gain three times as much weight as non-smokers. Daily Mail, 2015. Mar 3, 2015. Available from: <http://www.mailonsunday.co.uk/health/article-2976580/Cigarettes-DON-T-slim-Young-women-smoke-actually-gain-three-times-weight-non-smokers.html>

No authors listed. Genetic analysis of current smokers shows that high tobacco consumption lowers body weight. Medical News Today, 2015. Mar 18, 2015. Available from: <http://www.medicalnewstoday.com/releases/290974.php>

Cooper, Charlie. Losing weight and quitting smoking help guard against dementia, study says. The Independent, 2014. Sep 17, 2014. Available from: <http://www.independent.co.uk/life-style/health-and-families/health-news/losing-weight-and-quitting-smoking-help-guard-against-dementia-study-says-9736738.html>

Davies, M. Scared you'll gain weight if you quit smoking? Cigarettes are more deadly than carrying extra pounds, doctors say *Daily Mail*. Daily Mail, 2014. Nov 19, 2019. Available from: <http://www.dailymail.co.uk/health/article-2840620/Scared-ll-gain-weight-quit-smoking-Cigarettes-deadly-carrying-extra-pounds-doctors-say.html>