

Tobacco in Australia

Facts & Issues

Relevant news and research

3.2 Respiratory diseases (excluding lung cancer)

Last updated January 2021

Research:	3
3.2.1 <i>Impairment of pulmonary immune and protective responses</i>	15
3.2.1.1 <i>Impairment of pulmonary immune and protective responses</i>	16
3.2.1.2 <i>Damage to lung function</i>	16
3.2.2 <i>The effect of smoking on acute respiratory illnesses</i>	16
3.2.3 <i>Smoking and respiratory symptoms</i>	17
3.2.4 <i>Smoking and lung function</i>	17
3.2.4.1 <i>Chronic Obstructive Pulmonary Disease (COPD)</i>	24
3.2.4.2 <i>Chronic bronchitis</i>	25
3.2.5 <i>Major diseases caused by smoking</i>	25
3.2.5.1 <i>Chronic bronchitis</i>	27
3.2.5.2 <i>Chronic Obstructive Pulmonary Disease (COPD)</i>	27
3.2.6 <i>Other respiratory illnesses related to smoking</i>	56
3.2.6.1 <i>Asthma</i>	58
3.2.6.2 <i>Interstitial Lung Diseases (ILD)</i>	61
3.2.6.3 <i>Histiocytosis X (Langerhan's Cell Histiocytosis)</i>	61
3.2.7.1 <i>Sense of smell</i>	62
3.2.7.2 <i>Snoring</i>	63
3.2.7.3 <i>Voice production</i>	63

News reports:.....	63
3.2.1 <i>Impairment of pulmonary immune and protective responses</i>	63
3.2.5 <i>Major diseases caused by smoking</i>	63
3.2.5.2 <i>Chronic Obstructive Pulmonary Disease (COPD)</i>	63
<i>Obstructive bronchiolitis</i>	63
<i>Emphysema</i>	63
<i>Course of COPD after smoking cessation</i>	63
3.2.6 <i>Other respiratory illnesses related to smoking</i>	64
3.2.6.1 <i>Asthma</i>	64
3.2.6.2 <i>Interstitial Lung Diseases (ILD)</i>	64
3.2.6.3 <i>Histiocytosis X (Langerhan's Cell Histiocytosis)</i>	64
3.2.7 <i>Other respiratory conditions related to smoking</i>	64
3.2.7.1 <i>Sense of smell</i>	65
3.2.7.2 <i>Snoring</i>	65
3.2.7.3. <i>Voice production</i>	65

Research:

McRobbie, H, & Kwan, B. (2020). Tobacco use disorder and the lungs. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33140508>

Chen, P, Xiao, Z, Wu, H, Wang, Y, Fan, W, Su, W, & Li, P. (2020). Beneficial Effects of Naringenin in Cigarette Smoke-Induced Damage to the Lung Based on Bioinformatic Prediction and In Vitro Analysis. *Molecules*, 25(20). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33066647>

Ozgok-Kangal, K, Canarslan-Demir, K, Zaman, T, & Simsek, K. (2020). The changes in pulmonary functions in occupational divers: smoking, diving experience, occupational group effects. *Int Marit Health*, 71(3), 201-206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33001433>

Tanimura, K, & Nyunoya, T. (2020). Loss of Endothelial WWOX: A Risk Factor for ARDS in Smokers? *Am J Respir Cell Mol Biol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33105088>

King, C, Mulugeta, A, Nabi, F, Walton, R, Zhou, A, & Hypponen, E. (2020). Mendelian randomization case-control PheWAS in UK Biobank shows evidence of causality for smoking intensity in 28 distinct clinical conditions. *EClinicalMedicine*, 26, 100488. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33089118>

Billatos, E, Ash, SY, Duan, F, Xu, K, Romanoff, J, Marques, H et al. (2020). Distinguishing smoking related lung disease phenotypes via imaging and molecular features. *Chest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32946850>

Chien, J, Hwang, JH, Nilaad, S, Masso-Silva, J, Ahn, SJ, McEachern, EK et al. (2020). Cigarette Smoke Exposure Promotes Virulence of *Pseudomonas aeruginosa* and Induces Resistance to Neutrophil Killing. *Infect Immun*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32868344>

Jeelani, HM, Ehsan, H, Sheikh, MM, Riaz, A, & Mahboob, H. (2020). Pulmonary Langerhans Cell Histiocytosis in the Elderly Smoker. *Cureus*, 12(9), e10377. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32944481>

Koo, HK, Morrow, J, Kachroo, P, Tantisira, K, Weiss, ST, Hersh, CP et al. (2020). Sex-specific associations with DNA methylation in lung tissue demonstrate smoking interactions. *Epigenetics*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32962511>

Arkenbout, M, van Laren, M, & Aallali, T. (2020). [A smoking, coughing young adult]. *Ned Tijdschr Geneesk*, 164. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32608927>

Devi, K, & Moharana, B. (2020). Cigarette smoke extract triggers neoplastic change in lungs and impairs locomotor activity through wnt3a-beta-catenin signaling in aged COPD rodent model. *Exp Lung Res*, 1-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32729343>

Perez-Rial, S, Barreiro, E, Fernandez-Acenero, MJ, Fernandez-Valle, ME, Gonzalez-Mangado, N, & Peces-Barba, G. (2020). Early detection of skeletal muscle bioenergetic deficit by magnetic resonance spectroscopy in cigarette smoke-exposed mice. *PLoS One*, 15(6), e0234606. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32569331>

Goldfarbmuren, KC, Jackson, ND, Sajuthi, SP, Dyjack, N, Li, KS, Rios, CL et al. (2020). Dissecting the cellular specificity of smoking effects and reconstructing lineages in the human airway epithelium. *Nat Commun*, 11(1), 2485. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32427931>

Padra, M, Andersson, A, Levanen, B, Premaratne, P, Asgeirsdottir, H, Tengvall, S et al (2020). Increased MUC1 plus a larger quantity and complex size for MUC5AC in the peripheral airway lumen of long-term tobacco smokers. *Clin Sci (Lond)*, 134(10), 1107-1125. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32400877>

Reinhold, L, Mollering, A, Wallis, S, Palade, E, Schafer, K, Dromann, D et al (2020). Dissimilarity of Airway and Lung Tissue Microbiota in Smokers undergoing Surgery for Lung Cancer. *Microorganisms*, 8(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32466482>

Yoshida, K, Gowers, KHC, Lee-Six, H, Chandrasekharan, DP, Coorens, T, Maughan, EF et al. (2020). Tobacco smoking and somatic mutations in human bronchial epithelium. *Nature*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31996850>

Wu, X, Huang, Q, Javed, R, Zhong, J, Gao, H, & Liang, H. (2019). Effect of tobacco smoking on the epigenetic age of human respiratory organs. *Clin Epigenetics*, 11(1), 183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31801625>

Mathysen, C, Serre, J, Sacreas, A, Everaerts, S, Maes, K, Verleden, S et al. (2019). Vitamin D Modulates the Response of Bronchial Epithelial Cells Exposed to Cigarette Smoke Extract. *Nutrients*, 11(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31500220>

Nucci, RAB, de Souza, RR, Suemoto, CK, Busse, AL, Maifrino, LBM, Pasqualucci, CA et al. (2019). Cigarette Smoking Impairs the Diaphragm Muscle Structure of Patients without Respiratory Pathologies: An Autopsy Study. *Cell Physiol Biochem*, 53, 648-655. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31556254>

Kunzi, L, & Holt, GE. (2019). Cigarette smoke activates the parthanatos pathway of cell death in human bronchial epithelial cells. *Cell Death Discov*, 5, 127. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31396404>

Aridgides, DS, Mellinger, DL, Armstrong, DA, Hazlett, HF, Dessaint, JA, Hampton, TH et al. (2019). Functional and metabolic impairment in cigarette smoke-exposed macrophages is tied to oxidative stress. *Sci Rep*, 9(1), 9624. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31270372>

Ringh, MV, Hagemann-Jensen, M, Needhamsen, M, Kular, L, Breeze, CE, Sjöholm, LK et al. (2019). Tobacco smoking induces changes in true DNA methylation, hydroxymethylation and gene expression in bronchoalveolar lavage cells. *EBioMedicine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31303497>

Awad, OGA. (2019). Impact of habitual marijuana and tobacco smoke on severity of chronic rhinosinusitis. *Am J Otolaryngol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31109805>

Pace, E, Di Vincenzo, S, Di Salvo, E, Genovese, S, Dino, P, Sangiorgi, C (2019). MiR-21 upregulation increases IL-8 expression and tumorigenesis program in airway epithelial cells exposed to cigarette smoke. *J Cell Physiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31054160>

Zeng, N, Wang, T, Chen, M, Yuan, Z, Qin, J, Wu, Y et al. (2019). Cigarette smoke extract alters genome-wide profiles of circular RNAs and mRNAs in primary human small airway epithelial cells. *J Cell Mol Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31140741>

Li, Q, Wu, J, Xu, Y, Liu, L, & Xie, J. (2019). Role of RASEF hypermethylation in cigarette smoke-induced pulmonary arterial smooth muscle remodeling. *Respir Res*, 20(1), 52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30845941>

Gallego, CT, Bueno, J, Cruces, E, Stelow, EB, Mancheno, N, & Flors, L. Pulmonary histiocytosis: beyond Langerhans cells related to smoking. *Radiologia*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30686482>

Garudadri, S, Woodruff, PG, Han, MK, Curtis, JL, Barr, RG, Bleecker, ER et al. Systemic markers of inflammation in smokers with symptoms despite preserved spirometry in SPIROMICS. *Chest*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30684474>

Voic, H, Li, X, Jang, JH, Zou, C, Sundd, P, Alder, J et al. RNA sequencing identifies common pathways between cigarette smoke exposure and replicative senescence in human airway epithelia. *BMC Genomics*, 2019. 20(1), 22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30626320>

Flenaugh, EL. Tobacco smoking in China: a pulmonary health crisis. *Curr Opin Pulm Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30562187>

Sekine, T, Hirata, T, Ishikawa, S, Ito, S, Ishimori, K, Matsumura, K, & Muraki, K. Regulation of NRF2, AP-1 and NF-kappaB by cigarette smoke exposure in three-dimensional human bronchial epithelial cells. *J Appl Toxicol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30575053>

Amatngalim, GD, Vieira, RP, Meiners, S, & Bartel, S. Novel insights into the effects of cigarette smoke on the airway epithelial surface-lessons learned at the European Respiratory Society International Congress 2018 in Paris. *J Thorac Dis*, 2018. 10(Suppl 25), S2977-S2982. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6174130/pdf/jtd-10-S25-S2977.pdf>

Barros, MC, Hochegger, B, Altmayer, S, Watte, G, Zanon, M, Sartori, AP et al. Quantitative computed tomography phenotypes, spirometric parameters, and episodes of exacerbation in heavy smokers: An analysis from South America. *PLoS One*, 2018. 13(10), e0205273. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6181358/pdf/pone.0205273.pdf>

Hayes Watson, C, Nuss, H, Celestin, M, Tseng, TS, Parada, N, Yu, Q, & Moody-Thomas, S. Health beliefs associated with poor disease self-management in smokers with asthma and/or COPD: a pilot study. *J Asthma*, 2018. 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30285498>

Konopka, KE, & Myers, JL. A Review of Smoking-Related Interstitial Fibrosis, Respiratory Bronchiolitis, and Desquamative Interstitial Pneumonia: Overlapping Histology and Confusing Terminology. *Arch Pathol Lab Med*, 2018. 142(10), 1177-1181. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30281362>

Ito, S, Ishimori, K, & Ishikawa, S. Effects of repeated cigarette smoke extract exposure over one month on human bronchial epithelial organotypic culture. *Toxicol Rep*, 2018. 5, 864-870. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30167377>

Roman-Conejos, E, Palazon-Bru, A, Folgado-de la Rosa, DM, Sanchez-Molla, M, Rizo-Baeza, MM, Gil-Guillen, VF, & Cortes-Castell, E. A scoring system to detect fixed airflow limitation in smokers from simple easy-to-use parameters. *Sci Rep*, 2018. 8(1), 13329. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30190580>

Faiz, A, Heijink, IH, Vermeulen, CJ, Guryev, V, van den Berge, M, Nawijn, MC, Pouwels, SD. Cigarette smoke exposure decreases CFLAR expression in the bronchial epithelium, augmenting susceptibility for lung epithelial cell death and DAMP release. *Sci Rep*. 2018 Aug 20;8(1):12426. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30127367>

Glass, K, Thibault, D, Guo, F, Mitchel, JA, Pham, B, Qiu, W, Li, Y, Jiang, Z, Castaldi, PJ, Silverman, EK, Raby, B, Park, J A, Yuan, GC, Zhou, X. Integrative epigenomic analysis in differentiated human primary bronchial epithelial cells exposed to cigarette smoke. *Sci Rep*. 2018 Aug 24;8(1):12750.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30143676>

Balasubramanian G, Gupta N, Giacchino M, Singh M, Kanakadandi V, et al. Cigarette smoking is a modifiable risk factor for barrett's oesophagus. *United European Gastroenterol J*, 2013; 1(6):430-7.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24917994>

Ho G, Tang H, Robbins JA, and Tong EK. Biomarkers of tobacco smoke exposure and asthma severity in adults. *Am J Prev Med*, 2013; 45(6):703-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24237911>

Hoffmann RF, Zarrintan S, Brandenburg SM, Kol A, de Bruin HG, et al. Prolonged cigarette smoke exposure alters mitochondrial structure and function in airway epithelial cells. *Respir Res*, 2013; 14:97. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24088173>

Asgharian B, Price OT, Yurteri CU, Dickens C, and McAughey J. Component-specific, cigarette particle deposition modeling in the human respiratory tract. *Inhal Toxicol*, 2014; 26(1):36-47. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24354791>

Bello S, Menendez R, Torres A, Reyes S, Zalacain R, et al. Tobacco smoking increases the risk for death from pneumococcal pneumonia. *Chest*, 2014; 146(4):1029-37. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24811098>

Ben Saad H, Babba M, Boukamcha R, Ghannouchi I, Latiri I, et al. Investigation of exclusive narghile smokers: Deficiency and incapacity measured by spirometry and 6-minute walk test. *Respir Care*, 2014; 59(11):1696-709. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25006270>

Bhatt SP, Washko GR, Dransfield MT, Sieren JC, Newell JD, Jr., et al. Comparison of spirometric thresholds in diagnosing smoking-related airflow obstruction: Authors' response. *Thorax*, 2014.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25205585>

Bowler RP, Kim V, Regan E, Williams AA, Santorico SA, et al. Prediction of acute respiratory disease in current and former smokers with and without copd. *Chest*, 2014; 146(4):941-50. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24945159>

Churg A. Pulmonary pathology: Lc22-1 respiratory bronchiolitis with fibrosis: A form of smoking-related disease. *Pathology*, 2014; 46 Suppl 2:S38. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25188157>

Churg A, Hall R, and Bilawich A. Respiratory bronchiolitis with fibrosis-interstitial lung disease: A new form of smoking-induced interstitial lung disease. Arch Pathol Lab Med, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25036193>

de Borba AT, Jost RT, Gass R, Nedel FB, Cardoso DM, et al. The influence of active and passive smoking on the cardiorespiratory fitness of adults. Multidiscip Respir Med, 2014; 9(1):34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25009739>

Ekstrom M, Gustafson T, Boman K, Nilsson K, Tornling G, et al. Effects of smoking, gender and occupational exposure on the risk of severe pulmonary fibrosis: A population-based case-control study. BMJ Open, 2014; 4(1):e004018. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24413348>

Flaherty KR, Fell C, Aubry MC, Brown K, Colby T, et al. Smoking-related idiopathic interstitial pneumonia. Eur Respir J, 2014; 44(3):594-602. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25063244>

Gomes R, Luis F, Tavares A, Sousa N, Correia S, et al. Respiratory functional evaluation and pulmonary hyperinflation in asymptomatic smokers: Preliminary study. Rev Port Pneumol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25445254>

Heijink IH, Pouwels SD, Leijendekker C, de Bruin HG, Zijlstra GJ, et al. Cigarette smoke induced damp release from necrotic neutrophils triggers pro-inflammatory mediator release. Am J Respir Cell Mol Biol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25192219>

Lachanas VA, Tsea M, Tsiouvaka S, Exarchos ST, Skoulakis CE, et al. The effect of active cigarette smoking on sino-nasal outcome test in 127 subjects without rhinologic disease. A prospective study. Clin Otolaryngol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25314243>

Morse D and Rosas IO. Tobacco smoke-induced lung fibrosis and emphysema. Annu Rev Physiol, 2014; 76:493-513. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24274738>

Tippetts TS, Winden DR, Swensen AC, Nelson MB, Thatcher MO, et al. Cigarette smoke increases cardiomyocyte ceramide accumulation and inhibits mitochondrial respiration. BMC Cardiovasc Disord, 2014; 14:165. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25416336>

Uhliarova B, Adamkov M, Svec M, and Calkovska A. The effect of smoking on ct score, bacterial colonization and distribution of inflammatory cells in the upper airways of patients with chronic rhinosinusitis. Inhal Toxicol, 2014; 26(7):419-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24862976>

Vold ML, Aasebo U, and Melbye H. Low fev1, smoking history, and obesity are factors associated with oxygen saturation decrease in an adult population cohort. Int J Chron Obstruct Pulmon Dis, 2014; 9:1225-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25364242>

Chae KJ, Jin GY, Han YM, Kim YS, Chon SB, et al. Prevalence and progression of combined pulmonary fibrosis and emphysema in asymptomatic smokers: A case-control study. Eur Radiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25680720>

Garcia-Aymerich J. The role of smoking in the association between asthma and cardiovascular disease. An example of poorly controlled confounding. *Am J Respir Crit Care Med*, 2015; 192(2):123. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26177165>

Gomes R, Luis F, Tavares A, Sousa N, Correia S, et al. Respiratory functional evaluation and pulmonary hyperinflation in asymptomatic smokers: Preliminary study. *Rev Port Pneumol* (2006), 2015; 21(3):126-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25926248>

Ramakrishnan VR and Frank DN. Impact of cigarette smoking on the middle meatus microbiome in health and chronic rhinosinusitis. *Int Forum Allergy Rhinol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26272413>

Ramos EM, Vanderlei LC, Ito JT, Lima FF, Rodrigues FM, et al. Acute mucociliary clearance response to aerobic exercise in smokers. *Respir Care*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26264417>

Reilly JP and Christie JD. Primed for injury: Cigarette smokers and acute respiratory distress syndrome. *Crit Care Med*, 2015; 43(9):2015-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26274703>

Sathish V, Freeman MR, Long E, Thompson MA, Pabelick CM, et al. Cigarette smoke and estrogen signaling in human airway smooth muscle. *Cell Physiol Biochem*, 2015; 36(3):1101-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26113109>

Schamberger AC, Staab-Weijnitz CA, Mise-Racek N, and Eickelberg O. Cigarette smoke alters primary human bronchial epithelial cell differentiation at the air-liquid interface. *Sci Rep*, 2015; 5:8163. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25641363>

Sears MR. Smoking, asthma, chronic airflow obstruction and copd. *Eur Respir J*, 2015; 45(3):586-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25726532>

Seo Y, Nonaka M, Tagaya E, Tamaoki J, and Yoshihara T. Eosinophilic otitis media is associated with asthma severity and smoking history. *ORL J Otorhinolaryngol Relat Spec*, 2015; 77(1):1-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25633710>

Shargorodsky J, Garcia-Esquinas E, Galan I, Navas-Acien A, and Lin SY. Allergic sensitization, rhinitis and tobacco smoke exposure in us adults. *PLoS ONE*, 2015; 10(7):e0131957. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26172447>

Shin JY, Shim JY, Lee DC, and Lee HR. Smokers with adequate vitamin c intake show a preferable pulmonary function test. *J Am Coll Nutr*, 2015:1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25961759>

Wanniarachige D. Where there's smoke, there's respiratory risk. *CMAJ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25602003>

Wylam ME, Sathish V, VanOosten SK, Freeman M, Burkholder D, et al. Mechanisms of cigarette smoke effects on human airway smooth muscle. *PLoS ONE*, 2015; 10(6):e0128778. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26075746>

Amatngalim GD, Broekman W, Daniel NM, van der Vlugt LE, van Schadewijk A, et al. Cigarette smoke modulates repair and innate immunity following injury to airway epithelial cells. PLoS ONE, 2016; 11(11):e0166255. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27829065>

Aravamudan B, Thompson M, Sieck GC, Vassallo R, Pabelick CM, et al. Functional effects of cigarette smoke-induced changes in airway smooth muscle mitochondrial morphology. J Cell Physiol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27474898>

Bahmed K, Messier EM, Zhou W, Tuder RM, Freed CR, et al. Dj-1 modulates nrf2-mediated protection in human primary alveolar type ii cells in smokers. Am J Respir Cell Mol Biol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27093578>

Bakakos P, Kostikas K, and Loukides S. Smoking asthma phenotype: Diagnostic and management challenges. Curr Opin Pulm Med, 2016; 22(1):53-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26606078>

Barboza ML, Barbosa AC, Spina GD, Sperandio EF, Arantes RL, et al. Association between physical activity in daily life and pulmonary function in adult smokers. J Bras Pneumol, 2016; 42(2):130-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27167434>

Berman R, Jiang D, Wu Q, and Chu HW. Alpha1-antitrypsin reduces rhinovirus infection in primary human airway epithelial cells exposed to cigarette smoke. Int J Chron Obstruct Pulmon Dis, 2016; 11:1279-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27354786>

Bhatt SP, Terry NL, Nath H, Zach JA, Tschirren J, et al. Association between expiratory central airway collapse and respiratory outcomes among smokers. JAMA, 2016; 315(5):498-505. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26836732>

Clini EM, Beghe B, and Fabbri LM. What is the origin of dyspnoea in smokers without airway disease? Eur Respir J, 2016; 48(3):604-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27581401>

Contoli M, Bellini F, Morandi L, Forini G, Bianchi S, et al. Assessing small airway impairment in mild-to-moderate smoking asthmatic patients. Eur Respir J, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26869674>

Daijo H, Hoshino Y, Kai S, Suzuki K, Nishi K, et al. Cigarette smoke reversibly activates hypoxia-inducible factor 1 in a reactive oxygen species-dependent manner. Sci Rep, 2016; 6:34424. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27680676>

Diaz AA, Young TP, Maselli DJ, Martinez CH, Gill R, et al. Quantitative ct measures of bronchiectasis in smokers. Chest, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27890712>

Elbehairy AF, Guenette JA, Faisal A, Ciavaglia CE, Webb KA, et al. Mechanisms of exertional dyspnoea in symptomatic smokers without copd. Eur Respir J, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27492828>

Fu SN, Yu WC, Wong CK, and Lam MC. Prevalence of undiagnosed airflow obstruction among people with a history of smoking in a primary care setting. Int J Chron Obstruct Pulmon Dis, 2016; 11:2391-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27729780>

Gagat M, Grzanka D, Izdebska M, Sroka WD, Halas-Wisniewska M, et al. Tropomyosin-1 protects transformed alveolar epithelial cells against cigaret smoke extract through the stabilization of f-actin-dependent cell-cell junctions. *Acta Histochem*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26805581>

Gawlikowska-Sroka A, Dzieciolowska-Baran E, and Szczurowski J. Relationships between tobacco abuse and self-assessment of health. *Adv Exp Med Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26801152>

Gaydos J, McNally A, Guo R, Vandivier RW, Simonian PL, et al. Alcohol abuse and smoking alter inflammatory mediator production by pulmonary and systemic immune cells. *Am J Physiol Lung Cell Mol Physiol*, 2016;ajplung 00242 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26747782>

Ginsburg SB, Zhao J, Humphries S, Jou S, Yagihashi K, et al. Texture-based quantification of centrilobular emphysema and centrilobular nodularity in longitudinal ct scans of current and former smokers. *Acad Radiol*, 2016; 23(11):1349-58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27575837>

Harzheim E, Goncalves MR, and Molina-Bastos C. Symptoms in smokers with preserved pulmonary function. *New England Journal of Medicine*, 2016; 375(9):896. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27579646>

Hildebrandt W, Sauer R, Koehler U, Bartsch P, and Kinscherf R. Lower hypoxic ventilatory response in smokers compared to non-smokers during abstinence from cigarettes. *BMC Pulm Med*, 2016; 16(1):159. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27881161>

Huang CC, Wang CH, Fu CH, Huang CC, Chang PH, et al. Association between cigarette smoking and interleukin-17a expression in nasal tissues of patients with chronic rhinosinusitis and asthma. *Medicine (Baltimore)*, 2016; 95(47):e5432. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27893686>

Jayes L, Haslam PL, Gratziou CG, Powell P, Britton J, et al. Smokehaz: Systematic reviews and meta-analyses of the effects of smoking on respiratory health. *Chest*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27102185>

Jetmalani K, Chapman DG, Thamrin C, Farah CS, Berend N, et al. Bronchodilator responsiveness of peripheral airways in smokers with normal spirometry. *Respirology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27140677>

Jette ME, Dill-McFarland KA, Hanshew AS, Suen G, and Thibeault SL. The human laryngeal microbiome: Effects of cigarette smoke and reflux. *Sci Rep*, 2016; 6:35882. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27775059>

Jette ME, Seroogy CM, and Thibeault SL. Laryngeal t regulatory cells in the setting of smoking and reflux. *Laryngoscope*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27653511>

Kishaba T, Nagano H, Nei Y, and Yamashiro S. Clinical characteristics of idiopathic pulmonary fibrosis patients according to their smoking status. *J Thorac Dis*, 2016; 8(6):1112-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27293827>

Koo JB and Han JS. Cigarette smoke extract-induced interleukin-6 expression is regulated by phospholipase d1 in human bronchial epithelial cells. *J Toxicol Sci*, 2016; 41(1):77-89. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26763395>

Kulkarni R, Caskey J, Singh S, Paudel S, Baral P, et al. Cigarette smoke extract-exposed mrsa regulates leukocyte function for pulmonary persistence. *Am J Respir Cell Mol Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27253086>

Lau WK, Cui LY, Chan SC, Ip MS, and Mak JC. The presence of serotonin in cigarette smoke - a possible mechanistic link to 5-ht-induced airway inflammation. *Free Radic Res*, 2016:1-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26820827>

Lim MY, Yoon HS, Rho M, Sung J, Song YM, et al. Analysis of the association between host genetics, smoking, and sputum microbiota in healthy humans. *Sci Rep*, 2016; 6:23745. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27030383>

Lombardi C, Passalacqua G, Smoke AAITOI, and Allergy Group A. Italian multicenter cross-sectional study (aisag) on light smoking and allergic diseases in adults. *Eur Ann Allergy Clin Immunol*, 2016; 48(2):49-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26934739>

Mariani TJ. Respiratory disorders: Ironing out smoking-related airway disease. *Nature*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26958829>

Moazed F, Burnham EL, Vandivier RW, O'Kane CM, Shyamsundar M, et al. Cigarette smokers have exaggerated alveolar barrier disruption in response to lipopolysaccharide inhalation. *Thorax*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26839359>

Munck C, Helby J, Westergaard CG, Porsbjerg C, Backer V, et al. Smoking cessation and the microbiome in induced sputum samples from cigarette smoking asthma patients. *PLoS ONE*, 2016; 11(7):e0158622. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27391160>

Oliveira A, Sen I, Kahya YP, Afreixo V, and Marques A. Computerised respiratory sounds can differentiate smokers and non-smokers. *J Clin Monit Comput*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27164980>

Patra J, Maher YI, Mishra S, Bhatia M, Alam D, et al. Effects of body mass index, tobacco smoking, alcohol drinking and solid fuel use on the risk of asthma: Individual participant data (ipd) meta-analysis of 175 000 individuals from 51 nationally representative surveys. *BMJ Open Respir Res*, 2016; 3(1):e000121. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27099758>

Pilcher J, Patel M, Reddel H, Shaw D, Weatherall M, et al. Effect of smoking status on the efficacy of the smart regimen in high risk asthma - reply. *Respirology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27140838>

Sanli A, Bekmez E, Yildiz G, Erdogan BA, Yilmaz HB, et al. Relationship between smoking and otorhinolaryngological symptoms. *Kulak Burun Bogaz Ihtis Derg*, 2016; 26(1):28-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26794332>

Santini G, Mores N, Shohreh R, Valente S, Dabrowska M, et al. Exhaled and non-exhaled non-invasive markers for assessment of respiratory inflammation in patients with stable copd and healthy

smokers. *J Breath Res*, 2016; 10(1):017102. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26814886>

Sawata T, Bando M, Nakayama M, Mato N, Yamasawa H, et al. Influence of smoking in interstitial pneumonia presenting with a non-specific interstitial pneumonia pattern. *Intern Med*, 2016; 55(20):2939-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27746429>

Shteinberg M, Yeremekno D, and Adir Y. Spontaneous resolution of pulmonary langerhans cell histiocytosis despite smoking. *Lung*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26791193>

Sposato B, Scalese M, Milanese M, Scichilone N, Scala R, et al. Smoking and obesity increase airway hyperresponsiveness risk in the elderly. *Curr Aging Sci*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27071476>

Staff PM. Correction: Active or passive exposure to tobacco smoking and allergic rhinitis, allergic dermatitis, and food allergy in adults and children: A systematic review and meta-analysis. *PLoS Med*, 2016; 13(2):e1001939. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27003879>

Tamura T and Satoh H. Effect of smoking status on the efficacy of the smart regimen in high risk asthma. *Respirology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27140939>

Tharakan A, Halderman AA, Lane AP, Biswal S, and Ramanathan M, Jr. Reversal of cigarette smoke extract-induced sinonasal epithelial cell barrier dysfunction through nrf2 activation. *Int Forum Allergy Rhinol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27580429>

Ulrik CS. Smokers with respiratory symptoms but no airflow limitation, often have activity limitation, exacerbations and evidence of airway disease. *Evid Based Med*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27555639>

Ungprasert P, Crowson CS, and Matteson EL. Smoking, obesity and risk of sarcoidosis: A population-based nested case-control study. *Respir Med*, 2016; 120:87-90. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/27817820>

Utiyama DM, Yoshida CT, Goto DM, de Santana Carvalho T, de Paula Santos U, et al. The effects of smoking and smoking cessation on nasal mucociliary clearance, mucus properties and inflammation. *Clinics (Sao Paulo)*, 2016; 71(6):344-50. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27438569>

Verlato G, Nguyen G, Marchetti P, Accordini S, Marcon A, et al. Smoking and new-onset asthma in a prospective study on italian adults. *Int Arch Allergy Immunol*, 2016; 170(3):149-57. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27532893>

Wu W, Zhang W, Booth JL, Hutchings DC, Wang X, et al. Human primary airway epithelial cells isolated from active smokers have epigenetically impaired antiviral responses. *Respir Res*, 2016; 17(1):111. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27604339>

Zhou G, Xiao W, Xu C, Hu Y, Wu X, et al. Chemical constituents of tobacco smoke induce the production of interleukin-8 in human bronchial epithelium, 16hbe cells. *Tob Induc Dis*, 2016; 14:24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27436995>

Zhou Z, Chen P, and Peng H. Are healthy smokers really healthy? *Tob Induc Dis*, 2016; 14:35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891067>

Zuo WL, Yang J, Gomi K, Chao I, Crystal RG, et al. Egf-amphiregulin interplay in airway stem/progenitor cells links the pathogenesis of smoking-induced lesions in the human airway epithelium. *Stem Cells*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27709733>

D'Anna C, Cigna D, Di Sano C, Di Vincenzo S, Dino P, et al. Exposure to cigarette smoke extract and lipopolysaccharide modifies cytoskeleton organization in bronchial epithelial cells. *Exp Lung Res*, 2017; 43(9-10):347-58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29199880>

Diaz AA, Rahaghi FN, Doyle TJ, Young TP, Maclean ES, et al. Differences in respiratory symptoms and lung structure between hispanic and non-hispanic white smokers: A comparative study. *Chronic Obstr Pulm Dis*, 2017; 4(4):297-304. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29354674>

Fabre A, Treacy A, Lavelle LP, Narski M, Faheem N, et al. Smoking-related interstitial fibrosis: Evidence of radiologic regression with advancing age and smoking cessation. *COPD*, 2017:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29043847>

Gong H, Liu T, Chen W, Zhou W, and Gao J. Effect of irak-m on airway inflammation induced by cigarette smoking. *Mediators Inflamm*, 2017; 2017:6506953. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28951634>

Grace J, Leader JK, Nouriae SM, Pu J, Chandra D, et al. Mediastinal and subcutaneous chest fat are differentially associated with emphysema progression and clinical outcomes in smokers. *Respiration*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28910816>

Graham DL, Lorenz M, Young AJ, and Lowe GM. A possible indicator of oxidative damage in smokers: (13z)-lycopene? *Antioxidants (Basel)*, 2017; 6(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28902171>

Hwang JA, Song JH, Kim JH, Chung MP, Kim DS, et al. Clinical significance of cigarette smoking and dust exposure in pulmonary alveolar proteinosis: A korean national survey. *BMC Pulm Med*, 2017; 17(1):147. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29162083>

Jetmalani K, Thamrin C, Farah CS, Bertolin A, Chapman DG, et al. Peripheral airway dysfunction and relationship with symptoms in smokers with preserved spirometry. *Respirology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29141272>

Konno S, Taniguchi N, Makita H, Nakamaru Y, Shimizu K, et al. Distinct phenotypes of smokers with fixed airflow limitation identified by cluster analysis of severe asthma. *Ann Am Thorac Soc*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28910142>

Koutlas NT, Eluri S, Rusin S, Perjar I, Hollyfield J, et al. Impact of smoking, alcohol consumption, and nsaid use on risk for and phenotypes of eosinophilic esophagitis. *Dis Esophagus*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29025076>

Kurashima K, Takaku Y, Ohta C, Takayanagi N, Yanagisawa T, et al. Smoking history and emphysema in asthma-copd overlap. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:3523-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29263658>

Pehote G, Bodas M, Brucia K, and Vij N. Cigarette smoke exposure inhibits bacterial killing via tfeb-mediated autophagy impairment and resulting phagocytosis defect. *Mediators Inflamm*, 2017; 2017:3028082. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29445254>

Saruya S, Yamashiro T, Matsuoka S, Matsushita S, Yagihashi K, et al. Decrease in small pulmonary vessels on chest computed tomography in light smokers without copd: An early change, but correlated with smoking index. *Lung*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28224233>

Seys LJM, Widagdo W, Verhamme FM, Kleinjan A, Janssens W, et al. Dpp4, the mers coronavirus receptor, is upregulated in lungs of smokers and copd patients. *Clin Infect Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29020176>

Siew LQ, Wu SY, Ying S, and Corrigan CJ. Cigarette smoking increases bronchial mucosal il-17a expression in asthmatics, which acts in concert with environmental aeroallergens to engender neutrophilic inflammation. *Clin Exp Allergy*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28211191>

Telenga ED, Oudkerk M, van Ooijen PM, Vliegenthart R, Ten Hacken NH, et al. Airway wall thickness on hrct scans decreases with age and increases with smoking. *BMC Pulm Med*, 2017; 17(1):27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28143620>

Vaz M, Hwang SY, Kagiampakis I, Phallen J, Patil A, et al. Chronic cigarette smoke-induced epigenomic changes precede sensitization of bronchial epithelial cells to single-step transformation by kras mutations. *Cancer Cell*, 2017; 32(3):360-76 e6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28898697>

Wu YP, Cao C, Wu YF, Li M, Lai TW, et al. Activating transcription factor 3 represses cigarette smoke-induced il6 and il8 expression via suppressing nf-kappab activation. *Toxicol Lett*, 2017; 270:17-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28185985>

Amatngalim GD, Schrupf JA, Dishchekenian F, Mertens TCJ, Ninaber DK, et al. Aberrant epithelial differentiation by cigarette smoke dysregulates respiratory host defence. *Eur Respir J*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29545277>

Che KF, Tufvesson E, Tengvall S, Lappi-Blanco E, Kaarteenaho R, et al. The neutrophil-mobilizing cytokine interleukin-26 in the airways of long-term tobacco smokers. *Clin Sci (Lond)*, 2018; 132(9):959-83. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29780024>

Colak Y, Afzal S, Lange P, and Nordestgaard BG. Smoking, systemic inflammation, and airflow limitation: A mendelian randomization analysis of 98 085 individuals from the general population. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29688528>

Diaz AA, Martinez CH, Harmouche R, Young TP, McDonald ML, et al. Pectoralis muscle area and mortality in smokers without airflow obstruction. *Respir Res*, 2018; 19(1):62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29636050>

Erbas B, Knudsen TM, Janson C, Nilsen RM, Accordini S, et al. Critical age windows in the impact of lifetime smoking exposure on respiratory symptoms and disease among ever smokers. *Environ Res*, 2018; 164:241-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29522998>

Hisinger-Molkanen H, Piirila P, Haahtela T, Sovijarvi A, and Pallasaho P. Smoking, environmental tobacco smoke and occupational irritants increase the risk of chronic rhinitis. *World Allergy Organ J*, 2018; 11(1):6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29568342>

Kameyama N, Chubachi S, Hegab AE, Yasuda H, Kagawa S, et al. Intermittent exposure to cigarette smoke increases lung tumors and the severity of emphysema more than continuous exposure. *Am J Respir Cell Mol Biol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29443539>

Lu Q, Gottlieb E, and Rounds S. Effects of cigarette smoke on pulmonary endothelial cells. *Am J Physiol Lung Cell Mol Physiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29351435>

Osanai S, Ogasara T, Sumitomo K, and Hasebe N. Respiratory function in healthy ever-smokers is impaired by smoking habits in a dose-dependent manner. *Respir Investig*, 2018; 56(1):21-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29325676>

Pinkerton KE and Poindexter ME. Harmful interruptions: Impact of smoking patterns on tumorigenesis and emphysema. *Am J Respir Cell Mol Biol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29864376>

Ruppert AM, Perrin J, Khalil A, Vieira T, Abou-Chedid D, et al. Effect of cannabis and tobacco on emphysema in patients with spontaneous pneumothorax. *Diagn Interv Imaging*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29571700>

Sato K, Shibata Y, Inoue S, Igarashi A, Tokairin Y, et al. Impact of cigarette smoking on decline in forced expiratory volume in 1s relative to severity of airflow obstruction in a Japanese general population: The Yamagata-Takahata study. *Respir Investig*, 2018; 56(2):120-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29548649>

Thomson NC. Respiratory symptoms and small airway dysfunction in current and former smokers without spirometric COPD. *Respirology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed>

3.2.1 Impairment of pulmonary immune and protective responses

Emma, R, Caponnetto, P, Cibella, F, Caruso, M, Conte, G, Benfatto, F et al (2020). Short and Long Term Repeatability of Saccharin Transit Time in Current, Former, and Never Smokers. *Front Physiol*, 11, 1109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33071804>

Duffney, PF, Embong, AK, McGuire, CC, Thatcher, TH, Phipps, RP, & Sime, PJ. (2020). Cigarette smoke increases susceptibility to infection in lung epithelial cells by upregulating caveolin-dependent endocytosis. *PLoS One*, 15(5), e0232102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32437367>

Kwak, SY, Park, CY, & Shin, MJ. (2020). Smoking May Affect Pulmonary Function through DNA Methylation: an Epigenome-Wide Association Study in Korean Men. *Clin Nutr Res*, 9(2), 134-144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32395443>

Jung, YS, Park, JH, Park, DI, Sohn, CI, Lee, JM, & Kim, TI. (2020). Impact of Smoking on Human Natural Killer Cell Activity: A Large Cohort Study. *J Cancer Prev*, 25(1), 13-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32266175>

Rani, A, Panchaksharappa, MG, Chandrashekarappa, NM, Annigeri, RG, & Kanjani, V. (2019). Characterization of saliva in immunocompromised patients and tobacco users: A case-control study. *Indian Journal of Dental Research*, 30(6), 909-914. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31939370>

Mahassni, SH, & Ali, EYI. (2019). The Effects of Firsthand and Secondhand Cigarette Smoking on Immune System Cells and Antibodies in Saudi Arabian Males. *Indian J Clin Biochem*, 34(2), 143-154. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31092987>

Jaspers I. Cigarette smoke effects on innate immune mechanisms in the nasal mucosa. Potential effects on the microbiome. *Ann Am Thorac Soc*, 2014; 11 Suppl 1:S38-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24437404>

O'Leary SM, Coleman MM, Chew WM, Morrow C, McLaughlin AM, et al. Cigarette smoking impairs human pulmonary immunity to mycobacterium tuberculosis. *Am J Respir Crit Care Med*, 2014; 190(12):1430-6. Available from <http://www.ncbi.nlm.nih.gov/pubmed/25390734>

Araki T, Nishino M, Gao W, Dupuis J, Hunninghake GM, et al. Normal thymus in adults: Appearance on ct and associations with age, sex, bmi and smoking. *Eur Radiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25925358>

Arimilli S, Damratoski BE, and G LP. Methods to evaluate cytotoxicity and immunosuppression of combustible tobacco product preparations. *J Vis Exp*, 2015; (95). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25650834>

Bazzan E, Turato G, Tine M, Radu CM, Balestro E, et al. Dual polarization of human alveolar macrophages progressively increases with smoking and copd severity. *Respir Res*, 2017; 18(1):40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28231829>

Wieshammer S and Dreyhaupt J. Smoking exposure, loss of forced expiratory volume in one second and the risk of lung cancer among patients with malignant disease who present with cardiac or pulmonary symptoms: A cross-sectional study. *Tob Induc Dis*, 2017; 15:16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28286467>

3.2.1.1 Impairment of pulmonary immune and protective responses

Yang, D, Xu, D, Wang, T, Yuan, Z, Liu, L, Shen, Y, & Wen, F. (2020). Mitoquinone ameliorates cigarette smoke-induced airway inflammation and mucus hypersecretion in mice. *Int Immunopharmacol*, 107149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33191175>

3.2.1.2 Damage to lung function

Saiphoklang, N, Poachanukoon, O, & Soorapan, S. (2020). Smoking characteristics and lung functions among university athletes. *Sci Rep*, 10(1), 20118. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33208923>

3.2.2 The effect of smoking on acute respiratory illnesses

Moazed, F, Hendrickson, C, Conroy, A, Kornblith, LZ, Benowitz, NL, Delucchi, K et al (2020). Cigarette Smoking and ARDS After Blunt Trauma: The Influence of Changing Smoking Patterns and Resuscitation Practices. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32574574>

Australian Institute of Health and Welfare, Australia's health 2010. Australia's health series no. 12. Aihw cat. No. Aus 122. Canberra: AIHW; 2010. Available from: <https://www.aihw.gov.au/reports/australias-health/australias-health-2010/contents/table-of-contents>.

3.2.3 Smoking and respiratory symptoms

Toren, K, Schioler, L, Lindberg, A, Andersson, A, Behndig, AF, Bergstrom, G et al. (2020). Chronic airflow limitation and its relation to respiratory symptoms among ever-smokers and never-smokers: a cross-sectional study. *BMJ Open Respir Res*, 7(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32759170>

Neder, JA, Milne, KM, Berton, DC, de-Torres, JP, O'Donnell, DE, Canadian Respiratory Research, N, & the Canadian Cohort of Obstructive Lung Disease Collaborative Research, G. (2020). Exercise Tolerance According to the Definition of Airflow Obstruction in Smokers. *Am J Respir Crit Care Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32343595>

Guo, M, Liu, Y, Han, X, Han, F, Zhu, J, Zhu, S, & Chen, B. (2019). Tobacco smoking aggravates airway inflammation by upregulating endothelin-2 and activating the c-Jun amino terminal kinase pathway in asthma. *Int Immunopharmacol*, 77, 105916. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31629215>

Kim, Y, & Cho, WK. (2019). Factors affecting the development of airflow limitation among South Korean smokers. *Tob Induc Dis*, 17, 16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582927>

Gupta, G, Baumlin, N, Poon, J, Ahmed, B, Chiang, YP, Railwah, C et al. (2019). Airway Resistance Caused by Sphingomyelin Synthase 2 Insufficiency in Response to Cigarette Smoke. *Am J Respir Cell Mol Biol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31517509>

3.2.4 Smoking and lung function

Gelb, AF, Yamamoto, A, Verbeken, E, Grigorian, SR, & Nadel, JA. (2020). Asthma Emphysema Overlap in Non-Smokers. *Ann Allergy Asthma Immunol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32791102>

Verbanck, SAB, Polfliet, M, Schuermans, D, Ilsen, B, de Mey, J, Vanderhelst, E, & Vandemeulebroucke, J. (2020). Ventilation heterogeneity in smokers: role of unequal lung expansion and peripheral lung structure. *J Appl Physiol (1985)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32614688>

Chen, M, Li, Y, Zhang, D, & Wu, Y. (2020). Gender difference in the association between smoking and lung function: exploring the role of C-reactive protein as a mediating factor. *Public Health*, 183, 88-93. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32454325>

Martinez, CH, Okajima, Y, Yen, A, Maselli, DJ, Nardelli, P, Rahaghi, F et al (2020). Paired CT Measures of Emphysema and Small Airways Disease and Lung Function and Exercise Capacity in Smokers with Radiographic Bronchiectasis. *Acad Radiol.*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32217055>

Seton-Rogers, S. (2020). Complex effects of tobacco on lung tissue. *Nat Rev Cancer*, 20(4), 199. . Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32112043>

Jamieson, E, Korologou-Linden, R, Wootton, RE, Guyatt, AL, Battram, T, Burrows, K et al. (2020). Smoking, DNA Methylation, and Lung Function: a Mendelian Randomization Analysis to Investigate Causal Pathways. *American Journal of Human Genetics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32084330>

Oelsner, EC, Balte, PP, Bhatt, SP, Cassano, PA, Couper, D, Folsom, AR et al. (2019). Lung function decline in former smokers and low-intensity current smokers: a secondary data analysis of the NHLBI Pooled Cohorts Study. *The Lancet Respiratory Medicine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31606435>

Ataya, A, Riley, L, Fredenburg, K, & Brantly, M. (2019). Smoking-related diffuse cystic lung disease. *Respir Med Case Rep*, 28, 100912. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31384548>

Varghese, C, Troisi, G, Schotte, K, Prasad, VM, & St Claire, SM. (2019). World No Tobacco Day 2019 puts the spotlight on lung health. *J Thorac Dis*, 11(6), 2639-2642. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31372300>

Benadjaoud, MA, Menai, M, van Hees, VT, Zipunnikov, V, Regnaud, JP, Kivimaki, M et al. (2019). The association between accelerometer-assessed physical activity and respiratory function in older adults differs between smokers and non-smokers. *Sci Rep*, 9(1), 10270. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31311982>

Cholendra, A, Reddy, TM, Reddy, K, Reddy, KK, Reddy, B, & Premananda, R. (2018). Smoking Intensity and its Relationship with Lung Function and Antioxidants in Healthy Subjects. *J Assoc Physicians India*, 66(8), 11-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/31324101>

London, SJ. (2019). Methylation, smoking, and reduced lung function. *Eur Respir J*, 54(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31273037>

Vogt, B., Deuss, K., Hennig, V., Zhao, Z., Lautenschlager, I., Weiler, N., & Frerichs, I. (2019). Regional lung function in nonsmokers and asymptomatic current and former smokers. *ERJ Open Res*, 5(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31321224>

Alifano, M. (2019). Obstructive lung disease in smokers and never smokers: further insights in patient-related approach in lung cancer understanding. *J Thorac Dis*, 11(Suppl 9), S1310-S1312. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31245118>

- Elicker, BM, Kallianos, KG, Jones, KD, & Henry, TS. (2019). Smoking-Related Lung Disease. *Semin Ultrasound CT MR*, 40(3), 229-238. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31200871>
- Jaakkola, JJK, Hernberg, S, Lajunen, TK, Sripaijboonkij, P, Malmberg, LP, & Jaakkola, MS. (2019). Smoking and lung function among adults with newly onset asthma. *BMJ Open Respir Res*, 6(1), e000377. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31178997>
- Lee, US, & Kim, EH. (2019). Combined Effect of Alpha Particles and Cigarette Smoke on Human Lung Epithelial Cells In Vitro. *Int J Radiat Biol*, 1-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31145654>
- Moore, PJ, Sesma, J, Alexis, NE, & Tarran, R. (2019). Tobacco exposure inhibits SPLUNC1-dependent antimicrobial activity. *Respir Res*, 20(1), 94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31113421>
- Burkes, RM, Astemborski, J, Lambert, AA, Brown, TT, Wise, RA, Kirk, GD, & Drummond, MB. Plasma cathelicidin and longitudinal lung function in current and former smokers. *PLoS One*, 2019. 14(2), e0212628. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30811465>
- Marruchella, A. Preserved Ratio Impaired Spirometry (PRISm) and Interstitial Lung Abnormalities in Smokers. *Am J Respir Crit Care Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30802409>
- Yu, N, Yuan, H, Duan, HF, Ma, JC, Ma, GM, Guo, YM, & Wu, F. Determination of vascular alteration in smokers by quantitative computed tomography measurements. *Medicine (Baltimore)*, 2019. 98(7), e14438. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30762753>
- Zeng, S, Tham, A, Bos, B, Jin, J, & Arjomandi, M. Back to the Box: Using Lung Volumes to Predict Susceptibility to Develop Chronic Obstructive Pulmonary Disease among Smokers. *Ann Am Thorac Soc*, 2018. 15(Supplement_4), S286-S287. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30759017>
- Kanne, JP. Smoking-Related Diffuse Lung Diseases. *Semin Roentgenol*, 2019. 54(1), 30-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30684995>
- de Vries, M, van der Plaat, D A, Nedeljkovic, I, Verkaik-Schakel, RN, Kooistra, W, Amin, N et al. From blood to lung tissue: effect of cigarette smoke on DNA methylation and lung function. *Respir Res*, 2018. 19(1), 212. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6215675/pdf/12931_2018_Article_904.pdf
- Pirozzi, CS, Gu, T, Quibrera, PM, Carretta, EE, Han, MK, Murray, S et al. Heterogeneous burden of lung disease in smokers with borderline airflow obstruction. *Respir Res*, 2018. 19(1), 223. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6245799/pdf/12931_2018_Article_911.pdf
- Gregory, AC, Sullivan, MB, Segal, LN, & Keller, BC. Smoking is associated with quantifiable differences in the human lung DNA virome and metabolome. *Respir Res*, 2018.19(1), 174. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30208886>

Gupta, N, Colby, TV, Meyer, CA, McCormack, F.X, Wikenheiser-Brokamp, KA. Smoking-Related Diffuse Cystic Lung Disease. *Chest*. 2018 Aug;154(2):e31-e35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30080520>

Karimi, A, Razaghi, R. The role of the smoking on the mechanical properties of the human lung. *Technol Health Care*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30103357>

Li, C, Li, E, Zhang, J, Tao, Y, Zhang, C, Shen, X, Liu, Y, Qin, Y. Analysis of crotonaldehyde puff-by-puff release in mainstream cigarette smoke under various smoking regimens by high-performance liquid chromatography with the modified QuEChERS method. *R Soc Open Sci*. 2018 Jun 13;5(6):172003. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30110467>

Li, X, Ortega, VE, Ampleford, EJ, Graham Barr, R, Christenson, SA, Cooper, CB, Couper, D, Dransfield, MT, Han, ML K, Hansel, NN, Hoffman, EA, Kanner, RE, Kleerup, EC, Martinez, FJ, Paine, R, Woodruff, PG, Hawkins, GA, Blecker, ER, Meyers, DA, Spiromics Research Group. Genome-wide association study of lung function and clinical implication in heavy smokers. *BMC Med Genet*. 2018 Aug 1;19(1):134. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30068317>

Petersen, H, Sood, A, Polverino, F, Owen, CA, Pinto-Plata, V, Celli, BR, Tesfaigzi, Y. The Course of Lung Function in Middle-Aged Heavy Smokers: Incidence and Time to Early Onset of COPD. *Am J Respir Crit Care Med*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30114375>

Wick, MR. Pathologic features of smoking-related lung diseases, with emphasis on smoking-related interstitial fibrosis and a consideration of differential diagnoses. *Semin Diagn Pathol*, Aug 2018. Available from <https://www.ncbi.nlm.nih.gov/pubmed/30154023>

Zhang, WZ, Butler, JJ, Cloonan, SM. Smoking-induced iron dysregulation in the lung. *Free Radic Biol Med*, 2018. Available from <https://www.ncbi.nlm.nih.gov/pubmed/30075191>

Akkermans RP, Biermans M, Robberts B, ter Riet G, Jacobs A, et al. Predicting an accelerated lung function decline in smokers: Is there a proper threshold? *Eur Respir J*, 2014; 43(1):308-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24381324>

Belchamber K, Hall DA, and Hourani SM. Smoking enhances the proinflammatory effects of nucleotides on cytokine release from human lung. *PLoS ONE*, 2014; 9(6):e99711. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24978193>

Carlos SP, Dias AS, Forgiarini Junior LA, Patricio PD, Graciano T, et al. Oxidative damage induced by cigarette smoke exposure in mice: Impact on lung tissue and diaphragm muscle. *J Bras Pneumol*, 2014; 40(4):411-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25210964>

Lugade AA, Bogner PN, Thatcher TH, Sime PJ, Phipps RP, et al. Cigarette smoke exposure exacerbates lung inflammation and compromises immunity to bacterial infection. *J Immunol*, 2014; 192(11):5226-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24752444>

Mohamed Hoesein FA and Zanen P. Predicting an accelerated lung function decline in smokers: Is there a proper threshold? *Eur Respir J*, 2014; 43(1):307-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24381323>

Oancea SC, Gurney JG, Ness KK, Ojha RP, Tyc VL, et al. Cigarette smoking and pulmonary function in adult survivors of childhood cancer exposed to pulmonary-toxic therapy: Results from the st. Jude lifetime cohort study. *Cancer Epidemiol Biomarkers Prev*, 2014; 23(9):1938-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24939744>

Crotty Alexander LE, Shin S, and Hwang JH. Inflammatory diseases of the lung induced by conventional cigarette smoke: A review. *Chest*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26135024>

D'Anna C, Cigna D, Costanzo G, Ferraro M, Siena L, et al. Cigarette smoke alters cell cycle and induces inflammation in lung fibroblasts. *Life Sci*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25637683>

Ergun DD, Karis D, Alkan FA, Cakmak G, Yenigun M, et al. Effects of cigarette smoking on hemorheologic parameters, plasma osmolality and lung function. *Clin Hemorheol Microcirc*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26484720>

Fujita Y, Araya J, and Ochiya T. Extracellular vesicles in smoking-related lung diseases. *Oncotarget*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26675760>

Kuehn D, Majeed S, Guedj E, Dulize R, Baumer K, et al. Impact assessment of repeated exposure of organotypic 3d bronchial and nasal tissue culture models to whole cigarette smoke. *J Vis Exp*, 2015; (96). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25741927>

Larose TL, Brumpton BM, Langhammer A, Camargo CA, Jr., Chen Y, et al. Serum 25-hydroxyvitamin d level, smoking and lung function in adults: The hunt study. *Eur Respir J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26022950>

Leung JM, Mayo J, Tan W, Tammemagi CM, Liu G, et al. Plasma pro-surfactant protein b and lung function decline in smokers. *Eur Respir J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25614175>

Macleod J, Robertson R, Copeland L, McKenzie J, Elton R, et al. Cannabis, tobacco smoking, and lung function: A cross-sectional observational study in a general practice population. *Br J Gen Pract*, 2015; 65(631):e89-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25624312>

Madan R, Matalon S, and Vivero M. Spectrum of smoking-related lung diseases: Imaging review and update. *J Thorac Imaging*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26479130>

Muresan XM, Cervellati F, Sticozzi C, Belmonte G, Chui CH, et al. The loss of cellular junctions in epithelial lung cells induced by cigarette smoke is attenuated by corilagin. *Oxid Med Cell Longev*, 2015; 2015:631758. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802682>

Papaioannou AI, Papiris S, Papadaki G, Manali ED, Roussou A, et al. Surfactant proteins in smoking-related lung disease. *Curr Top Med Chem*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26420367>

Paulose-Ram R, Tilert T, Dillon CF, and Brody DJ. Cigarette smoking and lung obstruction among adults aged 40-79: United states, 2007-2012. *NCHS Data Brief*, 2015; (181):1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25569298>

Sorli-Aguilar M, Martin-Lujan F, Santigosa-Ayala A, Pinol-Moreno J, Flores-Mateo G, et al. Effects of Mediterranean diet on lung function in smokers: A randomised, parallel and controlled protocol. *BMC Public Health*, 2015; 15(1):74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25636808>

Walsh SL, Nair A, and Desai SR. Interstitial lung disease related to smoking: Imaging considerations. *Curr Opin Pulm Med*, 2015; 21(4):407-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25978626>

Xu X, Balsiger R, Tyrrell J, Boyaka PN, Tarran R, et al. Cigarette smoke exposure reveals a novel role for the mek/erk1/2 mapk pathway in regulation of cftr. *Biochim Biophys Acta*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25697727>

Xu Y, Hu B, Alnajm SS, Lu Y, Huang Y, et al. Segel: A web server for visualization of smoking effects on human lung gene expression. *PLoS ONE*, 2015; 10(5):e0128326. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26010234>

Fabbri LM. Symptoms in smokers with preserved pulmonary function. *New England Journal of Medicine*, 2016; 375(9):897. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27579643>

Holcomb N, Goswami M, Han SG, Clark S, Orren DK, et al. Exposure of human lung cells to tobacco smoke condensate inhibits the nucleotide excision repair pathway. *PLoS ONE*, 2016; 11(7):e0158858. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27391141>

Kligerman S, Franks TJ, and Galvin JR. Clinical-radiologic-pathologic correlation of smoking-related diffuse parenchymal lung disease. *Radiol Clin North Am*, 2016; 54(6):1047-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27719975>

Mossina A, Lukas C, Merl-Pham J, Uhl FE, Mutze K, et al. Cigarette smoke alters the secretome of lung epithelial cells. *Proteomics*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891773>

Oudkerk SF, Buckens CF, Mali WP, De Koning HJ, Oner FC, et al. Diffuse idiopathic skeletal hyperostosis is associated with lower lung volumes in current and former smokers. *Am J Respir Crit Care Med*, 2016; 194(2):241-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27420360>

Rea G, Valente T, and Marchiori E. Hrct in smoking-related interstitial lung diseases: A kaleidoscopic overlap of patterns. *J Bras Pneumol*, 2016; 42(2):157. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27167439>

Rizzi M, Tarsia P, Spina T, Cristiano A, Frassanito F, et al. A new approach to detect early lung functional impairment in very light smokers. *Respir Physiol Neurobiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27224237>

Shakoori TA and Sin DD. Snp rs3088308 is a risk factor for poor lung function in healthy smokers. *J Pak Med Assoc*, 2016; 66(9):1137-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27654735>

Sorli-Aguilar M, Martin-Lujan F, Flores-Mateo G, Arijia-Val V, Basora-Gallisa J, et al. Dietary patterns are associated with lung function among Spanish smokers without respiratory disease. *BMC Pulm Med*, 2016; 16(1):162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27884188>

Thomson NC. Does age of onset of asthma influence the effect of cigarette smoking on lung function? *Am J Respir Crit Care Med*, 2016; 194(3):249-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27479055>

Tommola M, Ilmarinen P, Tuomisto LE, Haanpaa J, Kankaanranta T, et al. The effect of smoking on lung function: A clinical study of adult-onset asthma. *Eur Respir J*, 2016; 48(5):1298-306. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27660515>

Trinkmann F, Henzler T, and Saur J. Symptoms in smokers with preserved pulmonary function. *New England Journal of Medicine*, 2016; 375(9):895-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27579645>

Woodruff PG, Couper D, and Han MK. Symptoms in smokers with preserved pulmonary function. *New England Journal of Medicine*, 2016; 375(9):896-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27606380>

Xueshibojie L, Duo Y, and Tiejun W. Taraxasterol inhibits cigarette smoke-induced lung inflammation by inhibiting reactive oxygen species-induced tlr4 trafficking to lipid rafts. *Eur J Pharmacol*, 2016; 789:301-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27477353>

Yamashiro T, Moriya H, Tsubakimoto M, Matsuoka S, and Murayama S. Continuous quantitative measurement of the proximal airway dimensions and lung density on four-dimensional dynamic-ventilation ct in smokers. *Int J Chron Obstruct Pulmon Dis*, 2016; 11:755-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27110108>

Andujar P, Courbon D, Bizard E, Marcos E, Adnot S, et al. Smoking, telomere length and lung function decline: A longitudinal population-based study. *Thorax*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28724638>

Bodduluri S, Reinhardt JM, Hoffman EA, Newell JD, Jr., Nath H, et al. Signs of gas trapping in normal lung density regions in smokers. *Am J Respir Crit Care Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28707983>

Diaz AA, Strand M, Coxson HO, Ross JC, San Jose Estepar R, et al. Disease severity dependence of the longitudinal association between ct lung density and lung function in smokers. *Chest*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29066389>

Dulger S, Akdeniz O, Solmaz F, Sengoren Dikis O, and Yildiz T. Evaluation of nasal mucociliary clearance using saccharin test in smokers: A prospective study. *Clin Respir J*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29105352>

Gahring LC, Myers EJ, Dunn DM, Weiss RB, and Rogers SW. Lung epithelial response to cigarette smoke and modulation by the nicotinic alpha 7 receptor. *PLoS ONE*, 2017; 12(11):e0187773. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29117258>

Iwasawa T, Takemura T, and Ogura T. Smoking-related lung abnormalities on computed tomography images: Comparison with pathological findings. *Jpn J Radiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29247372>

Kumar A, Cherian SV, Vassallo R, Yi ES, and Ryu JH. Current concepts in pathogenesis, diagnosis, and management of smoking-related interstitial lung diseases. *Chest*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29222007>

Solanki HS, Babu N, Jain A, Bhat MY, Puttamallesh VN, et al. Cigarette smoke induces mitochondrial metabolic reprogramming in lung cells. *Mitochondrion*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29042306>

Teague WG. Up in smoke: Accelerated loss of lung function in two clusters of smokers identified in a longitudinal cohort study of adult-onset asthma. *J Allergy Clin Immunol Pract*, 2017; 5(4):979-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28689846>

Wiesel S, Siddiqui F, Khan T, Hossri S, and El-Sayegh D. Vanishing lung syndrome: Compound effect of tobacco and marijuana use on the development of bullous lung disease - a joint effort. *Cureus*, 2017; 9(7):e1530. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28975065>

Hoyer N, Wille MMW, Thomsen LH, Wilcke T, Dirksen A, et al. Interstitial lung abnormalities are associated with increased mortality in smokers. *Respir Med*, 2018; 136:77-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29501250>

Li Y, Dai Y, and Guo Y. The pulmonary damage caused by smoking: A longitudinal study. *Technol Health Care*, 2018; 26(S1):501-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29758973>

Rakshit R, Khasnobish A, Chowdhury A, Sinharay A, Pal A, et al. A novel approach to the identification of compromised pulmonary systems in smokers by exploiting tidal breathing patterns. *Sensors (Basel)*, 2018; 18(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29693559>

Strzelak A, Ratajczak A, Adamiec A, and Feleszko W. Tobacco smoke induces and alters immune responses in the lung triggering inflammation, allergy, asthma and other lung diseases: A mechanistic review. *Int J Environ Res Public Health*, 2018; 15(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29883409>

3.2.4.1 Chronic Obstructive Pulmonary Disease (COPD)

Bagam, P, Kaur, G, Singh, DP, & Batra, S. (2020). In vitro study of the role of FOXO transcription factors in regulating cigarette smoke extract-induced autophagy. *Cell Biol Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33146789>

Chen, R, Liang, Y, Ip, MSM, Zhang, KY, & Mak, JCW. (2020). Amelioration of Cigarette Smoke-Induced Mucus Hypersecretion and Viscosity by *Dendrobium officinale* Polysaccharides In Vitro and In Vivo. *Oxid Med Cell Longev*, 2020, 8217642. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33144914>

Chen, CH, Li, YR, Lin, SH, Chang, HH, Chai, WH, Chan, PC, & Lin, CH. (2020). Tiotropium/Olodaterol treatment reduces cigarette smoke extract-induced cell death in BEAS-2B bronchial epithelial cells. *BMC Pharmacol Toxicol*, 21(1), 74. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33129351>

Dunican, EM, Elicker, BM, Henry, T, Gierada, DS, Schiebler, ML, Anderson, W et al (2020). Mucus Plugs and Emphysema in the Pathophysiology of Airflow Obstruction and Hypoxemia in Smokers. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33180550>

Kim, V, Jeong, S, Zhao, H, Kesimer, M, Boucher, RC Wells, JM et al (2020). Current smoking with or without chronic bronchitis is independently associated with goblet cell hyperplasia in healthy smokers and COPD subjects. *Sci Rep*, 10(1), 20133. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33208859>

Macmurdo, M, Lopez, R, Udeh, BL, & Zein, J. (2020). Beyond tobacco - the secondary impact of substance misuse in chronic obstructive lung disease. *J Asthma*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33158365>

Ohno, Y, Yui, M, Yoshikawa, T, Seki, S, Takenaka, D, Kassai, Y et al (2020). 3D Oxygen-Enhanced MRI at 3T MR System: Comparison With Thin-Section CT of Quantitative Capability for Pulmonary Functional Loss Assessment and Clinical Stage Classification of COPD in Smokers. *J Magn Reson Imaging*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33205499>

Ortega-Martinez, A, Perez-Rubio, G, Ambrocio-Ortiz, E, Nava-Quiroz, KJ, Hernandez-Zenteno, RJ, Abarca-Rojano, E et al (2020). The SNP rs13147758 in the HHIP Gene Is Associated With COPD Susceptibility, Serum, and Sputum Protein Levels in Smokers. *Front Genet*, 11, 882. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33193570>

Tejwani, V, Moughames, E, Suresh, K, Tang, SE, Mair, LG, Romero, K et al (2020). Black Carbon Content in Airway Macrophages is Associated with Reduced CD80 Expression and Increased Exacerbations in Former Smokers With COPD. *Chronic Obstr Pulm Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33156984>

Xue, M, Peng, N, Zhu, X, & Zhang, H. (2020). Hsa_circ_0006872 promotes cigarette smoke-induced apoptosis, inflammation and oxidative stress in HPMECs and BEAS-2B cells through the miR-145-5p/NF-kappaB axis. *Biochem Biophys Res Commun*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33248690>

3.2.4.2 Chronic bronchitis

Ategbale, M, Su, BB, Wang, N, Loudermilk, E, Xie, X, Acevedo, P et al (2020). Gender differences in the associations of early onset poly tobacco and drug use prior to age 18 with the prevalence of adult bronchitis in the United States. *J Addict Dis*, 1-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33215555>

3.2.5 Major diseases caused by smoking

Lee, K, Choi, IH, Lee, H, Choi, S, Lee, SH, & Kim, TH. (2020). Association of Cotinine-Verified Cigarette Exposure with Chronic Rhinosinusitis in Korean Adults. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33182521>

Han, L, Ran, J, Mak, YW, Suen, LK, Lee, PH, Peiris, JSM, & Yang, L. Smoking and influenza-associated morbidity and mortality: a systematic review and meta-analysis. *Epidemiology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30789425>

Jou, SS, Yagihashi, K, Zach, JA, Lynch, D, Suh, YJ, & Investigators, CO. Relationship between current smoking, visual CT findings and emphysema index in cigarette smokers. *Clin Imaging*, 2018. 53, 195-199. Available from: [https://www.clinicalimaging.org/article/S0899-7071\(18\)30294-8/fulltext](https://www.clinicalimaging.org/article/S0899-7071(18)30294-8/fulltext)

Liu, Z, Wang, Y, Liu, Y, Pei, MM, Li, J, Shi, F, & Li, P X. Typing of chronic obstructive pulmonary disease using high-resolution computed tomography and the association with smoking, airway inflammation, and common comorbidities. *Turk J Med Sci*, 2018. 48(5), 945-951. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30384558>

Mathew, AR, Bhatt, SP, Colangelo, LA, Allen, NB, Jacobs, DR, Auer, R et al. Life-course Smoking Trajectories and Risk of Emphysema in Middle Age: The CARDIA Lung Study. *Am J Respir Crit Care Med*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30215529>

McAllister DA, Ahmed FS, Austin JH, Henschke CI, Keller BM, et al. Emphysema predicts hospitalisation and incident airflow obstruction among older smokers: A prospective cohort study. *PLoS ONE*, 2014; 9(4):e93221. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24699215>

Mitchell PD, Das JP, Murphy DJ, Keane MP, Donnelly SC, et al. Idiopathic pulmonary fibrosis with emphysema: Evidence of synergy among emphysema and idiopathic pulmonary fibrosis in smokers. *Respir Care*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25389350>

Cheng S and Mohammed TL. Diffuse smoking-related lung disease: Emphysema and interstitial lung disease. *Semin Roentgenol*, 2015; 50(1):16-22. Available from <http://www.ncbi.nlm.nih.gov/pubmed/25498399>

Alcaide AB, Sanchez-Salcedo P, Bastarrika G, Campo A, Berto J, et al. Clinical features of smokers with radiological emphysema but without airway limitation. *Chest*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27818328>

Kim KH, Park TS, Kim YS, Lee JS, Oh YM, et al. Resolvin d1 prevents smoking-induced emphysema and promotes lung tissue regeneration. *Int J Chron Obstruct Pulmon Dis*, 2016; 11:1119-28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27313451>

Barroso MV, Cattani-Cavaliere I, de Brito-Gitirana L, Fautrel A, Lagente V, et al. Propolis reversed cigarette smoke-induced emphysema through macrophage alternative activation independent of nrf2. *Bioorg Med Chem*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28886998>

Sears CR, Zhou H, Justice MJ, Fisher AJ, Saliba J, et al. Xpc deficiency alters cigarette smoke DNA damage cell fate and accelerates emphysema development. *Am J Respir Cell Mol Biol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29111769>

Wang Y, Wu ZZ, and Wang W. Inhibition of endoplasmic reticulum stress alleviates cigarette smoke-induced airway inflammation and emphysema. *Oncotarget*, 2017; 8(44):77685-95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29100417>

3.2.5.1 Chronic bronchitis

Martinez CH, Kim V, Chen Y, Kazerooni EA, Murray S, et al. The clinical impact of non-obstructive chronic bronchitis in current and former smokers. *Respir Med*, 2014; 108(3):491-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24280543>

Petersen H, Leng S, Belinsky SA, Miller BE, Tal-Singer R, et al. Low plasma cc16 levels in smokers are associated with a higher risk for chronic bronchitis. *Eur Respir J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26160869>

Dharmage SC, Perret JL, Burgess JA, Lodge CJ, Johns DP, et al. Current asthma contributes as much as smoking to chronic bronchitis in middle age: A prospective population-based study. *Int J Chron Obstruct Pulmon Dis*, 2016; 11:1911-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27574415>

3.2.5.2 Chronic Obstructive Pulmonary Disease (COPD)

Backman, H, Vanfleteren, L, Lindberg, A, Ekerljung, L, Stridsman, C, Axelsson, M et al (2020). Decreased COPD prevalence in Sweden after decades of decrease in smoking. *Respir Res*, 21(1), 283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33115506>

Greiner, B, Ottwell, R, Corcoran, A, & Hartwell, M. (2020). Smoking and Physical Activity Patterns of U.S. Military Veterans With Chronic Obstructive Pulmonary Disease: An Analysis of 2017 Behavioral Risk Factor Surveillance System. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33007087>

Guiedem, E, Pefura-Yone, EW Ikomey, GM, Nkenfou, CN, Mesembe, M, Yivala, MM et al (2020). Cytokine profile in the sputum of subjects with post-tuberculosis airflow obstruction and in those with tobacco related chronic obstructive pulmonary disease. *BMC Immunol*, 21(1), 52. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32998687>

Hlapcic, I, Hulina-Tomaskovic, A, Grdic Rajkovic, M, Popovic-Grle, S, Vukic Dugac, A, & Rumora, L. (2020). Association of Plasma Heat Shock Protein 70 with Disease Severity, Smoking and Lung Function of Patients with Chronic Obstructive Pulmonary Disease. *J Clin Med*, 9(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32992869>

Kim, Y, & Kang, J. (2020). Association of urinary cotinine-verified smoking status with hyperuricemia: Analysis of population-based nationally representative data. *Tob Induc Dis*, 18, 84. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33106845>

Mei, D, Tan, WSD, Liao, W, Heng, CKM, & Wong, WSF. (2020). Activation of angiotensin II type-2 receptor protects against cigarette smoke-induced COPD. *Pharmacol Res*, 161, 105223. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33017650>

Pezzuto, A, Lionetto, L, Ricci, A, Simmaco, M, & Borro, M. (2020). Inter-individual variation in CYP2A6 activity and Chronic Obstructive Pulmonary Disease in smokers: perspectives for an early predictive marker. *Biochim Biophys Acta Mol Basis Dis*, 165990. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33091566>

Pouwels, SD, Wiersma, VR, Fokkema, IE, Berg, M, Ten Hacken, NHT, van den Berge, M et al (2020). Acute cigarette smoke-induced eQTL affects formyl peptide receptor expression and lung function. *Respirology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33078507>

Selo, MA, Delmas, AS, Springer, L, Zoufal, V, Sake, JA, Clerkin, CG et al (2020). Tobacco Smoke and Inhaled Drugs Alter Expression and Activity of Multidrug Resistance-Associated Protein-1 (MRP1) in Human Distal Lung Epithelial Cells in vitro. *Front Bioeng Biotechnol*, 8, 1030. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33015009>

Soumagne, T, Guillien, A, Roche, N, Dalphin, JC, & Degano, B. (2020). Never-smokers with occupational COPD have better exercise capacities and ventilatory efficiency than matched smokers with COPD. *J Appl Physiol (1985)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33002379>

Vestbo, J. (2020). Editorial: Risk Prediction in Smokers. *Chronic Obstr Pulm Dis*, 7(4), 297-299. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33108108>

Zhang, M, Zhang, Y, Roth, M, Zhang, L, Shi, R, Yang, X et al (2020). Sirtuin 3 Inhibits Airway Epithelial Mitochondrial Oxidative Stress in Cigarette Smoke-Induced COPD. *Oxid Med Cell Longev*, 2020, 7582980. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33005288>

Zhang, Q, Song, W, Ayidaerhan, N& He, Z. (2020). PTPLAD2 and USP49 Involved in the Pathogenesis of Smoke-Induced COPD by Integrative Bioinformatics Analysis. *Int J Chron Obstruct Pulmon Dis*, 15, 2515-2526. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33116468>

Zhou, H, Zhang, L, Li, Y, Wu, G, Zhu, H, Zhang, H et al (2020). Cigarette smoke extract stimulates bronchial epithelial cells to undergo a SUMOylation turnover. *BMC Pulm Med*, 20(1), 276. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33097022>

Bhattarai, P, Myers, S, Chia, C, Weber, HC, Young, S, Williams, AD, & Sohal, SS. (2020). Clinical Application of Forced Oscillation Technique (FOT) in Early Detection of Airway Changes in Smokers. *J Clin Med*, 9(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32867314>

Cass, SP, Yang, Y, Xiao, J, McGrath, JJC, Fantauzzi, MF, Thayaparan, D et al. (2020). Current smoking status is associated with reduced sputum immunoglobulin M and G expression in chronic obstructive pulmonary disease. *Eur Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32883677>

Klein, EF, Adir, Y, Fireman, E, & Kessel, A. (2020). Cigarette-related cadmium and environmental pollution exposure are reflected in airway ultrafine particle content. *ERJ Open Res*, 6(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32963996>

Lee, E. (2020). Paired CT Measures of Emphysema and Small Airways Disease and Lung Function and Exercise Capacity in Smokers with Radiographic Bronchiectasis. *Acad Radiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32917476>

Luo, J, Li, L, Hu, D, & Zhang, X. (2020). LINC00612/miR-31-5p/Notch1 Axis Regulates Apoptosis, Inflammation, and Oxidative Stress in Human Pulmonary Microvascular Endothelial Cells Induced by Cigarette Smoke Extract. *Int J Chron Obstruct Pulmon Dis*, 15, 2049-2060. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32921999>

Merikallio, H, Kaarteenaho, R, Linden, S, Padra, M, Karimi, R, Li, CX et al. (2020). Smoking-associated increase in mucins 1 and 4 in human airways. *Respir Res*, 21(1), 239. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32948202>

Railwah, C, Lora, A, Zahid, K, Goldenberg, H, Campos, MA, Wyman, A et al. (2020). Cigarette smoke induction of S100A9 contributes to chronic obstructive pulmonary disease. *Am J Physiol Lung Cell Mol Physiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32964723>

Strand, M, Austin, E, Moll, M, Pratte, KA, Regan, EA, Hayden, LP et al. (2020). A Risk Prediction Model for Mortality Among Smokers in the COPDGene(R) Study. *Chronic Obstr Pulm Dis*, 7(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32877963>

Tsay, JJ, Hu, Y, Goldberg, JD, Wang, B, Vijayalekshmy, S, Yie, TA et al. (2020). Value of metalloproteinases in predicting COPD in heavy urban smokers. *Respir Res*, 21(1), 228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32878618>

Vasudevan, S, Vasquez, JJ, Chen, W, Aguilar-Rodriguez, B, Niemi, EC, Zeng, S et al. (2020). Lower PDL1/2 and AXL Expression on Lung Myeloid Cells Suggests Inflammatory Bias in Smoking and COPD. *Am J Respir Cell Mol Biol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32915645>

Abid, N, Rao, AR, Babar, MN, Ansari, M, & Awan, WA. (2020). Effect of deep breathing exercises in healthy smokers: A pilot study. *J Pak Med Assoc*, 70(7), 1209-1213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32799275>

Casas-Recasens, S, Noell, G, Mendoza, N, Lopez-Giraldo, A, Garcia, T, Guirao, A et al. (2020). Lung DNA Methylation in COPD: Relationship with Smoking Status and Airflow Limitation Severity. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32822219>

da Silva, CO, Gicquel, T, Daniel, Y, Bartholo, T, Vene, E, Loyer, P et al (2020). Alteration of immunophenotype of human macrophages and monocytes after exposure to cigarette smoke. *Sci Rep*, 10(1), 12796. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32732964>

Hunt, BC, Stanford, D, Xu, X, Li, J, Gaggar, A, Rowe, SM et al (2020). Haemophilus influenzae persists in biofilm communities in a smoke-exposed ferret model of COPD. *ERJ Open Res*, 6(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32802827>

Lakshmi, SP, Reddy, AT, Kodidhela, LD, & Varadacharyulu, NC. (2020). Epigallocatechin gallate diminishes cigarette smoke-induced oxidative stress, lipid peroxidation, and inflammation in human bronchial epithelial cells. *Life Sci*, 259, 118260. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32795541>

Leuppi-Taegtmeyer, AB, Reinau, D, Yilmaz, S, Ruegg, S, Krahenbuhl, S, Jick, SS et al (2020). Antiseizure drugs and risk of developing smoking-related chronic obstructive pulmonary disease or lung cancer: A population-based case-control study. *Br J Clin Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32738070>

Liu, C, Cheng, W, Zeng, Y, Zhou, Z, Zhao, Y, Duan, J et al (2020). Different Characteristics of Ex-Smokers and Current Smokers with COPD: A Cross-Sectional Study in China. *Int J Chron Obstruct Pulmon Dis*, 15, 1613-1619. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32753861>

Nascimento, M, Huot-Marchand, S, Gombault, A, Panek, C, Bourinet, M, Fanny, M et al (2020). B-Cell Activating Factor Secreted by Neutrophils Is a Critical Player in Lung Inflammation to Cigarette Smoke Exposure. *Front Immunol*, 11, 1622. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32849550>

Park, B, An, J, Kim, W, Kang, HY, Koh, SB, Oh, B et al (2020). Effect of 6p21 region on lung function is modified by smoking: a genome-wide interaction study. *Sci Rep*, 10(1), 13075. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32753590>

Pham, AK, Wu, CW, Qiu, X, Xu, J, Smiley-Jewell, S, Uyeminami, D et al (2020). Differential lung inflammation and injury with tobacco smoke exposure in Wistar Kyoto and spontaneously hypertensive rats. *Inhal Toxicol*, 1-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32781858>

Rumora, L, Somborac-Bacura, A, Hlapcic, I, Hulina-Tomaskovic, A, & Rajkovic, MG. (2020). Cigarette smoke and extracellular Hsp70 induce secretion of ATP and differential activation of NLRP3 inflammasome in monocytic and bronchial epithelial cells. *Cytokine*, 135, 155220. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32736335>

Song, B, Wu, S, Ye, L, Jing, Z, & Cao, J. (2020). LncRNA TUG1 knockdown mitigates inflammatory injury induced by cigarette smoke extract in chronic obstructive pulmonary disease via miR-34c/BRD4 axis. *Biosci Rep*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32812639>

Stockfelt, M, Christenson, K, Andersson, A, Bjorkman, L, Padra, M, Brundin, B et al. (2020). Increased CD11b and Decreased CD62L in Blood and Airway Neutrophils from Long-Term Smokers with and without COPD. *J Innate Immun*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32829330>

Dera, AA, Al Fayi, M, Otifi, H, Alshyarba, M, Alfhili, M, & Rajagopalan, P. (2020). Thymoquinone (Tq) protects necroptosis induced by autophagy/mitophagy-dependent oxidative stress in human bronchial epithelial cells exposed to cigarette smoke extract (CSE). *J Food Biochem*, e13366. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32633007>

Fleming, JS, Conway, J, Bennett, MJ, Tossici-Bolt, L, Guy, M, Ble, FX et al (2020). Quantitative Assessment of Regional Mucociliary Clearance in Smokers with Mild-to-Moderate Chronic Obstructive Pulmonary Disease and Chronic Bronchitis from Planar Radionuclide Imaging. *J Aerosol Med Pulm Drug Deliv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32640859>

Grenier, PA. (2020). Emphysema at CT in Smokers with Normal Spirometry: Why It Is Clinically Significant. *Radiology*, 202576. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32639194>

Haldar, K, George, L, Wang, Z, Mistry, V, Ramsheh, MY, Free, RC et al (2020). The sputum microbiome is distinct between COPD and health, independent of smoking history. *Respir Res*, 21(1), 183. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32664956>

Lee, E, Park, B, Chung, WY, Park, JE, Hwang, SC, Park, KJn et al (2020). Blood lead levels in relation to smoking and chronic obstructive pulmonary disease (COPD): a study from Korean National Health and Nutrition Examination Survey (KNHANES). *J Thorac Dis*, 12(6), 3135-3147. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32642235>

Nakamura, N. (2020). Cigarette smoke attenuates p300-mediated Nrf2 acetylation in macrophages: Is stabilizing Nrf2 enough to halt COPD progression? *Respirology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32696525>

Oh, AS, Strand, M, Pratte, K, Regan, EA, Humphries, S, Crapo, JD et al (2020). Visual Emphysema at Chest CT in GOLD Stage 0 Cigarette Smokers Predicts Disease Progression: Results from the COPD Gene Study. *Radiology*, 192429. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32633676>

Shao, C, Qi, H, Fang, Q, Tu, J, Li, Q, & Wang, L. (2020). Smoking history and its relationship with comorbidities in patients with obstructive sleep apnea. *Tob Induc Dis*, 18, 56. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32641922>

Ito, H, Yamashita, Y, Tanaka, T, Takaki, M, Le, MN, Yoshida, LM, & Morimoto, K. (2020). Cigarette smoke induces endoplasmic reticulum stress and suppresses efferocytosis through the activation of RhoA. *Sci Rep*, 10(1), 12620. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32724133>

De Cunto, G, Cavarra, E, Bartalesi, B, Lucattelli, M, & Lungarella, G. (2020). Innate Immunity and Cell Surface Receptors in the Pathogenesis of COPD: Insights from Mouse Smoking Models. *Int J Chron Obstruct Pulmon Dis*, 15, 1143-1154. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32547002>

Sugiura, T, Dohi, Y, Takagi, Y, Yokochi, T, Yoshikane, N, Suzuki, K et al (2020). Close Association between Subclinical Atherosclerosis and Pulmonary Function in Middle-Aged Male Smokers. *J Atheroscler Thromb*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32536635>

Dawod, YT, Cook, NE, Graham, WB, Madhani-Lovely, F, & Thao, C. (2020). Smoking-associated interstitial lung disease: update and review. *Expert Rev Respir Med*, 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32379511>

Lowe, KE, Hatipoglu, U, & Stoller, JK. (2020). Emphysema in a Middle-aged Former Smoker. *Ann Am Thorac Soc*, 17(6), 762-766. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32469648>

Zhao, K, Dong, R, Yu, Y, Tu, C, Li, Y, Cui, Y et al (2020). Cigarette smoke-induced lung inflammation in COPD mediated via CCR1/JAK/STAT /NF-kappaB pathway. *Aging (Albany NY)*, 12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32463796>

Zhou, H, Liu, Y, Wang, Z, Yang, Y, Li, M, Yuan, D et al (2020). CD147 Promoted Epithelial Mesenchymal Transition in Airway Epithelial Cells Induced by Cigarette Smoke via Oxidative Stress Signaling Pathway. *COPD*, 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32366134>

Garcia-Quero, C, & Garcia-Rio, F. (2020). Smoking-Induced Small Airway Dysfunction. An Early Marker of Future Copd? *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32247668>

Gindele, JA, Kiechle, T, Benediktus, K, Birk, G, Brendel, M, Heinemann, F et al (2020). Intermittent exposure to whole cigarette smoke alters the differentiation of primary small airway epithelial cells in the air-liquid interface culture. *Sci Rep*, 10(1), 6257. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32277131>

Hu, JY, Liu, BB, Du, YP, Zhang, Y, Zhang, YW, Zhang, YY et al (2020). Author Correction: Increased circulating beta2-adrenergic receptor autoantibodies are associated with smoking-related emphysema. *Sci Rep*, 10(1), 6468. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32277098>

Min, JE, Huh, DA, & Moon, KW. (2020). The Joint Effects of Some Beverages Intake and Smoking on Chronic Obstructive Pulmonary Disease in Korean Adults: Data Analysis of the Korea National Health and Nutrition Examination Survey (KNHANES), 2008-2015. *Int J Environ Res Public Health*, 17(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32290216>

Gulsen, A. (2020). Pulmonary Function Changes in Chronic Obstructive Pulmonary Disease Patients According to Smoking Status. *Turk Thorac J*, 21(2), 80-86. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32202996>

Klont, F, Horvatovich, P, Ten Hacken, NHT, & Bischoff, R. (2020). Cigarette smoking prior to blood sampling acutely affects serum levels of the chronic obstructive pulmonary disease biomarker surfactant protein D. *Clin Chem Lab Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32145054>

Li, X, Wu, Z, Xue, M, & Du, W. (2020). Smoking status affects clinical characteristics and disease course of acute exacerbation of chronic obstructive pulmonary disease: A prospectively observational study. *Chron Respir Dis*, 17, 1479973120916184. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32216568>

Rodriguez-Aguilar, M, Diaz de Leon-Martinez, L, Gorocica-Rosete, P, Padilla, RP, Thirion-Romero, I, Ornelas-Rebolledo, O, & Flores-Ramirez, R. (2020). Identification of breath-prints for the COPD detection associated with smoking and household air pollution by electronic nose. *Respir Med*, 163, 105901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32125969>

Song, J, Wang, Q, & Zong, L. (2020). LncRNA MIR155HG contributes to smoke-related chronic obstructive pulmonary disease by targeting miR-128-5p/BRD4 axis. *Biosci Rep*, 40(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32129458>

Chen, L, Luo, L, Kang, N, He, X, Li, T, & Chen, Y. (2020). The Protective Effect of HBO1 on Cigarette Smoke Extract-Induced Apoptosis in Airway Epithelial Cells. *Int J Chron Obstruct Pulmon Dis*, 15, 15-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32021140>

Holz, O, DeLuca, DS, Roepcke, S, Illig, T, Weinberger, KM, Schudt, C, & Hohlfeld, JM. (2020). Smokers with COPD Show a Shift in Energy and Nitrogen Metabolism at Rest and During Exercise. *Int J Chron Obstruct Pulmon Dis*, 15, 1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32021139>

Lee, YM, Lee, JH, Kim, HC, & Ha, E. (2020). Effects of PM10 on mortality in pure COPD and asthma-COPD overlap: difference in exposure duration, gender, and smoking status. *Sci Rep*, 10(1), 2402. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32051443>

Ma, A, Wen, L, Yin, J, Hu, Y, Yue, X, Li, J et al. (2020). Serum Levels of Autoantibodies Against Extracellular Antigens and Neutrophil Granule Proteins Increase in Patients with COPD Compared to Non-COPD Smokers. *Int J Chron Obstruct Pulmon Dis*, 15, 189-200. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32099344>

Myllyla, M, Hammis, A, Stepanov, M, Anttalainen, U, Saaresranta, T, & Laitinen, T. (2020). Response to the letter entitled "COPD-and-smoking-induced 'down regulation' of CO2-related vasoconstriction

in the brain during CPAP for sleep apnea may paradoxically reduce risk of cardiovascular events". *Sleep Breath*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32048143>

Pompe, E, Strand, M, van Rikxoort, EM, Hoffman, EA, Barr, RG, Charbonnier, JP et al. (2020). Five-Year Progression of Emphysema and Air Trapping at CT in Smokers with and Those without Chronic Obstructive Pulmonary Disease: Results from the COPDGene Study. *Radiology*, 191429. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32013794>

Salvi, SS, Brashier, BB, Londhe, J, Pyasi, K, Vincent, V, Kajale, SS et al. (2020). Phenotypic comparison between smoking and non-smoking chronic obstructive pulmonary disease. *Respir Res*, 21(1), 50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32050955>

Bai, S, Ye, R, Wang, C, Sun, P, & Zhao, L. (2020). Comparative analysis of pathophysiological parameters between emphysematous smokers and emphysematous patients with COPD. *Sci Rep*, 10(1), 420. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31942006>

Mallampalli, RK, Li, X, Jang, JH, Kaminski, T, Hoji, A, Coon, T et al. (2020). Cigarette smoke exposure enhances transforming acidic coiled-coil-containing protein 2 turnover and thereby promotes emphysema. *JCI Insight*, 5(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31996486>

N, T, & Mg, M. (2020). Association of Serum Ferritin Levels with Smoking and Lung Function in COPD Patients of Tertiary Care Center: Mysuru. *Journal of the Association of Physicians of India*, 68(1), 82. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/31979795>

Nair, PM, Starkey, MR, Haw, TJ, Liu, G, Collison, AM, Mattes, J et al. (2019). Enhancing tristetrarprolin activity reduces the severity of cigarette smoke-induced experimental chronic obstructive pulmonary disease. *Clin Transl Immunology*, 8(10), e01084. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31979795>

De Smet, EG, Van Eeckhoutte, HP, Avila Cobos, F, Blomme, E, Verhamme, FM, Provoost, S et al. (2019). The role of miR-155 in cigarette smoke-induced pulmonary inflammation and COPD. *Mucosal Immunol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31819170>

Sun, X, Shang, J, Wu, A, Xia, J, & Xu, F. (2019). Identification of dynamic signatures associated with smoking-related squamous cell lung cancer and chronic obstructive pulmonary disease. *J Cell Mol Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31829519>

Anzalone, G, Arcolego, G, Bucchieri, F, Montalbano, AM, Marchese, R, Albano, GD et al. (2019). Cigarette smoke affects the onco-suppressor DAB2IP expression in bronchial epithelial cells of COPD patients. *Sci Rep*, 9(1), 15682. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31666665>

Croghan, A, Brunette, A, Holm, KE, Kozora, E, Moser, DJ, Wamboldt, FS et al. (2019). Reduced Attention in Former Smokers with and without COPD. *Int J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31732904>

Hikichi, M, Mizumura, K, Maruoka, S, & Gon, Y. (2019). Pathogenesis of chronic obstructive pulmonary disease (COPD) induced by cigarette smoke. *J Thorac Dis*, 11(Suppl 17), S2129-S2140. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31737341>

Madan, A, & Turner, AM. (2019). Identifying the at risk smokers: who goes on to get COPD? *Eur Respir J*, 54(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31672906>

O'Beirne, SL, Kikkers, SA, Oromendia, C, Salit, J, Rostmai, MR, Ballman, KV et al. (2019). Alveolar Macrophage Immunometabolism and Lung Function Impairment in Smoking and Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31751151>

Shin, NR, Ko, JW, Kim, JC, Park, G, Kim, SH, Kim, MS et al. (2019). Role of melatonin as an SIRT1 enhancer in chronic obstructive pulmonary disease induced by cigarette smoke. *J Cell Mol Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31762195>

Soumagne, T, Roche, N, Guillien, A, Bouhaddi, M, Rocchi, S, Hue, S et al. (2019). Cardiovascular Risk in COPD: Deciphering the Contribution of Tobacco Smoking. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31759959>

Spilling, CA, Bajaj, MK, Burrage, DR, Ruickbie, S, Thai, NJ, Baker, EH et al. (2019). Contributions of cardiovascular risk and smoking to chronic obstructive pulmonary disease (COPD)-related changes in brain structure and function. *Int J Chron Obstruct Pulmon Dis*, 14, 1855-1866. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31686798>

Sundar, IK, Li, D, & Rahman, I. (2019). Small RNA-sequence analysis of plasma-derived extracellular vesicle miRNAs in smokers and patients with chronic obstructive pulmonary disease as circulating biomarkers. *J Extracell Vesicles*, 8(1), 1684816. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31762962>

Yang, CX, Shi, H, Ding, I, Milne, S, Hernandez Cordero, AI, Yang, CWT et al. (2019). Widespread Sexual Dimorphism in the Transcriptome of Human Airway Epithelium in Response to Smoking. *Sci Rep*, 9(1), 17600. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31772224>

Lim, SY, Zhao, D, Guallar, E, Chang, Y, Ryu, S, Cho, J, & Shim, JY. (2019). Risk of chronic obstructive pulmonary disease in healthy individuals with high C-reactive protein levels by smoking status: a population-based cohort study in Korea. *Int J Chron Obstruct Pulmon Dis*, 14, 2037-2046. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564851>

Andrault, PM, Schamberger, AC, Chazeirat, T, Sizaret, D, Renault, J, Staab-Weijnitz, CA et al. (2019). Cigarette smoke induces overexpression of active human cathepsin S in lungs from current smokers with or without COPD. *Am J Physiol Lung Cell Mol Physiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31553637>

Chen, X, Li, Y, Hua, C, Jia, P, Xing, Y, Xue, B et al. (2019). Establishment of rapid risk assessment model for cigarette smoke extract exposure in chronic obstructive pulmonary disease. *Toxicol Lett*, 316, 10-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31476341>

Gong, J, Zhao, H, Liu, T, Li, L, Cheng, E, Zhi, S et al. (2019). Cigarette Smoke Reduces Fatty Acid Catabolism, Leading to Apoptosis in Lung Endothelial Cells: Implication for Pathogenesis of COPD. *Front Pharmacol*, 10, 941. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31555131>

Kim, Y, & Cho, WK. (2018). Effects of smoking on disease risk among South Korean adults. *Tob Induc Dis*, 16, 45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516443>

Pedron, IG. (2019). Comments on "Review of the association between periodontitis and chronic obstructive pulmonary disease in smokers". *Monaldi Arch Chest Dis*, 89(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31558005>

Arjomandi, M, Zeng, S, Barjaktarevic, I, Barr, RG, Bleecker, ER, Bowler, RP et al. (2019). Radiographic Lung Volumes Predict Progression to COPD in Smokers with Preserved Spirometry in SPIROMICS. *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31439683>

Aydemir, Y, Aydemir, O, Sengul, A, Gungen, AC, Coban, H, Tasdemir, C et al. (2019). Comparison of oxidant/antioxidant balance in COPD and non-COPD smokers. *Heart Lung*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31371032>

Halvani, A, & Haddad, H. (2019). Comparison of the Factors Influencing Pulmonary Arterial Pressure in Smoker and Non-smoker COPD Patients with Pulmonary Hypertension. *Tanaffos*, 18(1), 41-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31423139>

Kalemci, S, Sarihan, A, Zeybek, A, Simsek, A, & Tasdemir, N. (2019). Comparison of oxidant/antioxidant balance in COPD and non-COPD smokers. *Heart Lung*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31451206>

Labaki, WW, Gu, T, Murray, S, Curtis, JL, Yeomans, L, Bowler, RP et al. (2019). Serum amino acid concentrations and clinical outcomes in smokers: SPIROMICS metabolomics study. *Sci Rep*, 9(1), 11367. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31388056>

Poon, J, Campos, M, Foronjy, RF, Nath, S, Gupta, G, Railwah, C et al. (2019). Cigarette smoke exposure reduces leukemia inhibitory factor levels during respiratory syncytial viral infection. *Int J Chron Obstruct Pulmon Dis*, 14, 1305-1315. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31417248>

Sidhaye, VK, Holbrook, JT, Burke, A, Sudini, KR, Sethi, S, Criner, GJ et al (2019). Compartmentalization of anti-oxidant and anti-inflammatory gene expression in current and former smokers with COPD. *Respir Res*, 20(1), 190. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31429757>

Garpered, S, Minarik, D, Diaz, S, Valind, S, Edenbrandt, L, & Wollmer, P. (2019). Measurement of airway inflammation in current smokers by positron emission tomography. *Clin Physiol Funct Imaging*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31278814>

Haghighi, B, Choi, S, Choi, J, Hoffman, E A, Comellas, AP, Newell, JD et al. (2019). Imaging-based clusters in former smokers of the COPD cohort associate with clinical characteristics: the SubPopulations and intermediate outcome measures in COPD study (SPIROMICS). *Respir Res*, 20(1), 153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31307479>

Hogman, M, Thornadtsen, A, Broms, K, Janson, C, Lisspers, K, Stallberg, B et al. (2019). Different Relationships between FENO and COPD Characteristics in Smokers and Ex-Smokers. *COPD*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31357875>

Hou, W, Hu, S, Li, C, Ma, H, Wang, Q, Meng, G et al. (2019). Cigarette Smoke Induced Lung Barrier Dysfunction, EMT, and Tissue Remodeling: A Possible Link between COPD and Lung Cancer. *Biomed Res Int*, 2019, 2025636. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31341890>

Wytrychiewicz, K, Pankowski, D, Janowski, K, Bargiel-Matusiewicz, K, Dabrowski, J, & Fal, AM. (2019). Smoking Status, Body Mass Index, Health-Related Quality of Life, and Acceptance of Life With Illness in Stable Outpatients With COPD. *Front Psychol*, *10*, 1526. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31312165>

Xu, W, Li, R, & Sun, Y. (2019). Increased IFN-gamma-producing Th17/Th1 cells and their association with lung function and current smoking status in patients with chronic obstructive pulmonary disease. *BMC Pulm Med*, *19*(1), 137. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31349846>

Opina, MTD, Nicklas, BJ, Lovato, JF, Files, DC, Kritchevsky, SB, & Moore, WC. (2019). Association of Symptoms of Obstructive Lung Disease and All-Cause Mortality in Older Adult Smokers. *J Am Geriatr Soc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31250432>

Peng, H, Guo, T, Chen, Z, Zhang, H, Cai, S, Yang, M et al (2019). Hypermethylation of mitochondrial transcription factor A induced by cigarette smoke is associated with chronic obstructive pulmonary disease. *Exp Lung Res*, *45*(3-4), 101-111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31198067>

Rakic, JM, Liu, C, Veeramachaneni, S, Wu, D, Paul, L, Chen, O et al (2019). Modulation of Reverse Cholesterol Transport by Lycopene Is Associated with Its Protective Role Against Cigarette Smoke Induced COPD and Lung Carcinogenesis in Ferrets (OR05-02-19). *Curr Dev Nutr*, *3*(Suppl 1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31224941>

Wang, Z, Zhao, J, Wang, T, Du, X, & Xie, J. (2019). Fine-particulate matter aggravates cigarette smoke extract-induced airway inflammation via Wnt5a-ERK pathway in COPD. *Int J Chron Obstruct Pulmon Dis*, *14*, 979-994. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31190784>

Wheaton, AG, Liu, Y, Croft, JB, VanFrank, B, Croxton, TL, Punturieri, A et al (2019). Chronic Obstructive Pulmonary Disease and Smoking Status - United States, 2017. *MMWR Morb Mortal Wkly Rep*, *68*(24), 533-538. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31220055>

Bari, MZJ, Patwary, I, Hussain, D, Islam, SM, & Rasker, JJ. (2019). Association of COPD with osteoporosis in male smokers: A case control study in a tertiary medical college hospital in Bangladesh. *J Back Musculoskelet Rehabil*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31127754>

Lim, JU, Yeo, CD, Rhee, CK, Kang, HS, Park, CK, Kim, JS et al (2019). Comparison of clinical characteristics and overall survival between spirometrically diagnosed chronic obstructive pulmonary disease (COPD) and non-COPD never-smoking stage I-IV non-small cell lung cancer patients. *Int J Chron Obstruct Pulmon Dis*, *14*, 929-938. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31118602>

Madison, MC, & Kheradmand, F. (2019). Taming Peptides with Peptides: Neutralizing PGP with RTRs to Treat Cigarette Smoke-Induced Emphysema. *Am J Respir Cell Mol Biol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31046397>

Yuan, X, Chang, CY, You, R, Shan, M, Gu, BH, Madison, M et al. (2019). Cigarette smoke-induced reduction of C1q promotes emphysema. *JCI Insight*, *5*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31112138>

- Kim, EJ, Yoon, SJ, Kim, YE, Go, DS, & Jung, Y. (2019). Effects of Aging and Smoking Duration on Cigarette Smoke-Induced COPD Severity. *J Korean Med Sci*, 34(Suppl 1), e90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30923493>
- Cruz, T, Lopez-Giraldo, A, Noell, G, Guirao, A, Casas-Recasens, S, Garcia, T et al. (2019). Smoking Impairs the Immunomodulatory Capacity of Lung Resident Mesenchymal Stem Cells in COPD. *Am J Respir Cell Mol Biol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30978114>
- Hirvonen, E, Stepanov, M, Kilpelainen, M, Lindqvist, A, & Laitinen, T. (2019). Consistency and reliability of smoking-related variables: longitudinal study design in asthma and COPD. *Eur Clin Respir J*, 6(1), 1591842. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31007878>
- Hulina-Tomaskovic, A, Somborac-Bacura, A, Grdic Rajkovic, M, Bosnar, M, Samarzija, M, & Rumora, L. (2019). Effects of extracellular Hsp70 and cigarette smoke on differentiated THP-1 cells and human monocyte-derived macrophages. *Mol Immunol*, 111, 53-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30981202>
- Hernandez-Zenteno, RJ, Flores-Trujillo, F, Vazquez-Cortes, JJ, Monteros-Sanchez, CE L, & Cosio, MG. Symptomatic and Asymptomatic Smokers without Airflow Obstruction: A New Clinical Entity? *Rev Invest Clin*, 2019. 71(1), 64-69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30810539>
- Hwang, YI, Park, YB, Yoon, HK, Kim, TH, Yoo, KH, Rhee, CK et al. Male current smokers have low awareness and optimistic bias about COPD: field survey results about COPD in Korea. *Int J Chron Obstruct Pulmon Dis*, 2019. 14, 271-277. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30718953>
- Janga, SR, & Hamm-Alvarez, SF. PP2A: A Novel Target to Prevent Cathepsin S-Mediated Damage in Smoking-Induced COPD. *Am J Respir Crit Care Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30785780>
- Kraen, M, Frantz, S, Nihlen, U, Engstrom, G, Lofdahl, CG, Wollmer, P, & Dencker, M. Matrix Metalloproteinases in COPD and atherosclerosis with emphasis on the effects of smoking. *PLoS One*, 2019. 14(2), e0211987. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30789935>
- Charbonnier, JP, Pompe, E, Moore, C, Humphries, S, van Ginneken, B, Make, B et al. Airway wall thickening on CT: Relation to smoking status and severity of COPD. *Respir Med*, 2019. 146, 36-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30665516>
- Dang, X, Yang, L, Guo, J, Hu, H, Li, F, Liu, Y, & Pang, Y. miR-145-5p is associated with smoke-related chronic obstructive pulmonary disease via targeting KLF5. *Chem Biol Interact*, 2019. 300, 82-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30639269>
- Lusk, CM, Wenzlaff, AS, Watza, D, Sieren, JC, Robinette, N, Walworth, G et al. Quantitative imaging markers of lung function in a smoking population distinguish COPD sub-groups with differential lung cancer risk. *Cancer Epidemiol Biomarkers Prev*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30642838>
- Tal, S, Adir, Y, Stein, N, Shalom, H, Lache, O, Levy, A, & Shteinberg, M. COPD Exacerbator Phenotype is Inversely Associated with Current Smoking But Not with Haptoglobin Phenotype. *Isr Med Assoc J*, 2019. 21(1), 19-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30685900>

Santoro, A, Prinzi, G, Lamonaca, P, Cardaci, V, Fini, M, & Russo, P. Tobacco Smoking: Risk to Develop Addiction, Chronic Obstructive Pulmonary Disease, and Lung Cancer. *Recent Pat Anticancer Drug Discov*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30605063>

Eriksson Strom, J, Pourazar, J, Linder, R, Blomberg, A, Lindberg, A, Bucht, A, & Behndig, AF. Cytotoxic lymphocytes in COPD airways: increased NK cells associated with disease, iNKT and NKT-like cells with current smoking. *Respir Res*, 2018. 19(1), 244. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30526599>

Kammerl, IE, Caniard, A, Merl-Pham, J, Ben-Nissan, G, Mayr, CH, Mossina, A et al. Dissecting the molecular effects of cigarette smoke on proteasome function. *J Proteomics*, 2018. 193, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30557664>

Rodrigues, FM, Loeckx, M, Hornikx, M, Van Remoortel, H, Louvaris, Z, Demeyer, H et al. Six years progression of exercise capacity in subjects with mild to moderate airflow obstruction, smoking and never smoking controls. *PLoS One*, 2018. 13(12), e0208841. Available from: https://www.researchgate.net/publication/329931218_Six_years_progression_of_exercise_capacity_in_subjects_with_mild_to_moderate_airflow_obstruction_smoking_and_never_smoking_controls

Eriksson, B, Backman, H, Ekerljung, L, Axelsson, M, Lindberg, A, Ronmark, E, & Lundback, B. Pattern of Cardiovascular Comorbidity in COPD in a Country with Low-smoking Prevalence: Results from Two-population-based Cohorts from Sweden. *COPD*, 2018. 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30475654>

Oh, JY, Lee, YS, Min, KH, Hur, GY, Lee, SY, Kang, KH et al. Difference in systemic inflammation and predictors of acute exacerbation between smoking-associated COPD and tuberculosis-associated COPD. *Int J Chron Obstruct Pulmon Dis*, 2018. 13, 3381-3387. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30425468>

Qian, Y, Mao, ZD, Shi, YJ, Liu, ZG, Cao, Q, & Zhang, Q. Comprehensive Analysis of miRNA-mRNA-lncRNA Networks in Non-Smoking and Smoking Patients with Chronic Obstructive Pulmonary Disease. *Cell Physiol Biochem*, 2018. 50(3), 1140-1153. Available from: <https://www.karger.com/Article/Pdf/494541>

Ribeiro, CO, Faria, ACD, Lopes, AJ, & de Melo, PL. (2018). Forced oscillation technique for early detection of the effects of smoking and COPD: contribution of fractional-order modeling. *Int J Chron Obstruct Pulmon Dis*, 13, 3281-3295. Available from: <https://www.dovepress.com/getfile.php?fileID=45203>

Roversi, S, Boschetto, P, Beghe, B, Schito, M, Garofalo, M, Stendardo, M et al (2018). Breathlessness, but not cough, suggests chronic obstructive pulmonary disease in elderly smokers with stable heart failure. *Multidiscip Respir Med*, 13, 35. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6166269/pdf/40248_2018_Article_148.pdf

Beghe, B, Fabbri, LM, Garofalo, M, Schito, M, Verduri, A, Bortolotti, M, et al. Three-Year Hospitalization and Mortality in Elderly Smokers with Chronic Obstructive Pulmonary Disease or Chronic Heart Failure. *Respiration*, 2018. 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30205380>

Gouda, MM, Shaikh, SB, Chengappa, D, Kandhal, I, Shetty, A, & Bhandary, Y. Changes in the expression level of IL-17A and p53-fibrinolytic system in smokers with or without COPD. *Mol Biol*

Rep.Maeda, R., Tomita, M., Usuda, K., & Uramoto, H. (2018). Clinicopathologic characteristics of non-small cell lung cancer in patients with smoking-related chronic obstructive pulmonary disease. *Gen Thorac Cardiovasc Surg*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30250995>

Maeda, R, Tomita, M, Usuda, K, & Uramoto, H. Clinicopathologic characteristics of non-small cell lung cancer in patients with smoking-related chronic obstructive pulmonary disease. *Gen Thorac Cardiovasc Surg*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30187259>

Beckmeyer-Borowko, A, Imboden, M, Rezwani, FI, Wielscher, M, Amaral, AFS, Jeong, A, Schaffner, E, Auvinen, J, Seibert, S, Karhunen, V, Bettschart, R, Turk, A, Pons, M, Stolz, D, Kronenberg, F, Arathimos, R, Sharp, GC, Relton, C, Henderson, AJ, Jarvelin, MR, Jarvis, D, Holloway, JW, Probst-Hensch, NM. SERPINA1 methylation and lung function in tobacco-smoke exposed European children and adults: a meta-analysis of ALEC population-based cohorts. *Respir Res*. 2018 Aug 22;19(1):156. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30134983>

Caminha, GP, Pizzichini, E, Lubianca Neto, JF, Hopkins, C, Moreira, JDS, Pizzichini, MMM. Rhinosinusitis symptoms, smoking and COPD: prevalence and associations. *Clin Otolaryngol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30152142>

Jing, H, Liu, L, Zhou, J, Yao, H. Inhibition of C-X-C Motif Chemokine 10 (CXCL10) Protects Mice from Cigarette Smoke-Induced Chronic Obstructive Pulmonary Disease. *Med Sci Monit*. 2018 Aug 17;24:5748-5753. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30118441>

Mitra, A, Vishweswaraiyah, S, Thimraj, TA, Maheswarappa, M, Krishnarao, CS, Sundararaja Lokesh, K, Biligere Siddaiah, J, Ganguly, K, Anand, MP. Association of Elevated Serum GM-CSF, IFN-gamma, IL-4, and TNF-alpha Concentration with Tobacco Smoke Induced Chronic Obstructive Pulmonary Disease in a South Indian Population. *Int J Inflam*. 2018 Aug 1;2018:2027856. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30155241>

Pouwels, SD, Klont, F, Kwiatkowski, M, Wiersma, VR, Faiz, A, van den Berge, M, Horvatovich, P, Bischoff, R, Ten Hacken, NHT. Cigarette Smoking Acutely Decreases Serum Levels of the COPD Biomarker sRAGE. *Am J Respir Crit Care Med*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30130135>

Prange, R, Thiedmann, M, Bhandari, A, Mishra, N, Sinha, A, Hasler, R, Rosenstiel, P, Uliczka, K, Wagner, C, Yildirim, AO, Fink, C, Roeder, T. A Drosophila model of cigarette smoke induced COPD identifies Nrf2 signaling as an expedient target for intervention. *Aging (Albany NY)*. 2018 Aug 27;10(8):2122-2135. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30153653>

Beghe B, Verduri A, Bottazzi B, Stendardo M, Fucili A, et al. Echocardiography, spirometry, and systemic acute-phase inflammatory proteins in smokers with copd or chf: An observational study. *PLoS ONE*, 2013; 8(11):e80166. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24244639>

Clancy J and Turner C. Smoking and copd: The impact of nature-nurture interactions. *Br J Nurs*, 2013; 22(14):820, 2-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24260992>

Geraghty P, Wyman AE, Garcia-Arcos I, Dabo AJ, Gadhi S, et al. Stat3 modulates cigarette smoke-induced inflammation and protease expression. *Front Physiol*, 2013; 4:267. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24101903>

Wang KS, Wang L, Zheng S, and Wu LY. Associations of smoking status and serious psychological distress with chronic obstructive pulmonary disease. *Int J High Risk Behav Addict*, 2013; 2(2):59-65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24971276>

Ballweg K, Mutze K, Konigshoff M, Eickelberg O, and Meiners S. Cigarette smoke extract affects mitochondrial function in alveolar epithelial cells. *Am J Physiol Lung Cell Mol Physiol*, 2014:ajplung 00180 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25326581>

Crystal RG. Airway basal cells: The "smoking gun" of copd. *Am J Respir Crit Care Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25354273>

Cunningham TJ, Ford ES, Rolle IV, Wheaton AG, and Croft JB. Associations of self-reported cigarette smoking with chronic obstructive pulmonary disease and co-morbid chronic conditions in the United States. *COPD*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25207639>

Davidson PK, Herbert JM, Antczak P, Clarke K, Ferrer E, et al. A systems biology approach reveals a link between systemic cytokines and skeletal muscle energy metabolism in a rodent smoking model and human copd. *Genome Med*, 2014; 6(8):59. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25228925>

de Moraes MR, da Costa AC, Correa Kde S, Junqueira-Kipnis AP, and Rabahi MF. Interleukin-6 and interleukin-8 blood levels' poor association with the severity and clinical profile of ex-smokers with copd. *Int J Chron Obstruct Pulmon Dis*, 2014; 9:735-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25114519>

Dijkstra AE, Boezen HM, van den Berge M, Vonk JM, Hiemstra PS, et al. Dissecting the genetics of chronic mucus hypersecretion in smokers with and without copd. *Eur Respir J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25234806>

Faner R, Gonzalez N, Cruz T, Kalko SG, and Agusti A. Systemic inflammatory response to smoking in chronic obstructive pulmonary disease: Evidence of a gender effect. *PLoS ONE*, 2014; 9(5):e97491. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24830457>

Franciosi L, Postma DS, van den Berge M, Govorukhina N, Horvatovich PL, et al. Susceptibility to copd: Differential proteomic profiling after acute smoking. *PLoS ONE*, 2014; 9(7):e102037. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25036363>

Golpe R, Sanjuan Lopez P, Cano Jimenez E, Castro Anon O, and Perez de Llano LA. Distribution of clinical phenotypes in patients with chronic obstructive pulmonary disease caused by biomass and tobacco smoke. *Arch Bronconeumol*, 2014; 50(8):318-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24576449>

Hessel J, Heldrich J, Fuller J, Staudt MR, Radisch S, et al. Intraflagellar transport gene expression associated with short cilia in smoking and copd. *PLoS ONE*, 2014; 9(1):e85453. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24465567>

Hobbs BD, Foreman MG, Bowler R, Jacobson F, Make BJ, et al. Pneumothorax risk factors in smokers with and without chronic obstructive pulmonary disease. *Ann Am Thorac Soc*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25295410>

Hoonhorst SJ, ten Hacken NH, Vonk JM, Timens W, Hiemstra PS, et al. Steroid resistance in copd? Overlap and differential anti-inflammatory effects in smokers and ex-smokers. *PLoS ONE*, 2014; 9(2):e87443. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24505290>

Klinke ME and Jonsdottir H. Smoking addiction in chronic obstructive pulmonary disease: Integrating neurobiology and phenomenology through a review of the literature. *Chron Respir Dis*, 2014; 11(4):229-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25150186>

Ko HK, Hsu WH, Hsieh CC, Lien TC, Lee TS, et al. High expression of high-mobility group box 1 in the blood and lungs is associated with the development of chronic obstructive pulmonary disease in smokers. *Respirology*, 2014; 19(2):253-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24372740>

Llordes M, Jaen A, Almagro P, Heredia JL, Morera J, et al. Prevalence, risk factors and diagnostic accuracy of copd among smokers in primary care. *COPD*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25474184>

Perret JL, Walters EH, Abramson MJ, McDonald CF, and Dharmage SC. The independent and combined effects of lifetime smoke exposures and asthma as they relate to copd. *Expert Rev Respir Med*, 2014; 8(4):503-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24834459>

Putcha N, Drummond MB, Connett JE, Scanlon PD, Tashkin DP, et al. Chronic productive cough is associated with death in smokers with early copd. *COPD*, 2014; 11(4):451-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24127996>

Schiavon M, Marulli G, Nannini N, Pasello G, Lunardi F, et al. Copd-related adenocarcinoma presents low aggressiveness morphological and molecular features compared to smoker tumours. *Lung Cancer*, 2014; 86(3):311-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25454198>

Shaykhiev R and Crystal RG. Early events in the pathogenesis of chronic obstructive pulmonary disease. Smoking-induced reprogramming of airway epithelial basal progenitor cells. *Ann Am Thorac Soc*, 2014; 11 Suppl 5:S252-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25525728>

Shin IS, Shin NR, Park JW, Jeon CM, Hong JM, et al. Melatonin attenuates neutrophil inflammation and mucus secretion in cigarette smoke-induced chronic obstructive pulmonary diseases via the suppression of erk-sp1 signaling. *J Pineal Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25388990>

Verhamme FM, Bracke KR, Amatngalim GD, Verleden GM, Van Pottelberge GR, et al. Role of activin-a in cigarette smoke-induced inflammation and copd. *Eur Respir J*, 2014; 43(4):1028-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24232707>

Washko GR, Diaz AA, Kim V, Barr RG, Dransfield MT, et al. Computed tomographic measures of airway morphology in smokers and never-smoking normals. *J Appl Physiol* (1985), 2014; 116(6):668-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24436301>

Yang M, Chen P, Peng H, Zhang H, Chen Y, et al. Cigarette smoke extract induces aberrant cytochrome c oxidase subunit ii methylation and apoptosis in human umbilical vascular endothelial cells. *Am J Physiol Cell Physiol*, 2014:ajpcell 00197 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25500741>

Ye Q, Huang K, Ding Y, Lou B, Hou Z, et al. Cigarette smoking contributes to idiopathic pulmonary fibrosis associated with emphysema. *Chin Med J (Engl)*, 2014; 127(3):469-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24451952>

Zeki AA. Simvastatin inhibits smoke-induced airway epithelial injury: Implications for copd therapy. *Eur Respir J*, 2014; 43(4):1211-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24687675>

Zhang MQ, Wan Y, Jin Y, Xin JB, Zhang JC, et al. Cigarette smoking promotes inflammation in patients with copd by affecting the polarization and survival of th/tregs through up-regulation of muscarinic receptor 3 and 5 expression. *PLoS ONE*, 2014; 9(11):e112350. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25375131>

Basoglu OK, Barnes PJ, Kharitonov SA, and Pelleg A. Effects of aerosolized adenosine 5'-triphosphate in smokers and patients with chronic obstructive pulmonary disease. *Chest*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25590209>

Boyer L, Chouaid C, Bastuji-Garin S, Marcos E, Margarit L, et al. Aging-related systemic manifestations in copd patients and cigarette smokers. *PLoS ONE*, 2015; 10(3):e0121539. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25785739>

Chen M, Yang T, Meng X, and Sun T. Azithromycin attenuates cigarette smoke extract-induced oxidative stress injury in human alveolar epithelial cells. *Mol Med Rep*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25607112>

Cheng L, Liu J, Li B, Liu S, Li X, et al. Cigarette smoke-induced hypermethylation of the gclc gene is associated with chronic obstructive pulmonary disease. *Chest*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26087411>

Curtis JL and Freeman CM. Why do we need a nonhuman primate model of smoking-induced copd? *Am J Pathol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25576784>

Gao J, Ohlmeier S, Nieminen P, Toljamo T, Tiitinen S, et al. Elevated sputum bpi1b1 levels in smokers with chronic obstructive pulmonary disease: A longitudinal study. *Am J Physiol Lung Cell Mol Physiol*, 2015;ajplung 00082 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25979078>

Golpe R and Perez de Llano L. Are the diagnostic criteria for asthma-copd overlap syndrome appropriate in biomass smoke-induced chronic obstructive pulmonary disease? *Arch Bronconeumol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25799499>

Guertin KA, Gu F, Wacholder S, Freedman ND, Panagiotou OA, et al. Time to first morning cigarette and risk of chronic obstructive pulmonary disease: Smokers in the plco cancer screening trial. *PLoS ONE*, 2015; 10(5):e0125973. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25985429>

Gupta PR, Anupam, Mehrotra AK, Khublani TK, Soni S, et al. Value of past clinical history in differentiating bronchial asthma from copd in male smokers presenting with sob and fixed airway obstruction. *Lung India*, 2015; 32(1):20-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25624591>

Hardin M, Foreman M, Dransfield MT, Hansel N, Han MK, et al. Sex-specific features of emphysema among current and former smokers with copd. *Eur Respir J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26541532>

Harvey BG, Strulovici-Barel Y, Kaner RJ, Sanders A, Vincent TL, et al. Risk of copd with obstruction in active smokers with normal spirometry and reduced diffusion capacity. *Eur Respir J*, 2015; 46(6):1589-97. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26541521>

Ishikawa N, Hattori N, Kohno N, Kobayashi A, Hayamizu T, et al. Airway inflammation in japanese copd patients compared with smoking and nonsmoking controls. *Int J Chron Obstruct Pulmon Dis*, 2015; 10:185-92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25670894>

Jiang WT, Liu XS, Xu YJ, Ni W, and Chen SX. Expression of nitric oxide synthase isoenzyme in lung tissue of smokers with and without chronic obstructive pulmonary disease. *Chin Med J (Engl)*, 2015; 128(12):1584-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26063358>

Jogi J, Markstad H, Tufvesson E, Bjermer L, and Bajc M. The added value of hybrid ventilation/perfusion spect/ct in patients with stable copd or apparently healthy smokers. Cancer-suspected ct findings in the lungs are common when hybrid imaging is used. *Int J Chron Obstruct Pulmon Dis*, 2015; 10:25-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25565797>

Jones D. Chronic obstructive pulmonary disease part 1: Smoking cessation. *Nurs Stand*, 2015; 29(33):52-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25872852>

Kim V, Cornwell WD, Oros M, Durra H, Criner GJ, et al. Plasma chemokine signature correlates with lung goblet cell hyperplasia in smokers with and without chronic obstructive pulmonary disease. *BMC Pulm Med*, 2015; 15:111. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26424214>

Kim V, Oros M, Durra H, Kelsen S, Aksoy M, et al. Chronic bronchitis and current smoking are associated with more goblet cells in moderate to severe copd and smokers without airflow obstruction. *PLoS ONE*, 2015; 10(2):e0116108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25646735>

Li M, Guo L, Wang H, Wang T, Shen Y, et al. Rage-ligands axis: A new 'driving force' for cigarette smoke-induced airway inflammation in copd? *Respirology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25998568>

Liew FY. Cigarette smoke resets the alarmin il-33 in copd. *Immunity*, 2015; 42(3):401-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25786171>

Mahmood MQ, Sohal SS, Shukla SD, Ward C, Hardikar A, et al. Epithelial mesenchymal transition in smokers: Large versus small airways and relation to airflow obstruction. *Int J Chron Obstruct Pulmon Dis*, 2015; 10:1515-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26346976>

Mun SY, Hwang YI, Kim JH, Park S, Jang SH, et al. Awareness of chronic obstructive pulmonary disease in current smokers: A nationwide survey. *Korean J Intern Med*, 2015; 30(2):191-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25750560>

Nilsson AM, Diaz S, Theander E, Hesselstrand R, Piitulainen E, et al. Chronic obstructive pulmonary disease is common in never-smoking patients with primary sjogren syndrome. *J Rheumatol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25593235>

Poppinga WJ, Heijink IH, Holtzer LJ, Skroblin P, Klussmann E, et al. A-kinase anchoring proteins coordinate inflammatory responses to cigarette smoke in airway smooth muscle. *Am J Physiol Lung*

Cell Mol Physiol, 2015:ajplung 00301 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25637608>

Regan EA, Lynch DA, Curran-Everett D, Curtis JL, Austin JH, et al. Clinical and radiologic disease in smokers with normal spirometry. JAMA Intern Med, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26098755>

Riesco Miranda JA, Alfageme Michavila I, and de Lucas Ramos P. Separ year 2015-16: Copd and smoking. What awaits? Arch Bronconeumol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26704738>

Sansores RH, Velazquez-Uncal M, Perez-Bautista O, Villalba-Caloca J, Falfan-Valencia R, et al. Prevalence of chronic obstructive pulmonary disease in asymptomatic smokers. Int J Chron Obstruct Pulmon Dis, 2015; 10:2357-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26586941>

Seys LJ, Verhamme FM, Dupont LL, Desauter E, Duerr J, et al. Airway surface dehydration aggravates cigarette smoke-induced hallmarks of copd in mice. PLoS ONE, 2015; 10(6):e0129897. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26066648>

Sheridan JA, Zago M, Nair P, Li PZ, Bourbeau J, et al. Decreased expression of the nf-kappab family member relb in lung fibroblasts from smokers with and without copd potentiates cigarette smoke-induced cox-2 expression. Respir Res, 2015; 16(1):54. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25943190>

Shukla SD, Muller HK, Latham R, Sohal SS, and Walters EH. Platelet-activating factor receptor (pafr) is upregulated in small airways and alveoli of smokers and copd patients. Respirology, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26662379>

Silva R, Oyarzun M, and Olloquequi J. Pathogenic mechanisms in chronic obstructive pulmonary disease due to biomass smoke exposure. Arch Bronconeumol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25614376>

Sun Y, Wang K, Li MX, He W, Chang JR, et al. Metabolic changes of h2s in smokers and patients of copd which might involve in inflammation, oxidative stress and steroid sensitivity. Sci Rep, 2015; 5:14971. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26455818>

Tan WC, Sin DD, Bourbeau J, Hernandez P, Chapman KR, et al. Characteristics of copd in never-smokers and ever-smokers in the general population: Results from the cancold study. Thorax, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26048404>

Toljamo T, Hamari A, Sotkasiira M, and Nieminen P. Clinical characteristics of copd syndrome: A 6-year follow-up study of adult smokers. Ann Med, 2015:1-7. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26178878>

Tyrrell J, Qian X, Freire J, and Tarran R. Roflumilast combined with adenosine increases mucosal hydration in human airway epithelial cultures after cigarette smoke exposure. Am J Physiol Lung Cell Mol Physiol, 2015:ajplung 00395 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25795727>

Wang G, Wang R, Strulovici-Barel Y, Salit J, Staudt MR, et al. Persistence of smoking-induced dysregulation of mirna expression in the small airway epithelium despite smoking cessation. PLoS ONE, 2015; 10(4):e0120824. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25886353>

Wang H, Liao Z, Wan C, Wen F, and Chen L. Epithelial-mesenchymal transition: A key mechanism for cigarette smoke-associated pulmonary fibrosis in copd? Eur J Intern Med, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25577309>

Wang Q, Wang Y, Zhang Y, and Xiao W. Involvement of urokinase in cigarette smoke extract-induced epithelial-mesenchymal transition in human small airway epithelial cells. Lab Invest, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25706093>

Wang R, Li M, Zhou S, Zeng D, Xu X, et al. Effect of a single nucleotide polymorphism in mir-146a on cox-2 protein expression and lung function in smokers with chronic obstructive pulmonary disease. Int J Chron Obstruct Pulmon Dis, 2015; 10:463-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25767384>

Wang Y, Zhu Y, Xing S, Ma P, and Lin D. Sirt5 prevents cigarette smoke extract-induced apoptosis in lung epithelial cells via deacetylation of foxo. Cell Stress Chaperones, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25981116>

Wozniak B, Wozniak A, Konca J, Gorecki D, Mila-Kierzenkowska C, et al. Activity of alpha 1-antitrypsin and some lysosomal enzymes in the blood serum of patients with chronic obstructive pulmonary disease after smoking cessation. Biomed Res Int, 2015; 2015:176582. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802837>

Zhang L, Guo X, Xie W, Li Y, Ma M, et al. Resveratrol exerts an anti-apoptotic effect on human bronchial epithelial cells undergoing cigarette smoke exposure. Mol Med Rep, 2015; 11(3):1752-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25385506>

Zhou SJ, Li M, Zeng DX, Zhu ZM, Hu XW, et al. Expression variations of connective tissue growth factor in pulmonary arteries from smokers with and without chronic obstructive pulmonary disease. Sci Rep, 2015; 5:8564. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25708588>

Adami A, Cao R, Porszasz J, Casaburi R, and Rossiter HB. Reproducibility of nirs assessment of muscle oxidative capacity in smokers with and without copd. Respir Physiol Neurobiol, 2016; 235:18-26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27659351>

Alamidi DF, Kindvall SS, Hubbard Cristinacce PL, McGrath DM, Young SS, et al. T1 relaxation time in lungs of asymptomatic smokers. PLoS ONE, 2016; 11(3):e0149760. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26958856>

Andersson A, Malmhall C, Houltz B, Tengvall S, Sjostrand M, et al. Interleukin-16-producing nk cells and t-cells in the blood of tobacco smokers with and without copd. Int J Chron Obstruct Pulmon Dis, 2016; 11:2245-58. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27695312>

Arellano-Orden E, Calero-Acuna C, Moreno-Mata N, Gomez-Izquierdo L, Sanchez-Lopez V, et al. Cigarette smoke decreases the maturation of lung myeloid dendritic cells. PLoS ONE, 2016; 11(4):e0152737. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27058955>

Bain WG, Tripathi A, Mandke P, Gans JH, D'Alessio FR, et al. Low-dose oxygen enhances macrophage-derived bacterial clearance following cigarette smoke exposure. *J Immunol Res*, 2016; 2016:1280347. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27403445>

Biselli PJ, Kirkness JP, Grote L, Fricke K, Schwartz AR, et al. Nasal high flow therapy reduces work of breathing compared to oxygen during sleep in copd and smoking controls - prospective observational study. *J Appl Physiol (1985)*, 2016:jap 00279 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27815367>

Bodas M, Patel N, Silverberg D, Walworth K, and Vij N. Master autophagy regulator transcription factor-eb (tfeb) regulates cigarette smoke induced autophagy-impairment and copd-emphysema pathogenesis. *Antioxid Redox Signal*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27835930>

Campo G, Pavasini R, Barbetta C, Maietti E, Mascetti S, et al. Predischarge screening for chronic obstructive pulmonary disease in patients with acute coronary syndrome and smoking history. *Int J Cardiol*, 2016; 222:806-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27522379>

Carpagnano GE, Ruggieri C, Scioscia G, Storto MM, Zoppo L, et al. Is the exhaled breath temperature sensitive to cigarette smoking? *COPD*, 2016:1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26934668>

Chen G, Zhou M, Chen L, Meng ZJ, Xiong XZ, et al. Cigarette smoke disturbs the survival of cd8+ tc/tregs partially through muscarinic receptors-dependent mechanisms in chronic obstructive pulmonary disease. *PLoS ONE*, 2016; 11(1):e0147232. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26808506>

Cheng MY, Liu H, Zhang TM, and Xu JY. Different forms of adiponectin reduce the apoptotic and damaging effect of cigarette smoke extract on human bronchial epithelial cells. *Exp Ther Med*, 2016; 12(6):4168-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28105143>

Cheruvu VK, Odhiambo LA, Mowls DS, Zullo MD, and Gudina AT. Health-related quality of life in current smokers with copd: Factors associated with current smoking and new insights into sex differences. *Int J Chron Obstruct Pulmon Dis*, 2016; 11:2211-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27695308>

Chu S, Zhong X, Zhang J, Lai X, Xie J, et al. Four snps and systemic level of foxp3 in smokers and patients with chronic obstructive pulmonary disease. *COPD*, 2016:1-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27310557>

Corlateanu A, Odajiu I, Botnaru V, and Cemirtan S. From smoking to copd--current approaches. *Pneumologia*, 2016; 65(1):20-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27209836>

de Granda-Orive JI and Solano-Reina S. Chronic obstructive pulmonar disease mortality. Separ copd-smoking year. *Arch Bronconeumol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26873517>

Dransfield MT, Kunisaki KM, Strand MJ, Anzueto A, Bhatt SP, et al. Acute exacerbations and lung function loss in smokers with and without copd. *Am J Respir Crit Care Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27556408>

Einarsson GG, Comer DM, McIlreavey L, Parkhill J, Ennis M, et al. Community dynamics and the lower airway microbiota in stable chronic obstructive pulmonary disease, smokers and healthy non-smokers. *Thorax*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27146202>

Fabbri LM. Smoking, not copd, as the disease. *New England Journal of Medicine*, 2016; 374(19):1885-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27168438>

Gaida A, Holz O, Nell C, Schuchardt S, Lavae-Mokhtari B, et al. A dual center study to compare breath volatile organic compounds from smokers and non-smokers with and without copd. *J Breath Res*, 2016; 10(2):026006. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27082437>

Hansen H, Johnsen NF, and Molsted S. Time trends in leisure time physical activity, smoking, alcohol consumption and body mass index in danish adults with and without copd. *BMC Pulm Med*, 2016; 16(1):110. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27473716>

Harvey BG, Strulovici-Barel Y, Kaner RJ, Sanders A, Vincent TL, et al. Progression to copd in smokers with normal spirometry/low dlco using different methods to determine normal levels. *Eur Respir J*, 2016; 47(6):1888-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27246083>

Heijink IH, de Bruin HG, Dennebos R, Jonker MR, Noordhoek JA, et al. Cigarette smoke-induced epithelial expression of wnt-5b: Implications for copd. *Eur Respir J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27126693>

Jaroenpool J, Pattanapanyasat K, Noonin N, and Prachongsai I. Increased reactive oxygen species (ros) as aberrant neutrophil function among healthy smokers with high cigarette smoking profile and chronic obstructive pulmonary disease patients. *Asian Pac J Allergy Immunol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27001650>

Ji W, Lim MN, Bak SH, Hong SH, Han SS, et al. Differences in chronic obstructive pulmonary disease phenotypes between non-smokers and smokers. *Clin Respir J*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27805311>

Kammerl IE, Dann A, Mossina A, Brech D, Lukas C, et al. Impairment of immunoproteasome function by cigarette smoke and in copd. *Am J Respir Crit Care Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26756824>

Kim JK, Lee CM, Park JY, Kim JH, Park SH, et al. Active case finding strategy for chronic obstructive pulmonary disease with handheld spirometry. *Medicine (Baltimore)*, 2016; 95(50):e5683. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27977619>

Koyama H, Ohno Y, Fujisawa Y, Seki S, Negi N, et al. 3d lung motion assessments on inspiratory/expiratory thin-section ct: Capability for pulmonary functional loss of smoking-related copd in comparison with lung destruction and air trapping. *Eur J Radiol*, 2016; 85(2):352-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26781140>

Labor M, Vrbica Z, Gudelj I, Labor S, Juric I, et al. Exhaled breath temperature as a novel marker of future development of copd: Results of a follow-up study in smokers. *COPD*, 2016:1-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27078073>

Le Rouzic O, Kone B, Kluza J, Marchetti P, Hennegrave F, et al. Cigarette smoke alters the ability of human dendritic cells to promote anti-streptococcus pneumoniae th17 response. *Respir Res*, 2016; 17(1):94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27460220>

Lee JW, Park JW, Kwon OK, Lee HJ, Jeong HG, et al. Nps2143 inhibits muc5ac and proinflammatory mediators in cigarette smoke extract (cse)-stimulated human airway epithelial cells. *Inflammation*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27866297>

Lo Cascio CM, Quante M, Hoffman EA, Bertoni AG, Aaron CP, et al. Percent emphysema and daily motor activity levels in the general population: Multi-ethnic study of atherosclerosis. *Chest*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940190>

Magrone T and Jirillo E. Cigarette smoke-mediated perturbations of the immune response: A new therapeutic approach with natural compounds. *Endocr Metab Immune Disord Drug Targets*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27697073>

Mannam P, Rauniyar N, Lam TT, Luo R, Lee PJ, et al. Mkk3 influences mitophagy and is involved in cigarette smoke-induced inflammation. *Free Radic Biol Med*, 2016; 101:102-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27717867>

Maskey-Warzechowska M, Nejman-Gryz P, Osinka K, Lis P, Malesa K, et al. Acute response to cigarette smoking assessed in exhaled breath condensate in patients with chronic obstructive pulmonary disease and healthy smokers. *Adv Exp Med Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27645540>

Miller MR and Brusasco V. Risk of copd in smokers with low transfer factor. *Eur Respir J*, 2016; 47(6):1885-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27246081>

Moussa SB, Rouatbi S, and Saad HB. Incapacity, handicap, and oxidative stress markers of male smokers with and without copd. *Respir Care*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26932384>

Obeidat M, Ding X, Fishbane N, Hollander Z, Ng RT, et al. The effect of different case definitions of current smoking on the discovery of smoking-related blood gene expression signatures in chronic obstructive pulmonary disease. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27154971>

Pan Z, Yu H, and Liao JL. Probing cellular and molecular mechanisms of cigarette smoke-induced immune response in the progression of chronic obstructive pulmonary disease using multiscale network modeling. *PLoS ONE*, 2016; 11(9):e0163192. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27669518>

Patel MS, Donaldson AV, Lewis A, Natanek SA, Lee JY, et al. Klotho and smoking - an interplay influencing the skeletal muscle function deficits that occur in copd. *Respir Med*, 2016; 113:50-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27021580>

Pouwels SD, Hesse L, Faiz A, Lubbers J, Bodha PK, et al. Susceptibility for cigarette smoke-induced damp release and damp-induced inflammation in copd. *Am J Physiol Lung Cell Mol Physiol*, 2016; 311(5):L881-L92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27612964>

Raju SV, Lin VY, Liu L, McNicholas CM, Karki S, et al. The cftr potentiator ivacaftor augments mucociliary clearance abrogating cftr inhibition by cigarette smoke. *Am J Respir Cell Mol Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27585394>

Rigden HM, Alias A, Havelock T, O'Donnell R, Djukanovic R, et al. Squamous metaplasia is increased in the bronchial epithelium of smokers with chronic obstructive pulmonary disease. *PLoS ONE*, 2016; 11(5):e0156009. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27228128>

Sood A, Petersen H, Qualls C, Meek PM, Vazquez-Guillamet R, et al. Spirometric variability in smokers: Transitions in copd diagnosis in a five-year longitudinal study. *Respir Res*, 2016; 17(1):147. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27832774>

Stankovic M, Kojic S, Djordjevic V, Tomovic A, Nagorni-Obradovic L, et al. Gene-environment interaction between the mmp9 c-1562t promoter variant and cigarette smoke in the pathogenesis of chronic obstructive pulmonary disease. *Environ Mol Mutagen*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27270564>

Stolarczyk M, Amatngalim GD, Yu X, Veltman M, Hiemstra PS, et al. Adam17 and egfr regulate il-6 receptor and amphiregulin mrna expression and release in cigarette smoke-exposed primary bronchial epithelial cells from patients with chronic obstructive pulmonary disease (copd). *Physiol Rep*, 2016; 4(16). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27561911>

Strulovici-Barel Y, Staudt MR, Krause A, Gordon C, Tilley AE, et al. Persistence of circulating endothelial microparticles in copd despite smoking cessation. *Thorax*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27462120>

Sundblad BM, Ji J, Levanen B, Midander K, Julander A, et al. Extracellular cadmium in the bronchoalveolar space of long-term tobacco smokers with and without copd and its association with inflammation. *Int J Chron Obstruct Pulmon Dis*, 2016; 11:1005-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27274222>

Tam A, Bates JH, Churg A, Wright JL, Man SF, et al. Sex-related differences in pulmonary function following 6 months of cigarette exposure: Implications for sexual dimorphism in mild copd. *PLoS ONE*, 2016; 11(10):e0164835. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27788167>

Terzikhan N, Verhamme KM, Hofman A, Stricker BH, Brusselle GG, et al. Prevalence and incidence of copd in smokers and non-smokers: The rotterdam study. *Eur J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26946425>

Truedsson M, Malm J, Barbara Sahlin K, Bugge M, Wieslander E, et al. Biomarkers of early chronic obstructive pulmonary disease (copd) in smokers and former smokers. Protocol of a longitudinal study. *Clin Transl Med*, 2016; 5(1):9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26951192>

Utsugi H, Nakamura H, Suzuki T, Maeno T, Nagata M, et al. Associations of lifelong cigarette consumption and hypertension with airflow limitation in primary care clinic outpatients in Japan. *Respir Investig*, 2016; 54(1):35-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26718143>

Vrbica Z, Labor M, Koscec Duknic A, Radosevic-Vidacek B, Gudelj I, et al. Development and the initial validation of a new self-administered questionnaire for an early detection of health status changes in

smokers at risk for chronic obstructive pulmonary disease (marko questionnaire). *Croat Med J*, 2016; 57(5):425-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27815933>

Woodruff PG, Barr RG, Bleecker E, Christenson SA, Couper D, et al. Clinical significance of symptoms in smokers with preserved pulmonary function. *New England Journal of Medicine*, 2016; 374(19):1811-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27168432>

Yang L, Cheriyan J, Gutterman DD, Mayer RJ, Ament Z, et al. Mechanisms of vascular dysfunction in copd and effects of a novel soluble epoxide hydrolase inhibitor in smokers. *Chest*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27884766>

Yeager RP, Kushman M, Chemerynski S, Weil R, Fu X, et al. Proposed mode of action for acrolein respiratory toxicity associated with inhaled tobacco smoke. *Toxicol Sci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26969371>

Yoshii C, Uchida S, Noguchi S, Torii R, Shimabukuro I, et al. Smoking status and a pulmonary function test in patients with rotator cuff tears. *J UOEH*, 2016; 38(3):243-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27627973>

Erratum: Current asthma contributes as much as smoking to chronic bronchitis in middle age: A prospective population-based study [corrigendum]. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:945. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28360518>

Aghapour M, Raei P, Moghaddam SJ, Hiemstra PS, and Heijink IH. Airway epithelial barrier dysfunction in copd: Role of cigarette smoke exposure. *Am J Respir Cell Mol Biol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28933915>

Baarsma HA, Skronska-Wasek W, Mutze K, Ciolek F, Wagner DE, et al. Noncanonical wnt-5a signaling impairs endogenous lung repair in copd. *J Exp Med*, 2017; 214(1):143-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27979969>

Baris SA, Onyilmaz T, Basyigit I, Boyaci H, and Yildiz F. Frequency of exacerbations and hospitalizations in copd patients who continue to smoke. *Acta Med Okayama*, 2017; 71(1):11-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28238005>

Bazett M, Biala A, Huff RD, Zeglinski MR, Hansbro PM, et al. Attenuating immune pathology using a microbial-based intervention in a mouse model of cigarette smoke-induced lung inflammation. *Respir Res*, 2017; 18(1):92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28506308>

Bowler RP, Hansel NN, Jacobson S, Graham Barr R, Make BJ, et al. Electronic cigarette use in us adults at risk for or with copd: Analysis from two observational cohorts. *J Gen Intern Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28884423>

Braeken DC, Rohde GG, Franssen FM, Driessen JH, van Staa TP, et al. Risk of community-acquired pneumonia in chronic obstructive pulmonary disease stratified by smoking status: A population-based cohort study in the United Kingdom. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:2425-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28860737>

Bruno A, Cipollina C, Di Vincenzo S, Siena L, Dino P, et al. Ceftaroline modulates the innate immune and host defense responses of immunocompetent cells exposed to cigarette smoke. *Toxicol Lett*, 2017; 279:9-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28720485>

Caram LMO, Ferrari R, Nogueira DL, Oliveira M, Francisqueti FV, et al. Tumor necrosis factor receptor 2 as a possible marker of copd in smokers and ex-smokers. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:2015-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28744116>

Carrion Valero F, Paulos Dos Santos S, and Celli BR. Smoking in copd patients: A new clinical phenotype? *Arch Bronconeumol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29217210>

Chaudhary N, Luettich K, Peck MJ, Pierrri E, Felber-Medlin L, et al. Physiological and biological characterization of smokers with and without copd. *F1000Res*, 2017; 6:877. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29862011>

Cheng Y, Gu W, Zhang G, Li X, and Guo X. Activation of notch1 signaling alleviates dysfunction of bone marrow-derived mesenchymal stem cells induced by cigarette smoke extract. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:3133-47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29138545>

Di Marco F, Terraneo S, Job S, Rinaldo RF, Sferrazza Papa GF, et al. Cardiopulmonary exercise testing and second-line pulmonary function tests to detect obstructive pattern in symptomatic smokers with borderline spirometry. *Respir Med*, 2017; 127:7-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28502420>

Diao W, Shen N, Du Y, Qian K, and He B. Characterization of throat microbial flora in smokers with or without copd. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:1933-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28740374>

Eapen MS, Hansbro PM, McAlinden K, Kim RY, Ward C, et al. Abnormal m1/m2 macrophage phenotype profiles in the small airway wall and lumen in smokers and chronic obstructive pulmonary disease (copd). *Sci Rep*, 2017; 7(1):13392. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29042607>

Elbehairy AF, Faisal A, Guenette JA, Jensen D, Webb KA, et al. Resting physiological correlates of reduced exercise capacity in smokers with mild airway obstruction. *COPD*, 2017; 14(3):267-75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28368706>

Gilkes A, Hull S, Durbaba S, Schofield P, Ashworth M, et al. Ethnic differences in smoking intensity and copd risk: An observational study in primary care. *NPJ Prim Care Respir Med*, 2017; 27(1):50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28871087>

Golpe R, Martin-Robles I, Sanjuan-Lopez P, Cano-Jimenez E, Castro-Anon O, et al. Prevalence of major comorbidities in chronic obstructive pulmonary disease caused by biomass smoke or tobacco. *Respiration*, 2017; 94(1):38-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28456807>

Gonzalez G, Ash SY, Vegas Sanchez-Ferrero G, Onieva Onieva J, Rahaghi FN, et al. Disease staging and prognosis in smokers using deep learning in chest computed tomography. *Am J Respir Crit Care Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28892454>

Gu W, Yuan Y, Yang H, Wu H, Wang L, et al. Role of mir-195 in cigarette smoke-induced chronic obstructive pulmonary disease. *Int Immunopharmacol*, 2017; 55:49-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29223853>

- Guan P, Cai W, Yu H, Wu Z, Li W, et al. Cigarette smoke extract promotes proliferation of airway smooth muscle cells through suppressing c/ebp-alpha expression. *Exp Ther Med*, 2017; 13(4):1408-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28413486>
- Haw TJ, Starkey MR, Pavlidis S, Fricker M, Arthurs AL, et al. Toll-like receptor 2 and 4 have opposing roles in the pathogenesis of cigarette smoke-induced chronic obstructive pulmonary disease. *Am J Physiol Lung Cell Mol Physiol*, 2017:ajplung 00154 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29025711>
- Hu JY, Liu BB, Du YP, Zhang Y, Zhang YW, et al. Increased circulating beta2-adrenergic receptor autoantibodies are associated with smoking-related emphysema. *Sci Rep*, 2017; 7:43962. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28262783>
- Iu M, Zago M, Rico de Souza A, Bouttier M, Pareek S, et al. Relb attenuates cigarette smoke extract-induced apoptosis in association with transcriptional regulation of the aryl hydrocarbon receptor. *Free Radic Biol Med*, 2017; 108:19-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28254546>
- Jenkins C. More action to address the impact of smoking in women. *Am J Respir Crit Care Med*, 2017; 195(9):1132-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28459324>
- Jiao Z, Chang J, Li J, Nie D, Cui H, et al. Sulforaphane increases nrf2 expression and protects alveolar epithelial cells against injury caused by cigarette smoke extract. *Mol Med Rep*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28586068>
- Jimenez Ruiz CA, Buljubasich D, Riesco Miranda JA, Acuna Izcaray A, de Granda Orive JI, et al. Using pico methodology to answer questions about smoking in copd patients. *Arch Bronconeumol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28558926>
- Kemeny A, Cseko K, Szitter I, Varga ZV, Bencsik P, et al. Integrative characterization of chronic cigarette smoke-induced cardiopulmonary comorbidities in a mouse model. *Environ Pollut*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28648837>
- Kerkhof M, Hillyer EV, Price DB, and all a. The effect of smoking on exacerbation risk in eosinophilic patients with copd. *Eur Respir J*, 2017; 50(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29269585>
- Kim HJ, Kim YS, Kim KH, Choi JP, Kim YK, et al. The microbiome of the lung and its extracellular vesicles in nonsmokers, healthy smokers and copd patients. *Exp Mol Med*, 2017; 49(4):e316. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28408748>
- Koblizek V, Milenkovic B, Barczyk A, Tkacova R, Somfay A, et al. Phenotypes of copd patients with a smoking history in central and Eastern Europe: The pope study. *Eur Respir J*, 2017; 49(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28495687>
- Kopitovic I, Bokan A, Andrijevic I, Ilic M, Marinkovic S, et al. Frequency of copd in health care workers who smoke. *J Bras Pneumol*, 2017; 43(5):351-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29160380>

Lee KH, Jeong J, Koo YJ, Jang AH, Lee CH, et al. Exogenous neutrophil elastase enters bronchial epithelial cells and suppresses cigarette smoke extract-induced heme oxygenase-1 by cleaving sirtuin 1. *J Biol Chem*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28588027>

Lee KY, Park SY, Park S, Hong GH, Moon KA, et al. Progranulin protects lung epithelial cells from cigarette smoking-induced apoptosis. *Respirology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28273689>

Leus NG, van den Bosch T, van der Wouden PE, Krist K, Ourailidou ME, et al. Hdac1-3 inhibitor ms-275 enhances il10 expression in raw264.7 macrophages and reduces cigarette smoke-induced airway inflammation in mice. *Sci Rep*, 2017; 7:45047. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28344354>

Li L, Zhang M, Zhang L, Cheng Y, Tu X, et al. Klotho regulates cigarette smoke-induced autophagy: Implication in pathogenesis of copd. *Lung*, 2017; 195(3):295-301. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28349330>

Lin L, Yin Y, Hou G, Han D, Kang J, et al. Ursolic acid attenuates cigarette smoke-induced emphysema in rats by regulating perk and nrf2 pathways. *Pulm Pharmacol Ther*, 2017; 44:111-21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28347799>

Ma R, Gong X, Jiang H, Lin C, Chen Y, et al. Reduced nuclear translocation of serum response factor is associated with skeletal muscle atrophy in a cigarette smoke-induced mouse model of copd. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:581-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260872>

Martinez CH, Li SX, Hirzel AJ, Stolberg VR, Alexis NE, et al. Alveolar eosinophilia in current smokers with chronic obstructive pulmonary disease in the spiromics cohort. *J Allergy Clin Immunol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28916185>

Martinez CH, Murray S, Barr RG, Bleecker E, Bowler RP, et al. Respiratory symptoms items from the copd assessment test identify ever-smokers with preserved lung function at higher risk for poor respiratory outcomes. An analysis of the subpopulations and intermediate outcome measures in copd study cohort. *Ann Am Thorac Soc*, 2017; 14(5):636-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28459622>

Maskey-Warzechowska M, Nejman-Gryz P, Osinka K, Lis P, Malesa K, et al. Acute response to cigarette smoking assessed in exhaled breath condensate in patients with chronic obstructive pulmonary disease and healthy smokers. *Adv Exp Med Biol*, 2017; 944:73-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27826890>

Montalbano AM, Di Sano C, Chiappara G, Riccobono L, Bonanno A, et al. Cigarette smoke and non-neuronal cholinergic system in the airway epithelium of copd patients. *J Cell Physiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29226951>

Oliveira da Silva C, Monte-Alto-Costa A, Renovato-Martins M, Viana Nascimento FJ, Dos Santos Valenca S, et al. Time course of the phenotype of blood and bone marrow monocytes and macrophages in the lung after cigarette smoke exposure in vivo. *Int J Mol Sci*, 2017; 18(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28891938>

- Osadnik CR, MacDonald MI, and Bardin PG. The effect of smoking on exacerbation risk in eosinophilic patients with copd. *Eur Respir J*, 2017; 50(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29269584>
- Pascal OI, Trofor AC, Lotrean LM, Filipeanu D, and Trofor L. Depression, anxiety and panic disorders in chronic obstructive pulmonary disease patients: Correlations with tobacco use, disease severity and quality of life. *Tob Induc Dis*, 2017; 15:23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28405181>
- Peh HY, Tan WSD, Chan TK, Pow CW, Foster PS, et al. Vitamin e isoform gamma-tocotrienol protects against emphysema in cigarette smoke-induced copd. *Free Radic Biol Med*, 2017; 110:332-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28684161>
- Piazzolla G, Castrovilli A, Liotino V, Vulpi MR, Fanelli M, et al. Metabolic syndrome and chronic obstructive pulmonary disease (copd): The interplay among smoking, insulin resistance and vitamin d. *PLoS ONE*, 2017; 12(10):e0186708. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29065130>
- Riesco JA, Alcazar B, Trigueros JA, Campuzano A, Perez J, et al. Active smoking and copd phenotype: Distribution and impact on prognostic factors. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:1989-99. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28740378>
- Silkoff PE, Singh D, FitzGerald JM, Eich A, Ludwig-Sengpiel A, et al. Inhaled steroids and active smoking drive chronic obstructive pulmonary disease symptoms and biomarkers to a greater degree than airflow limitation. *Biomark Insights*, 2017; 12:1177271917730306. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28959121>
- Somborac-Bacura A, Popovic-Grle S, Zovko V, and Zanic-Grubisic T. Cigarette smoke induces activation of polymorphonuclear leukocytes. *Lung*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29222599>
- Sun J, Bao J, Shi Y, Zhang B, Yuan L, et al. Effect of simvastatin on mmmps and timp1 in cigarette smoke-induced rat copd model. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:717-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28260878>
- Sundar IK, Yin Q, Baier BS, Yan L, Mazur W, et al. DNA methylation profiling in peripheral lung tissues of smokers and patients with copd. *Clin Epigenetics*, 2017; 9:38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28416970>
- Toledo-Arruda AC, Vieira RP, Guarnier FA, Suehiro CL, Caleman-Neto A, et al. Time-course effects of aerobic physical training in the prevention of cigarette smoke-induced copd. *J Appl Physiol* (1985), 2017:jap 00819 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28729393>
- Verhamme FM, Seys LJ, De Smet EG, Provoost S, Janssens W, et al. Elevated gdf-15 contributes to pulmonary inflammation upon cigarette smoke exposure. *Mucosal Immunol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28145442>
- Xu H, Sun Q, Lu L, Luo F, Zhou L, et al. MicroRNA-218 acts by repressing tnfr1-mediated activation of nf-kappab, which is involved in muc5ac hyper-production and inflammation in smoking-induced bronchiolitis of copd. *Toxicol Lett*, 2017; 280:171-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28864214>

Yang J, Zuo WL, Fukui T, Chao I, Gomi K, et al. Smoking-dependent distal-to-proximal repatterning of the adult human small airway epithelium. *Am J Respir Crit Care Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28345955>

Bhatt SP, Anderson JA, Brook RD, Calverley PMA, Celli BR, et al. Cigarette smoking and response to inhaled corticosteroids in copd. *Eur Respir J*, 2018; 51(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29348179>

Bhatt SP, Kim YI, Harrington KF, Hokanson JE, Lutz SM, et al. Smoking duration alone provides stronger risk estimates of chronic obstructive pulmonary disease than pack-years. *Thorax*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29326298>

Boyer L, Bastuji-Garin S, Chouaid C, Housset B, Le Corvoisier P, et al. Are systemic manifestations ascribable to copd in smokers? A structural equation modeling approach. *Sci Rep*, 2018; 8(1):8569. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29872127>

Eapen MS, Myers S, Lu W, Tanghe C, Sharma P, et al. Se-cadherin and sve-cadherin indicate active epithelial/endothelial to mesenchymal transition (emt and endomt) in smokers and copd: Implications for new biomarkers and therapeutics. *Biomarkers*, 2018:1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29781727>

Golpe R, Sanjuan-Lopez P, Martin-Robles I, Gonzalez-Juanatey C, Perez-de-Llano L, et al. Cardiovascular studies in patients with chronic obstructive pulmonary disease due to biomass smoke or tobacco. *Lung*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29435736>

Grenier PA. Relationship between interstitial lung abnormalities and emphysema in smokers with and those without copd. *Radiology*, 2018:180270. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29869967>

Guo Y, Shi G, Wan H, and Zhou M. Hedgehog signaling regulates the expression levels of inflammatory mediators in cigaretteinduced airway inflammation. *Mol Med Rep*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29658573>

Karpman MD, Eldridge R, Follis JL, Etzel CJ, Shete S, et al. Chronic obstructive pulmonary disease among lung cancer-free smokers: The importance of healthy controls. *Respir Investig*, 2018; 56(1):28-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29325677>

Kaur G, Bagam P, Pinkston R, Singh DP, and Batra S. Cigarette smoke-induced inflammation: Nlrp10-mediated mechanisms. *Toxicology*, 2018; 398-399:52-67. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29501574>

Kayyali R, Hassan Y, Hesso I, and Siva R. Co-morbidities as predictors of airflow limitation among smokers in england. *Pharmacy (Basel)*, 2018; 6(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29789461>

Kim G, Song H, Park K, Noh H, Lee E, et al. Association of time to first morning cigarette and chronic obstructive pulmonary disease measured by spirometry in current smokers. *Korean J Fam Med*, 2018; 39(2):67-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29629037>

Liang J, Abramson MJ, Zwar NA, Russell GM, Holland AE, et al. Diagnosing copd and supporting smoking cessation in general practice: Evidence-practice gaps. *Med J Aust*, 2018; 208(1):29-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29320670>

Lutz SM, Frederiksen B, Begum F, McDonald ML, Cho MH, et al. Common and rare variants genetic association analysis of cigarettes per day among ever smokers in copd cases and controls. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29767774>

Mathew AR, Yount SE, Kalhan R, and Hitsman B. Psychological functioning in patients with chronic obstructive pulmonary disease: A preliminary study of relations with smoking status and disease impact. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29788395>

Obeidat M, Zhou G, Li X, Hansel NN, Rafaels N, et al. The genetics of smoking in individuals with chronic obstructive pulmonary disease. *Respir Res*, 2018; 19(1):59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29631575>

Park B, Koo SM, An J, Lee M, Kang HY, et al. Genome-wide assessment of gene-by-smoking interactions in copd. *Sci Rep*, 2018; 8(1):9319. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29915320>

Ross JC, Castaldi PJ, Cho MH, Hersh CP, Rahaghi FN, et al. Longitudinal modeling of lung function trajectories in smokers with and without copd. *Am J Respir Crit Care Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29671603>

Sanchez-Jareno M, Yuste Jimenez V, Villasante C, Canales MA, and Alvarez-Sala R. A 60-year-old male smoker with chronic obstructive pulmonary disease and hypereosinophilia. *Arch Bronconeumol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29361319>

Stafyla E, Kotsiou OS, Deskata K, and Gourgoulianis KI. Missed diagnosis and overtreatment of copd among smoking primary care population in central greece: Old problems persist. *Int J Chron Obstruct Pulmon Dis*, 2018; 13:487-98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29440886>

Tupper OD, Kjeldgaard P, Lokke A, and Ulrik CS. Predictors of copd in symptomatic smokers and ex-smokers seen in primary care. *Chron Respir Dis*, 2018:1479972318761655. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29486583>

Wang Y, Liu J, Zhou JS, Huang HQ, Li ZY, et al. Mtor suppresses cigarette smoke-induced epithelial cell death and airway inflammation in chronic obstructive pulmonary disease. *J Immunol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29507104>

Wieczfinska J, Kowalczyk T, Sitarek P, Skala E, and Pawliczak R. Analysis of short-term smoking effects in pbmc of healthy subjects-preliminary study. *Int J Environ Res Public Health*, 2018; 15(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29783661>

3.2.6 Other respiratory illnesses related to smoking

Hudali, TH, Bodduluri, S, Dransfield, MT, & Bhatt, SP. (2020). Association Between Inhaled Corticosteroids and Expiratory Central Airway Collapse in Smokers. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33052722>

Okahara, S, Levvey, B, McDonald, M, D'Costa, R, Opdam, H, Pilcher, DV et al (2020). Influence of the donor history of tobacco and marijuana smoking on early and intermediate lung transplant outcomes. *J Heart Lung Transplant*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32593560>

Li, T, Long, C, Fanning, KV, & Zou, C. (2020). Studying Effects of Cigarette Smoke on Pseudomonas Infection in Lung Epithelial Cells. *J Vis Exp*(159). Available from <https://www.ncbi.nlm.nih.gov/pubmed/32449738>

Harne, PS, Rao, S, Malik, M, & Shepherd, Z. (2020). Acute Eosinophilic Pneumonia Secondary to Menthol Cigarette Use: A Rare Phenomenon With a Review of Literature. *J Investig Med High Impact Case Rep*, 8, 2324709620925978. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32462944>

Rivera, NV, Patasova, K, Kullberg, S, Diaz-Gallo, LM, Iseda, T, Bengtsson, C et al. (2019). A Gene-Environment Interaction Between Smoking and Gene polymorphisms Provides a High Risk of Two Subgroups of Sarcoidosis. *Sci Rep*, 9(1), 18633. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31819081>

Sousa, C, Rodrigues, M, Carvalho, A, Viamonte, B, Cunha, R, Guimaraes, S et al. (2019). Diffuse smoking-related lung diseases: insights from a radiologic-pathologic correlation. *Insights Imaging*, 10(1), 73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31312909>

Garcia-Quero, C, Carreras, J, Martinez-Ceron, E, Casitas, R, Galera, R, Utrilla, C et al (2019). Small Airway Dysfunction Impairs Quality of Life Among Smokers With No Airflow Limitation. *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30824207>

Kauppi P, Kupiainen H, Lindqvist A, Haahtela T, and Laitinen T. Long-term smoking increases the need for acute care among asthma patients: A case control study. *BMC Pulm Med*, 2014; 14:119. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25030656>

Dumanski JP, Rasi C, Lonn M, Davies H, Ingelsson M, et al. Mutagenesis. Smoking is associated with mosaic loss of chromosome y. *Science*, 2015; 347(6217):81-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25477213>

Konno S, Taniguchi N, Makita H, Nakamaru Y, Shimizu K, et al. Distinct phenotypes of cigarette smokers identified by cluster analysis of patients with severe asthma. *Ann Am Thorac Soc*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26414124>

Margaritopoulos GA, Harari S, Caminati A, and Antoniou KM. Smoking-related idiopathic interstitial pneumonia: A review. *Respirology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26138798>

Margaritopoulos GA, Vasarmidi E, Jacob J, Wells AU, and Antoniou KM. Smoking and interstitial lung diseases. *Eur Respir Rev*, 2015; 24(137):428-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26324804>

Torres A, Blasi F, Dartois N, and Akova M. Which individuals are at increased risk of pneumococcal disease and why? Impact of copd, asthma, smoking, diabetes, and/or chronic heart disease on community-acquired pneumonia and invasive pneumococcal disease. *Thorax*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26219979>

Parrish SC, Warren WA, Malafronte PJ, Browning RF, and Nations JA. A 76-year-old man with a 75 pack-year history of smoking and a pulmonary nodule. *Chest*, 2017; 151(5):e99-e102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28483136>

3.2.6.1 Asthma

Shen, M, Liu, X, Li, G, Li, Z, & Zhou, H. (2020). Lifetime Smoking and Asthma: A Mendelian Randomization Study. *Front Genet*, 11, 769. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32903690>

Sprio, AE, Ciprandi, G, Riccardi, E, Giannocco, F, Carriero, V, Bertolini, F, & Ricciardolo, FLM. (2020). The influence of smoking on asthma in the real-life. *Respir Med*, 170, 106066. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32843181>

Gnoevykh, VV, Smirnova, AY, Shorokhova, YA, Gening, TP, & Abakumova, TV. (2020). [The risk of bronchial asthma exacerbations among smokers with asthma-chronic obstructive pulmonary disease overlap after inpatient treatment]. *Ter Arkh*, 92(3), 25-29. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32598789>

Otoshi, R, Baba, T, Aiko, N, Tabata, E, Sadoyama, S, Nakagawa, H et al (2020). Effectiveness and Safety of Bronchial Thermoplasty in the Treatment of Severe Asthma with Smoking History: A Single-Center Experience. *Int Arch Allergy Immunol*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428915>

Kiljander, T, Poussa, T, Helin, T, Jaakkola, A, Venho, K, & Lehtimäki, L. (2020). Symptom control among asthmatics with a clinically significant smoking history: a cross-sectional study in Finland. *BMC Pulm Med*, 20(1), 88. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32293381>

Thomson, NC, & Chaudhuri, R. (2020). GINA recommendations in adults with symptomatic mild asthma and a smoking history. *Eur Respir J*, 55(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32029644>

Huang, CC, Wang, CH, Wu, PW, He, JR, Huang, CC, Chang, PH et al. (2019). Increased nasal matrix metalloproteinase-1 and -9 expression in smokers with chronic rhinosinusitis and asthma. *Sci Rep*, 9(1), 15357. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31653934>

Lee, HS, Park, DE, Lee, JW, Kim, HN, Song, WJ, Park, HW, & Cho, SH. (2019). Correction to: Critical role of interleukin-23 in development of asthma promoted by cigarette smoke. *J Mol Med (Berl)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31119301>

Tommola, M, Ilmarinen, P, Tuomisto, LE, Lehtimäki, L, Niemela, O, Nieminen, P, & Kankaanranta, H. (2019). Cumulative effect of smoking on disease burden and multimorbidity in adult-onset asthma. *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31048351>

Arah, OA. Commentary: Tobacco smoking and asthma: multigenerational effects, epigenetics and multilevel causal mediation analysis. *Int J Epidemiol*, 2018. 47(4), 1117-1119. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30184137>

Emma, R, Bansal, AT, Kolmert, J, Wheelock, CE, Dahlen, SE, Loza, MJ et al. Enhanced oxidative stress in smoking and ex-smoking severe asthma in the U-BIOPRED cohort. *PLoS One*, 2018. 13(9), e0203874. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30240401>

Ahmad T, Barnes PJ, and Adcock IM. Overcoming steroid insensitivity in smoking asthmatics. *Current Opinion in Investigational Drugs*, 2008; 9(5):470–7. Available from: <http://www.biomedcentral.com/1472-4472/9/470>

Aanerud M, Carsin AE, Sunyer J, Dratva J, Gislason T, et al. Interaction between asthma and smoking increases the risk of adult airway obstruction. *Eur Respir J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25431272>

Petta V, Bakakos P, Tseliou E, Kostikas K, Simoes DC, et al. Angiopoietins 1& 2 in sputum supernatant of optimally treated asthmatics: The effect of smoking. *Eur J Clin Invest*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25402718>

Price D, Bjermer L, Popov TA, and Chisholm A. Integrating evidence for managing asthma in patients who smoke. *Allergy Asthma Immunol Res*, 2014; 6(2):114-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24587946>

Prieto L, Palop J, Llusar R, Herrera S, Perez-Frances C, et al. Effects of cigarette smoke on methacholine- and amp-induced air trapping in asthmatics. *J Asthma*, 2014:1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25019351>

Wang Y, Jin TH, Farhana A, Freeman J, Estell K, et al. Exposure to cigarette smoke impacts myeloid-derived regulatory cell function and exacerbates airway hyper-responsiveness. *Lab Invest*, 2014; 94(12):1312-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25365203>

Bucchieri F, Marino Gammazza A, Pitruzzella A, Fucarino A, Farina F, et al. Cigarette smoke causes caspase-independent apoptosis of bronchial epithelial cells from asthmatic donors. *PLoS ONE*, 2015; 10(3):e0120510. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25793769>

Khokhawalla SA, Rosenthal SR, Pearlman DN, and Triche EW. Cigarette smoking and emergency care utilization among asthmatic adults in the 2011 asthma call-back survey. *J Asthma*, 2015:1-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25563058>

Roche N, Postma DS, Colice G, Burden A, Guilbert TW, et al. Differential effects of inhaled corticosteroids in smokers/ex-smokers and nonsmokers with asthma. *Am J Respir Crit Care Med*, 2015; 191(8):960-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25876207>

Vianello A, Caminati M, Crivellaro M, El Mazloum R, Snenghi R, et al. Fatal asthma; is it still an epidemic? *World Allergy Organ J*, 2016; 9(1):42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28031774>

Bruggemann TR, Fernandes P, Oliveira LM, Sato MN, Martins MA, et al. Cigarette smoke increases cd8alpha+ dendritic cells in an ovalbumin-induced airway inflammation. *Front Immunol*, 2017; 8:718. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28670318>

Cox CA, Boudewijn IM, Vroegop SJ, Schokker S, Lexmond AJ, et al. Extrafine compared to non-extrafine particle inhaled corticosteroids in smokers and ex-smokers with asthma. *Respir Med*, 2017; 130:35-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29206631>

de Granda-Orive JI, Solano-Reina S, de Granda-Beltran AM, and Jimenez-Ruiz C. Asthma and tobacco: Dangerous liaisons. *Ann Epidemiol*, 2017; 27(6):406-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28552469>

Helby J, Nordestgaard BG, Benfield T, and Bojesen SE. Asthma, other atopic conditions and risk of infections in 105,519 general population never and ever smokers. *J Intern Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28547823>

Lajunen TK, Jaakkola JJK, and Jaakkola MS. Interleukin 6 polymorphisms modify the effects of smoking on the risk of adult asthma. *J Allergy Clin Immunol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28987812>

Li Z, Kesse-Guyot E, Dumas O, Garcia-Aymerich J, Leynaert B, et al. Longitudinal study of diet quality and change in asthma symptoms in adults, according to smoking status. *Br J Nutr*, 2017; 117(4):562-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28382891>

Nadeau M, Boulay ME, Milot J, Lepage J, Bilodeau L, et al. Comparative prevalence of co-morbidities in smoking and non-smoking asthma patients with incomplete reversibility of airway obstruction, non-smoking asthma patients with complete reversibility of airway obstruction and copd patients. *Respir Med*, 2017; 125:82-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28340867>

Skaaby T, Taylor AE, Jacobsen RK, Paternoster L, Thuesen BH, et al. Investigating the causal effect of smoking on hay fever and asthma: A mendelian randomization meta-analysis in the carta consortium. *Sci Rep*, 2017; 7(1):2224. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28533558>

Thomson NC. Asthma and smoking-induced airway disease without spirometric copd. *Eur Respir J*, 2017; 49(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28461294>

Vonk JM, Scholtens S, Postma DS, Moffatt MF, Jarvis D, et al. Adult onset asthma and interaction between genes and active tobacco smoking: The gabriel consortium. *PLoS ONE*, 2017; 12(3):e0172716. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28253294>

Wu D, Lai T, Yuan Y, Chen M, Xia J, et al. Elevated expression of placental growth factor is associated with airway-wall vascular remodelling and thickening in smokers with asthma. *Sci Rep*, 2017; 7:43017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28220848>

Belvisi MG, Baker K, Malloy N, Raemdonck K, Dekkak B, et al. Modelling the asthma phenotype: Impact of cigarette smoke exposure. *Respir Res*, 2018; 19(1):89. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747661>

Kim CH and Lee JS. The effect of hidden female smoking on the association between smoking and asthma. *Int Arch Allergy Immunol*, 2018:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29788017>

Kim SY, Sim S, and Choi HG. Active and passive smoking impacts on asthma with quantitative and temporal relations: A Korean community health survey. *Sci Rep*, 2018; 8(1):8614. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29872096>

Selya AS, Thapa S, and Mehta G. Earlier smoking after waking and the risk of asthma: A cross-sectional study using nhanes data. *BMC Pulm Med*, 2018; 18(1):102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29914472>

3.2.6.2 Interstitial Lung Diseases (ILD)

Albacar, N, Faner, R, & Sellares, J. (2019). Smoking and Interstitial lung damage/effects: A Plausible Association? *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31753678>

Jimenez-Ruiz, CA, Zabert, G, Buljubasich, D, de Granda-Orive, JI, Buendia, I, Luhnig, S et al. (2019). Questions and Answers on Smoking in Patients With Diffuse ILD. Use of PICO Methodology. *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31753676>

Bargagli, E, Cameli, P, Carleo, A, Refini, RM, Bergantini, L, D'Alessandro, M et al. (2019). The effect of cigarette smoking on bronchoalveolar lavage protein profiles from patients with different interstitial lung diseases. *Panminerva Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31577091>

Behr J. The diagnosis and treatment of idiopathic pulmonary fibrosis. *Deutsches Ärzteblatt International*, 2013; 110(51-52):875. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3928534/>

Franks TJ and Galvin JR. Smoking-related "interstitial" lung disease. *Arch Pathol Lab Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25415179>

Hagmeyer L and Randerath W. Smoking-related interstitial lung disease. *Dtsch Arztebl Int*, 2015; 112(4):43-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25797422>

Ash SY, Harmouche R, Putman RK, Ross JC, Diaz AA, et al. Clinical and genetic associations of objectively identified interstitial changes in smokers. *Chest*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28506611>

3.2.6.3 Histiocytosis X (Langerhan's Cell Histiocytosis)

3.2.7 Other respiratory conditions related to smoking

Park, JH, Shin, JM, Yang, HW, Kim, TH, Lee, SH, Lee, HM et al. (2020). Cigarette Smoke Extract Stimulates MMP-2 Production in Nasal Fibroblasts via ROS/PI3K, Akt, and NF-kappaB Signaling Pathways. *Antioxidants (Basel)*, 9(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32806646>

Grillo, C, La Mantia, I, Grillo, CM, Ciprandi, G, Ragusa, M, & Andaloro, C. (2019). Influence of cigarette smoking on allergic rhinitis: a comparative study on smokers and non-smokers. *Acta Biomed*, 90(7-S), 45-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31292427>

Monico, B, Gama, JMR, Pastorinho, MR, & Lourenco, O. Tobacco smoke as a risk factor for allergic sensitization in adults: conclusions of a systematic review and meta-analysis. *J Allergy Clin Immunol* Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30205187>

3.2.7.1 Sense of smell

Koesoemoprodjo, W, & Maranatha, D. (2020). Level of serum IL-33 and emphysema paraseptal in clove cigarette smoker with spontaneous pneumothorax: A case report. *Respir Med Case Rep*, 30, 101133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32577372>

Kuhar, HN, Ganti, A, Brown, HJ, Gattuso, P, Ghai, R, Mahdavinia, M et al (2020). Histopathologic Influences of Comorbid Smoking Status in Chronic Rhinosinusitis. *Am J Rhinol Allergy*, 1945892420929270. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32498540>

Warman, M, Tiomkin, E, Huszar, M, Halperin, D, Asher, I, & Cohen, O. (2020). The impact of allergies and smoking status on nasal mucosa of hypertrophied turbinates - an immunohistologic analysis. *Inhal Toxicol*, 32(6), 249-256. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32530330>

Fjaeldstad, AW, Ovesen, T, & Hummel, T. (2020). The Association Between Smoking on Olfactory Dysfunction in 3,900 Patients With Olfactory Loss. *Laryngoscope*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32096874>

Schneller, LM, McIntosh, S, Li, D, Rahman, I, Ossip, D, Goniewicz, M, & O'Connor, RJ. (2018). Tobacco use and chemosensory impairments among current adult tobacco users in the US: Data from NHANES 2013-2014. *Tob Induc Dis*, 16, 43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516441>

Siegel, JK, Wroblewski, KE, McClintock, MK, & Pinto, JM. (2019). Olfactory dysfunction persists after smoking cessation and signals increased cardiovascular risk. *Int Forum Allergy Rhinol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31365791>

Dinc, AS, Sengezer, T, Cayonu, M, & Sahin, MM. (2019). Smoking cessation improves olfactory functions. *Laryngoscope*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30953390>

No authors listed. Erratum: Influence of gustatory and olfactory perception in the oral phase of swallowing in smokers. *Codas*, 2018. 30(5), e20170106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30379193>

dos Santos KW, Echeveste SS, and Vidor DC. Influence of gustatory and olfactory perception in the oral phase of swallowing in smokers. *Codas*, 2014; 26(1):68-75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24714861>

Ajmani GS, Suh HH, Wroblewski KE, and Pinto JM. Smoking and olfactory dysfunction: A systematic literature review and meta-analysis. *Laryngoscope*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28561327>

Iskander NM, El-Hennawi DM, Yousef TF, El-Tabbakh MT, and Elnahriry TA. Evaluation of the effect of cigarette smoking on the olfactory neuroepithelium of New Zealand white rabbit, using scanning electron microscope. *Eur Arch Otorhinolaryngol*, 2017; 274(6):2461-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28251320>

Da Re AF, Gurgel LG, Buffon G, Moura WER, Marques Vidor DCG, et al. Tobacco influence on taste and smell: Systematic review of the literature. *Int Arch Otorhinolaryngol*, 2018; 22(1):81-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29371903>

3.2.7.2 Snoring

3.2.7.3. Voice production

Bayones, M, Ruiz-Rodriguez, J, & Sierra, C. (2020). Aortic Aneurysm as a Cause of Dysphonia in a Patient Who Smokes. *P R Health Sci J*, 39(2), 229-231. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32663924>

Byeon, H., & Cha, S. (2020). Evaluating the effects of smoking on the voice and subjective voice problems using a meta-analysis approach. *Sci Rep*, 10(1), 4720. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32170174>

Ersoz Unlu, C, Akkoca, O, Tatar, I, Sargon, MF, Zeybek, D, & Oguztuzun, S. (2019). Protective effect of aerobic exercise on the vocal folds against cigarette smoke exposure. *Eur Arch Otorhinolaryngol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30980189>

News reports:

3.2.1 Impairment of pulmonary immune and protective responses

No authors listed. Measles among smokers linked to copd risk, in *Daily Mail* 2018. Available from: <http://www.dailymail.co.uk/wires/aap/article-5529087/Measles-smokers-linked-COPD-risk.html>.

3.2.5 Major diseases caused by smoking

Biggers, A. Emphysema vs. chronic bronchitis. *Medical News Today*, 2019. July 1, 2019. Available from: <https://www.medicalnewstoday.com/articles/325616.php>

3.2.5.2 Chronic Obstructive Pulmonary Disease (COPD)

Obstructive bronchiolitis

Emphysema

Course of COPD after smoking cessation

Australian Institute of Health and Welfare, Poulos LM, Cooper SJ, Ampon R, Reddel HK, et al. Mortality from asthma and copd in australia. Cat. no. ACM 30 Canberra 2014. Available from: <http://www.aihw.gov.au/WorkArea/DownloadAsset.aspx?id=60129548230>.

Boyles S. When is copd not really copd? - smokers with preserved pulmonary function can have copd symptoms, in *Medpage Today* 2016. Available from: http://www.medpagetoday.com/clinical-context/COPD/57859?xid=nl_mpt_DHE_2016-05-13&eun=g220600d0r.

Goldstein R. Rates of women with copd skyrockets as more women take up smoking *The Star* 2016. Available from: https://www.thestar.com/life/health_wellness/2016/04/18/rates-of-women-with-copd-skyrockets-as-more-women-take-up-smoking.html

listed Na. Copd symptoms common among smokers, even when undiagnosed, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/310351.php>.

Schulson M. If smoker has copd, quitting might not help lung function, in *Medical Xpress* 2016. Available from: <http://medicalxpress.com/news/2016-07-smoker-copd-lung-function.html>.

Whiteman H. 'Airway-on-a-chip' could yield new treatments for copd, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/articles/313720.php>.

Australian Institute of Health and Welfare. Copd (chronic obstructive pulmonary disease). 2017. Last update: Viewed 10 Jan 2017. Available from: <https://www.aihw.gov.au/reports/asthma-other-chronic-respiratory-conditions/copd-chronic-obstructive-pulmonary-disease/contents/what-is-copd>.

No authors listed. Two lung diseases killed 3.6 million in 2015 — study, in *Agence France-Press* 2017. Available from: <http://newsinfo.inquirer.net/923380/news-lungs-lung-disease-copd-chronic-obstructive-pulmonary-disease-smoking-pollution-asthma-who>

Gorman A. Copd now afflicts more women than men in us, in *Medical Xpress* 2018. Available from: <https://medicalxpress.com/news/2018-04-scary-lung-disease-afflicts-women.html>

Van Den Berg L. Gps miss signs of disease. Herald Sun, 2018. Available from: https://myaccount.news.com.au/sites/heraldsun/subscribe.html?sourceCode=HSWEB_WRE170_a&mode=premium&dest=http://www.heraldsun.com.au/news/victoria/concerns-chronic-obstructive-pulmonary-disease-being-missed/news-story/b9a140ac08b2b9d7a17ec2a01ab5b718&memtype=anonymous

3.2.6 Other respiratory illnesses related to smoking

Gulland, A. Smokers at increased risk of coronavirus complications, leading experts warn The Telegraph, 2020. Feb 14, 2020. Retrieved from <https://www.telegraph.co.uk/global-health/science-and-disease/coronavirus-dangerous-smokers/>

3.2.6.1 Asthma

Australian Institute of Health and Welfare. Asthma, 2015. Available from: <http://www.aihw.gov.au/asthma/>.

Australian Institute of Health and Welfare. Asthma. 2017. Last update: Viewed 10 Jan 2017. Available from: <https://www.aihw.gov.au/reports/asthma-other-chronic-respiratory-conditions/asthma/contents/what-is-asthma>.

3.2.6.2 Interstitial Lung Diseases (ILD)

3.2.6.3 Histiocytosis X (Langerhan's Cell Histiocytosis)

3.2.7 Other respiratory conditions related to smoking

3.2.7.1 Sense of smell

3.2.7.2 Snoring

3.2.7.3. Voice production