

Tobacco in Australia

Facts & Issues

Relevant news and research

3.4 Lung Cancer

Last updated August 2020

Research:

Milione, M, Boeri, M, Cantarutti, A, Centonze, G, Busico, A, Suatoni, P et al (2020). Improved Prognostic Prediction in Never-Smoker Lung Cancer Patients by Integration of a Systemic Inflammation Marker with Tumor Immune Contexture Analysis. *Cancers (Basel)*, 12(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32646072>

McFarland, DC. (2020). A Response to "Psychological symptoms and survival in patients with metastatic lung cancer: Smoking must be the first concern!". *Psychooncology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32419169>

McFarland, DC. (2020). A Response to "Psychological symptoms and survival in patients with metastatic lung cancer: smoking must be the first concern!". *Psychooncology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32374038>

Ren, C, Sun, W, Lian, X, & Han, C. (2020). Identification of nine key genes by bioinformatics analysis for predicting poor prognosis in smoking-induced lung adenocarcinoma. *Lung Cancer Manag*, 9(2), LMT30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32346404>

Chiu, M, Lipka, MB, Bhateja, P, Fu, P, & Dowlati, A. (2020). A detailed smoking history and determination of MYC status predict response to checkpoint inhibitors in advanced non-small cell lung cancer. *Transl Lung Cancer Res*, 9(1), 55-60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32206553>

Gainor, JF, Rizvi, H, Jimenez Aguilar, E, Skoulidis, F, Yeap, BY, Naidoo, J et al. (2020). Clinical activity of programmed cell death 1 (PD-1) blockade in never, light, and heavy smokers with non-small-cell lung cancer and PD-L1 expression ≥ 50 . *Annals of Oncology*, 31(3), 404-411. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32067682>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Giotopoulou, GA, & Stathopoulos, GT. (2020). Effects of Inhaled Tobacco Smoke on the Pulmonary Tumor Microenvironment. *Advances in Experimental Medicine and Biology*, 1225, 53-69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32030647>

Kathuria, H, & Neptune, E. (2020). Primary and Secondary Prevention of Lung Cancer: Tobacco Treatment. *Clin Chest Med*, 41(1), 39-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32008628>

Matsuda, M, Ninomiya, H, Wakejima, R, Inamura, K, Okumura, S, Mun, M et al. (2020). Calretinin-expressing lung adenocarcinoma: Distinct characteristics of advanced stages, smoker-type features, and rare expression of other mesothelial markers are useful to differentiate epithelioid mesothelioma. *Pathol Res Pract*, 216(3), 152817. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32008868>

Tuvdendorj, A, Feenstra, T, Tseveen, B, & Buskens, E. (2020). Smoking-attributable burden of lung cancer in Mongolia a data synthesis study on differences between men and women. *PLoS One*, 15(2), e0229090. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32059049>

Ali, A, Venkatram, S, Niazi, M, & Diaz-Fuentes, G. (2020). Lung mass with bilateral mediastinal hypermetabolic lymphadenopathy in a chronic smoker indicative of lung cancer? *Respir Med Case Rep*, 29, 100982. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31890559>

Hosgood, HD, Cosgrove, C, Klugman, M, Rohan, T, & Altekruse, S. (2020). Lung cancer mortality among smokers and never-smokers in the United States. *Epidemiology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977592>

Yang, T, Wang, C, Li, S, Guo, XF, & Li, D. (2019). Dietary intakes of fruits and vegetables and lung cancer risk in participants with different smoking status: a meta-analysis of prospective cohort studies. *Asia Pac J Clin Nutr*, 28(4), 770-782. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31826375>

Yao, Y, Zhang, T, Qi, L, Liu, R, Liu, G, Wang, X et al. (2019). Competitive Endogenous RNA Network Construction and Comparison of Lung Squamous Cell Carcinoma in Smokers and Nonsmokers. *Dis Markers*, 2019, 5292787. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31885738>

Hansen, MS, Licaj, I, Braaten, T, Langhammer, A, Le Marchand, L, & Gram, IT. (2019). Smoking related lung cancer mortality by education and sex in Norway. *BMC Cancer*, 19(1), 1132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31752755>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nagah, A, Amer, A, & Zhang, X. (2019). The effect of cigarette smoking on lung cancer evolution. *Math Biosci Eng*, 16(6), 7771-7788. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31698639>

Jiang, P, Tang, J, Shao, Q, & Cai, Y. (2019). Interactive effect of BCL2 and BAX polymorphisms with cigarette smoking on the risk of non-small cell lung cancer: a case-control study in China. *Acta Biochim Biophys Sin (Shanghai)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31642881>

Tanner, NT, Thomas, NA, Ward, R, Rojewski, A, Gebregziabher, M, Toll, B, & Silvestri, G A. (2019). Association of Cigarette Type With Lung Cancer Incidence and Mortality: Secondary Analysis of the National Lung Screening Trial. *JAMA Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31633739>

Vainshelboim, B, Lima, RM, Kokkinos, P, & Myers, J. (2019). Cardiorespiratory Fitness, Lung Cancer Incidence, and Cancer Mortality in Male Smokers. *Am J Prev Med*, 57(5), 659-666. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31564605>

Yu, XJ, Chen, G, Yang, J, Yu, GC, Zhu, PF, Jiang, ZK et al (2019). Smoking alters the evolutionary trajectory of non-small cell lung cancer. *Exp Ther Med*, 18(5), 3315-3324. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31602204>

Yi, JH, Choi, PJ, Jeong, SS, Bang, JH, Jeong, JH, & Cho, JH. (2019). Prognostic Significance of Cigarette Smoking in Association with Histologic Subtypes of Resected Lung Adenocarcinoma. *Korean J Thorac Cardiovasc Surg*, 52(5), 342-352. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31624712>

Pintarelli, G, Noci, S, Maspero, D, Pettinicchio, A, Dugo, M, De Cecco, L et al(2019). Cigarette smoke alters the transcriptome of non-involved lung tissue in lung adenocarcinoma patients. *Sci Rep*, 9(1), 13039. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31506599>

Shen, TC, Chang, WS, Hsia, TC, Li, HT, Chen, WC, Tsai, CW, & Bau, DT. (2019). Contribution of programmed cell death 6 genetic variations, gender, and smoking status to lung cancer. *Oncotargets Ther*, 12, 6237-6244. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31496727>

Zhou, D, Sun, Y, Jia, Y, Liu, D, Wang, J, Chen, X et al. (2019). Bioinformatics and functional analyses of key genes in smoking-associated lung adenocarcinoma. *Oncol Lett*, 18(4), 3613-3622. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516576>

Bohm, R, Sedlak, A, Bulko, M, & Holy, K. (2019). Radon as a Tracer of Lung Changes Induced by Smoking. *Risk Anal*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31404471>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Deligkaris, C, & Millam, E. (2019). Physical binding of the tobacco smoke carcinogen NNK diazonium ion to the human tumor suppressor gene TP53 Exon 5. *Toxicol Res (Camb)*, 8(4), 531-543. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31367336>

Lofling, L, Karimi, A, Sandin, F, Bahmanyar, S, Kieler, H, Lambe, M et al. (2019). Clinical characteristics and survival in non-small cell lung cancer patients by smoking history: a population-based cohort study. *Acta Oncol*, 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31373239>

Liu, C, Xu, B, Li, Q, Li, A, Li, L, Yue, J et al. (2019). Smoking history influences the prognostic value of peripheral naive CD4+ T cells in advanced non-small cell lung cancer. *Cancer Cell Int*, 19, 176. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31320838>

Masykura, N, Zaini, J, Syahrudin, E, Andarini, SL, Hudoyo, A, Yasril, R et al. (2019). Impact of smoking on frequency and spectrum of K-RAS and EGFR mutations in treatment naive Indonesian lung cancer patients. *Lung Cancer (Auckl)*, 10, 57-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31354372>

Miranda-Filho, A, Pineros, M, & Bray, F. (2019). The descriptive epidemiology of lung cancer and tobacco control: a global overview 2018. *Salud Publica Mex*, 61(3), 219-229. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31276337>

Mortezaei, Z, Tavallaei, M, & Hosseini, SM. (2019). Considering smoking status, coexpression network analysis of non-small cell lung cancer at different cancer stages, exhibits important genes and pathways. *J Cell Biochem*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31271232>

Schuller, HM. (2019). The impact of smoking and the influence of other factors on lung cancer. *Expert Rev Respir Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31311354>

Wu, F, Yin, Z, Yang, L, Fan, J, Xu, J, Jin, Y et al (2019). Smoking Induced Extracellular Vesicles Release and Their Distinct Properties in Non-Small Cell Lung Cancer. *J Cancer*, 10(15), 3435-3443. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31293647>

Parascandola, M, & Xiao, L. (2019). Tobacco and the lung cancer epidemic in China. *Transl Lung Cancer Res*, 8(Suppl 1), S21-S30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31211103>

Cardona, AF, Rojas, L, Zatarain-Barron, ZL, Ruiz-Patino, A, Ricaurte, LCorrales, L et al (2019). Multigene Mutation Profiling and Clinical Characteristics of Small-Cell Lung Cancer in Never-Smokers

Tobacco in Australia

Facts & Issues

vs. Heavy Smokers (Geno1.3-CLICaP). *Front Oncol*, 9, 254. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31058075>

Kuo, YH, Shiau, AL, Tung, CL, Su, YC, Li, CF, Su, BH et al (2019). Expression of prothymosin alpha in lung cancer is associated with squamous cell carcinoma and smoking. *Oncol Lett*, 17(6), 5740-5746.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31105795>

Casal-Mourino, A, Valdes, L, Barros-Dios, JM, & Ruano-Ravina, A. (2019). Lung cancer survival among never smokers. *Cancer Lett*, 451, 142-149. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30851418>

Barclay, ME, Lyratzopoulos, G, Walter, FM, Jefferies, S, Peake, MD, & Rintoul, RC. Incidence of second and higher order smoking-related primary cancers following lung cancer: a population-based cohort study. *Thorax*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30777897>

Chen, Y, Pan, Y, Ji, Y, Sheng, L, & Du, X. Network analysis of differentially expressed smoking-associated mRNAs, lncRNAs and miRNAs reveals key regulators in smoking-associated lung cancer. *Exp Ther Med*, 2018. 16(6), 4991-5002. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30542454>

Kwon, YJ, You, NY, Lee, JW, Kim, J, & Kang, HT. High Receipt of Statins Reduces the Risk of Lung Cancer in Current Smokers With Hypercholesterolemia: The National Health Insurance Service-Health Screening Cohort. *Clin Lung Cancer*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30578109>

Mousavi, SE, Amini, H, Heydarpour, P, Amini Chermahini, F, & Godderis, L. Air pollution, environmental chemicals, and smoking may trigger vitamin D deficiency: Evidence and potential mechanisms. *Environ Int*, 2019. 122, 67-90. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30594989>

Remen, T, Pintos, J, Abrahamowicz, M, & Siemiatycki, J. Risk of lung cancer in relation to various metrics of smoking history: a case-control study in Montreal. *BMC Cancer*, 2018. 18(1), 1275.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30567516>

Zhang, MY, Liu, XX, Li, H, Li, R, Liu, X, & Qu, YQ. Elevated mRNA Levels of AURKA, CDC20 and TPX2 are associated with poor prognosis of smoking related lung adenocarcinoma using bioinformatics analysis. *Int J Med Sci*, 2018. 15(14), 1676-1685. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30588191>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Borch, KB, Weiderpass, E, Braaten, T, Hansen, MS, & Licaj, I. Risk of lung cancer and physical activity by smoking status and body mass index, the Norwegian Women and Cancer Study. *Eur J Epidemiol*, 2018. Available from: <https://link.springer.com/article/10.1007%2Fs10654-018-0446-0>

Jeon, J, Holford, TR, Levy, DT, Feuer, EJ, Cao, P, Tam, J et al. Smoking and Lung Cancer Mortality in the United States From 2015 to 2065: A Comparative Modeling Approach. *Ann Intern Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30304504>

Li, X, Li, J, Wu, P, Zhou, L, Lu, B, Ying, K et al. Smoker and non-smoker lung adenocarcinoma is characterized by distinct tumor immune microenvironments. *Oncoimmunology*, 2018. 7(10), e1494677. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6169585/pdf/koni-07-10-1494677.pdf>

O'Keeffe, LM, Taylor, G, Huxley, RR, Mitchell, P, Woodward, M, & Peters, SAE. Smoking as a risk factor for lung cancer in women and men: a systematic review and meta-analysis. *BMJ Open*, 8(10), e021611. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6194454/pdf/bmjopen-2018-021611.pdf>

Grieshober, L, Graw, S, Barnett, MJ, Thornquist, M, Goodman, GE, Chen, C, et al. Methylation-derived neutrophil-to-lymphocyte ratio and lung cancer risk in heavy smokers. *Cancer Prev Res (Phila)*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30254071>

Kuroda, H., Yoshida, T., Arimura, T., Mizuno, T., Sakakura, N., Yatabe, Y., & Sakao, Y. (2018). Contribution of smoking habit to the prognosis of stage I KRAS-mutated non-small cell lung cancer. *Cancer Biomark*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30223391>

Song, K, Bi, JH, Qiu, Z W, Felizardo, R, Girard, L, Minna, JD, & Gazdar, AF. A quantitative method for assessing smoke associated molecular damage in lung cancers. *Transl Lung Cancer Res*, 2018. 7(4), 439-449. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30225209>

Borghesi, A, Tironi, A, Benvenuti, MR, Bertagna, F, De Leonardis, MC, Pezzotti, S, Bozzola, G. Pulmonary hamartoma mimicking a mediastinal cyst-like lesion in a heavy smoker. *Respir Med Case Rep*. 2018 Aug 14;25:133-136. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30128273>

Nagahashi, M, Sato, S, Yuza, K, Shimada, Y, Ichikawa, H, Watanabe, S, Takada, K, Okamoto, T, Okuda, S, Lyle, S, Takabe, K, Tsuchida, M, Wakai, T. Common driver mutations and smoking history affect tumor mutation burden in lung adenocarcinoma. *J Surg Res*. 2018 Oct;230:181-185. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30072189>

Tobacco in Australia

Facts & Issues

Zhu K, Deng Y, Weng G, Hu D, Huang C, et al. Analysis of h3k27me3 expression and DNA methylation at ccgg sites in smoking and non-smoking patients with non-small cell lung cancer and their clinical significance. *Oncol Lett*, 2018; 15(5):6179-88. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29616099>

Tindle HA, Stevenson Duncan M, Greevy RA, Vasan RS, Kundu S, et al. Lifetime smoking history and risk of lung cancer: Results from the framingham heart study. *J Natl Cancer Inst*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29788259>

Nishinarita N, Igawa S, Kasajima M, Kusuhara S, Harada S, et al. Smoking history as a predictor of epidermal growth factor receptor tyrosine kinase inhibitors in patients with non-small cell lung cancer harboring egfr mutations. *Oncology*, 2018:1-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29698957>

Ni X, Xu N, and Wang Q. Meta-analysis and systematic review in environmental tobacco smoke risk of female lung cancer by research type. *Int J Environ Res Public Health*, 2018; 15(7). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29954105>

Nabi H, Provencher L, and Diorio C. Re: Smoking, sex, and non-small cell lung cancer: Steroid hormone receptors in tumor tissue (s0424). *J Natl Cancer Inst*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29688493>

Leng S, Diergaarde B, Picchi MA, Wilson DO, Gilliland FD, et al. Gene promoter hypermethylation detected in sputum predicts fev1 decline and all-cause mortality in smokers. *Am J Respir Crit Care Med*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29437466>

Kantrowitz J, Sinjab A, Xu L, McDowell TL, Sivakumar S, et al. Genome-wide gene expression changes in the normal-appearing airway during the evolution of smoking-associated lung adenocarcinoma. *Cancer Prev Res (Phila)*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29382653>

Jenkins WD, Matthews AK, Bailey A, Zahnd WE, Watson KS, et al. Rural areas are disproportionately impacted by smoking and lung cancer. *Prev Med Rep*, 2018; 10:200-3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29868368>

He X, Zhang C, Shi C, and Lu Q. Meta-analysis of mrna expression profiles to identify differentially expressed genes in lung adenocarcinoma tissue from smokers and non-smokers. *Oncol Rep*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29328493>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Faeh D, Kaufmann M, Haile SR, and Bopp M. Bmi-mortality association: Shape independent of smoking status but different for chronic lung disease and lung cancer. *Int J Chron Obstruct Pulmon Dis*, 2018; 13:1851-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29922051>

Ezzeldin N, El-Lebedy D, Darwish A, El Bastawisy A, Abd Elaziz SH, et al. Association of genetic polymorphisms cyp2a6*2 rs1801272 and cyp2a6*9 rs28399433 with tobacco-induced lung cancer: Case-control study in an egyptian population. *BMC Cancer*, 2018; 18(1):525. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29724170>

Doherty JA, Grieshober L, Houck JR, Barnett MJ, Tapsoba JD, et al. Telomere length and lung cancer mortality among heavy smokers. *Cancer Epidemiol Biomarkers Prev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29743162>

Doherty JA, Grieshober L, Houck JR, Barnett MJ, De Dieu Tapsoba J, et al. Nested case-control study of telomere length and lung cancer risk among heavy smokers in the beta-carotene and retinol efficacy trial. *Br J Cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29670295>

Choi SH, Chan RR, and Lehto RH. Relationships between smoking status and psychological distress, optimism, and health environment perceptions at time of diagnosis of actual or suspected lung cancer. *Cancer Nurs*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29538022>

Cheng TD, Darke AK, Redman MW, Zirpoli GR, Davis W, et al. Smoking, sex, and non-small cell lung cancer: Steroid hormone receptors in tumor tissue (s0424). *J Natl Cancer Inst*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29346580>

Bernatsky S, Ramsey-Goldman R, Petri M, Urowitz MB, Gladman DD, et al. Smoking is the most significant modifiable lung cancer risk factor in systemic lupus erythematosus. *J Rheumatol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29335347>

Babu N, Advani J, Solanki HS, Patel K, Jain AP, et al. Mirna and proteomic dysregulation in non-small cell lung cancer in response to cigarette smoke. *Microna*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29299995>

Yu H, Frank C, Hemminki A, Sundquist K, and Hemminki K. Other cancers in lung cancer families are overwhelmingly smoking-related cancers. *ERJ Open Res*, 2017; 3(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28670582>

Vaz M, Hwang S, Kagiampakis I, Phallen J, Patil A, et al. Chronic cigarette smoke-induced epigenomic changes precede sensitization of bronchial epithelial cells to single-step transformation by kras

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

mutations. *Cancer Cell*, 2017; 32(3):360-76 e6. Available from: [http://www.cell.com/cancer-cell/fulltext/S1535-6108\(17\)30349-5](http://www.cell.com/cancer-cell/fulltext/S1535-6108(17)30349-5)<http://www.ncbi.nlm.nih.gov/pubmed/28898697>

Tseng CH, Chiang CJ, Tseng JS, Yang TY, Hsu KH, et al. Egfr mutation, smoking, and gender in advanced lung adenocarcinoma. *Oncotarget*, 2017; 8(58):98384-93. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29228697>

Trama A, Boffi R, Contiero P, Buzzoni C, Pacifici R, et al. Trends in lung cancer and smoking behavior in italy: An alarm bell for women. *Tumori*, 2017:0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28967091>

Stueve TR, Li WQ, Shi J, Marconett CN, Zhang T, et al. Epigenome-wide analysis of DNA methylation in lung tissue shows concordance with blood studies and identifies tobacco smoke-inducible enhancers. *Hum Mol Genet*, 2017; 26(15):3014-27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28854564>

Saba R, Halytskyy O, Saleem N, and Oliff IA. Buccal epithelium, cigarette smoking, and lung cancer: Review of the literature. *Oncology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28889127>

Rubio L, Bach J, Marcos R, and Hernandez A. Synergistic role of nanoceria on the ability of tobacco smoke to induce carcinogenic hallmarks in lung epithelial cells. *Nanomedicine (Lond)*, 2017; 12(23):2623-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29094638>

Rahal Z, El Nemr S, Sinjab A, Chami H, Tfayli A, et al. Smoking and lung cancer: A geo-regional perspective. *Front Oncol*, 2017; 7:194. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28920053>

Malinovsky G, Yarmoshenko I, and Zhukovsky M. Radon, smoking and hpv as lung cancer risk factors in ecological studies. *Int J Radiat Biol*, 2017:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29095062>

Lin KF, Wu HF, Huang WC, Tang PL, Wu MT, et al. Propensity score analysis of lung cancer risk in a population with high prevalence of non-smoking related lung cancer. *BMC Pulm Med*, 2017; 17(1):120. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28874145>

Li Y, Xiao X, Han Y, Gorlova O, Qian D, et al. Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in caucasian population. *Carcinogenesis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059373>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Li W, Zhou J, Chen Y, Zhang G, Jiang P, et al. Cigarette smoke enhances initiation and progression of lung cancer by mutating notch1/2 and dysregulating downstream signaling molecules. *Oncotarget*, 2017; 8(70):115128-39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29383147>

Li S, Sun X, Miao S, Liu J, and Jiao W. Differential protein-coding gene and long noncoding rna expression in smoking-related lung squamous cell carcinoma. *Thorac Cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28949095>

Lee PN, Fry JS, and Hamling JS. Investigation into the risk of ultra-low tar cigarettes and lung cancer. *Regul Toxicol Pharmacol*, 2017; 89:112-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28751259>

Lee HY, Lee SH, Won JK, Lee DS, Kwon NJ, et al. Analysis of fifty hotspot mutations of lung squamous cell carcinoma in never-smokers. *J Korean Med Sci*, 2017; 32(3):415-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28145643>

Lai CY, Huang CC, Tsai CH, Wang JY, Kerr CL, et al. The DNA methyltransferase 3b -149 genetic polymorphism modulates lung cancer risk from smoking. *Asian Pac J Cancer Prev*, 2017; 18(10):2717-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29072397>

Kim JH, Kim HS, and Kim BJ. Prognostic value of smoking status in non-small-cell lung cancer patients treated with immune checkpoint inhibitors: A meta-analysis. *Oncotarget*, 2017; 8(54):93149-55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29190984>

Kim JH, Kim HS, and Kim BJ. Prognostic value of smoking status in non-small-cell lung cancer patients treated with immune checkpoint inhibitors: A metaanalysis. *Oncotarget*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28678750>

Kaur H, Sehgal IS, Bal A, Gupta N, Behera D, et al. Evolving epidemiology of lung cancer in india: Reducing non-small cell lung cancer-not otherwise specified and quantifying tobacco smoke exposure are the key. *Indian J Cancer*, 2017; 54(1):285-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29199707>

Kauffmann-Guerrero D, Huber RM, Reu S, Tufman A, Mertsch P, et al. Nslc patients harbouring rare or complex egfr mutations are more often smokers and might not benefit from first-line tyrosine kinase inhibitor therapy. *Respiration*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29190621>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hjelmberg J, Korhonen T, Holst K, Skytthe A, Pukkala E, et al. Lung cancer, genetic predisposition and smoking: The nordic twin study of cancer. *Thorax*, 2017; 72(11):1021-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29054888>

Hayashi T, Desmeules P, Smith RS, Drilon A, Somwar R, et al. Rasa1 and nf1 are preferentially co-mutated and define a distinct genetic subset of smoking-associated non-small cell lung carcinomas sensitive to mek inhibition. *Clin Cancer Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29127119>

Couto PP, Bastos-Rodrigues L, Schayek H, Melo FM, Lisboa RGC, et al. Spectrum of germline mutations in smokers and non-smokers in brazilian non-small-cell lung cancer (nslc) patients. *Carcinogenesis*, 2017; 38(11):1112-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28968711>

Clark SJ and Molloy PL. Smoke-induced changes to the epigenome provide fertile ground for oncogenic mutation. *Cancer Cell*, 2017; 32(3):278-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28898692>

Bordas A, Cedillo JL, Arnalich F, Esteban-Rodriguez I, Guerra-Pastrian L, et al. Expression patterns for nicotinic acetylcholine receptor subunit genes in smoking-related lung cancers. *Oncotarget*, 2017; 8(40):67878-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28978081>

Aisner DL, Sholl LM, Berry L, Rossi M, Chen H, et al. The impact of smoking and tp53 mutations in lung adenocarcinoma patients with targetable mutations - the lung cancer mutation consortium (lcmc2). *Clin Cancer Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29217530>

Advani J, Subbannayya Y, Patel K, Khan AA, Patil AH, et al. Long-term cigarette smoke exposure and changes in mirna expression and proteome in non-small-cell lung cancer. *OMICS*, 2017; 21(7):390-403. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28692419>

Zheng S, Wang R, Zhang Y, Pan Y, Cheng C, et al. Former smokers with non-small-cell lung cancers: A comprehensive investigation of clinicopathologic characteristics, oncogenic drivers, and prognosis. *Cancer Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27227356>

Zhang Y, Breitling LP, Balavarca Y, Hollecsek B, Schottker B, et al. Comparison and combination of blood DNA methylation at smoking-associated genes and at lung cancer-related genes in prediction of lung cancer mortality. *Journal international du cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27503000>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Zhang LP, Wang CP, Li LH, Tang YF, and Li WC. The interaction between smoking and cyp1a1 mspi polymorphism on lung cancer: A meta-analysis in the chinese population. *Eur J Cancer Care (Engl)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26918783>

Xie YQ, Chen JM, and Liu Y. Interaction of the cyp1a1 gene polymorphism and smoking in non-small cell lung cancer susceptibility. *Genet Mol Res*, 2016; 14(4):19411-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26782595>

Wu X, Cheng J, and Yang K. Vitamin d-related gene polymorphisms, plasma 25-hydroxy-vitamin d, cigarette smoke and non-small cell lung cancer (nscl) risk. *Int J Mol Sci*, 2016; 17(10). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27669215>

Williams AS, Greer W, Bethune D, Craddock KJ, Flowerdew G, et al. Alk+ lung adenocarcinoma in never smokers and long-term ex-smokers: Prevalence and detection by immunohistochemistry and fluorescence in situ hybridization. *Virchows Arch*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27562706>

Werutsky G, Debiassi M, Sampaio FH, Nunes Filho PR, Mathias C, et al. P1.08: Updated analysis of global epidemiology of egfr mutation in advanced non-small cell lung cancer: Track: Prevention, early detection, epidemiology and tobacco control. *J Thorac Oncol*, 2016; 11(10S):S184-S5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27676493>

Watanabe M. Smoking: Additional burden on aging and death. *Genes Environ*, 2016; 38:3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27350823>

Wang Y, Qian W, and Yuan B. A graphical model of smoking-induced global instability in lung cancer. *IEEE/ACM Trans Comput Biol Bioinform*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27542180>

Vu T, Jin L, and Datta PK. Effect of cigarette smoking on epithelial to mesenchymal transition (emt) in lung cancer. *J Clin Med*, 2016; 5(4). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27077888>

Smit EF, Wu YL, Gervais R, Zhou C, Felip E, et al. A randomized, double-blind, phase iii study comparing two doses of erlotinib for second-line treatment of current smokers with advanced non-small-cell lung cancer (currents). *Lung Cancer*, 2016; 99:94-101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27565921>

Schweigert D, Krasauskas A, Didziapetriene J, Kalibatiene D, and Cicenas S. Smoking, hormonal factors and molecular markers in female lung cancer. *Neoplasma*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27268911>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Schmid D, Ricci C, Behrens G, and Leitzmann MF. Does smoking influence the physical activity and lung cancer relation? A systematic review and meta-analysis. *Eur J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27502335>

Richardet E, Villavicencio R, Hernandez PA, Acosta L, Molina M, et al. P1.09: Delays in the diagnosis and treatment of lung cancer: Track: Prevention, early detection, epidemiology and tobacco control. *J Thorac Oncol*, 2016; 11(10S):S185. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27676496>

Raja R, Sahasrabudde NA, Radhakrishnan A, Syed N, Solanki HS, et al. Chronic exposure to cigarette smoke leads to activation of p21 (rac1)-activated kinase 6 (pak6) in non-small cell lung cancer cells. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27542207>

Pineros M, Sierra MS, and Forman D. Descriptive epidemiology of lung cancer and current status of tobacco control measures in central and south america. *Cancer Epidemiol*, 2016; 44 Suppl 1:S90-S9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27678327>

Percac-Lima S, Ashburner JM, Shepard JO, Lennes IT, Rimmelin DE, et al. Timeliness of recommended follow-up after an abnormal finding on diagnostic chest ct in smokers at high risk of developing lung cancer. *J Am Coll Radiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26924163>

Patel YM, Park SL, Carmella SG, Paiano V, Olvera N, et al. Metabolites of the polycyclic aromatic hydrocarbon phenanthrene in the urine of cigarette smokers from five ethnic groups with differing risks for lung cancer. *PLoS ONE*, 2016; 11(6):e0156203. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27275760>

Park SL, Tiirikainen M, Patel Y, Wilkens LR, Stram DO, et al. Genetic determinants of cyp2a6 activity across racial/ethnic groups with different risk of lung cancer and effect on their smoking intensity. *Carcinogenesis*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26818358>

Obtel M, Nejari C, Tachfouti N, Abda N, Belakhel L, et al. Estimating attributable fraction of lung cancer linked to smoking in morocco. *East Mediterr Health J*, 2016; 21(12):871-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26996359>

Mysikova D, Adkins I, Nada H, Ondrej P, Simonek J, et al. Case-control study: Smoking history affects the production of tumor antigen specific antibodies ny-eso-1 in patients with lung cancer in comparison with cancer disease free group. *J Thorac Oncol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27793776>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Min HY, Boo HJ, Lee HJ, Jang HJ, Yun HJ, et al. Smoking-associated lung cancer prevention by blockade of the beta-adrenergic receptor-mediated insulin-like growth factor receptor activation. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27708216>

Menvielle G, Franck JE, Radoi L, Sanchez M, Fevotte J, et al. Quantifying the mediating effects of smoking and occupational exposures in the relation between education and lung cancer: The icare study. *Eur J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27417979>

Mediratta N and Poullis M. Smoking status and 30-day mortality in patients undergoing pulmonary resections. *Asian Cardiovasc Thorac Ann*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27365496>

Li F, Xia W, Wang G, Tan Q, Li Z, et al. Identification of fgf19 as a prognostic marker and potential driver gene of lung squamous cell carcinomas in chinese smoking patients. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26943773>

Lappi-Blanco E, Makinen JM, Lehtonen S, Karvonen H, Sormunen R, et al. Mucin-1 correlates with survival, smoking status, and growth patterns in lung adenocarcinoma. *Tumour Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27481516>

Kinoshita T, Muramatsu R, Fujita T, Nagumo H, Sakurai T, et al. Prognostic value of tumor-infiltrating lymphocytes differs depending on histological type and smoking habit in completely resected non-small-cell lung cancer. *Ann Oncol*, 2016; 27(11):2117-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27502728>

Jin Y, Xu P, Liu X, Zhang C, Tan C, et al. Cigarette smoking, bpde-DNA adducts, and aberrant promoter methylations of tumor suppressor genes (tsgs) in nsclc from chinese population. *Cancer Invest*, 2016; 34(4):173-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27042875>

Jiang LP, Zhu ZT, and He CY. Effects of cyp3a5 genetic polymorphism and smoking on the prognosis of non-small-cell lung cancer. *Onco Targets Ther*, 2016; 9:1461-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27042114>

Jiang AG and Lu HY. K-ras mutations in non-small cell lung cancer patients treated with tkis among smokers and non-smokers: A meta-analysis. *Contemp Oncol (Pozn)*, 2016; 20(2):124-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27358590>

Iwama E, Okamoto I, Yabuuchi H, Takayama K, Harada T, et al. Characteristics of smoking patients with lung cancer with emphysematous bullae. *J Thorac Oncol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27164304>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Inamura K, Yokouchi Y, Kobayashi M, Sakakibara R, Ninomiya H, et al. Tumor b7-h3 (cd276) expression and smoking history in relation to lung adenocarcinoma prognosis. *Lung Cancer*, 2016; 243:21-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27721121>

Igawa S, Sasaki J, Otani S, Shirasawa M, Niwa H, et al. Smoking history as a predictor of pemetrexed monotherapy in patients with non-squamous non-small cell lung cancer. *Oncology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27234033>

Hsu CH, Tseng CH, Chiang CJ, Hsu KH, Tseng JS, et al. Characteristics of young lung cancer: Analysis of taiwan's nationwide lung cancer registry focusing on epidermal growth factor receptor mutation and smoking status. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27191886>

Hopkins RJ and Young RP. Gene by environment interaction linking the chromosome 15q25 locus with cigarette consumption and lung cancer susceptibility - are african american affected differently? *EBioMedicine*, 2016; 4:13-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27014742>

Hong S, Mok Y, Jeon C, Jee SH, and Samet JM. Tuberculosis, smoking and risk for lung cancer incidence and mortality. *Journal international du cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27521774>

Ho GY, Zheng SL, Cushman M, Perez-Soler R, Kim M, et al. Associations of insulin and igfbp-3 with lung cancer susceptibility in current smokers. *J Natl Cancer Inst*, 2016; 108(7). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27071409>

Hellmann M, Rizvi N, Wolchok JD, and Chan TA. Genomic profile, smoking, and response to anti-pd-1 therapy in non-small cell lung carcinoma. *Mol Cell Oncol*, 2016; 3(1):e1048929. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27308563>

Hecht SS, Yuan JM, Stepanov I, Murphy SE, Wang R, et al. Clinical trial of 2-phenethyl isothiocyanate as an inhibitor of metabolic activation of a tobacco-specific lung carcinogen in cigarette smokers. *Cancer Prev Res (Phila)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26951845>

Halvorsen AR, Silwal-Pandit L, Meza-Zepeda LA, Vodak D, Vu P, et al. Tp53 mutation spectrum in smokers and never smoking lung cancer patients. *Front Genet*, 2016; 7:85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27242894>

Hall FS. Genetic risk for lung cancer and the benefits of quitting smoking. *EBioMedicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27554838>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Haiman CA, Patel YM, Stram DO, Carmella SG, Chen M, et al. Benzene uptake and glutathione s-transferase t1 status as determinants of s-phenylmercapturic acid in cigarette smokers in the multiethnic cohort. PLoS ONE, 2016; 11(3):e0150641. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26959369>

Girdhar Y, Singh N, Behera D, and Sharma S. Synergistic association of cyp1a1 polymorphisms with increased susceptibility to squamous cell lung cancer in north indian smokers. Int J Biol Markers, 2016:0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27396354>

Gao X, Zhang Y, Breitling LP, and Brenner H. Tobacco smoking and methylation of genes related to lung cancer development. Oncotarget, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27323854>

Friedemann Smith C, Whitaker KL, Winstanley K, and Wardle J. Smokers are less likely than non-smokers to seek help for a lung cancer 'alarm' symptom. Thorax, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26911574>

Freeman JR, Chu S, Hsu T, and Huang YT. Epigenome-wide association study of smoking and DNA methylation in non-small cell lung neoplasms. Oncotarget, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27602958>

Faehling M, Schwenk B, Eckert R, Leschke M, Liewald FG, et al. 38p overall survival in non-smokers and quitters compared to smokers who develop lung cancer: Case-control data from routine clinical practice. J Thorac Oncol, 2016; 11(4 Suppl):S71. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27198396>

Ezzeldin N, El-Lebedy D, Darwish A, El-Bastawissy A, and Shalaby AE. Complement factor h polymorphism rs1061170 and the effect of cigarette smoking on the risk of lung cancer. Contemp Oncol (Pozn), 2016; 19(6):441-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26843839>

Erdogan B, Kodaz H, Karabulut S, Cinkaya A, Tozkir H, et al. Impact of active smoking on survival of patients with metastatic lung adenocarcinoma harboring an epidermal growth factor receptor (egfr) mutation. Bosn J Basic Med Sci, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27371767>

Condoluci A, Mazzara C, Zoccoli A, Pezzuto A, and Tonini G. Impact of smoking on lung cancer treatment effectiveness: A review. Future Oncol, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27424719>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Cohen A, Burgos-Aceves MA, and Smith Y. A potential role for estrogen in cigarette smoke-induced microRNA alterations and lung cancer. *Transl Lung Cancer Res*, 2016; 5(3):322-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27413713>

Chen LS, Baker T, Hung RJ, Horton A, Culverhouse R, et al. Genetic risk can be decreased: Quitting smoking decreases and delays lung cancer for smokers with high and low chrna5 risk genotypes - a meta-analysis. *EBioMedicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27543155>

Boo HJ, Min HY, Jang HJ, Yun HJ, Smith JK, et al. The tobacco-specific carcinogen-operated calcium channel promotes lung tumorigenesis via igf2 exocytosis in lung epithelial cells. *Nat Commun*, 2016; 7:12961. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27666821>

Bonanno L, Schiavon M, Lunardi F, Tebaldi M, Calistri D, et al. 28p different genetic profiling in lung adenocarcinoma of smokers with and without chronic obstructive pulmonary disease (copd): An exploratory analysis by next generation sequencing (ngs). *J Thorac Oncol*, 2016; 11(4 Suppl):S67. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27198386>

Baglietto L, Ponzi E, Haycock P, Hodge A, Bianca Assumma M, et al. DNA methylation changes measured in pre-diagnostic peripheral blood samples are associated with smoking and lung cancer risk. *Journal international du cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27632354>

Amos CI, Hung R, Bosse Y, Christiani DC, Field JK, et al. P1.04: Defining the genetic architecture of lung cancer etiology: Track: Prevention, early detection, epidemiology and tobacco control. *J Thorac Oncol*, 2016; 11(10S):S182. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27676490>

Yun YD, Back JH, Ghang H, Jee SH, Kim Y, et al. Hazard ratio of smoking on lung cancer in Korea according to histological type and gender. *Lung*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26718701>

Yang Z, Zhuan B, Yan Y, Jiang S, and Wang T. Identification of gene markers in the development of smoking-induced lung cancer. *Gene*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26518718>

Verde Z, Reinoso L, Chicharro LM, Resano P, Sanchez-Hernandez I, et al. Are snp-smoking association studies needed in controls? DNA repair gene polymorphisms and smoking intensity. *PLoS ONE*, 2015; 10(5):e0129374. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26017978>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Tseng JS, Wang CL, Yang TY, Chen CY, Yang CT, et al. Divergent epidermal growth factor receptor mutation patterns between smokers and non-smokers with lung adenocarcinoma. *Lung Cancer*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26474957>

Sohn HS, Kwon JW, Shin S, Kim HS, and Kim H. Effect of smoking status on progression-free and overall survival in non-small cell lung cancer patients receiving erlotinib or gefitinib: A meta-analysis. *J Clin Pharm Ther*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26573867>

Shepselovich D, Goldvaser H, Edel Y, Shochat T, and Lahav M. High lung cancer incidence in heavy smokers following hospitalization due to pneumonia. *Am J Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26551976>

Sato S, Motoi N, Hiramatsu M, Miyauchi E, Ono H, et al. Pulmonary adenocarcinoma in situ: Analyses of a large series with reference to smoking, driver mutations, and receptor tyrosine kinase pathway activation. *Am J Surg Pathol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25970685>

Rennert G, Kremer R, Rennert HS, Wollner M, Agbarya A, et al. Lower lung cancer rates in jewish smokers in israel and the USA. *Journal international du cancer*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25924736>

Pinsky PF, Zhu CS, and Kramer BS. Lung cancer risk by years since quitting in 30+ pack year smokers. *J Med Screen*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25926339>

Liu M, Zhou C, and Zheng J. Cigarette smoking impairs the response of egfr-tkis therapy in lung adenocarcinoma patients by promoting egfr signaling and epithelial-mesenchymal transition. *Am J Transl Res*, 2015; 7(10):2026-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26692946>

Leng S, Liu Y, Weissfeld JL, Thomas CL, Han Y, et al. 15q12 variants, sputum gene promoter hypermethylation, and lung cancer risk: A gwas in smokers. *J Natl Cancer Inst*, 2015; 107(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25713168>

Koufakis D, Konstantopoulos D, and Koufakis T. An uncommon cause of progressive visual loss in a heavy smoker. *Pan Afr Med J*, 2015; 22:47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26664548>

Huang R, Wei Y, Hung RJ, Liu G, Su L, et al. Associated links among smoking, chronic obstructive pulmonary disease, and small cell lung cancer: A pooled analysis in the international lung cancer consortium. *EBioMedicine*, 2015; 2(11):1677-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26870794>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hu Y and Chen G. Pathogenic mechanisms of lung adenocarcinoma in smokers and non-smokers determined by gene expression interrogation. *Oncol Lett*, 2015; 10(3):1350-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26622675>

Hirano H, Maeda H, Yamaguchi T, Yokota S, Mori M, et al. Survivin expression in lung cancer: Association with smoking, histological types and pathological stages. *Oncol Lett*, 2015; 10(3):1456-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26622690>

Hamilton G and Rath B. Smoking, inflammation and small cell lung cancer: Recent developments. *Wien Med Wochenschr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26289596>

Fry JS, Lee PN, Forey BA, and Coombs KJ. Is the shape of the decline in risk following quitting smoking similar for squamous cell carcinoma and adenocarcinoma of the lung? A quantitative review using the negative exponential model. *Regul Toxicol Pharmacol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25703436>

Fasanelli F, Baglietto L, Ponzi E, Guida F, Campanella G, et al. Hypomethylation of smoking-related genes is associated with future lung cancer in four prospective cohorts. *Nat Commun*, 2015; 6:10192. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26667048>

Cheng Z, Tan Q, Tan W, and Zhang LI. Cigarette smoke induces the expression of notch3, not notch1, protein in lung adenocarcinoma. *Oncol Lett*, 2015; 10(2):641-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26622547>

Bhatt VR, Batra R, Silberstein PT, Loberiza FR, Jr., and Ganti AK. Effect of smoking on survival from non-small cell lung cancer: A retrospective veterans' affairs central cancer registry (vaccr) cohort analysis. *Med Oncol*, 2015; 32(1):339. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25429831>

Yuan JM, Butler LM, Stepanov I, and Hecht SS. Urinary tobacco smoke-constituent biomarkers for assessing risk of lung cancer. *Cancer Res*, 2014; 74(2):401-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24408916>

Xie A, Croce B, and Tian DH. Smoking and lung cancer. *Ann Cardiothorac Surg*, 2014; 3(2):221. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24790854>

Waters EA, Ball L, Carter K, and Gehlert S. Smokers' beliefs about the tobacco control potential of "a gene for smoking": A focus group study. *BMC Public Health*, 2014; 14:1218. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25424390>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wassenaar CA, Ye Y, Cai Q, Aldrich MC, Knight J, et al. Cyp2a6 reduced activity gene variants confer reduction in lung cancer risk in african american smokers - findings from two independent populations. *Carcinogenesis*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25416559>

Warren GW. Cigarette smoking and systemic therapy for lung cancer: Considering the evidence to improve cancer care. *J Thorac Oncol*, 2014; 9(7):914-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24926541>

Wang JW, Cui ZT, Ding N, Zhang CG, Usagawa T, et al. A qualitative study of smoking behavior among the floating population in shanghai, china. *BMC Public Health*, 2014; 14:1138. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25371214>

Varghese AM, Zakowski MF, Yu HA, Won HH, Riely GJ, et al. Small-cell lung cancers in patients who never smoked cigarettes. *J Thorac Oncol*, 2014; 9(6):892-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24828667>

Uimonen K, Merikallio H, Paakko P, Harju T, Mannermaa A, et al. Gasc1 expression in lung carcinoma is associated with smoking and prognosis of squamous cell carcinoma. *Histol Histopathol*, 2014; 29(6):797-804. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24371038>

Turner MC, Cohen A, Jerrett M, Gapstur SM, Diver WR, et al. Interactions between cigarette smoking and fine particulate matter in the risk of lung cancer mortality in cancer prevention study ii. *Am J Epidemiol*, 2014; 180(12):1145-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25395026>

Torres-Duran M, Barros-Dios JM, Fernandez-Villar A, and Ruano-Ravina A. Residential radon and lung cancer in never smokers. A systematic review. *Cancer Lett*, 2014; 345(1):21-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24333737>

Sundar IK, Nevid MZ, Friedman AE, and Rahman I. Cigarette smoke induces distinct histone modifications in lung cells: Implications for the pathogenesis of copd and lung cancer. *J Proteome Res*, 2014; 13(2):982-96. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24283195>

Siemiatycki J, Karp I, Sylvestre MP, and Pintos J. Estimating the proportion of cases of lung cancer legally attributable to smoking: A novel approach for class actions against the tobacco industry. *American Journal of Public Health*, 2014; 104(8):e60-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24922168>

Shiono S, Katahira M, Abiko M, and Sato T. Smoking is a perioperative risk factor and prognostic factor for lung cancer surgery. *Gen Thorac Cardiovasc Surg*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25085320>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Shiels MS, Gibson T, Sampson J, Albanes D, Andreotti G, et al. Cigarette smoking prior to first cancer and risk of second smoking-associated cancers among survivors of bladder, kidney, head and neck, and stage I lung cancers. *J Clin Oncol*, 2014; 32(35):3989-95. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25385740>

Rosenberger A. Re: Time to smoke first morning cigarette (ttfc) and lung cancer in a case-control study. *J Natl Cancer Inst*, 2014; 106(12). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25381397>

Park SL, Kotapati S, Wilkens LR, Tiirikainen M, Murphy SE, et al. 1,3-butadiene exposure and metabolism among Japanese American, Native Hawaiian, and White smokers. *Cancer Epidemiol Biomarkers Prev*, 2014; 23(11):2240-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25368399>

Parente Lamelas I, Abal Arca J, Blanco Cid N, Alves Perez MT, Dacal Quintas R, et al. Clinical characteristics and survival in never smokers with lung cancer. *Arch Bronconeumol*, 2014; 50(2):62-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24280242>

Papadopoulos A, Guida F, Leffondre K, Cenee S, Cyr D, et al. Heavy smoking and lung cancer: Are women at higher risk? Result of the icare study. *Br J Cancer*, 2014; 110(5):1385-91. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24423926>

Oxnard GR, Nguyen KS, and Costa DB. Germline mutations in driver oncogenes and inherited lung cancer risk independent of smoking history. *J Natl Cancer Inst*, 2014; 106(1):djt361. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24317178>

Ou SH. Republished: Lung cancer in never-smokers. Does smoking history matter in the era of molecular diagnostics and targeted therapy? *Postgrad Med J*, 2014; 90(1062):228-35. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24643262>

O'Malley M, King AN, Conte M, Ellingrod VL, and Ramnath N. Effects of cigarette smoking on metabolism and effectiveness of systemic therapy for lung cancer. *J Thorac Oncol*, 2014; 9(7):917-26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24926542>

Nair A and Hansell DM. High-resolution computed tomography features of smoking-related interstitial lung disease. *Semin Ultrasound CT MR*, 2014; 35(1):59-71. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24480144>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Muallaoglu S, Karadeniz C, Mertsoylu H, Ayberk Besen A, Sezer A, et al. The clinicopathological and survival differences between never and ever smokers with non-small cell lung cancer. *J BUON*, 2014; 19(2):453-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24965406>

Liu X, Lin XJ, Wang CP, Yan KK, Zhao LY, et al. Association between smoking and p53 mutation in lung cancer: A meta-analysis. *Clin Oncol (R Coll Radiol)*, 2014; 26(1):18-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24126199>

Lim JE, Kimm H, and Jee SH. Combined effects of smoking and bilirubin levels on the risk of lung cancer in korea: The severance cohort study. *PLoS ONE*, 2014; 9(8):e103972. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25100210>

Lehto RH. Patient views on smoking, lung cancer, and stigma: A focus group perspective. *Eur J Oncol Nurs*, 2014; 18(3):316-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24629502>

Kvalvik LG, Skjaerven R, Klungsoyr K, Vollset SE, and Haug K. Can 'early programming' be partly explained by smoking? Results from a prospective, population-based cohort study. *Paediatr Perinat Epidemiol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25417973>

Kukulj S, Popovic F, Budimir B, Drpa G, Serdarevic M, et al. Smoking behaviors and lung cancer epidemiology: A cohort study. *Psychiatr Danub*, 2014; 26 Suppl 3:485-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25536986>

Kim MH, Kim HR, Cho BC, Bae MK, Kim EY, et al. Impact of cigarette smoking on response to epidermal growth factor receptor (egfr)-tyrosine kinase inhibitors in lung adenocarcinoma with activating egfr mutations. *Lung Cancer*, 2014; 84(2):196-202. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24629638>

Kammin T, Fenton AK, and Thirlaway K. A genetic lung cancer susceptibility test may have a positive effect on smoking cessation. *J Genet Couns*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25403897>

Huang J, Wu J, Li Y, Li X, Yang T, et al. Deregulation of serum microrna expression is associated with cigarette smoking and lung cancer. *Biomed Res Int*, 2014; 2014:364316. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25386559>

Hsiao SH, Lin SE, Chou YT, Wang JL, Chung CL, et al. Histological subtype and smoking status, but not gender, are associated with mutations in non-small-cell lung cancer. *Mol Clin Oncol*, 2014; 2(2):252-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24649342>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hecht SS and Szabo E. Fifty years of tobacco carcinogenesis research: From mechanisms to early detection and prevention of lung cancer. *Cancer Prev Res (Phila)*, 2014; 7(1):1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24403288>

Gupta S, Hassan S, Bhatt VR, Abdul Sater H, and Dilawari A. Lung cancer trends: Smoking, obesity, and sex assessed in the Staten Island University's lung cancer patients. *Int J Gen Med*, 2014; 7:333-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25061333>

Guo Y, Ma J, Lyu X, Liu H, Wei B, et al. Non-small cell lung cancer with *eml4-alk* translocation in Chinese male never-smokers is characterized with early-onset. *BMC Cancer*, 2014; 14:834. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25407901>

Gu F, Wacholder S, Kovalchik S, Panagiotou OA, Reyes-Guzman C, et al. Time to smoke first morning cigarette and lung cancer in a case-control study. *J Natl Cancer Inst*, 2014; 106(6):dju118. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24948709>

Gonzalez A, Japuntich S, Keating NL, Wallace R, He Y, et al. Pain experiences among a population-based cohort of current, former, and never regular smokers with lung and colorectal cancer. *Cancer*, 2014; 120(22):3554-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25043285>

Gibbons DL, Byers LA, and Kurie JM. Smoking, p53 mutation, and lung cancer. *Mol Cancer Res*, 2014; 12(1):3-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24442106>

Geyer SJ. Asbestos, asbestosis, smoking, and lung cancer: Study bias and confounding issues that complicate the interpretation of the results. *Am J Respir Crit Care Med*, 2014; 189(1):115-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24381997>

Foresta M, Izzotti A, La Maestra S, Micale R, Poggi A, et al. Accelerated repair and reduced mutagenicity of DNA damage induced by cigarette smoke in human bronchial cells transfected with *e.Coli* formamidopyrimidine DNA glycosylase. *PLoS ONE*, 2014; 9(1):e87984. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24498234>

Deubner DC and Roth HD. Bias from using occupational smoking prevalence to adjust occupational incidence cohort lung cancer mortality rates. *J Occup Environ Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25427172>

de Souza MC, Vasconcelos AG, Rebelo MS, Rebelo PA, and Cruz OG. Profile of patients with lung cancer assisted at the national cancer institute, according to their smoking status, from 2000 to 2007. *Rev Bras Epidemiol*, 2014; 17(1):175-88. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24896791>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Clement-Duchene C, Alla F, Gauchotte G, Marie B, Carnin C, et al. Is there a relationship between the presence of lung mucosa preinvasive lesions and lung cancer incidence? Influence of tobacco consumption. *Lung Cancer*, 2014; 84(2):134-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24589076>

Cheng TY, Goodman GE, Thornquist MD, Barnett MJ, Beresford SA, et al. Estimated intake of vitamin d and its interaction with vitamin a on lung cancer risk among smokers. *Journal international du cancer*, 2014; 135(9):2135-45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24622914>

Chen X, Foy M, Kimmel M, and Gorlova OY. Modeling the natural history and detection of lung cancer based on smoking behavior. *PLoS ONE*, 2014; 9(4):e93430. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24705368>

Chadeau-Hyam M, Tubert-Bitter P, Guihenneuc-Jouyaux C, Campanella G, Richardson S, et al. Dynamics of the risk of smoking-induced lung cancer: A compartmental hidden markov model for longitudinal analysis. *Epidemiology*, 2014; 25(1):28-34. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24240650>

Cathcart-Rake E, Corless C, Sauer D, and Lopez-Chavez A. Elderly former smoker with hras mutant non-small-cell lung cancer. *J Thorac Oncol*, 2014; 9(10):e75-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25521407>

Branstetter SA, Mercincavage M, and Muscat JE. Predictors of the nicotine dependence behavior time to the first cigarette in a multiracial cohort. *Nicotine Tob Res*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25431372>

Bohm R, Sedlak A, Bulko M, and Holy K. Use of threshold-specific energy model for the prediction of effects of smoking and radon exposure on the risk of lung cancer. *Radiat Prot Dosimetry*, 2014; 160(1-3):100-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24711526>

Biswas T, Walker P, Podder T, Rosenman J, and Efird J. Important prognostic factors for lung cancer in tobacco predominant eastern north carolina: Study based on a single cancer registry. *Lung Cancer*, 2014; 84(2):116-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24602393>

Szymanowska-Narloch A, Jassem E, Skrzypski M, Muley T, Meister M, et al. Molecular profiles of non-small cell lung cancers in cigarette smoking and never-smoking patients. *Adv Med Sci*, 2013; 58(2):196-206. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24451080>

Fisher PG. 50 years ago in the journal of pediatrics: Cigarettes, school children, and lung cancer. *J Pediatr*, 2013; 163(5):1371. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24160656>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Bagnardi V, Rota M, Botteri E, Scotti L, Jenab M, et al. Alcohol consumption and lung cancer risk in never smokers: A meta-analysis. *Annals of Oncology*, 2011; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21427064

Slatore C, Chien J, Au D, Satia J, and White E. Lung cancer and hormone replacement therapy: Association in the vitamins and lifestyle study. *Journal of Clinical Oncology*, 2010; 28(9):1540–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20159813>

Pleasance E, Stephens P, O'Meara S, McBride D, Meynert A, et al. A small-cell lung cancer genome with complex signatures of tobacco exposure. *Nature*, 2010; 463(7278):184–90. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2880489/pdf/ukmss-28042.pdf>

Paulus J, Asomaning K, Kraft P, Johnson B, Lin X, et al. Parity and risk of lung cancer in women. *American Journal of Epidemiology*, 2010; 171(5):557–63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20123687>

Janjigian Y, McDonnell K, Kris M, Shen R, Sima C, et al. Pack-years of cigarette smoking as a prognostic factor in patients with stage iiib/iv nonsmall cell lung cancer. *Cancer*, 2010; 116(3):670–5. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=123222528&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123222528/HTMLSTART>

Baik C, Strauss G, Speizer F, and Feskanich D. Reproductive factors, hormone use, and risk for lung cancer in postmenopausal women, the nurses' health study. *Cancer Epidemiology, Biomarkers & Prevention*, 2010; 19(10):2525–33. Available from: <http://cebp.aacrjournals.org/content/19/10/2525.long>

Vandenbroucke J. 'Smoking and lung cancer'--the embryogenesis of modern epidemiology [commentary]. *International Journal of Epidemiology*, 2009; 38(5):1193–6. Available from: <http://ije.oxfordjournals.org/content/38/5/1193.full.pdf>

Toriola A, Kurl S, Laukkanen J, and Kauhanen J. Does binge drinking increase the risk of lung cancer: Results from the findrink study. *European Journal of Public Health*, 2009; 19(4):389–93. Available from: <http://eurpub.oxfordjournals.org/content/19/4/389.long>

Cornfield J, Haenszel W, Hammond E, Lilienfeld A, Shimkin M, et al. Smoking and lung cancer: Recent evidence and a discussion of some questions. *International Journal of Epidemiology*, 2009; 38(5):1175–91. Available from: <http://ije.oxfordjournals.org/content/38/5/1175.full.pdf>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Polednak AP. Tobacco control indicators and lung cancer rates in young adults by state in the united states. *Tobacco Control*, 2008; 17(1):66–9. Available from: <http://tobaccocontrol.bmj.com/content/17/1/66.long>

Derby K, Cuthrell K, Caberto C, Carmella S, Franke A, et al. Nicotine metabolism in three ethnic/racial groups with different risks of lung cancer. *Cancer Epidemiology, Biomarkers & Prevention*, 2008; 17:3526–35. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2599805/pdf/nihms76008.pdf>

Chao C, Slezak J, Caan B, and Quinn V. Alcoholic beverage intake and risk of lung cancer: The california men's health study. *Cancer Epidemiology, Biomarkers & Prevention*, 2008; 17(10):2692–9. Available from: <http://cebp.aacrjournals.org/cgi/content/full/17/10/2692>

Bryant A and Cerfolio R. Differences in epidemiology, histology, and survival between cigarette smokers and never-smokers who develop non-small cell lung cancer. *Chest*, 2007; 132(1):185–92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17573517>

Minna JD. Nicotine exposure and bronchial epithelial cell nicotinic acetylcholine receptor expression in the pathogenesis of lung cancer. *The Journal of Clinical Investigation*, 2003; 111(1):31–3. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC151841/>

Peto R, Darby S, Deo H, Silcocks P, Whitley E, et al. Smoking, smoking cessation, and lung cancer in the uk since 1950: Combination of statistics with two case-control studies. *British Medical Journal (Clinical Research Ed.)*, 2000; 321(7257):323–9. Available from: <http://www.bmj.com/cgi/reprint/321/7257/323>

Centers for Disease Control and Prevention. Declines in lung cancer rates—california, 1988-1997. *Morbidity and Mortality Weekly Report*, 2000; 49(47):1066-9. Available from: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm4947a4.htm>

Thun MJ, Lally CA, Flannery JT, Calle EE, Flanders WD, et al. Cigarette smoking and changes in the histopathology of lung cancer. *Journal of the National Cancer Institute*, 1997; 89(21):1580–6. Available from: <http://jnci.oxfordjournals.org/cgi/content/abstract/89/21/1580>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.4.1 Establishing smoking as a major cause of lung cancer

Lee, PN, Forey, BA, Thornton, AJ, & Coombs, KJ. The relationship of cigarette smoking in Japan to lung cancer, COPD, ischemic heart disease and stroke: A systematic review. *F1000Res*, 2018. 7, 204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30800285>

Bilano VLF, Borja MP, Cruz EL, Tan AG, Mortera LL, et al. Smoking-attributable burden of lung cancer in the philippines. *Tobacco Control*, 2015; 24(3):263-8. Available from: <http://tobaccocontrol.bmj.com/content/24/3/263.abstract>

Li Y, Swensen S, Karabekmez L, Marks R, Stoddard S, et al. Effect of emphysema on lung cancer risk in smokers: A computed tomography-based assessment. *Cancer Prevention Research*, 2011; 4(1):43–50. Available from: <http://cancerpreventionresearch.aacrjournals.org/content/4/1/43.long>

3.4.2 How tobacco smoke causes lung cancer

Chen, R & Lin, J. (2020). Correction: Identification of feature risk pathways of smoking-induced lung cancer based on SVM. *PLoS One*, 15(7), e0235854. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32609753>

Seiler, CL, Song, JUM, Kotandeniya, D, Chen, J, Kono, TJY, Han, Q et al (2020). Inhalation exposure to cigarette smoke and inflammatory agents induces epigenetic changes in the lung. *Sci Rep*, 10(1), 11290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32647312>

Chen, R, & Lin, J. (2020). Identification of feature risk pathways of smoking-induced lung cancer based on SVM. *PLoS One*, 15(6), e0233445. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32497048>

Hammouz, RY, Kostanek, JK, Dudzisz, A, Witas, P, Orzechowska, M, & Bednarek, AK. (2020). Differential expression of lung adenocarcinoma transcriptome with signature of tobacco exposure. *J Appl Genet*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32564237>

Hou, HH, Pan, HJ, Liao, WY, Lee, CH, & Yu, CJ. (2020). Autophagy in fibroblasts induced by cigarette smoke extract promotes invasion in lung cancer cells. *Int J Cancer*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32488875>

Wang GZ, Cheng X, Li XC, Liu YQ, Wang XQ, et al. Tobacco smoke induces production of chemokine ccl20 to promote lung cancer. *Cancer Lett*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25864589>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Miller A, Brooks GD, McLeod L, Ruwanpura S, and Jenkins BJ. Differential involvement of gp130 signalling pathways in modulating tobacco carcinogen-induced lung tumourigenesis. *Oncogene*, 2014; 0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24727895>

3.4.3 Factors affecting risk

Mustra Rakic, J, & Wang, XD. (2020). Role of lycopene in smoke-promoted chronic obstructive pulmonary disease and lung carcinogenesis. *Arch Biochem Biophys*, 689, 108439. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32504553>

Domvri, K, Porpodis, K, Zisi, P, Apostolopoulos, A, Cheva, A, Papamitsou, T et al (2020). Epidemiology of lung cancer in Northern Greece: An 18-year hospital-based cohort study focused on the differences between smokers and non-smokers. *Tob Induc Dis*, 18, 22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32265616>

European Publishing Production, T. (2020). Erratum: Epidemiology of lung cancer in Northern Greece: An 18-year hospital-based cohort study focused on the differences between smokers and non-smokers. *Tob Induc Dis*, 18, 33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32300285>

Cubillos-Angulo, JM, Fukutani, ER, Cruz, LAB, Arriaga, MB, Lima, JV, Andrade, BB et al. (2020). Systems biology analysis of publicly available transcriptomic data reveals a critical link between AKR1B10 gene expression, smoking and occurrence of lung cancer. *PLoS One*, 15(2), e0222552. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32097409>

Dong, YM, Qin, LD, Tong, YF, He, QE, Wang, L, & Song, K. (2020). Multiple genome pattern analysis and signature gene identification for the Caucasian lung adenocarcinoma patients with different tobacco exposure patterns. *PeerJ*, 8, e8349. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32030321>

Wang, C, Yang, T, Guo, XF, & Li, D. (2019). The Associations of Fruit and Vegetable Intake with Lung Cancer Risk in Participants with Different Smoking Status: A Meta-Analysis of Prospective Cohort Studies. *Nutrients*, 11(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31382476>

Murphy, SE, Park, SL, Balbo, S, Haiman, CA, Hatsukami, DK, Patel, Y, Peterson, LA, Stepanov, I, Stram, DO, Tretyakova, N, Hecht, SS, Le Marchand, L. Tobacco biomarkers and genetic/epigenetic analysis to investigate ethnic/racial differences in lung cancer risk among smokers. *NPJ Precis Oncol*. 2018 Aug 22;2:17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30155522>

Tobacco in Australia

Facts & Issues

Park, SL, Patel, YM, Loo, LWM, Mullen, DJ, Offringa, IA, Maunakea, A, Stram, DO, Siegmund, K, Murphy, SE, Tiirikainen, M, Le Marchand, L. Association of internal smoking dose with blood DNA methylation in three racial/ethnic populations. Clin Epigenetics. 2018 Aug 23;10(1):110. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30139389>

Kim JH and Hong YC. Interactive effect of smoking and nqo1 haplotypes on lung cancer risk. J Korean Med Sci, 2015; 30(3):221-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25729241>

Engle JA and Kolesar JM. Importance of ethnicity and smoking status in egfr gene testing in lung cancers. Am J Health Syst Pharm, 2015; 72(9):686-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25873612>

Colak Y, Afzal S, Nordestgaard BG, and Lange P. Characteristics and prognosis of never smokers and smokers with asthma in the copenhagen general population study: A prospective cohort study. Am J Respir Crit Care Med, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25914942>

Bittoni MA, Focht BC, Clinton SK, Buckworth J, and Harris RE. Prospective evaluation of c-reactive protein, smoking and lung cancer death in the third national health and nutrition examination survey. Int J Oncol, 2015; 47(4):1537-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26323323>

Ahmad D, Bakairy AK, Katheri AM, and Tamimi W. Mdm2 (rs769412) g>a polymorphism in cigarette smokers: A clue for the susceptibility to smoking and lung cancer risk. Asian Pac J Cancer Prev, 2015; 16(9):4057-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25987086>

Tobacco in Australia

Facts & Issues

3.4.3.1 Intensity and duration of cigarette smoking

Takamori, S, Okamoto, T, & Mori, M. (2020). ASO Author Reflections: Which of Smoking Duration or Smoking Intensity Contributes to Poor Prognosis After Resection of Non-small Cell Lung Cancer? *Ann Surg Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32642994>

3.4.3.2 Smoking cessation

Xu, LM, Dai, SP, & Zuo, YX. (2020). Impacts of Preoperative Smoking and Smoking Cessation Time on Preoperative Peripheral Blood Inflammatory Indexes and Postoperative Hospitalization Outcome in Male Patients with Lung Cancer and Surgery Treatment. *Chin Med Sci J*, 35(2), 170-178. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32684237>

Campling, BG, Ye, Z, Lai, Y, Li, L, Bar-Ad, V, Werner-Wasik, M et al. (2019). Disparity in age at lung cancer diagnosis between current and former smokers. *J Cancer Res Clin Oncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30830294>

Peto J. That lung cancer incidence falls in ex-smokers: Misconceptions 2. *British Journal of Cancer*, 2011; 104(3):389. Available from: <http://www.nature.com/bjc/journal/v104/n3/full/6606080a.html>

3.4.3.3 Histological type

Hustache-Castaing, R, Ghrenassia, G, Raheison, C, Peloni, JM, Thumerel, M, & Jougon, J. (2020). [Hamartochondroma: An unusual cause of endobronchial obstruction in smoking patients]. *Rev Mal Respir*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32430157>

Thomas, A, Mian, I, Tlemsani, C, Pongor, L, Takahashi, N, Maignan, K et al (2020). Clinical and Genomic Characteristics of Small Cell Lung Cancer in Never-Smokers: Results from a Retrospective Multicenter Cohort Study. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32464188>

Lorenzo-Gonzalez, M, Fernandez-Villar, A, & Ruano-Ravina, A. (2019). Disentangling tobacco-related lung cancer-genome-wide interaction study of smoking behavior and non-small cell lung cancer risk. *J Thorac Dis*, 11(1), 10-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30863557>

3.4.3.4 Gender differences

Hansen MS, Licaj I, Braaten T, Langhammer A, Le Marchand L, et al. Sex differences in risk of smoking-associated lung cancer: Results from a cohort of 600,000 norwegians. *Am J Epidemiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29087432>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Printz C. Lung cancer new leading cause of death for women in developed countries: Data reflects increased rates of smoking. *Cancer*, 2015; 121(12):1911-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26042850>

Freedman ND, Abnet CC, Caporaso NE, Fraumeni JF, Jr., Murphy G, et al. Impact of changing us cigarette smoking patterns on incident cancer: Risks of 20 smoking-related cancers among the women and men of the nih-aarp cohort. *Int J Epidemiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26411408>

Luy M and Wegner-Siegmundt C. The impact of smoking on gender differences in life expectancy: More heterogeneous than often stated. *Eur J Public Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25505018>

Cosgrove KP, Wang S, Kim SJ, McGovern E, Nabulsi N, et al. Sex differences in the brain's dopamine signature of cigarette smoking. *J Neurosci*, 2014; 34(50):16851-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25505336>

Patel J. Lung cancer: A biologically different disease in women? *Women's Health (London, England)*, 2009; 5(6):685–91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19863471>

Freedman N, Leitzmann M, Hollenbeck R, Schatzkin A, and Abnet C. Cigarette smoking and subsequent risk of lung cancer in men and women: Analysis of a prospective cohort study. *The Lancet oncology*, 2008; 9(7):649–56. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2601691/pdf/nihms57281.pdf>

3.4.3.5 Other factors

Cheng, J, Miller, B, Balbuena, E, & Eroglu, A. (2020). Lycopene Protects against Smoking-Induced Lung Cancer by Inducing Base Excision Repair. *Antioxidants (Basel)*, 9(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32708354>

Larsson, SC, Carter, P, Kar, S, Vithayathil, M, Mason, AM, Michaelsson, K, & Burgess, S. (2020). Smoking, alcohol consumption, and cancer: A mendelian randomisation study in UK Biobank and international genetic consortia participants. *PLoS Med*, 17(7), e1003178. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32701947>

Fontaine-Delaruelle, C, Mazieres, J, Cadranel, J, Mastroianni, B, Dubos-Arvis, C, Dumont, P et al (2020). Somatic profile in lung cancers is associated to reproductive factors in never-smokers

Tobacco in Australia

Facts & Issues

women: Results from the IFCT-1002 BioCAST study. *Respir Med Res*, 77, 58-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32416585>

Dator, R, Villalta, PW, Thomson, N, Jensen, J, Hatsukami, DK, Stepanov, I et al (2020). Metabolomics Profiles of Smokers from Two Ethnic Groups with Differing Lung Cancer Risk. *Chem Res Toxicol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32293874>

Behrendt, CE, Cosgrove, CM, Johnson, NJ, & Altekruse, SF. (2019). Are associations between psychosocial stressors and incident lung cancer attributable to smoking? *PLoS One*, 14(6), e0218439. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31220129>

Hung, RJ, Spitz, MR, Houlston, R S, Schwartz, AG, Field, JK, Ying, J et al. (2019). Lung Cancer Risk in Never Smokers of European Descent is Associated with Genetic Variation in the 5P15.33 TERT-CLPTM1L Region. *J Thorac Oncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31009812>

Jin, K, Wu, M, Zhou, JY, Yang, J, Han, RQ, Jin, ZY et al. (2019). Tobacco Smoking Modifies the Association between Hormonal Factors and Lung Cancer Occurrence among Post-Menopausal Chinese Women. *Transl Oncol*, 12(6), 819-827. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30959265>

Nomura, SJO, Dash, C, Rosenberg, L, Palmer, J, & Adams-Campbell, LL. Fruit and Vegetable Intake and Lung Cancer Incidence Among Black Women According to Cigarette Smoking Status. *Nutr Cancer*, 2018. 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30198773>

Li Y, Xiao X, Han Y, Gorlova O, Qian D, et al. Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in caucasian population. *Carcinogenesis*, 2017. Available from: <https://academic.oup.com/carcin/article-abstract/doi/10.1093/carcin/bgx113/4558711?redirectedFrom=fulltext>
<http://www.ncbi.nlm.nih.gov/pubmed/29059373>

Bagnardi V, Rota M, Botteri E, Scotti L, Jenab M, et al. Alcohol consumption and lung cancer risk in never smokers: A meta-analysis. *Annals of Oncology*, 2011; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21427064

3.4.4 Impact of smoking on prognosis

Sato, K, Mimaki, S, Yamashita, R, Togashi, Y, Naito, T, Udagawa, H et al (2020). Association between the mutational smoking signature and the immune microenvironment in lung adenocarcinoma. *Lung Cancer*, 147, 12-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32652369>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Takamori, S, Shimokawa, M, Matsubara, T, Haratake, N, Toyozawa, R, Miura, N et al (2020). Prognostic Impact of Smoking Period in Patients with Surgically Resected Non-small Cell Lung Cancer. *Ann Surg Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32676867>

Vu, T, Yang, S, & Datta, PK. (2020). MiR-216b/Smad3/BCL-2 Axis Is Involved in Smoking-Mediated Drug Resistance in Non-Small Cell Lung Cancer. *Cancers (Basel)*, 12(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32668597>

Ansari, MHK, Gholamnejad, M, Meghbrazi, K, & Khalkhali, HR. (2018). Association of circulating omentin-1 level with lung cancer in smokers. *Med J Islam Repub Iran*, 32, 133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30815428>

Zabczyk, M, Krolczyk, G, Czyzewicz, G, Plens, K, Prior, S, Butenas, S, & Undas, A. (2019). Altered fibrin clot properties in advanced lung cancer: strong impact of cigarette smoking. *Med Oncol*, 36(4), 37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30891644>

Christensen, NL, Lokke, A, Dalton, SO, Christensen, J, & Rasmussen, TR. Smoking, alcohol, and nutritional status in relation to one-year mortality in Danish stage I lung cancer patients. *Lung Cancer*, 2018. 124, 40-44. Available from: [https://www.lungcancerjournal.info/article/S0169-5002\(18\)30487-2/fulltext](https://www.lungcancerjournal.info/article/S0169-5002(18)30487-2/fulltext)

Su YC, Chang H, Sun SJ, Liao C, Wang LY, et al. Differential impact of cx3cl1 on lung cancer prognosis in smokers and non-smokers. *Mol Carcinog*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29380447>

Japuntich SJ, Kumar P, Pendergast J, Juarez Caballero GY, Malin J, et al. Smoking status and survival among a national cohort of lung and colorectal cancer patients. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29351659>

Pezzuto A, Morrone M, and Mici E. Unusual jaw metastasis from squamous cell lung cancer in heavy smoker: Two case reports and review of the literature. *Medicine (Baltimore)*, 2017; 96(21):e6987. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28538407>

Mori S, Motoi N, Ninomiya H, Matsuura Y, Nakao M, et al. High expression of programmed cell death 1 ligand 1 in lung adenocarcinoma is a poor prognostic factor particularly in smokers and wild-type epidermal growth-factor receptor cases. *Pathol Int*, 2017; 67(1):37-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27976463>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Koshiaris C, Aveyard P, Oke J, Ryan R, Szatkowski L, et al. Smoking cessation and survival in lung, upper aero-digestive tract and bladder cancer: Cohort study. *British Journal of Cancer*, 2017.

Available from:

<http://www.nature.com/bjc/journal/vaop/ncurrent/full/bjc2017179a.html?foxtrotcallback=true>
<http://www.ncbi.nlm.nih.gov/pubmed/28898236>

Yoshida Y, Kage H, Murakawa T, Sato Y, Ota S, et al. Worse prognosis for stage ia lung cancer patients with smoking history and more severe chronic obstructive pulmonary disease. *Ann Thorac Cardiovasc Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25641032>

Tomita M, Ayabe T, Chosa E, and Nakamura K. Impact of smoking on outcome of resected lung adenocarcinoma. *Gen Thorac Cardiovasc Surg*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26243355>

Su W, Luo L, Wu F, Lai Z, Li X, et al. Low expression of olfactomedin 4 correlates with poor prognosis in smoking patients with non-small cell lung cancer. *Hum Pathol*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25771901>

Dobson Amato KA, Hyland A, Reed R, Mahoney MC, Marshall J, et al. Tobacco cessation may improve lung cancer patient survival. *J Thorac Oncol*, 2015; 10(7):1014-9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26102442>

Danson SJ, Rowland C, Rowe R, Ellis S, Crabtree C, et al. The relationship between smoking and quality of life in advanced lung cancer patients: A prospective longitudinal study. *Support Care Cancer*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26364190>

Avci N, Hayar M, Altmisdortoglu O, Tanriverdi O, Deligonul A, et al. Smoking habits are an independent prognostic factor in patients with lung cancer. *Clin Respir J*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26365261>

Vucic EA, Thu KL, Pikor LA, Enfield KS, Yee J, et al. Smoking status impacts microrna mediated prognosis and lung adenocarcinoma biology. *BMC Cancer*, 2014; 14(1):778. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25342220>

Rowland C, Danson SJ, Rowe R, Merrick H, Woll PJ, et al. Quality of life, support and smoking in advanced lung cancer patients: A qualitative study. *BMJ Support Palliat Care*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24785651>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

McDonnell KK, Bullock LF, Hollen PJ, Heath J, and Kozower BD. Emerging issues on the impact of smoking on health-related quality of life in patients with lung cancer and their families. *Clin J Oncol Nurs*, 2014; 18(2):171-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24534075>

Boyle JM, Tandberg DJ, Chino JP, D'Amico TA, Ready NE, et al. Smoking history predicts for increased risk of second primary lung cancer: A comprehensive analysis. *Cancer*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25283893>

3.4.5 Temporal trends in lung cancer rates

Zeng, Q, Vogtmann, E, Jia, MM, Parascandola, M, Li, JB, Wu, YL et al. (2019). Tobacco smoking and trends in histological subtypes of female lung cancer at the Cancer Hospital of the Chinese Academy of Medical Sciences over 13 years. *Thorac Cancer*, 10(8), 1717-1724. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31293059>

Pierce, JP, Shi, Y, McMenamin, SB, Benmarhnia, T, Trinidad, DR, Strong, DR et al. Trends in lung cancer and cigarette smoking: California compared to the rest of the United States. *Cancer Prev Res (Phila)*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30305281>

Dias M, Linhas R, Campainha S, Conde S, and Barroso A. Lung cancer in never-smokers - what are the differences? *Acta Oncol*, 2017; 56(7):931-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28514931>

Baldassarri M, Fallerini C, Cetta F, Ghisalberti M, Bellan C, et al. "Omic" approach in non-smoker female with lung squamous cell carcinoma pinpoints to germline susceptibility and personalized medicine. *Cancer Res Treat*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28546520>

No authors listed. Lung cancer: Despite advances, prevention is still best. *Lancet*, 2016; 388(10044):533. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27511767>

Zhang Z, Zheng X, Zeng DD, and Leischow SJ. Information seeking regarding tobacco and lung cancer: Effects of seasonality. *PLoS ONE*, 2015; 10(3):e0117938. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25781020>

Jurgens V, Ess S, Schwenkglens M, Cerny T, and Vounatsou P. Using lung cancer mortality to indirectly approximate smoking patterns in space. *Spat Spatiotemporal Epidemiol*, 2015; 14-15:23-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26530820>

Tobacco in Australia

Facts & Issues

John U and Hanke M. Lung cancer mortality and years of potential life lost among males and females over six decades in a country with high smoking prevalence: An observational study. *BMC Cancer*, 2015; 15:876. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26553055>

News reports:

No authors listed. Lung cancer mortality rates among women projected to increase by over 40 percent by 2030. *Medical Xpress*, 2018. Aug 1, 2018. Available from: <http://medicalxpress.com/news/2018-08-lung-cancer-mortality-women-percent.html>

No authors listed. 'Don't blame smokers but tobacco industry' in *SBS2017*. Available from: <http://www.sbs.com.au/news/article/2017/10/26/dont-blame-smokers-tobacco-industry>.

No authors listed. 'Epigenetic' changes from cigarette smoke may be first step in lung cancer development, in *Science and Technology Research News*2017. Available from: <http://www.scienceandtechnologyresearchnews.com/epigenetic-changes-cigarette-smoke-may-first-step-lung-cancer-development/>.

Australian Institute of Health and Welfare. Lung cancer, 2015. Available from: <http://www.aihw.gov.au/cancer/lung/>.

Australian Institute of Health and Welfare (AIHW) and Cancer Australia. Lung cancer in australia: An overview. Cancer series no. 64. Cat. No. Can 58., Canberra 2011. Available from: <http://www.aihw.gov.au/publication-detail/?id=10737420419>.

3.4.1 Establishing smoking as a major cause of lung cancer

Leonard J. Pancoast syndrome: Tumors, symptoms, and treatment, in *Medical News Today*2017. Available from: <http://www.medicalnewstoday.com/articles/316235.php>.

Fidelman C. Montreal epidemiologist calculated 'critical dose' of smoking for tobacco lawsuit. *Montreal Gazette*, 2015. Available from: <http://montrealgazette.com/news/local-news/montreal-epidemiologist-critical-dose-calculation-part-of-class-action-against-cigarette-companies>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.4.2 How tobacco smoke causes lung cancer

3.4.3 Factors affecting risk

No authors listed. Smokers with newly discovered genetic markers have higher lung cancer risk, in *Medical News Today* 2016. Available from:

<http://www.medicalnewstoday.com/releases/312561.php>.

No authors listed. Patients who never smoked or who quit smoking have lower risk of developing secondary cancers, in *Science Daily* 2014. Available from:

<http://www.sciencedaily.com/releases/2014/09/140916112919.htm>.

3.4.3.1 Intensity and duration of cigarette smoking

3.4.3.2 Smoking cessation

No authors listed. Lung cancer patients who stop smoking live longer, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/296754.php>.

3.4.3.3 Histological type

3.4.3.4 Gender differences

No authors listed. Lung cancer incidence in young women surpasses that in young men, in *eCancer News* 2018. Available from: <https://ecancer.org/news/14046-lung-cancer-incidence-in-young-women-surpasses-that-in-young-men.php>.

No authors listed. 50% rise in lung cancer cases among women - report, in *4NI* 2017. Available from: <http://www.4ni.co.uk/northern-ireland-news/234831/50-rise-in-lung-cancer-cases-among-women-report>.

Lim S. Women who give birth have lower risk of lung cancer: Study, in *Today* 2015. Available from: <http://www.todayonline.com/daily-focus/health/having-children-significantly-lowers-lung-cancer-risk-among-women-study>.

Borland S. The deadly legacy of trying to appear seductive in the 1970s: Record numbers of women are suffering from lung cancer after being lured into smoking by adverts. *Daily Mail* 2015. Available

Tobacco in Australia

Facts & Issues

from: <http://www.dailymail.co.uk/health/article-3145189/Deadly-legacy-trying-appear-seductive-1970s-Record-numbers-women-suffering-lung-cancer-lured-smoking-adverts.html>

Bagot M. Shock rise in women's lung cancer is down to heavy smoking in the 1970s, say experts Daily Mirror, 2015. Available from: <http://www.mirror.co.uk/news/uk-news/shock-rise-womens-lung-cancer-5978514>

Alexander H. Time catches up with women who started smoking in 80s. The Sydney Morning Herald, 2014. Available from: <http://abix.com.au/2014/10/17/time-catches-up-with-women-who-started-smoking-in-80s/>

3.4.3.5 Other factors

No authors listed. Three new lung cancer genetic biomarkers are identified in dartmouth study, in *Medical Xpress* 2017. Available from: <https://medicalxpress.com/news/2017-10-lung-cancer-genetic-biomarkers-dartmouth.html>.

No authors listed. Over-the-counter vitamin use by smokers 'quadruples cancer risk'. The Australian, 2017. Available from: <http://www.theaustralian.com.au/news/health-science/overthecounter-vitamin-use-by-smokers-quadruples-cancer-risk/news-story/7dd7df78089fad040a7c3ed1c303010f>

3.4.4 Impact of smoking on prognosis

No authors listed. Cancer survivors who quit smoking sooner can live longer, in *ox.ac.uk* 2017. Available from: <http://www.ox.ac.uk/news/2017-09-12-cancer-survivors-who-quit-smoking-sooner-can-live-longer>.

No authors listed. Smoking a significant predictor of lung cancer recurrence in survivors in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/294157.php?tw>.

No authors listed. Major differences found in symptoms and prognoses between non-smokers and smokers with the most common form of lung cancer, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/300061.php?tw>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.4.5 Temporal trends in lung cancer rates

Harris, A. Smokers, give it up. The Irish Times, 2019. Feb 13, 2019. Available from: <https://www.irishtimes.com/life-and-style/health-family/smokers-give-it-up-1.3766726>

University of Michigan. Lung cancer will remain major health issue, despite falling rates. Medical Xpress, 2018. Oct 16, 2018. Available from: <https://medicalxpress.com/news/2018-10-lung-cancer-major-health-issue.html>

International Agency for Research on Cancer. Latest global cancer data: Cancer burden rises to 18.1 million new cases and 9.6 million cancer deaths in 2018. WHO Press Release, Sept 12, 2018. Available from http://www.iarc.fr/en/media-centre/pr/2018/pdfs/pr263_E.pdf

Kolovo B. Lung cancer biggest cancer killer in vic, in *News.com.au* 2018. Available from: <http://www.news.com.au/national/breaking-news/lung-cancer-biggest-cancer-killer-in-vic/news-story/b11a02da50d6a66f64a43bc798d1c835>

Han E. More women getting lung cancer surgery as effects of smoking show up in new data. Brisbane Times, 2017. Available from: <https://www.brisbanetimes.com.au/healthcare/more-women-getting-lung-cancer-surgery-as-effects-of-smoking-show-up-in-new-data-20171124-gzsk77.html>