

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 3.5 Other Cancers

*Last updated September 2019*

#### Research:

Hussain, A, Dulay, P, Rivera, MN, Aramouni, C, & Saxena, V. (2019). Neoplastic Pathogenesis Associated with Cigarette Carcinogens. *Cureus*, 11(1), e3955. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30956908>

Yanagiya, M, Matsumoto, J, Kawahara, T, Yamaguchi, H, Nagayama, K, Anraku, M et al. Influence of smoking and histologic subtype on developing extrathymic malignancy in thymoma patients. *Ann Thorac Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30576633>

Ferro A, Morais S, Rota M, Pelucchi C, Bertuccio P, et al. Tobacco smoking and gastric cancer: Meta-analyses of published data versus pooled analyses of individual participant data (stop project). *Eur J Cancer Prev*, 2018; 27(3):197-204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29595756>

Du L, Lei L, Zhao X, He H, Chen E, et al. The interaction of smoking with gene polymorphisms on four digestive cancers: A systematic review and meta-analysis. *J Cancer*, 2018; 9(8):1506-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29721061>

Meyers TJ, Chang SC, Chang PY, Morgenstern H, Tashkin DP, et al. Case-control study of cumulative cigarette tar exposure and lung and upper aerodigestive tract cancers. *Journal international du cancer*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28164274>

Shao C, Zhao W, Qi Z, and He J. Smoking and glioma risk: Evidence from a meta-analysis of 25 observational studies. *Medicine (Baltimore)*, 2016; 95(2):e2447. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26765433>

Pan W, Du J, Shi M, Jin G, and Yang M. Short leukocyte telomere length, alone and in combination with smoking, contributes to increased risk of gastric cancer or esophageal squamous cell carcinoma. *Carcinogenesis*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27797826>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Kondo H, Soda M, Sawada N, Inoue M, Imaizumi Y, et al. Smoking is a risk factor for development of adult t-cell leukemia/lymphoma in japanese human t-cell leukemia virus type-1 carriers. *Cancer Causes Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27412633>

Khan N, Afridi HI, Kazi TG, Arain MB, Bilal M, et al. Correlation of cadmium and magnesium in the blood and serum samples of smokers and non-smokers chronic leukemia patients. *Biol Trace Elem Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27511371>

Guo X and Wang Y. Does smoking increase the risk of developing glioma? A meta-analysis based on case-control studies. *J Cancer Res Ther*, 2016; 12(Supplement):C301-C3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28230043>

Franceschi S. Beta- and gamma-human papillomavirus types and smoking in head and neck cancer. *JAMA Oncol*, 2016; 2(5):687. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27244680>

Agalliu I, Wang T, and Burk RD. Beta- and gamma-human papillomavirus types and smoking in head and neck cancer-reply. *JAMA Oncol*, 2016; 2(5):687-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27244681>

Almeida AA, Bandeira CM, Goncalves AJ, and Araujo AJ. Nicotine dependence and smoking habits in patients with head and neck cancer. *J Bras Pneumol*, 2014; 40(3):286-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25029652>

Batty G, Kivimaki M, Gray L, Smith G, Marmot M, et al. Cigarette smoking and site-specific cancer mortality: Testing uncertain associations using extended follow-up of the original whitehall study. *Annals of Oncology*, 2008; 19(5):996–1002. Available from: <http://annonc.oxfordjournals.org/cgi/content/full/19/5/996>

### *3.5.1 Upper aerodigestive tract cancers*

Gong, SQ, Xu, M, Xiang, ML, Shan, YM, & Zhang, H. (2019). The Expression and Effect of MicroRNA-499a in High-Tobacco Exposed Head and Neck Squamous Cell Carcinoma: A Bioinformatic Analysis. *Front Oncol*, 9, 678. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31417866>

Gronhoj, C, Jensen, JS, Wagner, S, Dehlendorff, C, Friberg, J, Andersen, E et al. (2019). Impact on survival of tobacco smoking for cases with oropharyngeal squamous cell carcinoma and known

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

human papillomavirus and p16-status: a multicenter retrospective study. *Oncotarget*, 10(45), 4655-4663. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31384393>

Nagler, R, Weizman, A, & Gavish, A. (2019). Cigarette smoke, saliva, the translocator protein 18kDa (TSPO) and oral cancer. *Oral Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31430419>

Howal, S, & Wajid, S. (2019). Role of Smoking-Mediated Molecular Events in the Genesis of Oral Cancers. *Toxicol Mech Methods*, 1-49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31345084>

Sheikh, M, Brennan, P, & Malekzadeh, R. (2019). Reply to "Tobacco smoking and alcohol drinking: two clinically significant risk factors for esophageal squamous cell carcinoma". *Gastroenterology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31310740>

Villepelet, A, Hugonin, S, Atallah, S, Job, B, Baujat, B, Lacau St Guily, J, & Lacave, R. (2019). Effects of tobacco abuse on major chromosomal instability in human papilloma virus 16-positive oropharyngeal squamous cell carcinoma. *Int J Oncol*, 55(2), 527-535. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31268157>

Al Feghali, KA, Ghanem, AI, Burmeister, C, Chang, SS, Ghanem, T, Keller, C, & Siddiqui, F. (2019). Impact of smoking on pathological features in oral cavity squamous cell carcinoma. *J Cancer Res Ther*, 15(3), 582-588. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31169224>

Chaturvedi, P, Singh, A, Chien, CY, & Warnakulasuriya, S. (2019). Tobacco related oral cancer. *BMJ*, 365, l2142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167798>

Colares, N, Souza Rodrigues, DF, Freitas, MO, Dantas, TS, Cunha, M, Sousa, FB, & Barros Silva, PG. (2019). Smoking History Decreases Survival in Patients with Squamous Cell Carcinoma of the Mouth: A Retrospective Study with 15 Years of Follow-up. *Asian Pac J Cancer Prev*, 20(6), 1781-1787. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31244300>

Di Credico, G, Edefonti, V, Polesel, J, Pauli, F, Torelli, N, Serraino, D et al (2019). Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. *Oral Oncol*, 94, 47-57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31178212>

Domingo-Vidal, M, Whitaker-Menezes, D, Martos-Rus, C, Tassone, P, Snyder, CM, Tuluc, M et al (2019). Cigarette Smoke Induces Metabolic Reprogramming of the Tumor Stroma in Head and

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Neck Squamous Cell Carcinoma. *Mol Cancer Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31239287>

Huang, C, Wang, L, Song, H, & Wu, C. (2019). Interactive effects of AURKA polymorphisms with smoking on the susceptibility of oral cancer. *Artif Cells Nanomed Biotechnol*, 47(1), 2333-2337.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31174434>

Kruger, M, Metzger, C, Kammerer, PW, & Brieger, J. (2019). The impact of cigarette smoke on activity of Single Nucleotide Polymorphisms of the VEGF promotor gene in cells of the upper aerodigestive tract. *J Oral Pathol Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31166634>

Najafi, F. (2019). Tobacco smoking and alcohol drinking: two clinically significant risk factors for esophageal squamous cell carcinoma. *Gastroenterology*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31228440>

Sarkar, R, Kishida, S, Kishida, M, Nakamura, N, Kibe, T, Karmakar, D et al (2019). Effect of cigarette smoke extract on mitochondrial heme-metabolism: An in vitro model of oral cancer progression. *Toxicol In Vitro*, 60, 336-346. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31247333>

Wang, J, Linxweiler, M, Yang, W, Chan, TA, & Morris, LGT. (2019). Immunomodulatory and immunotherapeutic implications of tobacco smoking in squamous cell carcinomas and normal airway epithelium. *Oncotarget*, 10(39), 3835-3839. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31231463>

Yamashita, Y, Ikegami, T, Suzuki, M, Hirakawa, H, Maeda, H, Yamada, S et al. (2019). Hypopharyngeal cancer risk in Japanese: Genetic polymorphisms related to the metabolism of alcohol- and tobacco-associated carcinogens. *J Cancer Res Ther*, 15(3), 556-563. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31169220>

Beghini, F, Renson, A, Zolnik, CP, Geistlinger, L, Usyk, M, Moody, TU et al (2019). Tobacco exposure associated with oral microbiota oxygen utilization in the New York City Health and Nutrition Examination Study. *Ann Epidemiol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31076212>

Kim, SY, Min, C, Oh, DJ, & Choi, HG. (2019). Tobacco Smoking and Alcohol Consumption Are Related to Benign Parotid Tumor: A Nested Case-Control Study Using a National Health Screening Cohort. *Clin Exp Otorhinolaryngol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31079445>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Mello, FW, Melo, G, Pasetto, JJ, Silva, CAB, Warnakulasuriya, S, & Rivero, ERC. (2019). The synergistic effect of tobacco and alcohol consumption on oral squamous cell carcinoma: a systematic review and meta-analysis. *Clin Oral Investig*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31111280>

Montano-Velazquez, BB, Benavides Mendez, JC, Garcia-Vazquez, FJ, Conde-Vazquez, E, Sanchez-Uribe, M, Taboada-Murrieta, CR, & Jauregui-Renaud, K. (2018). Influence of Tobacco Smoke Exposure on the Protein Expression of alpha7 and alpha4 Nicotinic Acetylcholine Receptors in Squamous Cell Carcinoma Tumors of the Upper Aerodigestive Tract (Out of the Larynx). *Subst Abuse*, 12, 1178221818801316. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31068752>

Sarode, GS, Sharma, NK, Sarode, SC, & Patil, S. (2019). Oral premalignant lesions of smokers and non-smokers show similar carcinogenic pathways and outcomes. *J Oral Pathol Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31058379>

Hawkins, PG, Mierzwa, ML, Bellile, E, Jackson, WC, Malloy, KM, Chinn, SB et al. Impact of American Joint Committee on Cancer Eighth Edition clinical stage and smoking history on oncologic outcomes in human papillomavirus-associated oropharyngeal squamous cell carcinoma. *Head Neck*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30775826>

Carrero, I, Liu, HC, Sikora, AG, & Milosavljevic, A. Histoepigenetic analysis of HPV- and tobacco-associated head and neck cancer identifies both subtype-specific and common therapeutic targets despite divergent microenvironments. *Oncogene*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30655605>

Du, E, Mazul, AL, Farquhar, D, Brennan, P, Anantharaman, D, Abedi-Ardekani, B et al. Long-term Survival in Head and Neck Cancer: Impact of Site, Stage, Smoking, and Human Papillomavirus Status. *Laryngoscope*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30637762>

Elwany, S, Radi, S, Khalil, H, Talaat, I, & Belasy, K. Cluster of differentiation 8 T-cell population in the laryngeal mucosa of smokers with laryngeal cancer. *J Laryngol Otol*, 2018. 132(12), 1134-1137. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30674369>

Ghasemi, F, Prokopec, SD, MacNeil, D, Mundi, N, Gameiro, SF, Howlett, C et al. Mutational analysis of head and neck squamous cell carcinoma stratified by smoking status. *JCI Insight*, 2019. 4(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30626742>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Nersesyan, A. Re: Does smoking habit increase the micronuclei frequency in the oral mucosa of adults compared to non-smokers? A systematic review and meta-analysis. de Geus et al., *Clin Oral Investig*. 2018 Jan; 22(1):81-91. *Clin Oral Investig*, 2019. 23(1), 497-499. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30612240>

Scardina, GA, Messina, M, Melilli, D, Cumbo, E, Carini, F, Tomasello, G, & Messina, P. Permanence of Modifications in Oral Microcirculation in Ex-Smokers. *Med Sci Monit*, 2019. 25, 866-871. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30698164>

Tuna, M, Amos, CI, & Mills, GB. Genome-Wide Analysis of Head and Neck Squamous Cell Carcinomas Reveals HPV, TP53, Smoking and Alcohol-Related Allele-Based Acquired Uniparental Disomy Genomic Alterations. *Neoplasia*, 2019. 21(2), 197-205. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30616092>

Beitler, JJ, Switchenko, JM, Dignam, JJ, McDonald, MW, Saba, NF, Shin, DM et al. Smoking, age, nodal disease, T stage, p16 status, and risk of distant metastases in patients with squamous cell cancer of the oropharynx. *Cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30548235>

Gorphe, P, Chekkoury Idrissi, Y, Tao, Y, Moya-Plana, A, Casiraghi, O, Janot, F et al. Smoking and papillomavirus DNA in patients with p16-positive N3 oropharyngeal squamous cell carcinoma. *Head Neck*, 2018. . Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30552841>

Kompelli, AR, Morgan, P, Li, H, Harris, W, Day, TA, & Neskey, DM. Prognostic Impact of High-Risk Pathologic Features in HPV-Related Oropharyngeal Squamous Cell Carcinoma and Tobacco Use. *Otolaryngol Head Neck Surg*, 2018. 194599818818446. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30526292>

Lee, YA, Li, S, Chen, Y, Li, Q, Chen, CJ, Hsu, WL et al. Tobacco smoking, alcohol drinking, betel quid chewing, and the risk of head and neck cancer in an East Asian population. *Head Neck*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30552826>

Rodriguez-Rabassa, M, Lopez, P, Rodriguez-Santiago, R E, Cases, A, Felici, M, Sanchez, R et al. Cigarette Smoking Modulation of Saliva Microbial Composition and Cytokine Levels. *Int J Environ Res Public Health*, 2018. 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30405010>

House, R, Majumder, M, Janakiraman, H, Ogretmen, B, Kato, M, Erkul, E et al. Smoking-induced control of miR-133a-3p alters the expression of EGFR and HuR in HPV-infected oropharyngeal

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

cancer. PLoS One, 2018. 13(10), e0205077. Available from:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6173415/pdf/pone.0205077.pdf>

Janz, TA, Momin, SR, Sterba, KR, Kato, MG, Armeson, KE, & Day, TA. Comparison of psychosocial factors over time among HPV+ oropharyngeal cancer and tobacco-related oral cavity cancer patients. Am J Otolaryngol., 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30322742>

Zammit, AP, Sinha, R, Cooper, CL, Perry, CFL, Frazer, IH, & Tuong, ZK. Examining the contribution of smoking and HPV towards the etiology of oral cavity squamous cell carcinoma using high-throughput sequencing: A prospective observational study. PLoS One, 2018. 13(10), e0205406. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6181346/pdf/pone.0205406.pdf>

Kiessling, SY, Broglie, MA, Soltermann, A, Huber, GF, & Stoeckli, SJ. Comparison of PI3K Pathway in HPV-Associated Oropharyngeal Cancer With and Without Tobacco Exposure. Laryngoscope Investig Otolaryngol, 2018. 3(4), 283-289. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30186959>

Kfoury, SA, Eluf Neto, J, Koifman, S, Curado, MP, Menezes, A, Daudt, AW, Wunsch Filho, V. Fraction of head and neck cancer attributable to tobacco and alcohol in cities of three Brazilian regions. Rev Bras Epidemiol. 2018;21:e180005. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30088590>

Liu, C, Talmor, G, Low, GM, Wang, TV, Mann, DS, Sinha, UK, Kokot, NC. How Does Smoking Change the Clinicopathological Characteristics of Human Papillomavirus-Positive Oropharyngeal Squamous Cell Carcinoma? One Medical Center Experience. Clin Med Insights Ear Nose Throat, 2018 Aug 19;11:1179550618792248. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30147388>

Zhu Y, Guo L, Wang S, Yu Q, and Lu J. Association of smoking and xpg, cyp1a1, ogg1, ercc5, ercc1, mmp2, and mmp9 gene polymorphisms with the early detection and occurrence of laryngeal squamous carcinoma. J Cancer, 2018; 9(6):968-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29581776>

Yu C, Tang H, Guo Y, Bian Z, Yang L, et al. Effect of hot tea consumption and its interactions with alcohol and tobacco use on the risk for esophageal cancer: A population-based cohort study. Ann Intern Med, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29404576>

Voltzke KJ, Lee YA, Zhang ZF, Zevallos JP, Yu GP, et al. Racial differences in the relationship between tobacco, alcohol, and the risk of head and neck cancer: Pooled analysis of us studies in the inance consortium. Cancer Causes Control, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29761303>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

Vannimenus C, Bricout H, Le Rouzic O, Mouawad F, Chevalier D, et al. Compared characteristics of current vs. Past smokers at the time of diagnosis of a first-time lung or head and neck cancer: A cross-sectional study. BMC Cancer, 2018; 18(1):372. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29614983>

Ramsey T, Guo E, Svider PF, Lin H, Syeda S, et al. Laryngeal cancer: Global socioeconomic trends in disease burden and smoking habits. Laryngoscope, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29508408>

Rajagopalan P, Patel K, Jain AP, Nanjappa V, Datta KK, et al. Molecular alterations associated with chronic exposure to cigarette smoke and chewing tobacco in normal oral keratinocytes. Cancer Biol Ther, 2018;1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29723088>

Rajagopalan P, Nanjappa V, Patel K, Jain AP, Mangalaparthi KK, et al. Role of protein kinase n2 (pkn2) in cigarette smoke-mediated oncogenic transformation of oral cells. J Cell Commun Signal, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29480433>

Mirghani H, Leroy C, Chekourry Y, Casiraghi O, Auperin A, et al. Smoking impact on hpv driven head and neck cancer's oncological outcomes? Oral Oncol, 2018; 82:131-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29909887>

Mirghani H, Lacroix L, Rossoni C, Sun R, Auperin A, et al. Does smoking alter the mutation profile of human papillomavirus-driven head and neck cancers? Eur J Cancer, 2018; 94:61-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29533868>

Kataki AC, Sharma JD, Krishnatreya M, Baishya N, and Kalita M. Patterns of tobacco use in patients with upper aero digestive tract cancers: A hospital-based study. J Cancer Res Ther, 2018; 14(2):437-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29516934>

Haigentz M, Jr., Suarez C, Strojan P, Rodrigo JP, Rinaldo A, et al. Understanding interactions of smoking on prognosis of hpv-associated oropharyngeal cancers. Adv Ther, 2018; 35(3):255-60. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29511982>

Ghantous Y, Schussel JL, and Brait M. Tobacco and alcohol-induced epigenetic changes in oral carcinoma. Curr Opin Oncol, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29538041>

Carta CFL, Oliveira Alves MG, de Barros PP, Campos MS, Scholz J, et al. Screening methylation of DNA repair genes in the oral mucosa of chronic smokers. Arch Oral Biol, 2018; 92:83-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29775861>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

Bezerra NV, Leite KL, de Medeiros MM, Martins ML, Cardoso AM, et al. Impact of the anatomical location, alcoholism and smoking on the prevalence of advanced oral cancer in Brazil. *Med Oral Patol Oral Cir Bucal*, 2018; 23(3):e295-e301. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29680854>

Beynon RA, Lang S, Schimansky S, Penfold CM, Waylen A, et al. Tobacco smoking and alcohol drinking at diagnosis of head and neck cancer and all-cause mortality: Results from head and neck 5000, a prospective observational cohort of people with head and neck cancer. *Journal international du cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29607493>

Abraham R, Anantharaman D, Gaborieau V, Abedi-Ardekani B, Lajou P, et al. The influence of smoking, age and stage at diagnosis on the survival after larynx, hypopharynx and oral cavity cancers in Europe: The arcage study. *Journal international du cancer*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29405297>

Correction: Hot tea consumption and its interactions with alcohol and tobacco use on the risk for esophageal cancer: A population-based cohort study. *Ann Intern Med*, 2018; 168(9):684. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29710262>

Zhu Y, Zhang W, and Wang P. Smoking and gender modify the effect of twist on patient survival in head and neck squamous carcinoma. *Oncotarget*, 2017; 8(49):85816-27. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29156759>

Yang X, Chen X, Zhuang M, Yuan Z, Nie S, et al. Smoking and alcohol drinking in relation to the risk of esophageal squamous cell carcinoma: A population-based case-control study in China. *Sci Rep*, 2017; 7(1):17249. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29222520>

Wang Q-L, Xie S-H, Li W-T, and Lagergren J. Smoking cessation and risk of esophageal cancer by histological type: Systematic review and meta-analysis *Journal of the National Cancer Institute*, 2017; 109(12). Available from: <https://academic.oup.com/jnci/article-abstract/4064131/Smoking-Cessation-and-Risk-of-Esophageal-Cancer-by>

Wang QL, Xie SH, Li WT, and Lagergren J. Smoking cessation and risk of esophageal cancer by histological type: Systematic review and meta-analysis. *J Natl Cancer Inst*, 2017; 109(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29933436>

Sawabe M, Ito H, Takahara T, Oze I, Kawakita D, et al. Heterogeneous impact of smoking on major salivary gland cancer according to histopathological subtype: A case-control study. *Cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28881386>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Osazuwa-Peters N, Adjei Boakye E, Chen BY, Tobo BB, and Varvares MA. Association between head and neck squamous cell carcinoma survival, smoking at diagnosis, and marital status. JAMA Otolaryngol Head Neck Surg, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29121146>

Nosratzahi T. Salivary chemical factors in relation with oral cancer in smokers and non-smokers: A literature review. J Dent (Shiraz), 2017; 18(4):237-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29201965>

Long M, Fu Z, Li P, and Nie Z. Cigarette smoking and the risk of nasopharyngeal carcinoma: A meta-analysis of epidemiological studies. BMJ Open, 2017; 7(10):e016582. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28982817>

Khowal S, Naqvi SH, Monga S, Jain SK, and Wajid S. Assessment of cellular and serum proteome from tongue squamous cell carcinoma patient lacking addictive proclivities for tobacco, betel nut and alcohol: Case study. J Cell Biochem, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29236289>

Khariwala SS, Ma B, Ruszczak C, Carmella SG, Lindgren BR, et al. High level of tobacco carcinogen-derived DNA damage in oral cells is an independent predictor of oral/head and neck cancer risk in smokers. Cancer Prev Res (Phila), 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28679497>

Khan AA, Advani J, Patel K, Nanjappa V, Solanki HS, et al. Chronic exposure of cigarette smoke and chewing tobacco alters expression of micrnas in esophageal epithelial cells. Microna, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29237392>

Gupta B, Bray F, Kumar N, and Johnson NW. Associations between oral hygiene habits, diet, tobacco and alcohol and risk of oral cancer: A case-control study from india. Cancer Epidemiol, 2017; 51:7-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28968558>

Giraldi L, Leoncini E, Pastorino R, Wunsch-Filho V, de Carvalho M, et al. Alcohol and cigarette consumption as predictors of mortality in patients with head and neck cancer: A pooled analysis within the international head and neck cancer epidemiology (inhance) consortium. Ann Oncol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28945835>

Farsi NJ, Rousseau MC, Schlecht N, Castonguay G, Allison P, et al. Aetiological heterogeneity of head and neck squamous cell carcinomas: The role of human papillomavirus infections, smoking, and alcohol. Carcinogenesis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29029021>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Dong J and Thrift AP. Alcohol, smoking and risk of oesophago-gastric cancer. Best Pract Res Clin Gastroenterol, 2017; 31(5):509-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195670>

Chuang YS, Wu MC, Yu FJ, Wang YK, Lu CY, et al. Effects of alcohol consumption, cigarette smoking, and betel quid chewing on upper digestive diseases: A large cross-sectional study and meta-analysis. Oncotarget, 2017; 8(44):78011-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29100443>

Chapman S, Mick M, Hall P, Mejia C, Sue S, et al. Cigarette smoke extract induces oral squamous cell carcinoma cell invasion in a receptor for advanced glycation end-products-dependent manner. Eur J Oral Sci, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29226456>

Changela K and Reddy M. Smoker's melanosis: Isolated pigmented lesion in the laryngopharynx and esophagus. Turk J Gastroenterol, 2017; 28(6):524-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29086722>

Chang ET, Liu Z, Hildesheim A, Adami HO, and Ye W. Aje-00904-2017.R2-re: Active and passive smoking and risk of nasopharyngeal carcinoma: A population-based case-control study in southern china-letter to the editor (reply). Am J Epidemiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29126104>

Chan PK, Chor JS, Vlantis AC, Chow TL, Fung SC, et al. Smoking, human papillomavirus infection, and p53 mutation as risk factors in oropharyngeal cancer: A case-control study. Hong Kong Med J, 2017; 23 Suppl 5(4):12-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28943519>

Castagnola P, Gandolfo S, Malacarne D, Aiello C, Marino R, et al. DNA aneuploidy relationship with patient age and tobacco smoke in opmds/osccs. PLoS ONE, 2017; 12(9):e0184425. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28877236>

Bruzgielewicz A, Osuch-Wojcikiewicz E, Niemczyk K, Sieniawska-Buccella O, Siwak M, et al. Altered expression of mirnas is related to larynx cancer tm stage and patients' smoking status. DNA Cell Biol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28430523>

Baumeister P, Welz C, Jacobi C, and Reiter M. Is perineural invasion of head and neck squamous cell carcinomas linked to tobacco consumption? Otolaryngol Head Neck Surg, 2017:194599817750354. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29293403>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Re: "Active and passive smoking and risk of nasopharyngeal carcinoma: A population-based case-control study in southern china". Am J Epidemiol, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29126151>

Zuo JJ, Tao ZZ, Chen C, Hu ZW, Xu YX, et al. Characteristics of cigarette smoking without alcohol consumption and laryngeal cancer: Overall and time-risk relation. A meta-analysis of observational studies. Eur Arch Otorhinolaryngol, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27844225>

Zeng Q, Shen LJ, Li S, Chen L, Guo X, et al. The effects of hemoglobin levels and their interactions with cigarette smoking on survival in nasopharyngeal carcinoma patients. Cancer Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26817420>

Xu X, Mao B, Wu L, Liu L, Rui J, et al. A118g polymorphism in mu-opioid receptor gene and interactions with smoking and drinking on risk of oesophageal squamous cell carcinoma. J Clin Lab Anal, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27373278>

Wen J, Pang Y, Zhou T, Qi X, Zhao M, et al. Essential role of na<sup>+</sup>/ca<sup>2+</sup> exchanger 1 in smoking-induced growth and migration of esophageal squamous cell carcinoma. Oncotarget, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27588478>

Udayashankar U, Guduru VS, Ananthaneni A, Ramisetty SD, Kuberappa PH, et al. Evaluation of cytomorphometric changes in tobacco users and diagnosed oral squamous cell carcinoma individuals. J Cytol, 2016; 33(3):125-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27756983>

Tsai CW, Chang WS, Gong CL, Shih LC, Chen LY, et al. Contribution of matrix metalloproteinase-1 genotypes, smoking, alcohol drinking and areca chewing to nasopharyngeal carcinoma susceptibility. Anticancer Res, 2016; 36(7):3335-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27354591>

Tanwar R, Iyengar AR, Nagesh KS, Patil S, and Subhash BV. Gstm1 null polymorphism prevalence in tobacco users, oral leukoplakia and oral squamous cell carcinoma patients in south indian population: A polymerase chain reaction study. Indian J Dent Res, 2016; 27(4):353-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27723629>

Sun P, Zhang F, Chen C, Ren C, Bi XW, et al. Prognostic impact of body mass index stratified by smoking status in patients with esophageal squamous cell carcinoma. Onco Targets Ther, 2016; 9:6389-97. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27799787>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Sun P, Chen C, Zhang F, Yang H, Bi XW, et al. Combined heavy smoking and drinking predicts overall but not disease-free survival after curative resection of locoregional esophageal squamous cell carcinoma. *Onco Targets Ther*, 2016; 9:4257-64. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27471400>

Sterba KR, Garrett-Mayer E, Carpenter MJ, Tooze JA, Hatcher JL, et al. Smoking status and symptom burden in surgical head and neck cancer patients. *Laryngoscope*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27392821>

Sewram V, Sitas F, O'Connell D, and Myers J. Tobacco and alcohol as risk factors for oesophageal cancer in a high incidence area in south africa. *Cancer Epidemiol*, 2016; 41:113-21. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26900781>

Roh HJ, Mun SJ, Cho KS, and Hong SL. Smoking, not human papilloma virus infection, is a risk factor for recurrence of sinonasal inverted papilloma. *Am J Rhinol Allergy*, 2016; 30(2):79-82. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26980388>

Prabhu A, Obi K, Lieberman D, and Rubenstein JH. The race-specific incidence of esophageal squamous cell carcinoma in individuals with exposure to tobacco and alcohol. *Am J Gastroenterol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27575710>

Peterson LA, Bellile EL, Wolf GT, Virani S, Shuman AG, et al. Cigarette use, comorbidities, and prognosis in a prospective head and neck squamous cell carcinoma population. *Head Neck*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27432208>

Okello S, Churchill C, Owori R, Nasasira B, Tumuhimbise C, et al. Population attributable fraction of esophageal squamous cell carcinoma due to smoking and alcohol in uganda. *BMC Cancer*, 2016; 16:446. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27400987>

Miranti EH, Freedman ND, Weinstein SJ, Abnet CC, Selhub J, et al. Prospective study of serum cysteine and cysteinylglycine and cancer of the head and neck, esophagus, and stomach in a cohort of male smokers. *Am J Clin Nutr*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27534643>

Liskamp CP, Janssens GO, Bussink J, Melchers WJ, Kaanders JH, et al. Adverse effect of smoking on prognosis in human papillomavirus-associated oropharyngeal carcinoma. *Head Neck*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27248701>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Kuang JJ, Jiang ZM, Chen YX, Ye WP, Yang Q, et al. Smoking exposure and survival of patients with esophagus cancer: A systematic review and meta-analysis. *Gastroenterol Res Pract*, 2016; 2016:7682387. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27073394>

Koyanagi YN, Matsuo K, Ito H, Wakai K, Nagata C, et al. Cigarette smoking and the risk of head and neck cancer in the Japanese population: A systematic review and meta-analysis. *Jpn J Clin Oncol*, 2016; 46(6):580-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27369767>

Kekatpure VD, Bs N, Wang H, Zhou XK, Kandasamy C, et al. Elevated levels of urinary pge-m are found in tobacco users and indicate a poor prognosis for oral squamous cell carcinoma patients. *Cancer Prev Res (Phila)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27045033>

Kaz AM, Wong CJ, Varadan V, Willis JE, Chak A, et al. Global DNA methylation patterns in Barrett's esophagus, dysplastic Barrett's, and esophageal adenocarcinoma are associated with BMI, gender, and tobacco use. *Clin Epigenetics*, 2016; 8:111. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27795744>

Jorge-Nebert LF, Zhang G, Wilson KM, Jiang Z, Butler R, et al. Head-and-neck squamous cell carcinoma risk in smokers: No association detected between phenotype and AHR, CYP1A1, CYP1A2, or CYP1B1 genotype. *Hum Genomics*, 2016; 10(1):39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27894333>

Hanu C, Timotin E, Wong R, Sur RK, Hayward JE, et al. The influence of smoking on radiation-induced bystander signal production in esophageal cancer patients. *Environ Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26750714>

D'Mello S, Bavle RM, Paremala K, Makarla S, Sudhakara M, et al. The synergy of tobacco and alcohol and glutathione S-transferase theta 1 gene deletion and oral squamous cell carcinoma. *J Oral Maxillofac Pathol*, 2016; 20(3):348-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27721596>

Dixon PR, Au M, Hosni A, Perez-Ordóñez B, Weinreb I, et al. Impact of p16 expression, nodal status, and smoking on oncologic outcomes of patients with head and neck unknown primary squamous cell carcinoma. *Head Neck*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27002481>

Chen D, Gong L, Jiang Q, Wang X, and Zhang B. Interaction between MLL3 genetic polymorphisms, smoking, and alcohol drinking in laryngeal cancer: A case-control study. *Cancer Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26818916>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Chaturvedi AK, D'Souza G, Gillison ML, and Katki HA. Burden of hpv-positive oropharynx cancers among ever and never smokers in the u.S. Population. *Oral Oncol*, 2016; 60:61-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27531874>

Cao W, Liu Z, Gokavarapu S, Chen Y, Yang R, et al. Reformed smokers have survival benefits after head and neck cancer. *Br J Oral Maxillofac Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27364312>

Bijina BR, Ahmed J, Shenoy N, Ongole R, Shenoy S, et al. Detection of human papilloma virus in potentially malignant and malignant lesions of the oral cavity and a study of associated risk factors. *South Asian J Cancer*, 2016; 5(4):179-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28032082>

Azad N, Kumari Maurya M, Kar M, Goel MM, Singh AK, et al. Expression of glut-1 in oral squamous cell carcinoma in tobacco and non-tobacco users. *J Oral Biol Craniofac Res*, 2016; 6(1):24-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26937365>

Anantharaman D, Muller DC, Lagiou P, Ahrens W, Holcatova I, et al. Combined effects of smoking and hpv16 in oropharyngeal cancer. *Int J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27197530>

Ali SR, Arrossi AV, Mehta AC, Frye L, Mazzone P, et al. Endobronchial pleomorphic adenoma. *Oxf Med Case Reports*, 2016; 2016(12):omw090. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28031854>

Ali H, Sinnott SJ, Corcoran P, Deady S, Sharp L, et al. Oral cancer incidence and survival rates in the republic of ireland, 1994-2009. *BMC Cancer*, 2016; 16(1):950. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27993131>

Al-Hebshi NN, Nasher AT, Speicher DJ, Shaikh MH, and Johnson NW. Possible interaction between tobacco use and ebv in oral squamous cell carcinoma. *Oral Oncol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27338286>

Al Shammari AF, IKh ALI, Alaauldeen AI, Merza RF, and Ahmed HG. Effects of tobacco smoking on the dorsum of the tongue and buccal epithelium. *Asian Pac J Cancer Prev*, 2016; 17(10):4713-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27893201>

Al Feghali KA, Ghanem AI, Chang S, Ghanem T, Burmeister C, et al. Smoking predicts for worse pathological features in oral cavity squamous cell carcinoma. *Int J Radiat Oncol Biol Phys*, 2016; 96(2S):E386. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27674550>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

Acharya S, Rai P, Hallikeri K, Anehosur V, and Kale J. Serum lipid profile in oral squamous cell carcinoma: Alterations and association with some clinicopathological parameters and tobacco use. Int J Oral Maxillofac Surg, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26899131>

Zhang Y, Wang R, Miao L, Zhu L, Jiang H, et al. Different levels in alcohol and tobacco consumption in head and neck cancer patients from 1957 to 2013. PLoS ONE, 2015; 10(4):e0124045. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25875934>

Xi S, Inchauste S, Guo H, Shan J, Xiao Z, et al. Cigarette smoke mediates epigenetic repression of mir-217 during esophageal adenocarcinogenesis. Oncogene, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25703328>

Wu XC, Zheng YF, Tang M, Li XF, Zeng R, et al. Association between smoking and p53 mutation in oesophageal squamous cell carcinoma: A meta-analysis. Clin Oncol (R Coll Radiol), 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25736278>

Wiedmann M, Brunborg C, Lindemann K, Johannesen TB, Vatten L, et al. Smoking, obesity and the risk of pituitary adenoma: A large prospective cohort study (the hunt study). Eur J Epidemiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25903163>

Wang N, Tan B, Cao F, Song Q, Wang J, et al. Prognostic influence of smoking on esophageal squamous cell carcinoma. Int J Clin Exp Med, 2015; 8(10):18867-72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26770509>

Wang J, Qiu M, Xu Y, Li M, Dong G, et al. Long noncoding rna ccat2 correlates with smoking in esophageal squamous cell carcinoma. Tumour Biol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25677908>

van Imhoff LC, Kranenburg GG, Macco S, Nijman NL, van Overbeeke EJ, et al. The prognostic value of continued smoking on survival and recurrence rates in head and neck cancer patients: A systematic review. Head Neck, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25900211>

Shoffel-Havakuk H, Halperin D, Yosef L, Haimovich Y, and Lahav Y. The anatomic distribution of malignant and premalignant glottic lesions and its relations to smoking. Otolaryngol Head Neck Surg, 2015; 152(4):678-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25739853>

Nagler RM, Krayzler E, Veenman L, and Gavish M. DNA fragmentation induced by cigarette smoke in oral cancer cells. Cancer Genomics Proteomics, 2015; 12(2):77-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25770191>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Miyata Y, Mitsunari K, Akihiro A, Watanabe SI, Mochizuki Y, et al. Smoking-induced changes in cancer-related factors in patients with upper tract urothelial cancer. *Mol Clin Oncol*, 2015; 3(2):287-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25798255>

Liu B, Shen M, Xiong J, Yuan Y, Wu X, et al. Synergistic effects of betel quid chewing, tobacco use (in the form of cigarette smoking), and alcohol consumption on the risk of malignant transformation of oral submucous fibrosis (osf): A case-control study in hunan province, china. *Oral Surg Oral Med Oral Pathol Oral Radiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26130067>

Lin JH, Jiang CQ, Ho SY, Zhang WS, Mai ZM, et al. Smoking and nasopharyngeal carcinoma mortality: A cohort study of 101,823 adults in guangzhou, china. *BMC Cancer*, 2015; 15(1):906. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26573573>

Lee CP, Chiang SL, Lee CH, Tsai YS, Wang ZH, et al. Aurka phe31ile polymorphism interacted with use of alcohol, betel quid, and cigarettes at multiplicative risk of oral cancer occurrence. *Clin Oral Investig*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25697104>

Krayzler E and Nagler RM. Cigarette smoke-induced effects on the cell cycle in oral cancer cells: Reduction of g2/m fraction. *Cancer Genomics Proteomics*, 2015; 12(2):73-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25770190>

Khot K, Deshmane S, Bagri-Manjarekar K, Warke D, and Kotak K. A cytomorphometric analysis of oral mucosal changes in tobacco users. *J Nat Sci Biol Med*, 2015; 6(Suppl 1):S22-S4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26604613>

Guo Y, Logan HL, Marks JG, and Shenkman EA. The relationships among individual and regional smoking, socioeconomic status, and oral and pharyngeal cancer survival: A mediation analysis. *Cancer Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26250857>

Effat KG and Milad M. A comparative histopathological study of vocal fold polyps in smokers versus non-smokers. *J Laryngol Otol*, 2015:1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25788125>

Damphousse KE, Mowls DS, and Beebe LA. An ecological analysis of tobacco use and oral cavity and pharynx cancers in u.S. Males. *J Okla State Med Assoc*, 2015; 108(11):488-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26817067>

Dal Maso L, Torelli N, Biancotto E, Di Maso M, Gini A, et al. Combined effect of tobacco smoking and alcohol drinking in the risk of head and neck cancers: A re-analysis of case-control studies using bi-

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

dimensional spline models. Eur J Epidemiol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25855002>

Dahlstrom KR, Bell D, Hanby D, Li G, Wang LE, et al. Socioeconomic characteristics of patients with oropharyngeal carcinoma according to tumor hpv status, patient smoking status, and sexual behavior. Oral Oncol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26120093>

Choudhury JH, Singh SA, Kundu S, Choudhury B, Talukdar FR, et al. Tobacco carcinogen-metabolizing genes cyp1a1, gstm1, and gstm1 polymorphisms and their interaction with tobacco exposure influence the risk of head and neck cancer in northeast indian population. Tumour Biol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25724184>

Burris JL, Studts JL, DeRosa AP, and Ostroff JS. Systematic review of tobacco use after lung or head/neck cancer diagnosis: Results and recommendations for future research. Cancer Epidemiol Biomarkers Prev, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26282629>

Berthiller J, Straif K, Agudo A, Ahrens W, Bezerra Dos Santos A, et al. Low frequency of cigarette smoking and the risk of head and neck cancer in the inchanse consortium pooled analysis. Int J Epidemiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26228584>

Anderson KS, Dahlstrom KR, Cheng JN, Alam R, Li G, et al. Hpv16 antibodies as risk factors for oropharyngeal cancer and their association with tumor hpv and smoking status. Oral Oncol, 2015; 51(7):662-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25957822>

(s008) the impact of hpv, hiv, and smoking on oncologic and functional outcomes in patients with head and neck cancer. Oncology (Williston Park), 2015; 29(4 Suppl 1). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25930770>

Van Dyck E, Nazarov PV, Muller A, Nicot N, Bosseler M, et al. Bronchial airway gene expression in smokers with lung or head and neck cancer. Cancer Med, 2014; 3(2):322-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24497500>

Tin SS and Wiwanitkit V. Mitochondrial c-tract and tobacco exposure in oral precancer cases. Natl J Maxillofac Surg, 2014; 5(2):247. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25937749>

Thrift AP, Kramer JR, Richardson PA, and El-Serag HB. No significant effects of smoking or alcohol consumption on risk of barrett's esophagus. Dig Dis Sci, 2014; 59(1):108-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24114046>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Stucken CL, de Almeida JR, Sikora AG, Tong CC, and Genden EM. The impact of human papillomavirus and smoking on survival outcomes after transoral robotic surgery. *Head Neck*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25351893>

Sharp L, McDevitt J, Carsin AE, Brown C, and Comber H. Smoking at diagnosis is an independent prognostic factor for cancer-specific survival in head and neck cancer: Findings from a large, population-based study. *Cancer Epidemiol Biomarkers Prev*, 2014; 23(11):2579-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25128401>

Schierl M, Patel D, Ding W, Kochhar A, Adhami K, et al. Tobacco smoke-induced immunologic changes may contribute to oral carcinogenesis. *J Investig Med*, 2014; 62(2):316-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24322330>

Prabhu A, Obi KO, and Rubenstein JH. The synergistic effects of alcohol and tobacco consumption on the risk of esophageal squamous cell carcinoma: A meta-analysis. *Am J Gastroenterol*, 2014; 109(6):822-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24751582>

Michcik A, Cichorek M, Daca A, Chomik P, Wojcik S, et al. Tobacco smoking alters the number of oral epithelial cells with apoptotic features. *Folia Histochem Cytobiol*, 2014; 52(1):60-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24802962>

Kumar A, Sharma A, Ahlawat B, and Sharma S. Site specific effect of tobacco addiction in upper aerodigestive tract tumors: A retrospective clinicopathological study. *ScientificWorldJournal*, 2014; 2014:460194. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25431788>

Kule ZG, Habesoglu TE, Somay A, Deveci HS, Kule M, et al. Histopathological characteristics of nasal polyps in smokers and non-smokers. *J Craniofac Surg*, 2014; 25(3):946-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24670279>

Hsu WL, Chien YC, Chiang CJ, Yang HI, Lou PJ, et al. Lifetime risk of distinct upper aerodigestive tract cancers and consumption of alcohol, betel and cigarette. *Journal international du cancer*, 2014; 135(6):1480-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24535776>

Fakhry C, Gillison ML, and D'Souza G. Tobacco use and oral hpv-16 infection. *JAMA*, 2014; 312(14):1465-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25291584>

Cantrell SC, Reid HH, Li G, Wei Q, Sturgis EM, et al. Influence of smoking history on imaging characteristics among patients with human papillomavirus-positive oropharyngeal cancer: A blinded matched-pair analysis. *J Comput Assist Tomogr*, 2014; 38(5):667-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24943254>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Bhattacharyya I and Islam N. Tobacco use and mouth cancer. *Today's FDA*, 2014; 26(5):26-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25109104>

Prabhu A, Obi KO, and Rubenstein JH. Systematic review with meta-analysis: Race-specific effects of alcohol and tobacco on the risk of oesophageal squamous cell carcinoma. *Aliment Pharmacol Ther*, 2013; 38(10):1145-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24079938>

Zhang Z, Hao K, Shi R, Zhao G, Jiang G, et al. Glutathione s-transferase m1 (*gstm1*) and glutathione s-transferase t1 (*gstt1*) null polymorphisms, smoking, and their interaction in oral cancer: A huge review and meta-analysis. *American Journal of Epidemiology*, 2011; 173(8):847-57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21436184>

Tramacere I, La Vecchia C, and Negri E. Tobacco smoking and esophageal and gastric cardia adenocarcinoma: A meta-analysis. *Epidemiology*, 2011; [Epub ahead of print]. Available from: [http://journals.lww.com/epidem/Abstract/publishahead/Tobacco\\_Smoking\\_and\\_Esophageal\\_and\\_Gastric\\_Cardia.99596.aspx](http://journals.lww.com/epidem/Abstract/publishahead/Tobacco_Smoking_and_Esophageal_and_Gastric_Cardia.99596.aspx)

Sabitha K, Reddy M, and Jamil K. Smoking related risk involved in individuals carrying genetic variants of cyp1a1 gene in head and neck cancer. *Cancer Epidemiology*, 2010; 34(5):587-92. Available from: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20887941](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20887941)

Macfarlane T, Macfarlane G, Oliver R, Benhamou S, Bouchardy C, et al. The aetiology of upper aerodigestive tract cancers among young adults in europe: The arcage study. *Cancer Causes & Control*, 2010; 21(12):2213-21. Available from: <http://www.springerlink.com/content/b340005471h2g8m7/fulltext.html>

Cook M, Kamangar F, Whiteman D, Freedman N, Gammon M, et al. Cigarette smoking and adenocarcinomas of the esophagus and esophagogastric junction: A pooled analysis from the international beacon consortium. *Journal of the National Cancer Institute*, 2010; 102(17):1344-53. Available from: <http://jnci.oxfordjournals.org/content/102/17/1344.long>

Lubin J, Purdue M, Kelsey K, Zhang Z, Winn D, et al. Total exposure and exposure rate effects for alcohol and smoking and risk of head and neck cancer: A pooled analysis of case-control studies. *American Journal of Epidemiology*, 2009; 170(8):937-47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19745021>

Hashibe M, Brennan P, Chuang SC, Boccia S, Castellsague X, et al. Interaction between tobacco and alcohol use and the risk of head and neck cancer: Pooled analysis in the international head and neck

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

cancer epidemiology consortium. Cancer Epidemiology, Biomarkers & Prevention, 2009; 18(2):541–50. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3051410/pdf/nihms270552.pdf>

Ansary-Moghaddam A, Huxley R, Lam T, and Woodward M. The risk of upper aero digestive tract cancer associated with smoking, with and without concurrent alcohol consumption. Mount Sinai Journal of Medicine, 2009; 76(4):392–403. Available from: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19642154](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19642154)

Pandeya N, Williams G, Sadhegi S, Green A, Webb P, et al. Associations of duration, intensity, and quantity of smoking with adenocarcinoma and squamous cell carcinoma of the esophagus. American Journal of Epidemiology, 2008; 168(1):105–14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18483122>

### *3.5.1.1 Risk associated with smoking*

Kaz AM, Wong CJ, Varadan V, Willis JE, Chak A, et al. Erratum to: Global DNA methylation patterns in barrett's esophagus, dysplastic barrett's, and esophageal adenocarcinoma are associated with bmi, gender, and tobacco use. Clin Epigenetics, 2017; 9:23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28265303>

Gupta B, Kumar N, and Johnson NW. Relationship of lifetime exposure to tobacco, alcohol and second hand tobacco smoke with upper aero-digestive tract cancers in india: A case-control study with a life-course perspective. Asian Pac J Cancer Prev, 2017; 18(2):347-56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28345330>

Chang ET, Liu Z, Hildesheim A, Liu Q, Cai Y, et al. Active and passive smoking and risk of nasopharyngeal carcinoma: A population-based case-control study in southern china. Am J Epidemiol, 2017;1-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28459936>

Bruzgielewicz A, Osuch-Wojcikiewicz E, Niemczyk K, Sieniawska-Buccella O, Siwak M, et al. Altered expression of mirnas is related to larynx cancer tnm stage and patients' smoking status. DNA Cell Biol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28430523>

Bijina BR, Ahmed J, Shenoy N, Ongole R, Shenoy S, et al. Detection of human papilloma virus in potentially malignant and malignant lesions of the oral cavity and a study of associated risk factors. South Asian J Cancer, 2016; 5(4):179-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28032082>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### *3.5.1.2 How tobacco smoke causes UADTC*

Wang SJ, Asthana S, van Zante A, Heaton CM, Phuchareon J, et al. Establishment and characterization of an oral tongue squamous cell carcinoma cell line from a never-smoking patient. *Oral Oncol*, 2017; 69:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28559012>

Martel M, Alemany L, Taberna M, Mena M, Tous S, et al. The role of hpv on the risk of second primary neoplasia in patients with oropharyngeal carcinoma. *Oral Oncol*, 2017; 64:37-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28024722>

Foy JP, Bertolus C, Michallet MC, Deneuve S, Incitti R, et al. The immune microenvironment of hpv-negative oral squamous cell carcinoma from never-smokers and never-drinkers patients suggests higher clinical benefit of ido1 and pd1/pd-l1 blockade. *Ann Oncol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28460011>

Bradley G, Magalhaes MA, and Hycza M. Mutational signatures in oral cancer indicate a complex role for tobacco smoke carcinogens. *Oral Dis*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28295873>

Arbabi-Kalati F, Salimi S, Nabavi S, Rigi S, and Miri-Moghaddam M. Effects of tobacco on salivary antioxidative and immunologic systems. *Asian Pac J Cancer Prev*, 2017; 18(5):1215-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28610404>

Sharma N and Ho KY. Risk factors for barrett's oesophagus. *Gastrointest Tumors*, 2016; 3(2):103-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27904862>

Lv Y, Zhang Y, Li X, Ren X, Wang M, et al. Long telomere length predicts poor clinical outcome in esophageal cancer patients. *Pathol Res Pract*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28027815>

### *3.5.1.3 Factors affecting risk*

Chai, T, Shen, Z, Zhang, P, Lin, Y, Chen, S, Zhang, Z et al. (2019). Comparison of high risk factors (hot food, hot beverage, alcohol, tobacco, and diet) of esophageal cancer: A protocol for a systematic review and meta-analysis. *Medicine (Baltimore)*, 98(17), e15176. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31027062>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

de la Oliva, J, Larque, AB, Marti, C, Bodalo-Torruella, M, Nonell, L, Nadal, A et al. (2019). Oral premalignant lesions of smokers and non-smokers show similar carcinogenic pathways and outcomes. A clinicopathological and molecular comparative analysis. J Oral Pathol Med. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31006144>

Dal Maso L, Torelli N, Biancotto E, Di Maso M, Gini A, et al. Combined effect of tobacco smoking and alcohol drinking in the risk of head and neck cancers: A re-analysis of case-control studies using bi-dimensional spline models. Eur J Epidemiol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25855002>

### *3.5.1.4 Impact of smoking on prognosis*

Smith, J, Nastasi, D, Tso, R, Vangaveti, V, Renison, B, & Chilkuri, M. (2019). The effects of continued smoking in head and neck cancer patients treated with radiotherapy: A systematic review and meta-analysis. Radiother Oncol, 135, 51-57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31015170>

Zou, GR, Su, Z, Li, JY, Xie, FY, & Li, Q. (2019). Prognostic impact of cigarette smoking on the survival of patients with established esophageal squamous cell carcinoma receiving radiotherapy: A retrospective study from southern China. Exp Ther Med, 17(5), 3671-3681. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30988751>

Komerik N, Yuce E, Calapoglu NS, Kosar PA, Cakir M, et al. Oral mucosa and lung cancer: Are genetic changes in the oral epithelium associated with lung cancer? Niger J Clin Pract, 2017; 20(1):12-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27958240>

Loeffelbein D, Ritschl LM, Gull FD, Roth M, Wolff KD, et al. Influence of possible predictor variables on the outcome of primary oral squamous cell carcinoma: A retrospective study of 392 consecutive cases at a single centre. Int J Oral Maxillofac Surg, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28007325>

Goepfert RP, Hutcheson KA, Lewin JS, Desai NG, Zafereo ME, et al. Complications, hospital length of stay, and readmission after total laryngectomy. Cancer, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28026864>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Choi SH, Terrell JE, Bradford CR, Ghanem T, Spector ME, et al. Does quitting smoking make a difference among newly diagnosed head and neck cancer patients? *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613928>

Ouyang PY, Su Z, Mao YP, Liang XX, Liu Q, et al. Prognostic impact of cigarette smoking on the survival of patients with established nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev*, 2013; 22(12):2285-94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24252872>

Chen A, Chen L, Vaughan A, Sreeraman R, Farwell D, et al. Tobacco smoking during radiation therapy for head-and-neck cancer is associated with unfavorable outcome. *International Journal of Radiation Oncology, Biology, Physics*, 2011; 79(2):414-9 Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20399030>

Chen A, Chen L, Vaughan A, Farwell D, Luu Q, et al. Head and neck cancer among lifelong never-smokers and ever-smokers: Matched-pair analysis of outcomes after radiation therapy. *American Journal of Clinical Oncology*, 2010; [Epub ahead of print]. Available from: [http://journals.lww.com/amjclinicaloncology/Abstract/publishahead/Head\\_and\\_Neck\\_Cancer\\_Among\\_Lifelong\\_Never\\_Smokers.99768.aspx](http://journals.lww.com/amjclinicaloncology/Abstract/publishahead/Head_and_Neck_Cancer_Among_Lifelong_Never_Smokers.99768.aspx)

Mayne S, Cartmel B, Kirsh V, and Goodwin W, Jr. Alcohol and tobacco use prediagnosis and postdiagnosis, and survival in a cohort of patients with early stage cancers of the oral cavity, pharynx, and larynx. *Cancer Epidemiology, Biomarkers & Prevention*, 2009; 18(12):3368-74. Available from: <http://cebp.aacrjournals.org/content/18/12/3368.long>

Hilgert E, Bergmann C, Fichtner A, Gires O, and Issing W. Tobacco abuse relates to significantly reduced survival of patients with oropharyngeal carcinomas. *European Journal of Cancer Prevention*, 2009; 18(2):120-6. Available from: <http://journals.lww.com/eurjancerprev/pages/articleviewer.aspx?year=2009&issue=04000&article=00005&type=abstract>

Duffy S, Ronis D, McLean S, Fowler K, Gruber S, et al. Pretreatment health behaviors predict survival among patients with head and neck squamous cell carcinoma *Journal of Clinical Oncology*, 2009; 27(12):1969-75. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2669762/>

Fortin A, Wang C, and Vigneault E. Influence of smoking and alcohol drinking behaviors on treatment outcomes of patients with squamous cell carcinomas of the head and neck. *International Journal of Radiation Oncology, Biology, Physics*, 2008; 74(4):1062-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19036528>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### 3.5.2 Pancreatic cancer

Ben, QW, Liu, J, Sun, YW, Wang, LF, Zou, DW, & Yuan, YZ. (2019). Cigarette Smoking and Mortality in Patients With Pancreatic Cancer: A Systematic Review and Meta-analysis. *Pancreas*, 48(8), 985-995. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31425484>

Koyanagi, YN, Ito, H, Matsuo, K, Sugawara, Y, Hidaka, A, Sawada, N et al (2019). Smoking and pancreatic cancer incidence: a pooled analysis of ten population-based cohort studies in Japan. *Cancer Epidemiol Biomarkers Prev.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31113869>

Arriaga, ME, Vajdic, CM, MacInnis, RJ, Canfell, K, Magliano, DJ, Shaw, JE et al. The burden of pancreatic cancer in Australia attributable to smoking. *The Medical Journal of Australia*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30656698>

Liang, XH, Yan, D, Zhao, JX, Ding, W, Xu, XJ, & Wang, XY. Interaction of polymorphisms in xeroderma pigmentosum group C with cigarette smoking and pancreatic cancer risk. *Oncol Lett*, 2018. 16(5), 5631-5638. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6176251/pdf/ol-16-05-5631.pdf>

Lugo, A, Peveri, G, Bosetti, C, Bagnardi, V, Crippa, A, Orsini, N et al. Strong excess risk of pancreatic cancer for low frequency and duration of cigarette smoking: A comprehensive review and meta-analysis. *Eur J Cancer*, 2018. 104, 117-126. Available from: [https://www.ejancer.com/article/S0959-8049\(18\)31377-7/fulltext](https://www.ejancer.com/article/S0959-8049(18)31377-7/fulltext)

Nimmakayala RK, Seshacharyulu P, Lakshmanan I, Rachagani S, Chugh S, et al. Cigarette smoke induces stem cell features of pancreatic cancer cells via paf1. *Gastroenterology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29864419>

Molina-Montes E, Malats N, and PanGen EUSI. Response to: Variation of the age at onset of pancreatic cancer according to tobacco smoking and family history. *Int J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800296>

Molina-Montes E, Gomez-Rubio P, Marquez M, Rava M, Lohr M, et al. Risk of pancreatic cancer associated with family history of cancer and other medical conditions by accounting for smoking

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

among relatives. Int J Epidemiol, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29329392>

Maisonneuve P and Lowenfels AB. Variation of the age at onset of pancreatic cancer according to tobacco smoking and family history. Int J Epidemiol, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29800142>

Yuan C, Morales-Oyarvide V, Babic A, Clish CB, Kraft P, et al. Cigarette smoking and pancreatic cancer survival. J Clin Oncol, 2017; 35(16):1822-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28358654>

Pang Y, Holmes MV, Guo Y, Yang L, Bian Z, et al. Smoking, alcohol, and diet in relation to risk of pancreatic cancer in china: A prospective study of 0.5 million people. Cancer Med, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29271112>

Korc M, Jeon CY, Edderkaoui M, Pandol SJ, Petrov MS, et al. Tobacco and alcohol as risk factors for pancreatic cancer. Best Pract Res Clin Gastroenterol, 2017; 31(5):529-36. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29195672>

Glauert HP, Elliott RS, Han SG, Athey M, Lee EY, et al. Effect of cigarette smoke exposure and mutant kras overexpression on pancreatic cell proliferation. Oncol Lett, 2017; 13(3):1939-43. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28454347>

Shakeri R, Kamangar F, Mohamadnejad M, Tabrizi R, Zamani F, et al. Opium use, cigarette smoking, and alcohol consumption in relation to pancreatic cancer. Medicine (Baltimore), 2016; 95(28):e3922. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27428185>

Kumar S and Batra SK. Interlukin-22 connects smoking and pancreatic fibrosis during chronic pancreatitis. Gastroenterology, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27983953>

Edderkaoui M, Xu S, Chheda C, Morvaridi S, Hu RW, et al. Hdac3 mediates smoking-induced pancreatic cancer. Oncotarget, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26745602>

Antwi SO, Oberg AL, Shivappa N, Bamlet WR, Chaffee KG, et al. Pancreatic cancer: Associations of inflammatory potential of diet, cigarette smoking, and long-standing diabetes. Carcinogenesis, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26905587>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Lea CS, Holly EA, and Bracci PM. Cigarette smoking and risk of pancreatic cancer: A clinic-based case-control study in the san francisco bay area. *Ann Epidemiol*, 2015; 25(11):816-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26475980>

Haugvik SP, Hedenstrom P, Korsæth E, Valente R, Hayes A, et al. Diabetes, smoking, alcohol and family history of cancer as risk factors for pancreatic neuroendocrine tumors: A systematic review and meta-analysis. *Neuroendocrinology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25613442>

Wang Y, Duan H, Yang X, and Guo J. Cigarette smoking and the risk of pancreatic cancer: A case-control study. *Med Oncol*, 2014; 31(10):184. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25159284>

Schulte A, Pandeya N, Tran B, Fawcett J, Fritschi L, et al. Cigarette smoking and pancreatic cancer risk: More to the story than just pack-years. *Eur J Cancer*, 2014; 50(5):997-1003. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24461200>

Rezaee N, Khalifian S, Cameron JL, Pawlik TM, Hruban RH, et al. Smoking is not associated with severe dysplasia or invasive carcinoma in resected intraductal papillary mucinous neoplasms. *J Gastrointest Surg*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25477314>

Kumar S, Torres MP, Kaur S, Rachagani S, Joshi S, et al. Smoking accelerates pancreatic cancer progression by promoting differentiation of mdscs and inducing hb-egf expression in macrophages. *Oncogene*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24909166>

Adair T, Hoy D, Dettrick Z, and Lopez A. Tobacco consumption and pancreatic cancer mortality: What can we conclude from historical data in australia? *European Journal of Public Health*, 2011; [Epub ahead of print]. Available from: <http://eurpub.oxfordjournals.org/content/early/2011/05/26/eurpub.ckr048.long>

Vrieling A, Bueno-de-Mesquita H, Boshuizen H, Michaud D, Severinsen M, et al. Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the european prospective investigation into cancer and nutrition. *International Journal of Cancer*, 2009; 126(10):2394-403. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19790196>

Lynch S, Vrieling A, Lubin J, Kraft P, Mendelsohn J, et al. Cigarette smoking and pancreatic cancer: A pooled analysis from the pancreatic cancer cohort consortium. *American Journal of Epidemiology*, 2009; 170(4):403-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19561064>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### *3.5.2.1 Risk associated with smoking*

Andersson G, Wennersten C, Borgquist S, and Jirstrom K. Pancreatic cancer risk in relation to sex, lifestyle factors, and pre-diagnostic anthropometry in the malmo diet and cancer study. *Biol Sex Differ*, 2016; 7:66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27980714>

### *3.5.2.2 How tobacco smoke causes pancreatic cancer*

Kumar S and Batra SK. Interlukin-22 connects smoking and pancreatic fibrosis during chronic pancreatitis. *Gastroenterology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27983953>

### *3.5.2.4 Impact of smoking on prognosis*

Pelucchi C, Galeone C, Polesel J, Manzari M, Zucchetto A, et al. Smoking and body mass index and survival in pancreatic cancer patients. *Pancreas*, 2014; 43(1):47-52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24177141>

### *3.5.3 Stomach cancer*

Butt, J, Varga, MG, Wang, T, Tsugane, S, Shimazu, T, Zheng, W et al. (2019). Smoking, Helicobacter pylori serology, and gastric cancer risk in prospective studies from China, Japan, and Korea. *Cancer Prev Res (Phila)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31350279>

Kim, K, Chang, Y, Ahn, J, Yang, HJ, Jung, JY, Kim, S et al. Smoking and urinary cotinine levels are predictors of increased risk for gastric intestinal metaplasia. *Cancer Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30563886>

Minami Y, Kanemura S, Oikawa T, Suzuki S, Hasegawa Y, et al. Associations of cigarette smoking and alcohol drinking with stomach cancer survival: A prospective patient cohort study in japan. *Journal international du cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29603213>

Praud D, Rota M, Pelucchi C, Bertuccio P, Rosso T, et al. Cigarette smoking and gastric cancer in the stomach cancer pooling (stop) project. *Eur J Cancer Prev*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27560662>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Peleteiro B, Castro C, Morais S, Ferro A, and Lunet N. Worldwide burden of gastric cancer attributable to tobacco smoking in 2012 and predictions for 2020. *Dig Dis Sci*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25786860>

La Torre G, Chiaradia G, Gianfagna F, De Lauretis A, Boccia S, et al. Smoking status and gastric cancer risk: An updated meta-analysis of case-control studies published in the past ten years. *Tumori*, 2009; 95(1):13–22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19366050>

Shikata K, Doi Y, Yonemoto K, Arima H, Ninomiya T, et al. Population-based prospective study of the combined influence of cigarette smoking and *helicobacter pylori* infection on gastric cancer incidence: The hisayama study. *American Journal of Epidemiology*, 2008; 168(12):1409–15. Available from: <http://aje.oxfordjournals.org/content/168/12/1409.full.pdf>

### *3.5.3.1 Risk associated with smoking*

Li, WY, Han, Y, Xu, HM, Wang, ZN, Xu, YY, Song, YX et al. (2019). Smoking status and subsequent gastric cancer risk in men compared with women: a meta-analysis of prospective observational studies. *BMC Cancer*, 19(1), 377. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31014273>

### *3.5.3.4 Factors affecting prognosis, stomach cancer*

Kim, SA, Choi, BY, Song, KS, Park, CH, Eun, CS, Han, DS et al. (2019). Prediagnostic Smoking and Alcohol Drinking and Gastric Cancer Survival: A Korean Prospective Cohort Study. *Korean J Gastroenterol*, 73(3), 141-151. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31013557>

Quan, H, Ouyang, L, Zhou, H, Ouyang, Y, & Xiao, H. (2019). The effect of preoperative smoking cessation and smoking dose on postoperative complications following radical gastrectomy for gastric cancer: a retrospective study of 2469 patients. *World J Surg Oncol*, 17(1), 61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30940207>

### *3.5.4 Kidney and bladder cancers*

Liu, X, Peveri, G, Bosetti, C, Bagnardi, V, Specchia, C, Gallus, S, & Lugo, A. (2019). Dose-response relationships between cigarette smoking and kidney cancer: A systematic review and meta-analysis.

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

*Crit Rev Oncol Hematol*, 142, 86-93. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31387065>

Rezaei, F, Tabatabaee, HR, Rahmanian, V, Mirahmadizadeh, A, & Hassanipour, S. (2019). The Correlation Between Bladder Cancer and Obesity, Overweight, Physical Inactivity, and Tobacco Use: An Ecological Study in Asian Countries. *Ann Glob Health*, 85(1). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31298827>

Bellamri, M, Yao, L, Bonala, R, Johnson, F, Von Weymarn, LB, & Turesky, RJ. (2019). Bioactivation of the tobacco carcinogens 4-aminobiphenyl (4-ABP) and 2-amino-9H-pyrido[2,3-b]indole (AαC) in human bladder RT4 cells. *Arch Toxicol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31203411>

Jordahl, KM, Phipps, AI, Randolph, TW, Tindle, HA, Liu, S, Tinker, LF et al (2019). Differential DNA methylation in blood as a mediator of the association between cigarette smoking and bladder cancer risk among postmenopausal women. *Epigenetics*, 1-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31232174>

Ben Fradj, MK, Mrad Dali, K, Kallel, A, Bibi, M, Ben Rhouma, S, Sanhaji, H et al (2019). Interaction Effects of Plasma Vitamins A, E, D, B9, and B12 and Tobacco Exposure in Urothelial Bladder Cancer: A Multifactor Dimensionality Reduction Analysis. *Nutr Cancer*, 1-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31058547>

Kispert, S, Marentette, J, & McHowat, J. Cigarette smoking promotes bladder cancer via increased platelet-activating factor. *Physiol Rep*, 2019. 7(3), e13981. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30756528>

Amara, CS, Ambati, CR, Vantaku, V, Piyaathna, DWB, Donepudi, SR, Ravi, SS et al. Serum metabolic profiling identified a distinct metabolic signature in Bladder Cancer Smokers: A key metabolic enzymes associated with patient survival. *Cancer Epidemiol Biomarkers Prev*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30642841>

Boeri, L, Soligo, M, Frank, I, Boorjian, SA, Thompson, RH, Tollefson, M et al. Cigarette smoking is associated with adverse pathological response and increased disease recurrence amongst patients with muscle-invasive bladder cancer treated with cisplatin-based neoadjuvant chemotherapy and radical cystectomy: a single-centre experience. *BJU Int*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30623554>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

van Osch, FHM, Vlaanderen, J, Jochems, SHJ, Bosetti, C, Polesel, J, Porru, S et al. Modeling the complex exposure history of smoking in predicting bladder cancer: a pooled analysis of 15 case-control studies. *Epidemiology*, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30601243>

Fantini, D, Seiler, R, & Meeks, JJ. Molecular footprints of muscle-invasive bladder cancer in smoking and nonsmoking patients. *Urol Oncol*, 2018. Available from:  
[https://www.urologiconcology.org/article/S1078-1439\(18\)30381-8/fulltext](https://www.urologiconcology.org/article/S1078-1439(18)30381-8/fulltext)

Hadkhale, K, Martinsen, JI, Weiderpass, E, Kjaerheim, K, Sparen, P, Tryggvadottir, L et al. Occupational variation in bladder cancer in Nordic males adjusted with approximated smoking prevalence. *Acta Oncol*, 2018. 1-9. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30320536>

Zhang, L, Wang, Y, Qin, Z, Li, R, Cong, R, Ji, C et al. TP53 codon 72 Polymorphism and bladder cancer risk: a meta-analysis and emphasis on the role of tumor or smoking status. *J Cancer*, 2018. 9(19), 3522-3531. Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6171014/pdf/jcav09p3522.pdf>

Gilfrich, C, Maurer, O, Spachmann, PJ, Dombrowski, MK, Burger, M, May, M. Wake-up call for more doctor-patient communication and an increase in public information campaigns on the risk factor of smoking with regard to the development and prognosis of bladder cancer. *World J Urol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30099579>

Teleka S, Haggstrom C, Nagel G, Bjorge T, Manjer J, et al. Risk of bladder cancer by disease severity in relation to metabolic factors and smoking; a prospective pooled cohort study of 800,000 men and women. *Journal international du cancer*, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29756343>

Qian W, Kong X, Zhang T, Wang D, Song J, et al. Cigarette smoke stimulates the stemness of renal cancer stem cells via sonic hedgehog pathway. *Oncogenesis*, 2018; 7(3):24. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29540668>

Barbosa ALA, Vermeulen S, Aben KK, Grotenhuis AJ, Vrieling A, et al. Smoking intensity and bladder cancer aggressiveness at diagnosis. *PLoS ONE*, 2018; 13(3):e0194039. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29570711>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Yu D, Geng H, Liu Z, Zhao L, Liang Z, et al. Cigarette smoke induced urocytic epithelial mesenchymal transition via mapk pathways. *Oncotarget*, 2017; 8(5):8791-800. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28060741>

Wang XC, Wang J, Tao HH, Zhang C, and Xu LF. Combined effects of nqo1 pro187ser or sult1a1 arg213his polymorphism and smoking on bladder cancer risk: Two meta-analyses. *Int J Occup Med Environ Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28589969>

van Osch FHM, Pauwels C, Jochems SHJ, Fayokun R, James ND, et al. Tar, nicotine and carbon monoxide yield of uk cigarettes and the risk of non-muscle-invasive and muscle-invasive bladder cancer. *Eur J Cancer Prev*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28683008>

Sun X, Hoadley KA, Kim WY, Furberg H, Olshan AF, et al. Age at diagnosis, obesity, smoking, and molecular subtypes in muscle-invasive bladder cancer. *Cancer Causes Control*, 2017; 28(6):539-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28321693>

Soria F, Marra G, Capoun O, Soukup V, and Gontero P. Prevention of bladder cancer incidence and recurrence: Tobacco use. *Curr Opin Urol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28984720>

Park SM, Li T, Wu S, Li WQ, Qureshi AA, et al. Risk of second primary cancer associated with pre-diagnostic smoking, alcohol, and obesity in women with keratinocyte carcinoma. *Cancer Epidemiol*, 2017; 47:106-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28242577>

Kispert SE, Marentette J, Campian EC, Isbell TS, Kuenzel H, et al. Cigarette smoke-induced urothelial cell damage: Potential role of platelet-activating factor. *Physiol Rep*, 2017; 5(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28270596>

Kawada T. Bladder cancer and smoking with special reference to education. *Eur J Cancer*, 2017; 75:1-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28214422>

Hara T, Fujimoto H, Kondo T, Shinohara N, Obara W, et al. Active heavy cigarette smoking is associated with poor survival in japanese patients with advanced renal cell carcinoma: Sub-analysis of the multi-institutional national database of the japanese urological association. *Jpn J Clin Oncol*, 2017:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29121328>

Awan KH, Siddiqi K, Patil S, and Hussain QA. Assessing the effect of waterpipe smoking on cancer outcome - a systematic review of current evidence. *Asian Pac J Cancer Prev*, 2017; 18(2):495-502. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28345836>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Wilcox AN, Silverman DT, Friesen MC, Locke SJ, Russ DE, et al. Smoking status, usual adult occupation, and risk of recurrent urothelial bladder carcinoma: Data from the cancer genome atlas (tcga) project. Cancer Causes Control, 2016; 27(12):1429-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27804056>

van Osch FH, Jochems SH, van Schooten FJ, Bryan RT, and Zeegers MP. Quantified relations between exposure to tobacco smoking and bladder cancer risk: A meta-analysis of 89 observational studies. Int J Epidemiol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27097748>

Thong AE, Petruzella S, Orlow I, Zabor EC, Ehdaie B, et al. Accuracy of self-reported smoking exposure among bladder cancer patients undergoing surveillance at a tertiary referral center. Eur Urol Focus, 2016; 2(4):441-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28723477>

Sosnowski R, Bjurlin MA, Verze P, De Nunzio C, Shariat SF, et al. Role of cigarette smoking in urological malignancies and clinical interventions for smoking cessation. Cent European J Urol, 2016; 69(4):366-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28127452>

Shiota M, Yokomizo A, Takeuchi A, Inokuchi J, Tatsugami K, et al. Smoking effect on secondary bladder cancer after external beam radiotherapy for prostate cancer. Jpn J Clin Oncol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27432454>

Purdue MP and Silverman DT. Clearing the air: Summarizing the smoking-related relative risks of bladder and kidney cancer. Eur Urol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27130147>

Masaoka H, Matsuo K, Ito H, Wakai K, Nagata C, et al. Cigarette smoking and bladder cancer risk: An evaluation based on a systematic review of epidemiologic evidence in the japanese population. Jpn J Clin Oncol, 2016; 46(3):273-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26941372>

Liu S, Chaudhry MR, Berrebi AA, Papadimitriou JC, Drachenberg CB, et al. Polyomavirus replication and smoking are independent risk factors for bladder cancer after renal transplantation. Transplantation, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27232933>

Li HM, Azhati B, Raxiati M, Wang WG, Li XD, et al. Impact of smoking status and cumulative smoking exposure on tumor recurrence of non-muscle-invasive bladder cancer. Int Urol Nephrol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27766490>

Kumondai M, Hosono H, Orikasa K, Arai Y, Arai T, et al. Cyp2a13 genetic polymorphisms in relation to the risk of bladder cancer in japanese smokers. Biol Pharm Bull, 2016; 39(10):1683-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27725446>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Kumondai M, Hosono H, Orikasa K, Arai Y, Arai T, et al. Genetic polymorphisms of cyp2a6 in a case-control study on bladder cancer in japanese smokers. Biol Pharm Bull, 2016; 39(1):84-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26725431>

Joshi M, Millis SZ, Arguello D, Holder SL, Lamm D, et al. Molecular characterization of bladder cancer in smokers versus nonsmokers. Eur Urol Focus, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28753770>

Hoque MO. Differences in the molecular characteristics of bladder cancer between smokers and nonsmokers. Eur Urol Focus, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28753779>

Guan X, Qi L, and Liu L. Re: Roman sosnowski, paolo verze, cosimo de nunzio, and marc a. Bjurlin's letter to the editor re: Marcus g. Cumberbatch, matteo rota, james w.F. Catto, carlo la vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. Eur urol. In press.  
[Http://dx.Doi.Org/10.1016/j.Eururo.2015.06.042](http://dx.Doi.Org/10.1016/j.Eururo.2015.06.042): Smoking cessation and urology: A new domain for prevention and treatment. Eur urol. In press. [Http://dx.Doi.Org/10.1016/j.Eururo.2015.09.035](http://dx.Doi.Org/10.1016/j.Eururo.2015.09.035). Eur Urol, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27856015>

Fajkovic H, Shariat SF, Klatte T, Vartolomei MD, Lucca I, et al. Impact of smoking status on survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. World J Urol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26879416>

Dy GW, Gore JL, Forouzanfar MH, Naghavi M, and Fitzmaurice C. Global burden of urologic cancers, 1990-2013. Eur Urol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28029399>

Deng QF, Sun X, Liang ZF, Zhang ZQ, Yu DX, et al. Cigarette smoke extract induces the proliferation of normal human urothelial cells through the nf-kappab pathway. Oncol Rep, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26883573>

van Osch FH, Jochems SH, van Schooten FJ, Bryan RT, and Zeegers MP. Significant role for lifetime cigarette smoking in worsening bladder cancer and upper tract urothelial carcinoma prognosis: A meta-analysis. J Urol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26523878>

Sosnowski R, Verze P, Nunzio C, and Bjurlin MA. Re: Marcus g. Cumberbatch, matteo rota, james w.F. Catto, carlo la vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. Eur urol. In press.  
[Http://dx.Doi.Org/10.1016/j.Eururo.2015.06.042](http://dx.Doi.Org/10.1016/j.Eururo.2015.06.042): Smoking cessation and urology: A new domain for

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

prevention and treatment. Eur Urol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26456679>

Schwender H, Selinski S, Blaszkewicz M, Marchan R, Ickstadt K, et al. Correction: Distinct snp combinations confer susceptibility to urinary bladder cancer in smokers and non-smokers. PLoS ONE, 2015; 10(9):e0137937. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26335700>

Pietzak EJ, Mucksavage P, Guzzo TJ, and Malkowicz SB. Heavy cigarette smoking and aggressive bladder cancer at initial presentation. Urology, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26190088>

Patel NH, Attwood KM, Hanzly M, Creighton TT, Mehedint DC, et al. Comparative analysis of smoking as a risk factor among renal cell carcinoma histologic subtypes. J Urol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25896558>

Liu W, Zhao X, and Zhong Z. Re: Marcus g. Cumberbatch, matteo rota, james w.F. Catto, carlo la vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. Eur urol. In press.

[Http://dx.Doi.Org/10.1016/j.Eururo.2015.06.042](http://dx.doi.org/10.1016/j.eururo.2015.06.042). Eur Urol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26343004>

Lacombe L, Fradet V, Levesque E, Pouliot F, Larue H, et al. Phase ii drug metabolizing polymorphisms and smoking status predict recurrence of non-muscle invasive bladder cancer: A gene-smoking interaction. Cancer Prev Res (Phila), 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26645279>

Goossens ME, Brinkman M, Zeegers MP, and Buntinx F. Re: "Is the inverse association between selenium and bladder cancer due to confounding by smoking?". Am J Epidemiol, 2015; 182(10):894.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26520359>

Ghadimi T, Gheitasi B, Nili S, Karimi M, and Ghaderi E. Occupation, smoking, opium, and bladder cancer: A case-control study. South Asian J Cancer, 2015; 4(3):111-4. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26942139>

Cumberbatch MG, Rota M, Catto JW, and La Vecchia C. Reply to wentao liu, xiaokun zhao, zhaohui zhong's letter to the editor re: Marcus g. Cumberbatch, matteo rota, james w.F. Catto, carlo la vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. Eur urol. In press.

[Http://dx.Doi.Org/10.1016/j.Eururo.2015.06.042](http://dx.doi.org/10.1016/j.eururo.2015.06.042). Eur Urol, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26362091>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Cumberbatch MG, Rota M, Catto JW, and La Vecchia C. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. *Eur Urol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26149669>

Beane Freeman LE, Karagas MR, Baris D, Schwenn M, Johnson AT, et al. Is the inverse association between selenium and bladder cancer due to confounding by smoking? *Am J Epidemiol*, 2015; 181(7):488-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25776013>

Aliramaji A, Kaseean A, Yousefnia Pasha YR, Shafi H, Kamali S, et al. Age distribution types of bladder cancers and their relationship with opium consumption and smoking. *Caspian J Intern Med*, 2015; 6(2):82-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26221505>

Re: "Is the inverse association between selenium and bladder cancer due to confounding by smoking?". *Am J Epidemiol*, 2015; 182(3):280. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26220484>

Wyszynski A, Tanyos SA, Rees JR, Marsit CJ, Kelsey KT, et al. Body mass and smoking are modifiable risk factors for recurrent bladder cancer. *Cancer*, 2014; 120(3):408-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24122218>

Wang LC, Xylinas E, Kent MT, Kluth LA, Rink M, et al. Combining smoking information and molecular markers improves prognostication in patients with urothelial carcinoma of the bladder. *Urol Oncol*, 2014; 32(4):433-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24433754>

Polesel J, Bosetti C, di Maso M, Montella M, Libra M, et al. Duration and intensity of tobacco smoking and the risk of papillary and non-papillary transitional cell carcinoma of the bladder. *Cancer Causes Control*, 2014; 25(9):1151-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24964779>

Pietzak EJ and Malkowicz SB. Does quantification of smoking history correlate with initial bladder tumor grade and stage? *Curr Urol Rep*, 2014; 15(7):416. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24832198>

Eckel-Passow JE, Serie DJ, Bot BM, Joseph RW, Cheville JC, et al. Anks1b is a smoking-related molecular alteration in clear cell renal cell carcinoma. *BMC Urol*, 2014; 14:14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24479813>

Crivelli JJ, Xylinas E, and Shariat SF. Re: Impact of smoking status on bladder tumor recurrence after radical nephroureterectomy for upper tract urothelial carcinoma: M. Hagiwara, e. Kikuchi, n. Tanaka,

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

k. Matsumoto, h. Ide, a. Miyajima, t. Masuda, s. Nakamura and m. Oya j urol 2013; 189: 2062-2068. J Urol, 2014; 191(2):557-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24239421>

Bassett JC, Gore JL, Kwan L, Ritch CR, Barocas DA, et al. Knowledge of the harms of tobacco use among patients with bladder cancer. Cancer, 2014; 120(24):3914-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25385059>

Wood DP. Re: Combination of molecular alterations and smoking intensity predicts bladder cancer outcome: A report from the los angeles cancer surveillance program. J Urol, 2013; 190(5):1714. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24120776>

Baris D, Karagas M, Verrill C, Johnson A, Andrew A, et al. A case-control study of smoking and bladder cancer risk: Emergent patterns over time. Journal of the National Cancer Institute, 2009; 101(22):1553–61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19917915>

Alberg A and Hebert J. Cigarette smoking and bladder cancer: A new twist in an old saga? Journal of the National Cancer Institute, 2009; 101(22):1525–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19917914>

Theis R, Dolwick Grieb S, Burr D, Siddiqui T, and Asal N. Smoking, environmental tobacco smoke and risk of renal cell cancer: A population-based case-control study. BMC Cancer, 2008; 8(1):387. Available from: <http://www.biomedcentral.com/content/pdf/1471-2407-8-387.pdf>

Aveyard P, Adab P, Cheng K, Wallace D, Hey K, et al. Does smoking status influence the prognosis of bladder cancer? A systematic review. BJU international, 2002; 90(3):228-39. Available from: <http://www.phc.ox.ac.uk/publications/311349>

### *3.5.4.1 Risk associated with smoking*

Chang SS. Re: Phase ii drug-metabolizing polymorphisms and smoking predict recurrence of non-muscle-invasive bladder cancer: A gene-smoking interaction. J Urol, 2017; 198(1):40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28618712>

Liss MA, White M, Natarajan L, and Parsons JK. Exercise decreases and smoking increases bladder cancer mortality. Clin Genitourin Cancer, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28007367>

### *3.5.4.3 Factors affecting risk*

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Hashemian, M, Sinha, R, Murphy, G, Weinstein, SJ, Liao, LM, Freedman, ND et al. (2019). Coffee and tea drinking and risk of cancer of the urinary tract in male smokers. *Ann Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31023511>

Kawada T. Bladder cancer and smoking with special reference to education. *Eur J Cancer*, 2017; 75:1-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28214422>

### *3.5.4.4 Impact of smoking on prognosis*

Yu D, Geng H, Liu Z, Zhao L, Liang Z, et al. Cigarette smoke induced urocytic epithelial mesenchymal transition via mapk pathways. *Oncotarget*, 2017; 8(5):8791-800. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28060741>

Hou L, Hong X, Dai M, Chen P, Zhao H, et al. Association of smoking status with prognosis in bladder cancer: A meta-analysis. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902481>

Aveyard P, Adab P, Cheng K, Wallace D, Hey K, et al. Does smoking status influence the prognosis of bladder cancer? A systematic review. *BJU international*, 2002; 90(3):228-39. Available from: <http://www.phc.ox.ac.uk/publications/311349>

### *3.5.5 Cervical cancer*

Kacel, EL, Kirsch, JL, Sannes, TS, Patidar, S, Postupack, R, Jensen, S et al. (2019). Interleukin-6 and body mass index, tobacco use, and sleep in gynecologic cancers. *Health Psychol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31368718>

Munoz, JP, Carrillo-Beltran, D, Aedo-Aguilera, V, Calaf, GM, Leon, O, Maldonado, E et al. Tobacco Exposure Enhances Human Papillomavirus 16 Oncogene Expression via EGFR/PI3K/Akt/c-Jun Signaling Pathway in Cervical Cancer Cells. *Front Microbiol*, 2018. 9, 3022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30619121>

Sugawara, Y, Tsuji, I, Mizoue, T, Inoue, M, Sawada, N, Matsuo, K et al. Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. *Jpn J Clin Oncol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30407555>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Zidi S, Sahli M, Mezlini A, and Yacoubli-Loueslati B. Association of combined tobacco smoking, hormonal contraceptive use and status matrimonial with cervical cancer evolution in tunisian women. *Pathol Oncol Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29872962>

Tarney CM, Beltran TA, Klaric J, and Han JJ. Tobacco use and prevalence of human papillomavirus in self-collected cervicovaginal swabs between 2009 and 2014. *Obstet Gynecol*, 2018; 132(1):45-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29889765>

Fang JH, Yu XM, Zhang SH, and Yang Y. Effect of smoking on high-grade cervical cancer in women on the basis of human papillomavirus infection studies. *J Cancer Res Ther*, 2018; 14(Supplement):S184-S9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29578171>

Chatzistamatiou K, Moysiadis T, Vryzas D, Chatzaki E, Kaufmann AM, et al. Cigarette smoking promotes infection of cervical cells by high-risk human papillomaviruses, but not subsequent e7 oncoprotein expression. *Int J Mol Sci*, 2018; 19(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29385075>

Satinder K, Sobti RC, and Pushpinder K. Impact of single nucleotide polymorphism in chemical metabolizing genes and exposure to wood smoke on risk of cervical cancer in north-indian women. *Exp Oncol*, 2017; 39(1):69-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28361858>

Feng RM, Hu SY, Zhao FH, Zhang R, Zhang X, et al. Role of active and passive smoking in high-risk human papillomavirus infection and cervical intraepithelial neoplasia grade 2 or worse. *J Gynecol Oncol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28657217>

Eldridge RC, Pawlita M, Wilson L, Castle PE, Waterboer T, et al. Smoking and subsequent human papillomavirus infection: A mediation analysis. *Ann Epidemiol*, 2017; 27(11):724-30 e1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29107447>

Neamtiiu IA, Bloom MS, Dumitrascu I, Roba CA, Pop C, et al. Impact of exposure to tobacco smoke, arsenic, and phthalates on locally advanced cervical cancer treatment-preliminary results. *PeerJ*, 2016; 4:e2448. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27652000>

Mayadev J, Lim J, Durbin-Johnson B, Valicenti R, and Alvarez E. Smoking decreases survival in locally advanced cervical cancer treated with radiation. *Am J Clin Oncol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26808259>

Pena N, Carrillo D, Munoz JP, Chnaiderman J, Urzua U, et al. Tobacco smoke activates human papillomavirus 16 p97 promoter and cooperates with high-risk e6/e7 for oxidative DNA damage in

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

lung cells. PLoS ONE, 2015; 10(4):e0123029. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25830243>

Mzarico E, Gomez-Roig MD, Guirado L, Lorente N, and Gonzalez-Bosquet E. Relationship between smoking, hpv infection, and risk of cervical cancer. Eur J Gynaecol Oncol, 2015; 36(6):677-80.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26775350>

Jiang J, Pang H, Liu B, Nasca PC, Zhang B, et al. Effects of active, passive, and combined smoking on cervical cancer mortality: A nationwide proportional mortality study in chinese urban women.

Cancer Causes Control, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25898822>

Soares GR, Demathe A, Mattar NJ, Biasoli ER, and Miyahara GI. Absence of hpv infection is associated with smoker patients with squamous cell carcinoma of the oropharynx. Journal of

oncology, 2014; 2014:371570. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25349609>

Roura E, Castellsague X, Pawlita M, Travier N, Waterboer T, et al. Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the epic cohort. Journal international du cancer, 2014;

135(2):453-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24338632>

Pei H, Yu Q, Xue Q, Wei F, and Tao L. Previous history and cigarette smoking as interfering factors for the effect of vaccine on human papillomavirus infection. J Infect Dis, 2014; 209(8):1304. Available

from: <http://www.ncbi.nlm.nih.gov/pubmed/24368835>

Mileshkin L, Paramanathan A, Kondalsamy-Chennakesavan S, Bernshaw D, Khaw P, et al. Smokers with cervix cancer have more uterine corpus invasive disease and an increased risk of recurrence after treatment with chemoradiation. Int J Gynecol Cancer, 2014; 24(7):1286-91. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24987916>

Kaderli R, Schnuriger B, and Brugger LE. The impact of smoking on hpv infection and the

development of anogenital warts. Int J Colorectal Dis, 2014; 29(8):899-908. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24935346>

Dmoch-Gajzlerska E, Kozakiewicz B, and Chadzynska M. Women's knowledge regarding the effects of cigarette smoking and human papillomavirus infection on the development of cervical cancer. Clin

Oncol (R Coll Radiol), 2014; 26(6):358. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24657076>

Chakrobarty B, Roy JG, Majumdar S, and Uppala D. Relationship among tobacco habits, human papilloma virus (hpv) infection, p53 polymorphism/mutation and the risk of oral squamous cell

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

carcinoma. J Oral Maxillofac Pathol, 2014; 18(2):211-6. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25328301>

Gadducci A, Barsotti C, Cosio S, Domenici L, and Riccardo Genazzani A. Smoking habit, immune suppression, oral contraceptive use, and hormone replacement therapy use and cervical carcinogenesis: A review of the literature. Gynecological Endocrinology, 2011; [Epub ahead of print]. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21438669>

Kapeu A, Luostarinen T, Jellum E, Dillner J, Hakama M, et al. Is smoking an independent risk factor for invasive cervical cancer? A nested case-control study within nordic biobanks. American Journal of Epidemiology, 2009; 169(4):480–8. Available from:  
<http://aje.oxfordjournals.org/cgi/content/full/169/4/480>

Collins S, Rollason T, Young L, and Woodman C. Cigarette smoking is an independent risk factor for cervical intraepithelial neoplasia in young women: A longitudinal study. European Journal of Cancer, 2009; 46(2):405–11. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2808403/>

Lindau S, Drum M, Gaumer E, Surawska H, and Jordan J. Prevalence of high-risk human papillomavirus among older women. Obstetrics and Gynecology, 2008; 112(5):979–89. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2698799/pdf/nihms108535.pdf>

Coker A, Desimone C, Eggleston K, Hopenhayn C, Nee J, et al. Smoking and survival among kentucky women diagnosed with invasive cervical cancer: 1995–2005 Gynecologic Oncology, 2008; 112(2):365-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19036421>

### *3.5.5.4 Impact of smoking on prognosis*

Coker A, Desimone C, Eggleston K, Hopenhayn C, Nee J, et al. Smoking and survival among kentucky women diagnosed with invasive cervical cancer: 1995–2005 Gynecologic Oncology, 2008; 112(2):365–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19036421>

### *3.5.6 Acute myeloid leukaemia*

Rostami, G, Assad, D, Ghadyani, F, Hamid, M, Karami, A, Jalaeikhoo, H, & Kalahroodi, RA. (2019). Influence of glutathione S-transferases (GSTM1, GSTT1, and GSTP1) genetic polymorphisms and

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

smoking on susceptibility risk of chronic myeloid leukemia and treatment response. *Mol Genet Genomic Med*, e717. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31111691>

Ugai T, Matsuo K, Sawada N, Iwasaki M, Yamaji T, et al. Smoking and subsequent risk of leukemia in japan: The japan public health center-based prospective study. *J Epidemiol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28400079>

Ugai T, Matsuo K, Sawada N, Iwasaki M, Yamaji T, et al. Smoking and alcohol and subsequent risk of myelodysplastic syndromes in japan: The japan public health centre-based prospective study. *Br J Haematol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28714213>

Ugai T, Matsuo K, Oze I, Ito H, Wakai K, et al. Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in japan. *Hematol Oncol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28681440>

Fiebelkorn S and Meredith C. Estimation of the leukemia risk in human populations exposed to benzene from tobacco smoke using epidemiological data. *Risk Anal*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29266361>

Qin L, Deng HY, Chen SJ, and Wei W. Relationship between cigarette smoking and risk of chronic myeloid leukaemia: A meta-analysis of epidemiological studies. *Hematology*, 2016:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27806681>

Colamesta V, D'Aguanno S, Breccia M, Bruffa S, Cartoni C, et al. Do the smoking intensity and duration, the years since quitting, the methodological quality and the year of publication of the studies affect the results of the meta-analysis on cigarette smoking and acute myeloid leukemia (aml) in adults? *Crit Rev Oncol Hematol*, 2016; 99:376-88. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26830008>

Wang P, Liu H, Jiang T, and Yang J. Cigarette smoking and the risk of adult myeloid disease: A meta-analysis. *PLoS ONE*, 2015; 10(9):e0137300. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26340093>

Fircanis S, Merriam P, Khan N, and Castillo JJ. The relation between cigarette smoking and risk of acute myeloid leukemia: An updated meta-analysis of epidemiological studies. *Am J Hematol*, 2014; 89(8):E125-32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24753145>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### *3.5.6.4 Impact of smoking on prognosis*

Lauseker M, Hasford J, Saussele S, Kremers S, Kraemer D, et al. Smokers with chronic myeloid leukemia are at a higher risk of disease progression and premature death. *Cancer*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28192602>

### *3.5.7 Liver cancer*

Xie, C, Zhu, J, Wang, X, Chen, J, Geng, S, Wu, J et al. Tobacco smoke induced hepatic cancer stem cell-like properties through IL-33/p38 pathway. *J Exp Clin Cancer Res*, 2019. 38(1), 39. Available from: : <https://www.ncbi.nlm.nih.gov/pubmed/30691509>

Kroeger, N, Li, H, De Velasco, G, Donskov, F, Sim, HW, Stuhler, V et al. Active Smoking Is Associated With Worse Prognosis in Metastatic Renal Cell Carcinoma Patients Treated With Targeted Therapies. *Clin Genitourin Cancer*, 2018. Available from: [https://www.clinical-genitourinary-cancer.com/article/S1558-7673\(18\)30506-8/fulltext](https://www.clinical-genitourinary-cancer.com/article/S1558-7673(18)30506-8/fulltext)

Petrack JL, Campbell PT, Koshiol J, Thistle JE, Andreotti G, et al. Tobacco, alcohol use and risk of hepatocellular carcinoma and intrahepatic cholangiocarcinoma: The liver cancer pooling project. *Br J Cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29520041>

Lai GY, Wang JB, Weinstein SJ, Parisi D, Horst RL, et al. Association of 25-hydroxyvitamin d with liver cancer incidence and chronic liver disease mortality in finnish male smokers of the atbc study. *Cancer Epidemiol Biomarkers Prev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29720370>

Liu X, Baecker A, Wu M, Zhou JY, Yang J, et al. Interaction between tobacco smoking and hepatitis b virus infection on the risk of liver cancer in a chinese population. *Journal international du cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29193051>

Haugvik SP, Basim Ibrahim I, Hedenstrom P, Valente R, Hayes AJ, et al. Smoking, alcohol and family history of cancer as risk factors for small intestinal neuroendocrine tumors: A systematic review and meta-analysis. *Scand J Gastroenterol*, 2017; 52(8):797-802. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28394712>

Abdel-Rahman O, Helbling D, Schob O, Eltobgy M, Mohamed H, et al. Cigarette smoking as a risk factor for the development of and mortality from hepatocellular carcinoma: An updated systematic review of 81 epidemiological studies. *J Evid Based Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28891275>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

Chiang CH, Lu CW, Han HC, Hung SH, Lee YH, et al. The relationship of diabetes and smoking status to hepatocellular carcinoma mortality. *Medicine (Baltimore)*, 2016; 95(6):e2699. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26871803>

Raffetti E, Portolani N, Molino S, Baiocchi GL, Limina RM, et al. Role of aetiology, diabetes, tobacco smoking and hypertension in hepatocellular carcinoma survival. *Dig Liver Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26276376>

Pang Q, Qu K, Zhang J, Xu X, Liu S, et al. Cigarette smoking increases the risk of mortality from liver cancer: A clinical-based cohort and meta-analysis. *J Gastroenterol Hepatol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25967392>

Lv Y, Liu C, Wei T, Zhang JF, Liu XM, et al. Cigarette smoking increases risk of early morbidity after hepatic resection in patients with hepatocellular carcinoma. *Eur J Surg Oncol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25656703>

Boccia S, Miele L, Panic N, Turati F, Arzani D, et al. The effect of cyp, gst, and sult polymorphisms and their interaction with smoking on the risk of hepatocellular carcinoma. *Biomed Res Int*, 2015; 2015:179867. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25654087>

Braillon A. Prediction of hepatocellular carcinoma: Using a complex risk model or assisting for smoking cessation? *Cancer*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25470258>

Braillon A. Hepatocellular carcinoma and smoking: Oblivion or contempt? *Am J Gastroenterol*, 2013; 108(12):1931. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24300870>

Lee YC, Cohet C, Yang YC, Stayner L, Hashibe M, et al. Meta-analysis of epidemiologic studies on cigarette smoking and liver cancer. *International Journal of Epidemiology*, 2009; 38(6):1497–511. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19720726>

### *3.5.7.1 Risk associated with smoking*

Shohdy, KS, & Abdel-Rahman, O. (2019). Is smoking causally-associated with hepatitis B virus-related hepatocellular carcinoma? *Ann Transl Med*, 7(Suppl 1), S44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31032323>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Kolly P, Knopfli M, and Dufour JF. Effect of smoking on survival of patients with hepatocellular carcinoma. Liver Int, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28467657>

Braillon A. Recurrence in early-stage hepatocellular carcinoma: CpG methylation and smoking. J Clin Oncol, 2017; 35(18):2097-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28398848>

### *3.5.8 Colorectal (bowel) cancer*

Lee, S, Woo, H, Lee, J, Oh, JH, Kim, J, & Shin, A. (2018). Cigarette smoking, alcohol consumption, and risk of colorectal cancer in South Korea: A case-control study. Alcohol, 2018.76, 15-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30529018>

Anderson, JC, Calderwood, AH, Christensen, BC, Robinson, CM, Amos, CI, & Butterly, L. Smoking and Other Risk Factors in Individuals With Synchronous Conventional High-Risk Adenomas and Clinically Significant Serrated Polyps. Am J Gastroenterol, 2018. Available from: <https://www.nature.com/articles/s41395-018-0393-0>

Lee, JY, Chang, H S, Kim, TH, Chung, EJ, Park, HW, Lee, JS et al. Association Between Cigarette Smoking and Alcohol Consumption and Sessile Serrated Polyps in Subjects 30 to 49 Years Old. Clin Gastroenterol Hepatol, 2018. Available from: [https://www.cghjournal.org/article/S1542-3565\(18\)31277-1/pdf](https://www.cghjournal.org/article/S1542-3565(18)31277-1/pdf)

Hamada, T, Nowak, JA, Masugi, Y, Drew, DA, Song, M, Cao, Y et al. Smoking and Risk of Colorectal Cancer Sub-Classified by Tumor-Infiltrating T Cells. J Natl Cancer Inst. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30312431>

Wang X, Chan AT, Slattery ML, Chang-Claude J, Potter JD, et al. Influence of smoking, body mass index and other factors on the preventive effect of nonsteroidal anti-inflammatory drugs on colorectal cancer risk. Cancer Res, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29921691>

Chen DZ, Ji FY, Xu QM, Wu XX, Cai C, et al. Interaction of smoking and metabolic syndrome in increasing the recurrence risk of colorectal cancer in a chinese male cohort: A retrospective study. Sci Rep, 2018; 8(1):972. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29343809>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Yahagi M, Tsuruta M, Hasegawa H, Okabayashi K, Toyoda N, et al. Smoking is a risk factor of pulmonary metastasis in colorectal cancer. *Colorectal Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28755421>

Song N, Shin A, Jung HS, Oh JH, and Kim J. Effects of interactions between common genetic variants and smoking on colorectal cancer. *BMC Cancer*, 2017; 17(1):869. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29258461>

Sharp L, McDevitt J, Brown C, Carsin AE, and Comber H. Association between smoking at diagnosis and cause-specific survival in patients with rectal cancer: Results from a population-based analysis of 10,794 cases. *Cancer*, 2017; 123(13):2543-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28297071>

Jayasekara H, English DR, Haydon A, Hodge AM, Lynch BM, et al. Associations of alcohol intake, smoking, physical activity and obesity with survival following colorectal cancer diagnosis by stage, anatomic site and tumor molecular subtype. *Journal international du cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28921583>

Fliss-Isakov N, Zelber-Sagi S, Webb M, Halpern Z, and Kariv R. Smoking habits are strongly associated with colorectal polyps in a population-based case-control study. *J Clin Gastroenterol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29210901>

Fagunwa IO, Loughrey MB, and Coleman HG. Alcohol, smoking and the risk of premalignant and malignant colorectal neoplasms. *Best Pract Res Clin Gastroenterol*, 2017; 31(5):561-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29195676>

Chen QF, Zhou XD, Fang DH, Sun YJ, Zhao Q, et al. Impact of non-alcoholic fatty liver disease and smoking on colorectal polyps. *Oncotarget*, 2017; 8(43):74927-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29088835>

Shen J, Li WX, Xiao ZG, Zhang L, Li MX, et al. The co-regulatory role of 5-lipoxygenase and cyclooxygenase-2 in the carcinogenesis and their promotion by cigarette smoking in colons. *Curr Med Chem*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26997150>

Lee SH, Hong JY, Lee JU, and Lee DR. Association between exposure to environmental tobacco smoke at the workplace and risk for developing a colorectal adenoma: A cross-sectional study. *Ann Coloproctol*, 2016; 32(2):51-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27218095>

Lee HM, Kim CW, Hwang KA, Choi DW, and Choi KC. Three components of cigarette smoke altered the growth and apoptosis of metastatic colon cancer cells via inducing the synthesis of reactive

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

oxygen species and endoplasmic reticulum stress. *Environ Toxicol Pharmacol*, 2016; 45:80-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27262990>

Kim CW, Go RE, Lee HM, Hwang KA, Lee K, et al. Cigarette smoke extracts induced the colon cancer migration via regulating epithelial mesenchymal transition and metastatic genes in human colon cancer cells. *Environ Toxicol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27087172>

JE IJ, Bossuyt PM, Kuipers EJ, Stegeman I, de Wijkerslooth TR, et al. Smoking status informs about the risk of advanced serrated polyps in a screening population. *Endosc Int Open*, 2016; 4(1):E73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26793788>

Gong J, Hutter CM, Newcomb PA, Ulrich CM, Bien SA, et al. Genome-wide interaction analyses between genetic variants and alcohol consumption and smoking for risk of colorectal cancer. *PLoS Genet*, 2016; 12(10):e1006296. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27723779>

Zhong R, Chen X, Chen X, Zhu B, Lou J, et al. Mad1l1 arg558his and mad2l1 leu84met interaction with smoking increase the risk of colorectal cancer. *Sci Rep*, 2015; 5:12202. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26183163>

Yang B, Jacobs EJ, Gapstur SM, Stevens V, and Campbell PT. Active smoking and mortality among colorectal cancer survivors: The cancer prevention study ii nutrition cohort. *J Clin Oncol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25646196>

Walter V, Jansen L, Hoffmeister M, Ulrich A, Chang-Claude J, et al. Smoking and survival of colorectal cancer patients: Population-based study from germany. *Journal international du cancer*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25758762>

Jung YS, Jung H, Yun KE, Ryu S, Chang Y, et al. Associations between amount of smoking and alcohol intake and risk of colorectal neoplasm. *J Gastroenterol Hepatol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26479999>

Chen K, Xia G, Zhang C, and Sun Y. Correlation between smoking history and molecular pathways in sporadic colorectal cancer: A meta-analysis. *Int J Clin Exp Med*, 2015; 8(3):3241-57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26064214>

Amri R, Bordeianou LG, Sylla P, and Berger DL. Does active smoking induce hematogenous metastatic spread in colon cancer? *Am J Surg*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26251219>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Walter V, Jansen L, Hoffmeister M, and Brenner H. Smoking and survival of colorectal cancer patients: Systematic review and meta-analysis. *Ann Oncol*, 2014; 25(8):1517-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24692581>

Tillmans LS, Vierkant RA, Wang AH, Jewel Samadder N, Lynch CF, et al. Associations between cigarette smoking, hormone therapy, and folate intake with incident colorectal cancer by tp53 protein expression level in a population-based cohort of older women. *Cancer Epidemiol Biomarkers Prev*, 2014; 23(2):350-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24343843>

Park YM, Cho CH, Kim SH, and Lee JE. Alcohol intake, smoking, and colorectal adenoma. *J Cancer Prev*, 2014; 19(2):137-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25337582>

Parajuli R, Bjerkaas E, Tverdal A, Le Marchand L, Weiderpass E, et al. Smoking increases rectal cancer risk to the same extent in women as in men: Results from a norwegian cohort study. *BMC Cancer*, 2014; 14:321. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24884601>

Hoffmeister M, Jansen L, Stock C, Chang-Claude J, and Brenner H. Smoking, lower gastrointestinal endoscopy, and risk for colorectal cancer. *Cancer Epidemiol Biomarkers Prev*, 2014; 23(3):525-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24403529>

Gonzalez A, Japuntich S, Keating NL, Wallace R, He Y, et al. Pain experiences among a population-based cohort of current, former, and never regular smokers with lung and colorectal cancer. *Cancer*, 2014; 120(22):3554-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25043285>

Fu Z, Shrubsole MJ, Smalley WE, Ness RM, and Zheng W. Associations between dietary fiber and colorectal polyp risk differ by polyp type and smoking status. *J Nutr*, 2014; 144(5):592-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24572038>

Figueiredo JC, Crockett SD, Snover DC, Morris CB, McKeown-Eyssen G, et al. Smoking-associated risks of conventional adenomas and serrated polyps in the colorectum. *Cancer Causes Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25537738>

Cross AJ, Boca S, Freedman ND, Caporaso NE, Huang WY, et al. Metabolites of tobacco smoking and colorectal cancer risk. *Carcinogenesis*, 2014; 35(7):1516-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24648381>

Cheng J, Chen Y, Wang X, Wang J, Yan Z, et al. Meta-analysis of prospective cohort studies of cigarette smoking and the incidence of colon and rectal cancers. *Eur J Cancer Prev*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24722538>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Jarosz M, Sekula W, and Rychlik E. Trends in dietary patterns, alcohol intake, tobacco smoking, and colorectal cancer in polish population in 1960-2008. *Biomed Res Int*, 2013; 2013:183204. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24369529>

Peppone L, Reid M, Moysich K, Morrow G, Jean-Pierre P, et al. The effect of secondhand smoke exposure on the association between active cigarette smoking and colorectal cancer. *Cancer Causes & Control*, 2010; 21(8):1247-55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20376547>

Boland C and Goel A. Clearing the air on smoking and colorectal cancer. *Journal of the National Cancer Institute*, 2010; 102(14):1012–22. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2907409/>

Tsoi K, Pau C, Wu W, Chan F, Griffiths S, et al. Cigarette smoking and the risk of colorectal cancer: A meta-analysis of prospective cohort studies. *Clinical Gastroenterology and Hepatology*, 2009; 7(6):682-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19245853>

Raimondi S, Botteri E, Iodice S, Lowenfels A, and Maisonneuve P. Gene-smoking interaction on colorectal adenoma and cancer risk: Review and meta-analysis. *Mutation Research*, 2009; 670(1-2):6-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19589345>

Liang P, Chen T, and Giovannucci E. Cigarette smoking and colorectal cancer incidence and mortality: Systematic review and meta-analysis *International Journal of Cancer*, 2009; 124(10):2406–15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19142968>

Huxley R, Ansary-Moghaddam A, Clifton P, Czernichow S, Parr C, et al. The impact of dietary and lifestyle risk factors on risk of colorectal cancer: A quantitative overview of the epidemiological evidence. *International Journal of Cancer*, 2009; 125(1):171–80. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=121684303&Act=2138&Code=4719&Page=/cgi-bin/fulltext/121684303/HTMLSTART>

Hannan L, Jacobs E, and Thun M. The association between cigarette smoking and risk of colorectal cancer in a large prospective cohort from the united states. *Cancer Epidemiology, Biomarkers & Prevention*, 2009; 18(12):3362–7. Available from: <http://cebp.aacrjournals.org/content/18/12/3362.long>

Ramamoorthy S, Luo L, Luo E, and Carethers J. Tobacco smoking and risk of recurrence for squamous cell cancer of the anus. *Cancer Detection and Prevention.*, 2008; 32(2):116–20. Available from: [http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6X28-4T0X2K0-2-5&\\_cdi=7264&\\_user=10&\\_orig=search&\\_coverDate=12%2F31%2F2008&\\_sk=999679997&view=c&wchp=dGLbVtz-zSkWA&md5=4d46f0ee9e9e18d2ea47a24805958273&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6X28-4T0X2K0-2-5&_cdi=7264&_user=10&_orig=search&_coverDate=12%2F31%2F2008&_sk=999679997&view=c&wchp=dGLbVtz-zSkWA&md5=4d46f0ee9e9e18d2ea47a24805958273&ie=/sdarticle.pdf)

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Botteri E, Iodice S, Bagnardi V, Raimondi S, Lowenfels A, et al. Smoking and colorectal cancer: A meta-analysis. *Journal of the American Medical Association*, 2008; 300(23):2765–78. Available from: <http://jama.ama-assn.org/cgi/content/full/300/23/2765>

Acott A, Theus S, Marchant-Miros K, and Mancino A. Association of tobacco and alcohol use with earlier development of colorectal cancer: Should we modify screening guidelines? *American Journal of Surgery*, 2008; 196(6):915–9. Available from: [http://www.ajsfultextonline.com/article/S0002-9610\(08\)00644-2/pdf](http://www.ajsfultextonline.com/article/S0002-9610(08)00644-2/pdf)

### *3.5.8.1 Risk associated with smoking*

Limsui D, Vierkant R, Tillmans L, Wang A, Weisenberger D, et al. Cigarette smoking and colorectal cancer risk by molecularly defined subtypes. *Journal of the National Cancer Institute*, 2010; 102(14):1012–22. Available from: <http://jnci.oxfordjournals.org.ezp.lib.unimelb.edu.au/content/102/14/1012.full.pdf>

### *3.5.8.4 Impact of smoking on prognosis*

Jung, YS, Kim, NH, Lee, MY, Park, JH, Park, DI, & Sohn, CI. Effect of Cotinine-verified Change in Smoking Status on Risk of Metachronous Colorectal Neoplasia After Polypectomy. *Clin Gastroenterol Hepatol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30772586>

Sharp L, McDevitt J, Brown C, and Comber H. Smoking at diagnosis significantly decreases 5-year cancer-specific survival in a population-based cohort of 18 166 colon cancer patients. *Aliment Pharmacol Ther*, 2017; 45(6):788-800. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28176335>

Ho N and Lieberman D. Editorial: Smoking status and 5-year survival in patients with colorectal cancer. *Aliment Pharmacol Ther*, 2017; 45(8):1162-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28326580>

### *3.5.9 Breast cancer*

Gram, IT, Park, SY, Maskarinec, G, Wilkens, LR, Haiman, CA, & Le Marchand, L. Smoking and breast cancer risk by race/ethnicity and oestrogen and progesterone receptor status: the Multiethnic

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

Cohort (MEC) study. Int J Epidemiol, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30668861>

Takada, K, Kashiwagi, S, Asano, Y, Goto, W, Takahashi, K, Fujita, H et al. Clinical verification of the relationship between smoking and the immune microenvironment of breast cancer. J Transl Med, 2019. 17(1), 13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30616624>

Bea, VJ, Cunningham, JE, Alberg, AJ, Burshell, D, Bauza, CE, Knight, KD et al. Alcohol and Tobacco Use in an Ethnically Diverse Sample of Breast Cancer Patients, Including Sea Island African Americans: Implications for Survivorship. Front Oncol, 2018. 8, 392. Available from:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6170649/pdf/fonc-08-00392.pdf>

Berrandou, T, Mulot, C, Cordina-Duverger, E, Arveux, P, Laurent-Puig, P, Truong, T, & Guenel, P. Association of breast cancer risk with polymorphisms in genes involved in the metabolism of xenobiotics and interaction with tobacco smoking: a gene-set analysis. Int J Cancer, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1002/ijc.31917>

DiMarzio, P, Peila, R, Dowling, O, Timony, DM, Balgobind, A, Lee, LN et al. Smoking and alcohol drinking effect on radiotherapy associated risk of second primary cancer and mortality among breast cancer patients. Cancer Epidemiol, 2018. 57, 97-103. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30359894>

Smith, A, Mullooly, M, Murphy, L, Barron, TI, Bennett, K. Associations between obesity, smoking and lymph node status at breast cancer diagnosis in the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. PLoS One. 2018 Aug 29;13(8):e0202291. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30157224>

Zanna I, Silvestri V, Palli D, Magrini A, Rizzolo P, et al. Smoking and fgfr2 rs2981582 variant independently modulate male breast cancer survival: A population-based study in tuscany, italy. Breast, 2018; 40:85-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29709729>

Naif HM, Al-Obaide MAI, Hassani HH, Hamdan AS, and Kalaf ZS. Association of cytochrome cyp1a1 gene polymorphisms and tobacco smoking with the risk of breast cancer in women from iraq. Front Public Health, 2018; 6:96. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29707532>

Ko KP, Kim SJ, Huzarski T, Gronwald J, Lubinski J, et al. The association between smoking and cancer incidence in brca1 and brca2 mutation carriers. Journal international du cancer, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29330845>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Ellberg C, Olsson H, and Jernstrom H. Current smoking is associated with a larger waist circumference and a more androgenic profile in young healthy women from high-risk breast cancer families. *Cancer Causes Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29299723>

Baglia ML, Cook LS, Tang MT, Wiggins C, Hill D, et al. Alcohol, smoking, and risk of her2-overexpressing and triple-negative breast cancer relative to estrogen receptor-positive breast cancer. *Journal international du cancer*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29708591>

Abdel-Rahman O and Cheung WY. Impact of smoking history on the outcomes of women with early-stage breast cancer: A secondary analysis of a randomized study. *Med Oncol*, 2018; 35(5):68. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29644504>

White AJ, D'Aloisio AA, Nichols HB, DeRoo LA, and Sandler DP. Breast cancer and exposure to tobacco smoke during potential windows of susceptibility. *Cancer Causes Control*, 2017; 28(7):667-75. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28523418>

van den Brandt PA. A possible dual effect of cigarette smoking on the risk of postmenopausal breast cancer. *Eur J Epidemiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710542>

Sollie M and Bille C. Smoking and mortality in women diagnosed with breast cancer-a systematic review with meta-analysis based on 400,944 breast cancer cases. *Gland Surg*, 2017; 6(4):385-93. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28861380>

Sandsveden M and Manjer J. Selenium and breast cancer risk: A prospective nested case-control study on serum selenium levels, smoking habits and overweight. *Journal international du cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28681438>

Parada H, Jr., Sun X, Tse CK, Olshan AF, Troester MA, et al. Active smoking and survival following breast cancer among african american and non-african american women in the carolina breast cancer study. *Cancer Causes Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28695396>

Lagiou A and Lagiou P. Tobacco smoking and breast cancer: A life course approach. *Eur J Epidemiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28861761>

Knight JA, Fan J, Malone KE, John EM, Lynch CF, et al. Alcohol consumption and cigarette smoking in combination: A predictor of contralateral breast cancer risk in the wecare study. *Journal*

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

international du cancer, 2017; 141(5):916-24. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28524234>

Kispert S, Schwartz T, and McHowat J. Cigarette smoke regulates calcium-independent phospholipase a2 metabolic pathways in breast cancer. Am J Pathol, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28618256>

Kispert S and McHowat J. Recent insights into cigarette smoking as a lifestyle risk factor for breast cancer. Breast Cancer (Dove Med Press), 2017; 9:127-32. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28331363>

Kispert S, Crawford S, Kolar G, and McHowat J. In vivo effects of long-term cigarette smoke exposure on mammary tissue in mice. Am J Pathol, 2017; 187(6):1238-44. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28388394>

Jones ME, Schoemaker MJ, Wright LB, Ashworth A, and Swerdlow AJ. Smoking and risk of breast cancer in the generations study cohort. Breast Cancer Res, 2017; 19(1):118. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29162146>

Grill S, Yahiaoui-Doktor M, Dukatz R, Lammert J, Ullrich M, et al. Smoking and physical inactivity increase cancer prevalence in brca-1 and brca-2 mutation carriers: Results from a retrospective observational analysis. Arch Gynecol Obstet, 2017; 296(6):1135-44. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28975393>

Goldvaser H, Gal O, Rizel S, Hendler D, Neiman V, et al. The association between smoking and breast cancer characteristics and outcome. BMC Cancer, 2017; 17(1):624. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28874120>

Furrer D, Jacob S, Michaud A, Provencher L, Lemieux J, et al. Association of tobacco use, alcohol consumption and her2 polymorphisms with response to trastuzumab in her2-positive breast cancer patients. Clin Breast Cancer, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29275864>

Ellingjord-Dale M, Vos L, Hjerkind KV, Hjartaker A, Russnes HG, et al. Alcohol, physical activity, smoking and breast cancer subtypes in a large nested case-control study from the norwegian breast cancer screening program. Cancer Epidemiol Biomarkers Prev, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28877889>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Duan W, Li S, Meng X, Sun Y, and Jia C. Smoking and survival of breast cancer patients: A meta-analysis of cohort studies. *Breast*, 2017; 33:117-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28371644>

Dianatinasab M, Fararouei M, Mohammadianpanah M, Zare-Bandamiri M, and Rezaianzadeh A. Hair coloring, stress, and smoking increase the risk of breast cancer: A case-control study. *Clin Breast Cancer*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28549689>

Conway K, Edmiston SN, Parrish E, Bryant C, Tse CK, et al. Breast tumor DNA methylation patterns associated with smoking in the carolina breast cancer study. *Breast Cancer Res Treat*, 2017; 163(2):349-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28275920>

Wang K, Li F, Zhang X, Li Z, and Li H. Smoking increases risks of all-cause and breast cancer specific mortality in breast cancer individuals: A dose-response meta-analysis of prospective cohort studies involving 39725 breast cancer cases. *Oncotarget*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27863414>

Verde Z, Santiago C, Chicharro LM, Reinoso-Barbero L, Tejerina A, et al. Effect of genetic polymorphisms and long-term tobacco exposure on the risk of breast cancer. *Int J Mol Sci*, 2016; 17(10). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27754415>

Tu SH, Lin YC, Huang CC, Yang PS, Chang HW, et al. Protein phosphatase mg2+/mn2+ dependent 1f promotes smoking-induced breast cancer by inactivating phosphorylated-p53-induced signals. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27769050>

Persson M, Simonsson M, Markkula A, Rose C, Ingvar C, et al. Impacts of smoking on endocrine treatment response in a prospective breast cancer cohort. *British Journal of Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27280635>

Passarelli MN, Newcomb PA, Hampton JM, Trentham-Dietz A, Titus LJ, et al. Cigarette smoking before and after breast cancer diagnosis: Mortality from breast cancer and smoking-related diseases. *J Clin Oncol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26811527>

Park SY, Palmer JR, Rosenberg L, Haiman CA, Bandera EV, et al. A case-control analysis of smoking and breast cancer in african american women: Findings from the amber consortium. *Carcinogenesis*, 2016; 37(6):607-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27207658>

No author listed. Breast cancer awareness month: 5 facts about tobacco, in *Truth Initiative (American Legacy Foundation)* 2016. Available from: <http://truthinitiative.org/news/breast-cancer-awareness-month-5-facts-about-tobacco>.

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Niwa T, Shinagawa Y, Asari Y, Suzuki K, Takanobu J, et al. Estrogen receptor activation by tobacco smoke condensate in hormonal therapy-resistant breast cancer cells. *J Steroid Biochem Mol Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27632897>

Hara A, Taira N, Mizoo T, Nishiyama K, Nogami T, et al. N-acetyltransferase 2 polymorphism and breast cancer risk with smoking: A case control study in Japanese women. *Breast Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27068825>

Gram IT, Little MA, Lund E, and Braaten T. The fraction of breast cancer attributable to smoking: The Norwegian women and cancer study 1991-2012. *Br J Cancer*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27280631>

Fillon M. Continuing to smoke after breast cancer diagnosis lowers survival rate. *J Natl Cancer Inst*, 2016; 108(6):djw160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27257027>

Butler EN, Tse CK, Bell ME, Conway K, Olshan AF, et al. Active smoking and risk of luminal and basal-like breast cancer subtypes in the Carolina Breast Cancer Study. *Cancer Causes Control*, 2016; 27(6):775-86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27153846>

Wada K, Kawachi T, Hori A, Takeyama N, Tanabashi S, et al. Husband's smoking status and breast cancer risk in Japan: From the Takayama Study. *Cancer Sci*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25645582>

Padron-Monedero A, Koru-Sengul T, Tannenbaum SL, Miao F, Hansra D, et al. Smoking and survival in male breast cancer patients. *Breast Cancer Res Treat*, 2015; 153(3):679-87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26409835>

Macacu A, Autier P, Boniol M, and Boyle P. Active and passive smoking and risk of breast cancer: A meta-analysis. *Breast Cancer Res Treat*, 2015; 154(2):213-24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26546245>

Klassen AC, Pankiewicz A, Hsieh S, Ward A, and Curriero FC. The association of area-level social class and tobacco use with adverse breast cancer characteristics among white and black women: Evidence from Maryland, 1992-2003. *Int J Health Geogr*, 2015; 14(1):13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25880216>

Kasajova P, Holubekova V, Mendelova A, Lasabova Z, Zubor P, et al. Active cigarette smoking and the risk of breast cancer at the level of n-acetyltransferase 2 (NAT2) gene polymorphisms. *Tumour Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26700672>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Kakugawa Y, Kawai M, Nishino Y, Fukamachi K, Ishida T, et al. Smoking and survival after breast cancer diagnosis in Japanese women: A prospective cohort study. *Cancer Sci*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26052951>

Jacobsen KK, Lynge E, Vejborg I, Tjønneland A, von Euler-Chelpin M, et al. Cigarette smoking and mammographic density in the Danish Diet, Cancer and Health cohort. *Cancer Causes Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26645565>

Gram IT, Park SY, Kolonel LN, Maskarinec G, Wilkens LR, et al. Smoking and risk of breast cancer in a racially/ethnically diverse population of mainly women who do not drink alcohol: The MEC study. *Am J Epidemiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26493265>

Bjerkaas E, Parajuli R, Engeland A, Maskarinec G, Weiderpass E, et al. Social inequalities and smoking-associated breast cancer - results from a prospective cohort study. *Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25620729>

Andres SA, Bickett KE, Alatoum MA, Kalbfleisch TS, Brock GN, et al. Interaction between smoking history and gene expression levels impacts survival of breast cancer patients. *Breast Cancer Res Treat*, 2015; 152(3):545-56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26202054>

Wise J. Smoking is linked to most common type of breast cancer, finds US study. *British Medical Journal*, 2014; 348:g1414. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24516066>

Slattery ML, Lundgreen A, Hines LM, Torres-Mejia G, Wolff RK, et al. Genetic variation in the JAK/STAT/SOCS signaling pathway influences breast cancer-specific mortality through interaction with cigarette smoking and use of aspirin/NSAIDs: The Breast Cancer Health Disparities Study. *Breast Cancer Res Treat*, 2014; 147(1):145-58. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25104439>

Pierce JP, Patterson RE, Senger CM, Flatt SW, Caan BJ, et al. Lifetime cigarette smoking and breast cancer prognosis in the After Breast Cancer Pooling Project. *J Natl Cancer Inst*, 2014; 106(1):djt359. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24317179>

Nyante SJ, Gierach GL, Dallal CM, Freedman ND, Park Y, et al. Cigarette smoking and postmenopausal breast cancer risk in a prospective cohort. *Br J Cancer*, 2014; 110(9):2339-47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24642621>

Land SR, Liu Q, Wickerham DL, Costantino JP, and Ganz PA. Cigarette smoking, physical activity, and alcohol consumption as predictors of cancer incidence among women at high risk of breast cancer in

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

the nsabp p-1 trial. Cancer Epidemiol Biomarkers Prev, 2014; 23(5):823-32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24569437>

Kawai M, Malone KE, Tang MT, and Li CI. Active smoking and the risk of estrogen receptor-positive and triple-negative breast cancer among women ages 20 to 44 years. Cancer, 2014; 120(7):1026-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24515648>

Glantz SA and Johnson KC. The surgeon general report on smoking and health 50 years later: Breast cancer and the cost of increasing caution. Cancer Epidemiol Biomarkers Prev, 2014; 23(1):37-46. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24420985>

Dossus L, Boutron-Ruault MC, Kaaks R, Gram IT, Vilier A, et al. Active and passive cigarette smoking and breast cancer risk: Results from the epic cohort. Journal international du cancer, 2014; 134(8):1871-88. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24590452>

Cotterchio M, Mirea L, Ozcelik H, and Kreiger N. Active cigarette smoking, variants in carcinogen metabolism genes and breast cancer risk among pre- and postmenopausal women in ontario, canada. Breast J, 2014; 20(5):468-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25052559>

Cook MB, Guenel P, Gapstur SM, van den Brandt PA, Michels KB, et al. Tobacco and alcohol in relation to male breast cancer: An analysis of the male breast cancer pooling project consortium. Cancer Epidemiol Biomarkers Prev, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25515550>

Catsburg C, Miller AB, and Rohan TE. Active cigarette smoking and risk of breast cancer. Journal international du cancer, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25307527>

Catsburg C, Kirsh VA, Soskolne CL, Kreiger N, and Rohan TE. Active cigarette smoking and the risk of breast cancer: A cohort study. Cancer Epidemiol, 2014; 38(4):376-81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24929357>

Bjerkaas E, Parajuli R, Engeland A, Maskarinec G, Weiderpass E, et al. The association between lifetime smoking exposure and breast cancer mortality - results from a norwegian cohort. Cancer Med, 2014; 3(5):1448-57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25073713>

Bishop JD, Killelea BK, Chagpar AB, Horowitz NR, and Lannin DR. Smoking and breast cancer recurrence after breast conservation therapy. Int J Breast Cancer, 2014; 2014:327081. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24693439>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

Berube S, Lemieux J, Moore L, Maunsell E, and Brisson J. Smoking at time of diagnosis and breast cancer-specific survival: New findings and systematic review with meta-analysis. *Breast Cancer Res*, 2014; 16(2):R42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24745601>

Ahles TA, Li Y, McDonald BC, Schwartz GN, Kaufman PA, et al. Longitudinal assessment of cognitive changes associated with adjuvant treatment for breast cancer: The impact of apoe and smoking. *Psychooncology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24789331>

Luo J, Margolis K, Wactawski-Wende J, Horn K, Messina C, et al. Association of active and passive smoking with risk of breast cancer among postmenopausal women: A prospective cohort study. *British Medical Journal*, 2011; 342:d1016. Available from: <http://www.bmj.com/content/342/bmj.d1016>

Johnson K, Miller A, Collishaw N, Palmer J, Hammond S, et al. Active smoking and secondhand smoke increase breast cancer risk: The report of the canadian expert panel on tobacco smoke and breast cancer risk (2009). *Tobacco Control*, 2011; Jan 20(1):e2. Available from: <http://tobaccocontrol.bmj.com/content/early/2010/10/27/tc.2010.035931.full>

### *3.5.9.1 Risk associated with smoking*

van Erkelens A, Derks L, Sie AS, Egbers L, Woldringh G, et al. Lifestyle risk factors for breast cancer in brca1/2-mutation carriers around childbearing age. *J Genet Couns*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27966054>

Moreno Rosales A, Corres Molina M, Gongora Moo J, Romero Morelos P, and Bandala C. Breast cancer metastasis associations with clinicopathological characteristics in mexican women younger than 40 years of age. *Asian Pac J Cancer Prev*, 2016; 17(11):5019-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28032733>

Li P, Huang J, Wu H, Fu C, Li Y, et al. Impact of lifestyle and psychological stress on the development of early onset breast cancer. *Medicine (Baltimore)*, 2016; 95(50):e5529. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27977584>

Gaudet M, Carter B, Brinton L, Falk R, Gram I, et al. Pooled analysis of active cigarette smoking and invasive breast cancer risk in 14 cohort studies. *Int J Epidemiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28031315>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### *3.5.9.2 How tobacco smoke causes breast cancer*

Kispert S, Marentette J, and McHowat J. Cigarette smoke induces cell motility via platelet-activating factor accumulation in breast cancer cells: A potential mechanism for metastatic disease. *Physiol Rep*, 2015; 3(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802360>

### *3.5.9.4 Impact of smoking on prognosis*

Padron-Monedero A, Tannenbaum SL, Koru-Sengul T, Miao F, Hansra D, et al. Smoking and survival in female breast cancer patients. *Breast Cancer Res Treat*, 2015; 150(2):395-403. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25724306>

Larsen SB, Kroman N, Ibfelt EH, Christensen J, Tjonneland A, et al. Influence of metabolic indicators, smoking, alcohol and socioeconomic position on mortality after breast cancer. *Acta Oncol*, 2015:1-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25761087>

Izano M, Satariano WA, Hiatt RA, and Braithwaite D. Smoking and mortality after breast cancer diagnosis: The health and functioning in women study. *Cancer Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25511535>

### *3.5.10 Other cancers*

Ugai, T, Ito, H, Oze, I, Saito, E, Rahman, MS, Boffetta, P et al. (2019). Association of BMI, smoking and alcohol with multiple myeloma mortality in Asians: a pooled analysis of more than 800,000 participants in the Asia Cohort Consortium. *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31399476>

Al Hussein Al Awamlh, B, Shoag, JE, Ravikumar, V, Posada, L, Taylor, BL, van der Mijn, JC et al (2019). Association of Smoking and Death from Genitourinary Malignancies: Analysis of the National Longitudinal Mortality Study. *J Urol*, 101097JU00000000000000433. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31290707>

Zhou, H, Sun, H, Liu, X, Chen, J, Zhang, L, Lin, S et al (2019). Combined effect between WT1 methylation and Helicobacter pylori infection, smoking, and alcohol consumption on the risk of gastric cancer. *Helicobacter*, e12650. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31361067>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Eriksson, M, Kaerlev, L, Johansen, P, Afonso, N, Ahrens, W, Costa-Pereira, A et al (2019). Tobacco smoking and alcohol consumption as risk factors for thymoma - A European case-control study. *Cancer Epidemiol*, 61, 133-138. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31254794>

Santucci, C, Bosetti, C, Peveri, G, Liu, X, Bagnardi, V, Specchia, C et al (2019). Dose-risk relationships between cigarette smoking and ovarian cancer histotypes: a comprehensive meta-analysis. *Cancer Causes Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31236793>

Roco, A, Lavanderos, A, Cayun, JP, Acevedo, C, Celedon, C, Rubilar, JC et al (2019). The role of phase I and II genetic polymorphisms, smoking, alcohol and cancer family history, in the risk of developing testicular cancer. *Pharmacogenet Genomics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31107374>

Zhou, A, Minlikeeva, AN, Khan, S, & Moysich, KB. (2019). Association between cigarette smoking and histotype-specific epithelial ovarian cancer: a review of epidemiologic studies. *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31043418>

Lukic, D, Karabeg, R, Jahic, V, Stanojevic, A, Pavlovska, B, Krickovic, Z et al. (2018). Analysis of the Skin Basocellular Carcinoma (BCC) Among the Smokers in Bosnia and Herzegovina. *Mater Sociomed*, 30(4), 251-254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30936787>

Pedersen, KM, Bak, M, Sorensen, AL, Zwisler, AD, Ellervik, C, Larsen, MK et al. Smoking is associated with increased risk of myeloproliferative neoplasms: A general population-based cohort study. *Cancer Med*, 2018. Available from: [https://www.researchgate.net/publication/328287738\\_Smoking\\_is\\_associated\\_with\\_increased\\_risk\\_of\\_myeloproliferative\\_neoplasms\\_A\\_general\\_population-based\\_cohort\\_study](https://www.researchgate.net/publication/328287738_Smoking_is_associated_with_increased_risk_of_myeloproliferative_neoplasms_A_general_population-based_cohort_study)

Kim, SM, Hwang, KA, Choi, DW, & Choi, KC. The cigarette smoke components induced the cell proliferation and epithelial to mesenchymal transition via production of reactive oxygen species in endometrial adenocarcinoma cells. *Food Chem Toxicol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30236600>

Quabius, ES, Loehr, J, Haaser, D, Gunther, V, Maass, N, Rocken, C et al. Smoking-Induced SLPI Expression Hinders HPV Infections Also in Squamous Cell Carcinomas of the Vulva. *Transl Oncol*, 2018.12(1), 36-42. Available from: : <https://www.ncbi.nlm.nih.gov/pubmed/30267960>

May M, Fritsche HM, Gilfrich C, Dombrowski M, Maurer O, et al. What do patients with urothelial cancer know about the association of their tumor disease with smoking habits? Results of a german

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

survey study. Investig Clin Urol, 2018; 59(2):91-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29520384>

Makiuchi T, Sobue T, Kitamura T, Sawada N, Iwasaki M, et al. Smoking, alcohol consumption, and risks for biliary tract cancer and intrahepatic bile duct cancer. J Epidemiol, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29760302>

Gannon NP, King DM, and Bedi M. Smoking is predictive of poorer distant metastasis-free and progression free-survival in soft tissue sarcoma patients treated with pre-operative radiotherapy or chemoradiotherapy. Clin Sarcoma Res, 2018; 8:7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29686838>

Shenker RF, McTyre ER, Ruiz J, Weaver KE, Cramer C, et al. The effects of smoking status and smoking history on patients with brain metastases from lung cancer. Cancer Med, 2017; 6(5):944-52. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28401684>

Praestegaard C, Jensen A, Jensen SM, Nielsen TS, Webb PM, et al. Cigarette smoking is associated with adverse survival among women with ovarian cancer: Results from a pooled analysis of 19 studies. Journal international du cancer, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28063166>

Licaj I, Jacobsen BK, Selmer RM, Maskarinec G, Weiderpass E, et al. Smoking and risk of ovarian cancer by histological subtypes: An analysis among 300 000 norwegian women. Br J Cancer, 2017; 116(2):270-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27959888>

Kelemen LE, Abbott S, Qin B, Peres LC, Moorman PG, et al. Cigarette smoking and the association with serous ovarian cancer in african american women: African american cancer epidemiology study (aaces). Cancer Causes Control, 2017; 28(7):699-708. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28466107>

Huang Y, You L, Xie W, Ning L, and Lang J. Smoking and risk of cholangiocarcinoma: A systematic review and meta-analysis. Oncotarget, 2017; 8(59):100570-81. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29246002>

Mullany LE, Herrick JS, Wolff RK, Stevens JR, and Slattery ML. Association of cigarette smoking and microrna expression in rectal cancer: Insight into tumor phenotype. Cancer Epidemiol, 2016; 45:98-107. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27780077>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Licaj I, Lukic M, Jareid M, Lund E, Braaten T, et al. Epithelial ovarian cancer subtypes attributable to smoking in the norwegian women and cancer study, 2012. Cancer Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26762486>

Li HX, Peng XX, Zong Q, Zhang K, Wang MX, et al. Cigarette smoking and risk of adult glioma: A meta-analysis of 24 observational studies involving more than 2.3 million individuals. Onco Targets Ther, 2016; 9:3511-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27366088>

Lamos C, Mihaljevic C, Aulmann S, Bruckner T, Domschke C, et al. Detection of human papillomavirus infection in patients with vaginal intraepithelial neoplasia. PLoS ONE, 2016; 11(12):e0167386. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27907089>

Jeon SY, Go RE, Heo JR, Kim CW, Hwang KA, et al. Effects of cigarette smoke extracts on the progression and metastasis of human ovarian cancer cells via regulating epithelial-mesenchymal transition. Reprod Toxicol, 2016; 65:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27327412>

Hou L, Jiang J, Liu B, Han W, Wu Y, et al. Smoking and adult glioma: A population-based case-control study in china. Neuro Oncol, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26409568>

Scharl M, Bode B, Rushing E, Knuth A, and Rordorf T. Uncommon case of brain metastasis in a patient with a history of heavy smoking. Curr Oncol, 2014; 21(5):e728-31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25302044>

Samatha Y, Sai Sankar AJ, Ganapathy K, Srinivas K, Ankineedu D, et al. Clinicopathologic evaluation of lesions associated with tobacco usage. J Contemp Dent Pract, 2014; 15(4):466-72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25576115>

Joory K, Mikalef P, and Jose RM. Smoking and glomus tumours. J Plast Reconstr Aesthet Surg, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24939831>

Hughes MC, Olsen CM, Williams GM, and Green AC. A prospective study of cigarette smoking and basal cell carcinoma. Arch Dermatol Res, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25234270>

Andreotti G, Birmann BM, Cozen W, DeRoos A, Chiu BC, et al. A pooled analysis of cigarette smoking and risk of multiple myeloma from the international multiple myeloma consortium. Cancer Epidemiol Biomarkers Prev, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25538226>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Zinkhan M, Stang A, Jockel KH, Marr A, Bornfeld N, et al. Having children, social characteristics, smoking and the risk of uveal melanoma: A case-control study. *Ophthalmic Epidemiol*, 2013; 20(6):360-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24229069>

### *3.5.10.1 Lymphoma*

Taborelli M, Montella M, Libra M, Tedeschi R, Crispo A, et al. The dose-response relationship between tobacco smoking and the risk of lymphomas: A case-control study. *BMC Cancer*, 2017; 17(1):421. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28622762>

Baecklund F, Foo JN, Askling J, Eloranta S, Glimelius I, et al. Possible interaction between cigarette smoking and hla-dr1 variation in the risk of follicular lymphoma. *Am J Epidemiol*, 2017; 185(8):681-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28369180>

van Leeuwen FE and Ng AK. Long-term risk of second malignancy and cardiovascular disease after hodgkin lymphoma treatment. *Hematology Am Soc Hematol Educ Program*, 2016; 2016(1):323-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27913498>

Ehlers S, Gastineau D, Patten C, Decker P, Rausch S, et al. The impact of smoking on outcomes among patients undergoing hematopoietic sct for the treatment of acute leukemia. *Bone Marrow Transplantation*, 2011; 46(2):285-90. Available from: <http://www.nature.com/bmt/journal/vaop/ncurrent/full/bmt2010113a.html>

Karunanayake C, Singh G, Spinelli J, McLaughlin J, Dosman J, et al. Occupational exposures and hodgkin lymphoma: Canadian case-control study. *Journal of Occupational and Environmental Medicine*, 2009; 51(12):1447-54. Available from: <http://journals.lww.com/joem/pages/articleviewer.aspx?year=2009&issue=12000&article=00014&type=abstract>

### *3.5.10.2 Prostate cancer*

Mormile, R. Smoking and susceptibility to prostate cancer: what is the truth? *Minerva Urol Nefrol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30547903>

Kelly, SP, Lennon, H, Sperrin, M, Matthews, C, Freedman, ND, Albanes, D et al. Body mass index trajectories across adulthood and smoking in relation to prostate cancer risks: the NIH-AARP Diet and Health Study. *Int J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30376043>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

De Nunzio, C, Tema, G, Lombardo, R, Trucchi, A, Bellangino, M, Esperto, F et al. Cigarette smoking is not associated with prostate cancer diagnosis and aggressiveness: a cross sectional italian study. Minerva Urol Nefrol, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30230295>

Jimenez-Mendoza E, Vazquez-Salas RA, Barrientos-Gutierrez T, Reynales-Shigematsu LM, Labra-Salgado IR, et al. Smoking and prostate cancer: A life course analysis. BMC Cancer, 2018; 18(1):160. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29415662>

Gansler T, Shah RA, Wang Y, Stevens VL, Yang B, et al. Smoking and prostate cancer-specific mortality after diagnosis in a large prospective cohort. Cancer Epidemiol Biomarkers Prev, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29700008>

Freedland SJ. Smoking and death from prostate cancer. JAMA Oncol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800137>

Foerster B, Pozo C, Abufaraj M, Mari A, Kimura S, et al. Association of smoking status with recurrence, metastasis, and mortality among patients with localized prostate cancer undergoing prostatectomy or radiotherapy: A systematic review and meta-analysis. JAMA Oncol, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29800115>

Brookman-May SD, Campi R, Henriquez JDS, Klatte T, Langenhuijsen JF, et al. Latest evidence on the impact of smoking, sports, and sexual activity as modifiable lifestyle risk factors for prostate cancer incidence, recurrence, and progression: A systematic review of the literature by the european association of urology section of oncological urology (esou). Eur Urol Focus, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29576530>

Tang B, Han CT, Gan HL, Zhang GM, Zhang CZ, et al. Smoking increased the risk of prostate cancer with grade group  $\geq 4$  and intraductal carcinoma in a prospective biopsy cohort. Prostate, 2017; 77(9):984-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28422303>

Sato N, Shiota M, Shiga KI, Takeuchi A, Inokuchi J, et al. Smoking effect on oncological outcome among men with prostate cancer after radical prostatectomy. Jpn J Clin Oncol, 2017;1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28184442>

Safavy S, Kilday PS, Slezak JM, Abdelsayed GA, Harrison TN, et al. Effect of a smoking cessation program on sexual function recovery following robotic prostatectomy at kaiser permanente southern california. Perm J, 2017; 21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28488986>

tobaccoinaustralia.org.au



# Tobacco in Australia

## Facts & Issues

---

Printz C. Smokeless tobacco product may increase mortality rate in patients with prostate cancer. Cancer, 2017; 123(2):190. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28067951>

Lee A, Shao MS, Schwartz D, Safdieh J, Osborn VW, et al. The impact of tobacco use on outcomes and toxicity in a predominantly minority population of males with prostate cancer receiving external beam radiation. Cureus, 2017; 9(5):e1259. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28649482>

Khan S, Hicks V, Colditz GA, Kibel AS, and Drake BF. The association of weight change in young adulthood and smoking status with risk of prostate cancer recurrence. Journal international du cancer, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29270988>

Joshu CE, Peskoe SB, Heaphy CM, Kenfield SA, Mucci LA, et al. Current or recent smoking is associated with more variable telomere length in prostate stromal cells and prostate cancer cells. Prostate, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29164645>

De Nunzio C, Brassetti A, Proietti F, Deroma M, Esperto F, et al. Metabolic syndrome and smoking are associated with an increased risk of nocturia in male patients with benign prostatic enlargement. Prostate Cancer Prostatic Dis, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29203892>

Curtis A, Ondracek RP, Murekeyisoni C, Kauffman E, Mohler J, et al. Tobacco use and outcome in radical prostatectomy patients. Cancer Med, 2017; 6(4):857-64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28317280>

Boran C, Kandirali E, Yanik S, Ahsen H, Ulukaradag E, et al. Does smoking change expression patterns of the tumor suppressor and DNA repair genes in the prostate gland? Urol Oncol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28391998>

Shui IM, Wong CJ, Zhao S, Kolb S, Ebot EM, et al. Prostate tumor DNA methylation is associated with cigarette smoking and adverse prostate cancer outcomes. Cancer, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27142338>

Mitsui Y, Chang I, Kato T, Hashimoto Y, Yamamura S, et al. Functional role and tobacco smoking effects on methylation of cyp1a1 gene in prostate cancer. Oncotarget, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27203547>

Kelsey R. Prostate cancer: Gene expression signature in tumours of smokers. Nat Rev Urol, 2016; 13(2):64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26787391>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

Jones MR, Joshu CE, Kanarek N, Navas-Acien A, Richardson KA, et al. Cigarette smoking and prostate cancer mortality in four us states, 1999-2010. *Prev Chronic Dis*, 2016; 13:E51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27079649>

Yuan C, Cao Y, Chavarro J, Lindstrom S, Qiu W, et al. Prediagnostic body-mass index, smoking and prostate cancer survival: A cohort consortium study of over 10,000 white men with prostate cancer. *Cancer Epidemiol Biomarkers Prev*, 2015; 24(4):759-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25834153>

Schlatmann FW and Blanker MH. Re: Farhad islami, daniel m. Moreira, paolo boffetta, stephen j. Freedland. A systematic review and meta-analysis of tobacco use and prostate cancer mortality and incidence in prospective cohort studies. *Eur urol* 2014;66:1054-64. *Eur Urol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666849>

Rieken M, Shariat SF, Kluth LA, Fajkovic H, Rink M, et al. Association of cigarette smoking and smoking cessation with biochemical recurrence of prostate cancer in patients treated with radical prostatectomy. *Eur Urol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26050111>

Rieken M and Shariat SF. Reply to michael froehner, rainer koch, manfred p. Wirth's letter to the editor re: Malte rieken, shahrokh f. Shariat, luis a. Kluth, et al. Association of cigarette smoking and smoking cessation with biochemical recurrence of prostate cancer in patients treated with radical prostatectomy. *Eur urol*. In press. <http://dx.doi.org/10.1016/j.eururo.2015.05.038>. *Eur Urol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26314617>

Prueitt R, Wallace TA, Glynn SA, Yi M, Tang W, et al. An immune-inflammation gene expression signature in prostate tumors of smokers. *Cancer Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26719530>

Polesel J, Gini A, Dal Maso L, Stocco C, Birri S, et al. The negative impact of tobacco smoking on survival after prostate cancer diagnosis. *Cancer Causes Control*, 2015; 26(9):1299-305. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26134048>

Moreira DM, Nickel JC, Gerber L, Muller RL, Andriole GL, Jr., et al. Smoking is associated with acute and chronic prostatic inflammation: Results from the reduce study. *Cancer Prev Res (Phila)*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25644151>

Lu X, Yamano Y, Takahashi H, Koda M, Fujiwara Y, et al. Associations between estrogen receptor genetic polymorphisms, smoking status, and prostate cancer risk: A case-control study in japanese men. *Environ Health Prev Med*, 2015; 20(5):332-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26251204>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Kim Y, Wei J, Citronberg J, Hartman T, Fedirko V, et al. Relation of vitamin e and selenium exposure to prostate cancer risk by smoking status: A review and meta-analysis. *Anticancer Res*, 2015; 35(9):4983-96. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26254398>

Froehner M, Koch R, and Wirth MP. Re: Malte rieken, shahrokh f. Shariat, luis a. Kluth, et al. Association of cigarette smoking and smoking cessation with biochemical recurrence of prostate cancer in patients treated with radical prostatectomy. *Eur urol*. In press. [Http://dx.Doi.Org/10.1016/j.Eururo.2015.05.038](http://dx.doi.org/10.1016/j.eururo.2015.05.038). *Eur Urol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26318708>

Vilckova M, Jurecekova J, Dobrota D, Habalova V, Klimcakova L, et al. Variation in n-acetyltransferase 2 (nat2), smoking and risk of prostate cancer in the slovak population. *Med Oncol*, 2014; 31(6):987. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24816842>

Taneja SS. Re: Cigarette smoking is associated with an increased risk of biochemical disease recurrence, metastasis, castration-resistant prostate cancer, and mortality after radical prostatectomy: Results from the search database. *J Urol*, 2014; 191(6):1784. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25280282>

Steinberger E, Kollmeier M, McBride S, Novak C, Pei X, et al. Cigarette smoking during external beam radiation therapy for prostate cancer is associated with an increased risk of prostate cancer-specific mortality and treatment-related toxicity. *BJU Int*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25345838>

Moreira DM, Aronson WJ, Terris MK, Kane CJ, Amling CL, et al. Cigarette smoking is associated with an increased risk of biochemical disease recurrence, metastasis, castration-resistant prostate cancer, and mortality after radical prostatectomy: Results from the search database. *Cancer*, 2014; 120(2):197-204. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24127391>

Ho T, Howard LE, Vidal AC, Gerber L, Moreira D, et al. Smoking and risk of low- and high-grade prostate cancer: Results from the reduce study. *Clin Cancer Res*, 2014; 20(20):5331-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25139338>

Fenner A. Prostate cancer: Reduce-ing the link between smoking and prostate cancer. *Nat Rev Urol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25201623>

Koc G, Akgul K, Yilmaz Y, Dirik A, and Un S. The effects of cigarette smoking on prostate-specific antigen in two different age groups. *Can Urol Assoc J*, 2013; 7(11-12):E704-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24282461>

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

Huncharek M, Haddock S, Reid R, and Kupelnick B. Smoking as a risk factor for prostate cancer: A meta-analysis of 24 prospective cohort studies. *American Journal of Public Health*, 2010; 100(4):693–701. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19608952>

Zu K and Giovannucci E. Smoking and aggressive prostate cancer: A review of the epidemiologic evidence. *Cancer Causes and Control*, 2009; 20(10):1799–810. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19562492>

Watters J, Park Y, Hollenbeck A, Schatzkin A, and Albanes D. Cigarette smoking and prostate cancer in a prospective us cohort study. *Cancer Epidemiology, Biomarkers & Prevention*, 2009; 18(9):2427–35. Available from: <http://cebp.aacrjournals.org/content/18/9/2427.long>

### News reports:

#### *3.5 Other cancers*

Australian Institute of Health and Welfare. Cancer. Canberra: AIHW, 2011. Last update: 28/4/2011; Viewed Available from: <http://www.aihw.gov.au/cancer/>.

#### *3.5.1 Upper aerodigestive tract cancers*

Connor N. Drinking hot tea linked to cancer, in *The Telegraph* 2018. Available from: <http://www.telegraph.co.uk/news/2018/02/06/drinking-hot-tea-can-increase-risk-cancer-study-finds/>.

Nelson B. Kissing overtakes smoking as leading risk factor for oral cancer, says doctor, in *Mother Nature Network* 2015. Available from: <https://www.mnn.com/health/fitness-well-being/stories/kissing-overtakes-smoking-leading-risk-factor-oral-cancer-says-doctor>

No authors listed. Rates of mouth cancer increase to all time high in *The Dentist* 2015. Available from: <http://www.the-dentist.co.uk/article/4176/rates-of-mouth-cancer-increase-to-all-time-high>.

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### *3.5.4 Kidney and bladder cancers*

European Association of Urology. Early menopause in smokers linked to bladder cancer. *Medical Xpress*, 2019. Mar 15, 2019. Available from: <https://medicalxpress.com/news/2019-03-early-menopause-smokers-linked-bladder.html>

Christie K. Alert over smoking link to bladder cancer. *The Scotsman*, 2017. Available from: <http://www.scotsman.com/news/uk/alert-over-smoking-link-to-bladder-cancer-1-4586954>

### *3.5.4.3 Factors affecting risk*

No authors listed. Genes that hold the clues to bladder cancer and its treatment, in *Medical Xpress (PhysOrg.com)* 2017. Available from: <https://medicalxpress.com/news/2017-11-genes-clues-bladder-cancer-treatment.html>.

### *3.5.4.4 Impact of smoking on prognosis*

Reuters. Most smokers with bladder cancer know tobacco was the cause, in *Asia One* 2014. Available from: <http://yourhealth.asiaone.com/content/most-smokers-bladder-cancer-know-tobacco-was-cause>.

### *3.5.8 Colorectal (bowel) cancer*

No authors listed. Unhealthy lifestyle responsible for 45,000 predicted cases of bowel cancer in next decade. *Medical Xpress*, 2018. Sept 25, 2018. Available from <https://medicalxpress.com/news/2018-09-unhealthy-lifestyle-responsible-cases-bowel.html>

No authors listed. Smoking increases risk of precancerous colorectal lesions in women more than in men, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/313918.php>.

### *3.5.9 Breast cancer*

No authors listed. For breast cancer patients, never too late to quit smoking, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/305650.php?tw>.

tobaccoinaustralia.org.au

# Tobacco in Australia

## Facts & Issues

---

### *3.5.9.1 Risk associated with smoking*

Glantz S. Acs. Harvard, and nci researchers conclude that smoking causes breast cancer: This is important to all women. Center for Tobacco Control, Research and Education, San Francisco 2015. Available from: <https://tobacco.ucsf.edu/acs-harvard-and-nci-researchers-conclude-smoking-causes-breast-cancer-important-all-women>.

### *3.5.9.4 Impact of smoking on prognosis*

Rapaport L. More evidence smoking raises risk of death from breast cancer, in *Reuters* 2015. Available from: <http://uk.reuters.com/article/2015/07/21/us-health-smoking-breast-cancer-idUKKCN0PV2DV20150721>.

No authors listed. Smoking may impact survival after a breast cancer diagnosis in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/releases/295863.php?tw>.

### *3.5.10 Other cancers*

Baulkman J. Smokers who take the pill cut their ovarian cancer risk by 66%: The extra hormones offset the damage of cigarettes, study finds, in *Daily Mail* 2018. Available from: <http://www.mailonsunday.co.uk/health/article-5298489/Smokers-Pill-cut-ovarian-cancer-risk-66.html>.

### *3.5.10.2 Prostate cancer*

Rapaport L. Prostate cancer survival odds worse for smokers, in *Reuters* 2018. Available from: <https://www.reuters.com/article/us-health-prostate-smoking/prostate-cancer-survival-odds-worse-for-smokers-idUSKCN1J12YZ>.

No authors listed. Drop in cigarette smoking linked to decline in prostate cancer deaths, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/309112.php>.

von Radowitz J. New research finds prostate cancer link to smoking. *Belfast Telegraph* 2015. Available from: <http://www.belfasttelegraph.co.uk/news/health/new-research-finds-prostate-cancer-link-to-smoking-31322138.html>

tobaccoinaustralia.org.au