

Tobacco in Australia

Facts & Issues

Relevant news and research

3.7 Pregnancy and smoking

Last updated October 2020

Research:

Braun, M, Klingelhofer, D, Oremek, GM, Quarcoo, D, & Groneberg, DA. (2020). Influence of Second-Hand Smoke and Prenatal Tobacco Smoke Exposure on Biomarkers, Genetics and Physiological Processes in Children-An Overview in Research Insights of the Last Few Years. *Int J Environ Res Public Health*, 17(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32380770>

Show, KL, Phyo, AP, Saw, S, Zaw, KK, Tin, TC, Tun, NA, & Wai, KT. (2019). Perception of the risk of tobacco use in pregnancy and factors associated with tobacco use in rural areas of Myanmar. *Tob Prev Cessat*, 5, 36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411899>

Wilson, CA, Finch, E, Kerr, C, & Shakespeare, J. (2020). Alcohol, smoking, and other substance use in the perinatal period. *BMJ*, 369, m1627. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32393478>

Walker N, Filis P, O'Shaughnessy PJ, Bellingham M, and Fowler PA. Nutrient transporter expression in both the placenta and fetal liver are affected by maternal smoking. *Placenta*, 2019; 78:10-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30955705>

Tanaka K, Nishigori H, Watanabe Z, Iwama N, Satoh M, et al. Higher prevalence of hypertensive disorders of pregnancy in women who smoke: The japan environment and children's study. *Hypertension Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30662062>

Slomski A. More folic acid for pregnant smokers. *JAMA*, 2019; 321(20):1965. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31135849>

Reynolds CME, Egan B, Daly N, McKeating A, Sheehan SR, et al. The interaction between maternal smoking, illicit drug use and alcohol consumption associated with neonatal outcomes. *J Public Health (Oxf)*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30753536>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Ratnasiri AWG, Gordon L, Dieckmann RA, Lee HC, Parry SS, et al. Smoking during pregnancy and adverse birth and maternal outcomes in California, 2007 to 2016. *American Journal of Perinatology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31365931>

Milnerowicz H, Wrzesniak M, Krolik M, and Kowalska K. Influence of tobacco smoke on zinc, cadmium, iron, iron-binding proteins, and low-weight anti-oxidant status in pregnancy. *Inhalation Toxicology*, 2019;1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30794012>

Lokki AI, Heikkinen-Eloranta J, Ohman H, Heinonen S, Surcel HM, et al. Smoking during pregnancy reduces vitamin D levels in a Finnish birth register cohort. *Public Health Nutrition*, 2019;1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30732669>

Li R, Lodge J, Flatley C, and Kumar S. The burden of adverse obstetric and perinatal outcomes from maternal smoking in an Australian cohort. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 2019; 59(3):356-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30014485>

Chen HL, Cai JY, Zha ML, and Shen WQ. Prenatal smoking and postpartum depression: A meta-analysis. *Journal of Psychosomatic Obstetrics and Gynaecology*, 2019; 40(2):97-105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29514549>

Chan YL, Oliver BG, and Chen H. What lessons have we learnt about the impact of maternal cigarette smoking from animal models? *Clinical and Experimental Pharmacology and Physiology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31556137>

Chakraborty P, Dugmonits KN, Vegh AG, Hollandi R, Horvath P, et al. Failure in the compensatory mechanism in red blood cells due to sustained smoking during pregnancy. *Chemico-Biological Interactions*, 2019; 313:108821. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31525342>

Australian Institute of Health and Welfare. Australia's mothers and babies 2017—in brief. Perinatal statistics series no. 35. Cat. no. PER 100, Canberra: AIHW, 2019. Available from: <https://www.aihw.gov.au/getmedia/2a0c22a2-ba27-4ba0-ad47-ebbe51854cd6/aihw-per-100-in-brief.pdf.aspx?inline=true>.

Allen S, Harrison K, Petersen A, and Goodson J. Smoking-related symptomatology in pregnant smokers during ad libitum smoking and following overnight smoking abstinence. *BMC Research Notes*, 2019; 12(1):473. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31370907>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Song C, Li W, Leng J, Wang L, Li W, et al. Passive smoking and postpartum depression among chinese women: A prospective cohort study in tianjin, china. *Women and Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29924720>

Public Health England. Health of women before and during pregnancy: Health behaviours, risk factors and inequalities. PHE publications gateway number: 2018202. London, UK 2018. Available from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/727735/Health_of_women_before_and_during_pregnancy_national_analysis_of_the_MSDS_booki ng_data.pdf.

O'Malley EG, Cawley S, Reynolds CME, Kennedy RAK, Molloy A, et al. Comparison at the first prenatal visit of the maternal dietary intakes of smokers with non-smokers in a large maternity hospital: A cross-sectional study. *BMJ Open*, 2018; 8(7):e021721. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30002014>

Mistry R, Jones AD, Pednekar MS, Dhumal G, Dasika A, et al. Antenatal tobacco use and iron deficiency anemia: Integrating tobacco control into antenatal care in urban india. *Reprod Health*, 2018; 15(1):72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29720206>

Lee SW, Han YJ, Cho DH, Kwak HS, Ko K, et al. Smoking exposure in early pregnancy and adverse pregnancy outcomes: Usefulness of urinary tobacco-specific nitrosamine metabolite 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol levels. *Gynecologic and Obstetric Investigation*, 2018:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29739005>

Heidari Z, Mahmoudzadeh-Sagheb H, and Sheibak N. Placenta structural changes in heavy smoking mothers: A stereological aspect. *Current Medical Research and Opinion*, 2018:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29469634>

Coleman-Cowger VH, Oga EA, Peters EN, and Mark K. Prevalence and associated birth outcomes of co-use of cannabis and tobacco cigarettes during pregnancy. *Neurotoxicology and Teratology*, 2018; 68:84-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29883744>

Belhareth R, Mezouar S, Ben Amara A, Chartier C, Azzouz EB, et al. Cigarette smoke extract interferes with placenta macrophage functions: A new mechanism to compromise placenta functions? *Reproductive Toxicology*, 2018; 78:120-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29673796>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Australian Institute of Health and Welfare. Australia's mothers and babies 2016—in brief. Perinatal statistics series no. 34. Cat. no. PER 97, Canberra: AIHW 2018. Available from: <https://www.aihw.gov.au/reports/mothers-babies/australias-mothers-babies-2016-in-brief/contents/table-of-contents>.

Australian Institute of Health and Welfare. Child and maternal health in 2013–2015. My Healthy Communities, Canberra: AIHW 2018. Available from: https://www.myhealthycommunities.gov.au/Content/publications/downloads/AIHW_HC_Report_Child_and_maternal_health_April_2018.pdf?t=1524109871065.

Action on Smoking and Health. Smoking in pregnancy: Review of the challenge 2018. Smoking in Pregnancy, 2018. Available from: <http://smokefreeaction.org.uk/download/1071/>.

Zhao R, Wu Y, Zhao F, Lv Y, Huang D, et al. The risk of missed abortion associated with the levels of tobacco, heavy metals and phthalate in hair of pregnant woman: A case control study in chinese women. *Medicine*, 2017; 96(51):e9388. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29390543>

Shobeiri F, Masoumi SZ, and Jenabi E. The association between maternal smoking and placenta abruption: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2017; 30(16):1963-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27623712>

Mohammadi S, Domeno C, Nerin I, Aznar M, Samper P, et al. Toxic compounds from tobacco in placenta samples analyzed by uplc-qtof-ms. *Journal of Pharmaceutical and Biomedical Analysis*, 2017; 145:331-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710994>

Meyer KF, Krauss-Etschmann S, Kooistra W, Reinders-Luinge M, Timens W, et al. Prenatal exposure to tobacco smoke sex dependently influences methylation and mrna levels of the igf axis in lungs of mouse offspring. *American Journal of Physiology. Lung Cellular and Molecular Physiology*, 2017:ajplung 00271 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28130259>

Lucendo-Villarin B, Filis P, Swortwood MJ, Huestis MA, Meseguer-Ripolles J, et al. Modelling foetal exposure to maternal smoking using hepatoblasts from pluripotent stem cells. *Archives of Toxicology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28510779>

Kim CW, Lee HM, Lee K, Kim B, Lee MY, et al. Effects of cigarette smoke extracts on cell cycle, cell migration and endocrine activity in human placental cells. *Reproductive Toxicology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28736174>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Huang F, Cheng H, Zhang YT, Ju YH, and Li YN. Early postnatal exposure to cigarette smoke leads to later airway inflammation in asthmatic mice. PLoS ONE, 2017; 12(1):e0171021. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28135326>

Heidari Z, Mahmoudzadeh-Sagheb H, and Sheibak N. Quantitative changes of extravillous trophoblast cells in heavy smoker mothers compared with healthy controls. Reproduction, Fertility, and Development, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28723341>

Australian Institute of Health and Welfare. Maternal deaths in australia 2012–2014. Cat. no. PER 92. Canberra: AIHW, 2017. Available from: <https://www.aihw.gov.au/reports/mothers-babies/maternal-deaths-in-australia-2012-2014/contents/table-of-contents>.

Wrzesniak M, Kepinska M, Krolik M, and Milnerowicz H. Influence of tobacco smoking on transferrin sialylation during pregnancy in smoking and non-smoking women with iron deficiency. Environ Toxicol Pharmacol, 2016; 46:95-102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27448041>

Wilbanks HE, Von Mohr M, Potenza MN, Mayes LC, and Rutherford HJ. Tobacco smoking and the resting maternal brain: A preliminary study of frontal eeg. Yale Journal of Biology and Medicine, 2016; 89(2):115-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27354838>

Sirvinskiene G, Zemaitiene N, Jusiene R, Smigelskas K, Veryga A, et al. Smoking during pregnancy in association with maternal emotional well-being. Medicina (Kaunas), 2016; 52(2):132-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27170487>

Reese SE, Zhao S, Wu MC, Joubert BR, Parr CL, et al. DNA methylation score as a biomarker in newborns for sustained maternal smoking during pregnancy. Environmental Health Perspectives, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27323799>

Paropkari AD, Leblebicioglu B, Christian LM, and Kumar PS. Smoking, pregnancy and the subgingival microbiome. Sci Rep, 2016; 6:30388. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27461975>

Meyer C. Relations between smoking and serum lipid levels in mid-to- late pregnancy: 2313 june 2, 4: 15 pm - 4: 30 pm. Medicine and Science in Sports and Exercise, 2016; 48(5 Suppl 1):645. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27361047>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Jenabi E and Fereidooni B. The association between maternal smoking and hyperemesis gravidarum: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2016:1-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27123776>

Jacob N, Golmard JL, and Berlin I. Fetal exposure to tobacco: Nicotine and cotinine concentration in amniotic fluid and maternal saliva. *Journal of Maternal-Fetal and Neonatal Medicine*, 2016:1-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27001007>

Chelchowska M, Gajewska J, Mazur J, Ambroszkiewicz J, Maciejewski TM, et al. Serum pregnancy-associated plasma protein a levels in the first, second and third trimester of pregnancy: Relation to newborn anthropometric parameters and maternal tobacco smoking. *Arch Med Sci*, 2016; 12(6):1256-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27904516>

Salimi S, Terplan M, Cheng D, and Chisolm MS. The relationship between postpartum depression and perinatal cigarette smoking: An analysis of prams data. *Journal of Substance Abuse Treatment*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25841705>

Negrini R, Jnuior EA, Piato S, Chade MC, Rios AR, et al. Expression of collagen in ovular membranes of pregnant smokers and non-smokers: A pilot study. *Ginekologia Polska*, 2015; 86(9):678-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26665569>

Ion R and Bernal AL. Smoking and preterm birth. *Reprod Sci*, 2015; 22(8):918-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25394641>

Hyland A, Piazza KM, Hovey KM, Ockene JK, Andrews CA, et al. Associations of lifetime active and passive smoking with spontaneous abortion, stillbirth and tubal ectopic pregnancy: A cross-sectional analysis of historical data from the women's health initiative. *Tobacco Control*, 2015; 24(4):328-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24572626>

Huang H, Clancy KB, Burhance C, Zhu Y, and Madrigal L. Women who deliver twins are more likely to smoke and have high frequencies of specific snps: Results from a sample of african-american women who delivered preterm, low birth weight babies. *Am J Hum Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25882505>

Di Florio A, Morgan H, Jones L, Forty L, Gordon-Smith K, et al. Smoking and postpartum psychosis. *Bipolar Disorders*, 2015; 17(5):572-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26241192>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Brailon A and Bewley S. Re: Prenatal vitamin c and e supplementation in smokers is associated with reduced placental abruption and preterm birth: A secondary analysis. BJOG, 2015; 122(6):884-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25892472>

Smoking and pregnancy. Nursing Standard, 2015; 30(13):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26602653>

Yerushalmy J. The relationship of parents' cigarette smoking to outcome of pregnancy-implications as to the problem of inferring causation from observed associations. International Journal of Epidemiology, 2014; 43(5):1355-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25301860>

Witt WP, Mandell KC, Wisk LE, Cheng ER, Chatterjee D, et al. Predictors of alcohol and tobacco use prior to and during pregnancy in the us: The role of maternal stressors. Archives of Women's Mental Health, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25449635>

Tobacco Action Committee of the A, Folan P, and Spatarella A. Smoking and pregnancy. American Journal of Respiratory and Critical Care Medicine, 2014; 189(4):P7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24528330>

Taylor AE, Davey Smith G, and Munafo MR. Re: "Exposure to maternal smoking during pregnancy as a risk factor for tobacco use in adult offspring". American Journal of Epidemiology, 2014; 180(9):959-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25294600>

Schneider HA, Gembruch U, Fimmers R, Schmitz J, and Muller AM. Expression of ap-2gamma in placentas of patients with preeclampsia and of smokers. Archives of Gynecology and Obstetrics, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25315380>

Paes MM and Diniz AL. Chronic perfusion changes and reduction in preeclampsia incidence in pregnant smokers: An ophthalmic artery doppler study. Journal of Maternal-Fetal and Neonatal Medicine, 2014:1-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25327174>

Mund M, Kloft B, Bundschuh M, Klingelhoef D, Groneberg DA, et al. Global research on smoking and pregnancy-a scientometric and gender analysis. International Journal of Environmental Research and Public Health, 2014; 11(6):5792-806. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24879489>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Milnerowicz-Nabzdyk E and Bizon A. Effect of cigarette smoking on vascular flows in pregnancies complicated by intrauterine growth restriction. *Reproductive Toxicology*, 2014; 50:27-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25461903>

Lassi ZS, Imam AM, Dean SV, and Bhutta ZA. Preconception care: Caffeine, smoking, alcohol, drugs and other environmental chemical/radiation exposure. *Reprod Health*, 2014; 11 Suppl 3:S6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25415846>

Julsgaard M, Norgaard M, Hvas CL, Grosen A, Hasseriis S, et al. Influence of medical treatment, smoking and disease activity on pregnancy outcomes in crohn's disease. *Scandinavian Journal of Gastroenterology*, 2014; 49(3):302-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24417179>

Jobe AH. Fetal response to maternal smoking. *Journal of Pediatrics*, 2014; 165(4):647-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25256046>

Hossain MM, Rahman ME, and Khan TH. Maternal smokeless tobacco use and adverse pregnancy outcome. *Mymensingh Med J*, 2014; 23(1):46-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24584372>

Goldstein H. Commentary: Smoking in pregnancy and neonatal mortality. *International Journal of Epidemiology*, 2014; 43(5):1366-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25301861>

de Almeida Olympio Rua E, Porto M, Louzada J, Nogueira B, Dos Santos Meyrelles S, et al. Effects of tobacco smoking during pregnancy on oxidative stress in the umbilical cord and mononuclear blood cells of neonates. *Journal of Biomedical Science*, 2014; 21(1):590. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25547987>

Chang JJ, Strauss JF, 3rd, Deshazo JP, Rigby FB, Chelmow DP, et al. Reassessing the impact of smoking on preeclampsia/eclampsia: Are there age and racial differences? *PLoS ONE*, 2014; 9(10):e106446. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25337852>

Andriani H and Kuo H. Adverse effects of parental smoking during pregnancy in urban and rural areas. *BMC Pregnancy Childbirth*, 2014; 14(1):1210. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25551278>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Abramovici A, Gandley R, Clifton R, Leveno K, Myatt L, et al. Prenatal vitamin c and e supplementation in smokers is associated with reduced placental abruption and preterm birth: A secondary analysis. BJOG, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25516497>

Mund M, Louwen F, Klingelhoef D, and Gerber A. Smoking and pregnancy--a review on the first major environmental risk factor of the unborn. International Journal of Environmental Research and Public Health, 2013; 10(12):6485-99. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24351784>

Lamminpaa R, Vehvilainen-Julkunen K, Gissler M, and Heinonen S. Smoking among older childbearing women - a marker of risky health behaviour a registry-based study in finland. BMC Public Health, 2013; 13:1179. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24330715>

Dinc M, Cakar M, Balta S, Akhan M, Sarlak H, et al. The importance of iodine supplementation and smoking for maternal and fetal thyroid health in pregnant women. Eur Thyroid J, 2013; 2(3):211-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24847455>

Laws P, Li Z, and Sullivan E. Australia's mothers and babies 2008. Perinatal statistics series no. 24, AIHW cat. no. PER 50. Sydney: Australian Institute of Health and Welfare National Perinatal Statistics Unit, 2010. Available from: <http://www.aihw.gov.au/publication-detail/?id=6442472399&tab=2>.

Dietz PM, England LJ, Shapiro-Mendoza CK, Tong VT, Farr SL, et al. Infant morbidity and mortality attributable to prenatal smoking in the u.s. American Journal of Preventive Medicine, 2010; 39(1):45-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20547278>

Australian Institute of Health and Welfare. Australia's mothers and babies 2008. Perinatal statistics series no. 24. Cat. no. PER 50, Canberra: AIHW 2010. Available from: <https://www.aihw.gov.au/getmedia/83807350-59b6-4ca5-b0a2-b92b158ae062/11813.pdf.aspx?inline=true>.

British Medical Association Board of Science and Education and Tobacco Control Resource Centre, Smoking and reproductive life. The impact of smoking on sexual, reproductive and child health. London: British Medical Association; 2004. Available from: http://www.bma.org.uk/images/smoking_tcm41-21289.pdf.

3.7.1 Spontaneous abortion

Tobacco in Australia

Facts & Issues

Diguisto, C, & Dochez, V. (2020). [Consequences of Active Cigarette Smoking in Pregnancy - CNGOF-SFT Expert Report and Guidelines on the management of smoking during pregnancy]. *Gynecol Obstet Fertil Senol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32360705>

Wang L, Yang Y, Liu F, Yang A, Xu Q, et al. Paternal smoking and spontaneous abortion: A population-based retrospective cohort study among non-smoking women aged 20-49 years in rural china. *Journal of Epidemiology and Community Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29891638>

Pineles BL, Park E, and Samet JM. Systematic review and meta-analysis of miscarriage and maternal exposure to tobacco smoke during pregnancy. *American Journal of Epidemiology*, 2014; 179(7):807-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24518810>

3.7.2 Ectopic pregnancy

Diguisto, C, & Dochez, V. (2020). [Consequences of Active Cigarette Smoking in Pregnancy - CNGOF-SFT Expert Report and Guidelines on the management of smoking during pregnancy]. *Gynecol Obstet Fertil Senol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32360705>

Nio-Kobayashi J, Abidin HB, Brown JK, Iwanaga T, Horne AW, et al. Cigarette smoking alters sialylation in the fallopian tube of women, with implications for the pathogenesis of ectopic pregnancy. *Molecular Reproduction and Development*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27704662>

Horne AW, Brown JK, Nio-Kobayashi J, Abidin HB, Adin ZE, et al. The association between smoking and ectopic pregnancy: Why nicotine is bad for your fallopian tube. *PLoS ONE*, 2014; 9(2):e89400. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24586750>

3.7.3 Complications of pregnancy

Fikadu, K, F, GM, Getahun, F, Chufamo, N, & Misiker, D. (2020). Family history of chronic illness, preterm gestational age and smoking exposure before pregnancy increases the probability of preeclampsia in Omo district in southern Ethiopia: a case-control study. *Clin Hypertens*, 26, 16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32821425>

Tobacco in Australia

Facts & Issues

Masalin, S, Kautiainen, H, Gissler, M, Pennanen, P, Eriksson, JG, & Laine, MK. (2020). Impact of smoking on gestational diabetes mellitus and offspring birthweight in primiparous women. *Acta Obstet Gynecol Scand*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32463146>

Wang, X, Lee, NL, & Burstyn, I. (2020). Probabilistic sensitivity analysis: gestational hypertension and differentially misclassified maternal smoking during pregnancy. *Annals of Epidemiology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32070635>

Bar-Zeev Y, Haile ZT, and Chertok IA. Association between prenatal smoking and gestational diabetes mellitus. *Obstetrics and Gynecology*, 2020; 135(1):91-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31809434>

Konstantakou P, Paschou SA, Patinioti I, Vogiatzi E, Sarantopoulou V, et al. The effect of smoking on the risk of gestational diabetes mellitus and the ogtt profile during pregnancy. *Diabetes Research and Clinical Practice*, 2019; 158:107901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31669407>

Wang JW, Cao SS, Hu RY, and Wang M. Association between cigarette smoking during pregnancy and gestational diabetes mellitus: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2018:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30001664>

Shobeiri F and Jenabi E. Smoking and placenta previa: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2017; 30(24):2985-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27936997>

Kinlaw AC, Buckley JP, Engel SM, Poole C, Brookhart MA, et al. Left truncation bias to explain the protective effect of smoking on preeclampsia: Potential, but how plausible? *Epidemiology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28145985>

Berlin I. Commentary on niemela et al. (2017): Maternal smoking during pregnancy-an independent risk factor of postnatal health disorders. *Addiction*, 2017; 112(1):144-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27936503>

Taylor BD, Ness RB, Klebanoff MA, Zoh R, Bass D, et al. First and second trimester immune biomarkers in preeclamptic and normotensive women. *Pregnancy Hypertens*, 2016; 6(4):388-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27939488>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Collier A, Abraham EC, Armstrong J, Godwin J, Monteath K, et al. Reported prevalence of gestational diabetes in scotland: The relationship to obesity, age, socioeconomic status, smoking and macrosomia and how many are we missing? *J Diabetes Investig*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27397133>

Milnerowicz-Nabzdyk E and Bizon A. How does tobacco smoke influence the morphometry of the fetus and the umbilical cord?-research on pregnant women with intrauterine growth restriction exposed to tobacco smoke. *Reproductive Toxicology*, 2015; 58:79-84. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26315940>

Collier AC, Sato BL, Milam KA, and Wright TE. Methamphetamine, smoking, and gestational hypertension affect norepinephrine levels in umbilical cord tissues. *Clinical and Experimental Obstetrics and Gynecology*, 2015; 42(5):580-5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26524802>

Azar R, Blacquiere M, Letourneau N, Belanger M, and Sermer M. Are maternal prenatal smoking and perceived stress associated with umbilical cord c-reactive protein? A pilot study.

Psychoneuroendocrinology, 2015; 61:33. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26383364>

Slatter TL, Park L, Anderson K, Lailai-Tasmania V, Herbison P, et al. Smoking during pregnancy causes double-strand DNA break damage to the placenta. *Human Pathology*, 2014; 45(1):17-26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24125744>

British Medical Association Board of Science and Education & Tobacco Control Resource Centre, Smoking and reproductive life. The impact of smoking on sexual, reproductive and child health. London: British Medical Association; 2004. Available from: https://www.rauchfrei-info.de/fileadmin/main/data/Dokumente/Smoking_ReproductiveLife.pdf.

3.7.4 Preterm delivery

Liu, B, Xu, G, Sun, Y, Qiu, X, Ryckman, KK, Yu, Y et al. (2020). Maternal cigarette smoking before and during pregnancy and the risk of preterm birth: A dose-response analysis of 25 million mother-infant pairs. *PLoS Med*, 17(8), e1003158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32810187>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Nawa, N, Garrison-Desany, HM, Kim, Y, Ji, Y, Hong, X, Wang, G et al (2020). Maternal persistent marijuana use and cigarette smoking are independently associated with shorter gestational age. *Paediatr Perinat Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32602574>

Kondracki, A J. (2020). Low birthweight in term singletons mediates the association between maternal smoking intensity exposure status and immediate neonatal intensive care unit admission: the E-value assessment. *BMC Pregnancy Childbirth*, 20(1), 341. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32493297>

Barisic, A, Kolak, M, Peterlin, A, Tul, N, Gasparovic Krpina, M, Ostojic, S et al. (2020). DNMT3B rs1569686 and rs2424913 gene polymorphisms are associated with positive family history of preterm birth and smoking status. *Croat Med J*, 61(1), 8-17. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32118373>

Rajia, R, Massi, MN, Ahmad, M, Arifuddin, S, & Miskad, UA. (2020). Parity, exposure to cigarette smoke and the presence of bacteria *Stenotrophomonas maltophilia* are related to preterm labor incidence. *Enferm Clin*, 30 Suppl 2, 524-527. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32204228>

Soneji S and Beltran-Sanchez H. Association of maternal cigarette smoking and smoking cessation with preterm birth. *JAMA Netw Open*, 2019; 2(4):e192514. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31002320>

McCall SJ, Green DR, Macfarlane GJ, and Bhattacharya S. Spontaneous very preterm birth in relation to social class, and smoking: A temporal-spatial analysis of routinely collected data in aberdeen, scotland (1985-2010). *J Public Health (Oxf)*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31125067>

Kondracki AJ and Hofferth SL. A gestational vulnerability window for smoking exposure and the increased risk of preterm birth: How timing and intensity of maternal smoking matter. *Reprod Health*, 2019; 16(1):43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30992027>

Yusuf K, Alshaikh B, da Silva O, Lodha AK, Wilson RD, et al. Neonatal outcomes of extremely preterm infants exposed to maternal hypertension and cigarette smoking. *Journal of Perinatology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29740191>

Tobacco in Australia

Facts & Issues

Ion R, Hudson C, Johnson J, Yuan W, Heesom K, et al. Smoking alters hydroxyprostaglandin dehydrogenase expression in fetal membranes. *Reproductive Toxicology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30248390>

Borsari L, Malagoli C, Werler MM, Rothman KJ, Malavolti M, et al. Joint effect of maternal tobacco smoking and pregestational diabetes on preterm births and congenital anomalies: A population-based study in northern Italy. *J Diabetes Res*, 2018; 2018:2782741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30050951>

Rouzaire M, Comptour A, Belville C, Bouvier D, Sapin V, et al. Cigarette smoke condensate affects the retinoid pathway in human amnion. *Placenta*, 2017; 58:98-104. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28962704>

Kuper SG, Abramovici AR, Jauk VC, Harper LM, Biggio JR, et al. The effect of omega-3 supplementation on pregnancy outcomes by smoking status. *American Journal of Obstetrics and Gynecology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28549983>

Knobel-Dail RB, Sloane R, Holditch-Davis D, and Tanaka DT. Negative temperature differential in preterm infants less than 29 weeks gestational age: Associations with infection and maternal smoking. *Nursing Research*, 2017; 66(6):442-53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29095375>

Calhoun B, Hoover E, Seybold D, Broce M, Hill A, et al. Outcomes in an obstetrical population with hereditary thrombophilia and high tobacco use. *Journal of Maternal-Fetal and Neonatal Medicine*, 2017:1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28367651>

Ngo AD, Roberts CL, Chen JS, and Figtree G. Interaction of maternal smoking and preterm birth on future risk of maternal cardiovascular disease: A population-based record linkage study. *Eur J Prev Cardiol*, 2016; 23(6):613-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26157020>

Moore E, Blatt K, Chen A, Van Hook J, and DeFranco EA. Relationship of trimester-specific smoking patterns and risk of preterm birth. *American Journal of Obstetrics and Gynecology*, 2016; 215(1):109 e1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26827877>

Kareli D, Pouliliou S, Liberis A, Nikas I, Psillaki A, et al. Genotoxic effect of tocolytic drug ritodrine in combination with smoking during pregnancy. *Journal of Maternal-Fetal and Neonatal Medicine*, 2016:1-29. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26742485>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Heyborne KD and Allshouse AA. Smoking, 17 alpha-hydroxyprogesterone caproate, and preterm birth. *American Journal of Perinatology*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27464018>

Dahlin S, Gunnerbeck A, Wikstrom AK, Cnattingius S, and Edstedt Bonamy AK. Maternal tobacco use and extremely premature birth - a population-based cohort study. *BJOG*, 2016; 123(12):1938-46.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27411948>

Smith LK, Draper ES, Evans TA, Field DJ, Johnson SJ, et al. Associations between late and moderately preterm birth and smoking, alcohol, drug use and diet: A population-based case-cohort study.

Archives of Disease in Childhood. Fetal and Neonatal Edition, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25972442>

Ngo AD, Chen JS, Figtree G, Morris JM, and Roberts CL. Preterm birth and future risk of maternal cardiovascular disease - is the association independent of smoking during pregnancy? *BMC Pregnancy Childbirth*, 2015; 15:144. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26141292>

Findley J, Seybold DJ, Broce M, Yadav D, and Calhoun BC. Transvaginal cervical length and tobacco use in appalachian women: Association with increased risk for spontaneous preterm birth. *West Virginia Medical Journal*, 2015; 111(3):22-8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26050294>

Janisse JJ, Bailey BA, Ager J, and Sokol RJ. Alcohol, tobacco, cocaine, and marijuana use: Relative contributions to preterm delivery and fetal growth restriction. *Subst Abus*, 2014; 35(1):60-7.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24588295>

Abramovici A, Jauk V, Wetta L, Cantu J, Edwards R, et al. Low-dose aspirin, smoking status, and the risk of spontaneous preterm birth. *American Journal of Perinatology*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25261702>

3.7.5 Other health effects

Mitsuda, N, JP, NA, Eitoku, M, Maeda, N, Fujieda, M, Sukanuma, N et al (2020). Association between maternal active smoking during pregnancy and placental weight: The Japan environment and Children's study. *Placenta*, 94, 48-53. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32421535>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kasahara, K, Ono, T, Higuchi, A, Katsura, D, Hayashi, K, Tokoro, S et al (2020). Smoking during Pregnancy Is a Predictor of Poor Perinatal Outcomes in Maternal Anorexia Nervosa: A Case Series and Single-Center Cross-Sectional Study in Japan. *Tohoku J Exp Med*, 250(4), 191-200. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32224593>

Noonan D, Lyna P, Simmons LA, Gordon KC, and Pollak KI. The co-occurrence of daily smoking, binge drinking and ipv among latino expectant fathers. *Journal of Immigrant and Minority Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31811613>

Cui M, Kimura T, Ikehara S, Dong JY, Ueda K, et al. Prenatal tobacco smoking is associated with postpartum depression in japanese pregnant women: The japan environment and children's study. *Journal of Affective Disorders*, 2019; 264:76-81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31846904>

Westreich D, Cates J, Cohen M, Weber KM, Seidman D, et al. Smoking, hiv, and risk of pregnancy loss. *AIDS*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902507>

Uslu S, Zubarioglu U, Sozeri S, Dursun M, Bulbul A, et al. Factors affecting the target oxygen saturation in the first minutes of life in preterm infants. *Journal of Tropical Pediatrics*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28013253>

News reports:

3.7 Pregnancy and smoking

Lines M. Research sheds new light on why smoking in pregnancy is harmful, in *Medical XPress* 2017. Available from: <https://medicalxpress.com/news/2017-08-pregnancy.html>.

3.7.1 Spontaneous abortion

3.7.2 Ectopic pregnancy

3.7.3 Complications of pregnancy

3.7.4 Preterm delivery

McIntosh J. Smoking and preterm birth combine to triple risk of maternal cvd, in *Medical News Today* 2015. Available from: <http://www.medicalnewstoday.com/articles/296520.php?tw>.

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

3.7.5 Other health effects

tobaccoinaustralia.org.au