

Tobacco in Australia

Facts & Issues

Relevant news and research

3.7 Pregnancy and smoking

Last updated December 2024

Research:	1
3.7.1 Spontaneous abortion	11
3.7.2 Ectopic pregnancy	11
3.7.3 Complications of pregnancy	12
3.7.4 Preterm delivery	16
3.7.5 Other health effects	19
3.7.5.2 Overview of methods used internationally to quantify illicit cigarette trade	22
News reports:	22
3.7 Pregnancy and smoking	22
3.7.1 Spontaneous abortion	23
3.7.2 Ectopic pregnancy	23
3.7.3 Complications of pregnancy	23
3.7.4 Preterm delivery	23
3.7.5 Other health effects	23

Research:

tobaccoinaustralia.org.au

Upadhyaya, P, Milillo, C, Bruno, A, Anaclerio, F, Buccolini, C, Dell'Elice, A et al. (2024). Nicotine-induced Genetic and Epigenetic Modifications in Primary Human Amniotic Fluid Stem Cells. *Curr Pharm Des*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38867535>

Hviid, KVR, Bliddal, S, El Issaoui, M, Krog, MC, Kolte, AM, & Nielsen, HS. (2024). Smoking and recurrent pregnancy loss: A cohort study of 2829 women. *J Reprod Immunol*, 164, 104257. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38788348>

Silveira, TBD, Tavella, RA, Penteado, JO, Garcia, EM, Mattos, LM, Barlem, ELD, & Silva Junior, F. (2024). Neonatal outcomes associated with tobacco, alcohol, and crack use during pregnancy in three Neonatal Intensive Care Units. *An Acad Bras Cienc*, 96(2), e20240014. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38747842>

Yang, L, Zhou, Y, Jiang, M, Wen, W, Guo, Y, Pakhale, S, & Wen, SW. (2024). Why Female Smokers Have Poorer Long-Term Health Outcomes than Male Smokers: The Role of Cigarette Smoking During Pregnancy. *Public Health Rev*, 45, 1605579. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38487619>

Hamadneh, S, Hamadneh, J, Alhenawi, E, Khurma, RA, & Hussien, AG. (2024). Predictive factors and adverse perinatal outcomes associated with maternal smoking status. *Sci Rep*, 14(1), 3436. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38341482>

Selvaratnam, RJ, Sovio, U, Cook, E, Gaccioli, F, Charnock-Jones, DS, & Smith, GCS. (2023). Objective measures of smoking and caffeine intake and the risk of adverse pregnancy outcomes. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37759082>

Tsiapakidou, S, Mahmood, T, & Savona-Ventura, C. (2023). The potential impact of tobacco use on female fertility and pregnancy outcomes: An invited scientific review by EBCOG. *Eur J Obstet Gynecol Reprod Biol*, 290, 85-87. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37741060>

Zhao, X, Jiang, Y, Ma, X, Yang, Q, Ding, X, Wang, H et al. (2023). Demystifying the impact of prenatal tobacco exposure on the placental immune microenvironment: Avoiding the tragedy of mending the fold after death. *J Cell Mol Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37700485>

Cheslin, F, Lodefalk, M, & Kruse, R. (2023). Smoking during pregnancy is associated with the placental proteome. *Reprod Toxicol*, 119, 108409. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37209868>

Mueller, L, & Ciervo, CA. (1998). Smoking in women. *J Osteopath Med*, 98(s12), s7-s10. Nagaria, T, Singh, N, Punshi, H, Dengani, M, Agrawal, S, Jain, K et al. (2022). The Outcome of Pregnancy Among Tobacco Users in Tertiary Care Hospital of Chhattisgarh Province of India. *Cureus*, 14(12), e32877. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36699785>

Sekovanic, A, Dorotic, A, Pasalic, D, Orct, T, Kljakovic-Gaspic, Z, Grgec, AS et al. (2022). The effects of maternal cigarette smoking on cadmium and lead levels, miRNA expression and biochemical parameters across the feto-placental unit. *Helijon*, 8(12), e12568. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36636214>

Nsonwu-Anyanwu, AC, Egom, OU, Eworo, RE, Nsonwu, MC, Aniekpon, UF, Ekpo, DO, & Opara Usoro, CA. (2022). Risk of Pulmonary-Reproductive Dysfunctions, Inflammation and Oxidative DNA Damage

in Exposure to Polycyclic Aromatic Hydrocarbon in Cigarette Smokers. *Med J Islam Repub Iran*, 36, 108. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36447550>

Tarasi, B, Cornuz, J, Clair, C, & Baud, D. (2022). Cigarette smoking during pregnancy and adverse perinatal outcomes: a cross-sectional study over 10 years. *BMC Public Health*, 22(1), 2403. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36544092>

Canales-Echegaray, L, Fuentes-Suarez, W, & Buleje, J. (2022). Smoking, alcohol, and coffee consumption and pregnancy loss: a Mendelian randomization investigation. *Fertil Steril*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36283863>

Daggy, JK, Silver, RM, Guise, D, & Haas, DM. (2022). The Impact of Self-Reported Alcohol, Tobacco, and Recreational Drug Use during Pregnancy on Adverse Pregnancy Outcomes in First-Time Mothers. *Am J Perinatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36096135>

Delcroix-Gomez, C, Delcroix, MH, Jamee, A, Gauthier, T, Marquet, P, & Aubard, Y. (2022). Fetal growth restriction, low birth weight, and preterm birth: Effects of active or passive smoking evaluated by maternal expired CO at delivery, impacts of cessation at different trimesters. *Tob Induc Dis*, 20, 70. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36118558>

Hoyt, AT, Wilkinson, AV, Langlois, PH, Galeener, CE, Ranjit, N, Sauder, KA et al. (2022). Prenatal exposure to tobacco and adverse birth outcomes: effect modification by folate intake during pregnancy. *Matern Health Neonatol Perinatol*, 8(1), 6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36096906>

Kunori, Y, Saijo, Y, Yoshioka, E, Sato, Y, Kanaya, T, Nakanishi, K et al. (2022). Evaluating association of smoking status during pregnancy with adverse birth outcomes using urinary cotinine concentration: The Japan environment and Children's study (JECS). *Environ Res*, 215(Pt 2), 114302. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36115418>

Xie, S, Monteiro, K, & Gjelsvik, A. (2022). The association between adverse birth outcomes and smoking cessation during pregnancy across the United States-43 States and New York City, 2012-2017. *Arch Gynecol Obstet*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36175683>

Weiland, S, Peters, LL, Berger, MY, Erwich, J, & Jansen, D. (2022). Women who smoke during pregnancy are more likely to be referred to an obstetrician during pregnancy and birth: results from a cohort study. *BMC Pregnancy Childbirth*, 22(1), 479. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35698051>

Pietersma, CS, Mulders, A, Sabanovic, A, Willemse, SP, Jansen, MS, Steegers, EAP et al (2022). The impact of maternal smoking on embryonic morphological development: the Rotterdam Periconception Cohort. *Hum Reprod*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35193145>

Morales-Suarez-Varela, M, Peraita-Costa, I, Perales-Marin, A, Llopis-Morales, A, & Llopis-Gonzalez, A. (2022). Risk of Gestational Diabetes Due to Maternal and Partner Smoking. *Int J Environ Res Public Health*, 19(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35055745>

Havard, A, Chandran, JJ, & Oei, JL. (2022). Tobacco use during pregnancy. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34985168>

Chelchowska, M, Gajewska, J, Ambroszkiewicz, J, Mazur, J, Oltarzewski, M, & Maciejewski, TM. (2021). Influence of Oxidative Stress Generated by Smoking during Pregnancy on Glutathione Status in Mother-Newborn Pairs. *Antioxidants (Basel)*, 10(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34942969>

Bermudez, LG, Madariaga, I, Zuniga, MI, Olaya, M, Canas, A, Rodriguez, LS et al. (2021). RUNX1 gene expression changes in the placentas of women smokers. *Exp Ther Med*, 22(2), 902. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34257715>

Nakamura, A, Francois, O, & Lepeule, J. (2021). Epigenetic Alterations of Maternal Tobacco Smoking during Pregnancy: A Narrative Review. *Int J Environ Res Public Health*, 18(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34064931>

Oh, SS, Park, S, You, YA, Jee, Y, Ansari, A, Kim, SM et al (2021). Prenatal Exposure to Alcohol, Tobacco, and Coffee: Associated Congenital Complications and Adverse Birth Outcomes. *International Journal of Environmental Research and Public Health*, 18(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33803679>

Avsar, TS, McLeod, H, & Jackson, L. (2021). Health outcomes of smoking during pregnancy and the postpartum period: an umbrella review. *BMC Pregnancy Childbirth*, 21(1), 254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33771100>

Nagpal, N, Ramos, AM, Hajal, N, Massey, SH, Leve, LD, Shaw, DS et al (2021). Psychopathology Symptoms are Associated with Prenatal Health Practices in Pregnant Women with Heavy Smoking Levels. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33417106>

Braun, M, Klingelhofer, D, Oremek, GM, Quarcoo, D, & Groneberg, DA. (2020). Influence of Second-Hand Smoke and Prenatal Tobacco Smoke Exposure on Biomarkers, Genetics and Physiological Processes in Children-An Overview in Research Insights of the Last Few Years. *Int J Environ Res Public Health*, 17(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32380770>

Show, KL, Phyo, AP, Saw, S, Zaw, KK, Tin, TC, Tun, NA, & Wai, KT. (2019). Perception of the risk of tobacco use in pregnancy and factors associated with tobacco use in rural areas of Myanmar. *Tob Prev Cessat*, 5, 36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411899>

Wilson, CA, Finch, E, Kerr, C, & Shakespeare, J. (2020). Alcohol, smoking, and other substance use in the perinatal period. *BMJ*, 369, m1627. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32393478>

Walker N, Filis P, O'Shaughnessy PJ, Bellingham M, and Fowler PA. Nutrient transporter expression in both the placenta and fetal liver are affected by maternal smoking. *Placenta*, 2019; 78:10-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30955705>

Tanaka K, Nishigori H, Watanabe Z, Iwama N, Satoh M, et al. Higher prevalence of hypertensive disorders of pregnancy in women who smoke: The japan environment and children's study. *Hypertension Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30662062>

Slomski A. More folic acid for pregnant smokers. *JAMA*, 2019; 321(20):1965. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31135849>

Reynolds CME, Egan B, Daly N, McKeating A, Sheehan SR, et al. The interaction between maternal smoking, illicit drug use and alcohol consumption associated with neonatal outcomes. *J Public Health (Oxf)*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30753536>

Ratnasiri AWG, Gordon L, Dieckmann RA, Lee HC, Parry SS, et al. Smoking during pregnancy and adverse birth and maternal outcomes in California, 2007 to 2016. *American Journal of Perinatology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31365931>

Milnerowicz H, Wrzesniak M, Krolik M, and Kowalska K. Influence of tobacco smoke on zinc, cadmium, iron, iron-binding proteins, and low-weight anti-oxidant status in pregnancy. *Inhalation Toxicology*, 2019;1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30794012>

Lokki AI, Heikkinen-Eloranta J, Ohman H, Heinonen S, Surcel HM, et al. Smoking during pregnancy reduces vitamin D levels in a Finnish birth register cohort. *Public Health Nutrition*, 2019;1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30732669>

Li R, Lodge J, Flatley C, and Kumar S. The burden of adverse obstetric and perinatal outcomes from maternal smoking in an Australian cohort. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 2019; 59(3):356-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30014485>

Chen HL, Cai JY, Zha ML, and Shen WQ. Prenatal smoking and postpartum depression: A meta-analysis. *Journal of Psychosomatic Obstetrics and Gynaecology*, 2019; 40(2):97-105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29514549>

Chan YL, Oliver BG, and Chen H. What lessons have we learnt about the impact of maternal cigarette smoking from animal models? *Clinical and Experimental Pharmacology and Physiology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31556137>

Chakraborty P, Dugmonits KN, Vegh AG, Hollandi R, Horvath P, et al. Failure in the compensatory mechanism in red blood cells due to sustained smoking during pregnancy. *Chemico-Biological Interactions*, 2019; 313:108821. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31525342>

Australian Institute of Health and Welfare. Australia's mothers and babies 2017—in brief. Perinatal statistics series no. 35. Cat. no. PER 100, Canberra: AIHW, 2019. Available from: <https://www.aihw.gov.au/getmedia/2a0c22a2-ba27-4ba0-ad47-ebbe51854cd6/aihw-per-100-in-brief.pdf.aspx?inline=true>

Allen S, Harrison K, Petersen A, and Goodson J. Smoking-related symptomatology in pregnant smokers during ad libitum smoking and following overnight smoking abstinence. *BMC Research Notes*, 2019; 12(1):473. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31370907>

Song C, Li W, Leng J, Wang L, Li W, et al. Passive smoking and postpartum depression among Chinese women: A prospective cohort study in Tianjin, China. *Women and Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29924720>

Public Health England. Health of women before and during pregnancy: Health behaviours, risk factors and inequalities. PHE publications gateway number: 2018202. London, UK 2018. Available from:

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file

[/7277735/Health_of_women_before_and_during_pregnancy_national_analysis_of_the_MS DS_booki ng_data.pdf.](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6277735/)

O'Malley EG, Cawley S, Reynolds CME, Kennedy RAK, Molloy A, et al. Comparison at the first prenatal visit of the maternal dietary intakes of smokers with non-smokers in a large maternity hospital: A cross-sectional study. *BMJ Open*, 2018; 8(7):e021721. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30002014>

Mistry R, Jones AD, Pednekar MS, Dhumal G, Dasika A, et al. Antenatal tobacco use and iron deficiency anemia: Integrating tobacco control into antenatal care in urban india. *Reprod Health*, 2018; 15(1):72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29720206>

Lee SW, Han YJ, Cho DH, Kwak HS, Ko K, et al. Smoking exposure in early pregnancy and adverse pregnancy outcomes: Usefulness of urinary tobacco-specific nitrosamine metabolite 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol levels. *Gynecologic and Obstetric Investigation*, 2018;1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29739005>

Heidari Z, Mahmoudzadeh-Sagheb H, and Sheibak N. Placenta structural changes in heavy smoking mothers: A stereological aspect. *Current Medical Research and Opinion*, 2018;1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29469634>

Coleman-Cowger VH, Oga EA, Peters EN, and Mark K. Prevalence and associated birth outcomes of co-use of cannabis and tobacco cigarettes during pregnancy. *Neurotoxicology and Teratology*, 2018; 68:84-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29883744>

Belhareth R, Mezouar S, Ben Amara A, Chartier C, Azzouz EB, et al. Cigarette smoke extract interferes with placenta macrophage functions: A new mechanism to compromise placenta functions? *Reproductive Toxicology*, 2018; 78:120-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29673796>

Australian Institute of Health and Welfare. Australia's mothers and babies 2016—in brief. Perinatal statistics series no. 34. Cat. no. PER 97, Canberra: AIHW 2018. Available from: <https://www.aihw.gov.au/reports/mothers-babies/australias-mothers-babies-2016-in-brief/contents/table-of-contents>.

Australian Institute of Health and Welfare. Child and maternal health in 2013–2015. My Healthy Communities, Canberra: AIHW 2018. Available from: https://www.myhealthycommunities.gov.au/Content/publications/downloads/AIHW_HC_Report_Child_and_maternal_health_April_2018.pdf?t=1524109871065.

Action on Smoking and Health. Smoking in pregnancy: Review of the challenge 2018. Smoking in Pregnancy, 2018. Available from: <http://smokefreeaction.org.uk/download/1071/>.

Zhao R, Wu Y, Zhao F, Lv Y, Huang D, et al. The risk of missed abortion associated with the levels of tobacco, heavy metals and phthalate in hair of pregnant woman: A case control study in chinese women. *Medicine*, 2017; 96(51):e9388. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29390543>

Shobeiri F, Masoumi SZ, and Jenabi E. The association between maternal smoking and placenta abruption: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2017; 30(16):1963-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27623712>

Mohammadi S, Domeno C, Nerin I, Aznar M, Samper P, et al. Toxic compounds from tobacco in placenta samples analyzed by uplc-qtof-ms. *Journal of Pharmaceutical and Biomedical Analysis*, 2017; 145:331-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710994>

Meyer KF, Krauss-Etschmann S, Kooistra W, Reinders-Luinge M, Timens W, et al. Prenatal exposure to tobacco smoke sex dependently influences methylation and mrna levels of the igf axis in lungs of mouse offspring. *American Journal of Physiology. Lung Cellular and Molecular Physiology*, 2017:ajplung 00271 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28130259>

Lucendo-Villarin B, Filis P, Swortwood MJ, Huestis MA, Meseguer-Ripolles J, et al. Modelling foetal exposure to maternal smoking using hepatoblasts from pluripotent stem cells. *Archives of Toxicology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28510779>

Kim CW, Lee HM, Lee K, Kim B, Lee MY, et al. Effects of cigarette smoke extracts on cell cycle, cell migration and endocrine activity in human placental cells. *Reproductive Toxicology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28736174>

Huang F, Cheng H, Zhang YT, Ju YH, and Li YN. Early postnatal exposure to cigarette smoke leads to later airway inflammation in asthmatic mice. *PLoS ONE*, 2017; 12(1):e0171021. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28135326>

Heidari Z, Mahmoudzadeh-Sagheb H, and Sheibak N. Quantitative changes of extravillous trophoblast cells in heavy smoker mothers compared with healthy controls. *Reproduction, Fertility, and Development*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28723341>

Australian Institute of Health and Welfare. Maternal deaths in australia 2012–2014. Cat. no. PER 92. Canberra: AIHW, 2017. Available from: <https://www.aihw.gov.au/reports/mothers-babies/maternal-deaths-in-australia-2012-2014/contents/table-of-contents>.

Wrzesniak M, Kepinska M, Krolik M, and Milnerowicz H. Influence of tobacco smoking on transferrin sialylation during pregnancy in smoking and non-smoking women with iron deficiency. *Environ Toxicol Pharmacol*, 2016; 46:95-102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27448041>

Wilbanks HE, Von Mohr M, Potenza MN, Mayes LC, and Rutherford HJ. Tobacco smoking and the resting maternal brain: A preliminary study of frontal eeg. *Yale Journal of Biology and Medicine*, 2016; 89(2):115-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27354838>

Sirvinskiene G, Zemaitiene N, Jusiene R, Smigelskas K, Veryga A, et al. Smoking during pregnancy in association with maternal emotional well-being. *Medicina (Kaunas)*, 2016; 52(2):132-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27170487>

Reese SE, Zhao S, Wu MC, Joubert BR, Parr CL, et al. DNA methylation score as a biomarker in newborns for sustained maternal smoking during pregnancy. *Environmental Health Perspectives*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27323799>

Paropkari AD, Leblebicioglu B, Christian LM, and Kumar PS. Smoking, pregnancy and the subgingival microbiome. *Sci Rep*, 2016; 6:30388. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27461975>

Meyer C. Relations between smoking and serum lipid levels in mid-to- late pregnancy: 2313 june 2, 4: 15 pm - 4: 30 pm. *Medicine and Science in Sports and Exercise*, 2016; 48(5 Suppl 1):645. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27361047>

Jenabi E and Fereidooni B. The association between maternal smoking and hyperemesis gravidarum: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2016;1-11. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27123776>

Jacob N, Golmard JL, and Berlin I. Fetal exposure to tobacco: Nicotine and cotinine concentration in amniotic fluid and maternal saliva. *Journal of Maternal-Fetal and Neonatal Medicine*, 2016;1-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27001007>

Chelchowska M, Gajewska J, Mazur J, Ambroszkiewicz J, Maciejewski TM, et al. Serum pregnancy-associated plasma protein a levels in the first, second and third trimester of pregnancy: Relation to newborn anthropometric parameters and maternal tobacco smoking. *Arch Med Sci*, 2016; 12(6):1256-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27904516>

Salimi S, Terplan M, Cheng D, and Chisolm MS. The relationship between postpartum depression and perinatal cigarette smoking: An analysis of prams data. *Journal of Substance Abuse Treatment*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25841705>

Negrini R, Jnuior EA, Piato S, Chade MC, Rios AR, et al. Expression of collagen in ovarian membranes of pregnant smokers and non-smokers: A pilot study. *Ginekologia Polska*, 2015; 86(9):678-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26665569>

Ion R and Bernal AL. Smoking and preterm birth. *Reprod Sci*, 2015; 22(8):918-26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25394641>

Hyland A, Piazza KM, Hovey KM, Ockene JK, Andrews CA, et al. Associations of lifetime active and passive smoking with spontaneous abortion, stillbirth and tubal ectopic pregnancy: A cross-sectional analysis of historical data from the women's health initiative. *Tobacco Control*, 2015; 24(4):328-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24572626>

Huang H, Clancy KB, Burhance C, Zhu Y, and Madrigal L. Women who deliver twins are more likely to smoke and have high frequencies of specific snps: Results from a sample of african-american women who delivered preterm, low birth weight babies. *Am J Hum Biol*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25882505>

Di Florio A, Morgan H, Jones L, Forty L, Gordon-Smith K, et al. Smoking and postpartum psychosis. *Bipolar Disorders*, 2015; 17(5):572-3. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26241192>

Braillon A and Bewley S. Re: Prenatal vitamin c and e supplementation in smokers is associated with reduced placental abruption and preterm birth: A secondary analysis. *BJOG*, 2015; 122(6):884-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25892472>

Smoking and pregnancy. Nursing Standard, 2015; 30(13):16. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26602653>

Yerushalmy J. The relationship of parents' cigarette smoking to outcome of pregnancy-implications as to the problem of inferring causation from observed associations. International Journal of Epidemiology, 2014; 43(5):1355-66. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25301860>

Witt WP, Mandell KC, Wisk LE, Cheng ER, Chatterjee D, et al. Predictors of alcohol and tobacco use prior to and during pregnancy in the us: The role of maternal stressors. Archives of Women's Mental Health, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25449635>

Tobacco Action Committee of the A, Folan P, and Spatarella A. Smoking and pregnancy. American Journal of Respiratory and Critical Care Medicine, 2014; 189(4):P7. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24528330>

Taylor AE, Davey Smith G, and Munafo MR. Re: "Exposure to maternal smoking during pregnancy as a risk factor for tobacco use in adult offspring". American Journal of Epidemiology, 2014; 180(9):959-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25294600>

Schneider HA, Gembruch U, Fimmers R, Schmitz J, and Muller AM. Expression of ap-2gamma in placentas of patients with preeclampsia and of smokers. Archives of Gynecology and Obstetrics, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25315380>

Paes MM and Diniz AL. Chronic perfusion changes and reduction in preeclampsia incidence in pregnant smokers: An ophthalmic artery doppler study. Journal of Maternal-Fetal and Neonatal Medicine, 2014:1-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25327174>

Mund M, Kloft B, Bundschuh M, Klingelhoefer D, Groneberg DA, et al. Global research on smoking and pregnancy-a scientometric and gender analysis. International Journal of Environmental Research and Public Health, 2014; 11(6):5792-806. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24879489>

Milnerowicz-Nabzdyk E and Bizon A. Effect of cigarette smoking on vascular flows in pregnancies complicated by intrauterine growth restriction. Reproductive Toxicology, 2014; 50:27-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25461903>

Lassi ZS, Imam AM, Dean SV, and Bhutta ZA. Preconception care: Caffeine, smoking, alcohol, drugs and other environmental chemical/radiation exposure. Reprod Health, 2014; 11 Suppl 3:S6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25415846>

Julsgaard M, Norgaard M, Hvas CL, Grosen A, Hasseriis S, et al. Influence of medical treatment, smoking and disease activity on pregnancy outcomes in crohn's disease. Scandinavian Journal of Gastroenterology, 2014; 49(3):302-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24417179>

Jobe AH. Fetal response to maternal smoking. Journal of Pediatrics, 2014; 165(4):647-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25256046>

Hossain MM, Rahman ME, and Khan TH. Maternal smokeless tobacco use and adverse pregnancy outcome. Mymensingh Med J, 2014; 23(1):46-51. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24584372>

Goldstein H. Commentary: Smoking in pregnancy and neonatal mortality. International Journal of Epidemiology, 2014; 43(5):1366-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25301861>

de Almeida Olympio Rua E, Porto M, Louzada J, Nogueira B, Dos Santos Meyrelles S, et al. Effects of tobacco smoking during pregnancy on oxidative stress in the umbilical cord and mononuclear blood cells of neonates. Journal of Biomedical Science, 2014; 21(1):590. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25547987>

Chang JJ, Strauss JF, 3rd, Deshazo JP, Rigby FB, Chelmow DP, et al. Reassessing the impact of smoking on preeclampsia/eclampsia: Are there age and racial differences? PLoS ONE, 2014; 9(10):e106446. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25337852>

Andriani H and Kuo H. Adverse effects of parental smoking during pregnancy in urban and rural areas. BMC Pregnancy Childbirth, 2014; 14(1):1210. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25551278>

Abramovici A, Gandley R, Clifton R, Leveno K, Myatt L, et al. Prenatal vitamin c and e supplementation in smokers is associated with reduced placental abruption and preterm birth: A secondary analysis. BJOG, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25516497>

Mund M, Louwen F, Klingelhofer D, and Gerber A. Smoking and pregnancy--a review on the first major environmental risk factor of the unborn. International Journal of Environmental Research and Public Health, 2013; 10(12):6485-99. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24351784>

Lamminpaa R, Vehvilainen-Julkunen K, Gissler M, and Heinonen S. Smoking among older childbearing women - a marker of risky health behaviour a registry-based study in finland. BMC Public Health, 2013; 13:1179. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24330715>

Dinc M, Cakar M, Balta S, Akhan M, Sarlak H, et al. The importance of iodine supplementation and smoking for maternal and fetal thyroid health in pregnant women. Eur Thyroid J, 2013; 2(3):211-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24847455>

Laws P, Li Z, and Sullivan E. Australia's mothers and babies 2008. Perinatal statistics series no. 24, AIHW cat. no. PER 50.Sydney: Australian Institute of Health and Welfare National Perinatal Statistics Unit, 2010. Available from: <http://www.aihw.gov.au/publication-detail/?id=6442472399&tab=2>.

Dietz PM, England LJ, Shapiro-Mendoza CK, Tong VT, Farr SL, et al. Infant morbidity and mortality attributable to prenatal smoking in the u.S. American Journal of Preventive Medicine, 2010; 39(1):45-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20547278>

Australian Institute of Health and Welfare. Australia's mothers and babies 2008. Perinatal statistics series no. 24. Cat. no. PER 50, Canberra: AIHW 2010. Available from:
<https://www.aihw.gov.au/getmedia/83807350-59b6-4ca5-b0a2-b92b158ae062/11813.pdf.aspx?inline=true>

British Medical Association Board of Science and Education and Tobacco Control Resource Centre, Smoking and reproductive life. The impact of smoking on sexual, reproductive and child health. London: British Medical Association; 2004. Available from:
http://www.bma.org.uk/images/smoking_tcm41-21289.pdf.

3.7.1 Spontaneous abortion

Wang, R, Han, X, Zhu, B, Ye, M, & Shi, Q. (2023). Association of Maternal Cigarette Smoking with Neonatal Death: A Population-Based Cohort Study. *Neonatology*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37573777>

Wang, Q, Liu, F, Tuo, Y, Ma, L, & Feng, X. (2023). Associations between obesity, smoking behaviors, reproductive traits and spontaneous abortion: a univariable and multivariable Mendelian randomization study. *Front Endocrinol (Lausanne)*, 14, 1193995. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37547316>

Al-Lami, RA. (2022). Smoking, alcohol, and coffee consumption and pregnancy loss: a Mendelian randomization investigation. *Fertil Steril*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36369183>

Skogsdal, Y, Karlsson, J, Tyden, T, Patil, S, & Backman, H. (2022). The association of smoking, use of snuff, and preconception alcohol consumption with spontaneous a bortion: A population-based cohort study. *Acta Obstet Gynecol Scand*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36222196>

Yuan, S, Liu, J & Larsson, SC. (2021). Smoking, alcohol and coffee consumption and pregnancy loss: a Mendelian randomization investigation. *Fertil Steril*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34187701>

Diguisto, C, & Dochez, V. (2020). [Consequences of Active Cigarette Smoking in Pregnancy - CNGOF-SFT Expert Report and Guidelines on the management of smoking during pregnancy]. *Gynecol Obstet Fertil Senol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32360705>

Wang L, Yang Y, Liu F, Yang A, Xu Q, et al. Paternal smoking and spontaneous abortion: A population-based retrospective cohort study among non-smoking women aged 20-49 years in rural china. Journal of Epidemiology and Community Health, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29891638>

Pineles BL, Park E, and Samet JM. Systematic review and meta-analysis of miscarriage and maternal exposure to tobacco smoke during pregnancy. American Journal of Epidemiology, 2014; 179(7):807-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24518810>

3.7.2 Ectopic pregnancy

Dayan-Schwartz, A, Elgani, SA, Abdul-Ghani, T, Zilberlicht, A, Kogan, L, Reiss, A, & Tal, A. (2024). The influence of smoking on the efficacy of a single-dose methotrexate treatment for ectopic

pregnancy. *Int J Gynaecol Obstet.* Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/39475443>

Guo, Q, Li, Z, Jia, S, Tong, F, & Ma, L. (2022). Mechanism of Human Tubal Ectopic Pregnancy Caused by Cigarette Smoking. *Reprod Sci.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35962304>

Digusto, C, & Dochez, V. (2020). [Consequences of Active Cigarette Smoking in Pregnancy - CNGOF-SFT Expert Report and Guidelines on the management of smoking during pregnancy]. *Gynecol Obstet Fertil Senol.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32360705>

Nio-Kobayashi J, Abidin HB, Brown JK, Iwanaga T, Horne AW, et al. Cigarette smoking alters sialylation in the fallopian tube of women, with implications for the pathogenesis of ectopic pregnancy. *Molecular Reproduction and Development*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27704662>

Horne AW, Brown JK, Nio-Kobayashi J, Abidin HB, Adin ZE, et al. The association between smoking and ectopic pregnancy: Why nicotine is bad for your fallopian tube. *PLoS ONE*, 2014; 9(2):e89400. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24586750>

3.7.3 Complications of pregnancy

Jaitner, A, Vaudel, M, Tsaneva-Atanasova, K, Njolstad, PR, Jacobsson, B, Bowden, J et al. (2024). Smoking during pregnancy and its effect on placental weight: a Mendelian randomization study. *BMC Pregnancy Childbirth*, 24(1), 238. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38575863>

Dunn, MC, Ananth, CV, & Rosen, T. (2024). Maternal Smoking and Risk of Hypertensive Disorders of Pregnancy: Effect Modification by Body Mass Index and Gestational Weight Gain. *Hypertension*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38328939>

Zhang, L, Huang, Y, Zhang, M, & Jin, Y. (2023). Synergistic effect between pre-pregnancy smoking and assisted reproductive technology on gestational diabetes mellitus in twin pregnancies. *Acta Diabetol.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37831174>

Garrison-Desany, HM, Ladd-Acosta, C, Hong, X, Wang, G, Burd, I, Sanchez, ZVM et al. (2023). Addressing the smoking-hypertension paradox in pregnancy: insight from a multiethnic US birth cohort. *Precis Nutr*, 2(2), e00035. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37745029>

Song, J, & Cai, R. (2023). Interaction between smoking during pregnancy and gestational diabetes mellitus and the risk of cesarean delivery: evidence from the National Vital Statistics System 2019. *J Matern Fetal Neonatal Med*, 36(2), 2259048. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37766417>

Grover, S, Anand, T, Kishore, J, Sinha, DN, Malhotra, S, Dhawan, P, & Goel, S. (2023). Hypertension and its correlates among pregnant women consuming tobacco in India: Findings from the National Family health Survey-4. *Prev Med Rep*, 35, 102281. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37576846>

Sun, QR, Wu, DY, Zhang, JJ, Wu, LH, Zhang, X, Zhou, J, & Miao, YL. (2023). Nicotine exposure disrupts placental development via the Notch signaling pathway. *Reproduction*.

Rodriguez-Lopez, M, Escobar, MF, Merlo, J, & Kaufman, JS. (2023). Reevaluating the protective effect of smoking on preeclampsia risk through the lens of bias. *J Hum Hypertens*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37041252>

Baki Yildirim, S, Ayaydin Yilmaz, KI, & Gulerman, C. (2023). The Effect of Active and Passive Maternal Smoking During Pregnancy on the Uterine Artery Blood Flow and Obstetric Outcomes: A Prospective Study. *Cureus*, 15(2), e35270. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36968865>

Sharma, N, Joshi, N, Nazar, GP, Arora, M, Malhotra, S, Bhatt, G, & Goel, S. (2022). Association of Hypertensive Disorders of Pregnancy (HDP) and tobacco use among women of reproductive age group in India: A secondary data analysis from NFHS-4. *J Family Med Prim Care*, 11(9), 5799-5806. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36505643>

Morisaki, N, Obara, T, Piedvache, A, Kobayashi, S, Miyashita, C, Nishimura, T et al. (2022). Association between smoking and hypertension in pregnancy among Japanese women: a meta-analysis of birth cohort studies in the Japan Birth Cohort Consortium (JBiCC) and JECS. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35934789>

Yook, V, Yoo, J, Han, K, Fava, M, Mischoulon, D, Park, MJ et al. (2022). Association between pre-pregnancy tobacco smoking and postpartum depression: A nationwide cohort study. *J Affect Disord*, 316, 56-62. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35940375>

Jenabi, E, Salehi, AM, Masoumi, SZ, & Maleki, A. (2022). Maternal Smoking and the Risk of Placenta Accreta Spectrum: A Systematic Review and Meta-Analysis. *Biomed Res Int*, 2022, 2399888. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35860796>

Cajachagua-Torres, KN, El Marroun, H, Reiss, IKM, & Jaddoe, VWV. (2022). Maternal preconception and pregnancy tobacco and cannabis use in relation to placental developmental markers: A population-based study. *Reprod Toxicol*, 110, 70-77. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35378220>

Suzuki, S. (2022). Habitual Smoking and Perinatal Outcomes in Japan. *Cureus*, 14(2), e22426 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35223333>

Box, DM, Makkar, A, Yu, Z, Chaaban, H, Tran, HH, Burge, KY, & Eckert, JV. (2022). Placental Neutrophil Infiltration Associated with Tobacco Exposure but Not Development of Bronchopulmonary Dysplasia. *Children (Basel)*, 9(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35327753>

Banerjee, S, Deacon, A, Suter, MA, & Aagaard, KM. (2022). Understanding the Placental Biology of Tobacco Smoke, Nicotine, and Marijuana (THC) Exposures During Pregnancy. *Clin Obstet Gynecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35125390>

El-Shahawy, O, Labib, K, Stevens, E, Kahn, LG, Anwar, W, Oncken, C et al. (2021). Exclusive and Dual Cigarette and Hookah Smoking Is Associated with Adverse Perinatal Outcomes among Pregnant Women in Cairo, Egypt. *Int J Environ Res Public Health*, 18(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34948585>

Bauer, AE Avery, CL, Shi, M, Weinberg, CR, Olshan, AF, Harmon, QE et al. (2021). Do Genetic Variants Modify the Effect of Smoking on Risk of Preeclampsia in Pregnancy? *Am J Perinatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34839469>

Ratsch, A, Bogossian, F, Burmeister, EA, & Steadman, K. (2021). Central Australian Aboriginal women's placental and neonatal outcomes following maternal smokeless tobacco, cigarette or no tobacco use. *Aust N Z J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34821425>

Morales-Prieto, DM, Fuentes-Zacarias, P, Murrieta-Coxca, JM, Gutierrez-Samudio, RN, Favaro, RR, Fitzgerald, JS, & Markert, UR. (2021). Smoking for two- effects of tobacco consumption on placenta. *Mol Aspects Med*, 101023. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34521556>

Thomson, S, Waters, KA, Hennessy, A, & Machaalani, R. (2021). The unfolded protein response and apoptotic regulation in the human placenta due to maternal cigarette smoking and pre-eclampsia. *Reprod Toxicol*, 105, 120-127. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34492309>

Choltus, H, Minet-Quinard, R, Belville, C, Durif, J, Gallot, D, Blanchon, L, & Sapin, V. (2021). Cigarette Smoke Condensate Exposure Induces Receptor for Advanced Glycation End-Products (RAGE)-Dependent Sterile Inflammation in Amniotic Epithelial Cells. *Int J Mol Sci*, 22(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34361111>

Schubert, CL, & Yusuf, K. (2021). Serum levels of TGF-beta1, cytokines, angiogenic, and anti-angiogenic factors in pregnant women who smoke. *J Reprod Immunol*, 147, 103351. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34293588>

OdendaalSareen, H. (2021). Association of Concomitant Drinking and Smoking during Pregnancy with Placental Abruption, Fetal Growth Restriction and Sudden Infant Death Syndrome (SIDS). *J Pulm Med*, 5(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34308437>

Feferkorn, I, Badeghiesh, A, Mills, G, Baghfaf, H, & Dahan, M. (2021). The effects of smoking on pregnancy risks in women with polycystic ovary syndrome: a population-based study. *Hum Reprod*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34164665>

Odendaal, HJ, Kruger, M, & Botha, MH. (2020). Dangers of smoking cigarettes and drinking alcohol during pregnancy. *S Afr Med J*, 110(11), 1066-1067. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33403977>

Fikadu, K, F, GM, Getahun, F, Chufamo, N, & Misiker, D. (2020). Family history of chronic illness, preterm gestational age and smoking exposure before pregnancy increases the probability of preeclampsia in Omo district in southern Ethiopia: a case-control study. *Clin Hypertens*, 26, 16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32821425>

Masalin, S, Kautiainen, H, Gissler, M, Pennanen, P, Eriksson, JG, & Laine, MK. (2020). Impact of smoking on gestational diabetes mellitus and offspring birthweight in primiparous women. *Acta Obstet Gynecol Scand*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32463146>

Wang, X, Lee, NL, & Burstyn, I. (2020). Probabilistic sensitivity analysis: gestational hypertension and differentially misclassified maternal smoking during pregnancy. *Annals of Epidemiology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32070635>

Bar-Zeev Y, Haile ZT, and Chertok IA. Association between prenatal smoking and gestational diabetes mellitus. *Obstetrics and Gynecology*, 2020; 135(1):91-9. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31809434>

Konstantakou P, Paschou SA, Patinioti I, Vogiatzi E, Sarantopoulou V, et al. The effect of smoking on the risk of gestational diabetes mellitus and the ogtt profile during pregnancy. *Diabetes Research and Clinical Practice*, 2019; 158:107901. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31669407>

Wang JW, Cao SS, Hu RY, and Wang M. Association between cigarette smoking during pregnancy and gestational diabetes mellitus: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2018;1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30001664>

Shobeiri F and Jenabi E. Smoking and placenta previa: A meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 2017; 30(24):2985-90. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/27936997>

Kinlaw AC, Buckley JP, Engel SM, Poole C, Brookhart MA, et al. Left truncation bias to explain the protective effect of smoking on preeclampsia: Potential, but how plausible? *Epidemiology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28145985>

Berlin I. Commentary on niemela et al. (2017): Maternal smoking during pregnancy-an independent risk factor of postnatal health disorders. *Addiction*, 2017; 112(1):144-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27936503>

Taylor BD, Ness RB, Klebanoff MA, Zoh R, Bass D, et al. First and second trimester immune biomarkers in preeclamptic and normotensive women. *Pregnancy Hypertens*, 2016; 6(4):388-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27939488>

Collier A, Abraham EC, Armstrong J, Godwin J, Monteath K, et al. Reported prevalence of gestational diabetes in scotland: The relationship to obesity, age, socioeconomic status, smoking and macrosomia and how many are we missing? *J Diabetes Investig*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27397133>

Milnerowicz-Nabzdyk E and Bizon A. How does tobacco smoke influence the morphometry of the fetus and the umbilical cord?-research on pregnant women with intrauterine growth restriction exposed to tobacco smoke. *Reproductive Toxicology*, 2015; 58:79-84. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26315940>

Collier AC, Sato BL, Milam KA, and Wright TE. Methamphetamine, smoking, and gestational hypertension affect norepinephrine levels in umbilical cord tissues. *Clinical and Experimental Obstetrics and Gynecology*, 2015; 42(5):580-5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26524802>

Azar R, Blacquiere M, Letourneau N, Belanger M, and Sermer M. Are maternal prenatal smoking and perceived stress associated with umbilical cord c-reactive protein? A pilot study. *Psychoneuroendocrinology*, 2015; 61:33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26383364>

Slatter TL, Park L, Anderson K, Lailai-Tasmania V, Herbison P, et al. Smoking during pregnancy causes double-strand DNA break damage to the placenta. *Human Pathology*, 2014; 45(1):17-26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24125744>

British Medical Association Board of Science and Education & Tobacco Control Resource Centre, Smoking and reproductive life. The impact of smoking on sexual, reproductive and child health. London: British Medical Association; 2004. Available from: https://www.rauchfrei-info.de/fileadmin/main/data/Dokumente/Smoking_ReproductiveLife.pdf.

3.7.4 Preterm delivery

Gallagher, AWA, Sheikh, ZD, Khan, Z, Aftab, U, Rahim, M, Ullah, A et al. (2024). A systematic investigation of tobacco industry sourced data relating to illicit tobacco trade featured in Pakistan's media coverage (2015-2020). *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38819370>

Cavichioli, FS, Borovac-Pinheiro, A, Lajos, GJ, Becker, M, Passini, R, Jr, & Brazilian Multicenter Study on Preterm Birth Study, G. (2024). The relationship between active/passive smoking and spontaneous preterm birth: Data from a multicenter study. *Int J Gynaecol Obstet*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38299885>

Ye, A, Li, L, Chen, H, Tao, P, & Lou, S. (2024). Nicotine regulates abnormal macrophage polarization and trophoblast invasion associated with preterm labor via the alpha7nAChR/SIRT1 axis. *Placenta*, 147, 42-51. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38308901>

McHale, P, Schluter, DK, Turner, M, Care, A, Barr, B, Paranjothy, S, & Taylor-Robinson, D. (2024). How are socioeconomic inequalities in preterm birth explained by maternal smoking and maternal body mass index: A mediation analysis. *Paediatr Perinat Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38247280>

Bartashevskyy, M, Pan, X, Senthil Kumar, V, & Wen, X. (2023). Partner-Support and Gestational Duration Among Pregnant Women Who Smoke. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37306820>

Ekblad, MO, Ngum, P, Merisaari, H, Saunavaara, V, Parkkola, R, & Setanen, S. (2022). Maternal smoking during pregnancy negatively affects brain volumes proportional to intracranial volume in adolescents born very preterm. *Front Hum Neurosci*, 16, 1085986. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36684830>

Clark, J, Bulka, CM, Martin, CL, Roell, K, Santos, HP, O'Shea, TM et al. (2022). Placental epigenetic gestational aging in relation to maternal sociodemographic factors and smoking among infants born

extremely preterm: a descriptive study. *Epigenetics*, 1-15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36134874>

Liu, XC, Strodl, E, Wu, CA, Huang, LH, Yin, XN, Wen, GM et al. (2022). Critical window for the association between prenatal environmental tobacco smoke exposure and preterm birth. *Environ Res*, 212(Pt C), 113427. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35561826>

Wang, L, Deng, Y, Yang, Y, Liu, F, Xu, Q, Peng, Z et al. (2022). Paternal smoking and preterm birth: a population-based retrospective cohort study among non-smoking women aged 20-49 years in rural China. *Reprod Health*, 19(1), 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35331280>

Feferkorn, I, Badeghiesh, A, Baghfaf, H, & Dahan, MH. (2021). The relation between cigarette smoking with delivery outcomes. An evaluation of a database of more than nine million deliveries. *J Perinat Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34331422>

Pereira, G, Dunne, J, Regan, AK, & Tessema, GA. (2021). Smoking Cessation and Preterm Birth in Second Pregnancy Among Women who Smoked in Their First. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34297840>

von Chamier, M, Reyes, L, Hayward, LF, & Brown, MB. (2021). Nicotine induces maternal and fetal inflammatory responses which predispose intrauterine infection risk in a rat model. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33894055>

Gunther, V, Alkatout, I, Stein, A, Maass, N, Strauss, A, & Voigt, M. (2020). Impact of smoking and fetal gender on preterm delivery. *J Dev Orig Health Dis*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33185175>

Stock, SJ, & Bauld, L. (2020). Maternal smoking and preterm birth: An unresolved health challenge. *PLoS Med*, 17(9), e1003386. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32925903>

Liu, B, Xu, G, Sun, Y, Qiu, X, Ryckman, KK, Yu, Y et al. (2020). Maternal cigarette smoking before and during pregnancy and the risk of preterm birth: A dose-response analysis of 25 million mother-infant pairs. *PLoS Med*, 17(8), e1003158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32810187>

Nawa, N, Garrison-Desany, HM, Kim, Y, Ji, Y, Hong, X, Wang, G et al (2020). Maternal persistent marijuana use and cigarette smoking are independently associated with shorter gestational age. *Paediatr Perinat Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32602574>

Kondracki, A J. (2020). Low birthweight in term singletons mediates the association between maternal smoking intensity exposure status and immediate neonatal intensive care unit admission: the E-value assessment. *BMC Pregnancy Childbirth*, 20(1), 341. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32493297>

Barisic, A, Kolak, M, Peterlin, A, Tul, N, Gasparovic Krpina, M, Ostojic, S et al. (2020). DNMT3B rs1569686 and rs2424913 gene polymorphisms are associated with positive family history of preterm birth and smoking status. *Croat Med J*, 61(1), 8-17. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32118373>

Rajia, R, Massi, MN, Ahmad, M, Arifuddin, S, & Miskad, UA. (2020). Parity, exposure to cigarette smoke and the presence of bacteria *Stenotrophomonas maltophilia* are related to preterm labor incidence. *Enferm Clin, 30 Suppl 2*, 524-527. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32204228>

Soneji S and Beltran-Sanchez H. Association of maternal cigarette smoking and smoking cessation with preterm birth. *JAMA Netw Open*, 2019; 2(4):e192514. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31002320>

McCall SJ, Green DR, Macfarlane GJ, and Bhattacharya S. Spontaneous very preterm birth in relation to social class, and smoking: A temporal-spatial analysis of routinely collected data in aberdeen, scotland (1985-2010). *J Public Health (Oxf)*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31125067>

Kondracki AJ and Hofferth SL. A gestational vulnerability window for smoking exposure and the increased risk of preterm birth: How timing and intensity of maternal smoking matter. *Reprod Health*, 2019; 16(1):43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30992027>

Yusuf K, Alshaikh B, da Silva O, Lodha AK, Wilson RD, et al. Neonatal outcomes of extremely preterm infants exposed to maternal hypertension and cigarette smoking. *Journal of Perinatology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29740191>

Ion R, Hudson C, Johnson J, Yuan W, Heesom K, et al. Smoking alters hydroxyprostaglandin dehydrogenase expression in fetal membranes. *Reproductive Toxicology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30248390>

Borsari L, Malagoli C, Werler MM, Rothman KJ, Malavolti M, et al. Joint effect of maternal tobacco smoking and pregestational diabetes on preterm births and congenital anomalies: A population-based study in northern italy. *J Diabetes Res*, 2018; 2018:2782741. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30050951>

Rouzaire M, Comptour A, Belville C, Bouvier D, Sapin V, et al. Cigarette smoke condensate affects the retinoid pathway in human amnion. *Placenta*, 2017; 58:98-104. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28962704>

Kuper SG, Abramovici AR, Jauk VC, Harper LM, Biggio JR, et al. The effect of omega-3 supplementation on pregnancy outcomes by smoking status. *American Journal of Obstetrics and Gynecology*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28549983>

Knobel-Dail RB, Sloane R, Holditch-Davis D, and Tanaka DT. Negative temperature differential in preterm infants less than 29 weeks gestational age: Associations with infection and maternal smoking. *Nursing Research*, 2017; 66(6):442-53. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29095375>

Calhoun B, Hoover E, Seybold D, Broce M, Hill A, et al. Outcomes in an obstetrical population with hereditary thrombophilia and high tobacco use. *Journal of Maternal-Fetal and Neonatal Medicine*, 2017:1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28367651>

Ngo AD, Roberts CL, Chen JS, and Figtree G. Interaction of maternal smoking and preterm birth on future risk of maternal cardiovascular disease: A population-based record linkage study. *Eur J Prev Cardiol*, 2016; 23(6):613-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26157020>

Moore E, Blatt K, Chen A, Van Hook J, and DeFranco EA. Relationship of trimester-specific smoking patterns and risk of preterm birth. *American Journal of Obstetrics and Gynecology*, 2016; 215(1):109 e1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26827877>

Kareli D, Pouliou S, Liberis A, Nikas I, Psillaki A, et al. Genotoxic effect of tocolytic drug ritodrine in combination with smoking during pregnancy. *Journal of Maternal-Fetal and Neonatal Medicine*, 2016;1-29. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26742485>

Heyborne KD and Allshouse AA. Smoking, 17 alpha-hydroxyprogesterone caproate, and preterm birth. *American Journal of Perinatology*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27464018>

Dahlin S, Gunnerbeck A, Wikstrom AK, Cnattingius S, and Edstedt Bonamy AK. Maternal tobacco use and extremely premature birth - a population-based cohort study. *BJOG*, 2016; 123(12):1938-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27411948>

Smith LK, Draper ES, Evans TA, Field DJ, Johnson SJ, et al. Associations between late and moderately preterm birth and smoking, alcohol, drug use and diet: A population-based case-cohort study. *Archives of Disease in Childhood. Fetal and Neonatal Edition*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25972442>

Ngo AD, Chen JS, Figtree G, Morris JM, and Roberts CL. Preterm birth and future risk of maternal cardiovascular disease - is the association independent of smoking during pregnancy? *BMC Pregnancy Childbirth*, 2015; 15:144. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26141292>

Findley J, Seybold DJ, Broce M, Yadav D, and Calhoun BC. Transvaginal cervical length and tobacco use in appalachian women: Association with increased risk for spontaneous preterm birth. *West Virginia Medical Journal*, 2015; 111(3):22-8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26050294>

Janisse JJ, Bailey BA, Ager J, and Sokol RJ. Alcohol, tobacco, cocaine, and marijuana use: Relative contributions to preterm delivery and fetal growth restriction. *Subst Abus*, 2014; 35(1):60-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24588295>

Abramovici A, Jauk V, Wetta L, Cantu J, Edwards R, et al. Low-dose aspirin, smoking status, and the risk of spontaneous preterm birth. *American Journal of Perinatology*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25261702>

3.7.5 Other health effects

Haapanen, M, Kuitunen, I, & Vaajala, M. (2024). Influence of smoking and socioeconomic status on labor analgesia: a nationwide register-based study in Finland. *Arch Gynecol Obstet*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39028434>

- Mendez-Reyes, HF, Franco-Olaya, M, Canon-Cubillos, O, Uribe-Lopez, JM, Delgado-Alvarez, MC, Velasquez-Portilla, M, & Olaya, CM. (2024). Morphological and clinical findings in placentas and newborns with a history of tobacco, alcohol, and other substance abuse during pregnancy. *J Neonatal Perinatal Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38640173>
- Morales-Suarez-Varela, M, Peraita-Costa, I, Guerrero Cervera, B, Llopis-Morales, A, Botella Juan, L, & Marcos Puig, B. (2023). Arterial hypertension and smoking in pregnant women in the Valencian Community: maternal and neonatal outcomes. *Semergen*, 50(4), 102171. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38159344>
- Shang, M, Hou, Y, Gu, Y, Li, H, Zhen, H, Jiang, M et al. (2023). Combined effect of active smoking history and passive smoking during pregnancy on postpartum depression and anxiety. *Wei Sheng Yan Jiu*, 52(5), 732-739. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37802895>
- Jaitner, A, Vaudel, M, Tsaneva-Atanasova, K, Njolstad, PR, Jacobsson, B, Bowden, J et al (2023). Smoking during pregnancy and its effect on placental weight: A Mendelian randomization study. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37662288>
- Jonker, D, Melly, B, Brink, LT, Odendaal, HJ, Stein, DJ, & Donald, KA. (2023). Associations between prenatal alcohol and tobacco exposure on Doppler flow velocity waveforms in pregnancy: a South African study. *BMC Pregnancy Childbirth*, 23(1), 601. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37612623>
- Stamatopoulos, N, Lu, C, Vo, S, Vaquero, ME, Leonardi, M, & Condous, G. (2023). The effect of cigarette smoking on first-trimester crown-rump length. *Australas J Ultrasound Med*, 26(1), 21-25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36960140>
- Hoch, D, Majali-Martinez, A, Bankoglu, EE, Stopper, H, Glasner, A, Desoye, G et al. (2023). Maternal Smoking in the First Trimester and its Consequence on the Early Placenta. *Lab Invest*, 103(5), 100059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36801640>
- Vaajala, M, Kuitunen, I, Nyrhi, L, Ponkilainen, V, Huttunen, TT, & Mattila, VM. (2022). Smoking is associated with an increased risk for fractures in women after childbirth: a nationwide population-based cohort study in Finland. *Acta Orthop*, 93, 859-865. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36440602>
- Wallin, HP, Gissler, M, Korhonen, PE, & Ekblad, MO. (2022). New insights into smoking and urinary tract infections during pregnancy using pregnancy-pair design: A population-based register study. *Acta Obstet Gynecol Scand*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36263583>
- Sundet, BK, Kreyberg, I, Staff, AC, Carlsen, KCL, Bains, KES, Berg, JP et al. (2022). The effect of nicotine-containing products and fetal sex on placenta-associated circulating midpregnancy biomarkers. *Biol Sex Differ*, 13(1), 39. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35841068>
- Anastasopoulou, SV, Bonotis, KS, Hatzoglou, C, Dafopoulos, KC, & Gourgoulianis, K I. (2022). Smoking Patterns and Anxiety Factors Among Women Expressing Perinatal Depression. *Womens Health Rep (New Rochelle)*, 3(1), 198-206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35262057>

Sorrentino, JM, Mercado, P, Reid, E, Morrisey, Z, & Wen, X. (2022). Smoking status and maternal weight trajectories during pregnancy and postpartum: Preliminary results from a pilot study. *Obes Res Clin Pract*, 16(1), 30-36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35151595>

Danilov, M, Issany, A, Mercado, P, Haghdel, A, Muzayad, JK, & Wen, X. (2022). Sleep quality and health among pregnant smokers. *J Clin Sleep Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34978278>

Andersen, SL, Knosgaard, L, Handberg, A, Vestergaard, P, & Andersen, S. (2021). Maternal adiposity, smoking, and thyroid function in early pregnancy. *Endocr Connect*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34414900>

Lucchini, M, Shuffrey, LC, Nugent, JD, Pini, N, Sania, A, Shair, M et al. (2021). Effects of Prenatal Exposure to Alcohol and Smoking on Fetal Heart Rate and Movement Regulation. *Front Physiol*, 12, 594605. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34400909>

Kumar, R, Eftekhari, P, & Gould, GS. (2021). Pregnant Women Who Smoke May Be at Greater Risk of Adverse Effects from Bushfires. *Int J Environ Res Public Health*, 18(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34201356>

Bizon, A, Milnerowicz, H, Kowalska-Piastun, K, & Milnerowicz-Nabzdyk, E. (2021). The Impact of Early Pregnancy and Exposure to Tobacco Smoke on Blood Antioxidant Status and Copper, Zinc, Cadmium Concentration-A Pilot Study. *Antioxidants (Basel)*, 10(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33809854>

Gillor, M, Saens, P, & Dietz, H P. (2021). Demographic risk factors for pelvic organ prolapse: Do smoking, asthma, heavy lifting or family history matter? *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 261, 25-28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33873084>

Aydin, BK, Yasa, B, Moore, JP, Yasa, C, Poyrazoglu, S, Bas, F et al. (2021). Impact of Smoking, Obesity and Maternal Diabetes on SHBG Levels in Newborns. *Exp Clin Endocrinol Diabetes*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33618372>

Hasan, S, Alshaikh, B, & Yusuf, K. (2020). Serum levels of soluble Fas and Fas ligand in pregnant women who smoke. *Am J Reprod Immunol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33247994>

Kum-Nji, P, Meloy, L, Pierce, J, Ritter, A, & Wheeler, R. (2020). Group B streptococcal colonization: Prevalence and impact of smoking in women delivering term or near term neonates in a large tertiary care hospital in the southern United States. *PLoS One*, 15(9), e0239294. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32941502>

Torres, MT, Vila, L, Manresa, JM, Casamitjana, R, Prieto, G, Toran, P et al. (2020). Impact of Dietary Habit, Iodine Supplementation and Smoking Habit on Urinary Iodine Concentration During Pregnancy in a Catalonia Population. *Nutrients*, 12(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32878172>

Mitsuda, N, JP, NA, Eitoku, M, Maeda, N, Fujieda, M, Suganuma, N et al (2020). Association between maternal active smoking during pregnancy and placental weight: The Japan environment and Children's study. *Placenta*, 94, 48-53. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32421535>

Kasahara, K, Ono, T, Higuchi, A, Katsura, D, Hayashi, K, Tokoro, S et al (2020). Smoking during Pregnancy Is a Predictor of Poor Perinatal Outcomes in Maternal Anorexia Nervosa: A Case Series and Single-Center Cross-Sectional Study in Japan. *Tohoku J Exp Med*, 250(4), 191-200. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32224593>

Noonan D, Lyra P, Simmons LA, Gordon KC, and Pollak KI. The co-occurrence of daily smoking, binge drinking and ipv among latino expectant fathers. *Journal of Immigrant and Minority Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31811613>

Cui M, Kimura T, Ikehara S, Dong JY, Ueda K, et al. Prenatal tobacco smoking is associated with postpartum depression in japanese pregnant women: The japan environment and children's study. *Journal of Affective Disorders*, 2019; 264:76-81. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31846904>

Westreich D, Cates J, Cohen M, Weber KM, Seidman D, et al. Smoking, hiv, and risk of pregnancy loss. *AIDS*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902507>

Uslu S, Zubarioglu U, Sozeri S, Dursun M, Bulbul A, et al. Factors affecting the target oxygen saturation in the first minutes of life in preterm infants. *Journal of Tropical Pediatrics*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28013253>

3.7.5.2 Overview of methods used internationally to quantify illicit cigarette trade
Davies, N, Langley, T, Jayes, L, Bains, M, Brown, J, Arnott, D, & Bogdanovica, I. (2024). Attitudes And Exposure To Illicit Tobacco In England, 2022. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38752805>

News reports:

3.7 Pregnancy and smoking

Smoking, pregnancy and fertility. (2021). Retrieved from <https://ash.org.uk/wp-content/uploads/2019/10/Smoking-Reproduction.pdf>

Lines M. Research sheds new light on why smoking in pregnancy is harmful, in Medical XPress2017. Available from: <https://medicalxpress.com/news/2017-08-pregnancy.html>.

3.7.1 Spontaneous abortion

3.7.2 Ectopic pregnancy

3.7.3 Complications of pregnancy

3.7.4 Preterm delivery

McIntosh J. Smoking and preterm birth combine to triple risk of maternal cvd, in Medical News Today 2015. Available from: <http://www.medicalnewstoday.com/articles/296520.php?tw>.

3.7.5 Other health effects