Tobacco in Australia
Facts & Issues

Relevant news and research
3.8 Child health and maternal smoking before and after birth

Last updated September 2019

Research:

Chelchowska, M, Maciejewski, TM, Mazur, J, Gajewska, J, Zasimovich, A, Oltarzewski, M, & Ambroszkiewicz, J. (2019). Active Tobacco Smoke Exposure in Utero and Concentrations of Hepcidin and Selected Iron Parameters in Newborns. *Int J Environ Res Public Health, 16*(11). Available from: https://www.ncbi.nlm.nih.gov/pubmed/31195607

Fragou, D, Pakkidi, E, Aschner, M, Samanidou, V, & Kovatsi, L. (2019). Smoking and DNA methylation: Correlation of methylation with smoking behavior and association with diseases and fetus development following prenatal exposure. *Food Chem Toxicol, 129*, 312-327. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31063835

Yusuf, KK, Salihu, HM, Wilson, R, Mbah, A, Sappenfield, W, Bruder, K et al (2019). Folic Acid Intake, Fetal Brain Growth, and Maternal Smoking in Pregnancy: A Randomized Controlled Trial. *Curr Dev Nutr, 3*(6), nzz025. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31139766

Squillacioti, G, Bellisario, V, Grignani, E, Mengozzi, G, Bardaglio, G, Dalmasso, P, & Bono, R. The Asti Study: The Induction of Oxidative Stress in A Population of Children According to Their Body Composition and Passive Tobacco Smoking Exposure. Int J Environ Res Public Health, 2019. 16(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30744094

Contreras, ZA, Heck, JE, Lee, PC, Cui, X, Hobel, CJ, Janzen, C et al. Prenatal air pollution exposure, smoking, and uterine vascular resistance. Environ Epidemiol, 2018. 2(3). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30627692

Perry, IA, Sexton, KJ, Prytherch, ZC, Blum, JL, Zelikoff, JT, & BeruBe, KA. An In Vitro Versus In Vivo Toxicogenomic Investigation of Prenatal Exposures to Tobacco Smoke. Appl In Vitro Toxicol, 2018. 4(4), 379-388. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30637297

Bergallo, M, Galliano, I, Dapra, V, Pirra, A, Montanari, P, Pavan, M et al. Transcriptional Activity of Human Endogenous Retroviruses in Response to Prenatal Exposure of Maternal Cigarette Smoking. Am J Perinatol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30500959

Reynolds, LJ, Chavan, NR, DeHoff, LB, Preston, JD, Maddox, HF, O'Brien, JM et al. Smoking during pregnancy increases chemerin expression in neonatal tissue. Exp Physiol, 2019; 104(1), 93-99. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30565770

Saygin Avsar, T, McLeod, H, & Jackson, L. Health outcomes of maternal smoking during pregnancy and postpartum period for the mother and infant: protocol for an umbrella review. Syst Rev, 2018. 7(1), 235. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30567597

Zhang B, Hong X, Ji H, Tang WY, Kimmel M, et al. Maternal smoking during pregnancy and cord blood DNA methylation: New insight on sex differences and effect modification by maternal folate levels. Epigenetics, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29945474

Stone C, Jr., Qiu Y, Kurland IJ, Slaughter JC, Moore P, et al. Effect of maternal smoking on plasma and urinary measures of vitamin e isoforms in the first month after extreme preterm birth. J Pediatr, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29398053

Salahuddin M, Perez A, Ranjit N, Hoelscher DM, and Kelder SH. The effect of prenatal maternal cigarette smoking on children's bmi z-score with sga as a mediator. Int J Obes (Lond), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29515209

Miyake K, Kawaguchi A, Miura R, Kobayashi S, Tran NQV, et al. Association between DNA methylation in cord blood and maternal smoking: The hokkaido study on environment and children's health. Sci Rep, 2018; 8(1):5654. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29618728

Mejia-Lancheros C, Mehegan J, Murrin CM, Kelleher CC, and Lifeways Cross-Generation Cohort Study G. Smoking habit from the paternal line and grand-child's overweight or obesity status in early childhood: Prospective findings from the lifeways cross-generation cohort study. Int J Obes (Lond), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29535453

Massey SH, Mroczek DK, Reiss D, Miller ES, Jakubowski JA, et al. Additive drug-specific and sex-specific risks associated with co-use of marijuana and tobacco during pregnancy: Evidence from 3 recent developmental cohorts (2003-2015). Neurotoxicol Teratol, 2018; 68:97-106. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29886244

Lee HJ, Choi NY, Park YS, Lee SW, Bang JS, et al. Multigenerational effects of maternal cigarette smoke exposure during pregnancy on sperm counts of f1 and f2 male offspring. Reprod Toxicol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29689290

Kattan M, Bacharier LB, O'Connor GT, Cohen R, Sorkness RL, et al. Spirometry and impulse oscillometry in preschool children: Acceptability and relationship to maternal smoking in pregnancy. J Allergy Clin Immunol Pract, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29449165

Hildorf S, Clasen-Linde E, Dong L, Cortes D, and Thorup J. Impaired serum inhibin-b and number of germ cells in boys with cryptorchidism following heavily gestational maternal smoking. J Pediatr Surg, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29706444

Hamulka J, Zielinska MA, and Chadzynska K. The combined effects of alcohol and tobacco use during pregnancy on birth outcomes. Rocz Panstw Zakl Hig, 2018; 69(1):45-54. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29517191

Gao L, Liu X, Millstein J, Siegmund KD, Dubeau L, et al. Self-reported prenatal tobacco smoke exposure, axl gene-body methylation, and childhood asthma phenotypes. Clin Epigenetics, 2018; 10(1):98. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30029617

Frontiers Production O. Erratum: Maternal cigarette smoke exposure worsens neurological outcomes in adolescent offspring with hypoxic ischemic injury. Front Mol Neurosci, 2018; 11:84. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29569646

Braback L, Lodge CJ, Lowe AJ, Dharmage SC, Olsson D, et al. Childhood asthma and smoking exposures before conception - a three-generational cohort study. Pediatr Allergy Immunol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29512835

Berlin I and Oncken C. Maternal smoking during pregnancy and negative health outcomes in the offspring. Nicotine Tob Res, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29471548

Accordini S, Calciano L, Johannessen A, Portas L, Benediktsdottir B, et al. A three-generation study on the association of tobacco smoking with asthma. Int J Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29534228

Szklo AS, Yuan Z, and Levy D. Update and extension of the brazil simsmoke model to estimate the health impact of cigarette smoking by pregnant women in brazil. Cad Saude Publica, 2017; 33(12):e00207416. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29267699

Peterfi I, Kellenyi L, Peterfi L, and Szilagyi A. The short-term effect of smoking on fetal ecg. J Matern Fetal Neonatal Med, 2017:1-10. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28992716

Pastro LDM, Lemos M, Fernandes FLA, Saldiva S, Vieira SE, et al. Longitudinal study of lung function in pregnant women: Influence of parity and smoking. Clinics (Sao Paulo), 2017; 72(10):595-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29160421

Muller-Schulte E, Kurlemann G, and Harder A. Tobacco, alcohol and illicit drugs during pregnancy and risk of neuroblastoma: Systematic review. Arch Dis Child Fetal Neonatal Ed, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29162685

Mirzakhani H, De Vivo I, Leeder JS, Gaedigk R, Vyhlidal CA, et al. Early pregnancy intrauterine fetal exposure to maternal smoking and impact on fetal telomere length. Eur J Obstet Gynecol Reprod Biol, 2017; 218:27-32. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28926727

Micalizzi L and Knopik VS. Maternal smoking during pregnancy and offspring executive function: What do we know and what are the next steps? Dev Psychopathol, 2017:1-22. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29144227

Meyer KF, Verkaik-Schakel RN, Timens W, Kobzik L, Plosch T, et al. The fetal programming effect of prenatal smoking on igf1r and igf1 methylation is organ- and sex-specific. Epigenetics, 2017:1-49. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29160127

Meng X, Sun Y, Duan W, and Jia C. Meta-analysis of the association of maternal smoking and passive smoking during pregnancy with neural tube defects. Int J Gynaecol Obstet, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28963797

Marceau K, Cinnamon Bidwell L, Karoly HC, Evans AS, Todorov AA, et al. Within-family effects of smoking during pregnancy on adhd: The importance of phenotype. J Abnorm Child Psychol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28664227

Lucendo-Villarin B, Filis P, Swortwood MJ, Huestis MA, Meseguer-Ripolles J, et al. Erratum to: Modelling foetal exposure to maternal smoking using hepatoblasts from pluripotent stem cells. Arch Toxicol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28980015

Kobayashi S, Sata F, Sasaki S, Braimoh TS, Araki A, et al. Modification of adverse health effects of maternal active and passive smoking by genetic susceptibility: Dose-dependent association of plasma cotinine with infant birth size among japanese women-the hokkaido study. Reprod Toxicol, 2017; 74:94-103. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28893607

Jokstad A. Register-based observational studies - who will endorse that maternal smoking lowers the odds for developing hay fever and eczema? Clin Exp Dent Res, 2017; 3(6):207-8. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29744202

Johnston CF, Broom M, Shadbolt B, and Todd DA. Smoking in the family is most predictive of the development of childhood asthma in preterm babies <30 weeks gestation: Results of the respiratory outcomes study 2 (repos2). J Asthma, 2017:0. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28902527

Hutchinson D, Wilson J, Allsop S, Elliott E, Najman J, et al. Cohort profile: The triple b pregnancy cohort study: A longitudinal study of the relationship between alcohol, tobacco and other substance use during pregnancy and the health and well-being of australian children and families. Int J Epidemiol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29087498

Haslinger C, Bamert H, Rauh M, Burkhardt T, and Schaffer L. Effect of maternal smoking on stress physiology in healthy neonates. J Perinatol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29120451

Gillioen B, Plancoulaine S, Montemitro E, Flori S, Lin JS, et al. Maturation of arousals during day and night in infants with non-smoking and smoking mothers. Early Hum Dev, 2017; 115:46-50. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28892739

Fa S, Larsen TV, Bilde K, Daugaard TF, Ernst EH, et al. Changes in first trimester fetal cyp1a1 and ahrr DNA methylation and mrna expression in response to exposure to maternal cigarette smoking. Environ Toxicol Pharmacol, 2017; 57:19-27. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29169084

Duarte A, Bessa JJ, Mrad FCC, Tibirica SHC, Camargo MLS, et al. Smoking and its association with cryptorchidism in down syndrome. Rev Assoc Med Bras (1992), 2017; 63(8):693-6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28977107

Ding M, Yuan C, Gaskins AJ, Field AE, Missmer SA, et al. Smoking during pregnancy in relation to grandchild birth weight and bmi trajectories. PLoS ONE, 2017; 12(7):e0179368. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28700699

Cole E, Brown TA, Pinkerton KE, Postma B, Malany K, et al. Perinatal exposure to environmental tobacco smoke is associated with changes in DNA methylation that precede the adult onset of lung disease in a mouse model. Inhal Toxicol, 2017; 29(10):435-42. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29124997

Cerda J, Bambs C, and Vera C. Infant morbidity and mortality attributable to prenatal smoking in chile. Rev Panam Salud Publica, 2017; 41:e106. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28902266

Braimoh TS, Kobayashi S, Sata F, Sasaki S, Goudarzi H, et al. Association of prenatal passive smoking and metabolic gene polymorphisms with child growth from birth to 3years of age in the hokkaido birth cohort study on environment and children's health. Sci Total Environ, 2017; 605-606:995-1002. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28693112

Adamcova K, Kolatorova L, Chlupacova T, Simkova M, Jandikova H, et al. Changes to fetal steroidogenesis caused by maternal smoking. Physiol Res, 2017; 66(Supplementum 3):S375-S86. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28948822

Maternal smoking during pregnancy is associated with offspring hypodontia. Br Dent J, 2017; 223(5):337. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28883592

Zhang D, Cui H, Zhang L, Huang Y, Zhu J, et al. Is maternal smoking during pregnancy associated with an increased risk of congenital heart defects among offspring? A systematic review and meta-analysis of observational studies. J Matern Fetal Neonatal Med, 2016:1-36. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27126055

Wrzesniak M, Krolik M, Kepinska M, and Milnerowicz H. The influence of maternal smoking on transferrin sialylation and fetal biometric parameters. Environ Toxicol Pharmacol, 2016; 47:100-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27664951

Wrzesniak M, Kepinska M, Krolik M, and Milnerowicz H. The influence of tobacco smoke on protein and metal levels in the serum of women during pregnancy. PLoS ONE, 2016; 11(8):e0161342. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27548057

Timur Tashan S, Hotun Sahin N, and Omac Sonmez M. Maternal smoking and newborn sex, birth weight and breastfeeding: A population-based study. J Matern Fetal Neonatal Med, 2016:1-6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27819163

Tanaka K, Miyake Y, Furukawa S, and Arakawa M. Pre- and postnatal smoking exposure and risk of atopic eczema in young japanese children: A prospective pre-birth cohort study. Nicotine Tob Res, 2016. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27794037

Stephan-Blanchard E, Chardon K, Djeddi DD, Leke A, Delanaud S, et al. The dynamics of cardiac autonomic control in sleeping preterm neonates exposed in utero to smoking. Clin Neurophysiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27246968

Stalzer A, Seybold D, Hossino D, Broce M, and Calhoun B. Doppler screening and predictors of adverse outcomes in high risk pregnancies affected by tobacco. Reprod Toxicol, 2016; 67:10-4. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27836536

Spyridou K, Chouvarda I, Hadjileontiadis L, and Maglaveras N. The effect of cigarette smoking on fetal heart rate tracing during pregnancy. J Perinat Med, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27054592

Shisler S, Eiden RD, Molnar DS, Schuetze P, Coles CD, et al. Effects of fetal tobacco exposure on focused attention in infancy. Infant Behav Dev, 2016; 45(Pt A):1-10. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27543942

Rzehak P, Saffery R, Reischl E, Covic M, Wahl S, et al. Maternal smoking during pregnancy and DNA-methylation in children at age 5.5 years: Epigenome-wide-analysis in the european childhood obesity project (chop)-study. PLoS ONE, 2016; 11(5):e0155554. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27171005

Rozi S, Butt ZA, Zahid N, Wasim S, and Shafique K. Association of tobacco use and other determinants with pregnancy outcomes: A multicentre hospital-based case-control study in karachi, pakistan. BMJ Open, 2016; 6(9):e012045. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27650766

Rotroff DM, Joubert BR, Marvel SW, Haberg SE, Wu MC, et al. Maternal smoking impacts key biological pathways in newborns through epigenetic modification in utero. BMC Genomics, 2016; 17(1):976. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27887572

Rolle-Kampczyk UE, Krumsiek J, Otto W, Roder SW, Kohajda T, et al. Metabolomics reveals effects of maternal smoking on endogenous metabolites from lipid metabolism in cord blood of newborns. Metabolomics, 2016; 12:76. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27065762

Piasek M, Jurasovic J, Sekovanic A, Brajenovic N, Brcic Karaconji I, et al. Placental cadmium as an additional noninvasive bioindicator of active maternal tobacco smoking. J Toxicol Environ Health A, 2016:1-4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27210017

Olszowski T, Baranowska-Bosiacka I, Rebacz-Maron E, Gutowska I, Jamiol D, et al. Cadmium concentration in mother's blood, milk, and newborn's blood and its correlation with fatty acids, anthropometric characteristics, and mother's smoking status. Biol Trace Elem Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27040674

Morales E, Vilahur N, Salas LA, Motta V, Fernandez MF, et al. Genome-wide DNA methylation study in human placenta identifies novel loci associated with maternal smoking during pregnancy. Int J Epidemiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27591263

McEvoy CT and Spindel ER. Pulmonary effects of maternal smoking on the fetus and child: Effects on lung development, respiratory morbidities, and life long lung health. Paediatr Respir Rev, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27639458

Li L, Qi Y, Shi W, Wang Y, Liu W, et al. A meta-analysis for association of maternal smoking with childhood refractive error and amblyopia. J Ophthalmol, 2016; 2016:8263832. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27247800

Kutlu T, Ozkaya E, Sanverdi I, Cakar E, Ayvaci H, et al. Acute fetal heart rate tracing changes secondary to cigarette smoking in third trimester pregnancies. J Matern Fetal Neonatal Med, 2016:1-12. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27440435

Kabesch M. Maternal smoking during pregnancy leaves lasting marks on the child's genetic regulatory machinery contributing to lung disease development later in life. Allergy, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27138246

Joubert BR, Felix JF, Yousefi P, Bakulski KM, Just AC, et al. DNA methylation in newborns and maternal smoking in pregnancy: Genome-wide consortium meta-analysis. The American Society of Human Genetics, 2016; 98(4):680-96. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27040690

Joubert B, Felix J, Yousefi P, Bakulski K, Just A, et al. DNA methylation in newborns and maternal smoking in pregnancy: Genome-wide consortium meta-analysis. The American Society of Human Genetics, 2016; 98(4):680–96. Available from: http://www.cell.com/ajhg/fulltext/S0002-9297%2816%2900070-7

http://www.ncbi.nlm.nih.gov/pubmed/27040690

Ip P, Chung BH, Ho FK, Chan GC, Deng W, et al. Prenatal tobacco exposure shortens telomere length in children. Nicotine Tob Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27194546

Inoue S, Naruse H, Yorifuji T, Kato T, Murakoshi T, et al. Impact of maternal and paternal smoking on birth outcomes. J Public Health (Oxf), 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27222236

Herman HG, Miremberg H, Nini N, Feit H, Schreiber L, et al. The effects of maternal smoking on pregnancy outcome and placental histopathology lesions. Reprod Toxicol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27262664

Heck JE, Contreras ZA, Park AS, Davidson TB, Cockburn M, et al. Smoking in pregnancy and risk of cancer among young children: A population-based study. Journal international du cancer, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27016137

Harju M, Keski-Nisula L, Georgiadis L, and Heinonen S. Parental smoking and cessation during pregnancy and the risk of childhood asthma. BMC Public Health, 2016; 16(1):428. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27220514

Gonseth S, de Smith AJ, Roy R, Zhou M, Lee ST, et al. Genetic contribution to variation in DNA methylation at maternal smoking sensitive loci in exposed neonates. Epigenetics, 2016:0. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27403598

Duff E. Tobacco smoke toxins from pregnant women can affect children's health for five years after birth. Midwifery, 2016; 33:10-1. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27294235

Dharashivkar S, Wasser L, Baumgartner RN, King JC, and Winters SJ. Obesity, maternal smoking and shbg in neonates. Diabetol Metab Syndr, 2016; 8:47. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27462374

Chelchowska M, Ambroszkiewicz J, Gajewska J, Rowicka G, Maciejewski TM, et al. Cord blood adiponectin and visfatin concentrations in relation to oxidative stress markers in neonates exposed and nonexposed in utero to tobacco smoke. Oxid Med Cell Longev, 2016; 2016:4569108. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27525051

Chan YL, Saad S, Al-Odat I, Zaky AA, Oliver B, et al. Impact of maternal cigarette smoke exposure on brain and kidney health outcomes in female offspring. Clin Exp Pharmacol Physiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27561128

Chaiton M and Holloway A. Population attributable risk of smoking during pregnancy on obesity in offspring. Can J Public Health, 2016; 107(3):e336. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27763853

Browne HA, Modabbernia A, Buxbaum JD, Hansen SN, Schendel DE, et al. Prenatal maternal smoking and increased risk for tourette syndrome and chronic tic disorders. J Am Acad Child Adolesc Psychiatry, 2016; 55(9):784-91. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27566119

Bernabe E, MacRitchie H, Longbottom C, Pitts NB, and Sabbah W. Birth weight, breastfeeding, maternal smoking and caries trajectories. J Dent Res, 2016. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27834298

Bauer T, Trump S, Ishaque N, Thurmann L, Gu L, et al. Environment-induced epigenetic reprogramming in genomic regulatory elements in smoking mothers and their children. Mol Syst Biol, 2016; 12(3):861. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27013061

Azary S, Ganguly A, Bunin GR, Lombardi C, Park AS, et al. Sporadic retinoblastoma and parental smoking and alcohol consumption before and after conception: A report from the children's oncology group. PLoS ONE, 2016; 11(3):e0151728. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26991078

Al-Sheyab NA, Al-Fuqha RA, Kheirallah KA, Khabour OF, and Alzoubi KH. Anthropometric measurements of newborns of women who smoke waterpipe during pregnancy: A comparative retrospective design. Inhal Toxicol, 2016; 28(13):629-35. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27780378

Alptekin H, Isik H, Alptekin N, Kayhan F, Efe D, et al. A prospective comparative study to assess the effect of maternal smoking at 37 weeks on doppler flow velocity waveforms as well as foetal birth weight and placental weight. J Obstet Gynaecol, 2016:1-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27625001

Zhang L, Wang XH, Zheng XM, Liu TZ, Zhang WB, et al. Maternal gestational smoking, diabetes, alcohol drinking, pre-pregnancy obesity and the risk of cryptorchidism: A systematic review and meta-analysis of observational studies. PLoS ONE, 2015; 10(3):e0119006. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25798927

Suzuki K, Sato M, Zheng W, Shinohara R, Yokomichi H, et al. Childhood growth trajectories according to combinations of pregestational weight status and maternal smoking during pregnancy: A multilevel analysis. PLoS ONE, 2015; 10(2):e0118538. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25680116

Sullivan PM, Dervan LA, Reiger S, Buddhe S, and Schwartz SM. Risk of congenital heart defects in the offspring of smoking mothers: A population-based study. J Pediatr, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25578997

Stangenberg S, Chen H, Wong MG, Pollock CA, and Saad S. Fetal programming of chronic kidney disease: The role of maternal smoking, mitochondrial dysfunction and epigenetic modfification. Am J

Physiol Renal Physiol, 2015:ajprenal 00638 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25656371

Schuetze P, Lessard J, Colder CR, Maiorana N, Shisler S, et al. Physiological reactivity during object manipulation among cigarette-exposed infants at 9months of age. Neurotoxicol Teratol, 2015; 48C:64-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25681531

Reissland N, Francis B, Kumarendran K, and Mason J. Ultrasound observations of subtle movements: A pilot study comparing fetuses of smoking and non-smoking mothers. Acta Paediatr, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25761436

Pirini F, Guida E, Lawson F, Mancinelli A, and Guerrero-Preston R. Nuclear and mitochondrial DNA alterations in newborns with prenatal exposure to cigarette smoke. Int J Environ Res Public Health, 2015; 12(2):1135-55. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25648174

Moylan S, Gustavson K, Overland S, Karevold EB, Jacka FN, et al. The impact of maternal smoking during pregnancy on depressive and anxiety behaviors in children: The norwegian mother and child cohort study. BMC Med, 2015; 13:24. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25644294

Momen NC, Olsen J, Gissler M, and Li J. Exposure to maternal smoking during pregnancy and risk of childhood cancer: A study using the danish national registers. Cancer Causes Control, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26689564

Mohlman MK and Levy DT. Disparities in maternal child and health outcomes attributable to prenatal tobacco use. Matern Child Health J, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26645613

Mattsson K, Jonsson I, Malmqvist E, Larsson HE, and Rylander L. Maternal smoking during pregnancy and offspring type 1 diabetes mellitus risk: Accounting for hla haplotype. Eur J Epidemiol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25576078

Massey SH, Estabrook R, O'Brien TC, Pine DS, Burns JL, et al. Preliminary evidence for the interaction of the oxytocin receptor gene (oxtr) and face processing in differentiating prenatal smoking patterns. Neurosci Lett, 2015; 584:259-64. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25450139

Martinez S, Garcia-Meric P, Millet V, Aymeric-Ponsonnet M, Alagha K, et al. Tobacco smoke in infants with bronchopulmonary dysplasia. Eur J Pediatr, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25633581

Magnus MC, Haberg SE, Karlstad O, Nafstad P, London SJ, et al. Grandmother's smoking when pregnant with the mother and asthma in the grandchild: The norwegian mother and child cohort study. Thorax, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25572596

Ladd-Acosta C, Shu C, Lee BK, Gidaya N, Singer A, et al. Presence of an epigenetic signature of prenatal cigarette smoke exposure in childhood. Environ Res, 2015; 144(Pt A):139-48. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26610292

La Merrill MA, Cirillo PM, Krigbaum NY, and Cohn BA. The impact of prenatal parental tobacco smoking on risk of diabetes mellitus in middle-aged women. J Dev Orig Health Dis, 2015:1-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25665487

Kooijman MN, Bakker H, Franco OH, Hofman A, Taal HR, et al. Fetal smoke exposure and kidney outcomes in school-aged children. Am J Kidney Dis, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25641064

Ivorra C, Fraga MF, Bayon GF, Fernandez AF, Garcia-Vicent C, et al. DNA methylation patterns in newborns exposed to tobacco in utero. J Transl Med, 2015; 13(1):25. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25623364

Isayama T, Shah PS, Ye XY, Dunn M, Da Silva O, et al. Adverse impact of maternal cigarette smoking on preterm infants: A population-based cohort study. Am J Perinatol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25825966

Heppe DH, Medina-Gomez C, Hofman A, Rivadeneira F, and Jaddoe VW. Does fetal smoke exposure affect childhood bone mass? The generation r study. Osteoporos Int, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25572050

Han JY, Kwon HJ, Ha M, Paik KC, Lim MH, et al. The effects of prenatal exposure to alcohol and environmental tobacco smoke on risk for adhd: A large population-based study. Psychiatry Res, 2015; 225(1-2):164-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25481018

Gray D, Czovek D, Smith E, Willemse L, Alberts A, et al. Respiratory impedance in healthy unsedated south african infants: Effects of maternal smoking. Respirology, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25581268

Gollenberg AL, Addo OY, Zhang Z, Hediger ML, Himes JH, et al. In utero exposure to cigarette smoking, environmental tobacco smoke and reproductive hormones in us girls approaching puberty. Horm Res Paediatr, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25633306

Gloria-Bottini F and Bottini E. Smoking and the correlation between birth weight and placental weight. Evidence of interaction with maternal haptoglobin phenotype. Eur J Obstet Gynecol Reprod Biol, 2015; 185:136-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25575141

Gautam P, Warner TD, Kan EC, and Sowell ER. Executive function and cortical thickness in youths prenatally exposed to cocaine, alcohol and tobacco. Dev Cogn Neurosci, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25743199

Filis P, Nagrath N, Fraser M, Hay DC, Iredale JP, et al. Maternal smoking dysregulates protein expression in second trimester human fetal livers in a sex-specific manner. J Clin Endocrinol Metab, 2015:jc20143941. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25803269

Fang F, Luo ZC, Dejemli A, Delvin E, and Zhang J. Maternal smoking and metabolic health biomarkers in newborns. PLoS ONE, 2015; 10(11):e0143660. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26599278

Eiden RD, Molnar DS, Granger DA, Colder CR, Schuetze P, et al. Prenatal tobacco exposure and infant stress reactivity: Role of child sex and maternal behavior. Dev Psychobiol, 2015; 57(2):212-25. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25650169

Drake AJ, O'Shaughnessy PJ, Bhattacharya S, Monteiro A, Kerrigan D, et al. In utero exposure to cigarette chemicals induces sex-specific disruption of one-carbon metabolism and DNA methylation in the human fetal liver. BMC Med, 2015; 13(1):18. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25630355

Daseking M, Petermann F, Tischler T, and Waldmann HC. Smoking during pregnancy is a risk factor for executive function deficits in preschool-aged children. Geburtshilfe Frauenheilkd, 2015; 75(1):64-71. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25684788

Correa A, Levis DM, Tinker SC, and Cragan JD. Maternal cigarette smoking and congenital heart defects. J Pediatr, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25681204

Chang CH and Chuang LM. Fetal exposure to parental smoking and the risk of type 2 diabetes: Are lifestyle-related factors more important? J Diabetes Investig, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27180661

Bates F. Smoking in pregnancy: The dangers of carbon monoxide exposure. Community Pract, 2015; 88(9):27. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26489248

Baheiraei A, Shamsi A, Mohsenifar A, Kazemnejad A, Hatmi Z, et al. The effects of secondhand smoke exposure on infant growth: A prospective cohort study. Acta Med Iran, 2015; 53(1):39-45. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25597604

Aulinas A, Colom C, Garcia Patterson A, Ubeda J, Maria MA, et al. Smoking affects the oral glucose tolerance test profile and the relationship between glucose and hba in gestational diabetes mellitus. Diabet Med, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26416345

Ali K, Rossor T, Bhat R, Wolff K, Hannam S, et al. Antenatal substance misuse and smoking and newborn hypoxic challenge response. Arch Dis Child Fetal Neonatal Ed, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26290480

Werler MM, Yazdy MM, Kasser JR, Mahan ST, Meyer RE, et al. Maternal cigarette, alcohol, and coffee consumption in relation to risk of clubfoot. Paediatr Perinat Epidemiol, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25417917

Werhmeister FC, Nunes BP, Loret de Mola C, Gomez-Cofre N, de Oliveira PD, et al. Intrauterine exposure to smoking and wheezing in adolescence: The 1993 pelotas birth cohort. J Dev Orig Health Dis, 2014:1-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25404101

Wehby GL, Prater KN, Ryckman KK, Kummet C, and Murray JC. Candidate gene study for smoking, alcohol use, and body weight in a sample of pregnant women. J Matern Fetal Neonatal Med, 2014:1-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25014319

Stone WL, Bailey B, and Khraisha N. The pathophysiology of smoking during pregnancy: A systems biology approach. Front Biosci (Elite Ed), 2014; 6:318-28. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24896208

Skripak JM. Persistent effects of maternal smoking during pregnancy on lung function and asthma in adolescents. Pediatrics, 2014; 134 Suppl 3:S146. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25363930

Skoglund C, Chen Q, D'Onofrio BM, Lichtenstein P, and Larsson H. Familial confounding of the association between maternal smoking during pregnancy and adhd in offspring. J Child Psychol Psychiatry, 2014; 55(1):61-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25359172

Rosen BN, Lee BK, Lee NL, Yang Y, and Burstyn I. Maternal smoking and autism spectrum disorder: A meta-analysis. J Autism Dev Disord, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25432101

Richmond RC, Simpkin AJ, Woodward G, Gaunt TR, Lyttleton O, et al. Prenatal exposure to maternal smoking and offspring DNA methylation across the lifecourse: Findings from the avon longitudinal study of parents and children (alspac). Hum Mol Genet, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25552657

Parascandola M. Commentary: Smoking, birthweight and mortality: Jacob yerushalmy on self-selection and the pitfalls of causal inference. Int J Epidemiol, 2014; 43(5):1373-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25301863

Nielsen CH, Larsen A, and Nielsen AL. DNA methylation alterations in response to prenatal exposure of maternal cigarette smoking: A persistent epigenetic impact on health from maternal lifestyle? Arch Toxicol, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25480659

Mei-Dan E, Walfisch A, Weisz B, Hallak M, Brown R, et al. The unborn smoker: Association between smoking during pregnancy and adverse perinatal outcomes. J Perinat Med, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25389984

McConnell R, Shen E, Gilliland FD, Jerrett M, Wolch J, et al. A longitudinal cohort study of body mass index and childhood exposure to secondhand tobacco smoke and air pollution: The southern california children's health study. Environ Health Perspect, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25389275

Mattioli S, Farioli A, Legittimo P, Miligi L, Benvenuti A, et al. Tobacco smoke and risk of childhood acute non-lymphocytic leukemia: Findings from the setil study. PLoS ONE, 2014; 9(11):e111028. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25401754

Martinez-Mesa J, Menezes AM, Howe LD, Wehrmeister FC, Muniz LC, et al. Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18years old. The 1993 pelotas birth cohort. Early Hum Dev, 2014; 90(12):901-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25463840

Majorana A, Cagetti MG, Bardellini E, Amadori F, Conti G, et al. Feeding and smoking habits as cumulative risk factors for early childhood caries in toddlers, after adjustment for several behavioral determinants: A retrospective study. BMC Pediatr, 2014; 14:45. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24528500

Liska SR. In utero exposure to black bull chewing tobacco and neonatal nicotine withdrawal: A review of the literature. Neonatal Netw, 2014; 33(1):5-10. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24413030

Lin YJ. Low birth weight, preterm births, and intrauterine growth retardation in relation to parental smoking during pregnancy. Pediatr Neonatol, 2014; 55(1):3-4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24434298

Kramer MS, Zhang X, and Platt RW. Commentary: Yerushalmy, maternal cigarette smoking and the perinatal mortality crossover paradox. Int J Epidemiol, 2014; 43(5):1378-81. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25301864

Kovess V, Keyes KM, Hamilton A, Pez O, Bitfoi A, et al. Maternal smoking and offspring inattention and hyperactivity: Results from a cross-national european survey. Eur Child Adolesc Psychiatry, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25413602

Keyes KM, Davey Smith G, and Susser E. Commentary: Smoking in pregnancy and offspring health: Early insights into family-based and 'negative control' studies? Int J Epidemiol, 2014; 43(5):1381-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25301865

Kamer B, Pasowska R, Grys W, Socha-Banasiak A, Kamer-Bartosinska A, et al. Pre- and postnatal exposure of children to tobacco smoke during the first four years of life - observations of the authors. Ann Agric Environ Med, 2014; 21(4):753-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25528915

Joya X, Manzano C, Alvarez AT, Mercadal M, Torres F, et al. Transgenerational exposure to environmental tobacco smoke. Int J Environ Res Public Health, 2014; 11(7):7261-74. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25032741

Joubert BR, Haberg SE, Bell DA, Nilsen RM, Vollset SE, et al. Maternal smoking and DNA methylation in newborns: In utero effect or epigenetic inheritance? Cancer Epidemiol Biomarkers Prev, 2014; 23(6):1007-17. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24740201

Ivorra C, Garcia-Vicent C, Ponce F, Ortega-Evangelio G, Fernandez-Formoso JA, et al. High cotinine levels are persistent during the first days of life in newborn second hand smokers. Drug Alcohol Depend, 2014; 134:275-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24268547

Inamdar AS, Croucher RE, Chokhandre MK, Mashyakhy MH, and Marinho VC. Maternal smokeless tobacco use in pregnancy and adverse health outcomes in newborns: A systematic review. Nicotine Tob Res, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25534929

Huttly W, Bestwick J, and Wald N. Effect of smoking status on inhibin-a in second-trimester prenatal screening for down syndrome. Prenat Diagn, 2014; 34(4):406-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24395085

Humphrey A and Dinakar C. Maternal second-hand smoke exposure in pregnancy is associated with childhood asthma development. Pediatrics, 2014; 134 Suppl 3:S145-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25363929

Holz NE, Boecker R, Baumeister S, Hohm E, Zohsel K, et al. Effect of prenatal exposure to tobacco smoke on inhibitory control: Neuroimaging results from a 25-year prospective study. JAMA Psychiatry, 2014; 71(7):786-96. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24828276

Hollams EM, de Klerk NH, Holt PG, and Sly PD. Persistent effects of maternal smoking during pregnancy on lung function and asthma in adolescents. Am J Respir Crit Care Med, 2014; 189(4):401-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24251622

Harrod CS, Reynolds RM, Chasan-Taber L, Fingerlin TE, Glueck DH, et al. Quantity and timing of maternal prenatal smoking on neonatal body composition: The healthy start study. J Pediatr, 2014; 165(4):707-12. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25063722

Harrod CS, Fingerlin TE, Chasan-Taber L, Reynolds RM, Glueck DH, et al. Exposure to prenatal smoking and early-life body composition: The healthy start study. Obesity (Silver Spring), 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25385660

Hall GL. Smoking during pregnancy, vitamin c supplementation, and infant respiratory health. JAMA, 2014; 311(20):2070-1. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24838283

Gunnerbeck A, Edstedt Bonamy AK, Wikstrom AK, Granath F, Wickstrom R, et al. Maternal snuff use and smoking and the risk of oral cleft malformations--a population-based cohort study. PLoS ONE, 2014; 9(1):e84715. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24454740

Golding J, Northstone K, Gregory S, Miller LL, and Pembrey M. The anthropometry of children and adolescents may be influenced by the prenatal smoking habits of their grandmothers: A longitudinal cohort study. Am J Hum Biol, 2014; 26(6):731-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25130101

Gnigler M, Neubauer V, Griesmaier E, Zotter S, Kager K, et al. Very preterm children risk reduced processing speed at five-years-of-age, predicted by typical complications of prematurity and prenatal smoking. Acta Paediatr, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25382547

Fuentes-Leonarte V, Estarlich M, Ballester F, Murcia M, Esplugues A, et al. Pre- and postnatal exposure to tobacco smoke and respiratory outcomes during the first year. Indoor Air, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24810295

Fowler PA, Childs AJ, Courant F, MacKenzie A, Rhind SM, et al. In utero exposure to cigarette smoke dysregulates human fetal ovarian developmental signalling. Hum Reprod, 2014; 29(7):1471-89. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24847019

Fernandes M, Yang X, Li JY, and Cheikh-Ismail L. Smoking during pregnancy and vision difficulties in children: A systematic review. Acta Ophthalmol, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25545121

Feldkamp ML, Srisukhumbowornchai S, Romitti PA, Olney RS, Richardson SD, et al. Self-reported maternal cigarette smoke exposure during the periconceptional period and the risk for omphalocoele. Paediatr Perinat Epidemiol, 2014; 28(1):67-73. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24313669

Farioli A, Legittimo P, Mattioli S, Miligi L, Benvenuti A, et al. Tobacco smoke and risk of childhood acute lymphoblastic leukemia: Findings from the setil case-control study. Cancer Causes Control, 2014; 25(6):683-92. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24699944

Farber HJ. Harm of in utero tobacco smoke exposure: A heritable trait? Chest, 2014; 145(6):1182-4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24889426

Ellingson JM, Goodnight JA, Van Hulle CA, Waldman ID, and D'Onofrio BM. A sibling-comparison study of smoking during pregnancy and childhood psychological traits. Behav Genet, 2014; 44(1):25-35. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24085497

El-Ardat MA, Izetbegovic S, and El-Ardat KA. Effect of cigarette smoking in pregnancy on infants anthropometric characteristics. Mater Sociomed, 2014; 26(3):186-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25126013

El Marroun H, Schmidt MN, Franken IH, Jaddoe VW, Hofman A, et al. Prenatal tobacco exposure and brain morphology: A prospective study in young children. Neuropsychopharmacology, 2014; 39(4):792-800. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24096296

Ekblad M, Korkeila J, and Lehtonen L. Smoking during pregnancy affects foetal brain development. Acta Paediatr, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25169748

Durmus B, Heppe DH, Taal HR, Manniesing R, Raat H, et al. Parental smoking during pregnancy and total and abdominal fat distribution in school-age children: The generation r study. Int J Obes (Lond), 2014; 38(7):966-72. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24448598

Dior UP, Lawrence GM, Sitlani C, Enquobahrie D, Manor O, et al. Parental smoking during pregnancy and offspring cardio-metabolic risk factors at ages 17 and 32. Atherosclerosis, 2014; 235(2):430-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24937467

Cornelius MD. People with schizophrenia are more likely to have a mother who smoked during pregnancy than people without the condition. Evid Based Nurs, 2014; 17(3):80. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24257911

Chudal R, Brown AS, Gissler M, Suominen A, and Sourander A. Is maternal smoking during pregnancy associated with bipolar disorder in offspring? J Affect Disord, 2014; 171C:132-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25305427

Boucher O, Jacobson JL, Burden MJ, Dewailly E, Jacobson SW, et al. Prenatal tobacco exposure and response inhibition in school-aged children: An event-related potential study. Neurotoxicol Teratol, 2014; 44:81-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24946039

Black MM, Nair P, and Spanier AJ. Dose and timing of prenatal tobacco exposure: Threats to early child development. Lancet Respir Med, 2014; 2(9):677-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25127406

Biederman J, Martelon M, Woodworth KY, Spencer TJ, and Faraone SV. Is maternal smoking during pregnancy a risk factor for cigarette smoking in offspring? A longitudinal controlled study of adhd children grown up. J Atten Disord, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25416463

Ali K, Wolff K, Peacock JL, Hannam S, Rafferty GF, et al. Ventilatory response to hypercarbia in newborns of smoking and substance-misusing mothers. Ann Am Thorac Soc, 2014; 11(6):933-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24983462

Flower A, Shawe J, Stephenson J, and Doyle P. Pregnancy planning, smoking behaviour during pregnancy, and neonatal outcome: Uk millennium cohort study. BMC Pregnancy Childbirth, 2013; 13:238. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24354748

Caspers KM, Romitti PA, Lin S, Olney RS, Holmes LB, et al. Maternal periconceptional exposure to cigarette smoking and congenital limb deficiencies. Paediatr Perinat Epidemiol, 2013; 27(6):509-20. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24134526

Barrington-Trimis JL, Searles Nielsen S, Preston-Martin S, Gauderman WJ, Holly EA, et al. Parental smoking and risk of childhood brain tumors by functional polymorphisms in polycyclic aromatic

hydrocarbon metabolism genes. PLoS ONE, 2013; 8(11):e79110. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24260161

Anthopolos R, Edwards SE, and Miranda ML. Effects of maternal prenatal smoking and birth outcomes extending into the normal range on academic performance in fourth grade in north carolina, USA. Paediatr Perinat Epidemiol, 2013; 27(6):564-74. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24134528

Gomez C, Berlin I, Marquis P, and Delcroix M. Expired air carbon monoxide concentration in mothers and their spouses above 5 ppm is associated with decreased fetal growth. Prev Med, 2005; 40(1):10-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/15530575

3.8.1 Foetal size and growth

Pintican, D, Poienar, AA, Strilciuc, S, & Mihu, D. (2019). Effects of maternal smoking on human placental vascularization: A systematic review. *Taiwan J Obstet Gynecol, 58*(4), 454-459. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31307732

Sowell, K, Holt, R, Uriu-Adams, J, Chambers, C, Coles, C, Kable, J et al (2019). Alcohol Consumption and Smoking During Pregnancy Alters Maternal Plasma Fatty Acid Composition: Association with Fetal Alcohol Spectrum Disorders (P11-028-19). *Curr Dev Nutr, 3*(Suppl 1). Available from: https://www.ncbi.nlm.nih.gov/pubmed/31224760

Aubin, HJ, Berlin, I, & Ekblad, M. (2019). Exploring the Association of Sex Differences and Exposure to Maternal Smoking With Low Fetal Growth. *JAMA Psychiatry*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31141101

Jha, MK, Minhajuddin, A, & Trivedi, M. (2019). Exploring the Association of Sex Differences and Exposure to Maternal Smoking With Low Fetal Growth. *JAMA Psychiatry*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31141096

Pettersson, E, D'Onofrio, B, & Lichtenstein, P. (2019). Exploring the Association of Sex Differences and Exposure to Maternal Smoking With Low Fetal Growth-Reply. *JAMA Psychiatry*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31141095

Lindstrom, L, Wikstrom, AK, Bergman, E, Mulic-Lutvica, A, Hogberg, U, Ahlsson, F, & Lundgren, M. Postnatal growth in children born small for gestational age with and without smoking mother. Pediatr Res, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30808020

Quelhas, D, Kompala, C, Wittenbrink, B, Han, Z, Parker, M, Shapiro, M et al. The association between active tobacco use during pregnancy and growth outcomes of children under five years of age: a systematic review and meta-analysis. BMC Public Health, 2018. 18(1), 1372. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6293508/pdf/12889_2018_Article_6137.pdf

Sabra S, Malmqvist E, Almeida L, Gratacos E, and Gomez Roig MD. Differential correlations between maternal hair levels of tobacco and alcohol with fetal growth restriction clinical subtypes. Alcohol, 2018; 70:43-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29778069

Shisler S, Eiden RD, Molnar DS, Schuetze P, Huestis M, et al. Smoking in pregnancy and fetal growth: The case for more intensive assessment. Nicotine Tob Res, 2017; 19(5):525-31. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28403474

Shenassa ED. Maternal smoking during pregnancy and offspring weight gain: A consideration of competing explanations. Paediatr Perinat Epidemiol, 2017; 31(5):409-11. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28869795

Sabra S, Gratacos E, and Gomez Roig MD. Smoking-induced changes in the maternal immune, endocrine, and metabolic pathways and their impact on fetal growth: A topical review. Fetal Diagn Ther, 2017; 41(4):241-50. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28249267

Pathirathna ML, Abeywickrama HM, Sekijima K, Sadakata M, Fujiwara N, et al. Effects of prenatal tobacco and wood-fuel smoke exposure on birth weight in sri lanka. Healthcare (Basel), 2017; 5(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/28954431

Luke S and Kirby RS. Timing of maternal tobacco exposure, hypertension, and risk of singleton small-for-gestational age infants. Am J Perinatol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28895617

Lockhart F, Liu A, Champion BL, Peek MJ, Nanan RKH, et al. The effect of cigarette smoking during pregnancy on endocrine pancreatic function and fetal growth: A pilot study. Front Public Health, 2017; 5:314. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29209605

Cooper KM, Bernstein IM, Skelly JM, Heil SH, and Higgins ST. The independent contribution of uterine blood flow to birth weight and body composition in smoking mothers. Am J Perinatol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29183095

Zheng W, Suzuki K, Tanaka T, Kohama M, Yamagata Z, et al. Association between maternal smoking during pregnancy and low birthweight: Effects by maternal age. PLoS ONE, 2016; 11(1):e0146241. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26795494

Suzuki K, Shinohara R, Sato M, Otawa S, and Yamagata Z. Association between maternal smoking during pregnancy and birth weight: An appropriately adjusted model from the japan environment and children's study. J Epidemiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26902166

Scott-Goodwin AC, Puerto M, and Moreno I. Toxic effects of prenatal exposure to alcohol, tobacco and other drugs. Reprod Toxicol, 2016; 61:120-30. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27037188

Schubert C. Smoking out fetal growth restriction. Biol Reprod, 2016; 94(1):3. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26758311

Parker SE, Collett BR, Speltz ML, and Werler MM. Prenatal smoking and childhood behavior problems: Is the association mediated by birth weight? J Dev Orig Health Dis, 2016:1-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26880155

Milnerowicz-Nabzdyk E, Bizon A, and Zimmer M. How does tobacco smoke affect fetal growth potential in the first trimester of pregnancy as measured by volume parameters of the fetus, trophoblast, and gestational sac? Reprod Sci, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27481924

Marceau K, Palmer RH, Neiderhiser JM, Smith TF, McGeary JE, et al. Passive rge or developmental gene-environment cascade? An investigation of the role of xenobiotic metabolism genes in the association between smoke exposure during pregnancy and child birth weight. Behav Genet, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26803317

Kobayashi S, Sata F, Sasaki S, Braimoh TS, Araki A, et al. Combined effects of ahr, cyp1a1, and xrcc1 genotypes and prenatal maternal smoking on infant birth size: Biomarker assessment in the hokkaido study. Reprod Toxicol, 2016; 65:295-306. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27592400

Huuskonen P, Amezaga MR, Bellingham M, Jones LH, Storvik M, et al. The human placental proteome is affected by maternal smoking. Reprod Toxicol, 2016; 63:22-31. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27189315

Heinz-Partington S, Condous G, and Mongelli M. Differential effects of cigarette smoking on birth weight by maternal body mass index. J Obstet Gynaecol, 2016:1-3. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27013353

Hayes C, Kearney M, O'Carroll H, Zgaga L, Geary M, et al. Patterns of smoking behaviour in low-income pregnant women: A cohort study of differential effects on infant birth weight. Int J Environ Res Public Health, 2016; 13(11). Available from: https://www.ncbi.nlm.nih.gov/pubmed/27801861

Erickson AC, Ostry A, Chan HM, and Arbour L. Air pollution, neighbourhood and maternal-level factors modify the effect of smoking on birth weight: A multilevel analysis in british columbia, canada. BMC Public Health, 2016; 16(1):585. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27784277

Chelchowska M, Ambroszkiewicz J, Gajewska J, Jablonska-Glab E, Maciejewski TM, et al. Hepcidin and iron metabolism in pregnancy: Correlation with smoking and birth weight and length. Biol Trace Elem Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26785641

Wrzesniak M, Kepinska M, Bizon A, Milnerowicz-Nabzdyk E, and Milnerowicz H. Transferrin sialylation in smoking and non-smoking pregnant women with intrauterine growth restriction. Fetal Pediatr Pathol, 2015:1-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26470653

Wang A, Zsengeller ZK, Hecht JL, Buccafusca R, Burke SD, et al. Excess placental secreted frizzled-related protein 1 in maternal smokers impairs fetal growth. J Clin Invest, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26413870

Vila Candel R, Soriano-Vidal FJ, Hevilla Cucarella E, Castro-Sanchez E, and Martin-Moreno JM. Tobacco use in the third trimester of pregnancy and its relationship to birth weight. A prospective study in spain. Women Birth, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26166212

Kupers LK, Xu X, Jankipersadsing SA, Vaez A, la Bastide-van Gemert S, et al. DNA methylation mediates the effect of maternal smoking during pregnancy on birthweight of the offspring. Int J Epidemiol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25862628

Knopik VS, Marceau K, Palmer RH, Smith TF, and Heath AC. Maternal smoking during pregnancy and offspring birth weight: A genetically-informed approach comparing multiple raters. Behav Genet, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26494459

Gibbs K, Collaco JM, and McGrath-Morrow SA. Impact of tobacco smoke and nicotine exposure on lung development. Chest, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26502117

Currie LM, Tolley EA, Thodosoff JM, Kerling EH, Sullivan DK, et al. Long chain polyunsaturated fatty acid supplementation in infancy increases length- and weight-for-age but not bmi to 6 years when controlling for effects of maternal smoking. Prostaglandins Leukot Essent Fatty Acids, 2015; 98:1-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25936840

Bouwland-Both MI, van Mil NH, Tolhoek CP, Stolk L, Eilers PH, et al. Prenatal parental tobacco smoking, gene specific DNA methylation, and newborns size: The generation r study. Clin Epigenetics, 2015; 7(1):83. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26265957

Spracklen CN, Ryckman KK, Harland K, and Saftlas AF. Effects of smoking and preeclampsia on birth weight for gestational age. J Matern Fetal Neonatal Med, 2014:1-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24893615

Rillamas-Sun E, Harlow SD, and Randolph JF, Jr. Grandmothers' smoking in pregnancy and grandchildren's birth weight: Comparisons by grandmother birth cohort. Matern Child Health J, 2014; 18(7):1691-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24337862

Pembrey M, Northstone K, Gregory S, Miller LL, and Golding J. Is the growth of the child of a smoking mother influenced by the father's prenatal exposure to tobacco? A hypothesis generating longitudinal study. BMJ Open, 2014; 4(7):e005030. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25015471

Okah FA, Oshodi AA, Liu Y, and Cai J. Does multiple gestation impact birthweight deficit from smoking? J Perinatol, 2014; 34(2):112-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24310445

Miller LL, Pembrey M, Davey Smith G, Northstone K, and Golding J. Is the growth of the fetus of a non-smoking mother influenced by the smoking of either grandmother while pregnant? PLoS ONE, 2014; 9(2):e86781. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24504157

Garrabou G, Hernandez AS, Catalan Garcia M, Moren C, Tobias E, et al. Molecular basis of reduced birth weight in smoking pregnant women: Mitochondrial dysfunction and apoptosis. Addict Biol, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25186090

3.8.1.1 Birthweight

Schechter, J, Do, EK, Zhang, JJ, Hoyo, C, Murphy, SK, Kollins, SH, & Fuemmeler, B. Effect of Prenatal Smoke Exposure on Birth Weight: The Moderating Role of Maternal Depressive Symptoms. Nicotine Tob Res, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30590728

Voigt, M, Pelc, A, Durrani, NUR, Rochow, N, Weller, J, Wittwer-Backofen, U et al. Maternal body mass index and smoking during pregnancy do not affect the proportional sexual dimorphism for birth weight- an analysis of the German Perinatal Survey. Anthropol Anz, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30548052

Qu, W, Yuan, L, Xiang, Y, Jia, X, Zhao, Z. Glutathione S-transferase M1 and T1 polymorphisms, and their interactions with smoking on risk of low birth weight: a meta-analysis. J Matern Fetal Neonatal Med. 2018 Aug 28:1-301. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30153758

Zheng BK and Li N. Methodological concerns about a systematic review and meta-analysis of maternal active smoking during pregnancy and low birth weight. Nicotine Tob Res, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29370411

Witt SH, Frank J, Gilles M, Lang M, Treutlein J, et al. Impact on birth weight of maternal smoking throughout pregnancy mediated by DNA methylation. BMC Genomics, 2018; 19(1):290. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29695247

Pereira P, Da Mata FAF, Figueiredo A, de Andrade KRC, and Pereira MG. Response to the letter: Methodological concerns about a systematic review and meta-analysis of maternal active smoking during pregnancy and low birth weight. Nicotine Tob Res, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29617904

Owili PO, Muga MA, and Kuo HW. Gender difference in the association between environmental tobacco smoke and birth weight in africa. Int J Environ Res Public Health, 2018; 15(7). Available from: https://www.ncbi.nlm.nih.gov/pubmed/29973544

Huang L, Luo Y, Wen X, He YH, Peng D, et al. Gene-gene-environment interactions of prenatal exposed to environmental tobacco smoke, cyp1a1 and gsts polymorphisms on full-term low birth weight: Relationship of maternal passive smoking, gene polymorphisms and ft-lbw. J Matern Fetal Neonatal Med, 2018:1-251. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29338478

Veisani Y, Jenabi E, Delpisheh A, and Khazaei S. Effect of prenatal smoking cessation interventions on birth weight: Meta-analysis. J Matern Fetal Neonatal Med, 2017:1-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28889768

Valeri L, Reese SL, Zhao S, Page CM, Nystad W, et al. Misclassified exposure in epigenetic mediation analyses. Does DNA methylation mediate effects of smoking on birthweight? Epigenomics, 2017; 9(3):253-65. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28234025

Tong VT, England LJ, Rockhill KM, and D'Angelo DV. Risks of preterm delivery and small for gestational age infants: Effects of nondaily and low-intensity daily smoking during pregnancy. Paediatr Perinat Epidemiol, 2017; 31(2):144-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28181676

Richmond RC and Joubert BR. Contrasting the effects of intra-uterine smoking and one-carbon micronutrient exposures on offspring DNA methylation. Epigenomics, 2017; 9(3):351-67. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28234021

Molnar DS, Rancourt D, Schlauch R, Wen X, Huestis MA, et al. Tobacco exposure and conditional weight-for-length gain by 2 years of age. J Pediatr Psychol, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28169405

Kvalvik LG, Haug K, Klungsoyr K, Morken NH, DeRoo LA, et al. Maternal smoking status in successive pregnancies and risk of having a small for gestational age infant. Paediatr Perinat Epidemiol, 2017; 31(1):21-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27981584

Kezios K, Gu Y, Liu X, Cirillo P, Tarrant D, et al. Hydroxylated polychlorinated biphenyl metabolites (oh-pcbs), maternal smoking and size at birth. Reprod Toxicol, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28314564

Fleisch AF, Rifas-Shiman SL, Rokoff LB, Hivert MF, Mantzoros CS, et al. Associations of maternal prenatal smoking with umbilical cord blood hormones: The project viva cohort. Metabolism, 2017; 72:18-26. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28641780

de Brito ML, Nunes M, Bernardi JR, Bosa VL, Goldani MZ, et al. Somatic growth in the first six months of life of infants exposed to maternal smoking in pregnancy. BMC Pediatr, 2017; 17(1):67. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28279149

Dare S, Mackay DF, and Pell JP. Correction: Relationship between smoking and obesity: A cross-sectional study of 499,504 middle-aged adults in the uk general population. PLoS ONE, 2017; 12(2):e0172076. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28178349

Berlin I, Golmard JL, Jacob N, Tanguy ML, and Heishman SJ. Cigarette smoking during pregnancy: Do complete abstinence and low level cigarette smoking have similar impact on birth weight? Nicotine Tob Res, 2017; 19(5):518-24. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28403475

Abraham M, Alramadhan S, Iniguez C, Duijts L, Jaddoe VW, et al. A systematic review of maternal smoking during pregnancy and fetal measurements with meta-analysis. PLoS ONE, 2017; 12(2):e0170946. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28231292

Mine T, Tanaka T, Nakasone T, Itokazu T, Yamagata Z, et al. Maternal smoking during pregnancy and rapid weight gain from birth to early infancy. J Epidemiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28142041

3.8.1.2 Respiratory health

Richmond, RC, Suderman, M, Langdon, R, Relton, CL, & Davey Smith, G. (2019). RE: Prenatal smoke exposure, DNA methylation and a link between DRD1 and lung cancer. *Int J Epidemiol*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30903164

Ryan, BM, & Robles, AI. (2019). Prenatal smoke exposure, DNA methylation and a link between DRD1 and lung cancer. *Int J Epidemiol*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30879057

Subbarao, P. Vitamin C for Pregnant Smokers to Improve Infant Lung Function: An Orange a Day Keeps the Respirologist Away? Am J Respir Crit Care Med, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30522341

Balmes, JR. When the Fetus is Exposed to Smoke, the Developing Lung is Burned. Am J Respir Crit Care Med, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30272992

Sukjamnong S, Chan YL, Zakarya R, Saad S, Sharma P, et al. The effect of long-term maternal smoking on the offspring's lung health. Am J Physiol Lung Cell Mol Physiol, 2017:ajplung 00134 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28522560

Zacharasiewicz A. Maternal smoking in pregnancy and its influence on childhood asthma. ERJ Open Res, 2016; 2(3). Available from: http://www.ncbi.nlm.nih.gov/pubmed/27730206

Panaszek B, Pawlowicz R, Lindner K, Dobek R, Panaszek K, et al. Impact of birth weight and smoking on lung function in patients with asthma, copd, and healthy volunteers. Adv Clin Exp Med, 2016; 25(6):1207-13. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28028975

Krol M, Tupieka-Kolodziejska A, Tarchalska-Krynska B, Florek E, Wilczynski J, et al. Cytological evaluation of the nasal mucosa in neonates exposed to tobacco smoke during fetal life. Neuro Endocrinol Lett, 2016; 37(6):433-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28315627

Balte P, Karmaus W, Roberts G, Kurukulaaratchy R, Mitchell F, et al. Relationship between birth weight, maternal smoking during pregnancy and childhood and adolescent lung function: A path analysis. Respir Med, 2016; 121:13-20. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27888986

3.8.2 Perinatal and infant death

Bhatta, DN, & Glantz, S. Parental tobacco use and child death: analysis of data from demographic and health surveys from South and South East Asian countries. Int J Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30277524

Lavezzi, AM. Toxic Effect of Cigarette Smoke on Brainstem Nicotinic Receptor Expression: Primary Cause of Sudden Unexplained Perinatal Death. Toxics, 2018. 6(4). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30340403

Wennergren G. Smoking in pregnancy and bed sharing, a fatal combination. Acta Paediatr, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30004592

Vivekanandarajah A, Waters KA, and Machaalani R. Cigarette smoke exposure effects on the brainstem expression of nicotinic acetylcholine receptors (nachrs), and on cardiac, respiratory and sleep physiologies. Respir Physiol Neurobiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30031221

Rossor T, Ali K, Bhat R, Trenear R, Rafferty G, et al. The effects of sleeping position, maternal smoking and substance misuse on the ventilatory response to hypoxia in the newborn period. Pediatr Res, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29976971

Morales-Suarez-Varela M, Nohr EA, Olsen J, and Bech BH. Potential combined effects of maternal smoking and coffee intake on foetal death within the danish national birth cohort. Eur J Public Health, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29293997

Lavezzi AM, Ferrero S, Roncati L, Piscioli F, Matturri L, et al. Nicotinic receptor abnormalities in the cerebellar cortex of sudden unexplained fetal and infant death victims-possible correlation with maternal smoking. ASN Neuro, 2017; 9(4):1759091417720582. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28735558

Pineles BL, Hsu S, Park E, and Samet JM. Systematic review and meta-analyses of perinatal death and maternal exposure to tobacco smoke during pregnancy. Am J Epidemiol, 2016; 184(2):87-97. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27370789

Morales-Suarez-Varela M, Nohr EA, Bech BH, Wu C, and Olsen J. Smoking, physical exercise, bmi and late foetal death: A study within the danish national birth cohort. Eur J Epidemiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27535278

Bjornholt SM, Leite M, Albieri V, Kjaer SK, and Jensen A. Maternal smoking during pregnancy and risk of stillbirth: Results from a nationwide danish register-based cohort study. Acta Obstet Gynecol Scand, 2016; 95(11):1305-12. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27580369

Ali K, Rosser T, Bhat R, Wolff K, Hannam S, et al. Antenatal smoking and substance-misuse, infant and newborn response to hypoxia. Pediatr Pulmonol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27723956

Varner MW, Silver RM, Rowland Hogue CJ, Willinger M, Parker CB, et al. Association between stillbirth and illicit drug use and smoking during pregnancy. Obstet Gynecol, 2014; 123(1):113-25. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24463671

Pineles BL, Park E, and Samet JM. Systematic review and meta-analysis of miscarriage and maternal exposure to tobacco smoke during pregnancy. Am J Epidemiol, 2014; 179(7):807-23. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24518810

3.8.2.1 Stillbirth

Odendaal, HJ, Geerts, L, Nel, DG, Brink, LT, Hitchcock, E, & Groenewald, CA. (2018). Effects of alcohol, cigarettes, methamphetamine and marijuana exposure during pregnancy on maternal serum alpha-fetoprotein levels at 20-24 weeks'gestation. *J Pediatr Neonatal Care, 8*(1). Retrieved from https://www.ncbi.nlm.nih.gov/pubmed/31106259

Hossain MS, Kypri K, Rahman B, and Milton AH. Smokeless tobacco consumption and stillbirth: Population-based case-control study in rural bangladesh. Drug Alcohol Rev, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28543690

Marufu TC, Ahankari A, Coleman T, and Lewis S. Maternal smoking and the risk of still birth: Systematic review and meta-analysis. BMC Public Health, 2015; 15:239. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25885887

3.8.2.2 Sudden infant death syndrome

MacFarlane M, Mitchell EA, Thompson JMD, Lawton B, Zuccollo J, et al. Smoking in pregnancy a key factor for sudden infant death among maori. Acta Paediatr, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29869345

Mitchell EA, Thompson JM, Zuccollo J, MacFarlane M, Taylor B, et al. The combination of bed sharing and maternal smoking leads to a greatly increased risk of sudden unexpected death in infancy: The new zealand sudi nationwide case control study. N Z Med J, 2017; 130(1456):52-64. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28571049

Singh GP, Chowdhury T, Bindu B, and Schaller B. Sudden infant death syndrome - role of trigeminocardiac reflex: A review. Front Neurol, 2016; 7:221. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27994573

Sawnani H, Olsen E, and Simakajornboon N. The effect of in utero cigarette smoke exposure on development of respiratory control: A review. Pediatric Allergy, Immunology, and Pulmonology, 2010; 23(3):161-7. Available from: https://doi.org/10.1089/ped.2010.0036

3.8.3 Birth defects

Haaland, OA, Romanowska, J, Gjerdevik, M, Lie, RT, Gjessing, HK, & Jugessur, A. (2019). A genome-wide scan of cleft lip triads identifies parent-of-origin interaction effects between ANK3 and maternal smoking, and between ARHGEF10 and alcohol consumption. *F1000Res, 8*, 960. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31372216

Ramakrishnan, R, Stuart, AL, Salemi, JL, Chen, H, O'Rourke, K, & Kirby, RS. (2019). Maternal exposure to ambient cadmium levels, maternal smoking during pregnancy, and congenital diaphragmatic hernia. *Birth Defects Res*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31334919

Perry, MF, Mulcahy, H, & DeFranco, EA. Influence of periconception smoking behavior on birth defect risk. Am J Obstet Gynecol. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30790570

Yu, C, Wei, Y, Tang, X, Liu, B, Shen, L, Long, C et al. Correction to: Maternal smoking during pregnancy and risk of cryptorchidism: a systematic review and meta-analysis. Eur J Pediatr, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30617516

Pi X, Li Z, Jin L, Liu J, Zhang Y, et al. Secondhand smoke during the periconceptional period increases the risk for orofacial clefts in offspring. Paediatr Perinat Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30048566

Crossan E and Duane B. Is there an association between maternal smoking and oral clefts? Evid Based Dent, 2018; 19(1):24-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29568024

Wehby GL, Uribe LM, Wilcox AJ, Christensen K, Romitti PA, et al. Interaction between smoking and body mass index and risk of oral clefts. Ann Epidemiol, 2017; 27(2):103-7 e2. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28202134

Junaid M, Narayanan MB, Jayanthi D, Kumar SG, and Selvamary AL. Association between maternal exposure to tobacco, presence of tgfa gene, and the occurrence of oral clefts. A case control study. Clin Oral Investig, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28303469

Hanson HA, Mayer EN, Anderson RE, Aston KI, Carrell DT, et al. Risk of childhood mortality in family members of men with poor semen quality. Hum Reprod, 2017; 32(1):239-47. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27927843

Carmichael SL, Ma C, and Shaw GM. Maternal smoking, alcohol, and caffeine exposures and risk of hypospadias. Birth Defects Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28635116

Brignardello-Petersen R. Insufficient evidence suggesting an association between maternal tobacco exposure and cleft lip and palate. J Am Dent Assoc, 2017; 148(8):e120. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28709577

Al-Ani AH, Antoun JS, Thomson WM, Merriman TR, and Farella M. Maternal smoking during pregnancy is associated with offspring hypodontia. J Dent Res, 2017:22034517711156. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28535361

Xuan Z, Zhongpeng Y, Yanjun G, Jiaqi D, Yuchi Z, et al. Maternal active smoking and risk of oral clefts: A meta-analysis. Oral Surg Oral Med Oral Pathol Oral Radiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27727103

Mossey PA, Little J, Steegers-Theunissen R, Molloy A, Peterlin B, et al. Genetic interactions in nonsyndromic orofacial clefts in europe-eurocran study. Cleft Palate Craniofac J, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27996298

Forest S and Priest S. Intrauterine tobacco smoke exposure and congenital heart defects. J Perinat Neonatal Nurs, 2016; 30(1):54-63. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26813392

Ebadifar A, Hamedi R, KhorramKhorshid HR, Kamali K, and Moghadam FA. Parental cigarette smoking, transforming growth factor-alpha gene variant and the risk of orofacial cleft in iranian infants. Iran J Basic Med Sci, 2016; 19(4):366-73. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27279979

Tang X, Hobbs CA, Cleves MA, Erickson SW, MacLeod SL, et al. Genetic variation affects congenital heart defect susceptibility in offspring exposed to maternal tobacco use. Birth Defects Res A Clin Mol Teratol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26033827

Martelli DR, Coletta RD, Oliveira EA, Swerts MS, Rodrigues LA, et al. Association between maternal smoking, gender, and cleft lip and palate. Braz J Otorhinolaryngol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26277833

Machado RA, Moreira HS, de Aquino SN, Martelli-Junior H, de Almeida Reis SR, et al. Interactions between rad51 rs1801321 and maternal cigarette smoking as risk factor for nonsyndromic cleft lip with or without cleft palate. Am J Med Genet A, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26507587

Nicoletti D, Appel LD, Siedersberger Neto P, Guimaraes GW, and Zhang L. Maternal smoking during pregnancy and birth defects in children: A systematic review with meta-analysis. Cad Saude Publica, 2014; 30(12):2491-529. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26247979

Leite M, Albieri V, Kjaer SK, and Jensen A. Maternal smoking in pregnancy and risk for congenital malformations: Results of a danish register-based cohort study. Acta Obstet Gynecol Scand, 2014; 93(8):825-34. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24861914

3.8.4 Health complaints in infancy

Hengstler, K, van 't Sant, P, & Jira, PE. (2019). Carboxyhemoglobin in umbilical cord blood and maternal smoking. *J Perinat Med*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31421045

Rios, P, Bailey, HD, Poulalhon, C, Valteau-Couanet, D, Schleiermacher, G, Bergeron, C et al. Parental smoking, maternal alcohol consumption during pregnancy and the risk of neuroblastoma in children. A pooled analysis of the ESCALE and ESTELLE French studies. Int J Cancer, 2019. Available from : https://www.ncbi.nlm.nih.gov/pubmed/30697705

Pini, N, Lucchini, M, Fifer, W P, Myers, MM, & Signorini, MG. Influence of prenatal alcohol and smoke exposure on neonatal vagal tone in response to head-up tilt. Conf Proc IEEE Eng Med Biol Soc, 2018, 5874-5877. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30441672

Filis, P, Hombach-Klonisch, S, Ayotte, P, Nagrath, N, Soffientini, U, Klonisch, T, et al. Maternal smoking and high BMI disrupt thyroid gland development. BMC Med, 2018. 16(1), 194. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30348172

Behrooz L, Balekian DS, Faridi MK, Espinola JA, Townley LP, et al. Prenatal and postnatal tobacco smoke exposure and risk of severe bronchiolitis during infancy. Respir Med, 2018; 140:21-6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29957275

Shinohara M and Matsumoto K. Fetal tobacco smoke exposure in the third trimester of pregnancy is associated with atopic eczema/dermatitis syndrome in infancy. Pediatr Allergy Immunol Pulmonol, 2017; 30(3):155-62. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29062585

Chan Y, Saad S, Machaalani R, Oliver B, Vissel B, et al. Maternal cigarette smoke exposure worsens neurological outcomes in adolescent offspring with hypoxic-ischemic injury. Frontiers in Molecular Neuroscience, 2017; 10:306. Available from: https://www.researchgate.net/publication/320034624_Maternal_Cigarette_Smoke_Exposure_Worsens_Neurological_Outcomes_in_Adolescent_Offspring_with_Hypoxic-Ischemic_Injury?ev=publicSearchHeader&_sg=wqIjAYS4_C8QaCxPjzC_Eb_TSc71Fs6a2nCiyyby3_uSGQP9xHRlAd2CxNTpn37eVc097h31xrRj5wo

http://www.ncbi.nlm.nih.gov/pubmed/29018327

Tekin M, Yildirim S, Aylanc H, Kaymaz N, Battal F, et al. Does intrauterine tobacco exposure increase the pain perception of newborns? J Pain Res, 2016; 9:319-23. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27330324

McDonald FB, Chandrasekharan K, Wilson RJ, and Hasan SU. Interactive effects of maternal cigarette smoke, heat stress, hypoxia and lipopolysaccharide (lps) on neonatal cardiorespiratory and cytokine responses. Am J Physiol Regul Integr Comp Physiol, 2016:ajpregu 00062 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27733384

Chu P, Wang H, Han S, Jin Y, Lu J, et al. Maternal smoking during pregnancy and risk of childhood neuroblastoma: Systematic review and meta-analysis. J Cancer Res Ther, 2016; 12(2):999-1005. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27461688

Intrauterine tobacco smoke exposure and congenital heart defects. J Perinat Neonatal Nurs, 2016; 30(1):E2. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26813398

Yang SI, Kim BJ, Lee SY, Kim HB, Lee CM, et al. Prenatal particulate matter/tobacco smoke increases infants' respiratory infections: Cocoa study. Allergy Asthma Immunol Res, 2015; 7(6):573-82. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26333704

Pateva IB, Kerling EH, Reddy M, Chen D, Carlson SE, et al. Effect of maternal cigarette smoking on newborn iron stores. Clin Res Trials, 2015; 1(1):4-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26090215

Evlampidou I, Bagkeris M, Vardavas C, Koutra K, Patelarou E, et al. Prenatal second-hand smoke exposure measured with urine cotinine may reduce gross motor development at 18 months of age. J Pediatr, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25863662

Duan C, Wang M, Ma X, Ding M, Yu H, et al. Association between maternal smoking during pregnancy and recurrent wheezing in infancy: Evidence from a meta-analysis. Int J Clin Exp Med, 2015; 8(5):6755-61. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26221213

Spector LG, Murphy SE, Wickham KM, Lindgren B, and Joseph AM. Prenatal tobacco exposure and cotinine in newborn dried blood spots. Pediatrics, 2014; 133(6):e1632-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24819573

3.8.5 Long-term development

Kuppens, S, Moore, SC, Gross, V, Lowthian, E, & Siddaway, AP. (2019). The Enduring Effects of Parental Alcohol, Tobacco, and Drug Use on Child Well-being: A Multilevel Meta-Analysis. *Dev Psychopathol*, 1-14.Available from: https://www.ncbi.nlm.nih.gov/pubmed/31274064

Neophytou, AM, Oh, SS, Hu, D, Huntsman, S, Eng, C, Rodriguez-Santana, JR et al. (2019). In utero tobacco smoke exposure, DNA methylation, and asthma in Latino children. *Environ Epidemiol, 3*(3), e048. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31342008

Auger, N, Goudie, C, Low, N, Healy-Profitos, J, Lo, E, & Luu, TM. (2019). Maternal use of illicit drugs, tobacco or alcohol and the risk of childhood cancer before 6 years of age. *Drug Alcohol Depend, 200*, 133-138. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31129483

Marild, K, Tapia, G, Midttun, O, Ueland, PM, Magnus, MC, Rewers, M et al (2019). Smoking in pregnancy, cord blood cotinine and risk of celiac disease diagnosis in offspring. *Eur J Epidemiol*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31037572

Steeger, CM, Bailey, JA, Epstein, M, & Hill, KG. The link between parental smoking and youth externalizing behaviors: Effects of smoking, psychosocial factors, and family characteristics. Psychol Addict Behav, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30667236

Kessous, R, Wainstock, T, & Sheiner, E. Smoking during pregnancy as a possible risk factor for pediatric neoplasms in the offspring: A population-based cohort study. *Addict Behav, 2018. 90*, 349-353. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30513488

Castillo, O, Gonzalez, I, Prieto, E, Perez, T, Altemir, I, Pablo, LE, & Pueyo, V. Effects of prenatal exposure to alcohol, tobacco and other drugs of abuse on retinal development. Arch Soc Esp Oftalmol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30270036

Moore, BF, Starling, AP, Magzamen, S, Harrod, CS, Allshouse, WB, Adgate, JL et al. Fetal exposure to maternal active and secondhand smoking with offspring early-life growth in the Healthy Start study. Int J Obes (Lond), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30341407

Bhat, SK, Beilin, LJ, Robinson, M, Burrows, S, Mori, TA. Maternal smoking and low family income during pregnancy as predictors of the relationship between depression and adiposity in young adults. J Dev Orig Health Dis. 2018 Aug 16:1-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30111386

Cho, YJ, Choi, R, Park, S, Kwon, JW. Parental smoking and depression, and attention-deficit hyperactivity disorder in children and adolescents: Korean national health and nutrition examination survey 2005-2014. Asia Pac Psychiatry. 2018 Sep;10(3):e12327. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30088339

Moradzadeh, R, Mansournia, MA, Baghfalaki, T, Nadrian, H, Gustafson, P, McCandless, LC. The impact of maternal smoking during pregnancy on childhood asthma: adjusted for exposure misclassification; results from the National Health and Nutrition Examination Survey, 2011-2012. Ann Epidemiol. 2018 Aug 16. pii: S1047-2797(17)31087-6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30150159

Rice, F, Langley, K, Woodford, C, Davey Smith, G, Thapar, A. Identifying the contribution of prenatal risk factors to offspring development and psychopathology: What designs to use and a critique of literature on maternal smoking and stress in pregnancy. Dev Psychopathol. 2018 Aug;30(3):1107-1128. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30068414

Wilunda C, Yoshida S, Tanaka S, Kanazawa Y, Kimura T, et al. Exposure to tobacco smoke prenatally and during infancy and risk of hearing impairment among children in japan: A retrospective cohort study. Paediatr Perinat Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29873090

Stevens DR, Malek AM, Laggis C, and Hunt KJ. In utero exposure to tobacco smoke, subsequent cardiometabolic risks, and metabolic syndrome among u.S. Adolescents. Ann Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30017226

Mashhoon Y, Betts J, Farmer SL, and Lukas SE. Early onset tobacco cigarette smokers exhibit deficits in response inhibition and sustained attention. Drug Alcohol Depend, 2018; 184:48-56. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29402679

Kristjansson AL, Thomas S, Lilly CL, Thorisdottir IE, Allegrante JP, et al. Maternal smoking during pregnancy and academic achievement of offspring over time: A registry data-based cohort study. Prev Med, 2018; 113:74-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29758305

Houghton LC, Goldberg M, Wei Y, Cirillo PM, Cohn BA, et al. Why do studies show different associations between intrauterine exposure to maternal smoking and age at menarche? Ann Epidemiol, 2018; 28(3):197-203. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29482744

Hartman JD and Craig BM. Examining the association between maternal smoking during pregnancy and child behavior problems using quality-adjusted life years. Matern Child Health J, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29995297

Gromadzinska J, Polanska K, Kozlowska L, Mikolajewska K, Stelmach I, et al. Vitamins a and e during pregnancy and allergy symptoms in an early childhood-lack of association with tobacco smoke exposure. Int J Environ Res Public Health, 2018; 15(6). Available from: https://www.ncbi.nlm.nih.gov/pubmed/29895780

Goudarzi H, Konno S, Kimura H, Araki A, Miyashita C, et al. Contrasting associations of maternal smoking and pre-pregnancy bmi with wheeze and eczema in children. Sci Total Environ, 2018; 639:1601-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29929322

Escher J. Bugs in the program: Can pregnancy drugs and smoking disturb molecular reprogramming of the fetal germline, increasing heritable risk for autism and neurodevelopmental disorders? Environ Epigenet, 2018; 4(2):dvy001. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29732167

Eiden RD, Zhao J, Casey M, Shisler S, Schuetze P, et al. Pre- and postnatal tobacco and cannabis exposure and child behavior problems: Bidirectional associations, joint effects, and sex differences. Drug Alcohol Depend, 2018; 185:82-92. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29428324

Eiden RD, Schuetze P, Shisler S, and Huestis MA. Prenatal exposure to tobacco and cannabis: Effects on autonomic and emotion regulation. Neurotoxicol Teratol, 2018; 68:47-56. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29727701

Dehmel S, Nathan P, Bartel S, El-Merhie N, Scherb H, et al. Intrauterine smoke exposure deregulates lung function, pulmonary transcriptomes, and in particular insulin-like growth factor (igf)-1 in a sex-specific manner. Sci Rep, 2018; 8(1):7547. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29765129

Cheng H, Montgomery S, Treglown L, and Furnham A. Associations between childhood biomedical factors, maternal smoking, personality traits, body and mass index and the prevalence of asthma in adulthood. Psychol Health, 2018:1-14. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29737224

Albers L, Sobotzki C, Kuss O, Ajslev T, Batista RF, et al. Maternal smoking during pregnancy and offspring overweight: Is there a dose-response relationship? An individual patient data meta-analysis. Int J Obes (Lond), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29717267

Windham GC, Lum R, Voss R, Wolff M, Pinney SM, et al. Age at pubertal onset in girls and tobacco smoke exposure during pre- and postnatal susceptibility windows. Epidemiology, 2017; 28(5):719-27. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28661938

Taylor AE, Carslake D, de Mola CL, Rydell M, Nilsen TIL, et al. Maternal smoking in pregnancy and offspring depression: A cross cohort and negative control study. Sci Rep, 2017; 7(1):12579. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28974730

Paradis AD, Shenassa ED, Papandonatos GD, Rogers ML, and Buka SL. Maternal smoking during pregnancy and offspring antisocial behaviour: Findings from a longitudinal investigation of discordant siblings. J Epidemiol Community Health, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28696927

Micalizzi L, Marceau K, Brick LA, Palmer RH, Todorov AA, et al. Inhibitory control in siblings discordant for exposure to maternal smoking during pregnancy. Dev Psychol, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29058937

Magriplis E, Farajian P, Panagiotakos DB, Risvas G, and Zampelas A. Maternal smoking and risk of obesity in school children: Investigating early life theory from the greco study. Prev Med Rep, 2017; 8:177-82. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29071203

Kristjansson AL, Thorisdottir IE, Steingrimsdottir T, Allegrante JP, Lilly CL, et al. Maternal smoking during pregnancy and scholastic achievement in childhood: Evidence from the lifecourse cohort study. Eur J Public Health, 2017; 27(5):850-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28957474

Kellesarian SV, Malignaggi VR, de Freitas P, Ahmed HB, and Javed F. Association between prenatal maternal cigarette smoking and early childhood caries. A systematic review. J Clin Exp Dent, 2017; 9(9):e1141-e6. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29075418

Jung Y, Lee AM, McKee SA, and Picciotto MR. Maternal smoking and autism spectrum disorder: Meta-analysis with population smoking metrics as moderators. Sci Rep, 2017; 7(1):4315. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28659613

Honorato TC, Haadsma ML, Land JA, Boezen MH, Hoek A, et al. In-utero cigarette smoke exposure and the risk of earlier menopause. Menopause, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28858026

He Y, Chen J, Zhu LH, Hua LL, and Ke FF. Maternal smoking during pregnancy and adhd: Results from a systematic review and meta-analysis of prospective cohort studies. J Atten Disord, 2017:1087054717696766. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29039728

Chan YL, Saad S, Machaalani R, Oliver BG, Vissel B, et al. Maternal cigarette smoke exposure worsens neurological outcomes in adolescent offspring with hypoxic-ischemic injury. Front Mol Neurosci, 2017; 10:306. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29018327

Aucott L, Bhattacharya S, McNeill, and Turner S. Differences in body mass index between siblings who are discordant for exposure to antenatal maternal smoking. Paediatric and Perinatal Epidemiology, 2017; 31(5):402-8. Available from: http://onlinelibrary.wiley.com/doi/10.1111/ppe.12386/full

http://www.ncbi.nlm.nih.gov/pubmed/28767144

Talati A, Odgerel Z, Wickramaratne PJ, and Weissman MM. Brain derived neurotrophic factor moderates associations between maternal smoking during pregnancy and offspring behavioral disorders. Psychiatry Res, 2016; 245:387-91. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27611068

Stroud LR, Papandonatos GD, Salisbury AL, Phipps MG, Huestis MA, et al. Epigenetic regulation of placental nr3c1: Mechanism underlying prenatal programming of infant neurobehavior by maternal smoking? Child Dev, 2016; 87(1):49-60. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26822442

Salatino-Oliveira A, Murray J, Kieling C, Genro JP, Polanczyk G, et al. Comt and prenatal maternal smoking in associations with conduct problems and crime: The pelotas 1993 birth cohort study. Sci Rep, 2016; 6:29900. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27426045

Robinson O, Martinez D, Aurrekoetxea JJ, Estarlich M, Somoano AF, et al. The association between passive and active tobacco smoke exposure and child weight status among spanish children. Obesity (Silver Spring), 2016; 24(8):1767-77. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27367931

Palmer RH, Bidwell LC, Heath AC, Brick LA, Madden PA, et al. Effects of maternal smoking during pregnancy on offspring externalizing problems: Contextual effects in a sample of female twins. Behav Genet, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26826031

Mackay DF, Anderson JJ, Pell JP, Zammit S, and Smith DJ. Exposure to tobacco smoke in utero or during early childhood and risk of hypomania: Prospective birth cohort study. Eur Psychiatry, 2016; 39:33-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/27810616

Knopik VS, Marceau K, Bidwell LC, Palmer RH, Smith TF, et al. Smoking during pregnancy and adhd risk: A genetically informed, multiple-rater approach. Am J Med Genet B Neuropsychiatr Genet, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26799787

Joelsson P, Chudal R, Talati A, Suominen A, Brown AS, et al. Prenatal smoking exposure and neuropsychiatric comorbidity of adhd: A finnish nationwide population-based cohort study. BMC Psychiatry, 2016; 16:306. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27581195

Godleski SA, Eiden RD, Schuetze P, Colder C, and Huestis M. Tobacco exposure and maternal psychopathology: Impact on toddler problem behavior. Neurotoxicol Teratol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27498223

Gard AM, Owens EB, and Hinshaw SP. Prenatal smoke exposure predicts hyperactive/impulsive but not inattentive adhd symptoms in adolescent and young adult girls. Infant Child Dev, 2016; 25(4):339-51. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27516728

Fowler PA, Filis P, Bhattacharya S, le Bizec B, Antignac JP, et al. Human anogenital distance: An update on fetal smoke-exposure and integration of the perinatal literature on sex differences. Hum Reprod, 2016; 31(2):463-72. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26732622

Dodds L, Woolcott CG, Weiler H, Spencer A, Forest JC, et al. Vitamin d status and gestational diabetes: Effect of smoking status during pregnancy. Paediatr Perinat Epidemiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26848814

Christensen LH, Hoyer BB, Pedersen HS, Zinchuk A, Jonsson BA, et al. Prenatal smoking exposure, measured as maternal serum cotinine, and children's motor developmental milestones and motor

function: A follow-up study. Neurotoxicology, 2016; 53:236-45. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26899398

Bao W, Michels KB, Tobias DK, Li S, Chavarro JE, et al. Parental smoking during pregnancy and the risk of gestational diabetes in the daughter. Int J Epidemiol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26748845

Yermachenko A and Dvornyk V. A meta-analysis provides evidence that prenatal smoking exposure decreases age at menarche. Reprod Toxicol, 2015; 58:222-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26542102

Wiebe SA, Clark CA, De Jong DM, Chevalier N, Espy KA, et al. Prenatal tobacco exposure and self-regulation in early childhood: Implications for developmental psychopathology. Dev Psychopathol, 2015; 27(2):397-409. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25997761

Tettamanti G, Ljung R, Mathiesen T, Schwartzbaum J, and Feychting M. Maternal smoking during pregnancy and the risk of childhood brain tumors: Results from a swedish cohort study. Cancer Epidemiol, 2015; 40:67-72. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26680602

Tang S, Wang Y, Gong X, and Wang G. A meta-analysis of maternal smoking during pregnancy and autism spectrum disorder risk in offspring. Int J Environ Res Public Health, 2015; 12(9):10418-31. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26343689

Schwarze CE, Hellhammer DH, Frieling H, Mobascher A, and Lieb K. Altered DNA methylation status (bdnf gene exon iv) associated with prenatal maternal cigarette smoking in borderline patients and healthy controls. Psychoneuroendocrinology, 2015; 61:29. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26383354

46. as the risk factors for poor child neurodevelopment - a review of epidemiological studies. Int J Occup Med Environ Health, 2015; 28(3):419-43. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26190723

Orsi L, Rudant J, Ajrouche R, Leverger G, Baruchel A, et al. Parental smoking, maternal alcohol, coffee and tea consumption during pregnancy, and childhood acute leukemia: The estelle study. Cancer Causes Control, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25956268

Melchior M, Hersi R, van der Waerden J, Larroque B, Saurel-Cubizolles MJ, et al. Maternal tobacco smoking in pregnancy and children's socio-emotional development at age 5: The eden mother-child birth cohort study. Eur Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25843027

Mattsson K, Kallen K, Rignell-Hydbom A, Hansson SR, McElrath TF, et al. Maternal smoking during pregnancy and daughters' preeclampsia risk. PLoS ONE, 2015; 10(12):e0144207. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26630273

Maccani JZ and Maccani MA. Altered placental DNA methylation patterns associated with maternal smoking: Current perspectives. Adv Genomics Genet, 2015; 2015(5):205-14. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26203295

Li L, Peters H, Gama A, Carvalhal MI, Nogueira HG, et al. Maternal smoking in pregnancy association with childhood adiposity and blood pressure. Pediatr Obes, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26178147

Leivonen S, Chudal R, Joelsson P, Ekblad M, Suominen A, et al. Prenatal maternal smoking and tourette syndrome: A nationwide register study. Child Psychiatry Hum Dev, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25796373

Hagnas MP, Cederberg H, Jokelainen J, Mikkola I, Rajala U, et al. Association of maternal smoking during pregnancy with aerobic fitness of offspring in young adulthood: A prospective cohort study. BJOG, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26645700

Grzeskowiak LE, Hodyl NA, Stark MJ, Morrison JL, and Clifton VL. Association of early and late maternal smoking during pregnancy with offspring body mass index at 4 to 5 years of age. J Dev Orig Health Dis, 2015; 6(6):485-92. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26434993

Estabrook R, Massey SH, Clark CA, Burns JL, Mustanski BS, et al. Separating family-level and direct exposure effects of smoking during pregnancy on offspring externalizing symptoms: Bridging the behavior genetic and behavior teratologic divide. Behav Genet, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26581695

El Marroun H, Tiemeier H, Franken IH, Jaddoe VW, van der Lugt A, et al. Prenatal cannabis and tobacco exposure in relation to brain morphology: A prospective neuroimaging study in young children. Biol Psychiatry, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26422004

Durr DW, Hoyer BB, Christensen LH, Pedersen HS, Zinchuk A, et al. Tobacco smoking during pregnancy and risk of adverse behaviour in offspring: A follow-up study. Reprod Toxicol, 2015; 58:65-72. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26327280

Dolan CV, Geels L, Vink JM, van Beijsterveldt CE, Neale MC, et al. Testing causal effects of maternal smoking during pregnancy on offspring's externalizing and internalizing behavior. Behav Genet, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26324285

de Vocht F, Simpkin AJ, Richmond RC, Relton C, and Tilling K. Assessment of offspring DNA methylation across the lifecourse associated with prenatal maternal smoking using bayesian mixture modelling. Int J Environ Res Public Health, 2015; 12(11):14461-76. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26580635

Clark CA, Espy KA, and Wakschlag L. Developmental pathways from prenatal tobacco and stress exposure to behavioral disinhibition. Neurotoxicol Teratol, 2015; 53:64-74. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26628107

Bernardini F, Wan CR, Crisafio A, Massey SH, and Compton MT. Prenatal exposure to maternal smoking and symptom severity among offspring with first-episode nonaffective psychosis. Schizophr Res, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25754270

Behie AM and O'Donnell MH. Prenatal smoking and age at menarche: Influence of the prenatal environment on the timing of puberty. Hum Reprod, 2015; 30(4):957-62. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25740885

Smoking while pregnant puts future grandchildren at higher risk of asthma. Nurs Stand, 2015; 30(7):14. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26463778

Zhu JL, Olsen J, Liew Z, Li J, Niclasen J, et al. Parental smoking during pregnancy and adhd in children: The danish national birth cohort. Pediatrics, 2014; 134(2):e382-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25049343

Zheng W, Suzuki K, Shinohara R, Sato M, Yokomichi H, et al. Maternal smoking during pregnancy and growth in infancy: A covariance structure analysis. J Epidemiol, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25327186

Yochum C, Doherty-Lyon S, Hoffman C, Hossain MM, Zelikoff JT, et al. Prenatal cigarette smoke exposure causes hyperactivity and aggressive behavior: Role of altered catecholamines and bdnf. Exp Neurol, 2014; 254:145-52. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24486851

Wiebe SA, Fang H, Johnson C, James KE, and Espy KA. Determining the impact of prenatal tobacco exposure on self-regulation at 6 months. Dev Psychol, 2014; 50(6):1746-56. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24512173

Wang L, Mamudu HM, Alamian A, Anderson JL, and Brooks B. Independent and joint effects of prenatal maternal smoking and maternal exposure to second-hand smoke on the development of adolescent obesity: A longitudinal study. J Paediatr Child Health, 2014; 50(11):908-15. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24920104

Torjesen I. Experts criticise study suggesting that sons of men who smoked before puberty have more body fat. British Medical Journal, 2014; 348:g2558. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24700810

Stroud LR, Papandonatos GD, Rodriguez D, McCallum M, Salisbury AL, et al. Maternal smoking during pregnancy and infant stress response: Test of a prenatal programming hypothesis. Psychoneuroendocrinology, 2014; 48:29-40. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24999830

Soubry A, Verbeke G, and Hoyo C. Do early paternal exposures to lifestyle factors such as smoking increase the risk of chronic diseases in the offspring? Eur J Hum Genet, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25293715

Sobinoff AP, Sutherland JM, Beckett EL, Stanger SJ, Johnson R, et al. Damaging legacy: Maternal cigarette smoking has long-term consequences for male offspring fertility. Hum Reprod, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25269568

Shenoi S, Bell S, Wallace CA, and Mueller BA. Juvenile idiopathic arthritis in relation to maternal prenatal smoking. Arthritis Care Res (Hoboken), 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25201389

Sengupta SM, Fortier ME, Thakur GA, Bhat V, Grizenko N, et al. Parental psychopathology in families of children with attention-deficit/hyperactivity disorder and exposed to maternal smoking during pregnancy. J Child Psychol Psychiatry, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24961295

Riedel C, Schonberger K, Yang S, Koshy G, Chen YC, et al. Parental smoking and childhood obesity: Higher effect estimates for maternal smoking in pregnancy compared with paternal smoking-a meta-analysis. Int J Epidemiol, 2014; 43(5):1593-606. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25080528

Northstone K, Golding J, Davey Smith G, Miller LL, and Pembrey M. Prepubertal start of father's smoking and increased body fat in his sons: Further characterisation of paternal transgenerational responses. Eur J Hum Genet, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24690679

Muraro AP, Goncalves-Silva RM, Moreira NF, Ferreira MG, Nunes-Freitas AL, et al. Effect of tobacco smoke exposure during pregnancy and preschool age on growth from birth to adolescence: A cohort study. BMC Pediatr, 2014; 14:99. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24721026

Moller SE, Ajslev TA, Andersen CS, Dalgard C, and Sorensen TI. Risk of childhood overweight after exposure to tobacco smoking in prenatal and early postnatal life. PLoS ONE, 2014; 9(10):e109184. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25310824

Lee KW, Abrahamowicz M, Leonard GT, Richer L, Perron M, et al. Prenatal exposure to cigarette smoke interacts with to modulate dietary preference for fat. J Psychiatry Neurosci, 2014; 39(4):130263. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25266401

Kong G. Commentary on lotfipour et al. (2014): Taking a balanced view on prenatal smoking on adolescent health outcomes. Addiction, 2014; 109(10):1730-1. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25163713

Kapaya H, Broughton Pipkin F, Hayes-Gill B, and Loughna PV. Smoking in pregnancy affects the fetal heart: Possible links to future cardiovascular disease. J Matern Fetal Neonatal Med, 2014:1-17. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25212975

Johnson CC and Wegienka GR. Cigarette exposure in very early life leads to persistent respiratory effects. Am J Respir Crit Care Med, 2014; 189(4):380-1. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24528312

Talati A, Bao Y, Kaufman J, Shen L, Schaefer CA, et al. Maternal smoking during pregnancy and bipolar disorder in offspring. Am J Psychiatry, 2013; 170(10):1178-85. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24084820

Taal HR, de Jonge LL, van Osch-Gevers L, Steegers EA, Hofman A, et al. Parental smoking during pregnancy and cardiovascular structures and function in childhood: The generation r study. Int J Epidemiol, 2013; 42(5):1371-80. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24159077

Menezes AM, Murray J, Laszlo M, Wehrmeister FC, Hallal PC, et al. Happiness and depression in adolescence after maternal smoking during pregnancy: Birth cohort study. PLoS ONE, 2013; 8(11):e80370. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24265817

Maj M. The association between maternal smoking during pregnancy and bipolar disorder in the offspring: Alternative interpretations. Am J Psychiatry, 2013; 170(10):1090-2. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24084811

3.8.5.1 Neurodevelopment

Kalkbrenner, AE, Meier, SM, Madley-Dowd, P, Ladd-Acosta, C, Fallin, MD, Parner, E, & Schendel, D. (2019). Familial confounding of the association between maternal smoking in pregnancy and autism

spectrum disorder in offspring. *Autism Res*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31464107

Salminen, LE, Wilcox, RR, Zhu, AH, Riedel, BC, Ching, CRK, Rashid, F et al. (2019). Altered Cortical Brain Structure and Increased Risk for Disease Seen Decades After Perinatal Exposure to Maternal Smoking: A Study of 9000 Adults in the UK Biobank. *Cereb Cortex*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31271414

De Genna, NM, Stroud, LR, & Eiden, RD. (2019). Co-use of tobacco and marijuana during pregnancy: Impact on nervous system development. *Neurotoxicol Teratol, 74*, 106807. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31054901

Wang, Y, Hu, D, Chen, W, Xue, H, & Du, Y. (2019). Prenatal Tobacco Exposure Modulated the Association of Genetic variants with Diagnosed ADHD and its symptom domain in children: A Community Based Case-Control Study. *Sci Rep, 9*(1), 4274. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30862909

Ediger, K, Hasan, SU, Synnes, A, Shah, J, Creighton, D, Isayama, T et al. (2019). Maternal smoking and neurodevelopmental outcomes in infants <29 weeks gestation: a multicenter cohort study. J Perinatol. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30996278

Caramaschi, D, Taylor, AE, Richmond, RC, Havdahl, KA, Golding, J, Relton, CL et al. Maternal smoking during pregnancy and autism: using causal inference methods in a birth cohort study. *Transl Psychiatry, 2018. 8*(1), 262. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30498225

Gutvirtz, G, Wainstock, T, Landau, D, & Sheiner, E. Maternal smoking during pregnancy and long-term neurological morbidity of the offspring. Addict Behav, 2018. 88, 86-91. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30172166

Stroud, LR, Papandonatos, GD, McCallum, M, Kehoe, T, Salisbury, AL, & Huestis, MA. Prenatal tobacco and marijuana co-use: Impact on newborn neurobehavior. Neurotoxicol Teratol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30266574

Semick, SA, Collado-Torres, L, Markunas, CA, Shin, JH, Deep-Soboslay, A, Tao, R, Huestis, MA, Bierut, LJ, Maher, B S, Johnson, EO, Hyde, TM, Weinberger, DR, Hancock, DB, Kleinman, JE, Jaffe, AE. Developmental effects of maternal smoking during pregnancy on the human frontal cortex transcriptome. Mol Psychiatry. 2018 Aug 21. pii: 10.1038/s41380-018-0223-1. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30131587

Stroud, LR, McCallum, M, Salisbury, AL. Impact of maternal prenatal smoking on fetal to infant neurobehavioral development. Dev Psychopathol. 2018 Aug;30(3):1087-1105. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30068428

Zugno AI, Oliveira MB, Mastella GA, Heylmann AS, Canever L, et al. Increased risk of developing schizophrenia in animals exposed to cigarette smoke during the gestational period. Prog Neuropsychopharmacol Biol Psychiatry, 2017; 75:199-206. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28229913

Talati A, Wickramaratne PJ, Wesselhoeft R, and Weissman MM. Prenatal tobacco exposure, birthweight, and offspring psychopathology. Psychiatry Res, 2017; 252:346-52. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28327448

Sutin AR, Flynn HA, and Terracciano A. Maternal cigarette smoking during pregnancy and the trajectory of externalizing and internalizing symptoms across childhood: Similarities and differences across parent, teacher, and self reports. J Psychiatr Res, 2017; 91:145-8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28359941

Schechter JC and Kollins SH. Prenatal smoke exposure and adhd: Advancing the field. Pediatrics, 2017; 139(2). Available from: http://www.ncbi.nlm.nih.gov/pubmed/28138004

Rose-Jacobs R, Richardson MA, Buchanan-Howland K, Chen CA, Cabral H, et al. Intrauterine exposure to tobacco and executive functioning in high school. Drug Alcohol Depend, 2017; 176:169-75. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28544995

Quinn PD, Rickert ME, Weibull CE, Johansson ALV, Lichtenstein P, et al. Association between maternal smoking during pregnancy and severe mental illness in offspring. JAMA Psychiatry, 2017; 74(6):589-96. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28467540

Osland S, Hirsch L, and Pringsheim T. Smoking, alcohol and drug use in youth and adults with attention-deficit hyperactivity disorder. BJPsych Open, 2017; 3(3):141-6. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28546869

Niemela S, Sourander A, Surcel HM, Hinkka-Yli-Salomaki S, McKeague IW, et al. Data selection importance in the study of the association between maternal smoking during pregnancy and schizophrenia: Response to meier et al. Am J Psychiatry, 2017; 174(2):188. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28142274

Morley BJ and Felix RA. A time to listen: Perinatal smoking affects the development of temporal sound processing. J Physiol, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28240351

Meier SM, Mors O, and Parner E. Familial confounding of the association between maternal smoking during pregnancy and schizophrenia. Am J Psychiatry, 2017; 174(2):187. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28142267

Gustavson K, Ystrom E, Stoltenberg C, Susser E, Suren P, et al. Smoking in pregnancy and child adhd. Pediatrics, 2017; 139(2). Available from: http://www.ncbi.nlm.nih.gov/pubmed/28138005

Golding J, Ellis G, Gregory S, Birmingham K, Iles-Caven Y, et al. Grand-maternal smoking in pregnancy and grandchild's autistic traits and diagnosed autism. Science Reports, 2017; 7:46179. Available from: https://www.nature.com/articles/srep46179

http://www.ncbi.nlm.nih.gov/pubmed/28448061

Ekblad M, Lehtonen L, Korkeila J, and Gissler M. Maternal smoking during pregnancy and the risk of psychiatric morbidity in singleton sibling pairs. Nicotine Tob Res, 2017; 19(5):597-604. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28403473

Dong T, Hu W, Zhou X, Lin H, Lan L, et al. Prenatal exposure to maternal smoking during pregnancy and attention-deficit/hyperactivity disorder in offspring: A meta-analysis. Reprod Toxicol, 2017; 76:63-70. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29294364

Chatterton Z, Hartley BJ, Seok MH, Mendelev N, Chen S, et al. In utero exposure to maternal smoking is associated with DNA methylation alterations and reduced neuronal content in the developing fetal brain. Epigenetics Chromatin, 2017; 10:4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28149327

Ashina H, Li XQ, Olsen EM, Skovgaard AM, Larsen M, et al. Association of maternal smoking during pregnancy and birth weight with retinal nerve fiber layer thickness in children aged 11 or 12 years: The copenhagen child cohort 2000 eye study. JAMA Ophthalmol, 2017; 135(4):331-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28253396

3.8.5.2 Nicotine dependence

De Genna NM, Goldschmidt L, Day NL, and Cornelius MD. Prenatal tobacco exposure, maternal postnatal nicotine dependence and adolescent risk for nicotine dependence: Birth cohort study. Neurotoxicol Teratol, 2017; 61:128-32. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28242457

3.8.5.3 Physical development

McLean, C, Jun, S, & Kozyrskyj, A. (2019). Impact of maternal smoking on the infant gut microbiota and its association with child overweight: a scoping review. *World J Pediatr*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31290060

Rogers, JM. (2019). Smoking and pregnancy: Epigenetics and developmental origins of the metabolic syndrome. *Birth Defects Res*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31313499

No authors listed. Correction: Maternal smoking during pregnancy and offspring body composition in adulthood: results from two birth cohort studies. (2019). *BMJ Open, 9*(6), e023852corr023851. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31239310

da Silva Magalhaes, E. I., Peixoto Lima, N., Baptista Menezes, A. M., Goncalves, H., Wehrmeister, F. C., Formoso Assuncao, M., & Lessa Horta, B. (2019). Maternal smoking during pregnancy and offspring body composition in adulthood: Results from two birth cohort studies. *BMJ Open, 9*(6), e023852. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31196896

Koziel, S, Ignasiak, Z, & Zadzinska, E. (2019). Exposure to parental smoking during pregnancy and handgrip strength in 7-10-year old children. *Early Hum Dev, 134*, 7-11. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31071645

Wen, X, Eiden, RD, Justicia-Linde, FE, Wang, Y, Higgins, ST, Kong, KL et al. Reducing fetal origins of childhood obesity through maternal smoking cessation during pregnancy: an intervention study. Int J Obes (Lond), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30518822

Koziel, S, Zadzinska, E, & Gomula, A. Parental smoking during pregnancy and head shape and size in school children. Ann Hum Biol, 2018. 1-5. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30328722

Mukherjee, N, Sutter, TR, Arshad, SH, Holloway, JW, Zhang, H, & Karmaus, W. Breastfeeding duration modifies the effect of smoking during pregnancy on eczema from early childhood to adolescence. Clin Exp Allergy, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30311981

Hoffman, HJ. Childhood hearing loss and established risk factors: What is the contribution of tobacco exposure prenatally or after birth? Paediatr Perinat Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30211454

Albers L, von Kries R, Sobotzki C, Gao HJ, Buka SL, et al. Differences in maternal smoking across successive pregnancies - dose-dependent relation to bmi z-score in the offspring: An individual

patient data (ipd) meta-analysis. Obesity Reviews, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30035359

Parviainen R, Auvinen J, Pokka T, Serlo W, and Sinikumpu JJ. Maternal smoking during pregnancy is associated with childhood bone fractures in offspring - a birth-cohort study of 6718 children. Bone, 2017; 101:202-5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28479497

Figueiredo RAO, Roos E, Eriksson JG, Simola-Strom S, and Weiderpass E. Maternal alcohol and tobacco consumption and the association with their 9 to 14-year-old children's body mass index. Scand J Public Health, 2017; 45(5):503-10. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28385059

Al-Ani A, Antoun J, Thomson W, Merriman T, and Farella M. Maternal smoking during pregnancy is associated with offspring hypodontia. Journal of Dental Research, 2017; 96(9):1014-9. Available from: http://journals.sagepub.com/doi/abs/10.1177/0022034517711156

http://www.ncbi.nlm.nih.gov/pubmed/28535361

Altun I and Yuksel KZ. An experimental study on the effects of smoking in the perinatal period and during lactation on the intervertebral discs of newborns. World Neurosurg, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27913258

3.8.5.4 Cardiovascular disease risk

McEvoy, CT, Marozkina, N, Gaston, B, & Spindel, ER. In Utero Smoke and Gene Interactions: Long Term Consequences on Respiratory Health. Am J Respir Crit Care Med, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30811946

Kataria, Y, Gaewsky, L, & Ellervik, C. Prenatal smoking exposure and cardio-metabolic risk factors in adulthood: a general population study and a meta-analysis. Int J Obes (Lond), 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30232417

Leybovitz-Haleluya N, Wainstock T, Landau D, and Sheiner E. Maternal smoking during pregnancy and the risk of pediatric cardiovascular diseases of the offspring: A population-based cohort study with up to 18-years of follow up. Reprod Toxicol, 2018; 78:69-74. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29604341

Lisboa PC, Soares PN, Peixoto TC, Carvalho JC, Calvino C, et al. Effects of cigarette smoke exposure during suckling on food intake, fat mass, hormones, and biochemical profile of young and adult

female rats. Endocrine, 2017; 57(1):60-71. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28527122

Golding J, Ellis G, Gregory S, Birmingham K, Iles-Caven Y, et al. Grand-maternal smoking in pregnancy and grandchild's autistic traits and diagnosed autism. Science Reports, 2017; 7:46179. Available from: https://www.nature.com/articles/srep46179

http://www.ncbi.nlm.nih.gov/pubmed/28448061

Cabral M, Fonseca MJ, Gonzalez-Beiras C, Santos AC, Correia-Costa L, et al. Maternal smoking: A life course blood pressure determinant? Nicotine Tob Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28575495

3.8.5.5 Other long-term consequences

Wiklund, P, Karhunen, V, Richmond, RC, Parmar, P, Rodriguez, A, De Silva, M et al (2019). DNA methylation links prenatal smoking exposure to later life health outcomes in offspring. *Clin Epigenetics, 11*(1), 97. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31262328

Hidayat, K, Zou, SY, & Shi, BM. (2019). The influence of maternal body mass index, maternal diabetes mellitus, and maternal smoking during pregnancy on the risk of childhood-onset type 1 diabetes mellitus in the offspring: Systematic review and meta-analysis of observational studies. *Obes Rev*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31090253

McAlees, JW, Baker, T, Kaur, D, McKnight, C, Lindsley, A, Strait, RT et al (2019). Age and Early Maternal Smoking Contribute to Epithelial Cell IL-13 Responsiveness in a Pediatric Asthma Population. *Allergy*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31102477

Roige-Castellvi, J, Murphy, M, Hernandez-Martinez, C, Sole-Navais, P, Cavalle-Busquets, P, Fernandez-Ballart, J et al. The effect of prenatal smoke exposure on child neuropsychological function: a prospective mother-child cohort study. J Reprod Infant Psychol, 1-13. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30777448

Parmar, P, Lowry, E, Cugliari, G., Suderman, M, Wilson, R, Karhunen, V et al. Association of maternal prenatal smoking GFI1-locus and cardio-metabolic phenotypes in 18,212 adults. EBioMedicine, 2018. Available from: https://www.ebiomedicine.com/article/S2352-3964(18)30487-0/pdf

Vaiman, D. Mother smoking leads to methylation anomalies on 'smoke' genes in the offspring: Indelible traces of previous injuries. EBioMedicine, 2018. Available from: https://www.ebiomedicine.com/article/S2352-3964(18)30515-2/pdf

Brix, N Ernst, A, Lauridsen, LLB, Parner, ET, Olsen, J, Henriksen, TB, & Ramlau-Hansen, CH. Maternal Smoking During Pregnancy and Timing of Puberty in Sons and Daughters: A Population-Based Cohort Study. Am J Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30239589

Tzoumakis, S, Carr, VJ, Dean, K, Laurens, KR, Kariuki, M, Harris, F, & Green, MJ. Prenatal maternal smoking, maternal offending, and offspring behavioural and cognitive outcomes in early childhood. Crim Behav Ment Health, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30256470

Godleski, SA, Shisler, S, Eiden, RD, Huestis, MA. Co-use of tobacco and marijuana during pregnancy: Pathways to externalizing behavior problems in early childhood. Neurotoxicol Teratol. 2018 Aug 4;69:39-48. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30081085

Valgeirsdottir H, Vanky E, Sundström-Poromaa I, Roos N, Løvvik T, et al. Prenatal exposures and birth indices, and subsequent risk of polycystic ovary syndrome: A national registry-based cohort study. BJOG: An International Journal of Obstetrics & Gynaecology, 2018; 0(0). Available from: https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1111/1471-0528.15236

Richmond RC, Suderman M, Langdon R, Relton CL, and Davey Smith G. DNA methylation as a marker for prenatal smoke exposure in adults. Int J Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29860346

Priskorn L, Nordkap L, Bang AK, Krause M, Holmboe SA, et al. Average sperm count remains unchanged despite reduction in maternal smoking: Results from a large cross-sectional study with annual investigations over 21 years. Hum Reprod, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29659832

Malanchini M, Smith-Woolley E, Ayorech Z, Rimfeld K, Krapohl E, et al. Aggressive behaviour in childhood and adolescence: The role of smoking during pregnancy, evidence from four twin cohorts in the eu-action consortium. Psychol Med, 2018:1-9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29886849

Chen Y, Liu Q, Li W, Deng X, Yang B, et al. Association of prenatal and childhood environment smoking exposure with puberty timing: A systematic review and meta-analysis. Environ Health Prev Med, 2018; 23(1):33. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30021511

Cauley M, Hall BJ, Abreu-Villaca Y, Junaid S, White H, et al. Critical developmental periods for effects of low-level tobacco smoke exposure on behavioral performance. Neurotoxicology, 2018; 68:81-7. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30036564

Velez MP, Arbuckle TE, Monnier P, and Fraser WD. Is maternal periconceptional smoking associated with 2d:4d digit ratio in their children? J Dev Orig Health Dis, 2017:1-7. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28532524

Vallaster M, Kukreja S, Bing X, Ngolab J, Zhao-Shea R, et al. Paternal nicotine exposure alters hepatic xenobiotic metabolism in offspring. Elife, 2017; 6. Available from: https://elifesciences.org/content/6/e24771

http://www.ncbi.nlm.nih.gov/pubmed/28196335

Tehranifar P, Wu HC, McDonald JA, Jasmine F, Santella RM, et al. Maternal cigarette smoking during pregnancy and offspring DNA methylation in midlife. Epigenetics, 2017:0. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28494218

Potaczek DP, Harb H, Michel S, Alashkar Alhamwe. B, Renz H, et al. Epigenetics and allergy: From basic mechanisms to clinical applications. Epigenomics, 2017. Available from: http://www.futuremedicine.com/doi/pdf/10.2217/epi-2016-0162

Lucendo-Villarin B, Filis P, Swortwood MJ, Huestis MA, Meseguer-Ripolles J, et al. Modelling foetal exposure to maternal smoking using hepatoblasts from pluripotent stem cells. Arch Toxicol, 2017:1 - 11. Available from: https://link.springer.com/article/10.1007/s00204-017-1983-0

Chemicals in cigarette smoke shown to damage foetal liver cells. Nurs Stand, 2017; 31(43):17. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28635455

Shinzawa M, Tanaka S, Tokumasu H, Takada D, Tsukamoto T, et al. Maternal smoking during pregnancy, household smoking after the child's birth, and childhood proteinuria at age 3 years. Clin J Am Soc Nephrol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28007773

Rodosthenous RS, Burris HH, Svensson K, Amarasiriwardena CJ, Cantoral A, et al. Prenatal lead exposure and fetal growth: Smaller infants have heightened susceptibility. Environ Int, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27923585

Ramsay H, Barnett JH, Murray GK, Maki P, Hurtig T, et al. Smoking in pregnancy, adolescent mental health and cognitive performance in young adult offspring: Results from a matched sample within a finnish cohort. BMC Psychiatry, 2016; 16(1):430. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27908296

Nowak-Gottl U, Limperger V, Kenet G, Degenhardt F, Arlt R, et al. Developmental hemostasis: A lifespan from neonates and pregnancy to the young and elderly adult in a european white

population. Blood Cells Mol Dis, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28017497

Maatta AJ, Paananen M, Marttila R, Auvinen J, Miettunen J, et al. Maternal smoking during pregnancy is associated with offspring's musculoskeletal pain in adolescence: Structural equation modeling. Nicotine Tob Res, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28003513

Hohmann S, Zohsel K, Buchmann AF, Blomeyer D, Holz N, et al. Interacting effect of maoa genotype and maternal prenatal smoking on aggressive behavior in young adulthood. J Neural Transm (Vienna), 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27300740

Claudia C, Ju X, Mejia G, and Jamieson L. The relationship between maternal smoking during pregnancy and parental-reported experience of dental caries in indigenous australian children. Community Dent Health, 2016; 33(4):297-302. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28537368

3.8.5.7 Possible effects smoking by grandparents

Braback, L, Olsson, D, & Forsberg, B. (2019). Grandmaternal smoking during pregnancy and asthma in grandchildren. *J Allergy Clin Immunol*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31213286

Hammer, B, Wagner, C, Divac Rankov, A, Reuter, S, Bartel, S, Hylkema, MN, et al. In utero exposure to cigarette smoke and effects across generations: a conference of animals on asthma. Clin Exp Allergy, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30244507

3.8.6 Breastfeeding and smoking

Burianova, I, Bronsky, J, Pavlikova, M, Janota, J, & Maly, J. (2019). Maternal body mass index, parity and smoking are associated with human milk macronutrient content after preterm delivery. *Early Hum Dev, 137*, 104832. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31422343

Benetou, V, Tavoulari, EF, Gryparis, A, & Linos, A. (2019). Reducing Caesarean sections and smoking after delivery could help to tackle shorter exclusive breastfeeding duration. *Acta Paediatr*. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31273844

Duman, M, Timur Tashan, S, & Durgun Ozan, Y. (2019). Association of Postpartum Smoking Relapse With Breastfeeding and Body Mass Index. *J Addict Nurs, 30*(2), 87-93. Available from: https://www.ncbi.nlm.nih.gov/pubmed/31162211

Bertini, G, Elia, S, Lori, S, & Dani, C. Abnormal neurological soft signs in babies born to smoking mothers were associated with lower breastfeeding for first three months. Acta Paediatr, 2019. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30788864

Memis, EY, & Songul Yalcin, S. Human milk mycotoxin contamination: smoking exposure and breastfeeding problems. J Matern Fetal Neonatal Med, 2019. 1-291. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30810418

Napierala, M, Merritt, T A, Miechowicz, I, Mielnik, K, Mazela, J, & Florek, E. The effect of maternal tobacco smoking and second-hand tobacco smoke exposure on human milk oxidant-antioxidant status. Environ Res, 2018. 170, 110-121. Available from: https://www.ncbi.nlm.nih.gov/pubmed/30579160

May, PA, Manning, MA, & Hoyme, HE. Comment on Drinking or Smoking While Breastfeeding and Later Cognition in Children. Pediatrics, 2018. 142(5). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30381473

Gibson, L, Porter, M. Drinking or Smoking While Breastfeeding and Later Cognition in Children. Pediatrics. 2018 Aug;142(2). Available from: https://www.ncbi.nlm.nih.gov/pubmed/30061301

Wallby T, Lagerberg D, and Magnusson M. Relationship between breastfeeding and early childhood obesity: Results of a prospective longitudinal study from birth to 4 years. Breastfeed Med, 2017; 12:48-53. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27991826

Lee SH, Weerasinghe W, and van der Werf JHJ. Genotype-environment interaction on human cognitive function conditioned on the status of breastfeeding and maternal smoking around birth. Sci Rep, 2017; 7(1):6087. Available from: https://www.ncbi.nlm.nih.gov/pubmed/28729621

Kim SM, Kim SJ, Kim JY, Kim JR, and Cho KH. Breast milk from smokers contains less cholesterol and protein and smaller size of apolipoprotein a-i resulting in lower zebrafish embryo survivability. Breastfeed Med, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28631934

Wallenborn JT and Masho SW. The interrelationship between repeat cesarean section, smoking status, and breastfeeding duration. Breastfeed Med, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27626973

Vieira TO, Martins CD, Santana GS, Vieira GO, and Silva LR. [maternal intention to breastfeed: A systematic review]. Cien Saude Colet, 2016; 21(12):3845-58. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27925124

Napierala M, Mazela J, Merritt TA, and Florek E. Tobacco smoking and breastfeeding: Effect on the lactation process, breast milk composition and infant development. A critical review. Environ Res, 2016; 151:321-38. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27522570

Federico G, Gori M, Randazzo E, and Vierucci F. Skin advanced glycation end-products evaluation in infants according to the type of feeding and mother's smoking habits. SAGE Open Med, 2016; 4:2050312116682126. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28210490

Calvaresi V, Escuder D, Minutillo A, Bastons-Compta A, Garcia-Algar O, et al. Transfer of nicotine, cotinine and caffeine into breast milk in a smoker mother consuming caffeinated drinks. J Anal Toxicol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27129353

Shenassa ED, Wen X, and Braid S. Exposure to tobacco metabolites via breast milk and infant weight gain: A population-based study. J Hum Lact, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26644421

Geraghty SR, McNamara K, Kwiek JJ, Rogers L, Klebanoff MA, et al. Tobacco metabolites and caffeine in human milk purchased via the internet. Breastfeed Med, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26394021

Banderali G, Martelli A, Landi M, Moretti F, Betti F, et al. Short and long term health effects of parental tobacco smoking during pregnancy and lactation: A descriptive review. J Transl Med, 2015; 13(1):327. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26472248

News reports:

No authors listed . Smoking during pregnancy may lead to childhood eye condition. *Medical Xpress, 2018*. Nov 7, 2018. Available from: https://medicalxpress.com/news/2018-11-pregnancy-childhood-eye-condition.html

Rapaport L. Smoke exposure during pregnancy and infancy tied to hearing loss, in *Reuters*2018. Available from: https://uk.reuters.com/article/us-health-infancy-hearing-smoke/smoke-exposure-during-pregnancy-and-infancy-tied-to-hearing-loss-idUKKBN1JO341.

Kennedy M. Combination of marijuana and tobacco in pregnancy may compound risks, in *Reuters*2016. Available from: http://www.reuters.com/article/us-health-pregnancy-marijuana-tobacco-idUSKCN0YV2BN

Hartley-Parkinson R. Know someone who smokes during pregnancy? Show them this, in *Metro*2015 Available from: http://metro.co.uk/2015/03/23/know-someone who-smokes-during-pregnancy-show-them-this-5116395/.

No authors listed. New research finds smoking and mother's genetics combine to increase likelihood of twins in Medical News Today 2015. Available from: http://www.medicalnewstoday.com/releases/292643.php?tw.

No authors listed. '4d' ultrasound shows effects of smoking on unborn babies in *NHS Choices*2015. Available from: http://www.nhs.uk/news/2015/03March/Pages/4D ultrasound-studies-effects-of-smoking-on-unborn-babies.aspx.

No authors listed. Female fetuses exposed to tobacco smoke may have increased diabetes risk in middle age, in *Science Daily*2015. Available from: http://www.sciencedaily.com/releases/2015/03/150308091406.htm

Knapton S. Unborn baby shown grimacing in womb as mother smokes The Telegraph, 2015. Available from: http://www.telegraph.co.uk/news/science/science-news/11489538/Unborn-baby-shown-grimacing-in-womb-as-mother-smokes.html

Buchanan RT. 4d ultrasound study shows harmful effects of smoking on unborn babies The Independent, 2015. Available from: http://www.independent.co.uk/life-style/health-and-families/4d-ultrasound-study-shows-harmful-effects-of-smoking-on-unborn-babies-10128345.html

Barns S. 4d ultrasound scans show the harmful effects of smoking during pregnancy on babies. Express, 2015. Available from: http://www.express.co.uk/life-style/health/565738/Smoking-during-pregnancy-harmful-effects-babies-4D-ultrasound-scans

Office of Environmental Health Hazard Assessment California Air Resources Board. Health effects of exposure to environmental tobacco smoke: Final report, approved at the panel's june 24, 2005 meeting. Sacramento: California environmental protection agency cal/epa. 2005. Available from: https://oehha.ca.gov/air/report/health-effects-exposure-environmental-tobacco smoke-final-report.

3.8.1.1 Birthweight

No authors listed. Moms Who Smoked as Teens More Likely to Deliver Smaller Babies. Medicine Net, 2018. Aug 6, 2018. Available from: https://www.medicinenet.com/script/main/art.asp?articlekey=214033

3.8.2 Perinatal and infant death

No authors listed. Study shows increasing stillbirth risk of moms-to-be who smoke, drink, in *MFA News*2018. Available from: https://mfanews.net/study-shows-increasing-stillbirth-risk-of-moms-to-be-who-smoke-drink/.

Allen V. Death rate of under fives in uk is among the worst in europe with british youngsters twice as likely to die as those living in sweden, in *Daily Mail*2018. Available from: http://www.dailymail.co.uk/health/article-5689097/UK-5-death-rate-Europes-worst-youngsters-twice-likely-die-Swedish.html.

3.8.4 Health complaints in infancy

Rapaport L. Smoke exposure during pregnancy and infancy tied to hearing loss, in *Reuters*2018. Available from: https://uk.reuters.com/article/us-health-infancy-hearing-smoke/smoke-exposure-during-pregnancy-and-infancy-tied-to-hearing-loss-idUKKBN1JO341.

No authors listed. Smoking during pregnancy linked to cerebral palsy, animal studies show, in *Medical Xpress*2017. Available from: https://medicalxpress.com/news/2017-10-pregnancy-linked-cerebral-palsy-animal.html.

3.8.5 Long-term development

Wilunda C, Yoshida S, Tanaka S, Kanazawa Y, Kimura T, et al. Exposure to tobacco smoke prenatally and during infancy and risk of hearing impairment among children in japan: A retrospective cohort study. Paediatr Perinat Epidemiol, 2018. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29873090

Preidt R. Smoking while pregnant could harm child's breathing in *U.S. News*2018. Available from: https://health.usnews.com/health-care/articles/2018-03-27/smoking-while-pregnant-could-harm-childs-breathing.

No authors listed. Mothers who smoke while pregnant contribute to the severity of asthma and poor lung function in their children in *Alpha Galileo*2018. Available from: https://www.alphagalileo.org/ViewItem.aspx?ItemId=184213&CultureCode=en.

No authors listed. Current tobacco smoke exposure doesn't obstruct peds airflow, in *Medical Xpress*2018. Available from: https://medicalxpress.com/news/2018-03-current-tobacco-exposure-doesnt-obstruct.html.

No authors listed. Smoking while pregnant can make babies suffer a lifetime of being fat Express, 2017. Available from: http://www.express.co.uk/life-style/health/858455/pregnant-smoking-babies-suffer-obesity

Whiteman H. Smoking while pregnant linked to schizophrenia in offspring, in *Medical News Today*2016. Available from: http://www.medicalnewstoday.com/articles/310501.php.

Preidt R. Smoking during pregnancy seems to alter fetal DNA, study finds, in *Health Day* 2016. Available from: http://consumer.healthday.com/health-technology-information-18/dna-health-news-169/briefs-emb-3-31-12-00et-pregnancy-smoking-fetal-dna-ajhg-release-batch-2595-709411.html.

listed Na. Smoking in pregnancy and overweight may set up social divide in child obesity rates, in *Medical News Today*2016. Available from: http://www.medicalnewstoday.com/releases/310098.php.

listed Na. Effects of maternal smoking continue long after birth, in *Medical News Today*2016. Available from: http://www.medicalnewstoday.com/releases/310649.php.

Dovey D. Smoking during pregnancy, nicotine exposure in utero linked to genetic changes that may increase risk of adhd, in *Medical Daily* 2016. Available from: http://www.medicaldaily.com/adhd-smoking-during-pregnancy-nicotine-addiction-cigarettes-388277.

listed Na. Prenatal smoking exposure can potentially affect someone's health for years after birth, in *News Medical* 2015. Available from: http://www.news-medical.net/news/20151123/Prenatal-smoking-exposure-can-potentially-affect-someones-health-for-years-after-birth.aspx.

3.8.5.1 Neurodevelopment

Sourander, A, Sucksdorff, M, Chudal, R, Surcel, H-M, Hinkka-Yli-Salomäki, S, Gyllenberg, D et al. Prenatal Cotinine Levels and ADHD Among Offspring. *Pediatrics*, 2019. e20183144. Available from:

https://pediatrics.aappublications.org/content/pediatrics/early/2019/02/21/peds.2018-3144.full.pdf

Weinstock CP. Cigarette smoking during pregnancy linked to adhd risk in offspring, in *Reuters*2017. Available from: https://uk.reuters.com/article/us-health-pregnancy-smoking-adhd/cigarette-smoking-during-pregnancy-linked-to-adhd-risk-in-offspring-idUKKBN1EN1M9.

Turan V. Nicotine exposure during and after pregnancy can cause hearing problems in children in *EurekAlert!*2017. Available from: https://www.eurekalert.org/pub_releases/2017-02/tps-ned020717.php.

Rapaport L. Smoking during pregnancy tied to eye damage in kids, in *Reuters*2017. Available from: http://www.reuters.com/article/us-health-opticnerve-smoking-pregnancy-idUSKBN16F2L9.

3.8.5.3 Physical development

No authors listed. Smokers more likely to have babies with teeth abnormalities, in *Scoop*2017. Available from: http://www.scoop.co.nz/stories/SC1705/S00086/smokers-more-likely-to-have-babies-with-teeth-abnormalities.htm.

No authors listed. Smoking in pregnancy 'affects boys' fitness in later life', in *Medical Xpress*2015. Available from: http://medicalxpress.com/news/2015-12-pregnancy-affects-boys-life.html

3.8.5.4 Cardiovascular disease risk

Thompson, A. Heart disease may begin in the WOMB: The children of pregnant women with pre-eclampsia, gestational diabetes or a smoking habit are more at risk of the condition in later life. Daily Mail Australia, 2019. Available from: https://www.dailymail.co.uk/health/article-6620269/Heart-disease-begin-WOMB.html

3.8.5.5 Other long-term consequences

No authors listed. Mother's health linked to fetus's future fertility, in *Tribune Content Agency*2018. Available from: https://tribunecontentagency.com/article/mothers-health-linked-to-fetuss-future-fertility/.

No authors listed. Cigarette damage to unborn children revealed in stem cell study, in *Science Daily* 2017. Available from: https://www.sciencedaily.com/releases/2017/05/170530101702.htm.

No authors listed. Smoking while pregnant may compromise children's kidney function, in *Medical News Today*2017. Available from: http://www.medicalnewstoday.com/releases/314976.php.

Fessenden J. Umms epigenetics researcher oliver rando explores whether offspring inherit drug protection, in *UMass Med Now* 2017. Available from: http://www.umassmed.edu/news/news-archives/2017/02/umms-epigenetics-researcher-oliver-rando-explorers-whether-offspring-inherit-drug-protection.

Rapaport L. Smoking during pregnancy may hurt your chances for grandkids, in *Reuters*2016. Available from: http://www.reuters.com/article/us-health-pregnancy-smoking-testicular-idUSKCN0ZV2NW.

3.8.5.7 Possible effects smoking by grandparents

Public Library of Science. Father's nicotine use can cause cognitive problems in children and grandchildren. *Medical Xpress, 2018*. Oct 16, 2018. Available from: https://medicalxpress.com/news/2018-10-father-nicotine-cognitive-problems-children.html

3.8.6 Breastfeeding and smoking

Rapaport L. Drinking while breastfeeding tied to cognitive problems in young kids, in *Reuters*2018. Available from: https://www.reuters.com/article/us-health-pregnancy-alcohol-cognition/drinking-while-breastfeeding-tied-to-cognitive-problems-in-young-kids-idUSKBN1KK2FU.