

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 3.9 Increased susceptibility to infection in smokers

*Last updated December 2024*

Research: .....	3
3.9.1 <i>Acute respiratory infections</i> .....	7
3.9.2 <i>Chronic respiratory infections</i> .....	8
3.9.3 <i>Pneumonia, Pneumococcal disease and meningococcal disease</i> .....	8
3.9.3.1 <i>Pneumonia</i> .....	9
3.9.3.2 <i>Invasive pneumococcal disease</i> .....	10
3.9.3.3 <i>Meningococcal disease</i> .....	10
3.9.5 <i>Tuberculosis</i> .....	11
3.9.6 <i>Risks for and complications of HIV</i> .....	19
3.9.7 <i>Other viral infections</i> .....	28
3.9.8 <i>Infections of reproductive organs</i> .....	30
3.9.9 <i>Periodontitis</i> .....	30
3.9.10 <i>Surgical infections</i> .....	31
3.9.11 <i>Other bacterial infections</i> .....	31
3.9.12 <i>Coronaviruses and the COVID-19 pandemic</i> .....	32
3.9.12.1 <i>SARS and MERS outbreaks since 2002</i> .....	63
3.9.12.2 <i>COVID-19 pandemic</i> .....	63
3.9.12.3 <i>Potential mechanisms for the effect of smoking on COVID infection and outcomes</i> .....	70
News reports: .....	71

3.9.5	<i>Tuberculosis</i> .....	71
3.9.6	<i>Risks for and complications of HIV</i> .....	71
3.9.7	<i>Other viral infections</i> .....	71
3.9.12	<i>Coronaviruses and the COVID-19 pandemic</i> .....	73
3.9.12.2	<i>COVID-19 pandemic</i> .....	79

## Research:

Valeriani, F, Protano, C, Pozzoli, A, Vitale, K, Liguori, F, Liguori, G, & Galle, F. (2024). Does Tobacco Smoking Affect Vaccine-Induced Immune Response? A Systematic Review and Meta-Analysis. *Vaccines (Basel)*, 12(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39591163>

Hickman, E, Roca, C, Zorn, BT, Rebuli, ME, Robinette, C, Wolfgang, MC, & Jaspers, I. (2024). E-Cigarette Use, Cigarette Smoking, and Sex are Associated with Nasal Microbiome Dysbiosis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39018186>

Bundell, S., & Petric Howe, N. (2024). Smoking changes your immune system, even years after quitting. *Nature*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38356002>

Ledford, H. (2024). Smoking scars the immune system for years after quitting. *Nature*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38356003>

Lee, EH, Lee, KH, Lee, KN, Park, Y, Do Han, K, & Han, SH. (2024). The Relation Between Cigarette Smoking and Development of Sepsis: A 10-Year Follow-Up Study of Four Million Adults from the National Health Screening Program. *J Epidemiol Glob Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38372892>

Luo, Y, & Stent, S. (2024). Smoking's lasting effect on the immune system. *Nature*, 626(8000), 724-725. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38355995>

Saint-Andre, V, Charbit, B, Biton, A, Rouilly, V, Posseme, C, Bertrand, A et al. (2024). Smoking changes adaptive immunity with persistent effects. *Nature*, 626(8000), 827-835. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38355791>

Pinto, TNC, da Silva, C, Pinto, RMC, da Silva Duarte, AJ, Benard, G, & Fernandes, JR. (2024). Tobacco exposure, but not aging, shifts the frequency of peripheral blood B cell subpopulations. *Geroscience*, 46(2), 2729-2738. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38157147>

Brembach, TC, Sabat, R, Witte, K, Schwerdtle, T, & Wolk, K. (2023). Molecular and functional changes in neutrophilic granulocytes induced by nicotine: a systematic review and critical evaluation. *Front Immunol*, 14, 1281685. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38077313>

Dai, Y, Pu, Q, Hu, N, Zhu, J, Han, Y, Shi, P et al. (2023). The dose-response relationship between smoking and the risk factor for invasive pulmonary aspergillosis in patients with severe fever with thrombocytopenia syndrome. *Front Microbiol*, 14, 1209705. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37455744>

Chen, J, Wang, X, Schmalen, A, Haines, S, Wolff, M, Ma, H et al (2023). Antiviral CD8(+) T cell immune responses are impaired by cigarette smoke and in COPD. *Eur Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37385655>

Smith, R, Jr, Yendamuri, S, Vedire, Y, Rosario, S, Zollo, R, Washington, D et al. (2023). Immunoprofiling bronchoalveolar lavage cells reveals multifaceted smoking-associated immune dysfunction. *ERJ Open Res*, 9(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37342091>

- Chethana, R, Mishra, P, Kaushik, M, Jadhav, R, & Dehadaray, A. (2022). Effect of Smoking on Nasal Mucociliary Clearance. *Indian J Otolaryngol Head Neck Surg*, 74(Suppl 2), 956-959. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36452767>
- Bahreini, MS, Sami Jahromi, S, Radfar, AH, Salemi, AM, Dastan, N, & Asgari, Q. (2022). The Relationship of Latent Toxoplasmosis and Cigarette Smoking: Seroprevalence, Risk Factor, and Case-Control Study in Fars Province, Southern Iran. *Pathogens*, 11(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36365025>
- Kjerulff, B, Kaspersen, KA, Dinh, KM, Boldsen, J, Mikkelsen, S, Erikstrup, LT et al. (2022). Smoking is associated with infection risk in healthy blood donors. *Clin Microbiol Infect*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36404421>
- Al-Allaff, RGM, & Badal Rasheed, K. (2022). Evaluation of Haemolytic Activity in Smokers by Using Non-Linear Regression. *Pak J Biol Sci*, 25(6), 509-515. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36098186>
- McGrath, JJC, Rebuli, ME, Cass, SP, Loeb, M, & Jaspers, I. (2022). Smoking and e-cigarette use: key variables in testing IgA-oriented intranasal vaccines. *Lancet Respir Med*, 10(9), 822-824. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35931092>
- Zhang, N, Liu, Y, Yang, C, Zeng, P, Gong, T, Tao, L, & Li, X. (2022). Association between smoking and risk of death in patients with sepsis: A systematic review and meta-analysis. *Tob Induc Dis*, 20, 65. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35903643>
- Hikari, T, Honda, A, Hashiguchi, M, Okuma, R, Kurihara, M, Fukuda, A et al. (2022). The difference in the effectiveness of human papillomavirus vaccine based on smoking status. *J Obstet Gynaecol Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35599387>
- Abdelmalek, SMA, Alhaddad, S, Abu Omar, O, Afaneh, M, Abu Qatouseh, L, & Collier, P J. (2022). The effect of Cigarette Smoke Condensate (CSC) on Pseudomonas aeruginosa virulence and antibiotic sensitivity. *J Appl Microbiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35187773>
- Diamond, JM. (2022). Don't Inhale: ARDS Risk and Tobacco Exposure in Patients with Sepsis. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35130469>
- Morrow, JD, Castaldi, PJ, Chase, RP, Yun, JH, Lee, S, Liu, YY, & Hersh, CP. (2021). Peripheral blood microbial signatures in current and former smokers. *Sci Rep*, 11(1), 19875. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34615932>
- Bachtiar, BM, Gani, BA, Deviana, A, Utami, NR, Andriyani, AD, & Bachtiar, EW. (2021). The Discrepancy between Clove and Non-Clove Cigarette Smoke-Promoted Candida albicans Biofilm Formation with Precoating RNA-aptamer. *F1000Res*, 10, 372. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34367616>
- Cheong, HS, Chang, Y, Joo, EJ, & Ryu, S. (2021). Cigarette smoking and risk of infection-related mortality: A cohort study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34432023>
- Pereira, ABM, Oliveira, JR, Souza, ALJ, Andrade-Silva, L, Silva, MV, Silva, PR et al (2021). Effects of cigarette smoke extract on bronchial epithelial cells stimulated with Cryptococcus neoformans. *Med*

*Microbiol Immunol*, 210(4), 221-233. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34228244>

Sitas, F, Harris-Roxas, B, Bradshaw, D, & Lopez, AD. (2021). Smoking and epidemics of respiratory infections. *Bull World Health Organ*, 99(2), 164-165. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33551511>

Alaizari, NA, & AlAnezi, JR. (2020). Oral Candida carriage in smokers and tobacco users: A systematic review and meta-analysis of observational studies. *J Oral Biosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33038515>

Lee, KWC, Lord, SJ, Kasherman, L, Marschner, I, Stockler, M, Gralla, R et al. (2019). The impact of smoking on the effectiveness of immune checkpoint inhibitors - a systematic review and meta-analysis. *Acta Oncol*, 1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31552770>

Tarbiah, N, Todd, I, Tighe, PJ, & Fairclough, LC. (2019). Cigarette smoking differentially affects immunoglobulin class levels in serum and saliva: an investigation and review. *Basic Clin Pharmacol Toxicol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31219219>

Ferro, A, Morais, S, Pelucchi, C, Aragones, N, Kogevinas, M, Lopez-Carrillo, L et al. Smoking and Helicobacter pylori infection: an individual participant pooled analysis (Stomach Cancer Pooling-StoP Project). *Eur J Cancer Prev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30272597>

Larson-Casey, JL, & Carter, AB. Reply to: Dysfunctional Immunity and Microbial Adhesion Molecules in Smoking-Induced Pneumonia. *Am J Respir Crit Care Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30290120>

Manna, S, Waring, A, Papanicolaou, A, Hall, NE, Bozinovski, S, Dunne, EM, & Satzke, C. The transcriptomic response of Streptococcus pneumoniae following exposure to cigarette smoke extract. *Sci Rep*, 2018. 8(1), 15716. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30356075>

Lee, SW, Sharma, L, Kang, YA, Kim, SH, Chandrasekharan, S, Losier, A, Brady, V, Bermejo, S, Andrews, N, Yoon, C M, Liu, W, Lee, JY, Kang, MJ, Dela Cruz, CS. Impact of Cigarette Smoke Exposure on Lung Fibroblastic Response after Influenza Pneumonia. *Am J Respir Cell Mol Biol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30110182>

Pickell T, Donnelly J, and Abi Fadel F. Smoking relapse causing an acute exacerbation of desquamative interstitial pneumonia with pleural effusions and mediastinal adenopathies. *Case Rep Pulmonol*, 2018; 2018:8503694. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30046503>

McNeish H. Rocketing smoking rates across africa stoke tb and hiv fears. *British Medical Journal*, 2018; 361:k1884. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29716917>

Kim RS, Weinberger AH, Chander G, Sulkowski MS, Norton B, et al. Cigarette smoking in persons living with hepatitis c: The national health and nutrition examination survey (nhanes), 1999-2014. *Am J Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29408018>

Fayyaz B. Acute eosinophilic pneumonia associated with smoking: A case report. *J Community Hosp Intern Med Perspect*, 2018; 8(3):119-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29915648>

Novotny T, Hendrickson E, Soares ECC, Sereno AB, and Kiene SM. Hiv/aids, tuberculosis, and tobacco in brazil: A syndemic that calls for integrated interventions. *Cad Saude Publica*, 2017; 33Suppl 3(Suppl 3):e00124215. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954053>

Nagasaki T, Matsumoto H, Oguma T, Ito I, Inoue H, et al. Sensitization to staphylococcus aureus enterotoxins in smokers with asthma. *Ann Allergy Asthma Immunol*, 2017; 119(5):408-14 e2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29150068>

Godoy P, Castilla J, Soldevila N, Mayoral JM, Toledo D, et al. Smoking may increase the risk of influenza hospitalization and reduce influenza vaccine effectiveness in the elderly. *Eur J Public Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29020390>

Bak SH and Lee HY. Overlaps and uncertainties of smoking-related idiopathic interstitial pneumonias. *Int J Chron Obstruct Pulmon Dis*, 2017; 12:3221-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29138550>

Wootton DG, Diggle PJ, Court J, Eneje O, Keogan L, et al. Recovery from pneumonia requires efferocytosis which is impaired in smokers and those with low body mass index and enhanced by statins. *Thorax*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27471049>

Thakur LK and Jha KK. Acute eosinophilic pneumonia following recent cigarette smoking. *Respir Med Case Rep*, 2016; 19:103-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27642564>

Takeuchi A, Nelson C, Yamamoto I, Yamashiro S, and Myers J. Acute eosinophilic pneumonia after resumption of cigarette smoking. *Mil Med*, 2016; 181(6):e613-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27244075>

Shuter J, Litwin AH, Sulkowski MS, Feinstein A, Bursky-Tammam A, et al. Cigarette smoking behaviors and beliefs in persons living with hepatitis c. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613890>

Sheth CC, Makda K, Dilmahomed Z, Gonzalez R, Luzi A, et al. Alcohol and tobacco consumption affect the oral carriage of candida albicans and mutans streptococci. *Lett Appl Microbiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27450704>

Kitterer D, Segerer S, Dippon J, Alscher MD, Braun N, et al. Smoking is a risk factor for severe acute kidney injury in hantavirus-induced nephropathia epidemica. *Nephron*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27388481>

Kanellopoulou T, Alexopoulou A, Kontopidou FN, Konstantinides P, and Papatheodoridis GV. The significance of platelet microparticles in patients with chronic hepatitis c and their association with antiviral treatment and smoking. *Ann Gastroenterol*, 2016; 29(2):201-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27065733>

Higuchi T, Omata F, Tsuchihashi K, Higashioka K, Koyamada R, et al. Current cigarette smoking is a reversible cause of elevated white blood cell count: Cross-sectional and longitudinal studies. *Prev Med Rep*, 2016; 4:417-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27583199>

Godoy P, Castilla J, Mayoral JM, Delgado-Rodriguez M, Martin V, et al. Smoking may increase the risk of hospitalization due to influenza. *Eur J Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27085194>

Santibanez M, Aguirre E, Belda S, Aragonés N, Saez J, et al. Relationship between tobacco, caga and vaca i1 virulence factors and bacterial load in patients infected by helicobacter pylori. *PLoS ONE*, 2015; 10(3):e0120444. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25794002>

Hutcherson JA, Scott DA, and Bagaitkar J. Scratching the surface - tobacco-induced bacterial biofilms. *Tob Induc Dis*, 2015; 13(1):1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25670926>

Brackel CL, Ropers FG, Vermaas-Fricot SF, Koens L, Willems LN, et al. Acute eosinophilic pneumonia after recent start of smoking. *Lancet*, 2015; 385(9973):1150. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25797559>

Vanden Driessche K, Patel MR, Mbonze N, Tabala M, Yotebieng M, et al. Effect of smoking history on outcome of patients diagnosed with tb and hiv. *Eur Respir J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25431269>

### 3.9.1 Acute respiratory infections

McGeoch, LJ, Ross, S, Massa, MS, Lewington, S, & Clarke, R. (2023). Cigarette smoking and risk of severe infectious respiratory diseases in UK adults: 12-year follow-up of UK biobank. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37347589>

Campos, M, Cickovski, T, Fernandez, M, Jaric, M, Wanner, A, Holt, G et al. (2023). Lower respiratory tract microbiome composition and community interactions in smokers. *Access Microbiol*, 5(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37091735>

Zhu, H, Zhan, X, Wang, C, Deng, Y, Li, X, Song, L, & Zhao, L. (2023). Causal Associations Between Tobacco, Alcohol Use and Risk of Infectious Diseases: A Mendelian Randomization Study. *Infect Dis Ther*, 12(3), 965-977. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36862322>

Bach, L, Ram, A, Ijaz, UZ, Evans, TJ, Haydon, DT, & Lindstrom, J. (2023). The Effects of Smoking on Human Pharynx Microbiota Composition and Stability. *Microbiol Spectr*, e0216621. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36786634>

Hashimoto, K, Maeda, H, Iwasa, H, Kyojuka, H, Maeda, R, Kume, Y et al. (2022). Tobacco Exposure During Pregnancy and Infections in Infants up to 1 Year of Age: The Japan Environment and Children's Study. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35400710>

Wolf, JS, Papadimitriou, JC, Morales, RE, Califano, JA, 3rd, Kline, NL, Bhatnagar, K et al. (2021). The association of active and passive tobacco smoke exposure with chronic rhinosinusitis symptom severity: A cross-sectional study. *Int Forum Allergy Rhinol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34510792>

McGrath, JJC, Thayaparan, D, Cass, SP, Mapletoft, JP, Zeng, PYF, Koenig, JFE et al (2021). Cigarette smoke exposure attenuates the induction of antigen-specific IgA in the murine upper respiratory tract. *Mucosal Immunol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34108594>

Rosoff, DB, Yoo, J, & Lohoff, FW. (2021). A genetically-informed study disentangling the relationships between tobacco smoking, cannabis use, alcohol consumption, substance use disorders and respiratory infections, including COVID-19. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33594380>

Takamiya, R, Takahashi, M, Maeno, T, Saito, A, Kato, M, Shibata, T et al (2020). Acrolein in cigarette smoke attenuates the innate immune responses mediated by surfactant protein D. *Biochim Biophys Acta Gen Subj*, 1864(11), 129699. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32738274>

Xu, M, Zhang, H, Yu, N, Dong, Y, Wang, W, Chen, Y, & Kang, J. (2020). Cigarette smoke extract induces the *Pseudomonas aeruginosa* nfxC drug-resistant phenotype. *J Infect Chemother*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32800691>

Lawrence, H, Hunter, A, Murray, R, Lim, WS, & McKeever, T. (2019). Cigarette smoking and the occurrence of Influenza - Systematic Review. *Journal of Infection*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31465780>

Baskaran, V, Murray, RL, Hunter, A, Lim, WS, & McKeever, TM. (2019). Effect of tobacco smoking on the risk of developing community acquired pneumonia: A systematic review and meta-analysis. *PLoS One*, 14(7), e0220204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31318967>

Amatngalim GD, Schrupf JA, Henic A, Dronkers E, Verhoosel RM, et al. Antibacterial defense of human airway epithelial cells from chronic obstructive pulmonary disease patients induced by acute exposure to nontypeable haemophilus influenzae: Modulation by cigarette smoke. *J Innate Immun*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28171878>

### 3.9.2 Chronic respiratory infections

Gill, AS, Meeks, H, Curtin, K, Kelly, K, & Alt, JA. (2022). Tobacco use increases the risk of chronic rhinosinusitis among patients undergoing endoscopic sinus surgery. *Clin Otolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36461170>

Knobloch, J, Panek, S, Yanik, SD, Jamal Jameel, K, Bendella, Z, Jungck, D et al. (2019). The monocyte-dependent immune response to bacteria is suppressed in smoking-induced COPD. *J Mol Med (Berl)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30929031>

### 3.9.3 Pneumonia, Pneumococcal disease and meningococcal disease

Liao, WC, Chou, CH, Ho, MW, Chen, JT, Chou, SL, Huang, YT et al (2024). Cigarette smoke compromises macrophage innate sensing in response to pneumococcal infection. *J Microbiol Immunol Infect*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39477775>

Lin, Z, Xiong, J, Yang, J, Huang, Y, Li, J, Zhao, G, & Li, B. (2024). A comprehensive analysis of the health effects associated with smoking in the largest population using UK Biobank genotypic and phenotypic data. *Heliyon*, 10(16), e35649. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39220930>

Stattin, K, Eriksson, M, Frithiof, R, Kawati, R, Crockett, D, Hultstrom, M, & Lipcsey, M. (2024). Smoking is associated with higher risk of contracting bacterial infection and pneumonia, intensive

care unit admission and death. *PLoS One*, 19(5), e0302505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38722836>

Aghapour, M, Tulen, CBM, Abdi Sarabi, M, Weinert, S, Musken, M, Relja, B et al. (2022). Cigarette Smoke Extract Disturbs Mitochondria-Regulated Airway Epithelial Cell Responses to Pneumococci. *Cells*, 11(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35681466>

Li, WQ, Chen, Y Fu, AS, Li, LQ Ge, YL, Min, P et al(2020). Serum Procalcitonin, Smoking History Combined Age Established a New Prediction Model for Predicting Dynamic Changes of Chest CT Images in Adult Community-Acquired Pneumonia (CAP) Patients. *Clin Lab*, 66(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33180427>

Liu, X, Sun, W, Meng, W, Xiao, Y, Feng, G, & Shi, B. (2019). Cigarette smoking-induced acute eosinophilic pneumonia: A case report. *Medicine (Baltimore)*, 98(9), e14704. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30817609>

Park SY, Kim JH, Chung MJ, Rhee CH, and Park SJ. Acute eosinophilic pneumonia and tracheitis associated with smoking. *Am J Respir Crit Care Med*, 2017; 195(12):1671-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28530497>

Jimenez Ruiz CA, Buljubasich D, Sansores R, Riesco Miranda JA, Guerreros Benavides A, et al. Separat-alat consensus document on antipneumoccal vaccination in smokers. *Arch Bronconeumol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25641351>

Norheim G, Sadarangani M, Omar O, Yu LM, Molbak K, et al. Association between population prevalence of smoking and incidence of meningococcal disease in norway, sweden, denmark and the netherlands between 1975 and 2009: A population-based time series analysis. *BMJ Open*, 2014; 4(2):e003312. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24513866>

### 3.9.3.1 Pneumonia

**Rodriguez-Carlos, A, Gonzalez-Muniz, OE, Ramirez-Ledesma, MG, & Rivas-Santiago, B. (2024). Effect of Nicotine on Pulmonary Pathogenic Bacteria. *Curr Microbiol*, 81(12), 450. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39514085>**

Yang, YS, Jung, KJ, Kimm, HJ, Lee, SM, & Jee, SH. (2023). Smoking-attributable mortality among Korean adults in 2019. *Epidemiol Health*, e2024011. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38186246>

Han, DW, Jung, W, Lee, KN, Han, K, Lee, SW, & Shin, DW. (2023). Smoking behavior change and the risk of pneumonia hospitalization among smokers with diabetes mellitus. *Sci Rep*, 13(1), 14189. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37648711>

Chen, CC, Lee, YT, Wang, PH, & Chen, SC. (2023). Occurrence of lung cancer after hospitalisation for pneumonia among smokers. *QJM*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37307075>

McGeoch, LJ, Ross, S, Massa, MS, Lewington, S, & Clarke, R. (2023). Cigarette smoking and risk of severe infectious respiratory diseases in UK adults: 12-year follow-up of UK biobank. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37347589>

Gambaryan, M, Kontsevaya, A, & Drapkina, O. (2023). Impact of National Tobacco Control Policy on Rates of Hospital Admission for Pneumonia: When Compliance Matters. *Int J Environ Res Public Health*, 20(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37239619>

Chang, R, Yeh, WB, & Lai, CC. (2022). Incidence of lung cancer following pneumonia in smokers: Correspondence. *QJM*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35781522>

Park, S, Han, D, Lee, JE, Ryu, DH, & Kim, HJ. (2021). Diagnostic index for acute eosinophilic pneumonia without bronchoscopy in military smokers. *Korean J Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34905816>

Baskaran, V, Lim, WS, & McKeever, TM. (2021). Effects of tobacco smoking on recurrent hospitalisation with pneumonia: a population-based cohort study. *Thorax*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34145048>

Crisafulli, E, Cilloniz, C, Liapikou, A, Ferrari, M, Busti, F, Girelli, D, & Torres, A. (2020). Systemic Inflammatory Response and Outcomes in Community-Acquired Pneumonia Patients Categorized According to the Smoking Habit or Presence of Chronic Obstructive Pulmonary Disease. *J Clin Med*, 9(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32906593>

Heo, JW, Yeo, CD, Park, CK, Kim, SK, Kim, JS, Kim, JW et al (2020). Smoking is associated with pneumonia development in lung cancer patients. *BMC Pulm Med*, 20(1), 117. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32357887>

### *3.9.3.2 Invasive pneumococcal disease*

### *3.9.3.3 Meningococcal disease*

Pilat, EK, Stuart, JM, & French, CE. (2021). Tobacco smoking and meningococcal disease in adolescents and young adults: a systematic review and meta-analysis. *J Infect*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33610686>

### *3.9.4 Influenza*

Choi, WS, Nowalk, MP, Moehling Geffel, K, Susick, M, Saul, S, Lin, CJ et al. (2024). Smoking and serological response to influenza vaccine. *Hum Vaccin Immunother*, 20(1), 2404752. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39400298>

Kaminski, TW, Brzoska, T, Li, X, Vats, R, Katoch, O, Dubey, RK et al. (2023). Lung microvascular occlusion by platelet-rich neutrophil-platelet aggregates promotes cigarette smoke induced severe flu. *JCI Insight*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38060312>

McGeoch, LJ, Ross, S, Massa, MS, Lewington, S, & Clarke, R. (2023). Cigarette smoking and risk of severe infectious respiratory diseases in UK adults: 12-year follow-up of UK biobank. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37347589>

Wu, W, Alexander, JS, & Metcalf, J.. (2022). In Vivo and In Vitro Studies of Cigarette Smoke Effects on Innate Responses to Influenza Virus: A Matter of Models? *Viruses*, 14(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36016446>

Chavez, J, & Hai, R. (2021). Effects of Cigarette Smoking on Influenza Virus/Host Interplay. *Pathogens*, 10(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34959590>

Wu, W, Tian, L, Zhang, W, Booth, JL, Ainsua-Enrich, E, Kovats, S et al (2021). Long-term cigarette smoke exposure dysregulates pulmonary T cell response and IFN-gamma protection to influenza virus in mouse. *Respiratory Research*, 22(1), 112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33879121>

### 3.9.5 Tuberculosis

Chung, C, Lee, KN, Han, K, Shin, DW, & Lee, SW. (2024). The effect of smoking on nontuberculous mycobacterial pulmonary disease and tuberculosis: a nationwide retrospective cohort study. *Sci Rep*, 14(1), 22653. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39349592>

Ghosh, S, Garden, F, Luu, KB, Nguyen, NV, Nguyen, PTB, Nguyen, TA et al (2024). Population attributable fraction for smoking and diabetes in TB. *Int J Tuberc Lung Dis*, 28(4), 204-206. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38563335>

Feldman, C, Theron, AJ, Cholo, MC, & Anderson, R. (2024). Cigarette Smoking as a Risk Factor for Tuberculosis in Adults: Epidemiology and Aspects of Disease Pathogenesis. *Pathogens*, 13(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38392889>

Hamada, Y, Quartagno, M, Law, I, Malik, F, Bonsu, FA, Adetifa, IMO et al (2024). Tobacco smoking clusters in households affected by tuberculosis in an individual participant data meta-analysis of national tuberculosis prevalence surveys: Time for household-wide interventions? *PLOS Glob Public Health*, 4(2), e0002596. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38422092>

Hu, X, Liu, J, Shao, Y, Li, G, Song, H, Liu, Q et al. (2024). Smoking Exposure and the Risk of Latent Tuberculosis Infection: Results from NHANES 2011-2012. *Toxics*, 12(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38276728>

Jinyi, W, Zhang, Y, Wang, K, & Peng, P. (2024). Global, regional, and national mortality of tuberculosis attributable to alcohol and tobacco from 1990 to 2019: A modelling study based on the Global Burden of Disease study 2019. *J Glob Health*, 14, 04023. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38175959>

Wu, C, Liu, H, Lin, Y, An, R, Wang, M, Zhong, H et al. (2023). Polymorphisms in PI3K/AKT genes and gene-smoking interaction are associated with susceptibility to tuberculosis. *Ann Hum Biol*, 50(1), 472-479. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38117222>

Pourali, F, Khademloo, M, Abedi, S, Roozbeh, F, Barzegari, S, & Moosazadeh, M. (2023). Relationship between smoking and tuberculosis recurrence: A systematic review and meta-analysis. *Indian J Tuberc*, 70(4), 475-482. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37968054>

- Hamada, Y, Quartagno, M, Law, I, Malik, F, Bonsu, FA, Adetifa, IMO et al. (2023). Association of diabetes, smoking, and alcohol use with subclinical-to-symptomatic spectrum of tuberculosis in 16 countries: an individual participant data meta-analysis of national tuberculosis prevalence surveys. *EClinicalMedicine*, 63, 102191. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37680950>
- Vidyasagaran, AL, Readshaw, A, Boeckmann, M, Jarde, A, Siddiqui, F, Marshall, AM et al. (2023). Is tobacco use associated with risk of recurrence and mortality among people with tuberculosis? A systematic review and meta-analysis. *Chest*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37652295>
- Sharani, ZZ, Ismail, N, Yasin, SM, Isa, MR, Razali, A, Sherzkawee, MA, & Ismail, AI. (2023). T-BACCO SCORE: A predictive scoring tool for tuberculosis (TB) loss to follow-up among TB smokers. *PLoS One*, 18(6), e0287374. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37319310>
- Campbell, JR, Chan, ED, Anderson, LF, Bonnet, M, Brode, SK, Cegielski, JP et al (2023). Association of smoking and alcohol use with rifampin-resistant TB treatment outcomes. *Int J Tuberc Lung Dis*, 27(4), 338-340. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37035974>
- Chidumwa, G, Olivier, S, Ngubane, H, Zulu, T, Sewpaul, R, Kruse, G et al. (2023). Tobacco smoking and prevalence of communicable and non-communicable diseases in rural South Africa: A cross-sectional study. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37066285>
- Feng, Y, Xu, Y, Yang, Y, Yi, G, Su, H, Chen, H et al. (2023). Effects of smoking on the severity and transmission of pulmonary tuberculosis: A hospital-based case control study. *Front Public Health*, 11, 1017967. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36778540>
- Baluku, JB, Nabwana, M, Kansiime, G, & Nuwagira, E. (2022). Cigarette smoking is associated with an increase in blood monocytes in people with tuberculosis: A cross-sectional study. *Medicine (Baltimore)*, 101(37), e30737. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36123871>
- Tengku Khalid, TNF, Wan Mohammad, WMZ, Ab Samat, R, & Nik Husain, NR. (2022). Predictors of tuberculosis disease in smokers: a case-control study in northeastern Malaysia. *PeerJ*, 10, e13984. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36093335>
- Bay, JG, Patsche, CB, Svendsen, NM, Gomes, VF, Rudolf, F, & Wejse, C. (2022). Tobacco smoking impact on tuberculosis treatment outcome: an observational study from West Africa. *Int J Infect Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35914683>
- Song, WM, Li, SJ, Liu, JY, Fu, Q, Xu, TT, Tao, NN et al. (2022). Impact of alcohol drinking and tobacco smoking on the drug-resistance of newly diagnosed tuberculosis: a retrospective cohort study in Shandong, China, during 2004-2020. *BMJ Open*, 12(7), e059149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35800507>
- Gupta, H, Mahajan, S, Lal, M, Toor, AK, Deepti, SS, & Chawla, N. (2022). Prevalence of tobacco consumption and smoking and its effect on outcome among microbiologically confirmed new pulmonary tuberculosis patients on daily regimen of DOTS in Amritsar city. *J Family Med Prim Care*, 11(5), 2150-2154. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35800507>
- Quan, DH, Kwong, AJ, Hansbro, PM, & Britton, WJ. (2022). No smoke without fire: the impact of cigarette smoking on the immune control of tuberculosis. *Eur Respir Rev*, 31(164).

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35675921>

Altet, N, Latorre, I, Jimenez-Fuentes, MA, Soriano-Arandes, A, Villar-Hernandez, R, Mila, C et al. (2022). Tobacco Smoking and Second-Hand Smoke Exposure Impact on Tuberculosis in Children. *J Clin Med*, 11(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35407608>

Chopra, KK, Matta, S & Arora, VK. (2021). Impact of COVID-19 and tobacco on TB control. *Indian J Tuberc*, 68S, S4-S6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34538390>

de Vargas, KR Freitas, AA, Azeredo, ACV, & Silva, DR. (2021). Smoking prevalence and effects on treatment outcomes in patients with tuberculosis. *Rev Assoc Med Bras (1992)*, 67(3), 406-410. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34468606>

Mrigpuri, P, Gupta, A, Jha, R, Singla, P, & Singla, R. (2021). Tobacco use, tuberculosis and Covid-19: A lethal triad. *Indian J Tuberc*, 68S, S86-S88. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34538398>

Lin, H, Lin, Y, Xiao, L, Chen, Y Zeng, X, & Chang, C. (2021). How do smoking status and smoking cessation efforts affect TB recurrence after successful completion of anti-TB treatment? A multicentre, prospective cohort study with a 7-year follow-up in China. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34059890>

Siddiqi, K, & Novotny, TE. (2021). The syndemic challenge of tuberculosis and tobacco use. *Tob Induc Dis*, 19, 20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33767604>

Danov, O, Wolff, M, Bartel, S, Bohlen, S, Obernolte, H, Wronski, S et al (2020). Cigarette Smoke Affects Dendritic Cell Populations, Epithelial Barrier Function, and the Immune Response to Viral Infection With H1N1. *Front Med (Lausanne)*, 7, 571003. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33240904>

Adegbite, BR, Edoa, JR, Achimi Agbo, P, Dejon-Agobe, JC, Essone, PN, Lotola-Mougeni, F et al. (2020). Epidemiological, Mycobacteriological, and Clinical Characteristics of Smoking Pulmonary Tuberculosis Patients, in Lambarene, Gabon: A Cross-Sectional Study. *Am J Trop Med Hyg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32975178>

Burusie, A, Enquesilassie, F, Addissie, A, Dessalegn, B, & Lamaro, T. (2020). Effect of smoking on tuberculosis treatment outcomes: A systematic review and meta-analysis. *PLoS One*, 15(9), e0239333. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32941508>

Kumar, R, Kant, S, Chandra, A, & Krishnan, A. (2020). Tobacco use and nicotine dependence among newly diagnosed pulmonary tuberculosis patients in Ballabgarh tuberculosis unit, Haryana. *J Family Med Prim Care*, 9(6), 2860-2865. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32984139>

Le, Y, Cao, W, Zhou, L, Fan, X, Liu, Q, Liu, F et al. (2020). Infection of Mycobacterium tuberculosis Promotes Both M1/M2 Polarization and MMP Production in Cigarette Smoke-Exposed Macrophages. *Front Immunol*, 11, 1902. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32973788>

Marshall, AM, Barua, D, Mitchell, A, Keding, A, Huque, R, Khan, A et al. (2020). Smoking prevalence among tuberculosis patients: A crosssectional study in Bangladesh and Pakistan. *Tob Induc Dis*, 18, 70. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32934616>

Eisenhut, M. (2020). The influence of cigarette smoke on results of hematological and immunological investigations in patients exposed to Mycobacterium tuberculosis. *J Infect Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32726418>

Lampalo, M, Jukic, I, Bingulac-Popovic, J, Stanic, HS, Barisic, B, & Popovic-Grle, S. (2019). The Role of Cigarette Smoking and Alcohol Consumption in Pulmonary Tuberculosis Development and Recurrence. *Acta Clin Croat*, 58(4), 590-594. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32595242>

Agarwal, S, Sharma, A, Bouzeyen, R, Deep, A, Sharma, H, Mangalparthi, KK et al (2020). VapBC22 toxin-antitoxin system from Mycobacterium tuberculosis is required for pathogenesis and modulation of host immune response. *Sci Adv*, 6(23), eaba6944. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32537511>

Khan, AH, Sulaiman, SAS Hassali, MA Khan, KU, Ming, LC, Mateen, O, & Ullah, MO. (2020). Effect of smoking on treatment outcome among tuberculosis patients in Malaysia; a multicenter study. *BMC Public Health*, 20(1), 854. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32498682>

de Arellano, ITR, Lara, CS, Espindola, LMT, de Jesus Castillejos Lopez, M, Prado, AJ, Cruz, RV et al(2020). Exposure to biomass smoke, cigarettes, and alcohol modifies the association between tumour necrosis factor (-308G/A, -238G/A) polymorphisms and tuberculosis in Mexican carriers. *Arch Med Sci*, 16(3), 672-681. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32399117>

Gunasekera, K, Cohen, T, Gao, W, Ayles, H, Godfrey-Faussett, P, & Claassens, M. (2020). Smoking and HIV associated with subclinical tuberculosis: analysis of a population-based prevalence survey. *Int J Tuberc Lung Dis*, 24(3), 340-346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32228765>

Nguipdop-Djomo, P, Rodrigues, LC, Smith, PG, Abubakar, I, & Mangtani, P. (2020). Drug misuse, tobacco smoking, alcohol and other social determinants of tuberculosis in UK-born adults in England: a community-based case-control study. *Sci Rep*, 10(1), 5639. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32221405>

Tewatia, P, Kaushik, RM, Kaushik, R, & Kumar, S. (2020). Tobacco smoking as a risk factor for tuberculous pleural effusion: a case-control study. *Glob Health Epidemiol Genom*, 5, e1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32180987>

Goel, S, Siddiqi, K, Singh, RJ, Lal, P, Aghi, MB, Gupta, P et al. (2019). Fuelling the tuberculosis epidemic: The role of tobacco control in ending the TB emergency. *Indian J Tuberc*, 66(4), 555-560. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31813448>

Nizamani, P, Afridi, HI, Kazi, TG, Talpur, FN, & Baig, JA. (2019). Essential trace elemental levels (zinc, iron and copper) in the biological samples of smoker referent and pulmonary tuberculosis patients. *Toxicol Rep*, 6, 1230-1239. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31799123>

Kim, HY, Lee, SH, Chung, KS, Kim, SY, Kim, EY, Jung, JY et al. (2019). Relationship between smoking and spontaneously healed pulmonary TB on chest radiography in a South Korean population. *Int J Tuberc Lung Dis*, 23(11), 1142-1148. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31718749>

Thomas, BE, Thiruvengadam, K, Kadam, D, Ovung, S, Sivakumar, S et al. (2019). Correction: Smoking, alcohol use disorder and tuberculosis treatment outcomes: A dual co-morbidity burden that cannot

be ignored. *PLoS One*, 14(11), e0224914. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31675369>

Abedi, S., Moosazadeh, M., Tabrizi, R., Afshari, M., Nezammahalleh, A., & Akbari, M. (2019). The impact of diabetics and smoking on gender differences of smear positive pulmonary tuberculosis incidence. *Indian J Tuberc*, 66(3), 353-357. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31439179>

Thomas, BE, Thiruvengadam, K, S, R, Kadam, D, Ovung, S, Sivakumar, S et al. (2019). Smoking, alcohol use disorder and tuberculosis treatment outcomes: A dual co-morbidity burden that cannot be ignored. *PLoS One*, 14(7), e0220507. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31365583>

Louwagie, GM, Morojele, N, Siddiqi, K, Mdege, ND, Tumbo, J, Omole, O et al. (2019). Addressing tobacco smoking and drinking to improve TB treatment outcomes, in South Africa: a feasibility study of the ProLife program. *Transl Behav Med*. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31233146>

Aguilar, JP, Arriaga, MB, Rodas, MN, & Martins Netto, E. (2019). Smoking and pulmonary tuberculosis treatment failure: a case-control study. *J Bras Pneumol*, 45(2), e20180359. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31038651>

Rea, E, & Leung, T. (2018). A cluster of tuberculosis cases linked to smoking: An under-recognized challenge for tuberculosis elimination. *Can Commun Dis Rep*, 44(3-4), 86-90. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31007616>

Ma, Y, Che, NY, Liu, YH, Shu, W, Du, J, Xie, SH, & Li, L. The joint impact of smoking plus alcohol drinking on treatment of pulmonary tuberculosis. *Eur J Clin Microbiol Infect Dis*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30771122>

Reimann, M, Schaub, D, Kalsdorf, B, Runge, C, Carballo, PS, Terhalle, E et al. Cigarette smoking and culture conversion in patients with susceptible and M/XDR-TB. *Int J Tuberc Lung Dis*, 2019.23(1), 93-98. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30674380>

Whitehouse E, Lai J, Golub JE, and Farley JE. A systematic review of the effectiveness of smoking cessation interventions among patients with tuberculosis. *Public Health Action*, 2018; 8(2):37-49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29946519>

Wang MG, Huang WW, Wang Y, Zhang YX, Zhang MM, et al. Association between tobacco smoking and drug-resistant tuberculosis. *Infect Drug Resist*, 2018; 11:873-87. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29928135>

Wagnew F, Eshetie S, Alebel A, Dessie G, Tesema C, et al. Meta-analysis of the prevalence of tuberculosis in diabetic patients and its association with cigarette smoking in african and asian countries. *BMC Res Notes*, 2018; 11(1):298. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29764477>

Silva DR, Munoz-Torrico M, Duarte R, Galvao T, Bonini EH, et al. Risk factors for tuberculosis: Diabetes, smoking, alcohol use, and the use of other drugs. *J Bras Pneumol*, 2018; 44(2):145-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29791552>

Padrao E, Oliveira O, Felgueiras O, Gaio AR, and Duarte R. Tuberculosis and tobacco: Is there any epidemiological association? *Eur Respir J*, 2018; 51(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29371386>

Lopez-Hernandez Y, Rivas-Santiago CE, Lopez JA, Mendoza-Almanza G, and Hernandez-Pando R. Tuberculosis and cigarette smoke exposure: An update of in vitro and in vivo studies. *Exp Lung Res*, 2018;1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29565741>

Kant L and Arora VK. Epidemiological paradigm: Tuberculosis in hiv, diabetes, and smoking in north east india: An impact greater than sum of its parts. *Indian J Tuberc*, 2018; 65(1):1-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29332641>

Jeyashree K and Nayak P. Tb and tobacco integration: What is missing and what can we expect? *Int J Tuberc Lung Dis*, 2018; 22(7):711. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29914594>

Hyder MKA, Tripathy JP, Kaur J, Mandal PP, Sharma R, et al. Tuberculosis-tobacco integration in the south-east asia region: Policy analysis and implementation framework. *Int J Tuberc Lung Dis*, 2018; 22(7):807-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29914607>

Gupte HA, Zachariah R, Sagili KD, Thawal V, Chaudhuri L, et al. Integration of tobacco cessation and tuberculosis management by ngos in urban india: A mixed-methods study. *Public Health Action*, 2018; 8(2):50-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29946520>

Gleeson LE, Ryan D, O'Leary SM, McLaughlin AM, Sheedy FJ, et al. Cigarette smoking impairs the bioenergetic immune response to mycobacterium tuberculosis infection. *Am J Respir Cell Mol Biol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29944387>

Chiang CY and Bam TS. Should tobacco control intervention be implemented into tuberculosis control program? *Expert Rev Respir Med*, 2018:1-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29799762>

Cailleaux-Cezar M, Loredó C, Silva J, and Conde MB. Impact of smoking on sputum culture conversion and pulmonary tuberculosis treatment outcomes in brazil: A retrospective cohort study. *J Bras Pneumol*, 2018; 44(2):99-105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29791542>

Bam TS. Impact of tobacco cessation on tuberculosis control. *Public Health Action*, 2018; 8(2):31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29946516>

Amere GA, Nayak P, Salindri AD, Venkat Narayan KM, and Magee MJ. Contribution of smoking to tuberculosis incidence and mortality in high tuberculosis burden countries. *Am J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29635332>

Zhang H, Xin H, Li X, Li H, Li M, et al. A dose-response relationship of smoking with tuberculosis infection: A cross-sectional study among 21008 rural residents in china. *PLoS ONE*, 2017; 12(4):e0175183. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28384350>

Soh AZ, Chee CBE, Wang YT, Yuan JM, and Koh WP. Alcohol drinking and cigarette smoking in relation to risk of active tuberculosis: Prospective cohort study. *BMJ Open Respir Res*, 2017; 4(1):e000247. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29071086>

Opolot JO, Theron AJ, MacPhail P, Feldman C, and Anderson R. Effect of smoking on acute phase reactants, stress hormone responses and vitamin c in pulmonary tuberculosis. *Afr Health Sci*, 2017; 17(2):337-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29062328>

Memon ZM, Yilmaz E, Shah AM, Sahin U, Kazi TG, et al. Trace elements in blood samples of smoker and nonsmoker active pulmonary tuberculosis patients from jamshoro, pakistan. *Environ Sci Pollut Res Int*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28948455>

Magee MJ, Darchia L, Kipiani M, Chakhaia T, Kempker RR, et al. Smoking behavior and beliefs about the impact of smoking on anti-tuberculosis treatment among health care workers. *Int J Tuberc Lung Dis*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28664827>

Rathee D, Arora P, Meena M, Sarin R, Chakraborty P, et al. Comparative study of clinico-bacterio-radiological profile and treatment outcome of smokers and nonsmokers suffering from pulmonary tuberculosis. *Lung India*, 2016; 33(5):507-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27625444>

Meijer AH and Aerts JM. Linking smokers' susceptibility to tuberculosis with lysosomal storage disorders. *Dev Cell*, 2016; 37(2):112-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27093080>

Jimenez-Fuentes MA, Rodrigo T, Altet MN, Jimenez-Ruiz CA, Casals M, et al. Factors associated with smoking among tuberculosis patients in Spain. *BMC Infect Dis*, 2016; 16:486. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27629062>

Glickman MS and Schluger N. Adding insult to injury: Exacerbating TB risk with smoking. *Cell Host Microbe*, 2016; 19(4):432-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27078065>

Aryanpur M, Mortaz E, Masjedi MR, Tabarsi P, Garssen J, et al. Reduced phagocytic capacity of blood monocyte/macrophages in tuberculosis patients is further reduced by smoking. *Iran J Allergy Asthma Immunol*, 2016; 15(3):174-82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27424132>

Ahmad D, Khan MM, Aslam F, Abbas S, and Elahi QU. Association of smoking with recurrence of pulmonary Koch's; after completion of antituberculous treatment. *J Ayub Med Coll Abbottabad*, 2016; 28(4):781-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28586615>

Zellweger JP, Cattamanchi A, and Sotgiu G. Tobacco and tuberculosis: Could we improve tuberculosis outcomes by helping patients to stop smoking? *Eur Respir J*, 2015; 45(3):583-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25726531>

Smith GS, Van Den Eeden SK, Baxter R, Shan J, Van Rie A, et al. Cigarette smoking and pulmonary tuberculosis in northern California. *J Epidemiol Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25605864>

Mahishale V, Patil B, Lolly M, Eti A, and Khan S. Prevalence of smoking and its impact on treatment outcomes in newly diagnosed pulmonary tuberculosis patients: A hospital-based prospective study. *Chonnam Med J*, 2015; 51(2):86-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26306303>

Khan AH, Israr M, Khan A, Aftab RA, and Khan TM. Smoking on treatment outcomes among tuberculosis patients. *Am J Med Sci*, 2015; 349(6):505-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26030612>

Gegia M, Magee MJ, Kempker RR, Kalandadze I, Chakhaia T, et al. Tobacco smoking and tuberculosis treatment outcomes: A prospective cohort study in georgia. *Bull World Health Organ*, 2015; 93(6):390-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26240460>

Falzon D, Raviglione M, Bel EH, Gratziou C, Bettcher D, et al. The role of ehealth and mhealth in tuberculosis and tobacco control: A who/ers consultation. *Eur Respir J*, 2015; 46(2):307-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26232477>

Douglas Turner R and Henry Bothamley G. Smoking and the transmission of tuberculosis. *Pediatr Infect Dis J*, 2015; 34(10):1138. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26367805>

Chuang HC, Su CL, Liu HC, Feng PH, Lee KY, et al. Cigarette smoke is a risk factor for severity and treatment outcome in patients with culture-positive tuberculosis. *Ther Clin Risk Manag*, 2015; 11:1539-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26504395>

Choi S, Jung E, and Lee SM. Optimal intervention strategy for prevention tuberculosis using a smoking-tuberculosis model. *J Theor Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26025317>

Bishwakarma R, Kinney WH, Honda JR, Mya J, Strand MJ, et al. Epidemiologic link between tuberculosis and cigarette/biomass smoke exposure: Limitations despite the vast literature. *Respirology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25808744>

Aiwale AS, Patel UA, Barvaliya MJ, Jha PR, and Tripathi C. Isoniazid induced convulsions at therapeutic dose in an alcoholic and smoker patient. *Curr Drug Saf*, 2015; 10(1):94-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25859682>

Yen YF, Yen MY, Lin YS, Lin YP, Shih HC, et al. Smoking increases risk of recurrence after successful anti-tuberculosis treatment: A population-based study. *Int J Tuberc Lung Dis*, 2014; 18(4):492-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24670708>

Lindsay RP, Shin SS, Garfein RS, Rusch ML, and Novotny TE. The association between active and passive smoking and latent tuberculosis infection in adults and children in the united states: Results from nhanes. *PLoS ONE*, 2014; 9(3):e93137. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24664240>

Chan ED, Kinney WH, Honda JR, Bishwakarma R, Gangavelli A, et al. Tobacco exposure and susceptibility to tuberculosis: Is there a smoking gun? *Tuberculosis (Edinb)*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25305002>

van Zyl-Smit RN and Pai M. Smoking and tuberculous infection: Chasing associations with imperfect exposure and outcome measures. *Int J Tuberc Lung Dis*, 2013; 17(11):1375-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24125436>

Gyawali N, Gurung R, Poudyal N, Amatya R, Shrestha R, et al. Tobacco and alcohol: The relation to pulmonary tuberculosis in household contacts. *Nepal Med Coll J*, 2013; 15(2):125-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24696932>

Bates MN, Khalakdina A, Pai M, Chang L, Lessa F, et al. Risk of tuberculosis from exposure to tobacco smoke: A systematic review and meta-analysis. *Archives of Internal Medicine*, 2007; 167(4):335-42. Available from: <http://archinte.jamanetwork.com/article.aspx?articleid=411801>

### 3.9.6 Risks for and complications of HIV

**Chidumwa, G, Olivier, S, Ngubane, H, Zulu, T, Sithole, M, Gunda, R et al. (2024). Association between tobacco smoking and prevalence of HIV, tuberculosis, hypertension and diabetes in rural South Africa: a cross-sectional study. *BMC Public Health*, 24(1), 3306. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39605009>**

**Keane, AM, & Swartz, TH. (2024). The impacts of tobacco and nicotine on HIV-1 infection, inflammation, and the blood-brain barrier in the central nervous system. *Front Pharmacol*, 15, 1477845. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39529883>**

Socio, GV, Ricci, E, Piconi, S, Squillace, N, Maggi, P, Orofino, G et al. (2024). Impact of smoking habits on cardiovascular and neoplastic events and all-cause death in people living with HIV from the STOPSHIV cohort. *AIDS*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39434586>

Yadav, A, Gionet, G, Karaj, A, Kossenkov, AV, Kannan, T, Putt, ME et al. (2024). Association of smoking with neurocognition, inflammatory and myeloid cell activation profiles in people with HIV on ART. *AIDS*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39283742>

Yu, MR, Hu, W, Yan, S, Qu, MM, Jiao, YM, & Wang, FS. (2024). The Relationship between Smoking and Susceptibility to HIV Infection: A Two-Sample Mendelian Randomization Analysis. *Biomedicines*, 12(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39335573>

Crane, HM, Nance, RM, Ruderman, SA, Drumright, LN, Mixson, LS, Heckbert, SR et al. (2024). Smoking and Type 1 Versus Type 2 Myocardial Infarction Among People With HIV in the United States. *J Assoc Nurses AIDS Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39241219>

Boyer, L, Zebachi, S, Gallien, S, Margarit, L, Ribeiro Baptista, B, Lopez-Zaragoza, JL et al. (2023). Combined effects of smoking and HIV infection on the occurrence of aging-related manifestations. *Sci Rep*, 13(1), 21745. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38065995>

Ruderman, SA, Odden, MC, Webel, AR, Fitzpatrick, AL, Crane, PK, Nance, RM et al. (2023). Tobacco Smoking and Pack-years are Associated with Frailty Among People with HIV. *J Acquir Immune Defic Syndr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37368939>

Prevalence and Correlates of Cardiovascular, Pulmonary, Cancer, and Mental Health Comorbidities Among Adults With HIV Who Smoke. (2023). *J Assoc Nurses AIDS Care*, 34(4), e7-e8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37378566>

Chichetto, NE, Gebru, NM, Plankey, MW, Tindle, HA, Koethe, JR, Hanna, DB et al. (2023). Syndemic trajectories of heavy drinking, smoking, and depressive symptoms are associated with mortality in women living with HIV in the United States from 1994 to 2017. *Drug Alcohol Depend*, 249, 110838. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37352734>

Elf, JL, Horn, K, Abroms, L, Stanton, CA, Cohn, AM, Spielberg, F et al. (2023). Prevalence and Correlates of Cardiovascular, Pulmonary, Cancer, and Mental Health Comorbidities Among Adults With HIV Who Smoke. *J Assoc Nurses AIDS Care*, 34(4), 363-375. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37378565>

Chidumwa, G, Olivier, S, Ngubane, H, Zulu, T, Sewpaul, R, Kruse, G et al. (2023). Tobacco smoking and prevalence of communicable and non-communicable diseases in rural South Africa: A cross-sectional study. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37066285>

Zhao, R, Sekar, P, Bennis, SL, & Kulasingam, S. (2023). A systematic review of the association between smoking exposure and HPV-related cervical cell abnormality among women living with HIV: Implications for prevention strategies. *Prev Med*, 170, 107494. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37001607>

Drumright, LN, Nance, RM, Ruderman, SA, Ma, J, Whitney, BM, Hahn, A et al. (2023). Associations between alcohol and cigarette use and type 1 and 2 myocardial infarction among people with HIV. *HIV Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36855253>

Devos, S, Bonnet, F, Hessamfar, M, Neau, D, Vareil, MO, Leleux, O et al (2023). Tobacco, alcohol, cannabis, and illicit drug use and their association with CD4/CD8 cell count ratio in people with controlled HIV: a cross-sectional study (ANRS CO3 AQUIVIH-NA-QuAliv). *BMC Infect Dis*, 23(1), 16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36624391>

Xuan-Tran, B, Latkin, CA, Thanh-Phan, H, Thi-Nguyen, HL, Linh-Hoang, C, Ho, CSH., & Ho, RCM. (2022). Smoking among people living with HIV/AIDS: a bibliometric analysis (GAP(RESEARCH)). *AIDS Rev*, 25(3), 105-114. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36343589>

Crane, HM, Ruderman, SA, Whitney, BM, Nance, RM, Drumright, LN, Webel, AR et al. (2022). Associations between drug and alcohol use, smoking, and frailty among people with HIV across the United States in the current era of antiretroviral treatment. *Drug Alcohol Depend*, 240, 109649. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36215811>

Arens, Y, Bilker, WB, Han, X, Plankey, M, Ware, D, Friedman, MR et al. (2022). HIV Infection Does Not Explain Higher Nicotine Metabolism in People Living with HIV. *J Acquir Immune Defic Syndr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36083509>

Bhalerao, A, & Cucullo, L. (2022). HIV-1 gp120 and tobacco smoke synergistically disrupt the integrity of the blood-brain barrier. *Eur J Cell Biol*, 101(4), 151271. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36030572>

Cyktor, J, Qin, S, Staines, B, Nouraie, M, Fitzpatrick, M, Kessinger, C et al. (2022). Associations of HIV persistence, cigarette smoking, inflammation, and pulmonary dysfunction in people with HIV on antiretroviral therapy. *Medicine (Baltimore)*, 101(27), e29264. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35801755>

Luu, B, Ruderman, S, Nance, R, Delaney, JAC, Ma, J, Hahn, A et al. (2022). Tobacco smoking and binge alcohol use are associated with incident venous thromboembolism in an HIV cohort. *HIV Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35343038>

- Bien-Gund, CH, Bilker, W, Schnoll, RA, Tyndale, RF, Ho, JI, Bremner, R et al. (2021). Nicotine metabolism ratio increases in HIV-positive smokers on effective antiretroviral therapy: a cohort study. *J Acquir Immune Defic Syndr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34879005>
- Liang, HJ, Ernst, T, Cunningham, E, & Chang, L. (2021). Contributions of chronic tobacco smoking to HIV-associated brain atrophy and cognitive deficits. *AIDS*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34860196>
- Jones, TPW, Lampe, FC, Arenas-Pinto, A, Smith, C, McDonnell, J, Haddow, L et al. (2021). Alcohol, smoking, recreational drug use and association with virological outcomes among people living with HIV: cross-sectional and longitudinal analyses. *HIV Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34634176>
- Tighe, RM, & Patel, SM. (2021). HIV, Smoking, and COPD: A Case of T Cells Stuck in the Wrong Place? *Am J Respir Cell Mol Biol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34370962>
- McClean, AR, Kooij, KW, Trigg, J, Ye, M, Sereda, P., McLinden, T et al (2021). Tobacco smoking and HIV-related immunologic and virologic response among individuals of the Canadian HIV Observational Cohort (CANOC). *AIDS Care*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34074181>
- Real, LHG, Moreira, FP, Gonzalez, MC, & Jansen, K. (2021). Tobacco smoking and body composition in persons living with HIV/AIDS. *Cien Saude Colet*, 26(5), 1923-1930. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34076132>
- Zanella, I, Biasiotto, G, Castelli, F, Calza, S, Carriero, C, Degli Antoni, M et al (2021). Descriptive modification of inflammatory markers in HIV patients after cART initiation according to gender, smoking habit, CMV infection, BMI and serum lipids. *Cytokine*, 143, 155547. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33931289>
- Bhalerao, A, & Cucullo, L. (2020). Impact of Tobacco Smoke in HIV Progression: a Major Risk Factor for the Development of NeuroAIDS and Associated of CNS Disorders. *Z Gesundh Wiss*, 28(3), 259-270. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33738180>
- Ale, BM, Amahowe, F, Nganda, MM, Danwang, C, Wakaba, NN, Almuwallad, A et al (2021). Global burden of active smoking among people living with HIV on antiretroviral therapy: a systematic review and meta-analysis. *Infect Dis Poverty*, 10(1), 12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33579391>
- Chow, NK, Harun, SN, Wong, EJ, Low, LL, Sheikh Ghadzi, SM, & Khan, AH. (2021). The Association between Cigarette Smoking and Efavirenz Plasma Concentration using the Population Pharmacokinetic Approach. *Br J Clin Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33608883>
- LaRowe, LR, Cleveland, JD, Long, DM, Nahvi, S, Cachay, ER, Christopoulos, KA et al (2021). Prevalence and impact of comorbid chronic pain and cigarette smoking among people living with HIV. *AIDS Care*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33594924>

Stanton, AM, Lee, JS, Wirtz, MR, Andersen, LS, Joska, J, Safren, SA et al (2021). Tobacco Use and Health-Related Quality of Life Among Individuals with Depression Who Are Receiving Treatment for HIV in Cape Town, South Africa. *Int J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33511574>

Chiang, CY, & Bam, TS. (2020). The impact of smoking on TB treatment outcomes includes recurrent TB. *Int J Tuberc Lung Dis*, 24(11), 1224-1225. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33172536>

Serpoosh, H, Hamidi, Y, Eini, P, & Mohammadi, Y. (2020). Association of smoking and drug abuse with treatment failure in individuals with tuberculosis: a case-control study. *Adv Respir Med*, 88(5), 383-388. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33169808>

Chang, L, Liang, H, Kandel, SR, & He, JJ. (2020). Independent and Combined Effects of Nicotine or Chronic Tobacco Smoking and HIV on the Brain: A Review of Preclinical and Clinical Studies. *J Neuroimmune Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33108618>

Hessol, NA, Barrett, BW, Margolick, JB, Plankey, M, Hussain, SK, Seaberg, EC, & Massad, LS. (2020). Risk of smoking-related cancers among women and men living with and without hiv. *AIDS*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33048871>

Leonard, LE, Wilson, L, Germain, A, Pelude, L, & Vannice, S. (2020). The Urgent Need to Respond to HIV- and HCV-Related Risk Practices among Youth in Ottawa Who Smoke Crack. *Subst Use Misuse*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33086934>

Poudel, KC, Poudel-Tandukar, K, Bertone-Johnson, ER, Pekow, P, & Vidrine, DJ. (2020). Inflammation in Relation to Intensity and Duration of Cigarette Smoking Among People Living with HIV. *AIDS Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32986190>

Diaz, P, Ferketich, A, Wewers, ME, Browning, K, Gavrilin, MA, Sarkar, A et al. (2020). INCREASED COTININE CONCENTRATIONS ARE ASSOCIATED WITH REDUCED EXPRESSION OF CATHELICIDIN (LL-37) AND NOD-2 in ALVEOLAR MACROPHAGES OF PLWH WHO SMOKE. *J Acquir Immune Defic Syndr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32852363>

Kohli, P., Kelly, V. J., Hibbert, K., Corleis, B., Kone, M., Cho, J., . . . Winkler, T. (2020). PET Imaging Reveals Early Pulmonary Perfusion Abnormalities in HIV Infection Similar to Smoking. *J Nucl Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32764123>

Haque, S, Kodidela, S, Sinha, N, Kumar, P, Cory, TJ, & Kumar, S. (2020). Differential packaging of inflammatory cytokines/ chemokines and oxidative stress modulators in U937 and U1 macrophages-derived extracellular vesicles upon exposure to tobacco constituents. *PLoS One*, 15(5), e0233054. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32433651>

Alli, BY, Burk, RD, Fatahzadeh, M, Grossberg, RM, Smith, RV, Ow, TJ et al. (2020). HIV modifies the effect of tobacco smoking on oral human papillomavirus infection. *J Infect Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32211783>

Floridia, M, Ravizza, M, Masuelli, G, Tassis, B, Savasi, VM, Liuzzi, G et al. (2020). Prevalence, Correlates and Outcomes of Smoking in Pregnant Women with HIV: A National Observational Study in Italy. *Subst Use Misuse*, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32100603>

Ghura, S, Gross, R, Jordan-Sciutto, K, Dubroff, J, Schnoll, R, Collman, RG, & Ashare, RL. (2019). Bidirectional Associations among Nicotine and Tobacco Smoke, NeuroHIV, and Antiretroviral Therapy. *J Neuroimmune Pharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31834620>

Kim, SS, Lee, SA, Mejia, J, Cooley, ME, & Demarco, RF. (2019). Pilot Randomized Controlled Trial of a Digital Storytelling Intervention for Smoking Cessation in Women Living With HIV. *Ann Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31863582>

Lorenz, DR, Misra, V, & Gabuzda, D. (2019). Transcriptomic analysis of monocytes from HIV-positive men on antiretroviral therapy reveals effects of tobacco smoking on interferon and stress response systems associated with depressive symptoms. *Hum Genomics*, 13(1), 59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31779701>

Chichetto, NE, Kundu, S, Freiberg, MS, Butt, AA, Crystal, S, So-Armah, KA et al(2019). Association of Syndemic Unhealthy Alcohol Use, Cigarette Use, and Depression With All-Cause Mortality Among Adults Living With and Without HIV Infection: Veterans Aging Cohort Study. *Open Forum Infect Dis*, 6(6), ofz188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31211153>

Gamarel, KE, Finer, Z, Resnicow, K, Green-Jones, M, Kelley, E, Jadwin-Cakmak, L, & Outlaw, A (2019). Associations Between Internalized HIV Stigma and Tobacco Smoking Among Adolescents and Young Adults Living with HIV: The Moderating Role of Future Orientations. *AIDS Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31230176>

Chen, WT, Shiu, C, Yang, JP, Tun, MMM, Zhang, L, Wang, K et al (2019). Tobacco use and HIV symptom severity in Chinese people living with HIV. *AIDS Care*, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31116021>

Kodidela, S, Wang, Y, Patters, BJ, Gong, Y, Sinha, N, Ranjit, S et al (2019). Proteomic Profiling of Exosomes Derived from Plasma of HIV-Infected Alcohol Drinkers and Cigarette Smokers. *J Neuroimmune Pharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065972>

Max, WB, Stark, BB, Sung, HY, & Offen, NB. (2019). Deaths from smoking and from HIV/AIDS among gay and bisexual men in California, 2005-2050. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31147476>

Ashare, RL, Thompson, M, Leone, F, Metzger, D, Gross, R, Mounzer, K et al. Differences in the rate of nicotine metabolism among smokers with and without HIV. *AIDS*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30649060>

Logue, EC, Neff, CP, Mack, DG, Martin, AK, Fiorillo, S, Lavelle, J et al. Upregulation of Chitinase 1 in Alveolar Macrophages of HIV-Infected Smokers. *J Immunol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30649060>

Steel, HC, Venter, WDF, Theron, AJ, Anderson, R, Feldman, C, Kwofie, L et al. Effects of Tobacco Usage and Antiretroviral Therapy on Biomarkers of Systemic Immune Activation in HIV-Infected Participants. *Mediators Inflamm*, 2018, 8357109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30622435>

Zhang, X, Hu, Y, Aouizerat, BE, Peng, G, Marconi, VC, Corley, MJ et al. Machine learning selected smoking-associated DNA methylation signatures that predict HIV prognosis and mortality. *Clin Epigenetics*, 2018. 10(1), 155. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30545403>

Chand, HS, Vazquez-Guillamet, R, Royer, C, Rudolph, K, Mishra, N, Singh, SP et al. Cigarette smoke and HIV synergistically affect lung pathology in cynomolgus macaques. *J Clin Invest*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30277472>

Liang, H, Chang, L, Chen, R, Oishi, K, & Ernst, T. Independent and Combined Effects of Chronic HIV-Infection and Tobacco Smoking on Brain Microstructure. *J Neuroimmune Pharmacol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30225549>

Rogers, AH, LaRowe, LR, Ditre, JW, & Zvolensky, MJ. Opioid misuse and perceived smoking-pain relationships among HIV+ individuals with pain: Exploring negative affect responses to pain. *Addict Behav*, 2018. 88, 157-162. . Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30199776>

Murphy, JD, Liu, B, Parascandola, M. Smoking and HIV in Sub-Saharan Africa: A 25 Country Analysis of the Demographic Health Surveys. *Nicotine Tob Res*. 2018 Aug 27. pii: 5082725. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30165688>

Weinberger AH, Seng EK, Ditre JW, Willoughby M, and Shuter J. Perceived interrelations of pain and cigarette smoking in a sample of adult smokers living with hiv/aids. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29394402>

Tsima B, Ratcliffe SJ, Schnoll R, Frank I, Kolson DL, et al. Is tobacco use associated with neurocognitive dysfunction in individuals with hiv? *J Int Assoc Provid AIDS Care*, 2018; 17:2325958218768018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29667531>

Ranjit S and Kumar S. Recent advances in cancer outcomes in hiv-positive smokers. *F1000Res*, 2018; 7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29946425>

MacDonald DM, Melzer AC, Collins G, Avihingsanon A, Crothers K, et al. Smoking and accelerated lung function decline in hiv-positive individuals: A secondary analysis of the start pulmonary substudy. *J Acquir Immune Defic Syndr*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29985804>

LaRowe LR, Chilcott LN, Zvolensky MJ, Venable PA, Flood K, et al. Associations between pain-related anxiety, gender, and prescription opioid misuse among tobacco smokers living with hiv/aids. *Subst Use Misuse*, 2018:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29708450>

Jacquet JM, Peyriere H, Makinson A, Peries M, Nagot N, et al. Psychoactive substances, alcohol and tobacco consumption in hiv-infected outpatients. *AIDS*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29683847>

Chinnapaiyan S, Dutta R, Bala J, Parira T, Agudelo M, et al. Cigarette smoke promotes hiv infection of primary bronchial epithelium and additively suppresses cftr function. *Sci Rep*, 2018; 8(1):7984. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29789655>

Ahlstrom MG, Knudsen A, Ullum H, Gerstoft J, Kjaer A, et al. Association between smoking status assessed with plasma-cotinine and inflammatory and endothelial biomarkers in hiv-positive and hiv-

negative individuals. HIV Med, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29984882>

Winhusen T, Feaster DJ, Duan R, Brown JL, Daar ES, et al. Baseline cigarette smoking status as a predictor of virologic suppression and cd4 cell count during one-year follow-up in substance users with uncontrolled hiv infection. AIDS Behav, 2017. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29030717>

Pollack TM, Duong HT, Pham TT, Do CD, and Colby D. Cigarette smoking is associated with high hiv viral load among adults presenting for antiretroviral therapy in vietnam. PLoS ONE, 2017; 12(3):e0173534. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28267790>

Longenecker CT, Sullivan CE, Morrison J, Hileman CO, Zidar DA, et al. The effects of hiv and smoking on aortic and splenic inflammation. AIDS, 2017. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29112065>

Hileman CO and McComsey GA. The effect of rosuvastatin on vascular disease differs by smoking status in treated hiv-infection. AIDS Res Hum Retroviruses, 2017. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/28974102>

Harrison JD, Dochney JA, Blazekovic S, Leone F, Metzger D, et al. The nature and consequences of cognitive deficits among tobacco smokers with hiv: A comparison to tobacco smokers without hiv. J Neurovirol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28429289>

Chang L, Lim A, Lau E, and Alicata D. Chronic tobacco-smoking on psychopathological symptoms, impulsivity and cognitive deficits in hiv-infected individuals. J Neuroimmune Pharmacol, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28303534>

Brown JL, Winhusen T, DiClemente RJ, Sales JM, Rose ES, et al. The association between cigarette smoking, virologic suppression, and cd4+ lymphocyte count in hiv-infected russian women. AIDS Care, 2017;1-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28497980>

Bommart S, Cournil A, Eymard-Duvernay S, Raffi F, Bouassida I, et al. Smoking-associated morbidities on computed tomography lung cancer screens in hiv-infected smokers. HIV Med, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28503852>

Bekele T, Rueda S, Gardner S, Raboud J, Smieja M, et al. Trends and correlates of cigarette smoking and its impacts on health-related quality of life among people living with hiv: Findings from the ontario hiv treatment network cohort study, 2008-2014. AIDS Patient Care STDS, 2017; 31(2):49-59. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28170303>

Altekruse SF, Shiels MS, Modur SP, Land SR, Crothers KA, et al. Cancer burden attributable to cigarette smoking among hiv-infected people in north america. AIDS, 2017. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29239891>

Sigel K, Wisnivesky J, Crothers K, Gordon K, Brown ST, et al. Immunological and infectious risk factors for lung cancer in us veterans with hiv: A longitudinal cohort study. Lancet HIV, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27916584>

Santos AS, Silveira EA, and Falco MO. Gastrointestinal symptoms in hiv-infected patients: Female sex and smoking as risk factors in an outpatient cohort in brazil. PLoS ONE, 2016; 11(10):e0164774. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27749931>

Rao P, Ande A, Sinha N, Kumar A, and Kumar S. Effects of cigarette smoke condensate on oxidative stress, apoptotic cell death, and hiv replication in human monocytic cells. PLoS ONE, 2016; 11(5):e0155791. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27203850>

Petoumenos K and Law MG. Smoking, alcohol and illicit drug use effects on survival in hiv-positive persons. Curr Opin HIV AIDS, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27327615>

Lall P, Saifi R, and Kamarulzaman A. Tobacco consumption among hiv-positive respondents: Findings from the third round of the national family health survey. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27091832>

Kooij KW, Wit FW, Booiman T, van der Valk M, Schim van der Loeff MF, et al. Cigarette smoking and inflammation, monocyte activation and coagulation in hiv-infected individuals on antiretroviral therapy compared to uninfected individuals. J Infect Dis, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27683822>

Kelly SG, Plankey M, Post WS, Li X, Stall R, et al. Associations between tobacco, alcohol, and drug use with coronary artery plaque among hiv-infected and uninfected men in the multicenter aids cohort study. PLoS ONE, 2016; 11(1):e0147822. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26811937>

Kariuki W, Manuel JI, Kariuki N, Tuchman E, O'Neal J, et al. Hiv and smoking: Associated risks and prevention strategies. HIV AIDS (Auckl), 2016; 8:17-36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26766919>

Hotton AL, Weber KM, Hershov RC, Anastos K, Bacchetti P, et al. Prevalence and predictors of hospitalizations among hiv-infected and at-risk hiv-uninfected women. J Acquir Immune Defic Syndr, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28002184>

Do TC, Boettiger D, Law M, Pujari S, Zhang F, et al. Smoking and projected cardiovascular risk in an hiv-positive asian regional cohort. HIV Med, 2016; 17(7):542-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27430354>

Costiniuk CT, Brunet L, Rollet-Kurhajec KC, Cooper CL, Walmsley SL, et al. Tobacco smoking is not associated with accelerated liver disease in human immunodeficiency virus-hepatitis c coinfection: A longitudinal cohort analysis. Open Forum Infect Dis, 2016; 3(2):ofw050. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27047987>

Cioe PA, Gamarel KE, Pantalone DW, Monti PM, Mayer KH, et al. Cigarette smoking and antiretroviral therapy (art) adherence in a sample of heavy drinking hiv-infected men who have sex with men (msm). AIDS Behav, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27439456>

Barjaktarevic IZ, Crystal RG, and Kaner RJ. The role of interleukin-23 in the early development of emphysema in hiv1(+) smokers. J Immunol Res, 2016; 2016:3463104. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27446965>

Babineau K, O'Dea S, Courtney G, and Clancy L. Smoking behaviour among people living with hiv and aids: A sub-group comparison. *Ir Med J*, 2016; 109(4):384. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27685478>

Akhtar-Khaleel WZ, Cook RL, Shoptaw S, Miller EN, Sacktor N, et al. Association of midlife smoking status with change in processing speed and mental flexibility among hiv-seropositive and hiv-seronegative older men: The multicenter aids cohort study. *J Neurovirol*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27889886>

Zyambo CM, Willig JH, Cropsey KL, Carson AP, Wilson C, et al. Factors associated with smoking status among hiv-positive patients in routine clinical care. *J AIDS Clin Res*, 2015; 6(7). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26767146>

Wieland U, Hellmich M, Wetendorf J, Potthoff A, Hofler D, et al. Smoking and anal high-risk human papillomavirus DNA loads in hiv-positive men who have sex with men. *Int J Med Microbiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26319939>

Taylor GH, Williams AA, and Garzino-Demo A. Highly active antiretroviral therapy reduces pulmonary il-8 in hiv positive women smokers. *Pathog Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26656889>

Nguyen NP, Tran BX, Hwang LY, Markham CM, Swartz MD, et al. Prevalence of cigarette smoking and associated factors in a large sample of hiv-positive patients receiving antiretroviral therapy in vietnam. *PLoS ONE*, 2015; 10(2):e0118185. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25723596>

Monnig MA, Kahler CW, Lee H, Pantalone DW, Mayer KH, et al. Effects of smoking and alcohol use on neurocognitive functioning in heavy drinking, hiv-positive men who have sex with men. *AIDS Care*, 2015:1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26444260>

Dogan MV, Xiang J, Beach SR, Cutrona C, Gibbons FX, et al. Ethnicity and smoking-associated DNA methylation changes at hiv co-receptor gpr15. *Front Psychiatry*, 2015; 6:132. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26441693>

Cropsey KL, Willig JH, Mugavero MJ, Crane HM, McCullumsmith C, et al. Cigarette smokers are less likely to have undetectable viral loads: Results from four hiv clinics. *J Addict Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26656939>

Ande A, McArthur C, Ayuk L, Awasom C, Achu PN, et al. Effect of mild-to-moderate smoking on viral load, cytokines, oxidative stress, and cytochrome p450 enzymes in hiv-infected individuals. *PLoS ONE*, 2015; 10(4):e0122402. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879453>

Ahlstrom MG, Feldt-Rasmussen B, Legarth R, Kronborg G, Pedersen C, et al. Smoking and renal function in people living with human immunodeficiency virus: A danish nationwide cohort study. *Clin Epidemiol*, 2015; 7:391-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26357490>

Vidrine DJ, Fletcher FE, Buchberg MK, Li Y, Arduino RC, et al. The influence of hiv disease events/stages on smoking attitudes and behaviors: Project state (study of tobacco attitudes and teachable events). *BMC Public Health*, 2014; 14:149. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24517853>

Valiathan R, Miguez MJ, Patel B, Arheart KL, and Asthana D. Tobacco smoking increases immune activation and impairs t-cell function in hiv infected patients on antiretrovirals: A cross-sectional pilot study. PLoS ONE, 2014; 9(5):e97698. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24842313>

Rubinstein ML, Harris DR, Rudy BJ, Kapogiannis BG, Aldrovandi GM, et al. Exploration of the effect of tobacco smoking on metabolic measures in young people living with hiv. AIDS Res Treat, 2014; 2014:740545. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25114801>

Kruse GR, Bangsberg DR, Hahn JA, Haberer JE, Hunt PW, et al. Tobacco use among adults initiating treatment for hiv infection in rural uganda. AIDS Behav, 2014; 18(7):1381-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24638166>

Helleberg M, May MT, Ingle SM, Dabis F, Reiss P, et al. Smoking and life expectancy among hiv-infected individuals on antiretroviral therapy in europe and north america: The art cohort collaboration. AIDS, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25426809>

Helleberg M, Gerstoft J, Afzal S, Kronborg G, Larsen CS, et al. Risk of cancer among hiv-infected individuals compared to the background population: Impact of smoking and hiv. AIDS, 2014; 28(10):1499-508. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24785952>

Gamarel KE, Neilands TB, Dilworth SE, Taylor JM, and Johnson MO. Smoking, internalized heterosexism, and hiv disease management among male couples. AIDS Care, 2014:1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25506724>

Earla R, Ande A, McArthur C, Kumar A, and Kumar S. Enhanced nicotine metabolism in hiv-1-positive smokers compared with hiv-negative smokers: Simultaneous determination of nicotine and its four metabolites in their plasma using a simple and sensitive electrospray ionization liquid chromatography-tandem mass spectrometry technique. Drug Metab Dispos, 2014; 42(2):282-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24301609>

Shiboski CH and Shiboski SC. Smoking is an independent risk factor for the development of oral candidiasis (oc) in hiv-1 infected persons. J Evid Based Dent Pract, 2013; 13(4):180-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24237746>

### 3.9.7 Other viral infections

Kwok, TY, Hui, RW, Mao, X, Ling, GS, Wong, DK, Huang, FY et al. (2024). Cigarette Smoking Is Associated With Lower Chance of Hepatitis B Surface Antigen Seroclearance and Altered Host Immunity. *J Viral Hepat*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39248338>

Fonzo, M, Palmisano, A, Trevisan, A, & Bertoncetto, C. (2024). The Impact of Smoking on Long-Term Protection Following Hepatitis B Vaccination: A 24-Year Cohort Study. *Viruses*, 16(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39066298>

Mays, JB, Mariem, MN, & Alabadi, HI. (2024). Seroprevalence of herpes simplex virus type 1 (Herpesviridae: Simplexvirus: Human alphaherpesvirus 1) in smokers. *Vopr Virusol*, 69(2), 187-192. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38843024>

- Tseng, YA, Ou, YL, Geng, JH, Wang, CW, Wu, DW, Chen, SC, & Lu, PL. (2023). The association between alcohol, betel nut, and cigarette use with hepatitis C virus infection in Taiwan. *Sci Rep*, 13(1), 23082. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38155257>
- Dickerson, F, Katsafanas, E, Origoni, A, Newman, T, Rowe, K, Ziemann, RS et al. (2023). Cigarette smoking is associated with Herpesviruses in persons with and without serious mental illness. *PLoS One*, 18(1), e0280443. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36652488>
- Keller, K, Ramos-Cartagena, JM, Guiot, HM, Munoz, C, Rodriguez, Y, Colon-Lopez, V et al. (2021). Association of smoking with anal high-risk HPV infection and histologically confirmed anal high-grade squamous intraepithelial lesions among a clinic-based population in Puerto Rico. *Cancer Treat Res Commun*, 30, 100503. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34999478>
- Dai, YX, Yeh, FY, Shen, YJ, Tai, YH, Huang, N, Chang, YT et al (2021). Cigarette smoking and risk of herpes zoster: A population-based cohort study in Taiwan. *Clin Exp Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33763912>
- Yorulmaz, A, Tamer, E, & Kulcu Cakmak, S. (2020). Smoking: Is it a Risk Factor for Common Warts? *Curr Health Sci J*, 46(1), 5-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32637159>
- Brahmania, M, Liu, S, Wahed, AS, Yim, C, Hansen, BE, Khalili, M et al. (2020). Alcohol, tobacco and coffee consumption and liver disease severity among individuals with Chronic Hepatitis B infection in North America. *Ann Hepatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32139262>
- Cai, H. (2020). Sex difference and smoking predisposition in patients with COVID-19. *Lancet Respir Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32171067>
- Lippi, G, & Henry, B. (2020). Active smoking is not associated with severity of coronavirus disease 2019 (COVID-19). *Eur J Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32192856>
- Vardavas, CI, & Nikitara, K. (2020). COVID-19 and smoking: A systematic review of the evidence. *Tob Induc Dis*, 18, 20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32206052>
- Kum-Nji, P, Meloy, L, & Keyser-Marcus, L. (2019). Tobacco smoke exposure as a risk factor for human papillomavirus infections in women 18-26 years old in the United States. *PLoS One*, 14(10), e0223532. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31665134>
- Wang, YH, Chuang, YH, Wu, CF, Jan, MC, Wu, WJ, Lin, CL et al. Smoking and Hepatitis B Virus-Related Hepatocellular Carcinoma Risk: The Mediating Roles of Viral Load and Alanine Aminotransferase. *Hepatology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30382583>
- Schwarz, D, Wolber, P, Balk, M, & Luers, JC. Analysis of smoking behaviour in patients with peritonsillar abscess: a prospective, matched case-control study. *J Laryngol Otol*, 2018. 1-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30208977>
- Doolittle, LM, Davis, IC. Influenza in Smokers - More than Just a Cause of Symptom Exacerbations? *Am J Respir Cell Mol Biol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30141962>

Schabath MB, Villa LL, Lin HY, Fulp WJ, Lazcano-Ponce E, et al. A prospective analysis of smoking and human papillomavirus infection among men in the hpv in men study. *Journal international du cancer*, 2014; 134(10):2448-57. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24222514>

Guillaud M, Buys TP, Carraro A, Korbelik J, Follen M, et al. Evaluation of hpv infection and smoking status impacts on cell proliferation in epithelial layers of cervical neoplasia. *PLoS ONE*, 2014; 9(9):e107088. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25210770>

Hansen B, Hagerup-Jenssen M, Kjaer S, Munk C, Tryggvadottir L, et al. Association between smoking and genital warts: Longitudinal analysis. *Sexually Transmitted Infections*, 2010; 86(4):258–62. Available from: <http://sti.bmj.com/content/86/4/258.long>

### 3.9.8 Infections of reproductive organs

**Zhang, J, Zhang, S, Wang, H, Sun, M, Zhu, Y, & Zhou, L. (2024). Impact of Tobacco Use on Herpes Simplex Virus Infections: Findings From a National Survey. *J Med Virol*, 96(11), e70042. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39530219>**

Ma, K, Li, S, Wu, S, Zhu, J, & Yang, Y. (2023). Impact of smoking exposure on human papillomavirus clearance among Chinese women: A follow-up propensity score matching study. *Tob Induc Dis*, 21, 42. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36949733>

Umutoni, V, Schabath, MB, Nyitray, AG, Wilkin, TJ, Villa, L L, Lazcano-Ponce, E et al. (2022). The Association Between Smoking and Anal Human Papillomavirus in the HPV Infection in Men Study. *Cancer Epidemiol Biomarkers Prev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35653709>

Hebnes, JB, Munk, C, Frederiksen, K, Joergensen, HO, Iftner, T, & Kjaer, SK. (2021). The role of circumcision, tobacco, and alcohol use in genital human papillomavirus infection among men from Denmark. *Int J STD AIDS*, 9564624211014727. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33978528>

### 3.9.9 Periodontitis

Blanco-Pintos, T, Regueira-Iglesias, A, Kuz, I, Sanchez-Barco, A, Seijas-Otero, N, Chantada-Vazquez, MDP et al (2024). Impact of smoking habit on the subgingival proteome in patients with periodontitis. *J Periodontol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39282712>

Gaind, S, Suresh, DK, & Tuli, A. (2024). Evaluation of Glycosylated Hemoglobin Levels and Effect of Tobacco Smoking in Periodontally Diseased Non-Diabetic Patients. *Int J MCH AIDS*, 13, e007. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38742163>

Devi, OM, Sood, S, Gupta, J, & Jain, A. (2024). Prevalence and Severity of Periodontal Disease and its Association with Type-II Diabetes Mellitus and Smoking by Using Periodontal Screening and

Recording: A Retrospective Study. *Indian J Community Med*, 49(1), 56-63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38425972>

Huang, Q, Wu, X, Zhou, X, Sun, Z, Shen, J, Kong, M et al. (2023). Association of cigarette smoking with oral bacterial microbiota and cardiometabolic health in Chinese adults. *BMC Microbiol*, 23(1), 346. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37978427>

Choe, SI, & Finley, C. (2022). Confronting the Negative Impact of Cigarette Smoking on Cancer Surgery. *Curr Oncol*, 29(8), 5869-5874. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36005201>

Gajendran, PL, Parthasarathy, H, & Tadepalli, A. Comparative evaluation of cathepsin K levels in gingival crevicular fluid among smoking and nonsmoking patients with chronic periodontitis. *Indian J Dent Res*, 2018. 29(5), 588-593. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30409937>

Guru S, Sam SE, Rajan S, and Padmanabhan S. Comparative evaluation of salivary hepatocyte growth factor in smokers and non-smokers with chronic periodontitis. *J Investig Clin Dent*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29193859>

Grover V, Malhotra R, Kapoor A, Bither R, and Sachdeva S. Correlation of alkaline phosphatase activity to clinical parameters of inflammation in smokers suffering from chronic periodontitis. *J Indian Soc Periodontol*, 2016; 20(3):254-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27563197>

Liu KH and Hwang SJ. Effect of smoking cessation for 1 year on periodontal biomarkers in gingival crevicular fluid. *J Periodontal Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26364593>

Akinkugbe AA, Saraiya VM, Preisser JS, Offenbacher S, and Beck JD. Bias in estimating the cross-sectional smoking, alcohol, obesity and diabetes associations with moderate-severe periodontitis in the atherosclerosis risk in communities study: Comparison of full versus partial-mouth estimates. *J Clin Periodontol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26076661>

### 3.9.10 Surgical infections

### 3.9.11 Other bacterial infections

Chung, C, Lee, KN, Han, K, Shin, DW, & Lee, SW. (2024). The effect of smoking on nontuberculous mycobacterial pulmonary disease and tuberculosis: a nationwide retrospective cohort study. *Sci Rep*, 14(1), 22653. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39349592>

Stattin, K, Eriksson, M, Frithiof, R, Kawati, R, Crockett, D, Hultstrom, M, & Lipcsey, M. (2024). Smoking is associated with higher risk of contracting bacterial infection and pneumonia, intensive care unit admission and death. *PLoS One*, 19(5), e0302505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38722836>

Paulo, AC, Lanca, J, Almeida, ST, Hilty, M, & Sa-Leao, R. (2023). The upper respiratory tract microbiota of healthy adults is affected by Streptococcus pneumoniae carriage, smoking habits, and contact with children. *Microbiome*, 11(1), 199. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37658443>

Fleischmann, M, Jarnicki, AG, Brown, AS, Yang, C, Anderson, GP, Garbi, N et al. (2023). Cigarette smoke depletes alveolar macrophages and delays clearance of Legionella pneumophila. *Am J Physiol Lung Cell Mol Physiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36719079>

Scoccimarro, D., Cipani, G., Dicembrini, I., & Mannucci, E. (2021). Cigarette Smoking as a Predictor of Sodium-Glucose Cotransporter 2 Inhibitor-Associated Genital Infections: A Retrospective Cohort Study. *Diabetes Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33883197>

Noh, JW, Yoo, KB, Kim, KB, Kim, JH, & Kwon, YD. (2020). Association between lower urinary tract symptoms and cigarette smoking or alcohol drinking. *Transl Androl Urol*, 9(2), 312-321. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32420137>

Kim, SY, Lim, H, & Choi, HG. (2020). Smoking and Alcohol Consumption Are Associated With the Increased Risk of Peritonsillar Abscess. *Laryngoscope*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32040204>

Pourbaix, A, Lafont Rapnouil, B, Guery, R, Lanternier, F, Lortholary, O, & Cohen, JF. (2020). Smoking as a risk factor of invasive fungal disease: Systematic review and meta-analysis. *Clinical Infectious Diseases*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31900476>

Qiu F, Liang CL, Liu H, Zeng YQ, Hou S, et al. Impacts of cigarette smoking on immune responsiveness: Up and down or upside down? *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902485>

Gray M. Context for practice: Challenges in practice, cauti, clostridium difficile-associated diarrhea, hyperhydrosis, and the perils of cigarette smoking. *J Wound Ostomy Continence Nurs*, 2014; 41(5):406-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25188795>

### 3.9.12 Coronaviruses and the COVID-19 pandemic

Carnicer-Pont, D, Fu, M, Castellano, Y, Tigova, O, Driezen, P, Quah, ACK et al. (2024). Incidence and Determinants of COVID-19 Among People Who Smoke (2018-2021): Findings From the ITC EUREST-PLUS Spain Surveys. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38944617>

Griffith, NB, Baker, TB, Heiden, BT, Smock, N, Pham, G, Chen, J et al. (2024). Cannabis, Tobacco Use, and COVID-19 Outcomes. *JAMA Netw Open*, 7(6), e2417977. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38904961>

Alkharobi, HE. (2024). Oral symptoms potentially associated with mild-to-moderate COVID-19 in tobacco users. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38742218>

Alshammari, MA, Alamer, A, Al Lehaibi, L, Alghamdi, M, Alotaibi, H, Alomar, M et al. (2024). Association between COVID-19 severity and tobacco smoking status: a retrospective cohort study

using propensity score matching weights analysis. *BMJ Open Respir Res*, 11(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38719502>

Erinoso, O, Osibogun, O, Balakrishnan, S, & Yang, W. (2024). Long COVID among US adults from a population-based study: Association with vaccination, cigarette smoking, and the modifying effect of chronic obstructive pulmonary disease (COPD). *Prev Med*, 184, 108004. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38754738>

Oliveira, FES, Oliveira, MCL, Martelli, DRB, Trezena, S, Sampaio, CA, Colosimo, EA et al. (2024). The impact of smoking on COVID-19-related mortality: a Brazilian national cohort study. *Addict Behav*, 156, 108070. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38796931>

Laudanski, K, Mahmoud, MA, Ahmed, AS, Susztak, K, Mathew, A, & Chen, J. (2024). Immunological Signatures in Blood and Urine in 80 Individuals Hospitalized during the Initial Phase of COVID-19 Pandemic with Quantified Nicotine Exposure. *Int J Mol Sci*, 25(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38612525>

Khan, MT, Zaheer, S, Amar, W, & Shafique, K. (2024). Effect of smoking cessation interventions on abstinence and tuberculosis treatment outcomes among newly diagnosed patients: a randomized controlled trial. *Microbiol Spectr*, e0387823. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38406150>

van Westen-Lagerweij, NA, Plasmans, MHD, Kramer, I, Harteloh, PPM, Poos, M, Hilderink, HBM, & Croes, EA. (2024). Risk of death due to COVID-19 among current and former smokers in the Netherlands: a population-based quasi-cohort study. *Int J Epidemiol*, 53(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38302746>

Metin, S, Basi, NB, Sevinc, SA, Salkaya, A, Coskun, N, Turkoglu, LK et al. (2023). The Effects of Smoking in Patients in the Intensive Care Unit During the COVID-19 Pandemic. *Sisli Etfal Hastan Tip Bul*, 57(4), 520-525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38268647>

Pena, S, Zhou, Z, Kestila, L, Galanti, MR, Shaaban, AN, Caspersen, IH et al. (2024). Tobacco Use and Uptake of COVID-19 Vaccinations in Finland: A Population-Based Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38196092>

Trofor, AC, Robu Popa, D, Melinte, OE, Trofor, L, Vicol, C, Grosu-Creanga, IA et al. (2024). Looking at the Data on Smoking and Post-COVID-19 Syndrome-A Literature Review. *J Pers Med*, 14(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38248798>

Hamza, MO, Kumar Ganji, K, Bandela, V, Sonune, S, Abdelrahman Dafaalla, A, Ali Almutairi, H et al (2023). Examining the Impact of the COVID-19 Vaccine on Smokers and Diabetic Individuals: Unveiling the Efficacy and Unraveling Side Effects in Al Jouf Region, KSA. *Cureus*, 15(11), e49272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38143704>

Islam, R, Ahmed, S, Chakma, SK, Mahmud, T, Al Mamun, A, Islam, Z, & Islam, MM. (2023). Smoking and pre-existing co-morbidities as risk factors for developing severity of COVID-19 infection: Evidence from a field hospital in a rural area of Bangladesh. *PLoS One*, 18(12), e0295040. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38064450>

Mayoral, RG, Nunez, MB, Ruiz, JC, Yepes, GL, Jimenez, A P, Gonzalez, FJC, & Luis Izquierdo Alonso, J. (2023). Smokers and risk of hospital death by COVID calculated with SAVANA's natural language processing in the Castilla-La Mancha area. *Rev Clin Esp (Barc)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38142978>

Shaaban, AN, Andersson, F, Pena, S, Caspersen, IH, Magnusson, C, Orsini, N et al. (2023). The Association Between Tobacco Use and Risk of COVID-19 Infection and Clinical Outcomes in Sweden: A Population-Based Study. *Int J Public Health*, 68, 1606175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38098982>

Rai, A, Mehta, N, Kumar, A, Majhee, L, Verma, P, Singh, P, & Haque, ZU. (2023). Does Tobacco Use Enhance the Risk of SARS-CoV-2 Infection: Evidence from Eastern Indian Population. *Addict Health*, 15(3), 163-168. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38026726>

Butt, R, Sherwani, RAK, Aslam, M, & Albassam, M. (2023). Smoking and prevalence of COVID-19: Evidence from studies from January 2020 - May 2020. *AIMS Public Health*, 10(3), 538-552. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37842271>

Naimeh, M, Afsaneh, A, Zahra, A, Ali, D, Abdullah, B, & Marzieh, RR. (2023). Smoking as a Risk or Protective Factor in Developing and Severity of COVID-19? *J Acute Med*, 13(3), 114-121. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37841826>

Vecchio, J, Regan, J, Jiang, Y, Li, R, Romain, H, Yousuf, F et al. (2023). Viral and immunologic evaluation of smokers with severe COVID-19. *Sci Rep*, 13(1), 17898. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37857680>

Chattopadhyay, S, Malayil, L, Kaukab, S, Merenstein, Z, & Sapkota, AR. (2023). The predisposition of smokers to COVID-19 infection: A mini-review of global perspectives. *Heliyon*, 9(7), e17783. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37455971>

Choi, JW. (2023). Association between smoking status and death from COVID-19 in South Korea: A nationwide cohort study. *Tob Induc Dis*, 21, 97. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37492764>

Rahman, MA, Amin, MA, Yeasmin, MN, & Islam, MZ. (2023). Molecular Biomarker Identification Using a Network-Based Bioinformatics Approach That Links COVID-19 With Smoking. *Bioinform Biol Insights*, 17, 11779322231186481. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37461741>

Sharifi-Kia, A, Nahvijou, A, & Sheikhtaheri, A. (2023). Machine learning-based mortality prediction models for smoker COVID-19 patients. *BMC Med Inform Decis Mak*, 23(1), 129. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37479990>

de Granda-Orive, JI, Solano-Reina, S, & Jimenez-Ruiz, CA. (2022). Are Smoking and Vaping Risk Factors of Developing Long and Persistent Post-COVID-19? *Open Respir Arch*, 4(4), 100195. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37496961>

- Salehi, Z, Motlagh Ghoochani, BFN, Hasani Nourian, Y, Jamalkandi, SA, & Ghanei, M. (2023). The controversial effect of smoking and nicotine in SARS-CoV-2 infection. *Allergy Asthma Clin Immunol*, 19(1), 49. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37264452>
- Airagnes, G, Matta, J, Melchior, M, & Zins, M. (2023). Differences in social distancing may not explain the decreased likelihood of SARS-CoV-2 infection in smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37233724>
- Caspersen, IH, Trogstad, L, Galanti, MR, Karvonen, S, Pena, S, Shaaban, AN et al. (2023). Current tobacco use and SARS-CoV-2 infection in two Norwegian population-based cohorts. *BMC Public Health*, 23(1), 846. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37165385>
- Kuo, CW, Su, PL, Huang, TH, Lin, CC, Chen, CW, Tsai, JS et al (2023). Cigarette smoke increases susceptibility of alveolar macrophages to SARS-CoV-2 infection through inducing reactive oxygen species-upregulated angiotensin-converting enzyme 2 expression. *Sci Rep*, 13(1), 7894. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37193781>
- Lippi, G, Henry, BM, & Sanchis-Gomar, F. (2023). COVID-19 and smoking: Considerations after two years. *Eur J Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37246023>
- Pouwels, SD, van den Berge, M, Vasse, GF, Timens, W, Brandsma, CA, Aliee, H et al. (2023). Smoking increases expression of the SARS-CoV-2 spike protein-binding long ACE2 isoform in bronchial epithelium. *Respir Res*, 24(1), 130. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37170105>
- SeyedAlinaghi, S, Afsahi, AM, Shahidi, R, Kianzad, S, Pashaei, Z, Mirahmad, M et al. (2023). Effects of Smoking on COVID-19 Management and Mortality: An Umbrella Review. *J Smok Cessat*, 2023, 7656135. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37214631>
- Shaaban, AN, Andersson, F, Magnusson, C, Orsini, N, Caspersen, IH, Pena, S et al. (2023). Does misclassification of former tobacco smokers explain the 'smoker's paradox' in the risk of COVID-19? Insights from the Stockholm Public Health Cohort. *Scand J Public Health*, 14034948231174279. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37165603>
- Ponticelli, D, Losa, L, Campagna, D, Magliuolo, R, Vitale, A, Cacciapuoti, D et al. (2023). Smoking habits predict adverse effects after mRNA COVID-19 vaccine: Empirical evidence from a pilot study. *Public Health*, 219, 18-21. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37086592>
- Young-Wolff, KC, Slama, N, Sakoda, LC, Prochaska, JJ, Fogelberg, R, & Alexeeff, SE. (2023). Current tobacco smoking and risk of SARS-CoV-2 infection and hospitalization: Evaluating the role of socio-demographic factors and comorbidities. *Prev Med*, 172, 107523. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37116761>
- Gallus, S, Scala, M, Possenti, I, Jarach, CM, Clancy, L, Fernandez, E et al. (2023). The role of smoking in COVID-19 progression: a comprehensive meta-analysis. *Eur Respir Rev*, 32(167). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36889786>
- Heydari, G. (2022). COVID-19 and Current Smoking: Worse Outcome from a Surveillance Analysis. *Int J Prev Med*, 13, 152. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36910998>

Papadopoulos, KI, Papadopoulou, A, & Aw, TC. (2023). Live to die another day: novel insights may explain the pathophysiology behind smoker's paradox in SARS-CoV-2 infection. *Mol Cell Biochem*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36867341>

Porter, LM, Guo, W, Crozier, TW, Greenwood, EJ, Ortmann, B, Kottmann, D et al. (2023). Cigarette smoke preferentially induces full length ACE2 expression in differentiated primary human airway cultures but does not alter the efficiency of cellular SARS-CoV-2 infection. *Heliyon*, 9(3), e14383. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36938474>

Muralidharan, A, Bauer, CD, Katafiasz, DM, Strah, HM, Siddique, A, Reid, SP et al. (2023). Synergistic Detrimental Effects of Cigarette Smoke, Alcohol, and SARS-CoV-2 in COPD Bronchial Epithelial Cells. *Pathogens*, 12(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36986420>

Nishimura, M, Asai, K, Tabuchi, T, Toyokura, E, Kawai, T, Miyamoto, A et al. (2023). Association of combustible cigarettes and heated tobacco products use with SARS-CoV-2 infection and severe COVID-19 in Japan: a JASTIS 2022 cross-sectional study. *Sci Rep*, 13(1), 1120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36732559>

Almansour, A, Alamoudi, NB, AlUrifan, S, Alarifi, S, Alagil, J, Alamrie, RM et al. (2023). Effect of smoking on coronavirus disease susceptibility: A case-control study. *Tob Induc Dis*, 21, 11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36741538>

Eskici Ilgin, V, Yayla, A, Karaman Ozlu, Z, Ozlu, I, Toraman, RL, & Toraman, MM. (2023). Pain, Sleep Disturbance and Smoking Among Patients with Covid-19 Presenting to the Emergency Department. *Florence Nightingale J Nurs*, 31(1), 48-55. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36751717>

Gallus, S, Bosetti, C, Gorini, G, Stival, C, Boffi, R, Lugo, A et al. (2023). The association between tobacco smoking, second-hand smoke and novel products, and COVID-19 severity and mortality in Italy. Results from the COSMO-IT study. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36843106>

Kelesidis, T, Sharma, M, Satta, S, Tran, E, Gupta, R, Araujo, JA, & Middlekauff, HR. (2023). Ectodomain shedding of proteins important for SARS-CoV-2 pathogenesis in plasma of tobacco cigarette smokers compared to electronic cigarette vapers: a cross-sectional study. *J Mol Med (Berl)*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36759357>

Galanti, MR, Andersson, F, Caspersen, IH, Pena, S, Karvonen, S, Magnus, P et al. (2023). Current tobacco use and COVID-19 diagnoses in a cohort of adult clients of public dental clinics in Sweden. *Sci Rep*, 13(1), 1204. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36681700>

Leitzke, M. (2023). Is the post-COVID-19 syndrome a severe impairment of acetylcholine-orchestrated neuromodulation that responds to nicotine administration? *Bioelectron Med*, 9(1), 2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36650574>

Lu, D, Yaqoob, O, Kumar, M, Kushwah, AS, Sharma, RK, Kumar, D et al. (2023). Intensive critical care and management of asthmatic and smoker patients in COVID-19 infection. *Acta Pharm*, 73(1), 29-42. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36692461>

Ando, W, Horii, T, Jimbo, M, Uematsu, T, Atsuda, K, Hanaki, H, & Otori, K. (2022). Smoking cessation in the elderly as a sign of susceptibility to symptomatic COVID-19 reinfection in the United States. *Front Public Health*, 10, 985494. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36504971>

Gunther, F, Einhauser, S, Peterhoff, D, Wiegrebe, S, Niller, HH, Beileke, S et al. (2022). Higher Infection Risk among Health Care Workers and Lower Risk among Smokers Persistent across SARS-CoV-2 Waves-Longitudinal Results from the Population-Based TiKoCo Seroprevalence Study. *Int J Environ Res Public Health*, 19(24). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36554876>

Watase, M, Masaki, K, Chubachi, S, Namkoong, H, Tanaka, H, Lee, Het al. (2022). Impact of accumulative smoking exposure and chronic obstructive pulmonary disease on COVID-19 outcomes: Report based on findings from the Japan COVID-19 Task Force. *Int J Infect Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36563958>

Whitney, E, Kiessling, JW, Reier, L, Hamann, K, Arshad, M, Ramnot, A, & Fowler, J (2022). Non-traumatic Spontaneous Paraplegia Secondary to Thoracic Disc Herniations in the Setting of Tobacco Abuse and COVID-19: A Case Report and Literature Review. *Cureus*, 14(11), e31544. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36540541>

Berlin, I. (2022). Potential Bias in Assessing the Tobacco/Nicotine-COVID-19 Association-How to Improve Our Level of Understanding. *Int J Environ Res Public Health*, 19(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36360991>

De Luca, G, Algowhary, M, Uguz, B, Oliveira, DC, Ganyukov, V, Zimbakov, Z et al. (2022). Impact of Smoking Status on Mortality in STEMI Patients Undergoing Mechanical Reperfusion for STEMI: Insights from the ISACS-STEMI COVID-19 Registry. *J Clin Med*, 11(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36431198>

Olimpio, F, Andreato-Santos, R, Rosa, PC, Santos, W, Oliveira, C, & Aimbire, F. (2022). Lactobacillus rhamnosus Restores Antiviral Signaling and Attenuates Cytokines Secretion from Human Bronchial Epithelial Cells Exposed to Cigarette Smoke and Infected with SARS-CoV-2. *Probiotics Antimicrob Proteins*, 1-16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36346611>

Pena, S, Ilmarinen, K, Kestila, L, Parikka, S, Karkkainen, S, Caspersen, IH et al. (2022). Tobacco use and risk of COVID-19 infection in the Finnish general population. *Sci Rep*, 12(1), 20335. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36434073>

Xu, KL, & Randall, PA. (2022). Alcohol, nicotine, and COVID-19: A retrospective study of health outcomes in central Pennsylvania. *Brain Res Bull*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36442695>

Zhang, Y, Archie, SR, Ghanwatkar, Y, Sharma, S, Nozohouri, S, Burks, E et al. (2022). Correction: Potential role of astrocyte angiotensin converting enzyme 2 in the neural transmission of COVID-19 and a neuroinflammatory state induced by smoking and vaping. *Fluids Barriers CNS*, 19(1), 91. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36397069>

Crooks, CJ, West, J, Morling, JR, Simmonds, M, Juurlink, I, Briggs, S et al. (2022). Pulse oximeter measurement error of oxygen saturation in patients with SARS-CoV-2 infection stratified by smoking status. *Eur Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36229052>

Dove, MS, Leistikow, BN, Khan, N, & Tong, EK. (2022). Current Smoking and Risk of Coronavirus Infection and Illness in a Highly Controlled Challenge Study: A Re-analysis of the British Cold Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36194540>

Suzuki, R, Ono, Y, Noshita, K, Kim, KS, Ito, H, Morioka, Y et al. (2022). Smoking Enhances the Expression of Angiotensin-Converting Enzyme 2 Involved in the Efficiency of Severe Acute Respiratory Syndrome Coronavirus 2 Infection. *Microbiol Immunol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36258658>

Xu, K, Shi, X, Husted, C, Hong, R, Wang, Y, Ning, B et al. (2022). Smoking modulates different secretory subpopulations expressing SARS-CoV-2 entry genes in the nasal and bronchial airways. *Sci Rep*, 12(1), 18168. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36307504>

Ahmad, F. (2022). Medicinal nicotine in COVID-19 acute respiratory distress syndrome, the new corticosteroid. *World J Crit Care Med*, 11(4), 228-235. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36051943>

Darilmaz Yuce, G, Torun, S, Hekimoglu, K, Tuna, D, Sozbilici, BR, Cetin, HO et al. (2022). Cross-sectional analysis of tobacco addiction in hospitalized COVID-19 patients. *Tuberk Toraks*, 70(3), 252-262. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36164949>

Gosadi, IM, Abulqusim, EM, Atiah, AI, Ageeli, BH, Alhazmi, DA, Hamzi, MA, & Somaily, SY. (2022). Assessment of COVID-19 Symptoms Distribution According to Tobacco Products Consumption and Khat Chewing: A Potential Antinociceptive Role of Nicotine Among COVID-19 Patients. *Int J Gen Med*, 15, 7299-7309. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36133912>

Hoballah, A, El Haidari, R, Badran, R, Jaber, A, Mansour, S, & Abou-Abbas, L. (2022). Smoking status and SARS-CoV-2 infection severity among Lebanese adults: a cross-sectional study. *BMC Infect Dis*, 22(1), 746. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36153476>

Piasecki, TM, Smith, SS, Baker, TB, Slutske, WS, Adsit, RT, Bolt, DM et al (2022). Smoking Status, Nicotine Medication, Vaccination, and COVID-19 Hospital Outcomes: Findings from the COVID EHR Cohort at the University of Wisconsin (CEC-UW) Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36069915>

Rossato, M, & Di Vincenzo, A. (2022). Smoking history and clinical outcomes in COVID-19 hospitalized patients. *Med Clin (Engl Ed)*, 159(4), e27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36042951>

Benowitz, NL, Goniewicz, ML, Halpern-Felsher, B, Krishnan-Sarin, S, Ling, PM, O'Connor, RJ et al. (2022). Tobacco product use and the risks of SARS-CoV-2 infection and COVID-19: current understanding and recommendations for future research. *Lancet Respir Med*, 10(9), 900-915. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35985357>

Grigg, J. (2022). Smoking, nicotine, and COVID-19. *Lancet Respir Med*, 10(9), 818-819. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35985355>

Le Guen, CL, Muir, KC, Simons, M, Coffman, DL, & Soans, RS. (2022). The impact of smoking status and smoking-related comorbidities on COVID-19 patient outcomes: A causal mediation analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35952390>

Li, J, Martinez, MC, Frosch, DL, & Matt, GE. (2022). Effects of Smoking on SARS-CoV-2 Positivity: A Study of a Large Health System in Northern and Central California. *Tob Use Insights*, 15, 1179173X221114799. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35966408>

Navas Alcantara, MS, Montero Rivas, L, Guisado Espartero, ME, Rubio-Rivas, M, Ayuso Garcia, B, Moreno Martinez, F et al. (2022). Influence of smoking history on the evolution of hospitalized in COVID-19 positive patients: Results from the SEMI-COVID-19 registry. *Med Clin (Engl Ed)*, 159(5), 214-223. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35935808>

Sansone, L, de Iure, A, Cristina, M, Belli, M, Vitiello, L, Marcolongo, F et al. (2022). Nicotine in Combination with SARS-CoV-2 Affects Cells Viability, Inflammatory Response and Ultrastructural Integrity. *Int J Mol Sci*, 23(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36012747>

Zhang, J, Teng, F, Zhang, X, Wang, H, Liang, T, Guo, S, & Yu, X. (2022). Down-regulation of SARS-CoV-2 neutralizing antibodies in vaccinated smokers. *MedComm (2020)*, 3(3), e166. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35978853>

Zheng, F, Lian, E, Ramirez, G, McAlister, C, Zhou, S, Zhang, W et al. (2022). Nicotine has no significant cytoprotective activity against SARS-CoV-2 infection. *PLoS One*, 17(8), e0272941. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35980910>

Abdulsada Al-Ghuraibawi, NH, Zeki Al-Fadhel, S, Mohammed Ali, DM, & Kadhem Al-Hakeim, H. (2022). Differences in Clinical Outcomes between Smokers and Non-Smokers infected with COVID-19. *Arch Razi Inst*, 77(1), 449-459. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35891718>

Barthelemy, H, Mougnot, E, Duracinsky, M, Salmon-Ceron, D, Bonini, J, Peretz, F et al. (2022). Smoking increases the risk of post-acute COVID-19 syndrome: Results from a French community-based survey. *Tob Induc Dis*, 20, 59. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35799625>

Cui, T, Miao, G, Jin, X, Yu, H, Zhang, Z, Xu, L et al. (2022). The adverse inflammatory response of tobacco smoking in COVID-19 patients: biomarkers from proteomics and metabolomics. *J Breath Res*, 16(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35772384>

El Tantawi, M, Sabbagh, HJ, Alkhateeb, NA, Quritum, M, Abourdan, J, Qureshi, N et al. (2022). Oral manifestations in young adults infected with COVID-19 and impact of smoking: a multi-country cross-sectional study. *PeerJ*, 10, e13555. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35860046>

He, Y, He, Y, Hu, Q, Yang, S, Li, J, Liu, Y, & Hu, J. (2022). Association between smoking and COVID-19 severity: A multicentre retrospective observational study. *Medicine (Baltimore)*, 101(29), e29438. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35866793>

Ikonomidis, I, Katogiannis, K, Kourea, K, Gavriella, K, Tsilivarakis, D, Lambadiari, V et al. (2022). The effect of smoking on exhaled carbon monoxide and arterial elasticity during prolonged surgical mask use in the COVID-19 era. *Eur J Prev Cardiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35798027>

Nono Djotsa, ABS, Helmer, DA, Park, C, Lynch, KE, Sharafkhaneh, A, Naik, AD et al. (2022). Assessing Smoking Status and Risk of SARS-CoV-2 Infection: A Machine Learning Approach among Veterans. *Healthcare (Basel)*, 10(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35885771>

Poudel, R, Daniels, LB, DeFilippis, AP, Hamburg, NM, Khan, Y, Keith, RJ et al. (2022). Smoking is associated with increased risk of cardiovascular events, disease severity, and mortality among patients hospitalized for SARS-CoV-2 infections. *PLoS One*, 17(7), e0270763. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35839264>

Arbel, Y, Fialkoff, C, Kerner, A, & Kerner, M. (2022). Can smoking prevalence explain COVID-19 indicators (cases, mortality, and recovery)? A comparative study in OECD countries. *Environ Sci Pollut Res Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35688981>

Baird, C. (2022). Smoke, Smoking, and COVID: When Smoke Gets in Your Lungs. *J Addict Nurs*, 33(2), 119-120. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35640216>

Buhler, KM., Echeverry-Alzate, V, Calleja-Conde, J, Duran-Gonzalez, P, Segovia-Rodriguez, L, Morales-Garcia, JA et al. (2022). Seroprevalence of anti-SARS-CoV-2 IgG antibodies: relationship with COVID-19 diagnosis, symptoms, smoking, and method of transmission. *IJID Reg*, 4, 10-16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35720660>

Garcia Colato, E, Rosenberg, M, Ludema, C, Kianersi, S, Luetke, M, & Macy, JT. (2022). Does cigarette or E-cigarette use increase the risk for SARS-CoV-2 seroconversion among Midwestern college students? *J Am Coll Health*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35728069>

Lam, TH. (2022). Commentary: Smoking, nicotine and COVID-19 outcomes: unprecedented challenges to epidemiologists. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35734901>

Rossato, M, & Di Vincenzo, A. (2022). Smoking history and clinical outcomes in COVID-19 hospitalized patients. *Med Clin (Barc)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35644628>

Shrivastava, SR, & Shrivastava, PS. (2022). Understanding the Association between Smoking and Corona Virus Disease 2019. *Int J Prev Med*, 13, 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35706878>

Au Yeung, SL & Kwok, KO. (2022). Paradoxical findings on smoking in reduced risk of severe COVID-19. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35552708>

Hill, S. (2022). Tobacco and COVID-19: avoiding the error of distraction. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35522734>

Kanakaraju, K, Vanoli, H, Rajenthakumar, H, Asokan, A, & Ranganathan, RS. (2022). An Analytical Study to Determine the Severity of COVID-19 Among Smokers. *Cureus*, 14(4), e23802. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35530823>

Rossato, M, & Vincenzo, AD. (2022). Commentary on the paper: Association of smoking and severity of COVID-19 infection among 5,889 patients in Malaysia: a multi-center observational study, by Ismail N, Hassan N, Hamid MHNA, Yusoff UN, Khamal NR, Omar MA, et al. Published in *Int J Infect Dis* 2022;116:189-96. *Int J Infect Dis*, 121, 112. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35569752>

Brake, SJ, Eapen, MS, McAlinden, KD, Markos, J, Haug, G, Larby, J et al. (2022). SARS-CoV-2 (COVID-19) Adhesion Site Protein Upregulation in Small Airways, Type 2 Pneumocytes, and Alveolar Macrophages of Smokers and COPD - Possible Implications for Interstitial Fibrosis. *Int J Chron Obstruct Pulmon Dis*, 17, 101-115. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35046647>

Donnelly, SC. (2022). The Long-COVID Syndrome: smoking and enhanced suicide risk. *QJM*, 114(11), 765. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34994790>

Ferrara, P, Ponticelli, D, Agüero, F, Caci, G, Vitale, A, Borrelli, M et al. (2022). Does smoking have an impact on the immunological response to COVID-19 vaccines? Evidence from the VASCO study and need for further studies. *Public Health*, 203, 97-99. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35038631>

Ismail, N, Hassan, N, Hamid, M, Yusoff, UN, Khamal, NR, Omar, MA et al. (2022). Association of Smoking and Severity of COVID-19 Infection among 5889 Patients in Malaysia: A Multi-Centre Observational Study. *Int J Infect Dis*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35021062>

Krebs, NM, D'Souza, G, Bordner, C, Allen, SI, Hobkirk, AL, Foulds, J, & Yingst, JM. (2021). COVID-19 Vaccination Uptake and Hesitancy Among Current Tobacco Users. *Tob Use Insights*, 14, 1179173X211068027. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34987300>

Miyara, M, Tubach, F, Pourcher, V, Morelot-Panzini, C, Pernet, J, Haroche, J et al. (2021). Lower Rate of Daily Smokers With Symptomatic COVID-19: A Monocentric Self-Report of Smoking Habit Study. *Front Med (Lausanne)*, 8, 668995. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35071251>

O'Rourke, K. (2022). Age and smoking predict antibody titers after the BNT162b2 COVID-19 vaccine. *Cancer*, 128(3), 431. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35050525>

Presant, CA, Macalintal, J, Ashing, KT, Yeung, S, Tiep, B, West, H et al. (2022). Tragic Triad of Tobacco Dependence, Cancer, and COVID-19 Pandemic: An Urgent Call for Attention by Health Care Systems and Professionals. *JCO Oncol Pract*, OP2100625. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34985989>

Reynolds, RM, Weaver, SR, Nyman, AL, & Eriksen, MP. (2022). Trust in COVID-19 information sources and perceived risk among smokers: A nationally representative survey. *PLoS One*, 17(1), e0262097. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35085293>

Shirvaliloo, M. (2022). The unfavorable clinical outcome of COVID-19 in smokers is mediated by H3K4me3, H3K9me3 and H3K27me3 histone marks. *Epigenomics*, 14(3), 153-162. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35021853>

- Al Kalif, MSH, Alghamdi, AA, Albagmi, FM, & Alnasser, AHA. (2021). The Negative Impact of Tobacco Smoking on Health-Related Quality of Life among Saudi Adolescents During the COVID-19 Pandemic. *Asian Pac J Cancer Prev*, 22(12), 4051-4056. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34967588>
- Decker, S, Dambros, E, & Bertoldi, EG. (2021). A single-center observational study on smoking behavior and preventive measures for COVID-19. *J Bras Pneumol*, 47(6), e20210304. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34932724>
- Matsushita, Y, Yokoyama, T, Hayakawa, K, Matsunaga, N, Ohtsu, H, Saito, S et al. (2021). Smoking and severe illness in hospitalized COVID-19 patients in Japan. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34894230>
- Navas Alcantara, MS, Montero Rivas, L, Guisado Espartero, ME, Rubio-Rivas, M, Ayuso Garcia, B, Moreno Martinez, F et al. (2021). Influence of smoking history on the evolution of hospitalized in COVID-19 positive patients: results from the SEMI-COVID-19 registry. *Med Clin (Barc)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34895891>
- Nomura, Y, Sawahata, M, Nakamura, Y, Koike, R, Katsube, O, Hagiwara, K et al. (2021). Attenuation of Antibody Titers from 3 to 6 Months after the Second Dose of the BNT162b2 Vaccine Depends on Sex, with Age and Smoking Risk Factors for Lower Antibody Titers at 6 Months. *Vaccines (Basel)*, 9(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34960246>
- Tseng, TS, Li, M, Kao, YH, Chen, LS, & Lin, HY. (2021). The Impact of COVID-19 on Risky Behaviors and Health Changes in African-American Smokers Who Are Eligible for LDCT Screening. *Front Public Health*, 9, 745925. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34957010>
- Wurm, J., Starker, A., Schienkiewitz, A., Domanska, O., Krug, S., Damerow, S., . . . Koschollek, C. (2021). Changes in Alcohol and Tobacco Consumption in Kupferzell (Baden-Wurtemberg) During the Period of COVID-19 Pandemic Restrictions. *Dtsch Arztebl Int*, 118(37), 614-615. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34857078>
- Jimenez-Ruiz, CA, Lopez-Padilla, D, Alonso-Arroyo, A, Aleixandre-Benavent, R, Solano-Reina, S, & de Granda-Orive, JI. (2021). [COVID-19 and Smoking: A Systematic Review and Meta-Analysis of the Evidence]. *Arch Bronconeumol*, 57, 21-34. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34629638>
- Mahamat-Saleh, Y, Fiolet, T, Rebeaud, ME, Mulot, M, Guihur, A, El Fatouhi, D et al. (2021). Diabetes, hypertension, body mass index, smoking and COVID-19-related mortality: a systematic review and meta-analysis of observational studies. *BMJ Open*, 11(10), e052777. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34697120>
- Mendez, AD, Escobar, M, Romero, M, & Wojcicki, JM. (2021). Overcrowding and exposure to secondhand smoke increase risk for COVID-19 infection among Latinx families in the greater San Francisco Bay Area. *Tob Induc Dis*, 19, 79. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34712109>

- Moril-Huaranga, M, & Pena-Falcon, H. (2021). [Smoker, Former Smoker and COVID-19]. *Arch Bronconeumol*, 57, 66-67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34629662>
- Nakayama, T, Lee, IT, Jiang, S Matter, MS, Yan, CH, Overdeest, JB et al. (2021). Determinants of SARS-CoV-2 entry and replication in airway mucosal tissue and susceptibility in smokers. *Cell Rep Med*, 2(10), 100421. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34604819>
- Perski, O, Simons, D, Shahab, & Brown, J. (2021). Smoking, nicotine and COVID-19: Triangulation of methods and pre-registration are required for robust causal inference. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34679177>
- Polosa, R, Tomaselli, V, Ferrara, P, Romeo, AC, Rust, S, Saitta, D et al. (2021). Sero-epidemiological survey on the impact of smoking on SARS-CoV-2 infection and COVID-19 outcomes - The Troina Study Protocol. *JMIR Res Protoc*. Retrieved from Rabade Castedo, C., Signes-Costa, J., & Jimenez-Ruiz, C. A. (2021). [COVID-19 and Tobacco]. *Arch Bronconeumol*, 57, 5-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34678752>
- Razjouyan, J Helmer, DA, Lynch, KE, Hanania, NA, Klotman, PE, Sharafkhaneh, A, & Amos, CI. (2021). Smoking Status and Factors associated with COVID-19 In-hospital Mortality among U.S. Veterans. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34693967>
- Rosoff, DB, Yoo, J, & Lohoff, FW. (2021). Smoking is significantly associated with increased risk of COVID-19 and other respiratory infections. *Commun Biol*, 4(1), 1230. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34711921>
- Telatar, TG, Karadogan, D, Baykal, MH, & Yurtsever, BA. (2021). Role of tobacco exposure in the course of COVID-19 disease and the impact of the disease on smoking behavior. *Clin Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34652066>
- Cetin Kargin, N. (2021). The effect of smoking on COVID-19-linked biomarkers in hospitalized patients with COVID-19. *J Clin Lab Anal*, e23983. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34463387>
- Clift, AK, von Ende, A, Tan, PS, Sallis, HM, Lindson, N, Coupland, CAC et al. (2021). Smoking and COVID-19 outcomes: an observational and Mendelian randomisation study using the UK Biobank cohort. *Thorax*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34580193>
- Laverty, AA, & Millett, C. (2021). A respiratory pandemic should focus the mind on tobacco control. *Thorax*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34580194>
- Mahabee-Gittens, EM, Mendy, A, & Merianos, AL. (2021). Assessment of Severe COVID-19 Outcomes Using Measures of Smoking Status and Smoking Intensity. *Int J Environ Res Public Health*, 18(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34501529>
- Mohamed Hussein, AA, Saad, M, Zayan, HE, Abdelsayed, M, Moustafa, M Ezzat, A.R et al. (2021). Post-COVID-19 functional status: Relation to age, smoking, hospitalization, and previous comorbidities. *Ann Thorac Med*, 16(3), 260-265. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34484441>

Nomura, Y, Sawahata, M, Nakamura, Y, Kurihara, M, Koike, R, Katsube, O et al. (2021). Age and Smoking Predict Antibody Titres at 3 Months after the Second Dose of the BNT162b2 COVID-19 Vaccine. *Vaccines (Basel)*, 9(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34579279>

Xie, X, Zhong, Z, Zhao, W, Wu, S, & Liu, J. (2021). The Differences and Changes of Semi-Quantitative and Quantitative CT Features of Coronavirus Disease 2019 Pneumonia in Patients With or Without Smoking History. *Front Med (Lausanne)*, 8, 663514. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34568353>

Lacedonia, D, Scioscia, G, Santomasi, C, Fuso, P, Carpagnano, GE, Portacci, A et al. (2021). Impact of smoking, COPD and comorbidities on the mortality of COVID-19 patients. *Sci Rep*, 11(1), 19251. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34584165>

Camoretti-Mercado, B, Liao, Q, Tian, Z, & Allen-Gipson, D. (2021). Editorial: Cigarette Smoke, E-Cigarette/E-Vaping and COVID-19: Risks and Implications in This New Era. *Front Physiol*, 12, 724910. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34566686>

Khalil, A, Dhingra, R, Al-Mulki, J, Hassoun, M, & Alexis, N. (2021). Questioning the sex-specific differences in the association of smoking on the survival rate of hospitalized COVID-19 patients. *PLoS One*, 16(8), e0255692. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34351990>

Patanavanich, R, & Glantz, SA. (2021). Smoking is associated with worse outcomes of COVID-19 particularly among younger adults: a systematic review and meta-analysis. *BMC Public Health*, 21(1), 1554. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34399729>

Rao, S, Baranova, A, Cao, H, Chen, J, Zhang, X, & Zhang, F. (2021). Corrigendum to: Genetic mechanisms of COVID-19 and its association with smoking and alcohol consumption. *Brief Bioinform.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34387328>

The Lancet Respiratory, M. (2021). COVID-19, smoking, and cancer: a dangerous liaison. *Lancet Respir Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34411510>

Tomchaney, M, Contoli, M, Mayo, J, Baraldo, S, Li, S, Cabel, CR et al. (2021). Paradoxical effects of cigarette smoke and COPD on SARS-CoV-2 infection and disease. *BMC Pulm Med*, 21(1), 275. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34425811>

Braillon, A. (2021). Association Between Cigarette Smoking and COVID-19 Outcomes. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33999121>

da Silva Leonel, ACL, Ribeiro, ILA de Souza, MLM, Kaminagakura, E, Martelli-Junior, H, Bonan, PRF, & da Cruz Perez, DE. (2021). COVID-19, changes in smoking behaviour, and head and neck cancer: Current data and future perspectives. *Oral Oncol*, 105327. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33962865>

Hou, H, Li, Y, Zhang, P, Wu, J, Shi, L, Xu, J et al (2021). Smoking is independently associated with an increased risk for COVID-19 mortality: A systematic review and meta-analysis based on adjusted effect estimates. *Nicotine & Tobacco Research*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34049390>

Jimenez-Ruiz, CA, Lopez-Padilla, D, Alonso-Arroyo, A, Aleixandre-Benavent, R, Solano-Reina, S, & de Granda-Orive, JI. (2021). Smoker, Former Smoker and COVID-19: Nicotine Does Not Protect Against SARS-CoV-2. *Arch Bronconeumol (Engl Ed)*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33994631>

Kang, S, Gong, X, & Yuan, Y. (2021). Association of smoking and cardiovascular disease with disease progression in COVID-19: A systematic review and meta-analysis. *Epidemiol Infect*, 1-26. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33975666>

Mihaltan, FD, Rajnoveanu, AG, & Rajnoveanu, RM. (2021). Impact of Smoking on Women During the Covid-19 Pandemic. *Front Med (Lausanne)*, 8, 584061. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33996840>

Moril-Huaranga, M, & Pena-Falcon, H. (2021). Smoker, former smoker and COVID-19. *Arch Bronconeumol (Engl Ed)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33994630>

Muscat Baron, Y. (2021). Could the COVID-19 Positive Asymptomatic Tobacco Smoker be a Silent Superspreader? *Acta Biomed*, 92(2), e2021099. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33988145>

Osinibi, M, Gupta, A, Harman, K, & Bossley, CJ. (2021). Passive tobacco smoke in children and young people during the COVID-19 pandemic. *Lancet Respir Med*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34029535>

Purohit, B, & Panda, AK. (2021). Smoking habits correlate with the defense against SARS-CoV-2 infection in the Indian population. *Hum Cell*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33999359>

Raspe, M, Bals, R, Hering, T, Pankow, W, Rupp, A, Rustler, C et al (2021). [COVID-19 and Smoking - A Position Paper by the DGP Taskforce for Smoking Cessation]. *Pneumologie*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34041722>

Schiliro, M, Vogel, ER, Paolini, L, & Pabelick, CM. (2021). Cigarette Smoke Exposure, Pediatric Lung Disease, and COVID-19. *Front Physiol*, 12, 652198. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33986692>

Tao, C, Diaz, D, Xie, Z, Chen, L, Li, D, & R, OC. (2021). Potential impact of a COVID-19 and smoking paper on Twitter users' attitudes toward smoking: Observational Study. *JMIR Form Res*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33939624>

Watanabe, M, Balena, A, Tuccinardi, D, Tozzi, R, Risi, R, Masi, D et al(2021). Central obesity, smoking habit, and hypertension are associated with lower antibody titres in response to COVID-19 mRNA vaccine. *Diabetes Metab Res Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33955644>

Yang, Y, Dobalian, A, & Ward, KD. (2021). COVID-19 Vaccine Hesitancy and Its Determinants Among Adults with a History of Tobacco or Marijuana Use. *J Community Health*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33956270>

Lee, SC, Son, KJ, Kim, DW Han, CH, Choi, YJ, Kim, SW, & Park, SC. (2021). Smoking and the risk of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33891697>

Puebla Neira, D, Watts, A, Seashore, J, Polychronopoulou, E, Kuo, YF, & Sharma, G. (2021). Smoking and risk of COVID-19 hospitalization. *Respiratory Medicine*, 182, 106414. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33915414>

Xie, J, Zhong, R, Wang, W, Chen, O, & Zou, Y. (2021). COVID-19 and Smoking: What Evidence Needs Our Attention? *Frontiers in Physiology*, 12, 603850. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33815131>

Caruso, M, Distefano, A, Emma, R, Di Rosa, M, Carota, G, Rust, S et al (2021). Role of Cigarette Smoke on Angiotensin-Converting Enzyme-2 Protein Membrane Expression in Bronchial Epithelial Cells Using an Air-Liquid Interface Model. *Frontiers in Pharmacology*, 12, 652102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33859566>

Andreu-Mondon, M, Barrio-Gimenez, P, & Mondon-Vehils, S. (2021). COVID-19 and restrictions on tobacco use: COVID-19 y restricciones en el consumo de tabaco. *Med Clin (Engl Ed)*, 156(2), 93. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33521316>

Gallo, M, Street, ME, Guerra, F, Fanos, V, & Marcialis, MA. (2020). A review of current knowledge on Pollution, Cigarette Smoking and COVID-19 diffusion and their relationship with inflammation. *Acta Biomed*, 91(4), e2020148. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33525222>

Hanafi, E, Siste, K, Limawan, AP, Sen, LT, Christian, H, Murtani, BJ et al (2021). Alcohol- and Cigarette-Use Related Behaviors During Quarantine and Physical Distancing Amid COVID-19 in Indonesia. *Front Psychiatry*, 12, 622917. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33603689>

Jimenez-Ruiz, CA, Lopez-Padilla, D, Alonso-Arroyo, A, Aleixandre-Benavent, R, Solano-Reina, S, & de Granda-Orive, JI. (2021). Smoker, Former Smoker and COVID-19: Nicotine Does Not Protect Against SARS-CoV-2. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33632516>

Landoni, G Zangrillo, A, Romero Garcia, CS, Faustini, C, Di Piazza, M, Conte, F et al (2020). Nations with high smoking rate have low SARS-CoV-2 infection and low COVID-19 mortality rate. *Acta Biomed*, 91(4), e2020168. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33525216>

Moril-Huaranga, M, & Pena-Falcon, H. (2021). Smoker, Former Smoker and COVID-19. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33551279>

Sarode, S, Sarode, G, Rajput, D, Sharma, NK, Kaushik, A, & Patil, S. (2020). Novel Viewpoints on Tobacco Smoking and COVID-19. *J Contemp Dent Pract*, 21(9), 949-950. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33568576>

Umnuaypornlert, A, Kanchanasurakit, S, Lucero-Prisno, DEI, & Saokaew, S. (2021). Smoking and risk of negative outcomes among COVID-19 patients: A systematic review and meta-analysis. *Tob Induc Dis*, 19, 09. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33551713>

van Westen-Lagerweij, NA, Meijer, E, Meeuwse, EG, Chavannes, NH, Willemsen, MC, & Croes, EA. (2021). Are smokers protected against SARS-CoV-2 infection (COVID-19)? The origins of the myth. *NPJ Prim Care Respir Med*, 31(1), 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33637750>

Zhang, H, Ma, S, Han, T, Qu, G, Cheng, C, Uy, JP et al (2021). Association of smoking history with severe and critical outcome in COVID-19 patients: A systemic review and meta-analysis. *Eur J Integr Med*, 101313. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33619437>

Correction: COVID-19: Risk of increase in smoking rates among England's 6 million smokers and relapse among England's 11 million ex-smokers. (2021). *BJGP Open*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33468500>

Farsalinos, K, Bagos, PG, Giannouchos, T, Niaura, R, Barbouni, A, & Poulas, K. (2021). Smoking prevalence among hospitalized COVID-19 patients and its association with disease severity and mortality: an expanded re-analysis of a recent publication. *Harm Reduct J*, 18(1), 9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33453726>

Fidanci, I, Aksoy, H, Yengil Taci, D, Ayhan Baser, D, & Cankurtaran, M. (2021). Evaluation of the effect of the Covid-19 pandemic on smoking addiction levels. *Int J Clin Pract*, e14012. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33411384>

Gendall, P, Hoek, J, Stanley, J, Jenkins, M, & Every-Palmer, S. (2021). Changes in Tobacco Use During the 2020 COVID-19 Lockdown in New Zealand. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33515223>

Hamet, P, Pausova, Z, Attaoua, R, Hishmih, C, Haloui, M, Shin, J et al (2021). SARS-COV-2 RECEPTOR ACE2 GENE is associated with hypertension and SEVERity of COVID 19: interaction with sex, obesity and SMOKING. *Am J Hypertens*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33386398>

Hopkinson, NS, Rossi, N, El-Sayed Moustafa, J, Laverty, AA, Quint, JK, Freidin, M et al (2021). Current smoking and COVID-19 risk: results from a population symptom app in over 2.4 million people. *Thorax*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33402392>

Imamura, T, Isozumi, N, Higashimura, Y, Ohki, S, & Mori, M. (2021). Production of ORF8 protein from SARS-CoV-2 using an inducible virus-mediated expression system in suspension-cultured tobacco BY-2 cells. *Plant Cell Rep*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33399879>

Kabwama, SN, Nyamurungi, KN, Davidson, F, Dobbie, F, & Bauld, L. (2020). Tobacco control in the context of the COVID-19 pandemic in Uganda: a policy implementation review. *J Glob Health Rep*, 4, e2020095. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33506110>

Khorrami, Z, Nili, S, Sharifi, H, Eybpoosh, S, & Shokoohi, M. (2020). Association of cigarette smoking, obesity, and underlying medical conditions with COVID-19 hospitalization and mortality in Iran: A nationwide retrospective ecological study. *Med J Islam Repub Iran*, 34, 133. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33437729>

- Klein, EG, Koopman Gonzalez, S, Pike Moore, S, Bohnert, EJ, Quisenberry, AJ, & Trapl, ES. (2021). Pulling Your Mask down to Smoke: Qualitative Themes from Young Adults on Nicotine Use during a Pandemic. *Subst Use Misuse*, 1-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33435783>
- Lowe, KE, Zein, J, Hatipoglu, U, & Attaway, A. (2021). Association of Smoking and Cumulative Pack-Year Exposure With COVID-19 Outcomes in the Cleveland Clinic COVID-19 Registry. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33492361>
- Lugnier, C, Al-Kuraishi, HM, & Rousseau, E. (2021). PDE4 inhibition as a therapeutic strategy for improvement of pulmonary dysfunctions in Covid-19 and cigarette smoking. *Biochem Pharmacol*, 114431. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33515531>
- Paleiron, N, Mayet, A, Marbac, V, Perisse, A, Barazzutti, H, Brocq, FX et al (2021). Impact of Tobacco Smoking on the risk of COVID-19. A large scale retrospective cohort study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33420786>
- Rosoff-Verbit, Z, Logue-Chamberlain, E, Fishman, J, Audrain-McGovern, J, Hawk, L, Mahoney, M et al (2021). The Perceived Impact of COVID-19 among Treatment-Seeking Smokers: A Mixed Methods Approach. *Int J Environ Res Public Health*, 18(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33435462>
- Rossato, M, & Di Vincenzo, A. (2021). Cigarette smoking and COVID-19. *Pulmonology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33495127>
- Saurabh, S, Verma, MK, Gautam, V, Kumar, N, Jain, V, Goel, AD et al (2021). Tobacco, alcohol use and other risk factors for developing symptomatic COVID-19 vs asymptomatic SARS-CoV-2 infection: a case-control study from western Rajasthan, India. *Trans R Soc Trop Med Hyg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33444432>
- Shepherd, JM, Fogle, B, Garey, L, Viana, AG, & Zvolensky, M. (2021). Worry about COVID-19 in relation to cognitive-affective smoking processes among daily adult combustible cigarette smokers. *Cogn Behav Ther*, 1-15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33511905>
- Sivapuram, M, Nagarathna, R., Anand, A, Patil, S, Singh, A, & Nagendra, HR. (2020). Prevalence of Alcohol and Tobacco Use in India and Implications for COVID-19 - Niyantrita Madhumeha Bharata Study Projections. *J Med Life*, 13(4), 499-509. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33456598>
- Sun, Y, Lam, TH, Cheung, YTD, Wang, MP, Wu, Y, Chen, J et al (2021). First Report on Smoking and Infection Control Behaviours at Outdoor Hotspots during the COVID-19 Pandemic: An Unobtrusive Observational Study. *Int J Environ Res Public Health*, 18(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33503837>
- Ugur Chousein, EG, Cortuk, M, Cinarka, H, Tanriverdi, E, Turan, D, Yildirim, BZ et al (2020). Is there any effect of smoking status on severity and mortality of hospitalized patients with COVID-19 pneumonia? *Tuberk Toraks*, 68(4), 371-378. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33448734>

Correction to "Commentary on: Does COVID19 Infect the Brain? If So, Smokers Might Be at a Higher Risk". (2020). *Mol Pharmacol*, 98(5), 598. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33077609>

Adhikari, K, Scott, LA, Worrell, M, Friesen, BT, & Teare, G. (2020). A call to action: commercial tobacco smoking cessation support as a priority for healthcare services during the COVID-19 pandemic. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33107569>

Adrish, M, Chilimuri, S, Mantri, N, Sun, H, Zahid, M, Gongati, S et al. (2020). Association of smoking status with outcomes in hospitalised patients with COVID-19. *BMJ Open Respir Res*, 7(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33020114>

Ahluwalia, IB, Myers, M & Cohen, JE (2020). COVID-19 pandemic: an opportunity for tobacco use cessation. *Lancet Public Health*, 5(11), e577. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33120038>

Alla, F, Berlin, I, Nguyen-Thanh, V, Guignard, R, Pasquereau, A, Quelet, S et al. (2020). Tobacco and COVID-19: a crisis within a crisis? *Can J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33052586>

Bandara, NA, Herath, J, & Mehrnoush, V. (2020). Addressing the intersection between COVID-19 and young people vaping: timely resources needed. *CMAJ*, 192(43), E1310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33106304>

Berg, CJ, Callanan, R Johnson, TO, Schliecher, NC, Sussman, S, Wagener, TL et al (2020). Vape shop and consumer activity during COVID-19 non-essential business closures in the USA. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33077506>

Chatkin, JM, & Godoy, I. (2020). Are smoking, environmental pollution, and weather conditions risk factors for COVID-19? *J Bras Pneumol*, 46(5), e20200183. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33027470>

Elling, JM, Crutzen, R, Talhout, R, & de Vries, H. (2020). Tobacco smoking and smoking cessation in times of COVID-19. *Tob Prev Cessat*, 6, 39. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33083672>

Girvalaki, C Mechili, E A, Loghin, CR, & Filippidis, FT. (2020). Social responsibility during the COVID-19 pandemic: Tobacco industry's trojan horse in Europe. *Tob Prev Cessat*, 6, 37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33033787>

Gonzalez-Rubio, J, Navarro-Lopez, C, Lopez-Najera, E, Lopez-Najera, A, Jimenez-Diaz, L, Navarro-Lopez, JD, & Najera, A. (2020). A Systematic Review and Meta-Analysis of Hospitalised Current Smokers and COVID-19. *Int J Environ Res Public Health*, 17(20). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33050574>

Grover, S, Mohanty, V, Jain, S, Anand, T, & Aghi, MB. (2020). "YES it's the Perfect Time to Quit": Fueling Tobacco Cessation in India during COVID-19 Pandemic. *Tob Use Insights*, 13, 1179173X20960447. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33033429>

Gupte, HA, Mandal, G, & Jagiasi, D. (2020). How has the COVID-19 pandemic affected tobacco users in India: Lessons from an ongoing tobacco cessation program. *Tob Prev Cessat*, 6, 53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33083681>

Hayanga, JWA, Hayanga, HK, Dhamija, A, Fugett, J, Cook, C, Powell, D et al (2020). Extracorporeal support to treat E-cigarette or vaping product use-associated lung injury (EVALI) during the coronavirus disease 2019 (COVID-19) pandemic. *JTCVS Tech*, 3, 381-384. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995757>

Ioannidis, JPA & Jha, P. (2020). Does the COVID-19 pandemic provide an opportunity to eliminate the tobacco industry? *Lancet Glob Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33120026>

Jackson, SE, Garnett, C, Shahab, L, Oldham, M, & Brown, J. (2020). Association of the Covid-19 lockdown with smoking, drinking, and attempts to quit in England: an analysis of 2019-2020 data. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33089562>

Janmohamed, K, Soale, AN, Forastiere, L, Tang, W, Sha, Y, Demant, J et al (2020). Intersection of the Web-Based Vaping Narrative With COVID-19: Topic Modeling Study. *J Med Internet Res*, 22(10), e21743. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33001829>

Kalan, ME, Ghobadi, H, Taleb, ZB, Adham, D, Cobb, CO, Ward, KD et al (2020). COVID-19 and beliefs about tobacco use: an online cross-sectional study in Iran. *Environ Sci Pollut Res Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33029777>

Lang, AE, & Yakhkind, A. (2020). More Than Meets the Eye: The Similarities Between Coronavirus Disease 2019 and Smoking. *Mayo Clin Proc*, 95(10), 2282-2283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33012356>

Maremanda, KP, Sundar, IK, Li, D, & Rahman, I. (2020). Age-Dependent Assessment of Genes Involved in Cellular Senescence, Telomere, and Mitochondrial Pathways in Human Lung Tissue of Smokers, COPD, and IPF: Associations With SARS-CoV-2 COVID-19 ACE2-TMPRSS2-Furin-DPP4 Axis. *Front Pharmacol*, 11, 584637. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33013423>

Matusiak, M, & Schurch, CM. (2020). Expression of SARS-CoV-2 entry receptors in the respiratory tract of healthy individuals, smokers and asthmatics. *Respir Res*, 21(1), 252. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32993656>

Patanavanich, R, & Glantz, SA. (2020). Smoking is associated with worse outcomes of COVID-19 particularly among younger adults: A systematic review and meta-analysis. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32995828>

Patel, VN, Rouse, M, Brown, C, & Pandya, S. (2020). Ground Glass Opacities Observed in a 26-Year-Old Coronavirus Disease 2019 (COVID-19) Rule-Out Patient With a History of Vape Use. *Cureus*, 12(9), e10302. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33052265>

Raines, AM, Tock, JL, McGrew, SJ, Ennis, CR, Derania, J, Jardak, CL et al (2020). Correlates of death among SARS-CoV-2 positive veterans: The contribution of lifetime tobacco use. *Addict Behav*, 113, 106692. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33099250>

- Shahzad Hasan, S, Kow, CS, & Ahmadi, K. (2020). Smoking Cessation Amid the Coronavirus 2019 Pandemic: Making Every Contact Count. *Chronic Obstr Pulm Dis*, 7(4), 300-302. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33108112>
- Siddiqi, K, Siddiqui, F, Khan, A, Ansaari, S, Kanaan, M, Khokhar, M et al (2020). The impact of COVID-19 on smoking patterns in Pakistan: findings from a longitudinal survey of smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33029618>
- Sifat, AE Nozohouri, S., Villalba, H, Vaidya, B, & Abbruscato, TJ. (2020). The Role of Smoking and Nicotine in the Transmission and Pathogenesis of COVID-19. *J Pharmacol Exp Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33033170>
- Simons, D, Shahab, L, Brown, J, & Perski, O. (2020). The association of smoking status with SARS-CoV-2 infection, hospitalisation and mortality from COVID-19: A living rapid evidence review with Bayesian meta-analyses (version 7). *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33007104>
- Sorscher, SM. (2020). The parallel in public health crises between not banning tobacco and not requiring face masks during the COVID-19 pandemic. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33125714>
- Vuolo, M, Kelly, BC, & Roscigno, VJ. (2020). COVID-19 Mask Requirements as a Workers' Rights Issue: Parallels to Smoking Bans. *Am J Prev Med*, 59(5), 764-767. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33012619>
- Abbas, HM, Nassir, KF, Al Khames Aga, QA, Al-Gharawi, AA, Rasheed, JI, Al-Obaidy, MW et al. (2020). Presenting the characteristics, smoking versus diabetes, and outcome among patients hospitalized with COVID-19. *J Med Virol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32886365>
- Bialas, AJ, Kumor-Kisieleska, A, & Gorski, P. (2020). Ageing, sex, obesity, smoking and COVID-19 - truths, myths and speculations. *Adv Respir Med*, 88(4), 335-342. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32869267>
- Cattaruzza, MS, Gorini, G, Bosetti, C, Boffi, R, Lugo, A, Veronese, C et al. (2020). Covid-19 and the role of smoking: the protocol of the multicentric prospective study COSMO-IT (COvid19 and SMOking in ITaly). *Acta Biomed*, 91(3), e2020062. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32921714>
- Chertok, IRA. (2020). Perceived risk of infection and smoking behavior change during COVID-19 in Ohio. *Public Health Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32981125>
- Farsalinos, K, Barbouni, A, & Niaura, R. (2020). Systematic review of the prevalence of current smoking among hospitalized COVID-19 patients in China: could nicotine be a therapeutic option? Reply. *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32955678>
- Gulsen, A, Yigitbas, BA, Uslu, B, Dromann, D, & Kilinc, O. (2020). The Effect of Smoking on COVID-19 Symptom Severity: Systematic Review and Meta-Analysis. *Pulm Med*, 2020, 7590207. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32963831>

Jimenez-Ruiz, CA, Lopez-Padilla, D, Alonso-Arroyo, A, Aleixandre-Benavent, R, Solano-Reina, S, & de Granda-Orive, JI. (2020). COVID-19 and Smoking: A Systematic Review and Meta-Analysis of the Evidence. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32912707>

Kashyap, VK, Dhasmana, A, Masse Retrieved from y, A, Kotnala, S, Zafar, N, Jaggi, M et al. (2020). Smoking and COVID-19: Adding Fuel to the Flame. *Int J Mol Sci*, 21(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32916821>

Landoni, G, Moro, M, Belletti, A, Rovere-Querini, P, Veronesi, G, Ruggeri, A et al. (2020). Recent exposure to smoking and COVID-19. *Crit Care Resusc*, 22(3), 253-256. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32900332>

Liu, A, Zhang, X, Li, R, Zheng, M, Yang, S, Dai, L et al. (2020). Overexpression of the SARS-CoV-2 receptor ACE2 is induced by cigarette smoke in bronchial and alveolar epithelia. *J Pathol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32991738>

Meini, S, Fortini, A, Andreini, R, Sechi, LA, & Tascini, C. (2020). The Paradox of the Low Prevalence of Current Smokers Among Covid-19 Patients Hospitalized in Non-Intensive Care Wards: Results From an Italian Multicenter Case-Control Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32964233>

Munarini, E, Veronese, C, Ogliari, AC, Allegri, F, Bolchi, MG, & Boffi, R. (2020). COVID-19 does not stop good practice in smoking cessation: Safe use of CO analyzer for smokers in the Covid era. *Pulmonology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32967816>

Pettigrew, S, Jun, M, Roberts, I, Bullen, C, Nalliah, K, & Rodgers, A. (2020). Preferences for Tobacco Cessation Information and Support During Covid-19. *J Addict Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32941292>

Plummer, MP, Pellegrini, B, Burrell, AJ, Begum, H, Trapani, T, Udy, AA, & Investigators, S-SA. (2020). Smoking in critically ill patients with COVID-19: the Australian experience. *Crit Care Resusc*, 22(3), 281-283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32900337>

Pranata, R, Soeroto, AY, Huang, I, Lim, MA, Santoso, P, Permana, H, & Lukito, AA. (2020). Effect of chronic obstructive pulmonary disease and smoking on the outcome of COVID-19. *Int J Tuberc Lung Dis*, 24(8), 838-843. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32912389>

Rabade Castedo, C, Signes-Costa, J, & Jimenez-Ruiz, CA. (2020). COVID-19 and Tobacco. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32917432>

Soule, EK, Mayne, S, Snipes, W, Guy, MC, Breland, A, & Fagan, P. (2020). Impacts of COVID-19 on Electronic Cigarette Purchasing, Use and Related Behaviors. *Int J Environ Res Public Health*, 17(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32948084>

Tattan-Birch, H, Perski, O, Jackson, S, Shahab, L, West, R, & Brown, J. (2020). COVID-19, smoking, vaping and quitting: a representative population survey in England. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32918300>

- Theuerkauff, O, & Hanak, C. (2020). Tobacco Use Cessation in Three Patients Suffering from Psychotic Disorders: The Impact of the COVID-19 Pandemic. *Psychiatr Danub*, 32(Suppl 1), 21-23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32890356>
- Underner, M, Perriot, J, Peiffer, G, & Jaafari, N. (2020). [COVID-19 and changes in smoking behavior]. *Rev Mal Respir*, 37(8), 684-686. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32883550>
- Vanderbruggen, N, Matthys, F, Van Laere, S, Zeeuws, D, Santermans, L, Van den Aemele, S, & Crunelle, C. L. (2020). Self-Reported Alcohol, Tobacco, and Cannabis Use during COVID-19 Lockdown Measures: Results from a Web-Based Survey. *Eur Addict Res*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32961535>
- Bellanger, AP, & Reboux, G. (2020). Studying smoking benefit in farmer's lung to understand Covid-19. *Occup Med (Lond)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32779722>
- Bommele, J, Hopman, P, Walters, BH, Geboers, C, Croes, E, Fong, GT et al. (2020). The double-edged relationship between COVID-19 stress and smoking: Implications for smoking cessation. *Tob Induc Dis*, 18, 63. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32733178>
- Boutou, AK, Pitsiou, G, Kontakiotis, T, & Kioumis, I. (2020). Nicotine treatment and smoking cessation in the era of COVID-19 pandemic: an interesting alliance. *ERJ Open Res*, 6(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32802824>
- Costa Monteiro, AC, Suri, R, Emeruwa, IO, Stretch, RJ, Cortes Lopez, RY, Sherman, A et al. (2020). Obesity and Smoking as Risk Factors for Invasive Mechanical Ventilation in COVID-19: a Retrospective, Observational Cohort Study. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32817959>
- de Bernardis, E, & Busa, L. (2020). A putative role for the tobacco mosaic virus in smokers' resistance to COVID-19. *Med Hypotheses*, 143, 110153. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32763662>
- Gaiha, SM, Cheng, J, & Halpern-Felsher, B. (2020). Association Between Youth Smoking, Electronic Cigarette Use, and Coronavirus Disease 2019. *J Adolesc Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32798097>
- Gaunkar, RB, Nagarsekar, A, Carvalho, KM, Jodalli, PS, & Mascarenhas, K. (2020). COVID-19 in Smokeless Tobacco Habitues: Increased Susceptibility and Transmission. *Cureus*, 12(6), e8824. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32742838>
- Jackson, SE, Brown, J, Shahab, L, Steptoe, A, & Fancourt, D. (2020). COVID-19, smoking and inequalities: a study of 53 002 adults in the UK. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32826387>
- Jiang, C, Chen, Q, & Xie, M. (2020). Smoking increases the risk of infectious diseases: A narrative review. *Tob Induc Dis*, 18, 60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32765200>

- Kabbani, N, & Olds, JL. (2020). Response to Comments on "Does COVID19 Infect the Brain? If So, Smokers Might Be at a Higher Risk". *Mol Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32764095>
- Kaminski, M, Muth, A, & Bogdanski, P. (2020). Smoking, Vaping, and Tobacco Industry During COVID-19 Pandemic: Twitter Data Analysis. *Cyberpsychol Behav Soc Netw*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32757951>
- Komiyama, M, & Hasegawa, K. (2020). Response to the Comment 'Smoking and Angiotensin-converting Enzyme Inhibitor/Angiotensin Receptor Blocker Cessation to Limit Coronavirus Disease 2019'. *Eur Cardiol*, 15, e55. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32742309>
- Lee, AC, Chakladar, J, Li, WT, Chen, C, Chang, EY, Wang-Rodriguez, J, & Ongkeko, WM. (2020). Tobacco, but Not Nicotine and Flavor-Less Electronic Cigarettes, Induces ACE2 and Immune Dysregulation. *Int J Mol Sci*, 21(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32752138>
- Lee, JJ, Wang, MP, & Yang, SC. (2020). Will the tobacco industry ultimately triumph in the midst of COVID-19 pandemic?: A call for nurses' action in tobacco control. *Int J Nurs Stud*, 103726. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32778333>
- Luk, TT, Zhao, S, Weng, X, Wong, JY, Wu, YS, Ho, SY et al. (2020). Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32855353>
- Mahoney, MC, Ashare, R, Schlien, N, Duerr, C, & Hawk, LW. (2020). Making lemonade from SARS coronavirus-2 lemons: Transitioning a smoking cessation trial to a virtual platform. *J Subst Abuse Treat*, 117, 108100. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32811627>
- Purkayastha, A, Sen, C, Garcia, G, Langerman, J, Vijayaraj, P, Shia, DW et al. (2020). Direct exposure to SARS-CoV-2 and cigarette smoke increases infection severity and alters the stem cell-derived airway repair response. *bioRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32766588>
- Ramamurthi, D, Chau, C, & Jackler, RK. (2020). Exploitation of the COVID-19 pandemic by e-cigarette marketers. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32855354>
- Reddy, RK, Charles, WN, Sklavounos, A, Dutt, A, Seed, PT, & Khajuria, A. (2020). The effect of smoking on COVID-19 severity: A systematic review and meta-analysis. *J Med Virol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32749705>
- Reddy, RK, Charles, WN, Sklavounos, A, Seed, PT, & Khajuria, A. (2020). Impact of smoking on COVID-19 severity. *J Med Virol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32841417>
- Rojnic Palavra, I, Bodor, D, Ostojic, J, Stimac Grbic, D, & Rojnic Kuzman, M. (2020). SARS-CoV-2 Coronavirus Pandemic: Now Is the Right Time to Stop Smoking. *Psychiatr Danub*, 32(2), 308-309. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32796806>

- Rossato, M, & Di Vincenzo, A. (2020). Smoking and Angiotensin-converting Enzyme Inhibitor/Angiotensin Receptor Blocker Cessation to Limit Coronavirus Disease 2019. *Eur Cardiol*, 15, e54. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32742308>
- Sanchez-Ramirez, DC, & Mackey, D. (2020). Underlying respiratory diseases, specifically COPD, and smoking are associated with severe COVID-19 outcomes: A systematic review and meta-analysis. *Respir Med*, 171, 106096. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32763754>
- Sharma, P, & Zeki, AA. (2020). Does Vaping Increase Susceptibility to COVID-19? *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32749868>
- Speth, RC. (2020). A Comment on "Does COVID19 Infect the Brain? If So, Smokers Might Be at a Higher Risk.". *Mol Pharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32764097>
- Stanton, R, To, QG, Khalesi, S, Williams, SL, Alley, SJ, Thwaite, TL et al. (2020). Depression, Anxiety and Stress during COVID-19: Associations with Changes in Physical Activity, Sleep, Tobacco and Alcohol Use in Australian Adults. *International Journal of Environmental Research and Public Health*, 17(11), 4065. Retrieved from <https://www.mdpi.com/1660-4601/17/11/4065>
- Takagi, H. (2020). Systematic review of the prevalence of current smoking among hospitalized COVID19 patients in China: could nicotine be a therapeutic option? *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32803630>
- Tersalvi, G, Veronese, G, & Winterton, D. (2020). Emerging evidence of myocardial injury in COVID-19: A path through the smoke. *Theranostics*, 10(21), 9888-9889. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32863965>
- The Lancet Respiratory, M. (2020). The EVALI outbreak and vaping in the COVID-19 era. *Lancet Respir Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32805203>
- Usman, MS, Siddiqi, TJ, Khan, MS, Patel, UK, Shahid, I, Ahmed, J et al. (2020). Is there a smoker's paradox in COVID-19? *BMJ Evid Based Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32788164>
- Uvais, NA. (2020). Interests in quitting smoking and alcohol during COVID-19 pandemic in India: A Google Trends study. *Psychiatry Clin Neurosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32779866>
- Voinsky, I, & Gurwitz, D. (2020). Smoking and COVID-19: Similar bronchial ACE2 and TMPRSS2 expression and higher TMPRSS4 expression in current versus never smokers. *Drug Dev Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32757420>
- Zhang, H, Rostami, MR, Leopold, PL, Mezey, JG, O'Beirne, SL, Strulovici-Barel, Y, & Crystal, RG. (2020). Reply to: Does Vaping Increase Susceptibility to COVID-19? *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32749854>
- Carratu, P, Boffi, R, Dragonieri, S, Munarini, E, Veronese, C, & Portincasa, P. (2020). Covid-19 and ex-smokers: an underestimated prognostic factor? *Monaldi Arch Chest Dis*, 90(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32672431>

- Dutheil, F, Nasir, H, & Navel, V. (2020). SARS-CoV-2 Tackles the Tobacco Industry: Comment on "Tobacco Industry Interference Index: Implementation of the World Health Organization's Framework Convention on Tobacco Control Article 5.3 in India". *Asia Pac J Public Health*, 1010539520944700. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32723082>
- Edwards, R, & Munafo, M. (2020). COVID-19 and tobacco - more questions than answers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32667989>
- El-Awa, F, Fraser, CP, Adib, K, Hammerich, A, Abdel Latif, N, Fayokun, R et al (2020). The necessity of continuing to ban tobacco use in public places post-COVID-19. *East Mediterr Health J*, 26(6), 630-632. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32621493>
- Farsalinos, K, Barbouni, A, Poulas, K, Polosa, R, Caponnetto, P, & Niaura, R. (2020). Current smoking, former smoking, and adverse outcome among hospitalized COVID-19 patients: a systematic review and meta-analysis. *Thorax*, 75(11), 1245-1252. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32637059>
- Grund, EJ, Suddek, T, Filippidis, FT, Majeed, A, & Coronini-Cronberg, S. (2020). Smoking, SARS-CoV-2 and COVID-19: A review of reviews considering implications for public health policy and practice. *Tob Induc Dis*, 18, 58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32641924>
- Guilamo-Ramos, V, Benzekri, A, Thimm-Kaiser, M, Abram, M, & Hagan, H. (2020). Participation of the nursing workforce to address COVID-19 among people who use alcohol, tobacco, and drugs. *Int J Drug Policy*, 102831. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32654929>
- Harrill, WC. (2020). Vaping during the COVID-19 pandemic: NOT GOOD!! *Laryngoscope Investig Otolaryngol*, 5(3), 399-400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32596482>
- Jacobs, M, Van Eeckhoutte, HP, Wijnant, SRA, Janssens, W, Joos, GF, Brusselle, GG, & Bracke, KR. (2020). Increased expression of ACE2, the SARS-CoV-2 entry receptor, in alveolar and bronchial epithelium of smokers and COPD subjects. *Eur Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32675207>
- Kayhan Tetik, B, Gedik Tekinemre, I, & Tas, S. (2020). The Effect of the COVID-19 Pandemic on Smoking Cessation Success. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32643078>
- Kotsen, C, Dilip, D, Carter-Harris, L, O'Brien, M, Whitlock, CW, de Leon-Sanchez, S, & Ostroff, JS. (2020). Rapid Scaling Up of Telehealth Treatment for Tobacco-Dependent Cancer Patients During the COVID-19 Outbreak in New York City. *Telemed J E Health*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32649266>
- Kowitz, SD, Cornacchione Ross, J, Jarman, KL, Kistler, CE, Lazard, AJ, Ranney, LM et al (2020). Tobacco Quit Intentions and Behaviors among Cigar Smokers in the United States in Response to COVID-19. *Int J Environ Res Public Health*, 17(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32722469>

- Landoni, G, Moro, M, Belletti, A, Rovere-Querini, P, Veronesi, G, Ruggeri, A et al (2020). Recent exposure to smoking and COVID-19. *Crit Care Resusc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32645763>
- Maremanda, KP, Sundar, IK, Li, D, & Rahman, I. (2020). Age-dependent assessment of genes involved in cellular senescence, telomere and mitochondrial pathways in human lung tissue of smokers, COPD and IPF: Associations with SARS-CoV-2 COVID-19 ACE2-TMPRSS2-Furin-DPP4 axis. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32702724>
- Plummer, MP, Pellegrini, B, Burrell, AJ, Begum, H, Trapani, T, Udy, AA, & Investigators, S-SA. (2020). Smoking in critically ill patients with COVID-19: the Australian experience. *Crit Care Resusc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32634894>
- Seiler, NK, Swamy, R, Xiao, J, & Yun, Y. (2020). Tobacco smoking cessation in mental health services during the COVID-19 pandemic. *J Addict Dis*, 1-3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32657671>
- Singh, AK. (2020). COVID-19 experience in Kuwait: A high prevalence of asymptomatic cases and increased mortality in smokers. *EClinicalMedicine*, 24, 100462. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32695964>
- Tajlil, A, Ghaffari, S, Pourafkari, L, Mashayekhi, S, & Roshanravan, N. (2020). Nicotine and smoking in the COVID-19 era. *J Cardiovasc Thorac Res*, 12(2), 136-139. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32626554>
- Tsigaris, P, & Teixeira da Silva, JA. (2020). Smoking prevalence and COVID-19 in Europe. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32609839>
- Wang, Q, Sundar, I, Li, D, Lucas, J, Muthumalage, T, McDonough, S, & Rahman, I. (2020). E-cigarette-Induced Pulmonary Inflammation and Dysregulated Repair are Mediated by nAChR alpha7 Receptor: Role of nAChR alpha7 in ACE2 Covid-19 receptor regulation. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32634473>
- Ahmed, N, Maqsood, A, Abduljabbar, T, & Vohra, F. (2020). Tobacco Smoking a Potential Risk Factor in Transmission of COVID-19 Infection. *Pak J Med Sci*, 36(COVID19-S4), S104-S107. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32582324>
- Archie, SR, & Cucullo, L. (2020). Cerebrovascular and Neurological Dysfunction under the Threat of COVID-19: Is There a Comorbid Role for Smoking and Vaping? *Int J Mol Sci*, 21(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32486196>
- Armatas, C, Heinzerling, A, & Wilken, JA. (2020). Notes from the Field: E-cigarette, or Vaping, Product Use-Associated Lung Injury Cases During the COVID-19 Response - California, 2020. *MMWR Morb Mortal Wkly Rep*, 69(25), 801-802. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32584801>
- Cai, G, Bosse, Y, Xiao, F, Kheradmand, F, & Amos, CI. (2020). Reply to: Cigarette Smoking and COVID-19: A Complex Interaction. *Am J Respir Crit Care Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32530707>

- Caponnetto, P, Inguscio, L, Saitta, C, Maglia, M, Benfatto, F, & Polosa, R. (2020). Smoking behavior and psychological dynamics during COVID-19 social distancing and stay-at-home policies: A survey. *Health Psychol Res*, 8(1), 9124. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32529094>
- Carmona-Bayonas, A, Jimenez-Fonseca, P, Sanchez Arraez, A, Alvarez Mancenido, F, & Castanon, E. (2020). Does active smoking worsen Covid-19? *Eur J Intern Med*, 77, 129-131. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32507518>
- Gallus, S, Lugo, A, & Gorini, G. (2020). No double-edged sword and no doubt about the relation between smoking and COVID-19 severity. *Eur J Intern Med*, 77, 33-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32564904>
- Guo, FR. (2020). A flaw on a meta-analysis of smoking and the severity of COVID-19: the association should have been endorsed. *J Public Health (Oxf)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32542369>
- Henderson, SB. (2020). The COVID-19 Pandemic and Wildfire Smoke: Potentially Concomitant Disasters. *Am J Public Health*, e1-e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32552018>
- Jj, S N, A, & E, G. (2020). Active smoking and severity of coronavirus disease 2019 (COVID-19): Differences in measurement of variables could cause errors in the results. *Eur J Intern Med*, 77, 127-128. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32499172>
- Kalan, ME, Ghobadi, H, Taleb, ZB, Ward, KD, Adham, D, Matin, S et al. (2020). Descriptive characteristics of hospitalized adult smokers and never-smokers with COVID-19. *Tob Induc Dis*, 18, 46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32489343>
- Karanasos, A, Aznaouridis, K, Latsios, G, Synetos, A, Plitaria, S, Tousoulis, D, & Toutouzas, K. (2020). Impact of smoking status on disease severity and mortality of hospitalized patients with COVID-19 infection: a systematic review and meta-analysis. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32564072>
- Kaur, G, Lungarella, G, & Rahman, I. (2020). SARS-CoV-2 COVID-19 susceptibility and lung inflammatory storm by smoking and vaping. *J Inflamm (Lond)*, 17, 21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32528233>
- Koczkodaj, P, Cedzynska, M, & Didkowska, J. (2020). Smoking and SARS-CoV-2: Are Polish health professionals at higher risk of infection? *Tob Induc Dis*, 18, 52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32523503>
- Lang, AE, & Yakhkind, A. (2020). COVID-19 and Smoking: How and Why We Implemented a Tobacco Treatment Campaign. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32561438>
- Li, D, Croft, DP, Ossip, DJ, & Xie, Z. (2020). Are Vapers More Susceptible to COVID-19 Infection? *medRxiv*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32511560>
- Maremanda, KP, Sundar, IK, Li, D, & Rahman, I. (2020). Age-dependent assessment of genes involved in cellular senescence, telomere and mitochondrial pathways in human lung tissue of smokers, COPD

and IPF: Associations with SARS-CoV-2 COVID-19 ACE2-TMPRSS2-Furin-DPP4 axis. *medRxiv*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32587985>

Muthumalage, T, Lucas, JH, Wang, Q, Lamb, T McGraw, MD, & Rahman, I. (2020). Pulmonary toxicity and inflammatory response of e-cigarettes containing medium-chain triglyceride oil and vitamin E acetate: Implications in the pathogenesis of EVALI but independent of SARS-COV-2 COVID-19 related proteins. *bioRxiv*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32587960>

Ouzzane, A, & Colin, P. (2020). Cost-Effective Filtrating Suction to Evacuate Surgical Smoke in Laparoscopic and Robotic Surgery During the COVID-19 Pandemic. *Surg Laparosc Endosc Percutan Tech*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32487856>

Patanavanich, R, & Glantz, SA. (2020). Smoking is Associated with COVID-19 Progression: A Meta-Analysis. *medRxiv*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32511645>

Patwardhan, P, & Driscoll, R. (2020). 'Quit During COVID-19'-staying smokefree in mental health in-patient settings. *Ecancermedicalscience*, 14, ed102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32582377>

Pavan, N, Crestani, A, Abrate, A, Nunzio, C, Esperto, F, Giannarini, G et al (2020). Risk of Virus Contamination Through Surgical Smoke During Minimally Invasive Surgery: A Systematic Review of Literature on a Neglected Issue Revived in the COVID-19 Pandemic Era. *Eur Urol Focus*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32527624>

Polverino, F. (2020). Cigarette Smoking and COVID-19: A Complex Interaction. *Am J Respir Crit Care Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32530714>

Rajput, DV. (2020). Systematic review of the prevalence of current smoking among hospitalized COVID-19 patients in China: could nicotine be a therapeutic option?: Comment. *Intern Emerg Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32514683>

Saheb Sharif-Askari, N, Saheb Sharif-Askari, F, Alabed, M, Temsah, MH, Al Heialy, S, Hamid, Q, & Halwani, R. (2020). Airways Expression of SARS-CoV-2 Receptor, ACE2, and TMPRSS2 Is Lower in Children Than Adults and Increases with Smoking and COPD. *Mol Ther Methods Clin Dev*, 18, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32537478>

Stanton, R, To, QG, Khalesi, S, Williams, SL, Alley, SJ, Thwaite, TL et al. (2020). Depression, Anxiety and Stress during COVID-19: Associations with Changes in Physical Activity, Sleep, Tobacco and Alcohol Use in Australian Adults. *Int J Environ Res Public Health*, 17(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32517294>

Wang, Q, Sundar, IK, Li, D, Lucas, JH, Muthumalage, T, McDonough, SR, & Rahman, I. (2020). E-cigarette-induced pulmonary inflammation and dysregulated repair are mediated by nAChR alpha7 receptor: role of nAChR alpha7 in SARS-CoV-2 Covid-19 ACE2 receptor regulation. *Respir Res*, 21(1), 154. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32552811>

Wilson, C. (2020). Smokers are actually at a higher risk of dying from covid-19. *New Sci*, 246(3283), 8-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32501348>

Yasri, S, & Wiwanitkit, V. (2020). Sharing Cigarette Smoking and COVID-19 Outbreak in a Party Group. *Int J Prev Med*, 11, 50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32577180>

Alqahtani, JS, Oyelade, T, Aldhahir, AM, Alghamdi, SM, Almeahmadi, M, Alqahtani, AS et al (2020). Prevalence, Severity and Mortality associated with COPD and Smoking in patients with COVID-19: A Rapid Systematic Review and Meta-Analysis. *PLoS One*, 15(5), e0233147. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32392262>

Anand, S. (2020). Smoking amidst the COVID-19 Pandemic - the invisible threat? *Med J Malaysia*, 75(3), 309-310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32467553>

Cattaruzza, MS, Zaga, V, Gallus, S, D'Argenio, P, & Gorini, G. (2020). Tobacco smoking and COVID-19 pandemic: old and new issues. A summary of the evidence from the scientific literature. *Acta Biomed*, 91(2), 106-112. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32420934>

Chakladar, J, Shende, N, Li, WT, Rajasekaran, M, Chang, EY, & Ongkeko, WM. (2020). Smoking-Mediated Upregulation of the Androgen Pathway Leads to Increased SARS-CoV-2 Susceptibility. *Int J Mol Sci*, 21(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32455539>

Do, MH, Minkis, K, Petukhova, TA, & Lipner, SR. (2020). Recommendations for personal protective equipment and smoke evacuation for dermatologic surgeries amid the COVID-19 crisis. *Dermatol Ther*, e13592. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32413200>

Egbe, CO, & Ngobese, SP. (2020). COVID-19 lockdown and the tobacco product ban in South Africa. *Tob Induc Dis*, 18, 39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32395100>

Eisenberg, SL, & Eisenberg, MJ. (2020). Smoking Cessation During the COVID-19 Epidemic. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32363386>

Engin, AB, Engin, ED, & Engin, A. (2020). Two important controversial risk factors in SARS-CoV-2 infection: Obesity and smoking. *Environ Toxicol Pharmacol*, 78, 103411. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32422280>

Farsalinos, K, Barbouni, A, & Niaura, R. (2020). Systematic review of the prevalence of current smoking among hospitalized COVID-19 patients in China: could nicotine be a therapeutic option? *Intern Emerg Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32385628>

Guo, FR. (2020). Active smoking is associated with severity of coronavirus disease 2019 (COVID-19): An update of a meta-analysis. *Tob Induc Dis*, 18, 37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32382258>

Guo, FR. (2020). Smoking links to the severity of Covid-19: An update of a meta-analysis. *J Med Virol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32369203>

Heerfordt, C, & Heerfordt, M. (2020). Has there been an increased interest in smoking cessation during the first months of the COVID-19 pandemic? A Google Trends study. *Public Health*, 183, 6-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32388011>

Kaur, J, & Rinkoo, AV. (2020). Public health perspectives of smokeless tobacco and areca nut use in the COVID-19 era. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32382754>

Komiyama, M, & Hasegawa, K. (2020). Smoking Cessation as a Public Health Measure to Limit the Coronavirus Disease 2019 Pandemic. *Eur Cardiol*, 15, e16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32373189>

Leonel, A, Martelli-Junior, H, Bonan, PRF, Kowalski, LP, & da Cruz Perez, DE. (2020). COVID-19, head and neck cancer, and the need of training of health students and practitioners regarding to tobacco control and patient counseling. *Oral Oncol*, 104739. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32354693>

Leung, JM, & Sin, DD. (2020). Smoking, ACE-2, and COVID-19: Ongoing Controversies. *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32430431>

Leung, JM, Yang, CX, & Sin, DD. (2020). Reply to: "Current Smoking is Not Associated with COVID-19". *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32366490>

Li Volti, G, Caruso, M, & Polosa, R. (2020). Smoking and SARS-CoV-2 Disease (COVID-19): Dangerous Liaisons or Confusing Relationships? *J Clin Med*, 9(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32370269>

Lippi, G, Sanchis-Gomar, F, & Henry, BM. (2020). Active smoking and COVID-19: a double-edged sword. *Eur J Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32439289>

Lo, E, & Lasnier, B. (2020). Active smoking and severity of coronavirus disease 2019 (COVID-19): The use of significance testing leads to an erroneous conclusion. *Eur J Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32417144>

Lutchman, D. (2020). Could the smoking gun in the fight against Covid-19 be the (rh) ACE2? *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32398309>

McAlinden, KD, Eapen, MS, Lu, W, Chia, C, Haug, G, & Sohal, SS. (2020). COVID-19 and vaping: risk for increased susceptibility to SARS-CoV-2 infection? *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32430427>

Medel, D, Meza, L, Galimov, A, Baezconde-Garbanati, L, & Sussman, S. (2020). Notes From the Field: Vape Shop Business Operations Compliance in the Wake of COVID-19. *Eval Health Prof*, 43(2), 135-137. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32383409>

Mintz, Y, Arezzo, A, Boni, L, Baldari, L, Cassinotti, E, Brodie, R et al (2020). The risk of COVID-19 transmission by laparoscopic smoke may be lower than for laparotomy: a narrative review. *Surg Endosc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32458289>

Mowbray, NG, Ansell, J, Horwood, J, Cornish, J, Rizkallah, P, Parker, A et al (2020). Safe management of surgical smoke in the age of COVID-19. *Br J Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32363596>

Ott, D. (2020). Comment on A Low Cost, Safe and Effective Method for Smoke Evacuation in Laparoscopic Surgery for Suspected Coronavirus Patients. *Ann Surg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32452955>

Patanavanich, R, & Glantz, SA. (2020). Smoking is Associated with COVID-19 Progression: A Meta-Analysis. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32399563>

Pavlinec, J, & Su, LM. (2020). Surgical Smoke in the Era of the COVID-19 Pandemic: Is It Time to Reconsider Policies on Smoke Evacuation? *J Urol*, 101097JU0000000000001142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32427063>

Perski, O, Herbec, A, Shahab, L, & Brown, J. (2020). Has the SARS-CoV-2 outbreak influenced the uptake of a popular smoking cessation app in UK smokers? An interrupted time series analysis. *JMIR Mhealth Uhealth*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32463375>

Polosa, R, & Caci, G. (2020). COVID-19: counter-intuitive data on smoking prevalence and therapeutic implications for nicotine. *Intern Emerg Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32430652>

Propper, RE. (2020). Does Cigarette Smoking Protect Against SARS-CoV-2 Infection? *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32353120>

Rossato, M, Russo, L, Mazzocut, S, Di Vincenzo, A, Fioretto, P, & Vettor, R. (2020). Current Smoking is Not Associated with COVID-19. *Eur Respir J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32350106>

Shekhar, S, & Hannah-Shmouni, F. (2020). Hookah smoking and COVID-19: call for action. *CMAJ*, 192(17), E462. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32350106>

Silva, A, Moreira, JC, & Martins, SR. (2020). COVID-19 and smoking: a high-risk association. *Cad Saude Publica*, 36(5), e00072020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428076>

Smith, JC, Sausville, EL, Girish, V, Yuan, ML, Vasudevan, A, John, KM, & Sheltzer, JM. (2020). Cigarette smoke exposure and inflammatory signaling increase the expression of the SARS-CoV-2 receptor ACE2 in the respiratory tract. *Dev Cell*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32425701>

Tindle, HA, Newhouse, PA, & Freiberg, MS. (2020). Beyond Smoking Cessation: Investigating Medicinal Nicotine to Prevent and Treat COVID-19. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32383751>

van Zyl-Smit, RN, Richards, G, & Leone, FT. (2020). Tobacco smoking and COVID-19 infection. *Lancet Respir Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32464099>

Vazquez, JC, & Redolar-Ripoll, D. (2020). Epidemiological Data From the COVID-19 Outbreak in Spain for the Promotion of Tobacco Smoking Cessation Policies. *Tob Use Insights*, 13, 1179173X20924028. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32435132>

Vourzoumis, P, Alkhamesi, N, Elnahas, A, Hawel, JE, & Schlachta, C. (2020). Operating during COVID-19: Is there a risk of viral transmission from surgical smoke during surgery? *Can J Surg*, 63(3), E299-E301. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32449851>

Yach, D. (2020). Tobacco Use Patterns in five countries during the COVID-19 Lockdown. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32459837>

Zhang, J, Wang, H, Li, Y, & Dong, L. (2020). The Battle of Humans and COVID-19: A War Without Smoke. *World Neurosurg*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32353542>

### 3.9.12.1 SARS and MERS outbreaks since 2002

### 3.9.12.2 COVID-19 pandemic

**Hossain, MA, Rahman, MZ, Bhuiyan, T, & Moni, MA. (2024). Identification of Biomarkers and Molecular Pathways Implicated in Smoking and COVID-19 Associated Lung Cancer Using Bioinformatics and Machine Learning Approaches. *Int J Environ Res Public Health*, 21(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595659>**

Gu, D, Ha, P, Kaye, JT, Fiore, MC, & Tsoh, JY. (2024). Cigarette smoking status and COVID-19 hospitalization in the context of cannabis use: An electronic health record cohort study in northern California. *Addict Behav Rep*, 20, 100565. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39429806>

Moll, M, Xu, Z, Boueiz, A, Ryu, MH, Silverman, EK, Cho, MH et al. (2024). B cell immune repertoire sequencing in tobacco cigarette smoking, vaping, and chronic obstructive pulmonary disease in the COPDGene cohort. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39417147>

Shaaban, A. N., Andersson, F., Thiesmeier, R., Orsini, N., Pena, S., Caspersen, I. H., . . . Galanti, M. R. (2024). The association between tobacco use and COVID-19 diagnoses in three Nordic countries: a pooled analysis. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39419634>

Narasimha, VL, Nath, S, Alam, B, Kumari, B, Kumari, P, Kumari, S et al. (2024). Prevalence and association between alcohol, tobacco, and COVID-19: a study from a tribal predominant district in eastern India. *Front Public Health*, 12, 1415178. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39220445>

Hou, X, Zheng, F, Lu, L, Wang, Z, & Ni, X. (2024). Protecting effects of smoking against COVID-19: a community-based retrospective cohort study in middle- and older-aged adults. *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39164599>

Zheng, X, Chen, M, Zhuang, Y, Xu, J, Zhao, L, Qian, Y, & Shen, W. (2024). Smoking behaviors, physical activities, pulmonary diseases and COVID-19 severity: A Mendelian randomization study. *Medicine (Baltimore)*, 103(34), e39416. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39183391>

Dalmau, R, Alanazi, AM, Arora, M, Banerjee, A, Bianco, E, Gaalema, DE et al. (2024). A Complex Interplay: Navigating the Crossroads of Tobacco Use, Cardiovascular Disease, and the COVID-19 Pandemic: A WHF Policy Brief. *Glob Heart*, 19(1), 55. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38973985>

Kramer, I, Zhu, Y, Van Westen-Lagerweij, NA, Dekker, LH, Mierau, JO, & Croes, EA. (2024). New insights into the paradox between smoking and the risk of SARS-CoV-2 infection (COVID-19):

Insufficient evidence for a causal association. *Scand J Public Health*, 14034948241253690. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39082683>

Djorwe, S, Bousfiha, A, Nzoyikorera, N, Nyandwi, J, Kawthar, B, & Malki, A. (2024). Impact and prevalence of comorbidities and complications on the severity of COVID-19 in association with age, gender, obesity, and pre-existing smoking: A meta-analysis. *Biomedicine (Taipei)*, 14(1), 20-38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38533301>

Kang, SY, Kim, YJ, & Cho, HJ. (2024). COVID-19 Outcome and Tobacco Product Use: Case-Control and Retrospective Cohort Studies Using Nationwide Samples. *J Korean Med Sci*, 39(11), e103. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38529574>

Ali Hossain, M, Asa, TA, Rabiul Auwal, M, Aktaruzzaman, M, Mahfizur Rahman, M, Rahman, MZ, & Moni, MA. (2023). The pathogenetic influence of smoking on SARS-CoV-2 infection: Integrative transcriptome and regulomics analysis of lung epithelial cells. *Comput Biol Med*, 159, 106885. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37084641>

Chen, R, Hui, KP, Liang, Y, Ng, KC, Nicholls, JM, Ip, MS et al. (2023). SARS-CoV-2 infection aggravates cigarette smoke-exposed cell damage in primary human airway epithelia. *Virology*, 20(1), 65. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37041586>

Chenchula, S., Vidyasagar, K., Pathan, S., Sharma, S., Chavan, M. R., Bhagavathula, A. S., . . . Mudda, S. (2023). Global prevalence and effect of comorbidities and smoking status on severity and mortality of COVID-19 in association with age and gender: a systematic review, meta-analysis and meta-regression. *Sci Rep*, 13(1), 6415. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37076543>

Mori, Y, Tanaka, M, Kozai, H, Hotta, K, Aoyama, Y, Shigeno, Y et al. (2022). Antibody response of smokers to the COVID-19 vaccination: Evaluation based on cigarette dependence. *Drug Discov Ther*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35370256>

Mortazavi, SA, Bevelacqua, JJ, Rafiepour, P, Ghadimi-Moghadam, A, Saraie, P, Jooyan, N et al. (2022). Revisiting the Paradox of Smoking: Radioactivity in Tobacco Smoke or Suppressing the SARS-CoV-2 Receptor, Angiotensin-Converting Enzyme 2, via Aryl-Hydrocarbon Receptor Signal? *Dose Response*, 20(1), 15593258221075111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35392263>

Patanavanich, R, Siripoon, T, Amponnavarat, S, & Glantz, SA. (2022). Active smokers are at higher risk of COVID-19 death: A systematic review and meta-analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35363877>

Tomaselli, V, Ferrara, P, Cantone, GG, Romeo, AC, Rust, S, Saitta, D et al. (2022). The effect of laboratory-verified smoking on SARS-CoV-2 infection: results from the Troina sero-epidemiological survey. *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35419722>

Young-Wolff, KC, Slama, N, Alexeeff, SE, Sakoda, LC, Fogelberg, R, Myers, LC et al. (2022). Cigarette Smoking and Risk of SARS-CoV-2 infection and Disease Severity Among Adults in an Integrated Health Care System in California. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35368066>

Haider, MZ, Al-Mannai, A, Al-Sirhan, S, Elsabagh, A, Nasser, N, Al-Quraishi, N et al. (2022). Impact of Smoking on COVID-19 Symptoms in Non-Vaccinated Patients: A Matched Observational Study from Qatar. *J Multidiscip Healthc*, 15, 531-540. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35321233>

Kumar, R., Rai, A. K., Phukan, M. M., Hussain, A., Borah, D., Gogoi, B., . . . Buragohain, A. K. (2021). Accumulating Impact of Smoking and Co-morbidities on Severity and Mortality of COVID-19 Infection: A Systematic Review and Meta-analysis. *Curr Genomics*, 22(5), 339-352. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35321233>

Wiwanitkit, S., & Wiwanitkit, V. (2022). Tobacco Smoking and Health-Related Quality of Life During the COVID-19 Pandemic: Correspondence. *Asian Pac J Cancer Prev*, 23(3), 753. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35345342>

Baker, J, Krishnan, N, Abrams, LC, & Berg, CJ. (2022). The Impact of Tobacco Use on COVID-19 Outcomes: A Systematic Review. *J Smok Cessat*, 2022, 5474397. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35126740>

Cruvinel, E, K, PR, T, SS, N, MM, Mayo, MS, A, RB, & N, LN. (2022). The impact of COVID-19 on income and employment and willingness to become vaccinated among African Americans enrolled in a smoking cessation randomized trial. *Vaccine*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35168840>

Fang, XM, Wang, J, Liu, Y, Zhang, X, Wang, T, Zhang, HP et al. (2022). Combined and interactive effects of alcohol drinking and cigarette smoking on the risk of severe illness and poor clinical outcomes in patients with COVID-19: a multicentre retrospective cohort study. *Public Health*, 205, 6-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35219128>

Ferrara, P, Gianfredi, V, Tomaselli, V, & Polosa, R. (2022). The Effect of Smoking on Humoral Response to COVID-19 Vaccines: A Systematic Review of Epidemiological Studies. *Vaccines (Basel)*, 10(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35214761>

Maatouk, C, Aad, AM, & Lucero-Prisno, DE. (2022). Smoking, health risks, coping mechanisms and depression in the age of COVID-19: A cross-sectional study of the Lebanese population. *J Affect Disord Rep*, 8, 100323. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35156073>

Simons, D, Perski, O, Shahab, L, Brown, J, & Bailey, R. (2021). Association of smoking status with hospitalisation for COVID-19 compared with other respiratory viruses a year previous: a case-control study at a single UK National Health Service trust. *F1000Res*, 10, 846. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35136577>

Tolaj, I, Baftiu, N, Mustafa, L, & Fejza, H. (2021). Smoking and COVID-19 in ICU Patients. *Med Arch*, 75(5), 356-360. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35169357>

Gao, M, Aveyard, P, Lindson, N, Hartmann-Boyce, J, Watkinson, P, Young, D et al. (2022). Association between smoking, e-cigarette use and severe COVID-19: a cohort study. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35179598>

Ghosh, A, Girish, V, Yuan, ML, Coakley, RD, Wrennall, JA, Alexis, NE et al. (2021). Combustible and Electronic Cigarette Exposures Increase ACE2 Activity and SARS-CoV-2 Spike Binding. *Am J Respir Crit Care Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34748720>

Joob, B, & Wiwanitkit, V. (2021). COVID-19 and smoking: A comment. *J Res Med Sci*, 26, 66. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34729074>

Kawada, T. (2021). COVID-19 infection and tobacco smoking. *EXCLI J*, 20, 1486-1487. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34803558>

Moschovis, PP, Lu, M, Hayden, D, Yonker, LM, Lombay, J, Taveras, E et al. (2021). Effect modification by age of the association between obstructive lung diseases, smoking, and COVID-19 severity. *BMJ Open Respir Res*, 8(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34740944>

Pastor Espla, E, Castello Faus, C, Jorda Baldo, A, Boira Enrique, I, & Chiner Vives, E. (2021). Reply to "COVID-19 and smoking: an opportunity to quit...when vaccinated!". *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34744251>

Vallarta-Robledo, JR, Sandoval, JL, Baggio, S, Salamun, J, Jacquerioz, F, Spechbach, H, & Guessous, I. (2021). Negative Association Between Smoking and Positive SARS-CoV-2 Testing: Results From a Swiss Outpatient Sample Population. *Front Public Health*, 9, 731981. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34805064>

Wilkinson, LA, Mergenhagen, KA, Carter, MT, Chua, H, Clark, C, Wattengel, BA et al. (2021). Smoking status related to Covid-19 mortality and disease severity in a veteran population. *Respir Med*, 190, 106668. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34768074>

Xu, K, Shi, X, Husted, C, Hong, R, Wang, Y, Ning, B et al. (2021). Smoking Modulates Different Secretory Subpopulations Expressing SARS-CoV-2 Entry Genes in the Nasal and Bronchial Airways. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34729557>

Zhang, D, Fang, B, Yang, L, & Cai, Y. (2021). Disinformation of text mining online about tobacco and the COVID-19 discussed on Sina Weibo. *Tob Induc Dis*, 19, 83. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34720798>

Almeida-da-Silva, CLC, Matshik Dakafay, H, Liu, K, & Ojcius, DM. (2021). Cigarette Smoke Stimulates SARS-CoV-2 Internalization by Activating AhR and Increasing ACE2 Expression in Human Gingival Epithelial Cells. *Int J Mol Sci*, 22(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34299289>

Besaratinia, A. (2021). COVID-19: a pandemic converged with global tobacco epidemic and widespread vaping - state of the evidence. *Carcinogenesis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34223886>

Clanc, L. (2021). Tobacco, Tobacco Control and Covid-19: Understanding Their Associations. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34305261>

Espejo-Paeres, C, Nunez-Gil, IJ, Estrada, V, Fernandez-Perez, C, Uribe-Heredia, G, Cabre-Verdiell, C et al. (2021). Impact of smoking on COVID-19 outcomes: a HOPE Registry subanalysis. *BMJ Nutr Prev Health*, 4(1), 285-292. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34308137>

Ghayyur, A, Hussain, SS, Salam, E, Saeed, S, Shahid, S, & Salaam, TU. (2021). Less disease severity of COVID-19 among smokers: An indication of investigating nicotine as preventive measure. *Pak J Pharm Sci*, 34(1(Supplementary)), 321-325. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34275857>

Li, W, Zheng, R, Liang, R, Wu, B, Wang, C, Zhuo, L et al (2021). Effects of Smoking on ACE2 Expression Pattern: Risk and Severity of SARS-CoV-2 Infection. *Clin Lab*, 67(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34258966>

Liu, H, Xin, J, Cai, S, & Jiang, X. (2021). Mendelian randomization analysis provides causality of smoking on the expression of ACE2, a putative SARS-CoV-2 receptor. *Elife*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34227468>

Mohsin, FM, Tonmon, TT, Nahrin, R, Tithy, SA, Ame, FA, Ara, I et al. (2021). Association Between Smoking and COVID-19 Severity: Evidence from Bangladesh. *J Multidiscip Healthc*, 14, 1923-1933. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34326643>

Rao, S, Baranova, A, Cao, H, Chen, J, Zhang, X, & Zhang, F. (2021). Genetic mechanisms of COVID-19 and its association with smoking and alcohol consumption. *Brief Bioinform*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34308962>

Saadatian-Elahi, M, Amour, S, Elias, C, Henaff, L, Dananche, C, & Vanhems, P. (2021). Tobacco smoking and severity of COVID-19: Experience from a hospital-based prospective cohort study in Lyon-France. *J Med Virol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34314045>

Wohnhaas, CT, Gindele, JA, Kiechle, T, Shen, Y, Leparc, GG, Stierstorfer, B et al. (2021). Cigarette Smoke Specifically Affects Small Airway Epithelial Cell Populations and Triggers the Expansion of Inflammatory and Squamous Differentiation Associated Basal Cells. *Int J Mol Sci*, 22(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34299265>

Yao, Y, Liu, K, Zhang, JJ, Iso, H, & Lam, TH. (2021). Tobacco smoking and older people amid the COVID-19 pandemic: An elephant in the room. *Age Ageing*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34314479>

Zhang, F, & Baranova, A. (2021). Smoking quantitatively increases risk for COVID-19. *Eur Respir J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34326191>

He, Y, Sun, J, Ding, X, & Wang, Q. (2021). Mechanisms in Which Smoking Increases the Risk of COVID-19 Infection: A Narrative Review. *Iran J Public Health*, 50(3), 431-437. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34178790>

Kaur, G, Yogeswaran, S, Muthumalage, T, & Rahman, I. (2021). Persistently Increased Systemic ACE2 Activity Is Associated With an Increased Inflammatory Response in Smokers With COVID-19. *Front Physiol*, 12, 653045. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34122129>

- Kock, L, Brown, J, Shahab, L, Moore, G, Horton, M, & Brose, L. (2021). Smoking, distress and COVID-19 in England: Cross-sectional population surveys from 2016 to 2020. *Prev Med Rep*, 23, 101420. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34150478>
- Lunardi, F, Fortarezza, F, Vedovelli, L, Pezzuto, F, Boscolo, A, Rossato, M et al (2021). Lower Gene Expression of Angiotensin Converting Enzyme 2 Receptor in Lung Tissues of Smokers with COVID-19 Pneumonia. *Biomolecules*, 11(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34073591>
- Mostafa, A, El-Sayed, MH, El-Meteini, M, Saleh, A, Omar, A, Mansour, O et al (2021). SARS-Co-V2 infection in never, former, and current tobacco/nicotine users: a cohort study of 4040 Egyptian healthcare workers. *BMC Public Health*, 21(1), 1243. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34182960>
- Prats-Uribe, A, Xie, J, Prieto-Alhambra, D, & Petersen, I. (2021). Smoking and COVID-19 Infection and Related Mortality: A Prospective Cohort Analysis of UK Biobank Data. *Clin Epidemiol*, 13, 357-365. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34079378>
- Rnjak, D, Basara, L, Banic, M, Baricevic, D, Dzubur, F, Hecimovic, A et al. (2021). Does Smoking Status Impact the Severity of Acute COVID-19? *Psychiatr Danub*, 33(2), 252-253. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34185760>
- Rossato, M. (2021). Smoking habits and risk of COVID-19. *Hum Cell*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34132995>
- Tortolero, GA, Brown, MR, Sharma, S, de Oliveira Otto, MC, Yamal, JM, Aguilar, D et al. (2021). Leveraging a health information exchange for analyses of COVID-19 outcomes including an example application using smoking history and mortality. *PLoS One*, 16(6), e0247235. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34081724>
- Yang, Y, Lindblom, EN, Salloum, RG, & Ward, KD. (2021). Perceived health risks associated with the use of tobacco and nicotine products during the COVID-19 pandemic. *Tob Induc Dis*, 19, 46. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34163314>
- Eakin, MN, & Neptune, E. (2021). Smoking and COVID-19: The Real Deal. *Annals of the American Thoracic Society*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33645465>
- Gupta, I, Sohail, MU, Elzawawi, KE, Amarah, AH, Vranic, S, Al-Asmakh, M, & Al Moustafa, AE. (2021). SARS-CoV-2 infection and smoking: What is the association? A brief review. *Comput Struct Biotechnol J*, 19, 1654-1660. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33777332>
- Haddad, C, Bou Malhab, S, Sacre, H, & Salameh, P. (2021). Smoking and COVID-19: A Scoping Review. *Tob Use Insights*, 14, 1179173X21994612. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33642886>
- Heydari, G, & Arfaeinia, H. (2021). COVID-19 and smoking: More severity and death - An experience from Iran. *Lung India*, 38(Supplement), S27-S30. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33686976>

- Matos, CP, Boleo-Tome, JP, Rosa, P, & Morais, A. (2021). Tobacco and COVID-19: A position from Sociedade Portuguesa de Pneumologia. Authors' reply. *Pulmonology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33781706>
- Peng, F, Lei, S, Zhang, Q, Zhong, Y, & Wu, S. (2021). Smoking Is Correlated With the Prognosis of Coronavirus Disease 2019 (COVID-19) Patients: An Observational Study. *Front Physiol*, 12, 634842. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33762967>
- Prinelli, F, Bianchi, F, Drago, G, Ruggieri, S, Sojic, A, Jesuthasan, N et al (2021). Current smoking and SARS-CoV-2 infection: findings from the Italian cross-sectional EPICoVID19 internet-based survey. *JMIR Public Health Surveill*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33668011>
- Rachmawati, E, Listiowati, E, Kurniawan, DW, Suraya, I, Ahsan, A, & Nurmansyah, MI. (2021). Significance of Chronic Diseases and Smoking Behavior in the Development of Acute Respiratory Distress Syndrome Among Hospitalized COVID-19 Patients in Indonesia. *Asia Pac J Public Health*, 10105395211002624. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33754841>
- Rakhi, NN, & Biswas, R. (2021). Smoking Enigma in Coronavirus Disease 2019: A Tug of War between Predisposition and Possible Way Out. *Tob Use Insights*, 14, 1179173X20988674. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33737851>
- Ramalho, R, Adiukwu, F, Gashi Bytyci, D, El Hayek, S, Gonzalez-Diaz, JM, Larnaout, A et al. (2021). Alcohol and Tobacco Use During the COVID-19 Pandemic. A Call for Local Actions for Global Impact. *Front Psychiatry*, 12, 634254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33679487>
- Rodgers, A, Nadkarni, M, Indreberg, EK, Alfallaj, L, & Kabir, Z. (2021). Smoking and COVID-19: A Literature Review of Cohort Studies in Non-Chinese Population Settings. *Tob Use Insights*, 14, 1179173X20988671. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33642885>
- Andreu-Mondon, M, Barrio-Gimenez, P, & Mondon-Vehils, S. (2020). COVID-19 and restrictions on tobacco use. *Med Clin (Barc)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33243420>
- Berlin, I. (2020). Risk of COVID-19 and smoking. *Heart*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33148549>
- Di Vincenzo, A, Vettor, R, & Rossato, M. (2020). COVID-19 and smoking habits: a smoky situation! *Monaldi Arch Chest Dis*, 90(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33238700>
- Eapen, MS, Lu, W, Hackett, TL, Singhera, GK, Thompson, IE, McAlinden, KD et al (2020). Dysregulation of endocytic machinery and ACE2 in small airways of smokers and COPD patients can augment their susceptibility to SARS-CoV-2 (COVID-19) infections. *Am J Physiol Lung Cell Mol Physiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33174446>
- Gallo, O. (2020). Risk for COVID-19 infection in patients with tobacco smoke-associated cancers of the upper and lower airway. *Eur Arch Otorhinolaryngol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33216184>

J, JB, S, MM, S, ARM, & S, MJM. (2020). Why Do Some Reports Claim that the Number of COVID-19 Hospitalized Smokers is Smaller than Expected? *J Biomed Phys Eng*, 10(5), 659-662. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33134226>

Patanavanich, R, & Glantz, SA. (2020). The Theoretical Problems Do Not Materially Affect the Results of Our Meta-analysis of Smoking and Covid-19 Disease Progression. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33244597>

Salah, HM, Sharma, T, & Mehta, J. (2020). Smoking Doubles the Mortality Risk in COVID-19: A Meta-Analysis of Recent Reports and Potential Mechanisms. *Cureus*, 12(10), e10837. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33173643>

Shastri, MD Shukla, SD, Chong, WC, Kc, R, Dua, K, Patel, RP et al (2020). Smoking and COVID-19: What we know so far. *Respir Med*, 176, 106237. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33246296>

Tattan-Birch, H, Marsden, J West, R., & Gage, SH. (2020). Assessing and addressing collider bias in addiction research: the curious case of smoking and COVID-19. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33226690>

Wenzl, T. (2020). Smoking and COVID-19: Did we overlook representativeness? *Tob Induc Dis*, 18, 89. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33149732>

Wunsch, H, & Brodie, D. (2020). The Pandemic That Always Strains Critical Care: Smoking. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33181019>

Yue, L, Zhang, R, & Duan, G. (2020). The relationship between smoking and COVID-19 progression. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33244593>

### *3.9.12.3 Potential mechanisms for the effect of smoking on COVID infection and outcomes*

**Gonzalez-Rubio, J., Navarro-Lopez, J. D., Jimenez-Diaz, L., & Najera, A. (2024). Systematic review and meta analysis of cross immunity and the smokers paradox in COVID19. *Sci Rep*, 14(1), 24344. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39420134>**

Bowsher, R, Marczylo, TH, Gooch, K, Bailey, A, Wright, MD, & Marczylo, EL. (2024). Smoking and vaping alter genes related to mechanisms of SARS-CoV-2 susceptibility and severity: a systematic review and meta-analysis. *Eur Respir J*, 64(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38991709>

Liu, W, Zhao, Y, Fan, J, Shen, J, Tang, H, Tang, W et al. (2023). Smoke and Spike: Benzo[a]pyrene Enhances SARS-CoV-2 Infection by Boosting NR4A2-Induced ACE2 and TMPRSS2 Expression. *Adv Sci (Weinh)*, e2300834. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37428471>

## News reports:

### 3.9.5 Tuberculosis

Eanes, Z. E-cigarettes can significantly alter a body's response to viruses, study finds. *Medical Express*, 2020. Nov 16, 2020. Retrieved from <https://medicalxpress.com/news/2020-11-e-cigarettes-significantly-body-response-viruses.html>

No authors listed. 'Clogged-up' immune cells help explain smoking risk for tb, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/releases/308272.php>.

### 3.9.6 Risks for and complications of HIV

Miller S. Tobacco consequences in youth living with hiv, in *Pharmacy Times* 2018. Available from: <https://www.pharmacytimes.com/resource-centers/hiv/tobacco-consequences-in-youth-living-with-hiv->

Brazier Y. Smoking more hazardous for hiv patients than the virus itself, in *Medical News Today* 2016. Available from: <http://www.medicalnewstoday.com/articles/313864.php>.

### 3.9.7 Other viral infections

PA Media. More than 300,000 UK smokers may have quit owing to Covid-19 fears. *The Guardian*, 2020. May 4, 2020. Retrieved from <https://www.theguardian.com/society/2020/may/04/more-than-300000-uk-smokers-may-have-quit-owing-to-covid-19-fears>

Berlin, I, Thomas, D, Le Faou, AL, & Cornuz, J. (2020). COVID-19 and smoking. *Nicotine Tob Res*. Retrieved from. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32242236>

Brake, SJ, Barnsley, K, Lu, W, McAlinden, KD, Eapen, MS, & Sohal, SS. (2020). Smoking Upregulates Angiotensin-Converting Enzyme-2 Receptor: A Potential Adhesion Site for Novel Coronavirus SARS-CoV-2 (Covid-19). *J Clin Med*, 9(3). Retrieved from. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32244852>

Cai, G, Bosse, Y, Xiao, F, Kheradmand, F, & Amos, CI. (2020). Tobacco Smoking Increases the Lung Gene Expression of ACE2, the Receptor of SARS-CoV-2. *Am J Respir Crit Care Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32329629>

Garcia-Alvarez, L, Fuente-Tomas, L, Saiz, PA, Garcia-Portilla, MP, & Bobes, J. (2020). Will changes in alcohol and tobacco use be seen during the COVID-19 lockdown? *Adicciones*, 32(2), 85-89. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32347962>

Garufi, G, Carbognin, L, Orlandi, A, Tortora, G, & Bria, E. (2020). Smoking habit and hospitalization for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)-related pneumonia: The unsolved

paradox behind the evidence. *Eur J Intern Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32345527>

Hefler, M, & Gartner, CE. (2020). The tobacco industry in the time of COVID-19: time to shut it down? *Tob Control*, 29(3), 245-246. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32265231>

Javelle, E. (2020). Electronic cigarette and vaping should be discouraged during the new coronavirus SARS-CoV-2 pandemic. *Arch Toxicol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32303807>

Kabbani, N, & Olds, JL. (2020). Does COVID19 Infect the Brain? If So, Smokers Might Be at a Higher Risk. *Mol Pharmacol*, 97(5), 351-353. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32238438>

Klemperer, EM, West, JC, Peasley-Miklus, C, & Villanti, AC. (2020). Change in tobacco and electronic cigarette use and motivation to quit in response to COVID-19. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32343816>

Leung, JM, Yang, CX, Tam, A, Shaipanich, T, Hackett, TL, Singhera, GK et al (2020). ACE-2 Expression in the Small Airway Epithelia of Smokers and COPD Patients: Implications for COVID-19. *Eur Respir J*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32269089>

Mahabee-Gittens, EM, Merianos, AL, & Matt, GE. (2020). Letter to the Editor Regarding: "An Imperative Need for Research on the Role of Environmental Factors in Transmission of Novel Coronavirus (COVID-19)" -Secondhand and Thirdhand Smoke As Potential Sources of COVID-19. *Environ Sci Technol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32319756>

Majmundar, A, Allem, JP, Cruz, TB, & Unger, JB. (2020). Public health concerns and unsubstantiated claims at the intersection of vaping and COVID-19. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32285129>

Patwardhan, P. (2020). COVID-19: Risk of increase in smoking rates among England's 6 million smokers and relapse among England's 11 million ex-smokers. *BJGP Open*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32265183>

Peyrin-Biroulet, C, D'Amico, F, & Peyrin-Biroulet, L. (2020). Will COVID-19 infection be less severe in ulcerative colitis than in Crohn's patients due to a lower rate of smokers? *J Crohns Colitis*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32303741>

Russo, P, Bonassi, S, Giacconi, R, Malavolta, M, Tomino, C, & Maggi, F. (2020). COVID-19 and Smoking. Is Nicotine the Hidden Link? *Eur Respir J*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32341101>

Singh, AG, & Chaturvedi, P. (2020). Tobacco use and vaping in the COVID-19 era. *Head Neck*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32338805>

Underner, M, Peiffer, G, Perriot, J, & Jaafari, N. (2020). [Smoking and coronavirus disease 2019 (COVID-19)]. *Rev Mal Respir*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32331829>

Vazquez, JC, & Redolar-Ripoll, D. (2020). COVID-19 outbreak impact in Spain: A role for tobacco smoking? *Tob Induc Dis*, 18, 30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32336968>

Zhao, Q, Meng, M, Kumar, R, Wu, Y, Huang, J, Lian, N et al (2020). The impact of COPD and smoking history on the severity of Covid-19: A systemic review and meta-analysis. *J Med Virol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32293753>

de Wet, P. If you smoke, prepare to argue cigarettes are a basic good – or go without during lockdown. *Business Insider South Africa*, 2020. March 26, 2020. Retrieved from <https://www.businessinsider.co.za/what-you-cant-buy-during-south-africas-national-coronavirus-lockdown-2020-3>

Dillon, C. Coronavirus: Vape shops ordered to close. *Better Retailing*, 2020. March 24, 2020. Retrieved from <https://www.betterretailing.com/products/e-cigs/coronavirus-vape-shops-ordered-to-close/>

Gretler, C. European Smokers, Vapers Still Get Their Fix During Lockdowns. *Bloomberg*, 2020. March 17, 2020. Retrieved from <https://www.bloomberg.com/news/articles/2020-03-17/european-smokers-vapers-still-get-their-fix-during-lockdowns>

No authors listed. FAQs – Coronavirus (COVID-19) and Smoking. *Quit*, 2020. March 13, 2020. Retrieved from <https://www.quit.org.au/articles/faqs-coronavirus-covid-19-and-smoking/>

No authors listed. Yogi govt mulls ban on paan masala, gutkha. *British Asia News*, 2020. March 25, 2020. Retrieved from <https://www.britishasianews.com/news/newsDisplay.aspx?newsID=170919>

The Canadian Vaping Association. Ontario Vape Shops Are Essential and Must Stay Open. *Globe News Wire*, 2020. March 24, 2020. Retrieved from <https://www.globenewswire.com/news-release/2020/03/24/2005764/0/en/Ontario-Vape-Shops-Are-Essential-and-Must-Stay-Open.html>

Action on Smoking and Health. Health Secretary: “It is abundantly clear that smoking makes the impact of a coronavirus worse”. *ASH*, 2020. March 18, 2020. Retrieved from <https://ash.org.uk/media-and-news/press-releases-media-and-news/health-secretary-it-is-abundantly-clear-that-smoking-makes-the-impact-of-a-coronavirus-worse/>

### *3.9.12 Coronaviruses and the COVID-19 pandemic*

**Davey, M. Scientific paper claiming smokers less likely to acquire Covid retracted over tobacco industry links. *The Guardian*, 2021. April 22, 2021. Retrieved from <https://www.theguardian.com/australia-news/2020/sep/29/big-tobacco-giving-retailers-cash-and-international-trips-to-promote-products-study-finds>**

Sitas, F, Harris-Roxas, B, Bradshaw, D, & Lopez, A. (2021). Smoking and epidemics of respiratory infections. *Bulletin of the World Health Organization* 99(2), 164-165. doi:<http://dx.doi.org/10.2471/BLT.20.273052>

Corbishley, S. Why you shouldn't be vaping around other people or in enclosed spaces. *Metro*, 2020. October 8, 2020. Retrieved from <https://metro.co.uk/2020/10/08/why-you-shouldnt-be-vaping-around-other-people-or-in-enclosed-spaces-13386004/>

Hinde, N. What You Need To Know About Whether Vaping Spreads Covid-19. *HuffPost*, 2020. October 26, 2020. Retrieved from [https://www.huffingtonpost.co.uk/entry/vaping-spread-coronavirus-covid-19\\_uk\\_5f929e7cc5b62333b2442c1c?guccounter=2](https://www.huffingtonpost.co.uk/entry/vaping-spread-coronavirus-covid-19_uk_5f929e7cc5b62333b2442c1c?guccounter=2)

Geller, M. Smoking from home: Imperial Brands sees revenue lift from pandemic. *Reuters*, 2020. October 8, 2020. Retrieved from <https://in.reuters.com/article/imperial-brands-outlook/smoking-from-home-imperial-brands-sees-revenue-lift-from-pandemic-idINKBN26T0ZX>

Australian Institute of Health and Welfare. (2020). *Alcohol, tobacco & other drugs in Australia*. Retrieved from Canberra: <https://www.aihw.gov.au/reports/alcohol/alcohol-tobacco-other-drugs-australia>

Forrest, A. Can I hit your Juul? Probably not in the pandemic, IU health educator says. *IDS News*, 2020. Aug 31, 2020. Retrieved from <https://www.idsnews.com/article/2020/09/is-it-safe-to-share-a-juul-coronavirus>

Pettigrew, S. COVID-19 has offered us an unexpected opportunity to help more people quit smoking. *The Conversation*, 2020. Sept 25, 2020. Retrieved from <https://theconversation.com/covid-19-has-offered-us-an-unexpected-opportunity-to-help-more-people-quit-smoking-146747>

No authors listed. Nicotine replacement therapy assists homeless hotel guest during COVID-19 pandemic. *Cancer Council WA*, 2020. Aug 31, 2020. Retrieved from <https://www.cancerwa.asn.au/articles/news-2020/nicotine-replacement-therapy-assists-homeless-hote/>

Andrews, B. Coronavirus Pandemic Leads to More Cigarette Smokers. *Erie New Now*, 2020. Sept 14, 2020. Retrieved from <https://www.erienewsnow.com/story/42629138/coronavirus-pandemic-leads-to-more-cigarette-smokers>

No authors listed. How Covid-19 hit cigarette and tobacco sales. *Verdict*, 2020. Sept 11, 2020. Retrieved from <https://www.verdict.co.uk/cigarette-sales-covid/>

Craver, R. Traditional cigarette sales slump as discount brands gain customers during pandemic. *Winston-Salem Journal*, 2020. Sept 17, 2020. Retrieved from [https://journalnow.com/news/local/traditional-cigarette-sales-slump-as-discount-brands-gain-customers-during-pandemic/article\\_297f1500-f911-11ea-af55-9b0f56f5d97d.html](https://journalnow.com/news/local/traditional-cigarette-sales-slump-as-discount-brands-gain-customers-during-pandemic/article_297f1500-f911-11ea-af55-9b0f56f5d97d.html)

No authors listed. Fewer than half of young people aware of connection between vaping and COVID-19 risk. *Truth Initiative*, 2020. Aug 31, 2020. Retrieved from <https://truthinitiative.org/research-resources/emerging-tobacco-products/fewer-half-young-people-aware-connection-between>

Collin J, Ralston R, Hill SE, & Westerman L. (2020). *Signalling Virtue, Promoting Harm - Unhealthy commodity industries and COVID-19*. Retrieved from <https://ncdalliance.org/resources/signalling-virtue-promoting-harm>

No authors listed. South Africa announces easing of lockdown with alcohol and cigarette-sales permitted from Monday. *The Telegraph*, 2020. August 16, 2020. Retrieved from <https://www.telegraph.co.uk/news/2020/08/16/south-africa-announces-easing-lockdown-alcohol-cigarette-sales/>

Ries, J. The Scary Relationship Between Vaping And Coronavirus. *The Huffington Post*, 2020. April 14, 2020. Retrieved from [https://www.huffingtonpost.com.au/entry/vaping-and-coronavirus-symptoms-complications\\_l\\_5e94649cc5b6765e95646a6f](https://www.huffingtonpost.com.au/entry/vaping-and-coronavirus-symptoms-complications_l_5e94649cc5b6765e95646a6f)

Philip Morris International. Learnings from lockdown. *PMI Science*, 2020. August 13, 2020. Retrieved from <https://www.pmiscience.com/whats-new/learnings-from-lockdown>

Coates, S. (2020). Quit while you're in iso. *Herald Sun*. Retrieved from <https://customreport.mediaportal.com/#/articlepresenter/bb4a30bb-6935-4a12-b73a-90d42e820092/626126176/1527447519?k=x54nrm>

Myers, M. Tobacco-Free Kids Strongly Supports the Quit Because of COVID-19 Act – Federal Legislation to Expand Medicaid and CHIP Coverage for Tobacco Cessation Treatments. *Campaign for Tobacco-Free Kids*, 2020. August 14, 2020. Retrieved from <https://www.tobaccofreekids.org/press-releases/tobacco-free-kids-strongly-supports-the-quit-because-of-covid-19-act-federal-legislation-to-expand-medicaid-and-chip-coverage-for-tobacco-cessation-treatments>

Maloney, J. Cigarette Smoking Makes Comeback During Coronavirus Pandemic. *The Wall Street Journal*, 2020. July 28, 2020. Retrieved from <https://www.wsj.com/articles/altrias-net-revenue-falls-11595938465>

No authors listed. South Africa: Queues as ban on alcohol and cigarettes ends. *BBC News*, 2020. August 18, 2020. Retrieved from <https://nicotinepolicy.us7.list-manage.com/track/click?u=2af43677e24187ffd12adb9c9&id=6129035051&e=21018bfc5c>

Williams, Z. Smoked out: why I and a million others have given up nicotine in 2020. *The Guardian*, 2020. August 31, 2020. Retrieved from <https://nicotinepolicy.us7.list-manage.com/track/click?u=2af43677e24187ffd12adb9c9&id=4df76562bc&e=21018bfc5c>

AFP. Bhutan lifts tobacco ban due to coronavirus. *Daily Mail Australia*, 2020. August 29, 2020. Retrieved from <https://www.dailymail.co.uk/wires/afp/article-8676303/Bhutan-lifts-tobacco-ban-coronavirus.html>

Donovan, K, & Allen, N. Surge in Spain's virus cases prompts regional smoking ban, field hospital. *MSN*, 2020. August 13, 2020. Retrieved from <https://www.msn.com/en-au/news/world/surge-in-spains-virus-cases-prompts-regional-smoking-ban-field-hospital/ar-BB17SvX9>

No authors listed. Smoking fines from Friday. *Majorca Daily Bulletin*, 2020. August 28, 2020. Retrieved from <https://www.majorcadailybulletin.com/news/local/2020/08/28/71577/smoking-fines-from-friday-majorca.html>

Zhuo, T. Second-hand smoke complaints in residential areas rise as more work from home due to Covid-19. *The Straits Times*, 2020. August 29, 2020. Retrieved from

<https://www.straitstimes.com/singapore/environment/complaints-about-secondhand-smoke-in-residential-areas-rise-during-pandemic>

Martinez, G, Luelmo, P, Khalip, A, & Kerry, F. Spain's Canary Islands curb smoking amid COVID-19 worries. *Reuters*, 2020. August 14, 2020. Retrieved from <https://www.reuters.com/article/us-health-coronavirus-spain-smoking/spains-canary-islands-curb-smoking-amid-covid-19-worries-idUSKCN2592EX>

Clarridge, C. Young smokers at higher risk for severe COVID-19 symptoms than nonsmokers their age. *The Seattle Times*, 2020. August 10, 2020. Retrieved from <https://www.seattletimes.com/seattle-news/health/young-smokers-at-higher-risk-for-severe-covid-19-symptoms-than-nonsmokers-their-age/>

Gillespie, C. Can You Get COVID-19 From Secondhand Smoke? Here's What Experts Say. *Health*, 2020. August 10, 2020. Retrieved from <https://www.health.com/condition/infectious-diseases/coronavirus/secondhand-smoke-covid-19>

No authors listed. Tobacco Nation in the age of covid-19. *Truth Initiative*, 2020. August 5, 2020. Retrieved from <https://truthinitiative.org/research-resources/smoking-region/tobacco-nation-age-covid-19>

Swart, M. Tobacco companies sue South African government over smoking ban. *Aljazeera*, 2020. August 19, 2020. Retrieved from <https://www.aljazeera.com/news/2020/08/tobacco-companies-sue-south-african-government-smoking-ban-200817084001408.html>

Aripaka, P, & Smout, A. GSK to develop plant-based COVID-19 vaccine with Canada's Medicago. *Reuters*, 2020. July 7, 2020. Retrieved from <https://www.reuters.com/article/us-health-coronavirus-gsk-medicago/gsk-to-develop-plant-based-covid-19-vaccine-with-canadas-medicago-idUSKBN2481PS>

Savides, M. Everything you need to know about SA's new lockdown laws. *Herald Live*, 2020. July 13, 2020. Retrieved from <https://www.heraldlive.co.za/news/2020-07-13-everything-you-need-to-know-about-sas-new-lockdown-laws/>

Schraer, R. Coronavirus: Smokers quit in highest numbers in a decade. *BBC News*, 2020. July 15, 2020. Retrieved from <https://www.bbc.co.uk/news/health-53403610>

Forrester, G. Coronavirus: What are the rules for alcohol and cigarettes in quarantine? *Stuff NZ*, 2020. July 12, 2020. Retrieved from <https://www.stuff.co.nz/national/health/coronavirus/122097911/coronavirus-what-are-the-rules-for-alcohol-and-cigarettes-in-quarantine>

Griffith, K. Kentucky city of 60,000 is the ONLY place in America where unemployment is down amid pandemic thanks to high demand in its key industries of healthcare, bourbon and tobacco. *Daily Mail*, 2020. August 1, 2020. Retrieved from <https://www.dailymail.co.uk/news/article-8580811/Kentucky-city-60-000-place-America-unemployment-down.html>

Lapid, N. Lung radiation shows promise for COVID-19 pneumonia; smoking raises risks. *Reuters*, 2020. July 16, 2020. Retrieved from <https://www.reuters.com/article/us-health-coronavirus->

[science/lung-radiation-shows-promise-for-covid-19-pneumonia-smoking-raises-risks-idUSKCN24G2WM](https://www.theindianwire.com/health-fitness/health-ministry-issues-advisory-against-smoking-and-chewing-tobacco-claims-it-as-a-high-risk-factor-in-covid-19-spread-279474/)

Mahto, A. Health ministry issues advisory against smoking and chewing tobacco, claims it as a high-risk factor in Covid-19 spread. *The Indian Wire*, 2020. July 30, 2020. Retrieved from <https://www.theindianwire.com/health-fitness/health-ministry-issues-advisory-against-smoking-and-chewing-tobacco-claims-it-as-a-high-risk-factor-in-covid-19-spread-279474/>

No authors listed. Smoker Friendly International: Rebounding from COVID-19. *Tobacco Business*, 2020. July 13, 2020. Retrieved from <https://tobaccobusiness.com/smoker-friendly-international-rebounding-from-covid-19/>

Soul Machines. The World Health Organization to Combat COVID-19 Misinformation and Help More Than 1 Billion Tobacco Users Quit. *Globe Newswire*, 2020. July 10, 2020. Retrieved from <https://www.globenewswire.com/news-release/2020/07/10/2060702/0/en/Soul-Machines-Joins-Forces-with-the-World-Health-Organization-to-Combat-COVID-19-Misinformation-and-Help-More-Than-1-Billion-Tobacco-Users-Quit.html>

Trust for America's Health. Nearly 350 public health organizations implore HHS Secretary Azar to support CDC's critical role in the COVID-19 pandemic response. *Cision PR Newswire*, 2020. July 7, 2020. Retrieved from <https://www.prnewswire.com/news-releases/nearly-350-public-health-organizations-implore-hhs-secretary-azar-to-support-cdcs-critical-role-in-the-covid-19-pandemic-response-301088758.html>

No authors listed. Philip Morris International Launches COVID-19 Anti-Fraudulent Goods Campaign. *BusinessWire*, 2020. July 13, 2020. Retrieved from <https://www.businesswire.com/news/home/20200713005505/en/Philip-Morris-International-Launches-COVID-19-Anti-Fraudulent-Goods>

No authors listed. COVID-19 drives 'astonishing' quit rate among young smokers: Experts ask if trend will survive loosening lockdown. *Action on Smoking and Health*, 2020. June 23, 2020. Retrieved from <https://ash.org.uk/media-and-news/press-releases-media-and-news/covidyoungsmokers/>

Daniel, L. Cigarette ban: High Court still 'applying its mind', studying 6 000 pages. *The South African*, 2020. June 18, 2020. Retrieved from <https://www.thesouthafrican.com/news/latest-cigarette-ban-update-high-court-judgement-pending-18-june-2020/>

Cronje, J. Cigarette ban is both legal and supported by science, State argues in court. *News 24*, 2020. June 10, 2020. Retrieved from <https://www.news24.com/fin24/economy/south-africa/cigarette-ban-is-both-legal-and-supported-by-science-state-argues-in-court-20200610>

Malicdem, D. Cigarettes Bad Effects: Nicotine Helps Deadly Disease Reach The Brain. *Medical Daily*, 2020. June 14, 2020. Retrieved from <https://www.medicaldaily.com/cigarettes-bad-effects-nicotine-helps-deadly-disease-reach-brain-453948>

Quaggin, L, & Valencich, G. Coronavirus Victoria: People sharing a cigarette lighter could have led to spread of COVID-19. *7 News*, 2020. June 28, 2020. Retrieved from <https://7news.com.au/news/vic/coronavirus-victoria-people-haring-a-cigarette-lighter-could-have-led-to-spread-of-covid-19-c-1130034>

T. dela Cruz, R. Scientists study nicotine as protective agent against coronavirus. *Manila Standard*, 2020. June 13, 2020. Retrieved from <https://manilastandard.net/mobile/article/325981>

Malek, C. Has Coronavirus Killed Off Shisha Cafes Forever? *Eurasia Review*, 2020. June 13, 2020. Retrieved from <https://www.eurasiareview.com/13062020-has-coronavirus-killed-off-shisha-cafes-forever/>

No authors listed. Many used lockdown to quit smoking. *Illawarra Mercury*, 2020. June 1, 2020. Retrieved from <https://readnow.isentia.com/Temp/142902-691307/1282575933.pdf>

No authors listed. BAT says potential COVID-19 vaccine using tobacco leaves ready for human trials. *Reuters*, 2020. May 15, 2020. Retrieved from <https://uk.reuters.com/article/uk-britishamericantobacco-vaccine/bat-says-potential-covid-19-vaccine-using-tobacco-leaves-ready-for-human-trials-idUKKBN22R1TP>

Citizen News Service. Governments' Accountability For Responding To COVID-19, NCDs And Tobacco Epidemics. *Scoop World*, 2020. May 23, 2020. Retrieved from <https://www.scoop.co.nz/stories/WO2005/S00139/governments-accountability-for-responding-to-covid-19-ncds-and-tobacco-epidemics.htm>

Nilesh, V. Three pals share cigarette, test Covid positive. *The New Indian Express*, 2020. May 29, 2020. Retrieved from <https://www.newindianexpress.com/states/telangana/2020/may/29/three-pals-share-cigarette-test-covid-positive-2149314.html>

No authors listed. Coronavirus morning update: No final decision on cigarette, alcohol sales, and latest on lockdown arrests. *Health 24*, 2020. May 23, 2020. Retrieved from <https://m.health24.com/Medical/Infectious-diseases/Coronavirus/coronavirus-morning-update-no-final-decision-on-cigarette-alcohol-sales-and-latest-on-lockdown-arrests-20200523-2>

No authors listed. Coronavirus: 28 states, UTs ban smokeless tobacco products, spitting. *Deccan Herald*, 2020. May 10, 2020. Retrieved from <https://www.deccanherald.com/national/coronavirus-28-states-uts-ban-smokeless-tobacco-products-spitting-835806.html>

No authors listed. South African tobacco firms, associations seek court action over cigarette sales ban. *Reuters*, 2020. May 29, 2020. Retrieved from <https://www.reuters.com/article/us-health-coronavirus-safrica-tobacco/south-african-tobacco-firms-associations-seek-court-action-over-cigarette-sales-ban-idUSKBN2351FP>

Quinn, B. Plan to study nicotine patches as potential coronavirus treatment. *The Guardian*, 2020. May 18, 2020. Retrieved from <https://www.theguardian.com/world/2020/may/17/plan-study-nicotine-patches-potential-coronavirus-treatment-covid-19>

Roza, M. Here's how that rumor that smokers can't get COVID-19 got started. *Salon*, 2020. May 13, 2020. Retrieved from <https://www.salon.com/2020/05/13/heres-how-that-rumor-that-smokers-cant-get-covid-19-got-started/>

Sheltzer, J. Review of: Smoking, vaping and hospitalization for COVID-19. *Qeios*, 2020. April 12, 2020. Retrieved from <https://www.qeios.com/read/VFA5YK>

WHO. Q&A: Tobacco and COVID-19. *World Health Organization*, 2020. May 27, 2020. Retrieved from <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub/q-a-detail/q-a-on-tobacco-and-covid-19>

No authors listed. Coronavirus: tobacco consumption up. *Redazione ANSA*, 2020. May 29, 2020. Retrieved from [https://www.ansa.it/english/news/general\\_news/2020/05/29/coronavirus-tobacco-consumption-up\\_8232e144-b27e-4fb5-aa46-35b7eef786a8.html](https://www.ansa.it/english/news/general_news/2020/05/29/coronavirus-tobacco-consumption-up_8232e144-b27e-4fb5-aa46-35b7eef786a8.html)

Gaunt, C. Coronavirus: Children more at risk of secondhand smoke in lockdown. *Nursery World*, 2020. May 14, 2020. Retrieved from <https://www.nurseryworld.co.uk/news/article/coronavirus-children-at-more-risk-from-secondhand-smoke-in-lockdown>

Rowell, A. Coronavirus: big tobacco sees an opportunity in the pandemic. *The Conversation*, 2020. May 14, 2020. Retrieved from <https://theconversation.com/coronavirus-big-tobacco-sees-an-opportunity-in-the-pandemic-138188>

No authors listed. Big tobacco is exploiting covid-19 to market its harmful products. *Campaign for Tobacco-Free Kids*, 2020. May 26, 2020. Retrieved from [https://www.tobaccofreekids.org/media/2020/2020\\_05\\_covid-marketing](https://www.tobaccofreekids.org/media/2020/2020_05_covid-marketing)

### 3.9.12.2 COVID-19 pandemic

Clingenpeel, Z. Illinois smokers now prioritized for the coronavirus vaccine. *Chicago Sun Times*, 2021. Feb 2, 2021. Retrieved from <https://chicago.suntimes.com/covid-vaccine/2021/3/2/22307772/illinois-smoking-covid-vaccine-coronavirus-health-medical-heart-lung-cancer>

Fonrouge, G. New Jersey opening up COVID-19 vaccine to smokers *New York Post*, 2021. Jan 31, 2021. Retrieved from <https://nypost.com/2021/01/13/new-jersey-opening-up-covid-19-vaccine-to-smokers/>

de Vera, B. Dominguez: Liquor, cigarette restrictions to stay as health top priority amid pandemic. *Inquirer*, 2020. Apr 27, 2020. Retrieved from <https://business.inquirer.net/295869/dominguez-liquor-cigarette-restrictions-to-stay-as-health-top-priority-amid-covid-19-pandemic>

Grobler, R. Tobacco association and government smoke peace pipe over cigarette ban lawsuit. *News 24*, 2020. Apr 24, 2020. Retrieved from <https://www.news24.com/SouthAfrica/News/tobacco-association-and-government-smoke-peace-pipe-over-cigarette-ban-lawsuit-20200424>

Hefler, M. COVID-19 and smoking: resources, research and news. *Tobacco Control Blog*, 2020. Apr 16, 2020. Retrieved from <https://blogs.bmj.com/tc/2020/03/26/covid-19-and-smoking-resources-research-and-news/>

Kary, T. FDA Says Smokers May Have Higher Risk of Catching Covid-19. *Bloomberg*, 2020. Apr 22, 2020. Retrieved from <https://www.bloomberg.com/news/articles/2020-04-21/fda-now-says-smokers-may-have-higher-risk-of-catching-covid-19>

No authors listed. Coronavirus: France bans online sales of nicotine products. *BBC News*, 2020. Apr 24, 2020. Retrieved from <https://www.bbc.com/news/world-europe-52415793>

No authors listed. Coronavirus: South Africa allows cigarette sales as lockdown restrictions eased. *BBC News*, 2020. Apr 24, 2020. Retrieved from <https://www.bbc.com/news/world-africa-52404621>

No authors listed. Lockdown 2.0: Govt bans sale of booze and tobacco. *India Today*, 2020. Apr 15, 2020. Retrieved from <https://www.indiatoday.in/india/story/liquor-tobacco-gutka-sale-lockdown-coronavirus-1667134-2020-04-15>

STOP. Studies That Suggest Smoking And Nicotine Protect Against COVID-19 Are Flawed. *Stopping Tobacco Organization & Products*, 2020. Apr 28, 2020. Retrieved from <https://exposetobacco.org/news/flawed-covid19-studies/?fbclid=IwAR2tkLrwBscUjCxSR5vCpu5kQw8hNw-KNE98GSpxLCHZh-LM7P-Ws2HU4AQ>

Vollgraaff, R. S. African Tobacco Ban Revives Minister's Two-Decade Crusade. *Bloomberg*, 2020. Apr 30, 2020. Retrieved from <https://www.bloomberg.com/news/articles/2020-04-30/south-african-tobacco-ban-revives-minister-s-two-decade-crusade>

WHO (Producer). Tobacco and waterpipe use increases the risk of suffering from COVID-19. *World Health Organization*, 2020. Apr 7, 2020. Retrieved from <http://www.emro.who.int/tfi/know-the-truth/tobacco-and-waterpipe-users-are-at-increased-risk-of-covid-19-infection.html>