

Tobacco in Australia

Facts & Issues

Relevant news and research

4.0 Background

Last updated March 2023

Research:

Matsumoto, C. (2023). The impacts of secondhand smoke on future generations and the responsibility of society as a whole to protect the well-being of our future descendants. *Hypertens Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36754973>

Farber, HJ. (2020). We Knew Tobacco Smoke Exposure Was Bad. *Chest*, 158(3), 854-855. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32892880>

Hulls, PM, de Vocht, F, Bao, Y, Relton, CL, Martin, RM, & Richmond, RC. (2020). DNA methylation signature of passive smoke exposure is less pronounced than active smoking: The Understanding Society study. *Environ Res*, 190, 109971. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32745538>

Behera, SN, Xian, H, Balasubramanian, R. Corrigendum to "Human health risk associated with exposure to toxic elements in mainstream and sidestream cigarette smoke" [Sci. Total Environ. 472, 947-956, 2014]. *Sci Total Environ*. 2017 Dec 28. pii: S0048-9697(17)33592-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29289344>

Holitzki, H, Dowsett, LE, Spackman, E, Noseworthy, T, Clement, F. Health effects of exposure to second- and third-hand marijuana smoke: a systematic review. *CMAJ Open*. 2017 Nov 24;5(4):E814-E822. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29192095>

Lu, L, Johnman, C, McGlynn, L, Mackay, DF, Shiels, PG, Pell, JP. Association between exposure to second-hand smoke and telomere length: cross-sectional study of 1303 non-smokers. *Int J Epidemiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29040594>

Hammam, N, Gheita, TA. Impact of secondhand smoking on disease activity in women with rheumatoid arthritis. *Clin Rheumatol*. 2017 Aug 25. doi: 10.1007/s10067-017-3795-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28842759>

tobaccoinaustralia.org.au

Edwards, R. New research on secondhand smoke: implications for research and practice. *Nicotine Tob Res.* 2016 Nov;18(11):2045-2046. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27880653>

Raphael, KL, Chawla, S, Kim, S, Keith, CG, Propp, DR, Chen, ZN, Woods, KE, Keilin, SA, Cai, Q, Willingham, FF. Pancreatic insufficiency secondary to tobacco exposure: a controlled cross-sectional evaluation. *Pancreas.*, Nov 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27846134>

Kim, SJ, Lamichhane, DK, Park, SG, Lee, BJ, Moon, SH, Park, SM, Jang, HS, Kim, HC. Association between second-hand smoke and psychological well-being amongst non-smoking wage workers in Republic of Korea. *Ann Occup Environ Med.* 2016 Sep 20;28:49. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27660716>

Lin, YY, Wu, LW, Kao, TW, Wu, CJ, Yang, HF, Peng, TC, Lin, YJ, Chen, WL. Secondhand smoke is associated with hearing threshold shifts in obese adults. *Sci Rep.* 2016 Sep 8;6:33071. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27605137>

Reynolds, LM, Magid, HS, Chi, GC, Lohman, K, Barr, RG, Kaufman, JD, Hoeschele, I, Blaha, MJ, Navas-Acien, A, Liu, Y. Secondhand tobacco smoke exposure associations with DNA methylation of the aryl hydrocarbon receptor repressor. *Nicotine Tob Res.* 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27613907>

Wang, X, Wang, MP, Viswanath, K, Wan, A, Lam, TH, Chan, SS. Smoking and secondhand smoke exposure at home were associated with poor perceived family well-being: findings of FAMILY Project. *PLoS One.* 2016 Aug 25;11(8):e0161761. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27560663>

O'Donnell, MP. Which is more dangerous: International terrorism or secondhand smoke? *Am J Health Promot.* 2016 May;30(5):312-3. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27404638>

Tae, B, Oliveira, KC, Conceicao, RR, Valenti, VE, de Souza, JS, Laureano-Melo, R, Sato, MA, Maciel, RM, Giannocco, G. Evaluation of globins expression in brain, heart, and lung in rats exposed to side stream cigarette smoke. *Environ Toxicol.* 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27441981>

Wang, R, Zhang, P, Lv, X, Gao, C, Song, Y, Li, Z, Yu, Y, Li, B. Association between passive smoking and mental distress in adult never-smokers: a cross-sectional study. *BMJ Open.* 2016 Jul 29;6(7):e011671. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27473950>

Akinkugbe, AA, Slade, GD, Divaris, K, Poole, C. Systematic review and meta-analysis of the association between exposure to environmental tobacco smoke and periodontitis endpoints among nonsmokers. *Nicotine Tob Res.* Apr 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27083214>

Gim, W, Yoo, JH, Shin, JY, Goo, AJ. Relationship between secondhand smoking with depressive symptom and suicidal ideation in Korean non-smoker adults: The Korean National Health and Nutrition Examination survey 2010-2012. *Korean J Fam Med.* 2016 Mar;37(2):97-104. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27073608>

Kim, SY. Secondhand smoke exposure, depression symptoms, and suicidal ideation in adults. *Korean J Fam Med.* 2016 Mar;37(2):77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27073604>

Ling, J, Heffernan, T. The cognitive deficits associated with second-hand smoking. *Frontiers in Psychiatry*, 2016 Mar 24;7:46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27047401>

Kim, SJ et al. Is secondhand smoke associated with stress in smokers and non-smokers? *BMC Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26679934>

Zeng, YN, Li, YM. Secondhand smoke exposure and mental health in adults: a meta-analysis of cross-sectional studies. *Soc Psychiatry Psychiatr Epidemiol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26661619>

Moravej-Salehi, E et al. Relationship of gingival pigmentation with passive smoking in women. *Tanaffos*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26528364>

Chen, J et al. Secondhand smoke exposure (SHS) and health-related quality of life (HRQoL) in Chinese never smokers in Hong Kong. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26338682>

Kim, YW et al. Effect of exposure to second-hand smoke on the quality of life: a nationwide population-based study from South Korea. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26394324>

Naeem, Z. Second-hand smoke - ignored implications. *Int J Health Sci (Qassim)*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26308069>

Ye, X et al. Dose-response relations between second-hand smoke exposure and depressive symptoms among middle-aged women. *Psychiatry Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26231582>

Yang, T et al. Second hand smoke exposure in public venues and mental disorder: a representative nationwide study of China. *Tobacco Induced Diseases*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26185493>

Ballbe, M et al. Association of second-hand smoke exposure at home with psychological distress in the Spanish adult population. *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26111658>

Moravej-Salehi, E et al. Passive smoking: oral and dental effects. *Iranian Journal of Public Health*, Apr 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26056685>

Duby, JC, Langkamp, DL. Another Reason to Avoid Second-Hand Smoke. *The Journal of Pediatrics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25976589>

Okoli, C et al. Behavioral and physiological responses to nicotine patch administration among nonsmokers based on acute and chronic secondhand tobacco smoke. *Biological Research for Nursing*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25882603>

Garcia-Esquinas, E et al. Exposure to secondhand tobacco smoke and the frailty syndrome in US older adults. *Age*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25773068>

News reports:

