

Tobacco in Australia

Facts & Issues

Relevant news and research

4.11 Effects of secondhand smoke on the respiratory system in adults

Last updated January 2021

Research:

Nur Husna, SM, Siti Sarah, CO, Tan, HT, Md Shukri, N, Mohd Ashari, NS, & Wong, KK. (2021). Reduced occludin and claudin-7 expression is associated with urban locations and exposure to second-hand smoke in allergic rhinitis patients. *Sci Rep*, 11(1), 1245. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33441633>

Gaisberger, M, Wass, RE, Dobias, H, Grabcanovic-Musija, F, Weiss, G, Lamprecht, B et al (2020). Acute Exposure to Environmental Tobacco Smoke: A Controlled Study in Adults with Asthma. *Respiration*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33296904>

Bhat, TA, Kalathil, SG, Miller, A, Thatcher, TH, Sime, PJ, & Thanavala, Y. (2020). Specialized Proresolving Mediators Overcome Immune Suppression Induced by Exposure to Secondhand Smoke. *J Immunol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33115852>

Kilic, O, Yilmaz, AS, & Oysu, C. (2020). The Effect of Passive Smoking on Mucociliary Clearance and Inferior Concha Reactivity. *Am J Rhinol Allergy*, 1945892420967614. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33086858>

Lee, A, Lee, SY, & Lee, KS. (2020). Association of secondhand smoke exposure with allergic multimorbidity in Korean adolescents. *Sci Rep*, 10(1), 16409. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33009485>

Wang, J, Janson, C, Jogi, R, Forsberg, B, Gislason, T, Holm, M et al (2020). A prospective study on the role of smoking, environmental tobacco smoke, indoor painting and living in old or new buildings on asthma, rhinitis and respiratory symptoms. *Environ Res*, 192, 110269. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32997968>

tobaccoinaustralia.org.au

Obore, N, Kawuki, J, Guan, J, Papabathini, SS, & Wang, L. (2020). Association between indoor air pollution, tobacco smoke and tuberculosis: an updated systematic review and meta-analysis. *Public Health*, 187, 24-35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32889229>

Keogan, S, Alonso, T, Sunday, S, Tigova, O, Fernandez, E, Lopez, MJ et al. (2020). Lung function changes in patients with chronic obstructive pulmonary disease (COPD) and asthma exposed to secondhand smoke in outdoor areas. *J Asthma*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32441557>

Lima, LL, Cruz, CMS, Fernandes, AGO, Pinheiro, GP, Souza-Machado, C, Lima, VB. (2020). Exposure to secondhand smoke among patients with asthma: a cross-sectional study. *Einstein (Sao Paulo)*, 18, eAO4781. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31994604>

Veronda, AC, Irish, LA, & Delahanty, DL. (2019). Effect of smoke exposure on young adults' sleep quality. *Nurs Health Sci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31424168>

Pelkonen, MK, Laatikainen, TK, & Jousilahti, P. (2019). The relation of environmental tobacco smoke (ETS) to chronic bronchitis and mortality over two decades. *Respir Med*, 154, 34-39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31207539>

Yildiz, Y, Onsel, IO, Ciftci, B, & Ugurlucan, M. (2019). The Negative Influence of Cigarette Smoke on Passive Smokers-Deteriorated Pulmonary Function Tests and Increased Urine Cotinine Levels. *Turk J Anaesthesiol Reanim*, 47(3), 242-243. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31183473>

Flexeder, C, Zock, JP, Jarvis, D, Verlato, G, Olivieri, M, Benke, G et al. Second-hand smoke exposure in adulthood and lower respiratory health during 20 year follow up in the European Community Respiratory Health Survey. *Respir Res*, 2019. 20(1), 33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30764884>

Zubair, T, Abbasi, A, Khan, OA, & Amer, E. Role of passive smoking in non-smoking related chronic obstructive pulmonary disease. *J Pak Med Assoc*, 2018. 68(9), 1310-1315. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30317256>

Maedel, C, Kainz, K, Frischer, T, Reinweber, M, Zacharasiewicz, A. Increased severity of respiratory syncytial virus airway infection due to passive smoke exposure. *Pediatr Pulmonol*. 2018 Sep;53(9):1299-1306. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30062859>

Fell, AKM, Svendsen, MV, Kim, JL, Abrahamsen, R, Henneberger, PK, Toren, K, Blanc, PD, Kongerud, J. Exposure to second-hand tobacco smoke and respiratory symptoms in non-smoking adults: cross-sectional data from the general population of Telemark, Norway. *BMC Public Health*. 2018 Jul 6;18(1):843. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29980242>

Arjomandi, M, Zeng, S, Blanc, PD, Gold, WM. Increasing the Resolution of Chronic Obstructive Pulmonary Disease Definition. Lessons from a Cohort with Remote but Extensive Exposure to Secondhand Tobacco Smoke. *Ann Am Thorac Soc*. 2018 Apr;15(Supplement_2):S122-S123. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29676628>

Bhat, TA, Kalathil, SG, Bogner, PN, Miller, A, Lehmann, PV, Thatcher, TH, Phipps, RP, Sime, PJ, Thanavala, Y. Secondhand Smoke Induces Inflammation and Impairs Immunity to Respiratory Infections. *J Immunol*. 2018. Mar 19, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29555783>

Fazlollahi, MR, Souzanch, G, Nourizadeh, M, Sabetkish, N, Tazesh, B, Entezari, A, Pourpak, Z. The Prevalence of Allergic Rhinitis and It's Relationship With Second-Hand Tobacco Smoke Among Adults in Iran. *Acta Med Iran*. 2017 Nov;55(11):712-717. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29307161>

Suyama, K, Kozu, R, Tanaka, T, Ishimatsu, Y, Sawai, T. Exposure to environmental tobacco smoke from husband more strongly impacts on the airway obstruction of nonsmoking women. *Int J Chron Obstruct Pulmon Dis*. 2017 Dec 28;13:149-155. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29343954>

Farber, HJ. Imbalance in Level of Tobacco Smoke Exposure Between Groups Likely Explains the "Effect" of Palivizumab on Subsequent Wheezing. *Am J Respir Crit Care Med*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29019703>

Parro, J, Aceituno, P, Droppelmann, A, Mesias, S, Munoz, C, Marchetti, N, Iglesias, V. Secondhand tobacco smoke exposure and pulmonary function: a cross-sectional study among non-smoking employees of bar and restaurants in Santiago, Chile. *BMJ Open*. 2017 Oct 6;7(10):e017811. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28988182>

Altet, N, Latorre, I, Jimenez-Fuentes, MA, Maldonado, J, Molina, I, Gonzalez-Diaz, Y, Mila, C, Garcia-Garcia, E, Muriel, B, Villar-Hernandez, R, Laabei, M, Gomez, AC, Godoy, P, de Souza-Galvao, ML, Solano, S, Jimenez-Ruiz, C A, Dominguez, J, PII Smoking SEPAR Working Group. Assessment of the influence of direct tobacco smoke on infection and active TB management. *PLoS One*. 2017 Aug 24;12(8):e0182998. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28837570>

Lewis, JB, Milner, DC, Lewis, AL, Dunaway, TM, Egbert, KM, Albright, SC, Merrell, BJ, Monson, TD, Broberg, DS, Gassman, JR, Thomas, DB, Arroyo, JA, Reynolds, PR. Up-regulation of Claudin-6 in the distal lung impacts secondhand smoke-induced inflammation. *Int J Environ Res Public Health*. 2016 Oct 17;13(10). pii: E1018. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27763528>

McCormick-Ricket, I, Canterbury, M, Ghaffar, A, Parada, NA, Carton, TW. Measuring the effect of environmental tobacco smoke on lung function: results from a small observational investigation of acute exposure. *J Occup Environ Med*. 2016 Oct;58(10):1028-1033. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27753747>

Simsek, E, Karaman, Y, Gonullu, M, Tekgul, Z, Cakmak, M. The effect of passive exposure to tobacco smoke on perioperative respiratory complications and the duration of recovery. *Braz J Anesthesiol*. 2016 Sep-Oct;66(5):492-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27591463>

Piazza, KM, Wactawski-Wende, J, DeBon, MW, Hovey, KM, Rivard, CL, Smith, DM, Hyland, AJ. Inhaled medication usage in post-menopausal women and lifetime tobacco smoke exposure: The Women's

Health Initiative Observational Study. *Maturitas*. 2016 Aug;90:42-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27282793>

Shargorodsky, J. Secondhand smoke and rhinitis. *Curr Opin Otolaryngol Head Neck Surg*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27054622>

Bauer, RN, Chinthrajah, RS, Andorf, S, Hobson, B, Miller, RL, Nadeau, KC. T-Cell immunophenotyping of second-hand smoke-related asthma. *Ann Am Thorac Soc*. 2016 Mar;13(Suppl 1):S95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27027962>

Perret, JL, Walters, H, Johns, D, Gurrin, L, Burgess, J, Lowe, A, Thompson, B, Markos, J, Morrison, S, Thomas, P et al. Mother's smoking and complex lung function of offspring in middle age: A cohort study from childhood. *Respirology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26969872>

Putcha, N, Barr, RG, Han, MK, Woodruff, PG, Bleecker, ER, Kanner, RE, Martinez, FJ, Smith, BM, Tashkin, DP et al. Understanding the impact of second-hand smoke exposure on clinical outcomes in participants with COPD in the SPIROMICS cohort. *Thorax*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26962015>

Sawalha, L et al. Pulmonary langerhans cell histiocytosis: Radiologic resolution following cessation of second hand smoking. *Clin Respir J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26763169>

Jukosky, J et al. In vivo cigarette smoke exposure decreases CCL20, SLPI, and BD-1 secretion by human primary nasal epithelial cells. *Front Psychiatry*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26793127>

Freire, AP et al. Influence of time and frequency of passive smoking exposure on mucociliary clearance and the autonomic nervous system. *Respir Care*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26534999>

Khan, R et al. A new variant of combined pulmonary fibrosis and emphysema from second-hand smoke: a case report and review of literature. *J Clin Med Res*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26346712>

Calfee, CS et al. Cigarette smoke exposure and the acute respiratory distress syndrome. *Critical Care Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26010690>

Qorbani M, Yunesian M, and Baradaran HR. Indoor smoke exposure and risk of anthracosis. *Iran J Med Sci*, 2014; 39(6):571-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25429181>

Simpson JL, Guest M, Boggess MM, and Gibson PG. Occupational exposures, smoking and airway inflammation in refractory asthma. *BMC Pulm Med*, 2014; 14(1):207. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25526871>

Wentzel JL, Mulligan JK, Soler ZM, White DR, and Schlosser RJ. Passive smoke exposure in chronic rhinosinusitis as assessed by hair nicotine. *Am J Rhinol Allergy*, 2014; 28(4):297-301. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25197916>

News reports: