

Tobacco in Australia

Facts & Issues

Relevant news and research

4.14 Secondhand smoke and mental health

Last updated October 2020

Research:

Jang, BN, Jeong, W, Kang, SH, & Jang, SI. (2020). Association Between the Location of Secondhand Smoke Exposure and Depressive Symptoms among South Korean Adolescents. *Int J Environ Res Public Health*, 17(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32679863>

Jacob, L, Smith, L, Jackson, SE, Haro, JM, Shin, JI, & Koyanagi, A. (2020). Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. *American Journal of Preventive Medicine*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32059988>

Toyama, N, Ekuni, D, Taniguchi-Tabata, A, Yoneda, T, Kataoka, K, Yokoi, A et al. (2019). Associations between sleep bruxism, sleep quality, and exposure to secondhand smoke in Japanese young adults: a cross-sectional study. *Sleep Med*, 68, 57-62. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32028227>

Noguchi, T, Nakagawa-Senda, H, Tamai, Y, Nishiyama, T, Watanabe, M, Hosono, A et al. (2019). Association between second-hand smoke exposure and depressive symptoms among Japanese adults: a cross-sectional study. *J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31813893>

Abdel Hamed, NA, Hammad, EEM, Salama, RH, Yassa, HA, & Awaga, MM. (2019). Secondhand smoke as a risk factor for attention deficit hyperactivity disorder in children. *Inhal Toxicol*, 31(11-12), 420-427. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31874576>

Lu, W, & Wu, H. (2019). Does passive smoking at home lead to depression among older people in China? *Int J Health Plann Manage*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31698523>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wang, H, Li, F, Zhang, Y, Jiang, F, & Zhang, J. (2019). The association between exposure to secondhand smoke and psychological symptoms among Chinese children. *BMC Public Health*, 19(1), 923. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31291934>

Erdsiek, F, & Brzoska, P. (2019). Association between second-hand smoke exposure and depression and its moderation by sex: Findings from a nation-wide population survey in Germany. *J Affect Disord*, 253, 102-106. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31029855>

Han, C, Liu, Y, Gong, X, Ye, X, & Zhou, J. (2019). Relationship Between Secondhand Smoke Exposure and Depressive Symptoms: A Systematic Review and Dose(-)Response Meta-Analysis. *Int J Environ Res Public Health*, 16(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30991759>

Ye, X, Huang, J, Xia, L, Xu, X, Gong, X, & Xu, Y. (2019). Setting-Specific and Symptom-Specific Association between Secondhand Smoke Exposure and Depressive Symptoms. *Int J Environ Res Public Health*, 16(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30965596>

Butz, AM, Tsoukleris, M, Elizabeth Bollinger, M, Jassal, M, Bellin, MH, Kub, J et al. Association between second hand smoke (SHS) exposure and caregiver stress in children with poorly controlled asthma. *J Asthma*, 2018. 1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30307351>

Chen, CY, Chang, CM, Lin, HL, & Chu, CL. The association between exposure to second-hand smoke and major depressive disorder in perimenopausal women: results from a population-based study. *Ann Med*, 2018. 1-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30311809>

Wellman, RJ, Wilson, KM, O'Loughlin, EK, Dugas, EN, Montreuil, A, & O'Loughlin, J. Secondhand smoke exposure and depressive symptoms in children: a longitudinal study. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30346615>

Huang, J, Xu, B, Guo, D, Jiang, T, Huang, W, Liu, G, Ye, X. Dose(-)Response Relationships between Second-Hand Smoke Exposure and Depressive Symptoms among Adolescents in Guangzhou, China. *Int J Environ Res Public Health*. 2018 May 14;15(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29757982>

Bang, I, Jeong, YJ, Park, YY, Moon, NY, Lee, J, Jeon, TH. Secondhand Smoking Is Associated with Poor Mental Health in Korean Adolescents. *Tohoku J Exp Med*. 2017 Aug;242(4):317-326. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28867706>

Lin, H, Guo, Y, Kowal, P, Airhihenbuwa, CO, Di, Q, Zheng, Y, Zhao, X, Vaughn, MG, Howard, S, Schootman, M, Salinas-Rodriguez, A, Yawson, AE, Arokiasamy, P, Manrique-Espinoza, BS, Biritwum,

Tobacco in Australia

Facts & Issues

RB, Rule, SP, Minicuci, N, Naidoo, N, Chatterji, S, Qian, ZM, Ma, W, Wu, F. Exposure to air pollution and tobacco smoking and their combined effects on depression in six low- and middle-income countries. *Br J Psychiatry*. 2017 Sep;211(3):157-162. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28798061>

Patten, SB, Williams, JVA, Lavorato, DH, Woolf, B, Wang, JL, Bulloch, AGM and Sajobi, T. Major depression and secondhand smoke exposure. *J Affect Disord*. 2017 Aug 12;225:260-264. Available from: [http://www.jad-journal.com/article/S0165-0327\(17\)30055-1/fulltext](http://www.jad-journal.com/article/S0165-0327(17)30055-1/fulltext)

News reports:

tobaccoinaustralia.org.au