

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 4.17 Health effects of second hand smoke for infants and children

*Last updated December 2024*

Research:	2
4.17.1 Infant death	7
4.17.2 Sudden infant death syndrome (SIDS)	8
4.17.3 Childhood asthma and other chronic respiratory symptoms	8
4.17.4 Acute lower respiratory tract infections in infancy and early childhood	18
4.17.5 Decreased lung function	21
4.17.6 Middle ear disease	22
4.17.8 Longer term developmental effects	22
4.17.9 Childhood cancers	26
4.17.10 Perioperative complications	27
4.17.11 Other conditions in childhood	28
4.17.12 Mortality risk	41
News reports:	41
4.17.1 Infant death	42
4.17.3 Childhood asthma and other chronic respiratory symptoms	42
4.17.4 Acute lower respiratory tract infections in infancy and early childhood	43
4.17.5 Decreased lung function	43
4.17.8 Longer term developmental effects	43

## Research:

Asfaw, SM, Vijayawada, SM, Sharifian, Y, Choudhry, F, Khattar, P, Cavalie, PC, & Malasevskaia, I. (2024). Protecting Young Lives: A Systematic Review of the Impact of Secondhand Smoke Exposure and Legislative Measures on Children's Health. *Cureus*, 16(10), e72548. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39606547>

Vevon, B, & Temples, HS. (2024). Secondhand Smoke Exposure in Pediatric Patients: What Is the Nurse Practitioner's Role? *J Pediatr Health Care*, 38(6), 936-942. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39547760>

Salim, NZ, & Diab, BS. (2024). Pre and postnatal effect of maternal environmental tobacco smoke exposure on infant's growth parameters. *J Pak Med Assoc*, 74(10 (Supple-8)), S72-S75. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39434276>

Zarkovic, M, Sommer, G, Nigg, C, Slama, T, Schneider, C, Ansari, M et al. (2024). Parental smoking and respiratory outcomes in young childhood cancer survivors. *Pediatr Blood Cancer*, e31310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39228077>

Liu, J, Xiao, Y, Zheng, X, Cheng, Y, Zhang, S, Ma, Y et al. (2024). The impact of maternal smoking during pregnancy and the age of smoking initiation on incident dementia: A prospective cohort study. *Alzheimers Dement*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38713803>

Kaur, J, Upendra, S, & Barde, S. (2024). "Inhaling hazards, exhaling insights: a systematic review unveiling the silent health impacts of secondhand smoke pollution on children and adolescents. *Int J Environ Health Res*, 1-15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38576330>

Yamada, M, & Nakazawa, M. (2024). Corrigendum to "Status of home-based secondhand smoke exposure among children and its association with health risks in Japan" [Prevent. Med. Rep. 38 (2024) 102585]. *Prev Med Rep*, 40, 102661. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38532778>

Das, S, Kumar, A, Tripathy, SK, & Malik, A. (2023). Secondhand smoke among children: Time to act on pitfalls. *Indian J Public Health*, 67(3), 493-494 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37929403>

Patil, SS, Puttaswamy, N, Sarode, SC, Sarode, GS, Patil, SS, Cardenas, A et al. (2023). Environmental tobacco smoke and children's health: a bibliometric and altmetric analysis of 100 most cited articles. *BMC Public Health*, 23(1), 2208. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37946187>

Mahabee-Gittens, EM, Matt, GE, Mazzella, MJ, Doucette, JT, Ratnani, P, & Merianos, AL. (2023). Inflammatory marker levels in children with tobacco smoke exposure. *Cytokine*, 173, 156448. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37980882>

Merianos, AL, Nabors, LA, Odar Stough, CC, Olaniyan, AC, Smith, ML, & Mahabee-Gittens, EM. (2023). Associations of household tobacco smoking status with childhood temperament among U.S.

preschool-aged children. *J Affect Disord*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36841302>

Adachi, H. (2022). Effects of Secondhand Smoke Exposure on Children's Future Health. *J Atheroscler Thromb*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36372401>

Gorini, G, & Carreras, G. (2021). Morbidity Attributable to Second-Hand Smoke in European Children. *Arch Bronconeumol*, 57(7), 455-456. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35698950>

You, Y, Liu, R, Zhou, H, Wu, R, Lin, R, Li, B et al. (2022). Effect of exposure to paternal smoking on overweight and obesity in children: findings from the Children Lifeway Cohort in Shenzhen, southern China. *Obes Facts*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35738239>

Tabatabaei, Z, Shamsedini, N, Mohammadpour, A, Baghapour, MA, & Hoseini, M. (2022). Exposure assessment of children living in homes with hookah smoking parents to polycyclic aromatic hydrocarbons: urinary level, exposure predictors, and risk assessment. *Environ Sci Pollut Res Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35543784>

Merianos, AL, Jandarov, RA, & Mahabee-Gittens, EM. (2022). Carcinogenic and tobacco smoke-derived particulate matter biomarker uptake and associated healthcare patterns among children. *Pediatr Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35383260>

Szapuova, ZJ, Argalasova, L, Vondrova, D, Jansakova, K, Belica, I, Kopcikova, M et al. (2022). Association between Environmental Tobacco Smoke Exposure and Adaptive Behavior in Individuals with Autism Spectrum Disorder. *Toxics*, 10(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35448450>

Horwitz, J, Wen, SW, Tan, H, Zhou, S, Ye, C, Shen, M, & Retnakaran, R. (2022). Analysis of Preconception Paternal Smoking and Neonatal Outcomes. *JAMA Netw Open*, 5(1), e2144527. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35061043>

Continente, X, Rodriguez, A, Perez-Rios, M, Schiaffino, A, Fernandez, E, & Lopez, MJ. (2021). Factors related to caregivers' risk perception of secondhand smoke exposure on children's health. *Tob Induc Dis*, 19, 93. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34949975>

Dai, S, Au, CT, Chan, MHM, Kam, RKT, Li, AM, & Chan, KC. (2021). Parental Knowledge, Attitude, and Practice on Tobacco Use, Smoking Cessation, and Children's Environmental Tobacco Smoke Exposure. *Front Public Health*, 9, 733667. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34900892>

Amyx, MM, Sundaram, R, Buck Louis, GM, Gerlanc, NM, Bever, AM, Kannan, K et al. (2021). Association between early gestation passive smoke exposure and neonatal size among self-reported non-smoking women by race/ethnicity: A cohort study. *PLoS One*, 16(11), e0256676. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34793459>

Aquilina, NJ, Jacob, P, 3rd, Benowitz, NL, Fsadni, P, & Montefort, S. (2021). Secondhand smoke exposure in school children in Malta assessed through urinary biomarkers. *Environ Res*, 112405. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34822856>

Kuang, H, Feng, J, Li, Z, Tan, J, Zhu, W, Lin, S et al. (2021). Volatile organic compounds from second-hand smoke may increase susceptibility of children through oxidative stress damage. *Environ Res*, 112227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34666018>

Miguez, MC, & Pereira, B. (2021). Effects of active and/or passive smoking during pregnancy and the postpartum period. *An Pediatr (Engl Ed)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34556446>

Paraje, G, & Valdes, N. (2021). Changes in parental smoking behavior and children's health status in Chile. *Prev Med*, 153, 106792. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34506821>

Silva, AI, Camelo, A, Madureira, J Reis, AT, Machado, AP, Teixeira, JP, & Costa, C. (2021). Urinary cotinine assessment of maternal smoking and environmental tobacco smoke exposure status and its associations with perinatal outcomes: a cross-sectional birth study. *Environ Res*, 203, 111827. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34363802>

Colvin, BN, Parker, MG, Hwang, SS, Forbes, ES, Brown, K, & Colson, ER. (2021). Perspectives about Environmental Tobacco Smoke Exposure from Mothers of Premature Infants. *Am J Perinatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34396497>

Park, MB, & Ranabhat, CL. (2021). Correction: Effect of parental smoking on their children's urine cotinine level in Korea: A population-based study. *PLoS One*, 16(8), e0256412. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34398934>

Rushton, L. (2021). Health Impact of Environmental Tobacco Smoke in the Horne. *Rev Environ Health*, 19(3-4), 291-310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34058084>

Wada, T, Adachi, Y, Murakami, S, Ito, Y, Itazawa, T, Tsuchida, A et al. (2021). Maternal exposure to smoking and infant's wheeze and asthma: Japan Environment and Children's Study. *Allergol Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34140239>

Wu, H, Sun, J, & Xi, B. (2021). Parental tobacco and indoor secondhand smoking exposure and the risk of offspring under-five mortality in low- and middle-income countries. *Indoor Air*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34181764>

Zhou, S, & Wang, K. (2021). Childhood Secondhand Smoke Exposure and Risk of Dementia, Alzheimer's Disease and Stroke in Adulthood: A Prospective Cohort Study. *J Prev Alzheimers Dis*, 8(3), 345-350. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34101793>

Ciccarelli, C, De Fraja, G, & Vuri, D. (2021). Effects of passive smoking on prenatal and infant development: Lessons from the past. *Econ Hum Biol*, 42, 101002. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33964646>

Fuemmeler, BF, Dozmorov, MG, Do, EK, Zhang, JJ, Grenier, C, Huang, Z et al. (2021). DNA Methylation in Babies Born to Nonsmoking Mothers Exposed to Secondhand Smoke during Pregnancy: An Epigenome-Wide Association Study. *Environmental Health Perspectives*, 129(5), 57010. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34009014>

Margolis, AE, Pagliaccio, D, Ramphal, B, Banker, S, Thomas, L, Robinson, M et al. (2021). Prenatal environmental tobacco smoke exposure alters children's cognitive control circuitry: A preliminary study. *Environ Int*, 155, 106516. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33964643>

Zhu, H, Abdullah, AS, He, J, Xi, J, Mao, Y, Feng, Y et al (2021). Untargeted Urinary Metabolomics and Children's Exposure to Secondhand Smoke: The Influence of Individual Differences. *Int J Environ Res Public Health*, 18(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33467557>

Xie, T, Wang, Y, Zou, Z, He, J, Yu, Y, Liu, Y, & Bai, J. (2020). Environmental Tobacco Smoke Exposure and Breastfeeding Duration Influence the Composition and Dynamics of Gut Microbiota in Young Children Aged 0-2 Years. *Biol Res Nurs*, 1099800420975129. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33267614>

Northrup, TF, Suchting, R, Green, C, Khan, A, Klawans, MR, & Stotts, AL. (2020). Duration of breastmilk feeding of NICU graduates who live with individuals who smoke. *Pediatr Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32937651>

Braun, M, Klingelhofer, D, Oremek, GM, Quarcoo, D, & Groneberg, DA. (2020). Influence of Second-Hand Smoke and Prenatal Tobacco Smoke Exposure on Biomarkers, Genetics and Physiological Processes in Children-An Overview in Research Insights of the Last Few Years. *Int J Environ Res Public Health*, 17(9). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32380770>

Chao, MR, Cooke, MS, Kuo, CY, Pan, CH, Liu, HH, Yang, HJ, Chen, SC, Chiang, YC, Hu, CW. Children are particularly vulnerable to environmental tobacco smoke exposure: Evidence from biomarkers of tobacco-specific nitrosamines, and oxidative stress. *Environ Int*. 2018 Aug 10;120:238-245. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30103123>

Molnar, DS, Granger, DA, Shisler, S, Eiden, RD. Prenatal and postnatal cigarette and cannabis exposure: Effects on Secretory Immunoglobulin A in early childhood. *Neurotoxicol Teratol*. 2018 Mar 26;67:31-36. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29597003>

Loffredo, L, Zicari, AM, Occasi, F, Perri, L, Carnevale, R, Angelico, F, Del Ben, M, Martino, F, Nocella, C, De Castro, G, Cammisotto, V, Battaglia, S, Duse, M, Violi, F. Role of NADPH oxidase-2 and oxidative stress in children exposed to passive smoking. *Thorax*. 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29449441>

Vanker, A, Gie, RP, Zar, HJ. Early-life exposures to environmental tobacco smoke and indoor air pollution in the Drakenstein Child Health Study: Impact on child health. *S Afr Med J*. 2018 Feb 1;108(2):71-72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29429431>

Pereira, A, Guarneri, F, Abrao, T, Martinez, T. Lipoprotein changes in children related to home passive smoking. *Atherosclerosis*. 2017 Aug;263:e215-e216. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365836>

Hageman, JR. The Importance of an "Optimal" Night's Sleep for Children and "Secondhand and Thirdhand" Smoke Exposure. *Pediatr Ann*. 2017 Sep 1;46(9):e314. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28892543>

Kang, E, Kim, SY, Chang, SS, Lim, S, Kim, HC, Lee, CG, Kim, YM, Kim, SY, Lee, KJ, Kim, S, Ha, M. Environmental Tobacco Smoke Exposure at Home and High-Sensitivity C-Reactive Protein Levels in Three-to-Five-Year-Old Children. *Int J Environ Res Public Health*. 2017 Sep 23;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28946611>

Moore, BF, Sauder, KA, Starling, AP, Ringham, BM, Glueck, DH, Dabelea, D. Exposure to secondhand smoke, exclusive breastfeeding and infant adiposity at age 5 months in the Healthy Start study. *Pediatr Obes.* 2017 Aug;12 Suppl 1:111-119. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28868814>

Washington, R. Secondhand tobacco smoke exposure: perhaps the most important cardiovascular risk factor for toddlers. *J Pediatr.* 2017 Oct;189:1-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28947050>

Weitzman, M. American pediatric Society's 2017 John Howland award acceptance lecture: A tale of two toxicants-childhood exposure to lead and tobacco. *Pediatr Res.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28945701>

Adetifa, IMO, Kendall, L, Donkor, S, Lugos, MD, Hammond, AS, Owiafe, PK, Ota, MOC, Brookes, RH, Hill, PC. Mycobacterium tuberculosis Infection in Close Childhood Contacts of Adults with Pulmonary Tuberculosis Is Increased by Secondhand Exposure to Tobacco. *Am J Trop Med Hyg.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28722570>

Mahabee-Gittens, EM, Ammerman, RT, Khoury, JC, Stone, L, Meyers, GT, Witry, JK, Merianos, AL, Mancuso, TF, Stackpole, KMW, Bennett, BL, Akers, L, Gordon, JS. Healthy families: study protocol for a randomized controlled trial of a screening, brief intervention, and referral to treatment intervention for caregivers to reduce secondhand smoke exposure among pediatric emergency patients. *BMC Public Health.* 2017 May 2;17(1):374. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28464887>

Merianos, AL, Jandarov, RA, Mahabee-Gittens, EM. Secondhand Smoke Exposure and Pediatric Healthcare Visits and Hospitalizations. *Am J Prev Med.* 2017 May 19. pii: S0749-3797(17)30210-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28532658>

Park, S. Associations Between Household Secondhand Smoke Exposure and Health Problems Among Non-Smoking Adolescents in the Republic of Korea. *J Prim Prev.* 2017 Aug;38(4):385-402. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28343288>

Vitali, M, Protano, C. How relevant are fathers who smoke at home to the passive smoking exposure of their children? *Acta Paediatr.* 2017 Jan;106(1):74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27943435>

Matsui, EC, Abramson, SL, Sandel, MT. Indoor environmental control practices and asthma management. *Pediatrics.* 2016 Nov;138(5). pii: e20162589. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940791>

Moon, RY. SIDS and Other Sleep-Related Infant Deaths: Evidence Base for 2016 Updated Recommendations for a Safe Infant Sleeping Environment. *Pediatrics.* 2016 Nov;138(5). pii: e20162940. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940805>

Stromberg Celind, F, Wennergren, G, Mollborg, P, Goksor, E, Alm, B. Area-based study shows most parents follow advice to reduce risk of sudden infant death syndrome. *Acta Paediatr.* Dec2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27992061>

No authors listed. SIDS and Other Sleep-Related Infant Deaths: Updated 2016 Recommendations for a Safe Infant Sleeping Environment. *Pediatrics*. 2016 Nov;138(5). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940804>

Samet, JM. Is the Incidence of Adenocarcinoma of the Lung Rising in Never Smokers? *J Natl Cancer Inst.* 2017 Jul 1;109(7). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28376182>

Kuo, LC, Cheng, LC, Lee, CH, Lin, CJ, Chen, PY, Li, LA. Estrogen and cigarette sidestream smoke particulate matter exhibit ERalpha-dependent tumor-promoting effects in lung adenocarcinoma cells. *Am J Physiol Lung Cell Mol Physiol*, Jun 20917. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28522562>

Soo, RA, Kubo, A, Ando, M, Kawaguchi, T, Ahn, MJ, Ou, SI. Association Between Environmental Tobacco Smoke Exposure and the Occurrence of EGFR Mutations and ALK Rearrangements in Never-smokers With Non-Small-cell Lung Cancer: Analyses From a Prospective Multinational ETS Registry. *Clin Lung Cancer*. 2017 Jan 19. pii: S1525-7304(17)30020-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28433570>

Vinolas, N, Garrido, P, Isla, D, Provencio, M, Majem, M, Artal, A, Carcereny, E, Garcia Campelo, R, Lianes, P, De La Penas, R, Felip, E. Lung Cancer in Never-Smoking Women: A Sub-Analysis of the Spanish Female-Specific Database WORLD07. *Cancer Invest.* 2017 May 28;35(5):358-365. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28350480>

Merianos, AL, Dixon, CA, Mahabee-Gittens, EM. Tobacco smoke exposure-related illnesses among pediatric emergency department patients. *J Pediatr Health Care*. 2016 Aug 16. pii: S0891-5245(16)30156-0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27542562>

Kahraman, FU, Torun, E, Osmanoglu, NK, Oruclu, S, Ozer, OF. Oxidative status and serum paraoxonase-1 levels in passive smoker children and adolescents. *Pediatr Int*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27337344>

Cao, S et al. The health effects of passive smoking: an overview of systematic reviews based on observational epidemiological evidence. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26440943>

No authors listed. Patient pages. Secondhand smoke harms children. *The Journal of the Oklahoma State Medical Association*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25790606>

Santos, NF, Costa, RA. Parental tobacco consumption and child development. *Jornal de Pediatria*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25727026>

#### *4.17.1 Infant death*

Lee, S, & Lee, W. (2023). The association between attention deficit hyperactivity disorder (ADHD) and smoking experience or exposure to environmental tobacco smoke among children and adolescents. *Tob Induc Dis*, 21, 15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36762265>

Andriani, H, Putri, S, Kosasih, RI, & Kuo, HW. (2019). Parental Smoking and Under-Five Child Mortality in Southeast Asia: Evidence from Demographic and Health Surveys. *Int J Environ Res Public Health*, 16(23). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31783665>

#### 4.17.2 Sudden infant death syndrome (SIDS)

Mawick, A, Pfeiffer, H, & Vennemann, M. (2021). Sudden infant death syndrome: deletions of glutathione-S-transferase genes M1 and T1 and tobacco smoke exposure. *Int J Legal Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33934228>

Vivekanandarajah, A, Nelson, ME, Kinney, HC, Elliott, AJ, Folkerth, RD, Tran, H et al. (2021). Nicotinic Receptors in the Brainstem Ascending Arousal System in SIDS With Analysis of Pre-natal Exposures to Maternal Smoking and Alcohol in High-Risk Populations of the Safe Passage Study. *Front Neurol*, 12, 636668. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33776893>

Filonzi, L, Magnani, C, Lavezzi, AM, Vaghi, M, Nosetti, L, Marzano, FN. Detoxification genes polymorphisms in SIDS exposed to tobacco smoke. *Gene*. 2018 Jan 9. pii: S0378-1119(18)30041-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29329929>

Schwender, K, Holtkötter, H, Johann, KS, Glaub, A, Schurenkamp, M, Sibbing, U, Banken, S, Vennemann, M, Ge, SI D Study Group, Pfeiffer, H, Vennemann, M. Sudden infant death syndrome: exposure to cigarette smoke leads to hypomethylation upstream of the growth factor independent 1 (GFI1) gene promoter. *Forensic Sci Med Pathol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27677632>

Ali, K, Rossor, T, Bhat, R, Wolff, K, Hannam, S, Rafferty, GF, Greenough, A. Ventilatory responses to hypercarbia in infants of mothers who smoke and misuse substances. *J Pediatr*. 2016 May 20. pii: S0022-3476(16)30188-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27215776>

No authors listed. Patient pages. Secondhand smoke causes SIDS. The Journal of the Oklahoma State Medical Association, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25790609>

#### 4.17.3 Childhood asthma and other chronic respiratory symptoms

**Yigit, E, Yuksel, H, Ulman, C, & Yilmaz, O. (2024). Nasal Effects of Environmental Tobacco Smoke Exposure in Children with Allergic Rhinitis. *Respir Med*, 107886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39613232>**

Wang, C, Wang, L, Ding, W, Zhao, F, & Hou, G. (2024). Effect of polyunsaturated fatty acids intake on the occurrence of current asthma among children and adolescents exposed to tobacco smoke: NHANES 2007-2018. *J Health Popul Nutr*, 43(1), 168. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39449095>

Lin, W, Lin, J, Lai, F, & Shi, J. (2024). Effect of dietary antioxidant quality score on tobacco smoke exposure and asthma in children and adolescents: a cross-sectional study from the NHANES

database. *BMC Pediatr*, 24(1), 535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39169319>

Mudau, R, Voyi, K, & Shirinde, J. (2024). Prevalence of Wheezing and Its Association with Environmental Tobacco Smoke Exposure among Rural and Urban Preschool Children in Mpumalanga Province, South Africa. *Int J Environ Res Public Health*, 21(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38673380>

Costantino, S, Torre, A, Foti Randazzese, S, Mollica, SA, Motta, F, Busceti, D et al. (2024). Association between Second-Hand Exposure to E-Cigarettes at Home and Exacerbations in Children with Asthma. *Children (Basel)*, 11(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38539391>

Akhtar, S, Al-Shanfari, S, Booalayan, H, Abdulrasool, M, Boujarwa, A, Al-Mukaimi, A, & Alkandery, O. (2024). Exposure to household secondhand tobacco smoke and the odds of developing atopic dermatitis among adolescents: A causal mediation analysis. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38304143>

Phetruang, A, Kusol, K, Eksirinimit, T, & Jantaswan, R. (2023). The Relationship Between Personal Factors, Smoke Exposure at Home, and Respiratory Problems in Early Childhood in Nakhon Si Thammarat Province, Thailand. *J Multidiscip Healthc*, 16, 2499-2511. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37664801>

Lampropoulos, P, Ntzounas, A, Berzouanis, A, Malliori, S, Triga, M, Priftis, KN et al. (2023). Household adult smoking behaviors and prevalence of asthma in Greek schoolchildren: five surveys during 1998-2018. *Eur Rev Med Pharmacol Sci*, 27(16), 7710-7719. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37667949>

Kawachi, H, Teramoto, M, Muraki, I, Shirai, K, Yamagishi, K, Tamakoshi, A, & Iso, H. (2023). Childhood secondhand smoke exposure and respiratory disease mortality among never-smokers: the Japan collaborative cohort study for evaluation of cancer risk. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37164769>

Miyake, K, Kushima, M, Shinohara, R, Horiuchi, S, Otawa, S, Akiyama, Y et al. (2023). Maternal smoking status before and during pregnancy and bronchial asthma at 3 years of age: a prospective cohort study. *Sci Rep*, 13(1), 3234. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36828882>

Yamada, M, Tanaka, K, Nagata, C, Arakawa, M, & Miyake, Y. (2022). Sex differences in the association between smoking exposure and prevalence of wheeze and asthma in 3-year-old children. *J Asthma*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36368047>

Boskabady, M, Hajizadeh, AA, Ahanchian, H., Memarzia, A, Jafarnezhad, M, Golafshani, A, & Boskabady, MH. (2022). The effect of 3-year parental smoking on asthma status of their children. *Clin Respir J*, 16(5), 394-401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35546264>

Bentouhami, H, Casas, L, & Weyler, J. (2022). The Association between the Occurrence of Asthma and Antecedents of Exposure to Environmental Tobacco Smoke in the Previous Year in Children: An Incidence-Density Study. *Int J Environ Res Public Health*, 19(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35270580>

Shahunja, KM, Sly, PD, Begum, T, Biswas, T, & Mamun, A. (2021). Family, neighborhood and psychosocial environmental factors and their associations with asthma in Australia: a systematic review and Meta-analysis. *Journal of Asthma*, 1-14. Retrieved from <https://doi.org/10.1080/02770903.2021.2018707>

Brindisi, G, Marazzato, M, Brunetti, F, De Castro, G, Loffredo, L, Carnevale, R et al. (2022). Allergic rhinitis, microbiota and passive smoke in children: A pilot study. *Pediatr Allergy Immunol*, 33 Suppl 27, 22-26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35080308>

Janbazacyabar, H, van Bergenhenegouwen, J, Garssen, J, Leusink-Muis, T, van Ark, I, van Daal, MT et al(2021). Prenatal and Postnatal Cigarette Smoke Exposure Is Associated With Increased Risk of Exacerbated Allergic Airway Immune Responses: A Preclinical Mouse Model. *Front Immunol*, 12, 797376. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35003121>

Tabatabaei, Z, Baghapour, MA, Hoseini, M, Fararouei, M, Abbasi, F, & Baghapour, M. (2021). Assessing BTEX concentrations emitted by hookah smoke in indoor air of residential buildings: health risk assessment for children. *J Environ Health Sci Eng*, 19(2), 1653-1665. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34900296>

Bhagia, P, Menon, I, Jain, A, Arora, V, Goyal, J, & Ahraf, A. (2021). Effect of second hand smoke on systemic, oral and psychological health of primary school children in western Uttar Pradesh. A biochemical analysis. *Minerva Dent Oral Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34636217>

Jung, J, Park, HJ, & Jung, M. (2021). Association between Parental Cotinine-verified Smoking Status and Childhood Asthma: a Population-based Nationally Representative Analysis. *J Korean Med Sci*, 36(30), e193. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34342184>

Elwany, S, Gamea, MA, & Talaat, I. (2021). Passive smoking induces nasal biofilms in children. *Int J Pediatr Otorhinolaryngol*, 146, 110755. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33989921>

Ogbu, CE, Ogbu, SC, Khadka, D, & Kirby, RS. (2021). Childhood Asthma and Smoking: Moderating Effect of Preterm Status and Birth Weight. *Cureus*, 13(4), e14536. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34017652>

Wang, Y, Huang, Z, Luo, D, Tian, L, Hu, M, & Xiao, S. (2020). Respiratory Symptoms and Urinary Cotinine Levels in Pre-school Children Exposed to Environmental Tobacco Smoke. *Front Public Health*, 8, 587193. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33575238>

Johansson, E Martin, LJ, He, H, Chen, X, Weirauch, MT, Kroner, JW et al (2020). Secondhand smoke and NFE2L2 genotype interaction increases pediatric asthma risk and severity. *Clin Exp Allergy*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33382170>

Wawrzyniak, A, Lipinska-Opalka, A, Kalicki, B, & Kloc, M. (2021). The Effect of Passive Exposure to Tobacco Smoke on the Immune Response in Children with Asthma. *Subst Use Misuse*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33427001>

Booalayan, H, Abdualrasool, M, Al-Shanfari, S, Boujarwa, A, Al-Mukaimi, A, Alkandery, O, & Akhtar, S. (2020). Exposure to environmental tobacco smoke and prevalence of asthma among adolescents in a middle eastern country. *BMC Public Health*, 20(1), 1210. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32770990>

Lin, YT, Lin, MH, Wu, KY, & Lee, YL. (2020). Secondhand Smoke Effects on Rhinoconjunctivitis and Sleep Quality in an Adolescent Asthma Study. *Ann Allergy Asthma Immunol*. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32795606>

Bradicich, M, & Schuurmans, MM. (2020). Smoking status and second-hand smoke biomarkers in COPD, asthma and healthy controls. *ERJ Open Res*, 6(2). Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32714953>

He, Z, Wu, H, Zhang, S, Lin, Y, Li, R, Xie, L et al (2020). The association between secondhand smoke and childhood asthma: A systematic review and meta-analysis. *Pediatr Pulmonol*. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32667747>

Jain, RB. (2020). Associations between observed formaldehyde concentrations and smoking, environmental tobacco smoke, and self-reported cancers and asthma: data for US children, adolescents, and adults. *Environ Sci Pollut Res Int*. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/32642895>

Merianos, AL, Jandarov, RA, & Mahabee-Gittens, EM. (2020). Tobacco Smoke Exposure, Respiratory Health, and Healthcare Utilization among U.S. Adolescents. *Chest*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32272115>

Shao, Y, Zhang, Y, Liu, M, Fernandez-Beros, ME, Qian, M, & Reibman, J. (2020). Gene-Environment Interaction between the IL1RN Variants and Childhood Environmental Tobacco Smoke Exposure in Asthma Risk. *Int J Environ Res Public Health*, 17(6). Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32204425>

Zhuge, Y, Qian, H, Zheng, X, Huang, C, Zhang, Y, Li, B et al. (2020). Effects of parental smoking and indoor tobacco smoke exposure on respiratory outcomes in children. *Sci Rep*, 10(1), 4311. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32152374>

Strand, M, & Rabinovitch, N. (2020). Health effects of concurrent ambient and tobacco smoke-derived particle exposures at low concentrations in children with asthma. *J Expo Sci Environ Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32071391>

Wlodarska, A, & Doboszynska, A. (2020). Tobacco smoke exposure as a risk factor for obstructive sleep apnoea in children. *Pediatr Int*. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32034991>

Dai, S, & Chan, KC. (2020). Associations of household environmental tobacco smoke exposure with respiratory symptoms and utilisation of medical services in healthy young children in Hong Kong. *Tob Induc Dis*, 18, 02. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31966027>

- Brooks, CC, Martin, LJ, Pilipenko, V, He, H, LeMasters, GK, Lockey, JE et al. (2019). NAT1 genetic variation increases asthma risk in children with secondhand smoke exposure. *J Asthma*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31809667>
- Subramanyam, R, Tapia, IE, Zhang, B, Mensinger, JL, Garcia-Marcinkiewicz, A, Jablonka, DH et al. (2019). Secondhand Smoke exposure and risk of Obstructive Sleep Apnea in Children. *Int J Pediatr Otorhinolaryngol*, 130, 109807. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31816515>
- Xie, L, Atem, F, Gelfand, A, Bauer, C, & Messiah, SE. (2019). United States Prevalence of Pediatric Asthma by Environmental Tobacco Smoke Exposure, 2016-2017. *J Asthma*, 1-12. Available from: Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31877060>
- Bellisario, V, Piccioni, P, Bugiani, M, Squillaciotti, G, Levra, S, Gulotta, C et al. (2019). Tobacco Smoke Exposure, Urban and Environmental Factors as Respiratory Disease Predictors in Italian Adolescents. *Int J Environ Res Public Health*, 16(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31652605>
- Teijeiro, A, Cuello, MN, Raiden, MG, Vieyra, RE, Sole, D, Ellwood, P, & Gomez, RM. (2019). The relationship between second-hand smoke and wheezing in infants from Cordoba, Argentina. *Allergol Immunopathol (Madr)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31629551>
- Sugier, PE, Sarnowski, C, Granell, R, Laprise, C, Ege, MJ, Margaritte-Jeannin, P et al. (2019). Genome-wide interaction study of early-life smoking exposure on time-to-asthma onset in childhood. *Clin Exp Allergy*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31379025>
- Poddighe, D. (2019). "Home environment and diseases in early life are associated with allergic rhinitis": Role of respiratory infections and passive smoke exposure in infancy. *Int J Pediatr Otorhinolaryngol*, 125, 133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31302574>
- Continente, X, Arechavala, T, Fernandez, E, Perez-Rios, M, Schiaffino, A, Soriano, JB et al (2019). Burden of respiratory disease attributable to secondhand smoke exposure at home in children in Spain (2015). *Prev Med*, 123, 34-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30817956>
- Groner, JA, Nicholson, L, Huang, H, & Bauer, JA. (2019). Secondhand smoke exposure and sleep-related breathing problems in toddlers. *Acad Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30959225>
- Khosravi, A, & Mansournia, MA. (2019). Issues estimating burden of respiratory disease attributable to second-hand smoke exposure at home in children in Spain. *Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31029565>
- Lee, HS, Park, DE, Lee, JW, Kim, HN, Song, WJ, Park, HW, & Cho, SH. (2019). Critical role of interleukin-23 in development of asthma promoted by cigarette smoke. *J Mol Med (Berl)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31020341>
- Bobrowska-Korzeniowska, M, Stelmach, I, Brzozowska, A, Jerzynska, J, Mital, M, & Stelmach, W. The effect of passive smoking on exhaled nitric oxide in asthmatic children. *Nitric Oxide*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30779991>

Katila, M, Saarenpaa-Heikkila, O, Saha, MT, Vuorela, N, & Paavonen, EJ. Parental reports showed that snoring in infants at three and eight months associated with snoring parents and smoking mothers. *Acta Paediatr*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30791132>

Jing, W, Wang, W, & Liu, Q. Passive smoking induces pediatric asthma by affecting the balance of Treg/Th17 cells. *Pediatr Res*, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30670774>

Bugova, G, Janickova, M, Uhliarova, B, Babela, R, & Jesenak, M. The effect of passive smoking on bacterial colonisation of the upper airways and selected laboratory parameters in children. *Acta Otorhinolaryngol Ital*, 2018. 38(5), 431-438. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30498271>

Lang, JE, & Tang, M. Smoking: it's still a big problem in children with asthma. *J Pediatr (Rio J)*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30590013>

Lajunen, K, Kalliola, S, Kotaniemi-Syrjanen, A, Malmberg, LP, Pelkonen, AS, & Makela, MJ. Environmental Tobacco Smoke Affects Lung Function of Asthmatic Preschoolers Even After a Decade. *Am J Respir Crit Care Med*, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30562040>

Willis, AL, Moss, A, Torok, M, Lowary, M, Klein, JD, & Wilson, KM. Smoke Exposure, Cytokine Levels, and Asthma Visits in Children Hospitalized for Bronchiolitis. *Hosp Pediatr*, 2019. 9(1), 46-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30530718>

Midya, V, Pal, S, Sinharoy, A, Das, JK, Rao, H, Abu-Hasan, M, & Mondal, P. The Association Between Female Smoking and Childhood Asthma Prevalence-A Study Based on Aggregative Data. *Front Public Health*, 2018. 6, 295. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30386763>

Loffredo, L, Zicari, AM, Occasi, F, Perri, L, Carnevale, R, Battaglia, S, Angelico, F, Del Ben, M, Martino, F, Nocella, C, Farcomeni, A, De Castro, G, Duse, M, Violi, F. Passive Smoking Exacerbates Nicotinamide-Adenine Dinucleotide Phosphate Oxidase Isoform 2-Induced Oxidative Stress and Arterial Dysfunction in Children with Persistent Allergic Rhinitis. *J Pediatr*. 2018 Aug 29. pii: S0022-3476(18)30878-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30172425>

Allinson, JP, Hardy, R, Donaldson, GC, Wedzicha, JA. Childhood Exposures, Asthma, Smoking, Interactions and the Catch-Up Hypothesis. *Ann Am Thorac Soc*, Jul 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30047779>

Bui, DS, Perret, JL, Abramson, MJ, Walters, HE, Lowe, AJ, Lodge, CJ, Dharmage, SC. Reply: Childhood Exposures, Asthma, Smoking, Interactions and the Catch-Up Hypothesis. *Ann Am Thorac Soc*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30047783>

Neophytou, AM, Oh, SS, White, MJ, Mak, ACY, Hu, D, Huntsman, S, Eng, C, Serebrisky, D, Borrell, LN, Farber, HJ et al. Secondhand smoke exposure and asthma outcomes among African-American and Latino children with asthma. *Thorax*, 2018. Jun 13, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29899038>

Sun, K, Zhang, Y, Tian, Y, Jiang, X. Environmental tobacco smoke exposure and risk of habitual snoring in children: a meta-analysis. *J Epidemiol Community Health*, 2018. Jun 15, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29907705>

Zhang, X, Johnson, N, Carrillo, G, Xu, X. Decreasing trend in passive tobacco smoke exposure and association with asthma in U.S. children. *Environ Res*. 2018 May 31;166:35-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29859939>

Podlecka, D, Malewska-Kaczmarek, K, Jerzynska, J, Stelmach, W, Stelmach, I. Second Hand Smoke exposure increased the need for inhaled corticosteroids in children with asthma. *Ann Allergy Asthma Immunol*. 2018 Apr 27. pii: S1081-1206(18)30328-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29709642>

Thacher, JD, Gehring, U, Gruzieva, O, Standl, M, Pershagen, G, Bauer, CP, Berdel, D, Keller, T, Koletzko, S, Koppelman, GH, Kull, I, Lau, S, Lehmann, I, Maier, D, Schikowski, T, Wahn, U, Wijga, AH, Heinrich, J, Bousquet, J, Anto, JM, von Berg, A, Melen, E, Smit, HA, Keil, T, Bergstrom, A. Maternal Smoking during Pregnancy and Early Childhood and Development of Asthma and Rhinconjunctivitis - a MeDALL Project. *Environ Health Perspect*. 2018 Apr 12;126(4):047005. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29664587>

Wu, TD, Brigham, EP, Peng, R, Koehler, K, Rand, C, Matsui, EC, Diette, GB, Hansel, NN, McCormack, MC. Overweight/obesity enhances associations between secondhand smoke exposure and asthma morbidity in children. *J Allergy Clin Immunol Pract*. 2018 May 3. pii: S2213-2198(18)30297-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29730453>

Chen, Z, Liu, G, Chen, J, Li, S, Jiang, T, Xu, B, Ye, X. Frequency-risk relationships between second-hand smoke exposure and respiratory symptoms among adolescents: a cross-sectional study in South China. *BMJ Open*. 2018 Apr 3;8(4):e019875. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29615447>

Chinellato, I, Piazza, M, Sandri, M, Paiola, G, Tezza, G, Boner, AL. Correlation between vitamin D serum levels and passive smoking exposure in children with asthma. *Allergy Asthma Proc*. 2018 May 1;39(3):8-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29669660>

Merianos, AL, Jandarov, RA, Mahabee-Gittens, EM. Association of secondhand smoke exposure with asthma symptoms, medication use, and healthcare utilization among asthmatic adolescents. *J Asthma*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29641269>

Thacher, JD, Gehring, U, Gruzieva, O, Standl, M, Pershagen, G, Bauer, CP, Berdel, D, Keller, T, Koletzko, S, Koppelman, GH, Kull, I, Lau, S, Lehmann, I, Maier, D, Schikowski, T, Wahn, U, Wijga, AH, Heinrich, J, Bousquet, J, Anto, JM, von Berg, A, Melen, E, Smit, HA, Keil, T, Bergstrom, A. Maternal Smoking during Pregnancy and Early Childhood and Development of Asthma and Rhinconjunctivitis - a MeDALL Project. *Environ Health Perspect*. 2018 Apr 12;126(4):047005. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29664587>

Doksoz, O, Nacaroglu, HT, Ceylan, G, Celegen, M, Asik-Nacaroglu, S, Can, D, Mese, T, Unal, N. The evaluation of right and left ventricular functions in children with episodic wheezing exposed to

environmental tobacco smoke. *Turk J Pediatr.* 2017;59(1):42-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29168362>

Vanker, A, Barnett, W, Workman, L, Nduru, PM, Sly, PD, Gie, RP, Zar, HJ. Early-life exposure to indoor air pollution or tobacco smoke and lower respiratory tract illness and wheezing in African infants: a longitudinal birth cohort study. *Lancet Planet Health.* 2017 Nov;1(8):e328-e336. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29167839>

Whittaker Brown, SA, Liu, B, Taioli, E. The Relationship between Tobacco Smoke Exposure and Airflow obstruction in US Children-Analysis of the National Health and Nutrition Examination Survey (2007-2012). *Chest.* 2017 Oct 13. pii: S0012-3692(17)32893-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29037529>

Shook-Sa, BE, Chen, DG, Zhou, H. Using Structural Equation Modeling to Assess the Links between Tobacco Smoke Exposure, Volatile Organic Compounds, and Respiratory Function for Adolescents Aged 6 to 18 in the United States. *Int J Environ Res Public Health.* 2017 Sep 25;14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28946686>

Yilmaz, O, Turkeli, A, Onur, E, Bilge, S, Yuksel, H. Secondhand tobacco smoke and severity in wheezing children: Nasal oxidant stress and inflammation. *J Asthma.* 2017 Sep 7:1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28881145>

Tanaka, K, Miyake, Y, Furukawa, S, Arakawa, M. Secondhand smoke exposure and risk of wheeze in early childhood: a prospective pregnancy birth cohort study. *Tob Induc Dis.* 2017 Jul 18;15:30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28729819>

Uhliarova, B, Bugova, G, Jesenak, M, Pechacova, S, Hamarova, M, Hajtman, A. The effect of adenotomy, allergy and smoking on microbial colonization of upper aerodigestive tract in children. *Epidemiol Mikrobiol Imunol.* 2017 Summer;66(2):67-72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28691830>

Faraldo-Garcia, A, Lopez-Silvarrey, A, Pertega, S, Cruz, MJ, Sampedro, M, Sanchez-Lastres, J, San-Jose Gonzalez, M A, Bamonde, L, Garnelo, L, Perez-Castro, T, Valdes-Cuadrado, L, Gonzalez-Barcala, FJ. Cross-sectional study about impact of parental smoking on rhinitis symptoms in children. *Clin Otolaryngol.* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28306200>

Hollenbach, JP, Schifano, ED, Hammel, C, Cloutier, MM. Exposure to secondhand smoke and asthma severity among children in Connecticut. *PLoS One.* 2017 Mar 31;12(3):e0174541. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28362801>

Vanker, A, Gie, RP, Zar, HJ. The association between environmental tobacco smoke exposure and childhood respiratory disease: a review. *Expert Rev Respir Med.* 2017 Aug;11(8):661-673. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28580865>

Milanzi, EB, Brunekreef, B, Koppelman, GH, Wijga, AH, van Rossem, L, Vonk, JM, Smit, HA, Gehring, U. Lifetime secondhand smoke exposure and childhood and adolescent asthma: findings from the PIAMA cohort. *Environ Health.* 2017 Feb 23;16(1):14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28231798>

Yao, TC, Chang, SW, Chang, WC, Tsai, MH, Liao, SL, Hua, MC, Lai, SH, Yeh, KW, Tseng, YL, Lin, WC, Tsai, HJ, Huang, JL. Exposure to tobacco smoke and childhood rhinitis: a population-based study. Sci Rep. 2017 Feb 16;7:42836. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28205626>

Fitzgerald, DA. Tobacco, vaccine preventable diseases and malnutrition: More to be done to prevent respiratory disease. Paediatr Respir Rev, 2017 Mar;22:1-2. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/28139427>

Dai, X, Dharmage, SC, Lowe, AJ, Allen, KJ, Thomas, PS, Perret, J, Waidyatillake, N, Matheson, MC, Svanes, C, Welsh, L, Abramson, MJ, Lodge, CJ. Early smoke exposure is associated with asthma and lung function deficits in adolescents. J Asthma, Oct 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27791435>

Sigaud, CH, Castanheira, AB, Costa, P. Association between secondhand smoking in the home and respiratory morbidity in preschool children. Rev Esc Enferm USP. 2016 Jul-Aug;50(4):562-568. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27680040>

Fernandez-Plata, R, Rojas-Martinez, R, Martinez-Briseno, D, Garcia-Sancho, C, Perez-Padilla, R. Effect of passive smoking on the growth of pulmonary function and respiratory symptoms in schoolchildren. Rev Invest Clin. 2016 May-Jun;68(3):119-27. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27408998>

Montano-Velazquez, BB, Flores-Rojas, EB, Garcia-Vazquez, FJ, Jurado-Hernandez, S, Hernandez, MA, Alanis Flores, AK, Jauregui-Renaud, K. Effect of cigarette smoke on counts of immunoreactive cells to eotaxin-1 and eosinophils on the nasal mucosa in young patients with perennial allergic rhinitis. Braz J Otorhinolaryngol, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27287302>

Kashiura, M, Uno, H, Kumasawa, J. Does influence of maternal smoking on childhood asthma differ by age and personal smoking habit? Chest. 2016 Apr;149(4):1105-6. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/27055701>

Vardavas, CI, Hohmann, C, Patelarou, E, Martinez, D, Henderson, AJ, Granell, R, Sunyer, J, Torrent, M, Fantini, MP et al. The independent role of prenatal and postnatal exposure to active and passive smoking on the development of early wheeze in children. Eur Respir J, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26965294>

Leung, LT et al. Exposure to secondhand smoke from neighbours and respiratory symptoms in never-smoking adolescents in Hong Kong: a cross-sectional study. BMJ Open, 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26537497>

Farber, HJ et al. The impact of tobacco smoke exposure on childhood asthma in a medicaid managed care plan. Chest, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26512943>

Mehari, A et al. Effect modification by race-ethnicity of environmental tobacco smoke exposure on airway inflammation in US children. Ann Allergy Asthma Immunol, 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26443435>

Snodgrass, AM et al. Tobacco smoke exposure and respiratory morbidity in young children. Tob Control, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26502739>

Thacher, JD et al. Parental smoking and development of allergic sensitization from birth to adolescence. *Allergy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26475651>

Kitsantas, P, Aguisanda, F. Association of asthma with obesity among adolescents exposed to environmental tobacco smoke. *J Asthma*. 2015 Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26365093>

Sismanlar, T et al. Respiratory bronchiolitis-associated interstitial lung disease in childhood: new sequela of smoking. *Pediatrics*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26347438>

Wang, Z et al. Effects of secondhand smoke exposure on asthma morbidity and health care utilization in children: a systematic review and meta-analysis. *Ann Allergy Asthma Immunol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26411971>

Yao, TC et al. Tobacco smoke exposure and multiplexed immunoglobulin E sensitization in children: a population-based study. *Allergy*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26416225>

Liu, YQ et al. Breastfeeding modifies the effects of environment tobacco smoke exposure on respiratory diseases and symptoms in Chinese children: the Seven Northeast Cities Study. *Indoor Air*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26264239>

Pyle, RC et al. Asthma-associated comorbidities in children with and without secondhand smoke exposure. *Annals of Allergy, Asthma & Immunology*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26208757>

Andrews, AL et al. Is secondhand smoke exposure associated with increased exacerbation severity among children hospitalized for asthma? *Hospital Paediatrics*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25934808>

Tagliacarne, SC et al. Impact of passive smoke and/or atopy on adenoid immunoglobulin production in children. *Immunology Letters*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25929805>

den Dekker, HT et al. Tobacco smoke exposure, airway resistance and asthma in school-age children: The Generation R Study. *Chest*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25741773>

Straight CE, Patel HH, Lehman EB, and Carr MM. Prevalence of smoke exposure amongst children who undergo tonsillectomy for recurrent tonsillitis. *Int J Pediatr Otorhinolaryngol*, 2015; 79(2):157-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25554576>

Hassanzad M, Khalilzadeh S, Eslampanah Nobari S, Bloursaz M, Sharifi H, et al. Cotinine level is associated with asthma severity in passive smoker children. *Iran J Allergy Asthma Immunol*, 2015; 14(1):67-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25530141>

Ciaccio CE, DiDonna A, Kennedy K, Barnes CS, Portnoy JM, et al. Secondhand tobacco smoke exposure in low-income children and its association with asthma. *Allergy Asthma Proc*, 2014; 35(6):462-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25584913>

Diaz AA, Hardin ME, Come CE, Estepar RS, Ross JC, et al. Childhood-onset asthma in smokers: Association between CT measures of airway size, lung function and chronic airflow obstruction. *Ann Am Thorac Soc*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25296268>

Ferrante G, Antona R, Malizia V, Montalbano L, Corsello G, et al. Smoke exposure as a risk factor for asthma in childhood: A review of current evidence. *Allergy Asthma Proc*, 2014; 35(6):454-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25584912>

LeMasters G, Levin L, Bernstein DI, Lockey SDt, Lockey JE, et al. Secondhand smoke and traffic exhaust confer opposing risks for asthma in normal and overweight children. *Obesity (Silver Spring)*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25407437>

Rathkopf MM. Passive smoking impairs histone deacetylase-2 in children with severe asthma. *Pediatrics*, 2014; 134 Suppl 3:S147-8. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25363932>

Tabuchi T, Fujiwara T, Nakayama T, Miyashiro I, Tsukuma H, et al. Maternal and paternal indoor or outdoor smoking and the risk of asthma in their children: A nationwide prospective birth cohort study. *Drug Alcohol Depend*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25542825>

Pugmire J, Vasquez MM, Zhou M, Sherrill DL, Halonen M, et al. Exposure to parental smoking in childhood is associated with persistence of respiratory symptoms into young adult life. *J Allergy Clin Immunol*, 2014; 134(4):962-965 e4. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25174871>

Chun CS, Weinmann S, Riedlinger K, and Mullooly JP. Passive Cigarette Smoke Exposure and Other Risk Factors for Invasive Pneumococcal Disease in Children: A Case-Control Study. *Perm J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25431997>

#### *4.17.4 Acute lower respiratory tract infections in infancy and early childhood*

Xiang, S, Chen, Z, Dai, Z, & Wang, F. (2023). Global burden of lower respiratory infections attributable to secondhand smoke among children under 5 years of age, 2010-2019: a systematic analysis of the global burden of disease study 2019. *BMC Public Health*, 23(1), 1920. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37794421>

Phetruang, A, Kusol, K, Eksirinimit, T, & Jantaswan, R. (2023). The Relationship Between Personal Factors, Smoke Exposure at Home, and Respiratory Problems in Early Childhood in Nakhon Si Thammarat Province, Thailand. *J Multidiscip Healthc*, 16, 2499-2511. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37664801>

Altet, N, Latorre, I, Jimenez-Fuentes, MA, Soriano-Arandes, A, Villar-Hernandez, R, Mila, C et al. (2022). Tobacco Smoking and Second-Hand Smoke Exposure Impact on Tuberculosis in Children. *J Clin Med*, 11(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35407608>

Hashimoto, K, Maeda, H, Iwasa, H, Kyozuka, H, Maeda, R, Kume, Y et al. (2022). Tobacco Exposure During Pregnancy and Infections in Infants up to 1 Year of Age: The Japan Environment and Children's Study. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35400710>

Akkoc, G, Akgun, O, Kizilirmak, C, Yildiz, F, Duru, HNS, & Elevli, M. (2021). Demographic and Clinical Characteristics of COVID-19 in Children and the Effect of Household Tobacco Smoke Exposure on COVID-19. *Turk Arch Pediatr*, 56(4), 322-327. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/35005725>

Singh, PK, Sinha, P, Singh, N, Singh, L, & Singh, S. (2022). Does secondhand smoke exposure increase the risk of acute respiratory infections among children aged 0-59 months in households that use clean cooking fuel? A cross-sectional study based on 601 509 households in India. *Indoor Air*, 32(1), e12980. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35014716>

Bermudez Barrezueta, L, Minambres Rodriguez, M, Palomares Cardador, M, Torres Ballester, I, Lopez Casillas, P, Moreno Carrasco, J, & Pino Vazquez, A. (2021). Effect of prenatal and postnatal exposure to tobacco in the development of acute bronchiolitis in the first two years of life. *An Pediatr (Eng Ed)*, 94(6), 385-395. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34090635>

Rodriguez-Alvarez, D, Rodriguez-De Tembleque, C, Cendejas-Bueno, E, Perez-Costa, E, Diez-Sebastian, J, & De la Oliva, P. (2021). Severity of bronchiolitis in infants is associated with their parents' tobacco habit. *Eur J Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34002301>

Zaleski, A, Szwejkowska, M, Rykowska, D , & Nitsch-Osuch, A. (2020). Impact of parental smoking on influenza and others respiratory infections in children. *Przegl Epidemiol*, 74(3), 475-482. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33570346>

Miyahara, R, Takahashi, K, Anh, NTH, Thiem, VD, Suzuki, M, Yoshino, H et al. (2020). Author Correction: Exposure to paternal tobacco smoking increased child hospitalization for lower respiratory infections but not for other diseases in Vietnam. *Sci Rep*, 10(1), 6162. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32249813>

Sismanlar Eyuboglu, T, Aslan, AT, Kose, M, Pekcan, S, Hangul, M, Gulbahar, O et al. (2019). Passive Smoking and Disease Severity in Childhood Pneumonia Under 5 Years of Age. *J Trop Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31774539>

Johnson, J, Wilson, KM, Zhou, C, Johnson, DP, Kenyon, CC, Tieder, JS et al. (2019). Home Smoke Exposure and Health-Related Quality of Life in Children with Acute Respiratory Illness. *J Hosp Med*, 14(4), 212-217. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30933671>

Fujita, T, Babazono, A, Harano, Y, Jiang, P. Secondhand Smoke and Streptococcal Infection in Young Children Under Japan's Voluntary Tobacco-Free Policy. *Popul Health Manag*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30113259>

Merianos, AL, Jandarov, RA, Mahabee-Gittens, EM. Adolescent Tobacco Smoke Exposure, Respiratory Symptoms, and Emergency Department Use. *Pediatrics*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30082449>

Ramos-Fernandez, JM, Sanchez-Perez, M, Sanchez-Gonzalez, JM, Calvo-Cillan, A, Moreno-Perez, D. Apnea in infants hospitalized with pertussis: incidence and gestational smoking relationship. *Pediatr Int*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30074664>

Christensen, DN, Franks, ZG, McCrary, HC, Saleh, AA, Chang, AEH. A Systematic Review of the Association between Cigarette Smoke Exposure and Chronic Rhinosinusitis. *Otolaryngol Head Neck Surg*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29460678>

Farzana, R, Hoque, M, Kamal, MS, Choudhury, MM. Role of Parental Smoking in Severe Bronchiolitis: A Hospital Based Case-Control Study. *Int J Pediatr*. 2017;2017:9476367. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28356915>

Li'e, C, Juan, C, Dongying, J, Guiling, F, Tihua, Z, Yanfei, W. The role of environmental tobacco exposure and Helicobacter pylori infection in the risk of chronic tonsillitis in children. *Sao Paulo Med J*. 2017 Jan-Feb;135(1):29-33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28380174>

Yamakawa, M, Yorifuji, T, Kato, T, Tsuda, T, Doi, H. Maternal smoking location at home and hospitalization for respiratory tract infections among children in Japan. *Arch Environ Occup Health*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27808663>

Brescianini, S, Fagnani, C, Aquilini, E, Annesi-Maesano, I and Stazi, MA. Early respiratory infections: the role of passive smoking in gene-environment interaction. *Eur J Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27013548>

Thapa, P, Pandey, A R, Dhungana, RR, Bista, B, Thapa, B, Mishra, SR. Risk of ARI among non-exclusively breastfed under-five passive smoker children: a hospital-based cross-sectional study of Nepal. *Front Public Health*, 2016; Feb 23;4:23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26942173>

Lanari, M et al. Prenatal tobacco smoke exposure increases hospitalizations for bronchiolitis in infants. *Respir Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26695759>

Stevenson, MD et al. Prenatal versus postnatal tobacco smoke exposure and intensive care use in children hospitalized with bronchiolitis. *Acad Pediatr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26555856>

Bielska, DE et al. Exposure to environmental tobacco smoke and respiratory tract infections in pre-school children - a cross-sectional study in Poland. *Ann Agric Environ Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26403128>

Ahn, A et al. Secondhand smoke exposure and illness severity among children hospitalized with Pneumonia. *J Pediatr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26231828>

Schmidt, MA et al. A ten-year case-control study of passive smoke exposure as a risk factor for pertussis in children. *The Permanente Journal*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26176570>

#### 4.17.5 Decreased lung function

**Pavic, I, Topalusic, I, Poljicanin, T, Hofmann Jaeger, O, Zaja, S, & Stipic Markovic, A. (2024). Secondhand Smoke Exposure and Its Impact on Pediatric Lung Function, Aerobic Fitness, and Body Mass: Evidence from a Cross-Sectional Study. *Children (Basel)*, 11(10).** Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39457215>

Chaya, S, Vanker, A, Brittain, K, MacGinty, R, Jacobs, C, Hantos, Z et al. (2023). The impact of antenatal and postnatal indoor air pollution or tobacco smoke exposure on lung function at 3 years in an African birth cohort. *Respirology*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37587874>

Dapas, M, Thompson, EE, Wentworth-Sheilds, W, Clay, S, Visness, CM, Calatroni, A et al. (2023). Multi-omic association study identifies DNA methylation-mediated genotype and smoking exposure effects on lung function in children living in urban settings. *PLoS Genet*, 19(1), e1010594. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36638096>

Elshazly, FA, Abdelbasset, WK, Elnaggar, RK, & Tantawy, S A. (2020). Effects of second-hand smoking on lung functions in athlete and non-athlete school-aged children - observational study. *Afr Health Sci*, 20(1), 368-375. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33402924>

Milanzi, EB, Koppelman, GH, Smit, HA, Wijga, AH, Vonk, JM, Brunekreef, B, & Gehring, U. (2019). Timing of secondhand smoke, pet, dampness or mould exposure and lung function in adolescence. *Thorax*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31748257>

Carney, C, & Benzeval, M. (2019). The moderating effect of childhood disadvantage on the associations between smoking and occupational exposure and lung function; a cross sectional analysis of the UK Household Longitudinal Study (UKHLS). *BMC Public Health*, 19(1), 690. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31164109>

Dai, X, Dharmage, SC, Bowatte, G, Waidyatillake, NT, Perret, JL, Hui, J et al. Interaction of Glutathione S-Transferase M1, T1, and P1 Genes With Early Life Tobacco Smoke Exposure on Lung Function in Adolescents. *Chest*, 2019. 155(1), 94-102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30616740>

Gunlemez, A, Er, I, Baydemir, C, Arisoy, A. Effects of passive smoking on lung function tests in preschool children born late-preterm: a preventable health priority. *J Matern Fetal Neonatal Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29353510>

Lewis, BW, Sultana, R, Sharma, R, Noel, A, Langohr, I, Patial, S, Penn, AL, Saini, Y. Early Postnatal Secondhand Smoke Exposure Disrupts Bacterial Clearance and Abolishes Immune Responses in Muco-Obstructive Lung Disease. *J Immunol*. 2017 Aug 1;199(3):1170-1183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28667160>

Allinson, JP, Hardy, R, Donaldson, GC, Shaheen, SO, Kuh, D, Wedzicha, JA. Combined Impact of Smoking and Early Life Exposures on Adult Lung Function Trajectories. *Am J Respir Crit Care Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28530117>

Patel, N, Trumph, CD, Bodas, M, Vij, N. Role of second-hand smoke (SHS)-induced proteostasis/autophagy impairment in pediatric lung diseases. *Mol Cell Pediatr*. 2017 Dec;4(1):3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28150141>

Ukawa, S, Tamakoshi, A, Yatsuya, H, Yamagishi, K, Ando, M, Iso, H. Passive smoking and chronic obstructive pulmonary disease mortality: findings from the Japan collaborative cohort study. *Int J Public Health*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28213785>

#### *4.17.6 Middle ear disease*

Flor, LS, Anderson, JA, Ahmad, N, Aravkin, A, Carr, S, Dai, X et al. (2024). Author Correction: Health effects associated with exposure to secondhand smoke: a Burden of Proof study. *Nat Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38291302>

Flor, LS, Anderson, JA, Ahmad, N, Aravkin, A, Carr, S, Dai, X et al. (2024). Health effects associated with exposure to secondhand smoke: a Burden of Proof study. *Nat Med*, 30(1), 149-167. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38195750>

Tarhun, YM. (2020). The effect of passive smoking on the etiology of serous otitis media in children. *American Journal of Otolaryngology*, 102398. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31987598>

Durante, AS, Massa, B, Pucci, B, Gudayol, N, Gameiro, M, Lopes, C. Effect of passive smoking on auditory temporal resolution in children. *Int J Pediatr Otorhinolaryngol*. 2017 Jun;97:18-23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28483231>

Bizzell, JG, Cox, MD, Wang, AR, Richter, GT, Nolder, AR. The impact of tobacco exposure on development of otorrhea after myringotomy tube placement. *Int J Pediatr Otorhinolaryngol*. 2017 Jan;92:67-69. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28012536>

Talaat, HS, Metwaly, MA, Khafagy, AH, Abdelraouf, HR. Corrigendum to "Does passive smoking induce sensorineural hearing loss in children?" [Int. J. Pediatr. Otorhinolaryngol. 78 (1) (2014) 46-49] *Int J Pediatr Otorhinolaryngol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27260590>

Amani, S, Yarmohammadi, P. Study of effect of household parental smoking on development of acute otitis media in children under 12 years. *Glob J Health Sci*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26652088>

#### *4.17.8 Longer term developmental effects*

Liu, L, Shu, X, Xu, Z, & Jiang, H. (2024). Joint effect of docosahexaenoic acid intake and tobacco smoke exposure on learning disability in children and adolescents: a cross-sectional study from the NHANES database. *Ital J Pediatr*, 50(1), 197. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39334431>

Zakariyah, A, Al Qutub, S, Kazim, S, Alharbi, R, Alharthi, H, Alharbi, H et al. (2024). Exposure to Smoking as a Predictor of ADHD Subtypes Among Children Within Saudi Arabia: An Observational Study. *Tob Use Insights*, 17, 1179173X241283765. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39258266>

Willoughby, MT, Warkentien, S, Browne, EN, Gatzke-Kopp, L, & Berry, D. (2024). An introduction to inverse probability weighting and marginal structural models: The case of environmental tobacco exposure and attention deficit/hyperactivity disorder behaviors. *Dev Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39172429>

Greenwood, PB, DeSerisy, M, Koe, E, Rodriguez, E, Salas, L, Perera, FP et al (2024). Combined and sequential exposure to prenatal second hand smoke and postnatal maternal distress is associated with cingulo-opercular global efficiency and attention problems in school-age children. *Neurotoxicol Teratol*, 102, 107338. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38431065>

Kunno, J, Pimviriyakul, P, Luangwilai, T, Sematong, S, Supawattanabodee, B, Kuratong, S, & Robson, MG. (2024). Effect of children secondhand smoke exposure associated with GABA concentration: Influence from parents who are extremely heavy smokers in urban households. *Sci Total Environ*, 918, 170720. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38325467>

Ou, XX, Wang, X, Zhan, XL, Shen, SL, Karatela, S, Jing, J et al. (2024). The associations of secondhand smoke exposure with neurodevelopmental disorders and critical time window identification: A systematic review and meta-analysis. *Sci Total Environ*, 913, 169649. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38159763>

Calder, SD, Brennan-Jones, CG, Robinson, M, Whitehouse, A, & Hill, E. The prevalence of and potential risk factors for Developmental Language Disorder at 10 years in the Raine Study. *Journal of Paediatrics and Child Health*, n/a(n/a). Retrieved from <https://doi.org/10.1111/jpc.16149>

Gao, Y, Wang, T, Duan, Z, Pu, Y, & Zhang, J. (2022). The association between neurodevelopmental and behavioral problems and tobacco smoke exposure among 3-17 years old children. *Front Public Health*, 10, 881299. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36033778>

Wang, Z, Shi, H, Peng, L, Zhou, Y, Wang, Y & Jiang, F. (2022). Gender differences in the association between biomarkers of environmental smoke exposure and developmental disorders in children and adolescents. *Environ Sci Pollut Res Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35781659>

Yang, JH, Strodl, E, Wu, CA, Yin, XN, Wen, GM, Sun, DL et al. (2021). Association between environmental tobacco smoke exposure in early life and autistic-like behaviors in Chinese preschoolers. *J Psychosom Res*, 152, 110680. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34826656>

Wei, CF, Lin, CC, Tsai, MS Guo, YL, Lin, SJ, Liao, HF et al (2021). Associations Between Infant Developmental Delays and Secondhand Smoke Exposure Modified by Maternal Pre-pregnancy Overweight and Obesity Status. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33556174>

Merianos, AL, Nabors, LA, Fiser, KA, & Mahabee-Gittens, EM. (2020). Exposure to Tobacco Smoke and Temperament among U.S. Children 0-5 Years Old. *J Pediatr Psychol.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33355348>

Huang, A, Wu, K, Cai, Z, Lin, Y, Zhang, X, & Huang, Y. (2020). Association between postnatal second-hand smoke exposure and ADHD in children: a systematic review and meta-analysis. *Environ Sci Pollut Res Int.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33097989>

Mahabee-Gittens, EM, Yolton, K, & Merianos, AL. (2020). Prevalence of Mental Health and Neurodevelopmental Conditions in U.S. Children with Tobacco Smoke Exposure. *J Pediatr Health Care.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32861591>

Park, B, Park, B, Kim, EJ, Kim, YJ, Lee, H, Ha, EH, & Park, H. (2020). Longitudinal association between environmental tobacco smoke exposure and behavioral problems in children from ages 5 to 9. *Sci Total Environ*, 746, 141327. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32758989>

Rashidi, M, Mohammadpoorasl, A, & Sahebihagh, MH. (2020). Environmental Tobacco Smoke and Educational Self-Regulation and Achievement in First Grade High School Students. *J Med Life*, 13(2), 229-234. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32742519>

Dieleman, J, Kleinjan, M, Otten, R, van Schie, HT, Heuvelmans, V, & Luijten, M. (2020). Effects of environmental tobacco smoke exposure on brain functioning in never-smoking adolescents. *Brain Behav*, e01619. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32608084>

Kang, SH Joo, JH, Jang, SI, & Park, EC. (2020). Association of exposure to secondhand smoke at home with early age at menarche in South Korea. *Public Health*, 185, 144-149. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32622222>

Wada, K, Ueyama, J, Konishi, K, Goto, Y, Koda, S, Mizuta, F et al (2020). Associations between Exposure to Tobacco Smoke and Behavioral Problems in Preschool Japanese Children. *J Environ Public Health*, 2020, 7591263. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32508936>

Nadhiroh, SR, Djokosujono, K, & Utari, DM. (2020). The association between secondhand smoke exposure and growth outcomes of children: A systematic literature review. *Tob Induc Dis*, 18, 12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32180689>

Oh, K, Xu, Y, Terrizzi, BF, Lanphear, B, Chen, A, Kalkbrenner, AE, & Yolton, K. (2020). Associations Between Early Low-Level Tobacco Smoke Exposure and Executive Function at Age 8 Years. *Journal of Pediatrics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31955878>

Sunday, S, & Kabir, Z. (2019). Impact of Carers' Smoking Status on Childhood Obesity in the Growing up in Ireland Cohort Study. *Int J Environ Res Public Health*, 16(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31382368>

Wijaya-Erhardt, M. (2019). Nutritional Status of Indonesian Children in Low-Income Households with Fathers that Smoke. *Osong Public Health Res Perspect*, 10(2), 64-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065532>

Juonala, M, Pitkanen, N, Tolonen, S, Laaksonen, M, Sievanen, H, Jokinen, E et al. Childhood exposure to passive smoking and bone health in adulthood. The Cardiovascular Risk in Young Finns Study. *J Clin Endocrinol Metab*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30715377>

Clark, CAC, Massey, SH, Wiebe, SA, Espy, KA, & Wakschlag, LS. Does early maternal responsiveness buffer prenatal tobacco exposure effects on young children's behavioral disinhibition? *Dev Psychopathol*, 2018. 1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30428950>

Lee, YH, Chang, YC, Lee, YH, Liu, CT, & Shelley, M. Are older adults' home exposures to secondhand smoking during earlier life stages associated with current health status and life satisfaction in China? A multilevel approach. *J Ethn Subst Abuse*, 2018. 1-15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30451104>

Magnus, MC, Henderson, J, Tilling, K, Howe, LD, & Fraser, A. Independent and combined associations of maternal and own smoking with adult lung function and COPD. *Int J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30339246>

Cho, HJ. Environmental Tobacco Smoke Can Be an Important Risk Factor for Children's Behavioral Problems, and Policies to Reduce Exposure Are Urgently Required. *J Korean Med Sci*. 2018 Aug 14;33(36):e244. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30181733>

Yang, HS, Lim, H, Choi, J, Bae, S, Kim, Y, Kwon, HJ, Ha, M. Environmental Tobacco Smoke Exposure at Home and Attributable Problem Behaviors in Korean Children and Adolescents for 2012-2014 in a Nationally Representative Survey. *J Korean Med Sci*. 2018 Jul 23;33(36):e229. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30181731>

Seror, R, Henry, J, Gusto, G, Aubin, HJ, Boutron-Ruault, MC, Mariette, X. Passive smoking in childhood increases the risk of developing rheumatoid arthritis. *Rheumatology (Oxford)*. 2018 Aug 14. pii: 5074199. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30124939>

Feldman, LY, Thacher, JD, van Hage, M, Kull, I, Melen, E, Pershagen, G, Wickman, M, To, T, Protudjer, JLP, Bergstrom, A. Early life secondhand smoke exposure and food hypersensitivity through adolescence. *Allergy*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29675922>

Hopson, MB, Margolis, A, Rauh, V, Herbstman, J. Impact of the home environment on the relationship between prenatal exposure to environmental tobacco smoke and child behaviour. *Int J Child Health Hum Dev*. 2016 Oct-Dec;9(4):453-464. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28845210>

Cerit, Z. Neurocognitive function; with or without passive smoke exposure. *J Pediatr*, 2017 Feb 22. pii: S0022-3476(17)30185-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28237376>

Pagani, LS, Levesque-Seck, F, Archambault, I, Janosz, M. Prospective longitudinal associations between household smoke exposure in early childhood and antisocial behavior at age 12. *Indoor Air*, Nov 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27868232>

Tanaka, K, Miyake, Y, Furukawa, S, Arakawa, M. Perinatal smoking exposure and behavioral problems in Japanese children aged 5 years: The Kyushu Okinawa Maternal and Child Health Study. Environ Res. 2016 Aug 16;151:383-388. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27540870>

Pagani, LS, Fitzpatrick, C. Early childhood household smoke exposure predicts less task-oriented classroom behavior at age 10. Health Educ Behav, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26568445>

Obel, C et al. The risk of attention deficit hyperactivity disorder in children exposed to maternal smoking during pregnancy - a reexamination using a sibling design. J Child Psychol Psychiatry, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26511313>

Muraro, AP et al. Effect of the exposure to maternal smoking during pregnancy and childhood on the body mass index until adolescence. Rev Saude Publica, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26247384>

Yang, S et al. Childhood passive smoking exposure and age at menarche in Chinese women who had never smoked: The Guangzhou Biobank Cohort Study. PLoS One, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26186646>

Mendelson, MM, de Ferranti, SD. Childhood environmental tobacco smoke exposure: a smoking gun for atherosclerosis in adulthood. Circulation, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802268>

West, HW et al. Exposure to parental smoking in childhood is associated with increased risk of carotid atherosclerotic plaque in adulthood: the cardiovascular risk in young Finns study. Circulation, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25802269>

#### 4.17.9 Childhood cancers

Guzel, A, Tacyildiz, N, Bakar-Ates, F, Ozyoruk, D, Celik, A, Dincaslan, H, & Unal, EC. (2024). Role of parental smoking and environmental tobacco smoke exposure in childhood cancer: A study using hair cotinine analysis and questionnaires. *Pediatr Blood Cancer*, e31007. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38654470>

Metayer, C, Morimoto, LM, Kang, AY, Sanchez Alvarez, J, & Winstone, LE. (2023). Pre- and postnatal exposures to tobacco smoking and survival of childhood acute lymphoblastic and myeloid leukemias in California, United States. *Cancer Epidemiol Biomarkers Prev.* . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37921440>

Rushton, L. (2021). Health Impact of Environmental Tobacco Smoke in the Home. *Rev Environ Health*, 19(3-4), 291-310. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33607718>

Frederiksen, LE, Erdmann, F, Wesseling, C, Winther, JF, & Mora, AM. (2019). Parental tobacco smoking and risk of childhood leukemia in Costa Rica: A population-based case-control study. *Environ Res*, 180, 108827. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31655332>

Carceles-Alvarez, A, Ortega-Garcia, JA, Lopez-Hernandez, FA, Fuster-Soler, JL, Ramis, R, Kloosterman, N., et al (2019). Secondhand smoke: A new and modifiable prognostic factor in childhood acute lymphoblastic leukemias. *Environ Res*, 178, 108689. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31479979>

Kaur, M, de Smith, AJ, Selvin, S, Zhang, L, Cunningham, M, Kang, MW, Hansen, HM, Cooper, RM, McKean-Cowdin, R, Wiemels, JL, Metayer, C. Tobacco Smoke and Ras Mutations Among Latino and Non-Latino Children with Acute Lymphoblastic Leukemia. *Arch Med Res*. 2016 Nov;47(8):677-683. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28476195>

de Smith, AJ, Kaur, M, Gonseth, S, Endicott, AA, Selvin, S, Zhang, L, Roy, R, Shao, X, Hansen, HM, Kang, AY, Walsh, KM, Dahl, GV, McKean-Cowdin, R, Metayer, C, Wiemels, JL. Correlates of prenatal and early-life tobacco smoke exposure and frequency of common gene deletions in childhood acute lymphoblastic leukemia. *Cancer Res*, Feb 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28202519>

Rumrich, IK, Viluksela, M, Vahakangas, K, Gissler, M, Surcel, HM, Hanninen, O. Maternal smoking and the risk of cancer in early life - a meta-analysis. *PLoS One*. 2016 Nov 8;11(11):e0165040. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27824869>

Metayer, C, Petridou, E, Arangure, JM, Roman, E, Schuz, J, Magnani, C, Mora, AM, Mueller, BA, de Oliveira, MS et al. Parental tobacco smoking and acute myeloid leukemia: the Childhood Leukemia International Consortium. *Am J Epidemiol*. 2016 Aug 15;184(4):261-73. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27492895>

Clawson AH, Nicholson JS, McDermott MJ, Klosky JL, and Tyc VL. Tobacco Use and Exposure Among Youth Undergoing Cancer Treatment. *J Pediatr Health Care*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25204779>

#### 4.17.10 Perioperative complications

Pehlivan, SS, Gergin, OO, Bayram, A, Altay, D, Arslan, D, Bicer, C, & Aksu, R. (2022). The effect of passive smoking on the laryngospasm rate in children sedated during the esophagogastroduodenoscopy. *Saudi Med J*, 43(3), 275-282. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35256495>

Horiuchi, S, Shinohara, R, Otawa, S, Kushima, M, Akiyama, Y, Ooka, T et al. (2021). Influence of Maternal Active and Secondhand Smoking during Pregnancy on Childhood Obesity at 3 Years of Age: A Nested Case-Control Study from the Japan Environment and Children's Study (JECS). *Int J Environ Res Public Health*, 18(23). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34886230>

Riley, C, & Ladak, N. (2020). Reducing paediatric exposure to environmental tobacco smoke: the effects of paediatric exposure to environmental tobacco smoke and the role of paediatric peri-operative care. *Paediatr Anaesth*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32395863>

Chiswell, C, Akram, Y. Impact of environmental tobacco smoke exposure on anaesthetic and surgical outcomes in children: a systematic review and meta-analysis. *Arch Dis Child*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27417307>

#### 4.17.11 Other conditions in childhood

Al-Alusi, NA, Ramirez, FD, Chan, LN, Ye, M, Langan, SM, McCulloch, C, & Abuabara, K. (2025). Atopic dermatitis and tobacco smoke exposure during childhood and adolescence. *J Allergy Clin Immunol Glob*, 4(1), 100345. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39507926>

Cicekli, I, & Durusoy, R. (2024). A retrospective evaluation of parental smoking and the risk of Type 1 diabetes in children. *Tob Induc Dis*, 22 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39575445>

Kim, D, Perumpail, BJ, Danpanichkul, P, Wijarnpreecha, K, & Ahmed, A. (2024). Secondhand Smoke Exposure and Metabolic Dysfunction-associated Steatotic Liver Disease in US Adolescents. *Clin Gastroenterol Hepatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39490949>

Lai, C, Wang, Y, Zeng, X, Du, Z, Wang, S, Lin, Z et al . (2024). In Utero/Childhood/ Adolescence Exposure to Tobacco Smoke and Elderly-Onset Cataract: A Large Prospective Cohort Study. *Transl Vis Sci Technol*, 13(11), 21. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39556083>

Lin, Y, Zeng, G, & Sun, Y. (2024). The joint effect of vitamin-D status and tobacco exposure on overweight and obesity in children. *Br J Nutr*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39501637>

Polat, S, & Uyar, DS. (2024). Evaluation of the Sleep Habits and Dental Problems in Children Exposed to Secondhand Smoke During Childhood. *J Oral Rehabil*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39568167>

Salehi, M, Saeidi, M, Kasulis, N, Barias, T, Kainth, T, & Gunturu, S. (2024). Tobacco Smoke Exposure in Children and Adolescents: Prevalence, Risk Factors and Co-Morbid Neuropsychiatric Conditions in a US Nationwide Study. *Healthcare (Basel)*, 12(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39517315>

Shang, B, Yao, Y, Yin, H, Xie, Y, Yang, S, You, X et al . (2024). In utero, childhood, and adolescence tobacco smoke exposure, physical activity, and chronic kidney disease incidence in adulthood: evidence from a large prospective cohort study. *BMC Med*, 22(1), 528. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39523304>

Gong, Y, Zhou, C, Wan, Y, & Yin, H. (2024). Association of magnesium deficiency, tobacco smoke exposure and hypertension in children and adolescents: evidence from the NHANES 2007-2018. *BMC Pediatr*, 24(1), 647. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39390435>

Luo, BW, Sun, IG, Chan, SSC, & Chu, CH. (2024). Secondary Smoking and Early Childhood Caries: A Systematic Review and Meta-Analysis. *Int Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39395896>

Zhang, WX, Strodl, E, Yang, WK, Yin, XN, Wen, GM, Sun, DL et al. (2024). Combination effects of environmental tobacco smoke exposure and nutrients supplement during pregnancy on obesity in Chinese preschool children. *Front Pediatr*, 12, 1423556. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39346637>

Anand, A, Raja, T, Thakur, V, & Agarwal, N. (2024). Evaluation of the Effect of Parental Smoking on Gingival Melanin Pigmentation in Children. *Int J Clin Pediatr Dent*, 17(2), 173-175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39184897>

Antonucci, A, Andreoli, R, Maccari, C, Vitali, M, & Protano, C. (2024). Effects of Environmental Tobacco Smoke on Oxidative Stress in Childhood: A Human Biomonitoring Study. *Toxics*, 12(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39195659>

Patil, SS, Puttaswamy, N, Cardenas, A, Barr, DB, Ghosh, S, & Balakrishnan, K. (2024). Protocol for CARES-HAPIN: an ambidirectional cohort study on exposure to environmental tobacco smoke and risk of early childhood caries. *BMJ Open*, 14(5), e083874. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38749682>

Mourino, N, Zhang, Z, Perez-Rios, M, Yolton, K, Lanphear, BP, Chen, A et al. (2024). Early life exposure to secondhand tobacco smoke and eating behaviors at age 12 years. *Environ Health*, 23(1), 37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38609912>

Dantham, P, Nuvvula, S, Ismail, AF, Akkilagunta, S, & Mallineni, SK. (2024). Association between passive smoking and dental caries status in children: A cross-sectional analytical study. *Dent Med Probl*, 61(2), 209-216. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38668708>

Chao, L, Liang, W, Zhao, X, Liang, Z, Wu, W, Song, J, & Ren, W. (2024). Maternal tobacco exposure during pregnancy and atopic dermatitis in offspring: A systematic review and meta-analysis. *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38483217>

Clemente, MG, Argiolas, D, Bassu, S, Bitti, A, Locci, C, Argiolas, M et al. (2024). Vitamin D Status in an Italian Pediatric Cohort: Is There a Role for Tobacco Smoking Exposure? *J Clin Res Pediatr Endocrinol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38523346>

de Sousa, KG, de Carvalho Chaves, S, de Souza Barbosa, T, & Gaviao, MBD. (2024). Nutritional status, feeding behavior, and oral conditions in preschool children exposed to secondhand smoke. *Ecol Food Nutr*, 1-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38308642>

Rubinstein, BJ, Vazifedan, T, & Baldassari, CM. (2024). Secondhand Smoke Exposure Measured in Urinary Cotinine Levels and Severity of Pediatric Sleep Apnea. *JAMA Otolaryngol Head Neck Surg*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38329735>

Perez-Castro, S, D'Auria, G, Llambrich, M, Fernandez-Barres, S, Lopez-Espinosa, MJ, Llop, S et al. (2023). Influence of perinatal and childhood exposure to tobacco and mercury in children's gut microbiota. *Front Microbiol*, 14, 1258988. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38249448>

Clementino, LC, Freire-Maia, J, Pereira, TS, & Martins-Junior, PA. (2024). Passive smoking and early childhood caries: when adult addiction affects children's oral health. *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38273113>

Munther, S, Awn, BH, & Yassin, HN. (2023). The Impact of Passive Smoking on Salivary Glutathione Peroxidase and Selenium in Relation to Dental Caries Severity among Five Years Old Children. *Indian J Dent Res*, 34(3), 270-273. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38197345>

Luo, Y, Zhang, L, Lu, Y, Lin, X, Weng, Z, & Xu, Y. (2023). Association Between the Serum Copper Levels and Environmental Tobacco Exposure on the Risk of Overweight and Obesity in Children: a Study Based on the National Health and Nutrition Examination Survey. *Biol Trace Elem Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38158458>

Arafa, A. (2023). Household smoking impact on the oral health of 5- to 7-years-old children. *BMC Oral Health*, 23(1), 1028. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38114982>

Cheung, CY, Zhang, XJ, Chan, HN, Zhang, Y, Yuen, VL, Hsu, W et al. (2023). Influence of secondhand smoke exposure on the retinal vasculature of children in Hong Kong. *Commun Med (Lond)*, 3(1), 155. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37884789>

DeSerisy, M, Cohen, JW, Dworkin, JD, Stingone, JA, Ramphal, B, Herbstman, JB et al. (2023). Early life stress, prenatal secondhand smoke exposure, and the development of internalizing symptoms across childhood. *Environ Health*, 22(1), 58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37620883>

Wang, YW, Yeh, KW, Huang, JL, Su, KW, Tsai, MH, Hua, MC et al. (2023). Longitudinal analysis of the impact of smoking exposure on atopic indices and allergies in early childhood. *World Allergy Organ J*, 16(7), 100802. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37520613>

Muchlis, N, Yusuf, RA, Rusydi, AR, Mahmud, NU, Hikmah, N, Qanitha, A, & Ahsan, A. (2023). Cigarette Smoke Exposure and Stunting Among Under-five Children in Rural and Poor Families in Indonesia. *Environ Health Insights*, 17, 11786302231185210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37434666>

Obeng, A, Roh, T, Aggarwal, A, Uyasmasi, K, & Carrillo, G. (2023). The contribution of secondhand tobacco smoke to blood lead levels in US children and adolescents: a cross-sectional analysis of NHANES 2015-2018. *BMC Public Health*, 23(1), 1129. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37308859>

Uthayakumar, T, Bennett, JX, Cartas, HL, Brunet, M, Vo, KL, & Kroon, J. (2023). Passive Smoking and Oral Health of Infants, Pre-schoolers and Children: A Systematic Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37311007>

Rothman, JA, Riis, JL, Hamilton, KR, Blair, C, Granger, DA, & Whiteson, KL. (2023). Oral microbial communities in children, caregivers, and associations with salivary biomeasures and environmental tobacco smoke exposure. *mSystems*, e0003623. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37338237>

Glenn, AL, Ragno, LK, & Liu, J. (2023). Association between postnatal environmental tobacco smoke exposure controlling for prenatal exposure and conduct problems in children: A systematic review. *Neurotoxicology*, 97, 53-64. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37211157>

Morgan, IG. (2023). Exposure to Secondhand Smoke and Myopia in Children Aged 6 to 8 Years in Hong Kong. *JAMA Netw Open*, 6(5), e2312995. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37166804>

Zhang, Y, Zhang, XJ, Yuan, N, Zhang, Y, Wang, YM, Tang, F et al. (2023). Analysis of Secondhand Smoke Exposure and Myopia Among Children Aged 6 to 8 Years in Hong Kong. *JAMA Netw Open*, 6(5), e2313006. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37166795>

Margolis, AE, Lee, SH, Liu, R, Goolsby, L, Champagne, F, Herbstman, J, & Beebe, B. (2023). Associations between prenatal exposure to second hand smoke and infant self-regulation in a New York city longitudinal prospective birth cohort. *Environ Res*, 227, 115652. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36894114>

Merianos, AL, & Mahabee-Gittens, EM. (2023). Tobacco Smoke Exposure and Gastrointestinal Problems Among US Children. *Clin Pediatr (Phila)*, 99228231154135. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36789912>

Yamashita, M, Yorifuji, T, Matsumoto, N, Kubo, T, & Tsukahara, H. (2022). Early childhood exposure to maternal smoking and obesity: A nationwide longitudinal survey in Japan. *Clin Obes*, e12572. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36504321>

Fuemmeler, BF, Glasgow, TE, Schechter, JC, Maguire, R, Sheng, Y, Bidopia, T et al. (2022). Prenatal and Childhood Smoke Exposure Associations with Cognition, Language, and ADHD. *J Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36513211>

Wu, M, Williams, GJ, Chen, G, Zhang, L, Hu, C, Dai, X et al. (2022). Prenatal second-hand smoke exposure and the risk of suspected developmental coordination disorder in preschoolers: A nationwide retrospective cohort study in China. *Front Public Health*, 10, 993471. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36438244>

Lin, LZ, Ou, XX, Zhan, XL, Wang, X, Cai, L, Li, XH, . . . Dong, GH. (2022). Pre-conceptional and prenatal exposure to secondhand smoke and autism spectrum disorder: a national multi-center study in China. *World J Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36355326>

Sahni, V, & Gupta, S. (2022). The association between second-hand smoke and the periodontal status of children and adolescents. *Evid Based Dent*, 23(3), 106-107. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36151283>

Xiao, H, Li, M, Li, A, Amaerjiang, N, Zunong, J, Vermund, SH et al. (2022). Passive Smoking Exposure Modifies Cardiovascular Structure and Function: Beijing Child Growth and Health Cohort (PROC) Study. *Environ Sci Technol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36094430>

Cao, H, Zhou, N, Liang, Y, Li, Q, Yu, Q, & Bao, T. (2022). Early Risk of Tobacco Smoke Exposure and Preschoolers' Hot and Cool Inhibitory Control: Promotive and Protective Roles of Maternal Positivity in Early Mother-child Interaction. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35939179>

Yang, L, Sato, M, Saito-Abe, M, Miyaji, Y, Sato, C, Nishizato, M et al. (2022). Smoking Exposure Is Associated with Serum Vitamin D Deficiency in Children: Evidence from the Japan Environment and Children's Study. *Nutrients*, 14(15). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35956297>

Monasso, GS, Felix, JF., Gaillard,, & Jaddoe, VWV. (2022). Fetal and childhood exposure to parental tobacco smoking and arterial health at age 10 years. *Am J Hypertens*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35882377>

Mourino, N, Perez-Rios, M, Yolton, K, Lanphear, BP, Chen, A, Buckley, JP et al. (2022). Pre- and postnatal exposure to secondhand tobacco smoke and body composition at 12 years: periods of susceptibility. *Obesity (Silver Spring)*, 30(8), 1659-1669. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35894081>

Oliveira, LM, Oliveira, MDM, Ardenghi, TM, & Zanatta, FB. (2022). Is secondhand smoke exposure associated with poor periodontal status in children and adolescents? A systematic review and meta-analysis. *Eur Arch Paediatr Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35429295>

Wong, RS, Tung, KTS, Leung, HE, Chow, R, Chua, GT, Ho, MHK et al. (2022). Comorbidity of ADHD and allergic diseases in early adolescence: The role of parental smoking at home. *Curr Psychol*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35018079>

Atak, MF, Kundakci, N, & Farabi, B. (2021). Link between childhood tobacco exposure and childhood psoriasis: A case-control study. *Pediatr Dermatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34918783>

Lin, LZ, Xu, SL, Wu, QZ, Zhou, Y, Ma, HM, Chen, DH et al. (2021). Exposure to second-hand smoke during early life and subsequent sleep problems in children: a population-based cross-sectional study. *Environ Health*, 20(1), 127. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34920730>

Bhagia, P, Menon, I, Jain, A, Arora, V, Goyal, J, & Ahraf, A. (2021). Effect of second hand smoke on systemic, oral and psychological health of primary school children in western Uttar Pradesh. A biochemical analysis. *Minerva Dent Oral Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34636217>

Lee, SS, Mackey, DA, Sanfilippo, PG, Hewitt, AW, Craig, JE, & Yazar, S. (2021). In Utero Exposure to Smoking and Alcohol, and Passive Smoking during Childhood: Effect on the Retinal Nerve Fibre Layer in Young Adulthood. *Ophthalmic Epidemiol*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34486472>

Merianos, AL, Mahabee-Gittens, EM, & Choi, K. (2021). Tobacco smoke exposure and inadequate sleep among U.S. school-aged children. *Sleep Med*, 86, 99-105. Parnell, M, Gee, I, Foweather, L, Whyte, G, & Knowles, Z. (2021). Children of Smoking and Non-Smoking Households' Perceptions of Physical Activity, Cardiorespiratory Fitness, and Exercise. *Children (Basel)*, 8(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34206729>

Edi, M, Chin, YS, Woon, FC, Appannah, G, Lim, PY, & On Behalf Of The Micos Research, G. (2021). Inadequate Gestational Weight Gain and Exposure to Second-Hand Smoke during Pregnancy

Increase the Risk of Low Birth Weight: A Cross-Sectional Study among Full-Term Infants. *Int J Environ Res Public Health*, 18(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33530307>

Jaakkola, JM, Rovio, SP, Pahkala, K, Viikari, J, Ronnemaa, T, Jula, A et al (2020). Childhood exposure to parental smoking and life-course overweight and central obesity. *Ann Med*, 1-25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33305629>

Li, J, Yuan, N, Chu, WK, Cheung, CY, Tang, S, Li, FF et al (2020). Exposure to Secondhand Smoke in Children is Associated with a Thinner Retinal Nerve Fiber Layer: The Hong Kong Children Eye Study. *Am J Ophthalmol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33129810>

Neshat, F, Shirzaiy, M, & Shademan, S. (2020). Salivary Total Antioxidant and Lipid Peroxidation Levels in Passive Smoking and Nonsmoking Adolescents. *Addict Health*, 12(3), 216-224. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33244398>

Ramirez, FD, Groner, JA, Ramirez, JL, McEvoy, CT, Owens, JA, McCulloch, CE et al (2020). Prenatal and Childhood Tobacco Smoke Exposure Are Associated With Sleep-Disordered Breathing Throughout Early Childhood. *Acad Pediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33161115>

Saho, H, Taniguchi-Tabata, A, Ekuni, D, Yokoi, A, Kataoka, K, Fukuhara, D et al (2020). Association between Household Exposure to Secondhand Smoke and Dental Caries among Japanese Young Adults: A Cross-Sectional Study. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33233610>

Ziyab, AH, Karmaus, W, AlShatti, KA, Al-Kandari, M, Hussein, SH, & Ali, YM. (2020). Psoriasis Among Adolescents in Kuwait and the Role of Siblings, Breastfeeding, and Household Cat and Secondhand Smoke Exposure: A Cross-Sectional Study. *Dermatol Ther (Heidelb)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32844373>

Wisniewski, BL, Shrestha, CL, Zhang, S, Thompson, R, Gross, M, Groner, JA et al (2020). Metabolomics profiling of tobacco exposure in children with cystic fibrosis. *J Cyst Fibros*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32487493>

Miyake, Y, Tanaka, K, & Arakawa, M. (2020). BAIP2 rs8079781, postnatal smoking exposure, and emotional problems in Japanese children aged 5 years: the Kyushu Okinawa Maternal and Child Health Study. *J Neural Transm (Vienna)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32388796>

Salem, EA, Saheen, HM, & Allam, HK. (2020). Secondhand tobacco smoke, does it have an impact on the neurobehavioral performance of the exposed children? *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32468375>

Li, Y, Wang, D, Wang, Y, Zhao, Y, Han, L, Zhong, L et al (2020). Impact of parental smoking on adipokine profiles and cardiometabolic risk factors in Chinese children. *Atherosclerosis*, 301, 23-29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32298844>

Choi, K., Chen-Sankey, J. C., Merianos, A. L., McGruder, C., & Yerger, V. (2020). Secondhand Smoke Exposure and Subsequent Academic Performance Among U.S. Youth. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32147368>

Hamasha, A. A., Alfadhel, A. A., Alshareef, A. A., MM, A. L., Albesher, N. B., Alaqlili, N. M., & Kinani, T. S. (2020). The Effect of Secondhand Smoking on Dental Caries among Schoolchildren in Riyadh, Saudi Arabia: A Cross-sectional Study. *J Int Soc Prev Community Dent*, 10(1), 69-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32181223>

Koyanagi, A., Smith, L., Oh, H., Yang, L., Jackson, S. E., Haro, J. M., . . . Jacob, L. (2020). Second-hand smoking and obesity among non-smoking adolescents aged 12-15 years from 38 low- and middle-income countries. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32211794>

Tahir, E., Kavaz, E., & Cangokce Yasar, O. (2020). The Effect of Parental Smoking on Voice-Related Quality of Life in the Pediatric Population. *J Voice*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32173148>

Vasques Dantas Landim, JI, da Rocha, LN, Silva, MF, Dos Santos Brasil, LT, Lima Rocha, HA, Junior, CNR, & Rocha, FAC. (2020). Parental Smoking Influence in Disease Activity in a Low-Income Juvenile Idiopathic Arthritis Cohort. *Journal of Clinical Rheumatology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31977651>

Gatzke-Kopp, L, Willoughby, MT, Warkentien, S, Petrie, D, Mills-Koonce, R, & Blair, C. (2019). Association between environmental tobacco smoke exposure across the first four years of life and manifestation of externalizing behavior problems in school-aged children. *J Child Psychol Psychiatry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31797389>

Kaya Aksoy, G, Semerci Koyun, N, & Dogan, CS. (2019). Does smoking exposure affect response to treatment in children with primary monosymptomatic nocturnal enuresis? *J Pediatr Urol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31735520>

Boehm, R, Cohen, C, Pulcinelli, R, Caletti, G, Balsan, A, Nascimento, S et al (2019). Toxic elements in packed red blood cells from smoker donors: a risk for paediatric transfusion? *Vox Sang*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31625182>

Delcourt, C. (2019). Early Exposure to Secondhand Smoking and Ocular Health-Insights From Latest-Generation Optical Coherence Tomographic Imaging. *JAMA Ophthalmol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31621815>

Dhanuka, S, & Vasthare, R. (2019). The association of secondhand smoke exposure and dental caries in children and adolescents: a literature review. *Gen Dent*, 67(6), 20-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31658020>

Ellery, KM, Kopp, B, Conwell, DL, & Gariepy, C. (2019). Secondhand Smoke Exposure and Serum Trypsinogen in Cystic Fibrosis Carriers. *Pancreas*, 48(9), 1155-1159. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31593019>

Li, CG, Yang, GY, Schmid, KL, Huang, LH, He, GH, Liu, L et al. (2019). Associations between Environmental Tobacco Smoke Exposure in Early Life and Astigmatism among Chinese Preschool Children. *Int J Environ Res Public Health*, 16(19). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31623306>

Money, LE, & Ramkissoon, I. (2019). Effects of Secondhand Smoke Exposure and Noise Exposure on Tinnitus Occurrence in College Students and Adolescents. *J Am Acad Audiol*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31589138>

Yuan, N, Li, J, Tang, S, Li, FF, Lee, CO, Ng, MPH et al (2019). Association of Secondhand Smoking Exposure With Choroidal Thinning in Children Aged 6 to 8 Years: The Hong Kong Children Eye Study. *JAMA Ophthalmol*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31621803>

Menon, I, & Bhat, N. (2019). Association of passive smoking with dental caries and salivary biomarkers among 5-10 years old children of Muradnagar, Ghaziabad. *J Family Med Prim Care*, 8(8), 2633-2639. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31548946>

Tang, SD, Zhang, YX, Chen, LM, Wang, YY, Cheng, Y, & Tang, LQ. (2019). Influence of life-style factors, including second-hand smoke, on dental caries among 3-year-old children in Wuxi, China. *J Paediatr Child Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31408250>

Bono, R, Bellisario, V, Tassinari, R, Squillaciotti, G, Manetta, T, Bugiani, M et al. (2019). Bisphenol A, Tobacco Smoke, and Age as Predictors of Oxidative Stress in Children and Adolescents. *Int J Environ Res Public Health*, 16(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31174388>

Ballengee, CR, Brooks, P, Leong, T, Geem, D, & Freeman, AJ. (2019). Effects of Second-Hand Smoke on Pancreatitis in Children. *Pancreas*, 48(5), 706-710. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31091219>

Torun, E, Kahraman, FU, Goksu, AZ, Vahapoglu, A, & Cakin, ZE. (2019). Serum catalase, thiol and myeloperoxidase levels in children passively exposed to cigarette smoke. *Ital J Pediatr*, 45(1), 59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31072373>

Zielen, S, & Fussbroich, D. (2019). Impact of secondhand smoke on cystic fibrosis: is there a link to fatty acid metabolism? *Thorax*, 74(6), 529-530. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31048510>

Khorasanchi, Z, Bahrami, A, Avan, A, Jaber, N, Rezaey, M, Bahrami-Taghanaki, H. Passive smoking is associated with cognitive and emotional impairment in adolescent girls. *J Gen Psychol*, 2019. 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30729890>

Goto, Y, Wada, K, Konishi, K, Uji, T, Koda, S, Mizuta, F et al. Association between exposure to household smoking and dental caries in preschool children: a cross-sectional study. *Environ Health Prev Med*, 2019. 24(1), 9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30684963>

Kopp, BT, Thompson, R, Kim, J, Konstan, R, Diaz, A, Smith, B et al. Secondhand smoke alters arachidonic acid metabolism and inflammation in infants and children with cystic fibrosis. *Thorax*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30661024>

Karsiyaka Hendek, M, Erkmen Almaz, M, Olgun, E, & Kisa, U. Salivary LL-37 and Periodontal Health in Children Exposed to Passive Smoking. *Int J Paediatr Dent*, 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30556299>

Abdualrasool, M, Al-Shanfari, S, Booalayan, H, Boujarwa, A, Al-Mukaimi, A, Alkandery, O, & Akhtar, S. Exposure to Environmental Tobacco Smoke and Prevalence of Atopic Dermatitis among Adolescents in Kuwait. *Dermatology*, 2018. 1-6. Available from:  
<https://www.karger.com/Article/Abstract/492054>

Luk, TT, Wang, MP, Suen, YN, Koh, DS, Lam, TH, & Chan, SS. Early childhood exposure to secondhand smoke and behavioural problems in preschoolers. *Sci Rep*, 2018. 8(1), 15434. Available from:  
[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6194078/pdf/41598\\_2018\\_Article\\_33829.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6194078/pdf/41598_2018_Article_33829.pdf)

Nakayama, Y, Ohnishi, H, & Mori, M. Association of Environmental Tobacco Smoke with the Risk of Severe Early Childhood Caries among 3-Year-Old Japanese Children. *Caries Res*, 2018. 53(3), 268-274. Available from: <https://www.karger.com/Article/Abstract/492790>

Nwosu, BU, & Kum-Nji, P. Tobacco smoke exposure is an independent predictor of vitamin D deficiency in US children. *PLoS One*, 2018. 13(10), e0205342. Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6175516/pdf/pone.0205342.pdf>

Tackett, AP, Leavens, ELS, Wiedenmann, A, Perez, MN, Baker, A, Mayes, S, Mullins, LL, Wagener, TL. Preliminary exploration of secondhand smoke exposure in youth with Sickle Cell Disease: biochemical verification, pulmonary functioning, and health care utilization. *Psychol Health Med*, 2018 Sep 11:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30203658>

Gonzalez-Valero, L, Montiel-Company, JM, Bellot-Arcis, C, Almerich-Torres, T, Iranzo-Cortes, JE, Almerich-Silla, J M. Association between passive tobacco exposure and caries in children and adolescents. A systematic review and meta-analysis. *PLoS One*. 2018 Aug 16;13(8):e0202497. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30114212>

Magnus, MC, Tapia, G, Olsen, SF, Granstrom, C, Marild, K, Ueland, PM, Midttun, O, Svensson, J, Johannessen, J, Skrivarhaug, T, Joner, G, Njolstad, PR, Stordal, K, Stene, LC. Parental smoking and risk of childhood-onset type 1 diabetes. *Epidemiology*, Aug 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30074542>

Qureshi, R, Jadotte, Y, Zha, P, Porter, SA, Holly, C, Salmond, S, Watkins, EA. The association between prenatal exposure to environmental tobacco smoke and childhood obesity: a systematic review. *JBI Database System Rev Implement Rep*. 2018 Aug;16(8):1643-1662. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30113549>

Djeddi, D, Stephan-Blanchard, E, Leke, A, Ammari, M, Delanaud, S, Lemaire-Hurtel, AS, Bach, V, Telliez, F. Effects of Smoking Exposure in Infants on Gastroesophageal Reflux as a Function of the Sleep-Wakefulness State. *J Pediatr*, Jul 2018. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/30041936>

Cameron, JD, Doucet, E, Adamo, KB, Walker, M, Tirelli, A, Barnes, JD, Hafizi, K, Murray, M, Goldfield, GS. Effects of prenatal exposure to cigarettes on anthropometrics, energy intake, energy

expenditure, and screen time in children. *Physiol Behav*, 2018. June 15, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29913228>

Morioka, H, Jike, M, Kanda, H, Osaki, Y, Nakagome, S, Otsuka, Y, Kaneita, Y, Itani, O, Higuchi, S, Ohida, T. The association between sleep disturbance and second-hand smoke exposure: a large-scale, nationwide, cross-sectional study of adolescents in Japan. *Sleep Med*. 2018 Jun 1;50:29-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29982087>

Lavery, AM, Collins, BN, Waldman, AT, Hart, CN, Bar-Or, A, Marrie, RA, Arnold, D, O'Mahony, J, Banwell, B, Canadian Pediatric Demyelinating Disease, Network. The contribution of secondhand tobacco smoke exposure to pediatric multiple sclerosis risk. *Mult Scler*. 2018 Jan 1:1352458518757089. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29393768>

Nayani, AA, Iqbal, R, Azam, SI, Khan, FR, Khan, AH, Janjua, N, Hussain, A. Association between environmental tobacco smoke and dental caries amongst 5-14 years old children in Karachi, Pakistan. *J Pak Med Assoc*. 2018 Feb;68(2):203-209. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29479094>

Fotopoulou, M, Iordanidou, M, Vasileiou, E, Trypsianis, G, Chatzimichael, A, Paraskakis, E. A short period of breast feeding in infancy, excessive house cleaning, absence of older sibling, and passive smoking are related to more severe atopic dermatitis in children. *Eur J Dermatol*. 2017 Nov 24. pii: ejd.2017.3165. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29171402>

Franca, CMP, Sallum, AME, Braga, ALF, Strufaldi, FL, Silva, CAA, Farhat, SCL. Risk Factors Associated with Juvenile Idiopathic Arthritis: Exposure to Cigarette Smoke and Air Pollution from Pregnancy to Disease Diagnosis. *J Rheumatol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29142039>

Hasmun, B, Drummond, BK, Milne, T, Cullinan, MP, Meldrum, AM, Coates, D. Effects of environmental tobacco smoke on the oral health of preschool children. *Eur Arch Paediatr Dent*. 2017 Oct 31. pii: 10.1007/s40368-017-0308-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29090450>

Mohamed, NN, Loy, SL, Lim, PY, Al Mamun, A, Jan Mohamed, HJ. Early life secondhand smoke exposure assessed by hair nicotine biomarker may reduce children's neurodevelopment at 2years of age. *Sci Total Environ*. 2017 Aug 10;610-611:147-153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28803192>

Reddy, SP, Prasad, MG, RadhaKrishna, AN, Saujanya, K, Raviteja, NVK, Deepthi, B. Correlation between salivary cortisol levels and dental anxiety in children of smokers and nonsmokers. *Eur J Dent*. 2017 Apr-Jun;11(2):192-195. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28729791>

Camargo, RCT, Costalonga, RR, Louzada, MJQ, Fernandes, RA, Camargo, JCS, Filho, Urban, JB. The Influence of Passive Tobacco Exposure and Physical Exercise on Bone Tissue of Young Rats. *Acta Ortop Bras*. 2017 Mar-Apr;25(2):77-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28642655>

Nakahara, Y, Yorifuji, T, Kubo, T, Doi, H. Maternal smoking as a risk factor for childhood intussusception. Arch Environ Occup Health. 2017 Feb 26;1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28278015>

Reynaud, E, Forhan, A, Heude, B, de Lauzon-Guillain, B, Charles, MA, Plancoulaine, S. Night-waking trajectories and associated factors in French preschoolers from the EDEN birth-cohort. Sleep Med. 2016 Nov - Dec;27-28:59-65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27938921>

Kopp, BT, Ortega-Garcia, JA, Sadreameli, SC, Wellmerling, J, Cormet-Boyaka, E, Thompson, R, McGrath-Morrow, S, Groner, JA. The impact of secondhand smoke exposure on children with cystic fibrosis: a review. Int J Environ Res Public Health. 2016 Oct 12;13(10). pii: E1003. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27754353>

Patel, MA, Mener, DJ, Garcia-Esquinas, E, Navas-Acien, A, Agrawal, Y, Lin, SY. Tobacco smoke exposure and eustachian tube disorders in US children and adolescents. PLoS One. 2016 Oct 6;11(10):e0163926. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27711178>

Joo, H, Lim, MH, Ha, M, Kwon, HJ, Yoo, SJ, Choi, KH, Paik, KC. Secondhand smoke exposure and low blood lead levels in association with Attention-Deficit Hyperactivity Disorder and its symptom domain in children: a community-based case-control study. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613950>

Moore, BF, Clark, ML, Bachand, A, Reynolds, SJ, Nelson, TL, Peel, JL. Interactions between diet and exposure to secondhand smoke on glycated hemoglobin (HbA1c) levels among U.S. children: results from NHANES 2007-2012. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27679605>

Rayfield, S, Plugge, E. Systematic review and meta-analysis of the association between maternal smoking in pregnancy and childhood overweight and obesity. J Epidemiol Community Health, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27480843>

Kawada, T. Sensitization to inhalant allergens in schoolchildren with special reference to passive smoking. Int Arch Allergy Immunol. 2016;170(1):67-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27380027>

Parvaresh, N, Mazhari, S, Mohamadi, N, Mohamadi, N. Evaluation of the prevalence of drug abuse and smoking in parents of children with Attention Deficit Hyperactivity Disorder. Addict Health. 2016 Winter;8(1):41-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27274792>

Chua, SY, Ikram, MK, Tan, CS, Stone, RA, Cai, S, Gluckman, PD, Yap, SC, Yap, F, Wong, TY, Ngo, CS, Saw, SM, Group, Gusto Study. Is there a link between passive smoke exposure and early-onset myopia in preschool Asian children? Ophthalmic Physiol Opt, Apr 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27061286>

Protano, C, Astolfi, ML, Canepari, S, Vitali, M. Urinary levels of trace elements among primary school-aged children from Italy: The contribution of smoking habits of family members. Sci Total Environ. 2016 Mar 23;557-558:378-385. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27016686>

Groner, JA et al. Oxidative stress in youth and adolescents with elevated body mass index exposed to secondhand smoke. Nicotine Tob Res, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26903500>

Jorge, JG et al. Influence of passive smoking on learning in elementary school. J Pediatr (Rio J), 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26859248>

Davis, CL et al. Passive smoke exposure and its effects on cognition, sleep, and health outcomes in overweight and obese children. Child Obes, 2016. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26812049>

De Alwis, D et al. Nonverbal reasoning in preschool children: investigating the putative risk of secondhand smoke exposure and Attention-Deficit/Hyperactivity Disorder as a mediator. Scand J Child Adolesc Psychiatr Psychol, 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26726310>

Braithwaite, I et al. Maternal post-natal tobacco use and current parental tobacco use is associated with higher body mass index in children and adolescents: an international cross-sectional study. BMC Pediatr, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26699863>

Sadreameli, SC et al. Secondhand smoke is associated with more frequent hospitalizations in children with sickle cell disease. Am J Hematol, 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26690323>

Yamana, H et al. Problems with study on secondhand smoke and children's tooth enamel. BMJ, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26667359>

Moore, BF et al. Interactions between Diet and Exposure to Secondhand Smoke on the Prevalence of Childhood Obesity: Results from NHANES, 2007-2010. Environ Health Perspect, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26713774>

Chen, JJ et al. Family smoking, exposure to secondhand smoke at home and family unhappiness in children. Int J Environ Res Public Health, 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26580642>

No authors listed. Secondhand smoke: a new risk factor for caries in children? Dent Today, Feb 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26351723>

No authors listed. Secondhand smoke and incidence of dental caries in deciduous teeth among children in Japan: population based retrospective cohort study. BMJ, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26611912>

Jenabian, N et al. Evaluation of the effect of passive smoking on lactoferrin and AST on 12 - 15 years old children and adolescents. Iran J Pediatr, Oct 2015. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/26495095>

Moore, BF et al. Interactions between diet and exposure to secondhand smoke on metabolic syndrome among children - NHANES 2007-2010. J Clin Endocrinol Metab, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26495750>

Tanaka, K et al. Association of prenatal exposure to maternal smoking and postnatal exposure to household smoking with dental caries in 3-year-old Japanese children. Environ Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26492399>

Tanaka, S et al. Secondhand smoke and incidence of dental caries in deciduous teeth among children in Japan: population based retrospective cohort study. BMJ, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26489750>

Chastang, J et al. Postnatal environmental tobacco smoke exposure related to behavioral problems in children. PLoS One, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26244898>

Chastang, J et al. Correction : Postnatal environmental tobacco smoke exposure related to behavioral problems in children. PLoS One. 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26352140>

Gaffin, JM. Postnatal environmental tobacco smoke exposure is associated with objective markers of atopy in preschool-aged children. Evid Based Med, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26374387>

Leung, CY et al. Early secondhand smoke exposure and child and adolescent mental health: Evidence from Hong Kong's "Children of 1997" birth cohort. Addiction, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26119482>

Pagani, LS et al. Prospective associations between early long-term household tobacco smoke exposure and subsequent indicators of metabolic risk at age 10. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26069035>

No authors listed. Erratum: A longitudinal cohort study of body mass index and childhood exposure to secondhand tobacco smoke and air pollution: the Southern California Children's Health Study. Environmental Health Perspectives, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25831460>

Yeramaneni, S et al. Secondhand tobacco smoke exposure and neuromotor function in rural children. The Journal of Pediatrics, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25882879>

Shargorodsky, J et al. Allergic sensitization, rhinitis, and tobacco smoke exposure in U.S. children and adolescents. International Forum of Allergy & Rhinology, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25884913>

von Kobyletzki, L, Svensson, A. Prenatal and postnatal exposure to parental smoking increases odds of allergic diseases during childhood and adolescence. Evidence-based Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25841247>

Padron, A et al. Exposure to secondhand smoke in the home and mental health in children: a population-based study. Tobacco Control, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25808665>

Yadav, R et al. Influence of environmental tobacco smoke on gingival pigmentation in schoolchildren. Oral Health & Preventive Dentistry, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25789354>

Nakayama, Y, Mori, M. Association of environmental tobacco smoke and snacking habits with the risk of early childhood caries among 3-year-old Japanese children. Journal of Public Health Dentistry, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25659226>

Shiue, I. Correlations of indoor second-hand smoking, household smoking rules, regional deprivation and children mental health: Scottish Health Survey, 2013. Environmental Science and Pollution Research International, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25647493>

Torres LH, Annoni R, Balestrin NT, Coleto PL, Duro SO, et al. Environmental tobacco smoke in the early postnatal period induces impairment in brain myelination. Arch Toxicol, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25182420>

Kim HW, Kam S, and Lee DH. Synergistic interaction between polycyclic aromatic hydrocarbons and environmental tobacco smoke on the risk of obesity in children and adolescents: The U.S. National Health and Nutrition Examination Survey 2003-2008. Environ Res, 2014; 135:354-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25462685>

van Ewijk H, Groenman AP, Zwiers MP, Heslenfeld DJ, Faraone SV, et al. Smoking and the developing brain: Altered white matter microstructure in attention-deficit/hyperactivity disorder and healthy controls. Hum Brain Mapp, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25484258>

#### *4.17.12 Mortality risk*

Owili, PO, Muga, MA, Pan, WC, Kuo, HW. Indoor secondhand tobacco smoke and risk of under-five mortality in 23 sub-Saharan Africa countries: A population based study and meta-analysis. PLoS One. 2017 May 23;12(5):e0177271. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28542166>

## News reports:

**American Heart Association. Children exposed to tobacco smoke at home have worse heart function as adults. American Heart Association Scientific Sessions, 2020. Nov 9, 2020.** Retrieved from <https://newsroom.heart.org/news/children-exposed-to-tobacco-smoke-at-home-have-worse-heart-function-as-adults>

Norton, Amy. SIDS risk depends on more than 'sleeping environment'. Health Day, 2015. Dec 2, 2015. <http://consumer.healthday.com/kids-health-information-23/sudden-infant-death-syndrome-sids-news-643/sids-risk-depends-on-more-than-sleeping-environment-705770.html>

Campbell, Denis. Passive smoking in babies 'doubles risk of tooth decay'. The Guardian, 2015. Oct 21, 2015. Available from: <http://www.theguardian.com/uk-news/2015/oct/21/passive-smoking-babies-doubles-risk-later-tooth-decay>

No authors listed. Secondhand smoke during pregnancy and early childhood linked to atrial fibrillation in adult life. Medical News Today, 2015. Sept 3, 2015. Available from:  
<http://www.medicalnewstoday.com/releases/299015.php?tw>

No authors listed. Early exposure to tobacco as a cause of behavioral problems in children. Bright Surf, 2015. Sept 29, 2015. Available from:  
[http://www.brightsurf.com/news/headlines/113899/Early\\_exposure\\_to\\_tobacco\\_as\\_a\\_cause\\_of\\_behavioral\\_problems\\_in\\_children\\_.html](http://www.brightsurf.com/news/headlines/113899/Early_exposure_to_tobacco_as_a_cause_of_behavioral_problems_in_children_.html)

Brazier, Yvette. Could asthma be inherited from grandmothers who smoke? Medical News Today, 2015. Sept 30, 2015. Available from: <http://www.medicalnewstoday.com/articles/300182.php?tw>

No authors listed. Kids with asthma that are exposed to secondhand smoke have twice as many hospitalizations. Medical News Today, 2015. Sept 25, 2015. Available from:  
<http://www.medicalnewstoday.com/releases/300085.php?tw>

Hodgekiss, Anna. Smoking around toddlers is 'just as bad as doing so while pregnant': Those exposed to fumes are more likely to be fat later in life. Mail Online , 2015. June 22, 2015. Available from:  
<http://www.dailymail.co.uk/health/article-3134422/Smoking-toddlers-just-bad-doing-pregnant-exposed-fumes-likely-fat-later-life.html>

No authors listed,. Parental smoking increases risk of future heart disease for kids. Medical News Today, 2015. Mar 24, 2015. Available from:  
<http://www.medicalnewstoday.com/articles/291277.php>

No authors listed. Higher cot death risk around smokers, report finds. BBC News, 2015. Jan 20, 2015. Available from: <http://www.bbc.com/news/uk-wales-30886137>

Devlin, Hannah. Father's smoking habit raises asthma risk. The Times, 2014. Sep 9, 2014. Available from: <http://www.thetimes.co.uk/tto/health/child-health/article4200765.ece>

#### *4.17.1 Infant death*

Osseiran, Nada, Chriscaden, Kimberly. The cost of a polluted environment: 1.7 million child deaths a year, says WHO. World Health Organization, 2017. Mar 6, 2017. Available from:  
<http://www.who.int/mediacentre/news/releases/2017/pollution-child-death/en/>

#### *4.17.3 Childhood asthma and other chronic respiratory symptoms*

Lehman, Shereen. Secondhand smoking tied to snoring in kids. Reuters, 2018. July 11, 2018. Available from: <https://www.reuters.com/article/us-health-kids-smoke-snoring/secondhand-smoking-tied-to-snoring-in-kids-idUSKBN1JV1Y2>

No authors listed. Exposure to second-hand smoke doubles rates of asthma and wheezing in infants. University of Otago, May 2018. May 15, 2018. Available from: <https://www.otago.ac.nz/child-health-research/news/otago685768.html>

No authors listed. Prior exposure to smoking may affect infants' respiratory health. Medical Xpress, 2017. Dec 6, 2017. Available from: <https://medicalxpress.com/news/2017-12-prior-exposure-affect-infants-respiratory.html>

Miadich, SA, Everhart, RS, Heron, KE, Cobb, CO. Medication use, sleep, and caregiver smoking status among urban children with asthma. J Asthma. 2017 Jul 31:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28759271>

Rapaport, Lisa. Clean indoor air as important as meds in controlling kids' asthma. Reuters, 2016. Oct 31, 2016. Available from: <http://www.reuters.com/article/us-health-asthma-indoor-air-idUSKBN12V27P>

#### *4.17.4 Acute lower respiratory tract infections in infancy and early childhood*

Davis, N. Childhood pneumonia cases up 50% in 10 years, NHS data shows. The Guardian, 2019. Nov 12, 2019. Available from <https://www.theguardian.com/society/2019/nov/12/childhood-pneumonia-cases-rise-nhs-data-england-hospital-admissions>

#### *4.17.5 Decreased lung function*

Schivinski, CIS, de Assumpcao, MS, de Figueiredo, F, Wamosy, RMG, Ferreira, LG, Ribeiro, JD. Impulse oscillometry, spirometry, and passive smoking in healthy children and adolescents. Rev Port Pneumol (2006). 2017 Jul 28. pii: S2173-5115(17)30098-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28760702>

#### *4.17.8 Longer term developmental effects*

No authors listed. Children exposed to tobacco fumes are just as likely to develop agonising rheumatoid arthritis as smokers, 30-year study finds. Mail on Sunday, 2018. Aug 15, 2018. Available from: <http://www.mailonsunday.co.uk/health/article-6059973/Children-exposed-tobacco-fumes-just-likely-develop-agonising-arthritis-smokers.html>

Doyle, Kathryn. Mother's smoking may influence child's lung function decades later. Reuters, 2016. Mar 16, 2016. Available from: <http://www.reuters.com/article/us-health-lungfunction-maternal-smoking-idUSKCN0WI2H6>

No authors listed. Second-hand smoke increases fatness, hinders cognition in children. Medical Xpress, 2016. Jan 28, 2016. Available from: <http://medicalxpress.com/news/2016-01-second-hand-fatness-hinders-cognition-children.html>

Health Day. COPD is an adult killer, but its origins may lie in childhood. Medical Xpress, 2018. Apr 11, 2018. Available from: <http://medicalxpress.com/news/2018-04-copd-adult-killer-childhood.html>