

Tobacco in Australia

Facts & Issues

Relevant news and research

4.18 Other health effects

Last updated February 2023

Research:

Fu, Z, Zhou, T, Dong, F, Li, M, Lin, X, Ma, W et al. (2022). Secondhand smoke is positively associated with pre-frailty and frailty in non-smoking older adults. *Front Psychiatry*, 13, 1095254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36590628>

Zhang, Y, Lin, S, Li, J, Song, X, Chen, G, & Pei, L. (2022). Interaction of Passive Smoking and Diet Habits on Vitamin D Deficiency among Women of Reproductive Age in Rural Central China. *Nutrients*, 15(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36615784>

Zhang, X, Zhang, X, Yang, Y, Zhi, K, Chen, Y, Zhao, J et al (2022). Association between passive smoking and the risk of rheumatoid arthritis: a systematic review and meta-analysis. [MS Top Pick]. *Clin Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36369402>

Karimi, S, Nouri, H, Mahmoudinejad-Azar, S, & Abtahi, SH. (2022). Smoking and environmental tobacco smoke exposure: implications in ocular disorders. *Cutan Ocul Toxicol*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36369835>

Aparicio Martins, I, Valente, C, Simoes Farinha, P, Figueira Vilela, B, & Cabete, J. (2022). Passive smoking and hidradenitis suppurativa: a retrospective analysis. *J Eur Acad Dermatol Venereol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36306405>

Jin, M, Chen, H, Na, J, An, H, Li, Z, & Li, N. (2022). Passive smoking and insomnia in rural Chinese nonsmoking housewives: An environmental and genetic perspective. *Environ Int*, 170, 107569. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36219910>

Liao, M, Xiao, Y, Li, S, Su, J, Li, J, Zou, B et al. (2022). Synergistic Effects between Ambient Air Pollution and Second-Hand Smoke on Inflammatory Skin Diseases in Chinese Adolescents. *Int J Environ Res Public Health*, 19(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36011645>

tobaccoinaustralia.org.au

Merianos, AL, Jacobs, W, Olaniyan, AC, Smith, ML, & Mahabee-Gittens, EM. (2022). Tobacco Smoke Exposure, School Engagement, School Success, and Afterschool Activity Participation Among US Children. *J Sch Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35989183>

Miyamura, K, Nawa, N, Isumi, A, Doi, S, Ochi, M, & Fujiwara, T. (2022). Impact of exposure to secondhand smoke on the risk of obesity in early adolescence. *Pediatr Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35963886>

Zhao, M, Fan, K, Wang, J, Wang, J, Xu, Q, Wei, D et al. (2022). Lipidomic analysis reveals the effect of passive smoking on facial skin surface lipid in females. *Chem Phys Lipids*, 247, 105228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35940249>

Moraes, CA, Thal, BVN, Bannwart, JV, Jacomini, RA, Breda-Stella, M & Carvalho, CAF. (2022). Impact of passive smoking on renal vascular morphology. *Einstein (Sao Paulo)*, 20, eAO0011. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35894376>

Chang, CW, Chang, CH, Chuang, HY, Cheng, HY, Lin, CI, Chen, HT, & Yang, CC. (2022). What is the association between secondhand smoke (SHS) and possible obstructive sleep apnea: a meta-analysis. *Environ Health*, 21(1), 58. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35710478>

Xiao, SQ, Xing, LL, Wu, QJ, Xia, TH, Fu, TT, Guo, Y et al. (2022). Association Between Passive Smoking and Menstrual Discomfort: A Cross-Sectional Study of 2,571 Non-smoking Chinese Nurses. *Front Public Health*, 10, 889254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35719676>

Craciun, OM, Ortola, R, Pascual, JA, Perez-Ortuno, R, Galan Labaca, I, Banegas, JR et al. (2022). Secondhand tobacco smoke and functional impairments in older adults living in the community. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35569063>

Zeng, S, Dunn, M, Gold, WM, Kizer, JR, & Arjomandi, M. (2022). Remote exposure to secondhand tobacco smoke is associated with lower exercise capacity through effects on oxygen pulse, a proxy of cardiac stroke volume. *BMJ Open Respir Res*, 9(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35551073>

Nguyen, Y, Salliot, C, Gelot, A, Mariette, X, Boutron-Ruault, MC, & Seror, R. (2022). Passive smoking in childhood and adulthood and risk of rheumatoid arthritis in women: results from the French E3N cohort study. *RMD Open*, 8(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35197361>

Wan, B, Peng-Li, D, Chen, J, Xu, P, Sun, D, Chen, Q et al. (2022). The effect of secondhand smoke exposure on self-satisfaction and perceived freedom of life choice. *J Am Coll Health*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35157562>

Noel, A, Perveen, Z, Xiao, R, Hammond, H, Le Donne, V, Legendre, K et al. (2021). Mmp12 Is Upregulated by in utero Second-Hand Smoke Exposures and Is a Key Factor Contributing to Aggravated Lung Responses in Adult Emphysema, Asthma, and Lung Cancer Mouse Models. *Front Physiol*, 12, 704401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34912233>

Nishikawa, A, Tanaka, K, Miyake, Y, Nagata, C, Furukawa, S, Andoh, A et al. (2021). Active and passive smoking and risk of ulcerative colitis: A case-control study in Japan. *J Gastroenterol Hepatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34845747>

- Klareskog, L. (2021). Passive smoking in childhood accelerates RA risk for smokers. *Nat Rev Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34785813>
- Wang, L, Heizhati, M, Li, M, Wang, Z, Yang, Z, Abudereyimu, R et al. (2021). Secondhand smoke is associated with poor sleep quality in self-reported never-smokers of Northwest China: a cross-sectional study. *Sleep Breath*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34674105>
- Cengel Kurnaz, S, Tahir, E, & Kavaz, E. (2021). Olfactory dysfunction in passive vs active smoking. *Laryngoscope Investig Otolaryngol*, 6(5), 932-939. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34692999>
- Banjabi, AA, Kurunthachalam, K, Kumosani, TA, Abulnaja, KO, Al-Malki, AL, & Moselhy, SS. (2021). Serum heavy metals of passive smoker females and its correlation to bone biomarkers and risk of osteoporosis. *Environ Sci Pollut Res Int*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34467492>
- Chen, CH, Lee, JI, Jhan, JH, Lee, YC, Geng, JH, Chen, SC et al. (2021). Secondhand smoke increases the risk of developing kidney stone disease. *Sci Rep*, 11(1), 17694. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34489505>
- Kawada, T. (2021). Letter to the Editor: Childhood Secondhand Smoke Exposure and Risk of Dementia in Adulthood. *J Prev Alzheimers Dis*, 8(4), 552. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34585230>
- Gianfrancesco, MA, & Crowson, CS. (2021). Where There's Smoke, There's a Joint: Passive Smoking and Rheumatoid Arthritis. *Arthritis Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34347946>
- Yoshida, K, Wang, J, Malspeis, S, Marchand, N, Lu, B, Prisco, LC et al. (2021). Passive Smoking Throughout the Life Course and the Risk of Incident Rheumatoid Arthritis in Adulthood Among Women. *Arthritis Rheumatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34406709>
- Reichenberger, DA, Master, L, Hale, L, & Chang, AM. (2021). Secondhand smoke exposure is longitudinally associated with shorter parent-reported sleep duration during childhood. *Sleep Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34281813>
- An, X, Wang, J, Shi, W, Ma, R, Li, Z, Lei, M et al. (2021). The Effect of Passive Smoking on Early Clinical Outcomes After Total Knee Arthroplasty Among Female Patients. *Risk Manag Healthc Policy*, 14, 2407-2419. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34113195>
- Kurniasari, MD, Karwur, FF, Rayanti, RE, Dharmana, E, Rias, YA, Chou, KR, & Tsai, HT. (2021). Second-Hand Smoke and Its Synergistic Effect with a Body-Mass Index of >24.9 kg/m² Increase the Risk of Gout Arthritis in Indonesia. *Int J Environ Res Public Health*, 18(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33921811>
- Miyamura, K, Nawa, N, Isumi, A, Doi, S, Ochi, M, & Fujiwara, T. (2021). The association of passive smoking and dyslipidemia among adolescence in Japan: Results from A-CHILD Study. *J Clin Endocrinol Metab*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33595668>

- Rose, BJ, Weyand, JA, Liu, B, Smith, JF, Perez, BR, Clark, JC et al (2021). Exposure to second-hand cigarette smoke exacerbates the progression of osteoarthritis in a surgical induced murine model. *Histol Histopathol*, 18311. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33576000>
- Wu, F, Pahkala, K, Juonala, M, Jaakkola, J, Rovio, SP, Lehtimaki, T et al (2021). Childhood and Adulthood Passive Smoking and Nonalcoholic Fatty Liver in Midlife: A 31-year Cohort Study. *Am J Gastroenterol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33481379>
- Akpa, OM, Okekunle, AP, Asowata, JO, & Adedokun, B. (2021). Passive smoking exposure and the risk of hypertension among non-smoking adults: the 2015–2016 NHANES data. *Clinical Hypertension*, 27(1), 1. Retrieved from <https://doi.org/10.1186/s40885-020-00159-7>
- Bai, A, Jin, Y, & Huang, Y. (2020). Impact of secondhand smoke exposure on cognitive function among middle-aged and older women in China: findings from three waves of the China Health and Retirement Longitudinal Study. *BMJ Open*, 10(11), e039824. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33203633>
- Liu, W, Wang, B, Xiao, Y, Wang, D, & Chen, W. (2020). Secondhand smoking and neurological disease: a meta-analysis of cohort studies. *Rev Environ Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33128528>
- Jing, D, Li, J, Tao, J, Wang, X, Shan, S, Kang, X et al (2020). Associations of second-hand smoke exposure with hand eczema and atopic dermatitis among college students in China. *Sci Rep*, 10(1), 17400. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33060809>
- Sakai, H, & Ohashi, K. (2020). Effects of past environmental tobacco smoke exposure on the menstrual cycle and menstrual phase-related symptoms: A cross-sectional study. *J Obstet Gynaecol Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33103300>
- Milic, M, Levine, H, Pekmezovic, T, Kusic-Tepavcevic, D, Maric, G, Popovic, A et al. (2020). Is exposure to indoor secondhand smoke associated with poor mental health? Results from non-conflict and post-conflict setting. *Psychol Health Med*, 1-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32841089>
- Scharrer, S, Lissner, D, Primas, C, Reinisch, W, Novacek, G, Reinisch, S et al (2020). Passive Smoking Increases the Risk for Intestinal Surgeries in Patients With Crohn's Disease. *Inflamm Bowel Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32529214>
- Safa, F, Chaiton, M, Mahmud, I, Ahmed, S, & Chu, A. (2020). The association between exposure to second-hand smoke and sleep disturbances: A systematic review and meta-analysis. *Sleep Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32446663>
- Oturai, DB, Bach Sondergaard, H, Koch-Henriksen, N, Andersen, C, Laursen, JH et al (2020). Exposure to passive smoking during adolescence is associated with an increased risk of developing multiple sclerosis. *Mult Scler*, 1352458520912500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32202196>
- He, F, Li, T, Lin, J, Li, F, Zhai, Y, Zhang, T et al. (2020). Passive Smoking Exposure in Living Environments Reduces Cognitive Function: A Prospective Cohort Study in Older Adults. *Int J Environ Res Public Health*, 17(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32098188>

Han, C, Lu, Y, Cheng, H, Wang, C, & Chan, P. (2019). The impact of long-term exposure to ambient air pollution and second-hand smoke on the onset of Parkinson disease: a review and meta-analysis. *Public Health*, 179, 100-110. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31770719>

Anstey, KJ, Chen, R. Invited Commentary: Second-hand smoke is an under recognized risk factor for cognitive decline. *Am J Epidemiol*. 2018 Jan 12. pii: 4804403. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370342>

Gatto, NM, Deapen, D, Marshall, S, Bordelon, Y, Bernstein, L, Ritz, B. Response to commentary on passive smoking and Parkinson's disease in California teachers. *Parkinsonism Relat Disord*. 2017 Dec 19. pii: S1353-8020(17)30845-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29295771>

Pan, X, Luo, Y, Roberts, AR. Secondhand Smoke and Women's Cognitive Function in China. *Am J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370335>

Pan, X, Luo, Y, Roberts, AR. Response to Invited Commentary: Second-hand Smoke is an under Recognized Risk for Cognitive Decline. *Am J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370330>

Stirland, LE, O'Shea, CI, Russ, TC. Passive smoking as a risk factor for dementia and cognitive impairment: systematic review of observational studies. *Int Psychogeriatr*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29249209>

Batty, GD, Zaninotto, P. Exposure to passive smoking and impairment in physical function in older people. *Epidemiology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29135569>

Gatto, NM, Deapen, D, Bordelon, Y, Marshall, S, Bernstein, L, Ritz, B. Passive smoking and Parkinson's disease in California Teachers. *Parkinsonism Relat Disord*. 2017 Oct 4. pii: S1353-8020(17)30358-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29033298>

News reports: